

MySQL Community Downloads

- [MySQL Yum Repository](#)
- [MySQL APT Repository](#)
- [MySQL SUSE Repository](#)
- [MySQL Community Server](#)
- [MySQL Cluster](#)
- [MySQL Router](#)
- [MySQL Shell](#)
- [MySQL Workbench](#)
- [MySQL Installer for Windows](#)
- [MySQL for Visual Studio](#)
- [C API \(libmysqlclient\)](#)
- [Connector/C++](#)
- [Connector/J](#)
- [Connector/NET](#)
- [Connector/Node.js](#)
- [Connector/ODBC](#)
- [Connector/Python](#)
- [MySQL Native Driver for PHP](#)
- [MySQL Benchmark Tool](#)
- [Time zone description tables](#)
- [Download Archives](#)

MySQL Community Downloads

MySQL Installer

General Availability (GA) Releases

Archives



MySQL Installer 8.0.27

Select Operating System:

Microsoft Windows

[Looking for previous GA versions?](#)

Windows (x86, 32-bit), MSI Installer

8.0.27

2.3M

Download

(mysql-installer-web-community-8.0.27.1.msi)

MD5: 44b7f3e4c1bdcc641621cfaa31ea18f4 | [Signature](#)

Windows (x86, 32-bit), MSI Installer

8.0.27

470.2M

Download

(mysql-installer-community-8.0.27.1.msi)

MD5: 9b7af5c91139659b10b84b1ca357d08f | [Signature](#)



We suggest that you use the [MD5 checksums](#) and [GnuPG signatures](#) to verify the integrity of the

⬇️ MySQL Community Downloads

Login Now or Sign Up for a free account.

An Oracle Web Account provides you with the following advantages:

- Fast access to MySQL software downloads
- Download technical White Papers and Presentations
- Post messages in the MySQL Discussion Forums
- Report and track bugs in the MySQL bug system

Login »
using my Oracle Web account

Sign Up »
for an Oracle Web account

MySQL.com is using Oracle SSO for authentication. If you already have an Oracle Web account, click the Login link. Otherwise, you can signup for a free account by clicking the Sign Up link and following the instructions.

No thanks, just start my download.

MySQL Community Downloads

Login Now or Sign Up for a free account.

An Oracle Web Account provides you with the following:


- Fast access to MySQL software downloads
- Download technical White Papers and Presentation
- Post messages in the MySQL Discussion Forums
- Report and track bugs in the MySQL bug system

Login »

using my Oracle Web account

MySQL.com is using Oracle SSO for authentication. If you already have an Oracle Web account, click the Login link. Otherwise, you can sign up for a free account by clicking the Sign Up link and following the instructions.

No thanks, just start my download.



MySQL Community Downloads

Login Now or Sign Up for a free account.

An Oracle Web Account provides you with the following advantages:

- Fast access to MySQL software downloads
- Download technical White Papers and Presentations
- Post messages in the MySQL Discussion Forums
- Report and track bugs in the MySQL bug system

MySQL Installer - Community



Please wait while Windows configures MySQL Installer - Community

Cancel

Login »

using my Oracle Web account

Sign Up »

for an Oracle Web account

MySQL.com is using Oracle SSO for authentication. If you already have an Oracle Web account, click the Login link. Otherwise, you can signup for a free account by clicking the Sign Up link and following the instructions.

No thanks, just start my download.

🔗 MySQL Community Downloads

Login Now or Sign Up for a free account

An Oracle Web Account provides you with the


- Fast access to MySQL software downloads
- Download technical White Papers and Presentations
- Post messages in the MySQL Discussion Forums
- Report and track bugs in the MySQL bug system

Login »
using my Oracle Web account

MySQL.com is using Oracle SSO for authentication. If you already have an Oracle Web account, click the Login link. Otherwise, you can signup for a free account by clicking the Sign Up link and following the instructions.

No thanks, just start my download.





MySQL Installer

Adding Community

Choosing a Setup Type

Check Requirements

Download

Installation

Product Configuration

Installation Complete

Check Requirements

The following products have failing requirements. MySQL Installer will attempt to resolve them automatically. Requirements marked as manual cannot be resolved automatically. Click on each item to try and resolve it manually.

For Product	Requirement	Status
<input type="radio"/> MySQL Server 8.0.27	Microsoft Visual C++ 2019 Redistributable	
<input type="radio"/> MySQL Workbench 8.0.27	Microsoft Visual C++ 2019 Redistributable	
<input type="radio"/> MySQL for Visual Studio 1.2.10	Visual Studio version 2015, 2017 or 2019	Manual
<input type="radio"/> MySQL Shell 8.0.27	Microsoft Visual C++ 2019 Redistributable	
<input type="radio"/> MySQL Router 8.0.27	Microsoft Visual C++ 2019 Redistributable	
<input type="radio"/> Connector/ODBC 8.0.27	Microsoft Visual C++ 2019 Redistributable	
<input type="radio"/> Connector/C++ 8.0.27	Microsoft Visual C++ 2017 Redistributable	

< Back

Execute

Next >

Cancel

MySQL.com

Login Now or Sign Up for an Oracle Web Account

- Fast access to MySQL software
- Download technical Whitepapers
- Post messages in the MySQL community
- Report and track bugs in the MySQL community

MySQL.com is using Oracle Web account, click the Login button or clicking the Sign Up link

Yes, set it as default browser

Would you like to make Opera your default browser?

MySQL Community

Login Now or Sign Up for

An Oracle Web Account provides

- Fast access to MySQL software
- Download technical Whitepapers
- Post messages in the MySQL Forums
- Report and track bugs in the MySQL Bug Tracker

MySQL.com is using Oracle's Web account, click the Login link or clicking the Sign Up link

No thanks, just start my download.

MySQL® Installer

Adding Community

Choosing a Setup Type

Check Requirements

Download

Installation

Product Configuration

Installation Complete

Check Requirements

The following products have failing requirements. MySQL Installer will attempt to resolve them automatically. Requirements marked as manual cannot be resolved automatically. Click on each item to try and resolve it manually.

For Product	Requirement	Status
<input type="radio"/> MySQL Server 8.0.27	Microsoft Visual C++ 2019 Redistributable	
<input type="radio"/> MySQL Workbench 8.0.27	Microsoft Visual C++ 2019 Redistributable	
<input type="radio"/> MySQL for Visual Studio 1.2.10	Visual Studio version 2015, 2017 or 2019	Manual
<input type="radio"/> MySQL Shell 8.0.27	Microsoft Visual C++ 2019 Redistributable	
<input type="radio"/> MySQL Router 8.0.27	Microsoft Visual C++ 2019 Redistributable	
<input type="radio"/> Connector/ODBC 8.0.27	Microsoft Visual C++ 2019 Redistributable	
<input type="radio"/> Connector/C++ 8.0.27	Microsoft Visual C++ 2017 Redistributable	

< Back

Execute

Next >

Cancel

dev.mysql.com/downloads/file/

Booking.com Amazon.com MySQL Installer

Would you like to make Opera your default browser?

MySQL.com

Login Now or Sign Up for an Oracle Web Account

- Fast access to MySQL software
- Download technical Whitepapers
- Post messages in the MySQL community
- Report and track bugs in the MySQL community

Log in

using my Oracle account

MySQL.com is using Oracle account. To log in, click the Log in button. If you do not have an Oracle account, click the Sign Up link.

No thanks, just start my download.

MySQL Installer

Adding Community

Choosing a Setup Type

Check Requirements

Download

Installation

Product Configuration

Installation Complete

Check Requirements

The following products have failing requirements. MySQL Installer will attempt to resolve them automatically. Requirements marked as manual cannot be resolved automatically. Click on each item to try and resolve it manually.

For Product	Requirement	Status
MySQL for Visual Studio 1.2.10	Visual Studio version 2015, 2017 or 2019	Manual
MySQL Shell 8.0.27	Microsoft Visual C++ 2019 Redistributable	
MySQL Router 8.0.27	Microsoft Visual C++ 2019 Redistributable	
Connector/ODBC 8.0.27	Microsoft Visual C++ 2019 Redistributable	
Connector/C++ 8.0.27	Microsoft Visual C++ 2017 Redistributable	
Connector/Python 8.0.27	Microsoft Visual C++ 2015 Redistributable	
Connector/Python 8.0.27	Python 64-bit (3.6, 3.7, 3.8 or 3.9) is not installed	Manual

< Back Execute Next > Cancel

Yes, set it as default browser

dev.mysql.com/downloads/file/

Booking.com Amazon.com MySQL Installer

Would you like to make Opera your

MySQL Community

Login Now or Sign Up for

An Oracle Web Account provides

- Fast access to MySQL software
- Download technical Whitepapers
- Post messages in the MySQL Community
- Report and track bugs in the MySQL Community

MySQL.com is using Oracle
Web account, click the Login
button or clicking the Sign Up link

No thanks, just start my download.

MySQL Installer

Adding Community

Choosing a Setup Type

Check Requirements

Download

Installation

Product Configuration

Installation Complete

Check Requirements

The following products have failing requirements. MySQL Installer will attempt to resolve them automatically. Requirements marked as manual cannot be resolved automatically. Click on each item to try and resolve it manually.

For Product	Requirement	Status
MySQL for Visual Studio 1.2.10	Visual Studio version 2015, 2017 or 2...	Manual
MySQL Shell 8.0.27	Microsoft Visual C++ 2019 Redistrib...	INSTL FAIL?
MySQL Router 8.0.27	Microsoft Visual C++ 2019 Redistrib...	INSTL FAIL?
Connector/ODBC 8.0.27	Microsoft Visual C++ 2019 Redistrib...	INSTL DONE
Connector/C++ 8.0.27	Microsoft Visual C++ 2017 Redistrib...	INSTL DONE
Connector/Python 8.0.27	Microsoft Visual C++ 2015 Redistrib...	INSTL DONE
Connector/Python 8.0.27	Python 64-bit (3.6, 3.7, 3.8 or 3.9) is n...	Manual

Requirement Details

MySQL Installer is trying to resolve this requirement automatically.
There is nothing you need to do.

Requirement: Microsoft Visual C++ 2019 Redistributable Package (x64) is not installed. Latest binary compatible version will be installed if agreed

Status:

< Back

Next >

Cancel

Yes, set it as default browser

dev.mysql.com/downloads/file/

Booking.com Amazon.com

Would you like to make Opera your default browser?

Yes, set it as default browser

MySQL Installer

Adding Community

Choosing a Setup Type

Installation

Product Configuration

Installation Complete

Installation

The following products will be installed.

Product	Status	Progress	Notes
MySQL Server 8.0.27	Complete		
MySQL Workbench 8.0.27	Complete		
MySQL Shell 8.0.27	Complete		
MySQL Router 8.0.27	Complete		
Connector/ODBC 8.0.27	Complete		
Connector/C++ 8.0.27	Complete		
Connector/J 8.0.27	Complete		
Connector/NET 8.0.27	Complete		
MySQL Documentation 8.0.27	Complete		
Samples and Examples 8.0.27	Complete		

Show Details >

< Back

Next >

Cancel

MySQL.com

Login Now or Sign Up for an Oracle Web Account

- Fast access to MySQL software
- Download technical Whitepapers
- Post messages in the MySQL community
- Report and track bugs in the MySQL bug database

Log in using my Oracle Web account

MySQL.com is using Oracle Web account, click the Log in link or clicking the Sign Up link

No thanks, just start my download.

dev.mysql.com/downloads/file/

Booking.com Amazon.com MySQL Installer

Would you like to make Opera your

MySQL Com

Login Now or Sign Up for

An Oracle Web Account provides

- Fast access to MySQL software
- Download technical Whitepapers
- Post messages in the MySQL community
- Report and track bugs in the MySQL community

Log in using my Oracle account

MySQL.com is using Oracle Web account, click the Log in link, clicking the Sign Up link

No thanks, just start my download.

MySQL. Installer

MySQL Server 8.0.27

Type and Networking

Authentication Method

Accounts and Roles

Windows Service

Apply Configuration

Type and Networking

Server Configuration Type

Choose the correct server configuration type for this MySQL Server installation. This setting will define how much system resources are assigned to the MySQL Server instance.

Config Type: Development Computer

Connectivity

Use the following controls to select how you would like to connect to this server.

☒ TCP/IP

Port: 3306

X Protocol Port: 33060

☒ Open Windows Firewall ports for network access

☐ Named Pipe

Pipe Name: MYSQL

☐ Shared Memory

Memory Name: MYSQL

Advanced Configuration


Select the check box below to get additional configuration pages where you can set advanced and logging options for this server instance.

☐ Show Advanced and Logging Options

Next >

Cancel

Yes, set it as default browser



MySQL Installer

MySQL Server 8.0.27

Type and Networking

Authentication Method

Accounts and Roles

Windows Service

Apply Configuration

Accounts and Roles

Root Account Password

Enter the password for the root account. Please remember to store this password in a secure place.

MySQL Root Password:

Repeat Password:

Password strength: Strong

MySQL User Accounts

Create MySQL user accounts for your users and applications. Assign a role to the user that consists of a set of privileges.

MySQL User Name	Host	User Role
-----------------	------	-----------

Add User

Edit User

Delete

< Back

Next >

Cancel


dev.mysql.com/downloads/file/


Booking.com Amazon.com


Would you like to make Opera your default browser?

Yes, set it as default browser

No thanks, just start my download.







dev.mysql.com/downloads/file/

Booking.com Amazon.com

Would you like to make Opera your default browser?

MySQL Installer

MySQL. Installer

Adding Community

Choosing a Setup Type

Installation

Product Configuration

Installation Complete

Product Configuration

We'll now walk through a configuration wizard for each of the following products.

You can cancel at any point if you wish to leave this wizard without configuring all the products.

Product	Status
MySQL Server 8.0.27	Configuration complete.
MySQL Router 8.0.27	Ready to configure
Samples and Examples 8.0.27	Ready to configure

Next > Cancel

MySQL Community


Login Now or Sign Up for an Oracle Web Account


- Fast access to MySQL software
- Download technical Whitepapers
- Post messages in the MySQL Community
- Report and track bugs in the MySQL Community

Log in using my Oracle Web account

MySQL.com is using Oracle Web account, click the Log in link or clicking the Sign Up link

No thanks, just start my download.





MySQL Community

Login Now or Sign Up for an Oracle Web Account

An Oracle Web Account provides you with:

- Fast access to MySQL software and documentation
- Download technical White Papers
- Post messages in the MySQL Community Forums
- Report and track bugs in the MySQL Bug Tracker

MySQL.com is using Oracle Web account, click the Login link. If you do not have an Oracle Web account, clicking the Sign Up link will create one for you.

No thanks, just start my download.

MySQL Installer

Adding Community

Choosing a Setup Type

Installation

Product Configuration

Installation Complete


Installation Complete

The installation procedure has been completed.

Copy Log to Clipboard

- ☒ Start MySQL Workbench after setup
- ☒ Start MySQL Shell after setup

The MySQL Shell is an advanced MySQL client application that can be used to work with single MySQL Server instances. Further, it can be used to create and manage an InnoDB cluster, an integrated solution for high availability and scalability of MySQL databases, without requiring advanced MySQL expertise.



Refer to the following links for documentation, tutorials and examples on MySQL Shell:


[MySQL Shell Documentation](#)

[Setting up a Real World Cluster Blog](#)

[The All New MySQL InnoDB ReplicaSet Blog](#)

[Changing Cluster Options Live Blog](#)

Finish



MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

- MANAGEMENT
 - Server Status
 - Client Connections
 - Users and Privileges
 - Status and System Variables
 - Data Export
 - Data Import/Restore
- INSTANCE
 - Startup / Shutdown
 - Server Logs
 - Options File
- PERFORMANCE
 - Dashboard
 - Performance Reports
 - Performance Schema Setup

Query 1

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Administration Schemas

Information

Output

Action Output

No object selected

MySQL Workbench

Local instance MySQL80

FileEditViewQueryDatabaseServerToolsScriptingHelp

Navigator

SCHEMAS

Filter objects

sakila

sys

Tables

Views

Stored Procedures

Functions

world

Query 1

Limit to 1000 rows

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context HelpSnippets

AdministrationSchemas

Information

Schema: sys

Output

Action Output

#	Time	Action	Message	Duration / Fetch
61	13:13:30	INSERT INTO 'order_items' VALUES (8,5,2,6.94)	1 row(s) affected	0.063 sec
62	13:13:30	INSERT INTO 'order_items' VALUES (8,8,2,8.59)	1 row(s) affected	0.125 sec
63	13:13:31	INSERT INTO 'order_items' VALUES (9,6,5,7.28)	1 row(s) affected	0.203 sec
64	13:13:31	INSERT INTO 'order_items' VALUES (10,1,10,6.01)	1 row(s) affected	0.078 sec
65	13:13:31	INSERT INTO 'order_items' VALUES (10,9,9,4.28)	1 row(s) affected	0.079 sec
66	13:13:31	CREATE TABLE 'sql_store'.'order_item_notes' ('note_id' INT NOT NULL, 'order_id' INT NOT NULL, 'product_id' INT NOT NULL, 'note' VARCHAR(255) NOT NULL, PRIMARY KEY ('note_id'));	Error Code: 1049. Unknown database 'sql_store'	0.093 sec

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: Filter objects

- sakila
- store
 - Tables
 - customers
 - order_items
 - order_statuses
 - orders
 - products
 - shippers
 - Views
 - Stored Procedures
 - Functions
- sys
- world

Query 1 customers order_items x

SQLAdditions: Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

1 • SELECT * FROM store.order_items;

Limit to 1000 rows

Result Grid

	order_id	product_id	quantity	unit_price
▶	1	4	4	3.74
	2	1	2	9.10
	2	4	4	1.66
	2	6	2	2.94
	3	3	10	9.12
	4	3	7	6.99
	4	10	7	6.40

Filter Rows: Edit: Export/Import: Result Grid Form Editor

Administration Schemas order_items 1 x Apply Revert Context Help Snippets

Information: Schema: store

Output: Action Output

#	Time	Action	Message	Duration / Fetch
✓ 1	13:17:17	SELECT * FROM store.customers LIMIT 0, 1000	10 row(s) returned	0.047 sec / 0.000 sec
✓ 2	13:17:29	SELECT * FROM store.order_items LIMIT 0, 1000	18 row(s) returned	0.015 sec / 0.000 sec

Object Info Session

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- sakila
- store
 - Tables
 - customers
 - order_items
 - order_statuses
 - orders
 - products
 - shippers
 - Views
 - Stored Procedures
 - Functions
- sys
- world

Query 1

customers order_items order_statuses

Limit to 1000 rows

1 • `SELECT * FROM store.order_statuses;`

Result Grid

	order_status_id	name
▶	1	Processed
	2	Shipped
	3	Delivered
*	NULL	NULL

Form Editor

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Administration Schemas

der_statuses 1 x

Apply Revert

Context Help Snippets

Information

Schema: store

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 1	13:17:17	SELECT * FROM store.customers LIMIT 0, 1000	10 row(s) returned	0.047 sec / 0.000 sec
✓ 2	13:17:29	SELECT * FROM store.order_items LIMIT 0, 1000	18 row(s) returned	0.015 sec / 0.000 sec
✓ 3	13:17:34	SELECT * FROM store.order_statuses LIMIT 0, 1000	3 row(s) returned	0.109 sec / 0.000 sec

Object Info Session

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHMAS

Filter objects

sakila

store

Tables

- customers
- order_items
- order_statuses
- orders
- products
- shippers

Views

Stored Procedures

Functions

sys

world

Query 1

customers order_items order_statuses orders

Limit to 1000 rows

1 • `SELECT * FROM store.orders;`

Result Grid

	order_id	customer_id	order_date	status	comments
▶	1	6	2019-01-30	1	NULL
	2	7	2018-08-02	2	NULL
	3	8	2017-12-01	1	NULL
	4	2	2017-01-22	1	NULL
	5	5	2017-08-25	2	
	6	10	2018-11-18	1	Aliquam erat volutpat. In congue.

Form Editor

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Administration Schemas

Information

Schema: store

Object Info Session

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 1	13:17:17	SELECT * FROM store.customers LIMIT 0, 1000	10 row(s) returned	0.047 sec / 0.000 sec
✓ 2	13:17:29	SELECT * FROM store.order_items LIMIT 0, 1000	18 row(s) returned	0.015 sec / 0.000 sec
✓ 3	13:17:34	SELECT * FROM store.order_statuses LIMIT 0, 1000	3 row(s) returned	0.109 sec / 0.000 sec
✓ 4	13:17:40	SELECT * FROM store.orders LIMIT 0, 1000	10 row(s) returned	0.016 sec / 0.000 sec

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- sakila
- store
 - Tables
 - customers
 - order_items
 - order_statuses
 - orders
 - products
 - shippers
 - Views
 - Stored Procedures
 - Functions
- sys
- world

orders products - Table products products products products products

1 • SELECT * FROM store.products;

Limit to 1000 rows

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

product_id	name	quantity_in_stock	unit_price
1	Foam Dinner Plate	70	1.21
2	Pork - Bacon,back Peameal	49	4.65
3	Lettuce - Romaine, Heart	38	3.35
4	Brocolinni - Gaylan, Chinese	90	4.53
5	Sauce - Ranch Dressing	94	1.63
6	Petit Baguette	14	2.39
7	Sweet Pea Sprouts	98	3.29
8	Iceland Oasis - Raenherri	76	0.74

products 1 x

Administration Schemas

Information

Schema: store

Output

Action Output

#	Time	Action	Message	Duration / Fetch
3	13:17:34	SELECT * FROM store.order_statuses LIMIT 0, 1000	3 row(s) returned	0.109 sec / 0.000 sec
4	13:17:40	SELECT * FROM store.orders LIMIT 0, 1000	10 row(s) returned	0.016 sec / 0.000 sec
5	13:17:49	SELECT * FROM store.products LIMIT 0, 1000	10 row(s) returned	0.016 sec / 0.000 sec
6	13:17:50	SELECT * FROM store.products LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
7	13:17:50	SELECT * FROM store.products LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
8	13:17:51	SELECT * FROM store.products LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- sakila
- store
 - Tables
 - customers
 - order_items
 - order_statuses
 - orders
 - products
 - shippers
 - Views
 - Stored Procedures
 - Functions
- sys
- world

products - Table products products products products shippers

Limit to 1000 rows

1 • `SELECT * FROM store.shippers;`

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

shipper_id	name
1	Hettinger LLC
2	Schinner-Predovic
3	Satterfield LLC
4	Mraz, Renner and Nolan
5	Waters, Mayert and Prohaska
NULL	NULL

shippers 1

Apply Revert

Context Help Snippets

Information

Schema: store

Object Info Session

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 4	13:17:40	SELECT * FROM store.orders LIMIT 0, 1000	10 row(s) returned	0.016 sec / 0.000 sec
✓ 5	13:17:49	SELECT * FROM store.products LIMIT 0, 1000	10 row(s) returned	0.016 sec / 0.000 sec
✓ 6	13:17:50	SELECT * FROM store.products LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
✓ 7	13:17:50	SELECT * FROM store.products LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
✓ 8	13:17:51	SELECT * FROM store.products LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
✓ 9	13:18:29	SELECT * FROM store.shippers LIMIT 0, 1000	5 row(s) returned	0.016 sec / 0.000 sec

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHMAS

Filter objects

sakila

sys

Tables

Views

Stored Procedures

Functions

world

Query 1

Limit to 1000 rows

```
122 • INSERT INTO `order_items` VALUES (8,5,2,6.94);
123 • INSERT INTO `order_items` VALUES (8,8,2,8.59);
124 • INSERT INTO `order_items` VALUES (9,6,5,7.28);
125 • INSERT INTO `order_items` VALUES (10,1,10,6.01);
126 • INSERT INTO `order_items` VALUES (10,9,9,4.28);
127
128 • CREATE TABLE `sql_store`.`order_item_notes` (
129     `note_id` INT NOT NULL,
130     `order_id` INT NOT NULL,
131     `product_id` INT NOT NULL,
132     `note` VARCHAR(255) NOT NULL,
133     PRIMARY KEY (`note_id`));
134
135 • INSERT INTO `order_item_notes` (`note_id`, `order_id`, `product_id`
136 • INSERT INTO `order_item_notes` (`note_id`, `order_id`, `product_id`
137
```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Administration Schemas

Information

Schema: sys

Output

Action Output

#	Time	Action	Message	Duration / Fetch
61	13:13:30	INSERT INTO `order_items` VALUES (8,5,2,6.94)	1 row(s) affected	0.063 sec
62	13:13:30	INSERT INTO `order_items` VALUES (8,8,2,8.59)	1 row(s) affected	0.125 sec
63	13:13:31	INSERT INTO `order_items` VALUES (9,6,5,7.28)	1 row(s) affected	0.203 sec
64	13:13:31	INSERT INTO `order_items` VALUES (10,1,10,6.01)	1 row(s) affected	0.078 sec
65	13:13:31	INSERT INTO `order_items` VALUES (10,9,9,4.28)	1 row(s) affected	0.079 sec
66	13:13:31	CREATE TABLE `sql_store`.`order_item_notes` (`note_id` INT NOT NULL, `order_id` INT ...	Error Code: 1049. Unknown database 'sql_store'	0.093 sec

Object Info Session

Context Help Snippets

MySQL Workbench

Local instance MySQL80

FileEditViewQueryDatabaseServerToolsScriptingHelp

Navigator

SCHEMAS

Filter objects

sakila

store

Tables

customers

order_items

order_statuses

orders

products

shippers

Views

Stored Procedures

Functions

sys

world

Query 1

customers

Limit to 1000 rows

1 • SELECT * FROM store.customers;

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Administration

Schemas

customers 1

Apply

Revert

Context Help

Snippets

Information

Schema: store

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	13:17:17	SELECT * FROM store.customers LIMIT 0, 1000	10 row(s) returned	0.047 sec / 0.000 sec

Object Info

Session

	customer_id	first_name	last_name	birth_date	phone	address
▶	1	Babara	MacCaffrey	1986-03-28	781-932-9754	0 Sage Terrace
	2	Ines	Brushfield	1986-04-13	804-427-9456	14187 Commer
	3	Freddi	Boagey	1985-02-07	719-724-7869	251 Springs Jun
	4	Ambur	Roseburgh	1974-04-14	407-231-8017	30 Arapahoe Te
	5	Clemmie	Betchley	1973-11-07	NULL	5 Spohn Circle
	6	Elka	Twiddell	1991-09-04	312-480-8498	7 Manley Drive