

# Xena2544 Test Report

## Test Summary

Test company: Xena Networks  
Customer: Xena Networks  
Test Date and Time: 2016-06-22, 06:29  
Test Duration: 16:37:17 (h:m:s)  
Generated By: Xena2544 v2.39, running on 'Microsoft Windows 7 Enterprise'

## Test Setup

### Test Configuration

#### Main Test Options

Topology: Blocks  
Direction: Bidirectional  
Frame Size Type: IEEE Default  
Frame Sizes Used: 64,128,256,512,1024,1280,1518  
Toggle Port Sync: Yes  
Sync Off Duration: 1 seconds  
Sync On Delay: 1 seconds  
Flow Creation Type: Stream-based  
Enable Multi-Stream: No

#### Test Type Selection

Throughput Test: Enabled  
Latency and Jitter Test: Enabled  
Frame Loss Rate Test: Enabled  
Back-to-Back Test: Enabled

### Port Configuration

Used Port Count: 18

#### Used Chassis Summary

Chassis ID	Chassis Name	Address and Port
C-0	New chassis	140.181.139.228:22606

#### Used Ports Summary

Port ID	Interface Type	Port Group	Port Peer	Port Speed	Port Rate
P-0-0-0	SFP-O LR 1310 nm	East	N/A	AUTO	55 M
P-0-0-1	SFP-O LR 1310 nm	East	N/A	AUTO	55 M
P-0-0-2	SFP-O LR 1310 nm	East	N/A	AUTO	55 M
P-0-0-3	SFP-O LR 1310 nm	East	N/A	AUTO	55 M
P-0-0-4	SFP-O LR 1310 nm	East	N/A	AUTO	55 M
P-0-0-5	SFP-O LR 1310 nm	East	N/A	AUTO	55 M
P-0-2-0	SFP-O LR 1310 nm	East	N/A	AUTO	55 M
P-0-2-1	SFP-O LR 1310 nm	East	N/A	AUTO	55 M
P-0-2-2	SFP-O LR 1310 nm	East	N/A	AUTO	55 M
P-0-2-3	SFP-O LR 1310 nm	West	N/A	AUTO	55 M
P-0-2-4	SFP-O LR 1310 nm	West	N/A	AUTO	55 M
P-0-2-5	SFP-O LR 1310 nm	West	N/A	AUTO	55 M
P-0-4-0	SFP-O LR 1310 nm	West	N/A	AUTO	55 M
P-0-4-1	SFP-O LR 1310 nm	West	N/A	AUTO	55 M
P-0-4-2	SFP-O LR 1310 nm	West	N/A	AUTO	55 M
P-0-4-3	SFP-O LR 1310 nm	West	N/A	AUTO	55 M
P-0-4-4	SFP-O LR 1310 nm	West	N/A	AUTO	55 M

Image not found.

P-0-4-5	SFP-O LR 1310 nm	West	N/A	AUTO	55 M
---------	------------------	------	-----	------	------

### Port Traffic Setup

Port ID	IP Address & Gateway	Protocol Segment Profile
P-0-0-0	No address specified	1: Ethernet
P-0-0-1	No address specified	1: Ethernet
P-0-0-2	No address specified	1: Ethernet
P-0-0-3	No address specified	1: Ethernet
P-0-0-4	No address specified	1: Ethernet
P-0-0-5	No address specified	1: Ethernet
P-0-2-0	No address specified	1: Ethernet
P-0-2-1	No address specified	1: Ethernet
P-0-2-2	No address specified	1: Ethernet
P-0-2-3	No address specified	1: Ethernet
P-0-2-4	No address specified	1: Ethernet
P-0-2-5	No address specified	1: Ethernet
P-0-4-0	No address specified	1: Ethernet
P-0-4-1	No address specified	1: Ethernet
P-0-4-2	No address specified	1: Ethernet
P-0-4-3	No address specified	1: Ethernet
P-0-4-4	No address specified	1: Ethernet
P-0-4-5	No address specified	1: Ethernet

## Throughput Test Results

### Test Setup

Time Duration: 600 seconds  
 Iterations: 1  
 Initial Rate: 10,000 %  
 Maximum Rate: 100,000 %  
 Minimum Rate: 10,000 %  
 Resolution: 10,000 %  
 Use Pass Threshold: No  
 Pass Threshold: 0,000 %  
 Acceptable Loss: 0,000 %  
 Rate Result Scope: Common Result  
 Use Fast Binary Search: No

### Test Results

#### Test Results Summary

Total tests executed: 7

Warning: 4 test(s) passed and 3 test(s) failed!

#### Detailed Test Results

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	FAIL	FAIL
Tx Rate (Percent)	100 %	100 %	100 %	71,875 %	10 %	10 %
Tx (Frames)	883.839.600	501.649.200	268.952.400	100.310.400	7.095.600	5.637.600
Tx Rate (L1) (Bit/s)	989,9 M	989,92 M	989,74 M	711,54 M	98,77 M	97,72 M
Tx Rate (L2) (Bit/s)	754,21 M	856,15 M	918,02 M	684,79 M	96,88 M	96,22 M
Tx Rate (Fps)	1.473.066	836.082	448.254	167.184	11.826	9.396
Rx (Frames)	883.839.600	501.649.200	268.952.400	100.310.400	7.092.136	5.633.690
Loss (Frames)	0	0	0	0	3.464	3.910
Loss Rate (Percent)	0 %	0 %	0 %	0 %	0,05 %	0,07 %
P-0-0-0						
- Tx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	394.200	313.200
- Tx Rate (L1) (Bit/s)	54,99 M	55 M	54,99 M	39,53 M	5,49 M	5,43 M
- Tx Rate (L2) (Bit/s)	41,9 M	47,56 M	51 M	38,04 M	5,38 M	5,35 M
- Tx Rate (Fps)	81.837	46.449	24.903	9.288	657	522
- Rx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	394.200	313.200
- Rx Rate (L1) (Bit/s)	54,99 M	55 M	54,99 M	39,53 M	5,49 M	5,43 M
- Rx Rate (L2) (Bit/s)	41,9 M	47,56 M	51 M	38,04 M	5,38 M	5,35 M
- Rx Rate (Fps)	81.837	46.449	24.903	9.288	657	522
P-0-0-1						
- Tx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	394.200	313.200
- Tx Rate (L1) (Bit/s)	54,99 M	55 M	54,99 M	39,53 M	5,49 M	5,43 M
- Tx Rate (L2) (Bit/s)	41,9 M	47,56 M	51 M	38,04 M	5,38 M	5,35 M
- Tx Rate (Fps)	81.837	46.449	24.903	9.288	657	522
- Rx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	394.200	313.200
- Rx Rate (L1) (Bit/s)	54,99 M	55 M	54,99 M	39,53 M	5,49 M	5,43 M
- Rx Rate (L2) (Bit/s)	41,9 M	47,56 M	51 M	38,04 M	5,38 M	5,35 M
- Rx Rate (Fps)	81.837	46.449	24.903	9.288	657	522
P-0-0-2						
- Tx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	394.200	313.200
- Tx Rate (L1) (Bit/s)	54,99 M	55 M	54,99 M	39,53 M	5,49 M	5,43 M
- Tx Rate (L2) (Bit/s)	41,9 M	47,56 M	51 M	38,04 M	5,38 M	5,35 M
- Tx Rate (Fps)	81.837	46.449	24.903	9.288	657	522
- Rx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	394.200	313.200
- Rx Rate (L1) (Bit/s)	54,99 M	55 M	54,99 M	39,53 M	5,49 M	5,43 M
- Rx Rate (L2) (Bit/s)	41,9 M	47,56 M	51 M	38,04 M	5,38 M	5,35 M
- Rx Rate (Fps)	81.837	46.449	24.903	9.288	657	522
P-0-0-3						
- Tx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	394.200	313.200

Image not found

M	5,43 M
M	5,35 M

[illegible]

Image not found.

- Tx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	394.200	313.200
- Tx Rate (L1) (Bit/s)	54,99 M	55 M	54,99 M	39,53 M	5,49 M	5,43 M
- Tx Rate (L2) (Bit/s)	41,9 M	47,56 M	51 M	38,04 M	5,38 M	5,35 M
- Tx Rate (Fps)	81.837	46.449	24.903	9.288	657	522
- Rx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	393.306	312.380
- Rx Rate (L1) (Bit/s)	54,99 M	55 M	54,99 M	39,53 M	5,47 M	5,41 M
- Rx Rate (L2) (Bit/s)	41,9 M	47,56 M	51 M	38,04 M	5,37 M	5,33 M
- Rx Rate (Fps)	81.837	46.449	24.903	9.288	656	521
P-0-4-0						
- Tx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	394.200	313.200
- Tx Rate (L1) (Bit/s)	54,99 M	55 M	54,99 M	39,53 M	5,49 M	5,43 M
- Tx Rate (L2) (Bit/s)	41,9 M	47,56 M	51 M	38,04 M	5,38 M	5,35 M
- Tx Rate (Fps)	81.837	46.449	24.903	9.288	657	522
- Rx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	394.184	313.158
- Rx Rate (L1) (Bit/s)	54,99 M	55 M	54,99 M	39,53 M	5,49 M	5,43 M
- Rx Rate (L2) (Bit/s)	41,9 M	47,56 M	51 M	38,04 M	5,38 M	5,34 M
- Rx Rate (Fps)	81.837	46.449	24.903	9.288	657	522
P-0-4-1						
- Tx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	394.200	313.200
- Tx Rate (L1) (Bit/s)	54,99 M	55 M	54,99 M	39,53 M	5,49 M	5,43 M
- Tx Rate (L2) (Bit/s)	41,9 M	47,56 M	51 M	38,04 M	5,38 M	5,35 M
- Tx Rate (Fps)	81.837	46.449	24.903	9.288	657	522
- Rx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	393.553	312.627
- Rx Rate (L1) (Bit/s)	54,99 M	55 M	54,99 M	39,53 M	5,48 M	5,42 M
- Rx Rate (L2) (Bit/s)	41,9 M	47,56 M	51 M	38,04 M	5,37 M	5,34 M
- Rx Rate (Fps)	81.837	46.449	24.903	9.288	656	521
P-0-4-2						
- Tx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	394.200	313.200
- Tx Rate (L1) (Bit/s)	54,99 M	55 M	54,99 M	39,53 M	5,49 M	5,43 M
- Tx Rate (L2) (Bit/s)	41,9 M	47,56 M	51 M	38,04 M	5,38 M	5,35 M
- Tx Rate (Fps)	81.837	46.449	24.903	9.288	657	522
- Rx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	393.447	312.350
- Rx Rate (L1) (Bit/s)	54,99 M	55 M	54,99 M	39,53 M	5,48 M	5,41 M
- Rx Rate (L2) (Bit/s)	41,9 M	47,56 M	51 M	38,04 M	5,37 M	5,33 M
- Rx Rate (Fps)	81.837	46.449	24.903	9.288	656	521
P-0-4-3						
- Tx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	394.200	313.200
- Tx Rate (L1) (Bit/s)	54,99 M	55 M	54,99 M	39,53 M	5,49 M	5,43 M
- Tx Rate (L2) (Bit/s)	41,9 M	47,56 M	51 M	38,04 M	5,38 M	5,35 M
- Tx Rate (Fps)	81.837	46.449	24.903	9.288	657	522
- Rx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	393.999	312.809
- Rx Rate (L1) (Bit/s)	54,99 M	55 M	54,99 M	39,53 M	5,48 M	5,42 M
- Rx Rate (L2) (Bit/s)	41,9 M	47,56 M	51 M	38,04 M	5,38 M	5,34 M
- Rx Rate (Fps)	81.837	46.449	24.903	9.288	657	521
P-0-4-4						
- Tx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	394.200	313.200
- Tx Rate (L1) (Bit/s)	54,99 M	55 M	54,99 M	39,53 M	5,49 M	5,43 M
- Tx Rate (L2) (Bit/s)	41,9 M	47,56 M	51 M	38,04 M	5,38 M	5,35 M
- Tx Rate (Fps)	81.837	46.449	24.903	9.288	657	522
- Rx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	394.190	313.166
- Rx Rate (L1) (Bit/s)	54,99 M	55 M	54,99 M	39,53 M	5,49 M	5,43 M
- Rx Rate (L2) (Bit/s)	41,9 M	47,56 M	51 M	38,04 M	5,38 M	5,34 M
- Rx Rate (Fps)	81.837	46.449	24.903	9.288	657	522
P-0-4-5						
- Tx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	394.200	313.200
- Tx Rate (L1) (Bit/s)	54,99 M	55 M	54,99 M	39,53 M	5,49 M	5,43 M
- Tx Rate (L2) (Bit/s)	41,9 M	47,56 M	51 M	38,04 M	5,38 M	5,35 M
- Tx Rate (Fps)	81.837	46.449	24.903	9.288	657	522
- Rx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	393.308	312.207
- Rx Rate (L1) (Bit/s)	54,99 M	55 M	54,99 M	39,53 M	5,47 M	5,41 M
- Rx Rate (L2) (Bit/s)	41,9 M	47,56 M	51 M	38,04 M	5,37 M	5,33 M
- Rx Rate (Fps)	81.837	46.449	24.903	9.288	656	520

Frame Size	1518
Result State	FAIL
Tx Rate (Percent)	10 %
Tx (Frames)	4.762.800
Tx Rate (L1) (Bit/s)	97,67 M
Tx Rate (L2) (Bit/s)	96,4 M
Tx Rate (Fps)	7.938

Image not found.

Rx (Frames)	4.761.466
Loss (Frames)	1.334
Loss Rate (Percent)	0,03 %
P-0-0-0	
- Tx (Frames)	264.600
- Tx Rate (L1) (Bit/s)	5,43 M
- Tx Rate (L2) (Bit/s)	5,36 M
- Tx Rate (Fps)	441
- Rx (Frames)	264.600
- Rx Rate (L1) (Bit/s)	5,43 M
- Rx Rate (L2) (Bit/s)	5,36 M
- Rx Rate (Fps)	441
P-0-0-1	
- Tx (Frames)	264.600
- Tx Rate (L1) (Bit/s)	5,43 M
- Tx Rate (L2) (Bit/s)	5,36 M
- Tx Rate (Fps)	441
- Rx (Frames)	264.600
- Rx Rate (L1) (Bit/s)	5,43 M
- Rx Rate (L2) (Bit/s)	5,36 M
- Rx Rate (Fps)	441
P-0-0-2	
- Tx (Frames)	264.600
- Tx Rate (L1) (Bit/s)	5,43 M
- Tx Rate (L2) (Bit/s)	5,36 M
- Tx Rate (Fps)	441
- Rx (Frames)	264.600
- Rx Rate (L1) (Bit/s)	5,43 M
- Rx Rate (L2) (Bit/s)	5,36 M
- Rx Rate (Fps)	441
P-0-0-3	
- Tx (Frames)	264.600
- Tx Rate (L1) (Bit/s)	5,43 M
- Tx Rate (L2) (Bit/s)	5,36 M
- Tx Rate (Fps)	441
- Rx (Frames)	264.600
- Rx Rate (L1) (Bit/s)	5,43 M
- Rx Rate (L2) (Bit/s)	5,36 M
- Rx Rate (Fps)	441
P-0-0-4	
- Tx (Frames)	264.600
- Tx Rate (L1) (Bit/s)	5,43 M
- Tx Rate (L2) (Bit/s)	5,36 M
- Tx Rate (Fps)	441
- Rx (Frames)	264.600
- Rx Rate (L1) (Bit/s)	5,43 M
- Rx Rate (L2) (Bit/s)	5,36 M
- Rx Rate (Fps)	441
P-0-0-5	
- Tx (Frames)	264.600
- Tx Rate (L1) (Bit/s)	5,43 M
- Tx Rate (L2) (Bit/s)	5,36 M
- Tx Rate (Fps)	441
- Rx (Frames)	264.600
- Rx Rate (L1) (Bit/s)	5,43 M
- Rx Rate (L2) (Bit/s)	5,36 M
- Rx Rate (Fps)	441
P-0-2-0	
- Tx (Frames)	264.600
- Tx Rate (L1) (Bit/s)	5,43 M
- Tx Rate (L2) (Bit/s)	5,36 M
- Tx Rate (Fps)	441
- Rx (Frames)	264.600
- Rx Rate (L1) (Bit/s)	5,43 M
- Rx Rate (L2) (Bit/s)	5,36 M
- Rx Rate (Fps)	441
P-0-2-1	
- Tx (Frames)	264.600
- Tx Rate (L1) (Bit/s)	5,43 M
- Tx Rate (L2) (Bit/s)	5,36 M
- Tx Rate (Fps)	441


Image not found.

- Rx (Frames)	264.600
- Rx Rate (L1) (Bit/s)	5,43 M
- Rx Rate (L2) (Bit/s)	5,36 M
- Rx Rate (Fps)	441
P-0-2-2	
- Tx (Frames)	264.600
- Tx Rate (L1) (Bit/s)	5,43 M
- Tx Rate (L2) (Bit/s)	5,36 M
- Tx Rate (Fps)	441
- Rx (Frames)	264.600
- Rx Rate (L1) (Bit/s)	5,43 M
- Rx Rate (L2) (Bit/s)	5,36 M
- Rx Rate (Fps)	441
P-0-2-3	
- Tx (Frames)	264.600
- Tx Rate (L1) (Bit/s)	5,43 M
- Tx Rate (L2) (Bit/s)	5,36 M
- Tx Rate (Fps)	441
- Rx (Frames)	264.600
- Rx Rate (L1) (Bit/s)	5,43 M
- Rx Rate (L2) (Bit/s)	5,36 M
- Rx Rate (Fps)	441
P-0-2-4	
- Tx (Frames)	264.600
- Tx Rate (L1) (Bit/s)	5,43 M
- Tx Rate (L2) (Bit/s)	5,36 M
- Tx Rate (Fps)	441
- Rx (Frames)	264.598
- Rx Rate (L1) (Bit/s)	5,43 M
- Rx Rate (L2) (Bit/s)	5,36 M
- Rx Rate (Fps)	441
P-0-2-5	
- Tx (Frames)	264.600
- Tx Rate (L1) (Bit/s)	5,43 M
- Tx Rate (L2) (Bit/s)	5,36 M
- Tx Rate (Fps)	441
- Rx (Frames)	264.345
- Rx Rate (L1) (Bit/s)	5,42 M
- Rx Rate (L2) (Bit/s)	5,35 M
- Rx Rate (Fps)	441
P-0-4-0	
- Tx (Frames)	264.600
- Tx Rate (L1) (Bit/s)	5,43 M
- Tx Rate (L2) (Bit/s)	5,36 M
- Tx Rate (Fps)	441
- Rx (Frames)	264.600
- Rx Rate (L1) (Bit/s)	5,43 M
- Rx Rate (L2) (Bit/s)	5,36 M
- Rx Rate (Fps)	441
P-0-4-1	
- Tx (Frames)	264.600
- Tx Rate (L1) (Bit/s)	5,43 M
- Tx Rate (L2) (Bit/s)	5,36 M
- Tx Rate (Fps)	441
- Rx (Frames)	264.600
- Rx Rate (L1) (Bit/s)	5,43 M
- Rx Rate (L2) (Bit/s)	5,36 M
- Rx Rate (Fps)	441
P-0-4-2	
- Tx (Frames)	264.600
- Tx Rate (L1) (Bit/s)	5,43 M
- Tx Rate (L2) (Bit/s)	5,36 M
- Tx Rate (Fps)	441
- Rx (Frames)	264.353
- Rx Rate (L1) (Bit/s)	5,42 M
- Rx Rate (L2) (Bit/s)	5,35 M
- Rx Rate (Fps)	441
P-0-4-3	
- Tx (Frames)	264.600
- Tx Rate (L1) (Bit/s)	5,43 M
- Tx Rate (L2) (Bit/s)	5,36 M

Image not found.

- Tx Rate (Fps)	441
- Rx (Frames)	264.378
- Rx Rate (L1) (Bit/s)	5,42 M
- Rx Rate (L2) (Bit/s)	5,35 M
- Rx Rate (Fps)	441
P-0-4-4	
- Tx (Frames)	264.600
- Tx Rate (L1) (Bit/s)	5,43 M
- Tx Rate (L2) (Bit/s)	5,36 M
- Tx Rate (Fps)	441
- Rx (Frames)	264.600
- Rx Rate (L1) (Bit/s)	5,43 M
- Rx Rate (L2) (Bit/s)	5,36 M
- Rx Rate (Fps)	441
P-0-4-5	
- Tx (Frames)	264.600
- Tx Rate (L1) (Bit/s)	5,43 M
- Tx Rate (L2) (Bit/s)	5,36 M
- Tx Rate (Fps)	441
- Rx (Frames)	263.992
- Rx Rate (L1) (Bit/s)	5,41 M
- Rx Rate (L2) (Bit/s)	5,34 M
- Rx Rate (Fps)	440

Note: One or more of the rate tests did not pass the test criteria!





## Latency and Jitter Test Results

### Test Setup

Time Duration: 600 seconds  
 Iterations: 1  
 Latency Mode: Last-To-Last  
 Relative to Throughput: Yes

### Test Results

#### Test Results Summary

Total tests executed: 21  
 Rates used: 3  
 Results per rate: 7

Success: All tests passed!

#### Results for 50,00% Rate (Nominal)

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Tx Rate (Percent)	50 %	50 %	50 %	35,938 %	50 %	50 %
Tx Rate (L1) (Bit/s)	494,9 M	494,86 M	494,69 M	355,77 M	493,85 M	493,65 M
Tx Rate (Fps)	736.452	417.960	224.046	83.592	59.130	47.466
Tx (Frames)	441.871.200	250.776.000	134.427.600	50.155.200	35.478.000	28.479.600
Rx (Frames)	441.871.200	250.776.000	134.427.600	50.155.200	35.463.323	28.461.044
P-0-0-0						
- Tx (Frames)	24.548.400	13.932.000	7.468.200	2.786.400	1.971.000	1.582.200
- Rx (Frames)	24.548.400	13.932.000	7.468.200	2.786.400	1.971.000	1.582.200
- Avg Latency (micsec)	3,759	4,210	4,647	4,568	12,069	6,146
- Min Latency (micsec)	3,112	3,577	3,569	3,601	3,593	3,601
- Max Latency (micsec)	14,610	13,993	23,125	27,487	121,844	98,279
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-0-1						
- Tx (Frames)	24.548.400	13.932.000	7.468.200	2.786.400	1.971.000	1.582.200
- Rx (Frames)	24.548.400	13.932.000	7.468.200	2.786.400	1.971.000	1.582.200
- Avg Latency (micsec)	3,746	4,253	4,615	4,527	11,885	6,469
- Min Latency (micsec)	3,112	3,577	3,593	3,601	3,593	3,601
- Max Latency (micsec)	13,311	14,738	23,029	28,257	109,552	96,162
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-0-2						
- Tx (Frames)	24.548.400	13.932.000	7.468.200	2.786.400	1.971.000	1.582.200
- Rx (Frames)	24.548.400	13.932.000	7.468.200	2.786.400	1.971.000	1.582.200
- Avg Latency (micsec)	3,748	4,269	4,643	4,552	12,307	6,312
- Min Latency (micsec)	3,112	3,601	3,593	3,625	3,617	3,601
- Max Latency (micsec)	11,603	15,244	24,304	25,587	113,353	98,279
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-0-3						
- Tx (Frames)	24.548.400	13.932.000	7.468.200	2.786.400	1.971.000	1.582.200
- Rx (Frames)	24.548.400	13.932.000	7.468.200	2.786.400	1.971.000	1.582.200
- Avg Latency (micsec)	3,730	4,208	4,635	4,549	11,992	6,089
- Min Latency (micsec)	3,112	3,577	3,593	3,601	3,593	3,601
- Max Latency (micsec)	11,363	12,790	22,332	29,556	111,717	88,994
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-0-4						
- Tx (Frames)	24.548.400	13.932.000	7.468.200	2.786.400	1.971.000	1.582.200

Image not found.

- Rx (Frames)	24.548.400	13.932.000	7.468.200	2.786.400	1.971.000	1.582.200
- Avg Latency (micsec)	3,761	4,266	4,657	4,571	12,151	6,421
- Min Latency (micsec)	3,136	3,601	3,593	3,625	3,617	3,625
- Max Latency (micsec)	12,686	13,945	24,617	29,941	106,016	84,977
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-0-5						
- Tx (Frames)	24.548.400	13.932.000	7.468.200	2.786.400	1.971.000	1.582.200
- Rx (Frames)	24.548.400	13.932.000	7.468.200	2.786.400	1.971.000	1.582.200
- Avg Latency (micsec)	3,753	4,271	4,669	4,576	12,138	6,578
- Min Latency (micsec)	3,112	3,601	3,593	3,625	3,617	3,625
- Max Latency (micsec)	12,974	15,268	22,380	25,587	112,944	92,410
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-2-0						
- Tx (Frames)	24.548.400	13.932.000	7.468.200	2.786.400	1.971.000	1.582.200
- Rx (Frames)	24.548.400	13.932.000	7.468.200	2.786.400	1.971.000	1.582.200
- Avg Latency (micsec)	2,590	3,124	3,526	3,422	10,582	5,415
- Min Latency (micsec)	1,950	2,415	2,431	2,439	2,431	2,439
- Max Latency (micsec)	11,716	12,758	21,241	24,545	105,599	96,804
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-2-1						
- Tx (Frames)	24.548.400	13.932.000	7.468.200	2.786.400	1.971.000	1.582.200
- Rx (Frames)	24.548.400	13.932.000	7.468.200	2.786.400	1.971.000	1.582.200
- Avg Latency (micsec)	2,581	3,147	3,572	3,479	9,327	5,432
- Min Latency (micsec)	1,974	2,439	2,455	2,463	2,479	2,463
- Max Latency (micsec)	13,159	12,950	23,358	25,435	98,070	97,164
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-2-2						
- Tx (Frames)	24.548.400	13.932.000	7.468.200	2.786.400	1.971.000	1.582.200
- Rx (Frames)	24.548.400	13.932.000	7.468.200	2.786.400	1.971.000	1.582.200
- Avg Latency (micsec)	2,528	3,111	3,538	3,460	9,296	5,497
- Min Latency (micsec)	1,950	2,415	2,431	2,439	2,455	2,463
- Max Latency (micsec)	13,544	12,926	25,595	28,201	107,115	99,979
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-2-3						
- Tx (Frames)	24.548.400	13.932.000	7.468.200	2.786.400	1.971.000	1.582.200
- Rx (Frames)	24.548.400	13.932.000	7.468.200	2.786.400	1.970.685	1.579.021
- Avg Latency (micsec)	1,845	2,482	2,710	2,753	11,109	7,526
- Min Latency (micsec)	0,859	1,324	1,340	1,348	1,364	1,372
- Max Latency (micsec)	13,560	13,119	24,577	29,091	108,478	92,658
- Avg Jitter (micsec)	0,002	0,002	0,001	0,000	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	11,666	10,126	22,875	22,298	102,375	85,657
P-0-2-4						
- Tx (Frames)	24.548.400	13.932.000	7.468.200	2.786.400	1.971.000	1.582.200
- Rx (Frames)	24.548.400	13.932.000	7.468.200	2.786.400	1.970.521	1.582.049
- Avg Latency (micsec)	1,811	2,453	2,645	2,672	8,858	7,833
- Min Latency (micsec)	0,835	1,324	1,316	1,348	1,340	1,348
- Max Latency (micsec)	12,485	11,772	21,915	26,196	102,521	102,112
- Avg Jitter (micsec)	0,001	0,002	0,001	0,000	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	6,302	8,876	18,353	24,439	73,317	86,835
P-0-2-5						
- Tx (Frames)	24.548.400	13.932.000	7.468.200	2.786.400	1.971.000	1.582.200
- Rx (Frames)	24.548.400	13.932.000	7.468.200	2.786.400	1.967.689	1.579.473
- Avg Latency (micsec)	1,816	2,440	2,634	2,656	9,494	7,111
- Min Latency (micsec)	0,835	1,300	1,316	1,324	1,316	1,348
- Max Latency (micsec)	13,808	12,349	21,602	28,177	102,256	82,724
- Avg Jitter (micsec)	0,001	0,002	0,001	0,000	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	9,092	9,092	16,765	17,319	75,506	73,149
P-0-4-0						

Image not found.

- Tx (Frames)	24.548.400	13.932.000	7.468.200	2.786.400	1.971.000	1.582.200
- Rx (Frames)	24.548.400	13.932.000	7.468.200	2.786.400	1.970.785	1.580.879
- Avg Latency (micsec)	1,887	2,504	2,645	2,730	12,169	7,733
- Min Latency (micsec)	0,907	1,372	1,388	1,396	1,388	1,396
- Max Latency (micsec)	13,327	11,796	22,396	27,375	110,025	96,443
- Avg Jitter (micsec)	0,002	0,001	0,001	0,000	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	8,707	8,370	18,810	25,714	75,001	86,787
P-0-4-1						
- Tx (Frames)	24.548.400	13.932.000	7.468.200	2.786.400	1.971.000	1.582.200
- Rx (Frames)	24.548.400	13.932.000	7.468.200	2.786.400	1.968.631	1.578.798
- Avg Latency (micsec)	1,892	2,515	2,699	2,729	12,211	7,383
- Min Latency (micsec)	0,907	1,372	1,388	1,396	1,388	1,396
- Max Latency (micsec)	12,100	13,143	23,526	27,327	106,273	96,924
- Avg Jitter (micsec)	0,001	0,002	0,001	0,000	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	10,391	8,996	16,573	23,332	75,362	84,141
P-0-4-2						
- Tx (Frames)	24.548.400	13.932.000	7.468.200	2.786.400	1.971.000	1.582.200
- Rx (Frames)	24.548.400	13.932.000	7.468.200	2.786.400	1.967.942	1.581.570
- Avg Latency (micsec)	1,899	2,497	2,742	2,741	11,962	7,569
- Min Latency (micsec)	0,907	1,372	1,388	1,396	1,388	1,396
- Max Latency (micsec)	10,962	12,782	23,230	23,550	93,661	90,229
- Avg Jitter (micsec)	0,002	0,002	0,001	0,000	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	9,597	8,803	17,896	21,937	75,963	70,430
P-0-4-3						
- Tx (Frames)	24.548.400	13.932.000	7.468.200	2.786.400	1.971.000	1.582.200
- Rx (Frames)	24.548.400	13.932.000	7.468.200	2.786.400	1.969.916	1.579.437
- Avg Latency (micsec)	1,904	2,497	2,695	2,742	11,978	7,813
- Min Latency (micsec)	0,907	1,372	1,388	1,396	1,388	1,396
- Max Latency (micsec)	10,890	12,590	22,348	24,713	93,717	98,960
- Avg Jitter (micsec)	0,002	0,002	0,001	0,000	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	9,669	9,429	16,332	21,336	84,238	87,677
P-0-4-4						
- Tx (Frames)	24.548.400	13.932.000	7.468.200	2.786.400	1.971.000	1.582.200
- Rx (Frames)	24.548.400	13.932.000	7.468.200	2.786.400	1.970.740	1.580.685
- Avg Latency (micsec)	1,892	2,510	2,679	2,749	12,286	7,821
- Min Latency (micsec)	0,907	1,372	1,388	1,396	1,412	1,420
- Max Latency (micsec)	11,732	12,902	22,131	24,833	110,330	94,591
- Avg Jitter (micsec)	0,002	0,002	0,001	0,000	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	10,247	8,924	18,618	21,913	92,681	76,468
P-0-4-5						
- Tx (Frames)	24.548.400	13.932.000	7.468.200	2.786.400	1.971.000	1.582.200
- Rx (Frames)	24.548.400	13.932.000	7.468.200	2.786.400	1.967.414	1.579.332
- Avg Latency (micsec)	1,901	2,502	2,757	2,769	12,393	7,392
- Min Latency (micsec)	0,907	1,372	1,388	1,396	1,388	1,396
- Max Latency (micsec)	12,309	13,071	23,478	24,857	103,579	98,167
- Avg Jitter (micsec)	0,002	0,002	0,001	0,000	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	11,089	10,006	18,810	22,033	101,100	87,028



Frame Size	1518
Result State	PASS
Tx Rate (Percent)	50 %
Tx Rate (L1) (Bit/s)	494,33 M
Tx Rate (Fps)	40.176
Tx (Frames)	24.105.600
Rx (Frames)	24.077.088
P-0-0-0	
- Tx (Frames)	1.339.200
- Rx (Frames)	1.339.200
- Avg Latency (micsec)	6,734
- Min Latency (micsec)	3,609
- Max Latency (micsec)	102,929
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A
- Max Jitter (micsec)	N/A

P-0-0-1	
- Tx (Frames)	1.339.200
- Rx (Frames)	1.339.200
- Avg Latency (micsec)	6,518
- Min Latency (micsec)	3,609
- Max Latency (micsec)	74,882
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A
- Max Jitter (micsec)	N/A
P-0-0-2	
- Tx (Frames)	1.339.200
- Rx (Frames)	1.339.200
- Avg Latency (micsec)	6,745
- Min Latency (micsec)	3,633
- Max Latency (micsec)	102,280
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A
- Max Jitter (micsec)	N/A
P-0-0-3	
- Tx (Frames)	1.339.200
- Rx (Frames)	1.339.200
- Avg Latency (micsec)	6,541
- Min Latency (micsec)	3,609
- Max Latency (micsec)	89,555
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A
- Max Jitter (micsec)	N/A
P-0-0-4	
- Tx (Frames)	1.339.200
- Rx (Frames)	1.339.200
- Avg Latency (micsec)	6,666
- Min Latency (micsec)	3,633
- Max Latency (micsec)	86,091
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A
- Max Jitter (micsec)	N/A
P-0-0-5	
- Tx (Frames)	1.339.200
- Rx (Frames)	1.339.200
- Avg Latency (micsec)	6,772
- Min Latency (micsec)	3,633
- Max Latency (micsec)	89,579
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A
- Max Jitter (micsec)	N/A
P-0-2-0	
- Tx (Frames)	1.339.200
- Rx (Frames)	1.339.200
- Avg Latency (micsec)	5,466
- Min Latency (micsec)	2,447
- Max Latency (micsec)	87,888
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A
- Max Jitter (micsec)	N/A
P-0-2-1	
- Tx (Frames)	1.339.200
- Rx (Frames)	1.339.200
- Avg Latency (micsec)	5,626
- Min Latency (micsec)	2,495
- Max Latency (micsec)	89,403
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A
- Max Jitter (micsec)	N/A
P-0-2-2	
- Tx (Frames)	1.339.200
- Rx (Frames)	1.339.200
- Avg Latency (micsec)	5,486
- Min Latency (micsec)	2,447
- Max Latency (micsec)	98,375
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A

- Max Jitter (micsec)	N/A
P-0-2-3	
- Tx (Frames)	1.339.200
- Rx (Frames)	1.338.994
- Avg Latency (micsec)	6,325
- Min Latency (micsec)	1,356
- Max Latency (micsec)	99,401
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	97,492
P-0-2-4	
- Tx (Frames)	1.339.200
- Rx (Frames)	1.336.651
- Avg Latency (micsec)	4,713
- Min Latency (micsec)	1,332
- Max Latency (micsec)	88,000
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	78,296
P-0-2-5	
- Tx (Frames)	1.339.200
- Rx (Frames)	1.333.566
- Avg Latency (micsec)	6,091
- Min Latency (micsec)	1,332
- Max Latency (micsec)	88,970
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	74,496
P-0-4-0	
- Tx (Frames)	1.339.200
- Rx (Frames)	1.338.290
- Avg Latency (micsec)	6,023
- Min Latency (micsec)	1,404
- Max Latency (micsec)	88,288
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	83,829
P-0-4-1	
- Tx (Frames)	1.339.200
- Rx (Frames)	1.334.348
- Avg Latency (micsec)	6,075
- Min Latency (micsec)	1,404
- Max Latency (micsec)	88,657
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	55,781
P-0-4-2	
- Tx (Frames)	1.339.200
- Rx (Frames)	1.333.951
- Avg Latency (micsec)	6,163
- Min Latency (micsec)	1,404
- Max Latency (micsec)	88,192
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	77,815
P-0-4-3	
- Tx (Frames)	1.339.200
- Rx (Frames)	1.335.762
- Avg Latency (micsec)	6,140
- Min Latency (micsec)	1,404
- Max Latency (micsec)	101,887
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	72,812
P-0-4-4	
- Tx (Frames)	1.339.200
- Rx (Frames)	1.338.567
- Avg Latency (micsec)	6,184
- Min Latency (micsec)	1,404
- Max Latency (micsec)	88,697
- Avg Jitter (micsec)	0,000

Image not found.

- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	86,956
P-0-4-5	
- Tx (Frames)	1.339.200
- Rx (Frames)	1.334.159
- Avg Latency (micsec)	6,326
- Min Latency (micsec)	1,404
- Max Latency (micsec)	88,192
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	85,320



### Results for 75,00% Rate (Nominal)

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Tx Rate (Percent)	75 %	75 %	75 %	53,906 %	75 %	75 %
Tx Rate (L1) (Bit/s)	742,45 M	742,49 M	742,22 M	533,65 M	741,46 M	741,31 M
Tx Rate (Fps)	1.104.840	627.102	336.150	125.388	88.776	71.280
Tx (Frames)	662.904.000	376.261.200	201.690.000	75.232.800	53.265.600	42.768.000
Rx (Frames)	662.904.000	376.261.200	201.690.000	75.232.800	53.247.460	42.727.597
P-0-0-0						
- Tx (Frames)	36.828.000	20.903.400	11.205.000	4.179.600	2.959.200	2.376.000

Image not found.

- Rx (Frames)	36.828.000	20.903.400	11.205.000	4.179.600	2.959.200	2.376.000
- Avg Latency (micsec)	4,011	4,779	5,429	5,902	8,513	11,587
- Min Latency (micsec)	3,112	3,577	3,593	3,601	3,593	3,601
- Max Latency (micsec)	15,669	26,934	38,929	46,779	88,312	130,367
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-0-1						
- Tx (Frames)	36.828.000	20.903.400	11.205.000	4.179.600	2.959.200	2.376.000
- Rx (Frames)	36.828.000	20.903.400	11.205.000	4.179.600	2.959.200	2.376.000
- Avg Latency (micsec)	3,965	4,707	5,340	6,145	7,830	11,185
- Min Latency (micsec)	3,112	3,577	3,593	3,601	3,593	3,601
- Max Latency (micsec)	14,827	19,044	27,672	45,215	88,072	130,367
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-0-2						
- Tx (Frames)	36.828.000	20.903.400	11.205.000	4.179.600	2.959.200	2.376.000
- Rx (Frames)	36.828.000	20.903.400	11.205.000	4.179.600	2.959.200	2.376.000
- Avg Latency (micsec)	4,009	4,776	5,379	5,896	9,380	11,097
- Min Latency (micsec)	3,112	3,601	3,593	3,625	3,617	3,625
- Max Latency (micsec)	15,813	18,611	26,565	44,734	95,529	132,268
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-0-3						
- Tx (Frames)	36.828.000	20.903.400	11.205.000	4.179.600	2.959.200	2.376.000
- Rx (Frames)	36.828.000	20.903.400	11.205.000	4.179.600	2.959.200	2.376.000
- Avg Latency (micsec)	4,000	4,748	5,368	6,163	7,893	10,993
- Min Latency (micsec)	3,112	3,577	3,593	3,601	3,593	3,601
- Max Latency (micsec)	13,119	25,467	40,228	49,473	78,354	122,574
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-0-4						
- Tx (Frames)	36.828.000	20.903.400	11.205.000	4.179.600	2.959.200	2.376.000
- Rx (Frames)	36.828.000	20.903.400	11.205.000	4.179.600	2.959.200	2.376.000
- Avg Latency (micsec)	3,994	4,743	5,422	6,028	9,262	11,282
- Min Latency (micsec)	3,112	3,601	3,593	3,625	3,617	3,625
- Max Latency (micsec)	14,249	25,106	33,829	48,607	87,904	129,718
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-0-5						
- Tx (Frames)	36.828.000	20.903.400	11.205.000	4.179.600	2.959.200	2.376.000
- Rx (Frames)	36.828.000	20.903.400	11.205.000	4.179.600	2.959.200	2.376.000
- Avg Latency (micsec)	3,989	4,791	5,382	6,110	8,674	11,367
- Min Latency (micsec)	3,112	3,601	3,593	3,625	3,617	3,625
- Max Latency (micsec)	13,840	25,419	41,383	45,143	87,928	127,433
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-2-0						
- Tx (Frames)	36.828.000	20.903.400	11.205.000	4.179.600	2.959.200	2.376.000
- Rx (Frames)	36.828.000	20.903.400	11.205.000	4.179.600	2.959.200	2.376.000
- Avg Latency (micsec)	2,745	3,596	4,244	5,041	7,977	9,891
- Min Latency (micsec)	1,950	2,415	2,407	2,439	2,431	2,439
- Max Latency (micsec)	14,386	21,706	35,120	47,300	89,170	129,253
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-2-1						
- Tx (Frames)	36.828.000	20.903.400	11.205.000	4.179.600	2.959.200	2.376.000
- Rx (Frames)	36.828.000	20.903.400	11.205.000	4.179.600	2.959.200	2.376.000
- Avg Latency (micsec)	2,872	3,687	4,303	5,030	7,937	10,404
- Min Latency (micsec)	1,974	2,439	2,455	2,463	2,455	2,463
- Max Latency (micsec)	14,650	23,318	34,110	45,640	89,050	127,232
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-2-2						



Image not found.

- Tx (Frames)	36.828.000	20.903.400	11.205.000	4.179.600	2.959.200	2.376.000
- Rx (Frames)	36.828.000	20.903.400	11.205.000	4.179.600	2.959.200	2.376.000
- Avg Latency (micsec)	2,863	3,657	4,337	5,032	7,983	10,096
- Min Latency (micsec)	1,950	2,415	2,431	2,439	2,455	2,439
- Max Latency (micsec)	14,674	24,376	35,914	47,468	88,737	118,597
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-2-3						
- Tx (Frames)	36.828.000	20.903.400	11.205.000	4.179.600	2.959.200	2.376.000
- Rx (Frames)	36.828.000	20.903.400	11.205.000	4.179.600	2.958.861	2.374.983
- Avg Latency (micsec)	2,087	2,996	3,699	4,552	9,607	9,138
- Min Latency (micsec)	0,859	1,348	1,340	1,348	1,340	1,372
- Max Latency (micsec)	13,897	26,292	35,906	51,245	94,214	129,397
- Avg Jitter (micsec)	0,008	0,005	0,003	0,000	0,001	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	12,291	22,178	32,906	39,088	84,478	115,316
P-0-2-4						
- Tx (Frames)	36.828.000	20.903.400	11.205.000	4.179.600	2.959.200	2.376.000
- Rx (Frames)	36.828.000	20.903.400	11.205.000	4.179.600	2.958.143	2.372.452
- Avg Latency (micsec)	2,089	2,949	3,415	4,373	9,213	8,584
- Min Latency (micsec)	0,835	1,324	1,340	1,324	1,340	1,348
- Max Latency (micsec)	14,265	25,747	34,976	48,214	88,160	124,129
- Avg Jitter (micsec)	0,007	0,004	0,002	0,000	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	12,436	14,095	22,033	37,043	72,836	104,034
P-0-2-5						
- Tx (Frames)	36.828.000	20.903.400	11.205.000	4.179.600	2.959.200	2.376.000
- Rx (Frames)	36.828.000	20.903.400	11.205.000	4.179.600	2.955.613	2.369.359
- Avg Latency (micsec)	2,048	2,979	3,495	4,425	8,740	8,918
- Min Latency (micsec)	0,835	1,300	1,316	1,324	1,316	1,324
- Max Latency (micsec)	12,221	25,146	37,662	50,571	93,212	126,863
- Avg Jitter (micsec)	0,006	0,004	0,003	0,000	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	8,226	14,312	35,311	40,290	75,578	102,904
P-0-4-0						
- Tx (Frames)	36.828.000	20.903.400	11.205.000	4.179.600	2.959.200	2.376.000
- Rx (Frames)	36.828.000	20.903.400	11.205.000	4.179.600	2.958.651	2.374.542
- Avg Latency (micsec)	2,120	2,966	3,614	4,343	9,271	8,623
- Min Latency (micsec)	0,907	1,372	1,388	1,396	1,412	1,396
- Max Latency (micsec)	13,640	22,829	27,327	44,093	84,793	129,149
- Avg Jitter (micsec)	0,005	0,004	0,002	0,000	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	8,491	20,734	25,401	38,703	72,932	101,052
P-0-4-1						
- Tx (Frames)	36.828.000	20.903.400	11.205.000	4.179.600	2.959.200	2.376.000
- Rx (Frames)	36.828.000	20.903.400	11.205.000	4.179.600	2.956.684	2.371.920
- Avg Latency (micsec)	2,137	3,053	3,678	4,355	9,173	8,418
- Min Latency (micsec)	0,907	1,372	1,388	1,396	1,388	1,396
- Max Latency (micsec)	13,006	20,664	29,363	44,117	83,903	115,903
- Avg Jitter (micsec)	0,005	0,005	0,003	0,000	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	8,635	18,930	27,614	38,150	73,004	93,956
P-0-4-2						
- Tx (Frames)	36.828.000	20.903.400	11.205.000	4.179.600	2.959.200	2.376.000
- Rx (Frames)	36.828.000	20.903.400	11.205.000	4.179.600	2.955.853	2.369.637
- Avg Latency (micsec)	2,165	2,976	3,678	4,493	9,422	8,918
- Min Latency (micsec)	0,907	1,372	1,388	1,396	1,412	1,396
- Max Latency (micsec)	13,728	18,266	33,380	48,398	94,198	116,520
- Avg Jitter (micsec)	0,007	0,004	0,004	0,000	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	9,020	14,985	27,854	36,442	81,568	94,364
P-0-4-3						
- Tx (Frames)	36.828.000	20.903.400	11.205.000	4.179.600	2.959.200	2.376.000
- Rx (Frames)	36.828.000	20.903.400	11.205.000	4.179.600	2.957.429	2.370.096
- Avg Latency (micsec)	2,145	3,081	3,512	4,355	9,368	8,915
- Min Latency (micsec)	0,907	1,372	1,388	1,396	1,388	1,396
- Max Latency (micsec)	13,592	22,324	29,460	46,145	86,132	119,070
- Avg Jitter (micsec)	0,007	0,005	0,003	0,000	0,001	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	11,016	20,109	27,782	32,978	74,351	94,413



Image not found.


P-0-4-4						
- Tx (Frames)	36.828.000	20.903.400	11.205.000	4.179.600	2.959.200	2.376.000
- Rx (Frames)	36.828.000	20.903.400	11.205.000	4.179.600	2.958.761	2.372.757
- Avg Latency (micsec)	2,136	3,077	3,499	4,351	9,276	9,008
- Min Latency (micsec)	0,907	1,372	1,388	1,396	1,412	1,396
- Max Latency (micsec)	12,718	22,372	31,625	46,242	85,843	130,760
- Avg Jitter (micsec)	0,007	0,004	0,004	0,000	0,001	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	10,295	20,037	28,215	37,260	75,506	115,220
P-0-4-5						
- Tx (Frames)	36.828.000	20.903.400	11.205.000	4.179.600	2.959.200	2.376.000
- Rx (Frames)	36.828.000	20.903.400	11.205.000	4.179.600	2.954.665	2.367.851
- Avg Latency (micsec)	2,155	3,054	3,613	4,504	9,567	8,777
- Min Latency (micsec)	0,907	1,372	1,388	1,396	1,388	1,396
- Max Latency (micsec)	15,035	18,194	25,803	50,595	93,139	127,705
- Avg Jitter (micsec)	0,008	0,005	0,004	0,000	0,001	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	11,570	13,951	22,995	39,088	84,502	114,979


<b>Frame Size</b>	<b>1518</b>
<b>Result State</b>	<b>PASS</b>
Tx Rate (Percent)	75 %
Tx Rate (L1) (Bit/s)	741,49 M
Tx Rate (Fps)	60.264
Tx (Frames)	36.158.400
Rx (Frames)	36.158.399
P-0-0-0	
- Tx (Frames)	2.008.800
- Rx (Frames)	2.008.800
- Avg Latency (micsec)	10,733
- Min Latency (micsec)	3,609
- Max Latency (micsec)	115,486
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A
- Max Jitter (micsec)	N/A
P-0-0-1	
- Tx (Frames)	2.008.800
- Rx (Frames)	2.008.800
- Avg Latency (micsec)	10,421
- Min Latency (micsec)	3,609
- Max Latency (micsec)	115,221
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A
- Max Jitter (micsec)	N/A
P-0-0-2	
- Tx (Frames)	2.008.800
- Rx (Frames)	2.008.800
- Avg Latency (micsec)	10,870
- Min Latency (micsec)	3,633
- Max Latency (micsec)	127,657
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A
- Max Jitter (micsec)	N/A
P-0-0-3	
- Tx (Frames)	2.008.800
- Rx (Frames)	2.008.799
- Avg Latency (micsec)	10,833
- Min Latency (micsec)	3,609
- Max Latency (micsec)	123,352
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A
- Max Jitter (micsec)	N/A
P-0-0-4	
- Tx (Frames)	2.008.800
- Rx (Frames)	2.008.800
- Avg Latency (micsec)	10,969
- Min Latency (micsec)	3,633
- Max Latency (micsec)	113,706
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A

- Max Jitter (micsec)	N/A
P-0-0-5	
- Tx (Frames)	2.008.800
- Rx (Frames)	2.008.800
- Avg Latency (micsec)	11,120
- Min Latency (micsec)	3,633
- Max Latency (micsec)	118,156
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A
- Max Jitter (micsec)	N/A
P-0-2-0	
- Tx (Frames)	2.008.800
- Rx (Frames)	2.008.800
- Avg Latency (micsec)	9,834
- Min Latency (micsec)	2,447
- Max Latency (micsec)	111,966
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A
- Max Jitter (micsec)	N/A
P-0-2-1	
- Tx (Frames)	2.008.800
- Rx (Frames)	2.008.800
- Avg Latency (micsec)	9,593
- Min Latency (micsec)	2,471
- Max Latency (micsec)	116,031
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A
- Max Jitter (micsec)	N/A
P-0-2-2	
- Tx (Frames)	2.008.800
- Rx (Frames)	2.008.800
- Avg Latency (micsec)	10,126
- Min Latency (micsec)	2,447
- Max Latency (micsec)	128,082
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A
- Max Jitter (micsec)	N/A
P-0-2-3	
- Tx (Frames)	2.008.800
- Rx (Frames)	2.008.800
- Avg Latency (micsec)	9,486
- Min Latency (micsec)	1,380
- Max Latency (micsec)	125,677
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	111,611
P-0-2-4	
- Tx (Frames)	2.008.800
- Rx (Frames)	2.008.800
- Avg Latency (micsec)	10,505
- Min Latency (micsec)	1,332
- Max Latency (micsec)	126,374
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	102,038
P-0-2-5	
- Tx (Frames)	2.008.800
- Rx (Frames)	2.008.800
- Avg Latency (micsec)	10,035
- Min Latency (micsec)	1,332
- Max Latency (micsec)	114,604
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	97,876
P-0-4-0	
- Tx (Frames)	2.008.800
- Rx (Frames)	2.008.800
- Avg Latency (micsec)	10,734
- Min Latency (micsec)	1,404
- Max Latency (micsec)	113,746
- Avg Jitter (micsec)	0,000

Image not found.

- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	96,650
P-0-4-1	
- Tx (Frames)	2.008.800
- Rx (Frames)	2.008.800
- Avg Latency (micsec)	10,833
- Min Latency (micsec)	1,404
- Max Latency (micsec)	124,490
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	111,419
P-0-4-2	
- Tx (Frames)	2.008.800
- Rx (Frames)	2.008.800
- Avg Latency (micsec)	11,028
- Min Latency (micsec)	1,404
- Max Latency (micsec)	119,463
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	102,014
P-0-4-3	
- Tx (Frames)	2.008.800
- Rx (Frames)	2.008.800
- Avg Latency (micsec)	10,661
- Min Latency (micsec)	1,404
- Max Latency (micsec)	117,522
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	97,876
P-0-4-4	
- Tx (Frames)	2.008.800
- Rx (Frames)	2.008.800
- Avg Latency (micsec)	11,174
- Min Latency (micsec)	1,404
- Max Latency (micsec)	122,662
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	90,949
P-0-4-5	
- Tx (Frames)	2.008.800
- Rx (Frames)	2.008.800
- Avg Latency (micsec)	10,683
- Min Latency (micsec)	1,404
- Max Latency (micsec)	119,920
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	87,148





### Results for 100,00% Rate (Nominal)

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Tx Rate (Percent)	100 %	100 %	100 %	71,875 %	100 %	100 %
Tx Rate (L1) (Bit/s)	989,9 M	989,92 M	989,74 M	711,54 M	989,06 M	988,98 M
Tx Rate (Fps)	1.473.066	836.082	448.254	167.184	118.422	95.094
Tx (Frames)	883.839.600	501.649.200	268.952.400	100.310.400	71.053.200	57.056.400
Rx (Frames)	883.839.600	501.649.200	268.952.400	100.310.399	71.048.452	57.055.168
P-0-0-0						
- Tx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	3.947.400	3.169.800
- Rx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	3.947.400	3.169.800
- Avg Latency (micsec)	5,428	6,916	9,896	6,211	17,282	22,949
- Min Latency (micsec)	3,112	3,577	3,593	3,601	3,593	3,601
- Max Latency (micsec)	23,125	30,061	41,407	46,490	112,535	150,429
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-0-1						
- Tx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	3.947.400	3.169.800
- Rx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	3.947.400	3.169.800
- Avg Latency (micsec)	5,368	6,798	9,994	6,134	17,954	23,932
- Min Latency (micsec)	3,112	3,577	3,593	3,601	3,593	3,601
- Max Latency (micsec)	19,204	30,831	41,407	46,683	117,178	157,260
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-0-2						
- Tx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	3.947.400	3.169.800
- Rx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	3.947.400	3.169.800
- Avg Latency (micsec)	5,392	6,937	9,892	6,253	17,193	24,314
- Min Latency (micsec)	3,136	3,601	3,617	3,625	3,617	3,625
- Max Latency (micsec)	22,668	29,075	40,565	44,590	112,728	147,759
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-0-3						
- Tx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	3.947.400	3.169.800
- Rx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	3.947.400	3.169.800
- Avg Latency (micsec)	5,361	6,778	9,992	6,204	17,176	23,636
- Min Latency (micsec)	3,112	3,577	3,593	3,601	3,593	3,601
- Max Latency (micsec)	22,692	30,783	41,094	44,133	113,882	147,157
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-0-4						

Image not found.

- Tx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	3.947.400	3.169.800
- Rx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	3.947.400	3.169.800
- Avg Latency (micsec)	5,385	6,790	10,051	6,299	20,382	23,443
- Min Latency (micsec)	3,136	3,601	3,617	3,625	3,617	3,625
- Max Latency (micsec)	23,053	30,085	41,166	44,397	118,452	138,570
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-0-5						
- Tx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	3.947.400	3.169.800
- Rx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	3.947.400	3.169.800
- Avg Latency (micsec)	5,382	6,948	10,005	6,289	18,289	25,015
- Min Latency (micsec)	3,112	3,601	3,617	3,625	3,617	3,625
- Max Latency (micsec)	23,005	30,638	39,915	44,061	117,250	151,150
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-2-0						
- Tx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	3.947.400	3.169.800
- Rx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	3.947.400	3.169.800
- Avg Latency (micsec)	4,116	5,651	8,793	5,023	18,646	21,515
- Min Latency (micsec)	1,950	2,415	2,431	2,439	2,431	2,439
- Max Latency (micsec)	22,059	29,596	38,536	41,888	119,840	142,603
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-2-1						
- Tx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	3.947.400	3.169.800
- Rx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	3.947.400	3.169.800
- Avg Latency (micsec)	4,221	5,662	8,903	5,232	17,944	21,506
- Min Latency (micsec)	1,974	2,439	2,455	2,463	2,479	2,463
- Max Latency (micsec)	21,891	28,682	40,244	48,022	115,269	139,837
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-2-2						
- Tx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	3.947.400	3.169.800
- Rx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	3.947.400	3.169.800
- Avg Latency (micsec)	4,219	5,639	8,833	5,079	18,187	21,834
- Min Latency (micsec)	1,950	2,415	2,431	2,439	2,431	2,463
- Max Latency (micsec)	17,946	28,562	39,017	43,090	116,496	154,799
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-2-3						
- Tx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	3.947.400	3.169.800
- Rx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	3.946.503	3.169.679
- Avg Latency (micsec)	3,583	5,024	8,088	4,681	19,144	21,710
- Min Latency (micsec)	0,859	1,324	1,340	1,348	1,340	1,372
- Max Latency (micsec)	22,083	28,024	40,364	42,240	118,108	149,458
- Avg Jitter (micsec)	0,035	0,024	0,019	0,002	0,014	0,006
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	17,872	24,631	31,968	39,184	101,148	135,930
P-0-2-4						
- Tx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	3.947.400	3.169.800
- Rx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	3.947.182	3.169.666
- Avg Latency (micsec)	3,566	5,050	8,058	4,457	18,065	23,281
- Min Latency (micsec)	0,835	1,324	1,316	1,324	1,340	1,348
- Max Latency (micsec)	22,299	27,792	38,969	42,866	116,416	145,481
- Avg Jitter (micsec)	0,036	0,026	0,020	0,002	0,014	0,005
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	17,607	23,645	29,466	34,734	83,853	104,299
P-0-2-5						
- Tx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	3.947.400	3.169.800
- Rx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	3.947.026	3.169.615
- Avg Latency (micsec)	3,594	5,164	8,193	4,579	19,088	22,068
- Min Latency (micsec)	0,835	1,300	1,316	1,324	1,340	1,324
- Max Latency (micsec)	21,939	29,163	42,385	44,894	113,626	136,630
- Avg Jitter (micsec)	0,035	0,025	0,020	0,002	0,012	0,005
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	17,679	23,861	24,872	35,576	83,901	94,004

Image not found.

P-0-4-0						
- Tx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	3.947.400	3.169.800
- Rx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	3.946.713	3.169.688
- Avg Latency (micsec)	3,778	5,034	7,721	4,616	18,381	20,662
- Min Latency (micsec)	0,907	1,372	1,388	1,396	1,388	1,396
- Max Latency (micsec)	22,468	27,960	37,959	46,193	114,235	140,526
- Avg Jitter (micsec)	0,035	0,022	0,018	0,001	0,010	0,004
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	17,319	21,672	25,016	36,009	83,829	99,608
P-0-4-1						
- Tx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	3.947.400	3.169.800
- Rx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	3.946.689	3.169.664
- Avg Latency (micsec)	3,778	4,946	7,540	4,628	19,415	22,748
- Min Latency (micsec)	0,907	1,372	1,388	1,396	1,388	1,396
- Max Latency (micsec)	22,396	28,056	38,175	41,767	115,630	139,636
- Avg Jitter (micsec)	0,035	0,022	0,017	0,001	0,009	0,004
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	17,896	19,435	24,944	34,301	82,265	94,004
P-0-4-2						
- Tx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	3.947.400	3.169.800
- Rx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	3.947.114	3.169.615
- Avg Latency (micsec)	3,727	5,279	7,842	4,510	18,836	20,976
- Min Latency (micsec)	0,907	1,372	1,388	1,396	1,412	1,396
- Max Latency (micsec)	21,337	28,441	38,560	48,262	110,555	134,056
- Avg Jitter (micsec)	0,035	0,023	0,015	0,001	0,010	0,004
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	17,391	23,260	25,112	35,937	83,708	94,100
P-0-4-3						
- Tx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	3.947.400	3.169.800
- Rx (Frames)	49.102.200	27.869.400	14.941.800	5.572.799	3.947.198	3.169.663
- Avg Latency (micsec)	3,716	5,021	7,466	4,593	18,987	22,478
- Min Latency (micsec)	0,907	1,372	1,388	1,396	1,388	1,396
- Max Latency (micsec)	17,489	27,070	36,900	43,139	121,187	137,046
- Avg Jitter (micsec)	0,032	0,023	0,015	0,002	0,012	0,005
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	13,302	23,909	25,136	34,277	83,805	95,303
P-0-4-4						
- Tx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	3.947.400	3.169.800
- Rx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	3.946.595	3.169.707
- Avg Latency (micsec)	3,742	4,907	7,433	4,346	18,799	21,186
- Min Latency (micsec)	0,907	1,372	1,388	1,396	1,412	1,396
- Max Latency (micsec)	21,073	26,485	36,339	40,108	114,187	155,055
- Avg Jitter (micsec)	0,032	0,022	0,016	0,001	0,013	0,006
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	17,511	23,909	29,634	30,597	86,282	104,588
P-0-4-5						
- Tx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	3.947.400	3.169.800
- Rx (Frames)	49.102.200	27.869.400	14.941.800	5.572.800	3.946.832	3.169.671
- Avg Latency (micsec)	3,739	4,901	7,444	4,339	18,884	22,639
- Min Latency (micsec)	0,907	1,372	1,388	1,396	1,412	1,396
- Max Latency (micsec)	21,434	26,830	37,566	44,389	114,235	144,183
- Avg Jitter (micsec)	0,032	0,024	0,019	0,002	0,013	0,006
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	16,813	24,126	29,755	34,902	84,478	125,467

<b>Frame Size</b>	<b>1518</b>
Result State	PASS
Tx Rate (Percent)	100 %
Tx Rate (L1) (Bit/s)	988,65 M
Tx Rate (Fps)	80.352
Tx (Frames)	48.211.200
Rx (Frames)	48.189.555
P-0-0-0	
- Tx (Frames)	2.678.400
- Rx (Frames)	2.678.400
- Avg Latency (micsec)	23,926
- Min Latency (micsec)	3,609
- Max Latency (micsec)	181,178
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A



- Max Jitter (micsec)	N/A
P-0-0-1	
- Tx (Frames)	2.678.400
- Rx (Frames)	2.678.400
- Avg Latency (micsec)	24,171
- Min Latency (micsec)	3,609
- Max Latency (micsec)	177,738
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A
- Max Jitter (micsec)	N/A
P-0-0-2	
- Tx (Frames)	2.678.400
- Rx (Frames)	2.678.400
- Avg Latency (micsec)	24,631
- Min Latency (micsec)	3,609
- Max Latency (micsec)	172,783
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A
- Max Jitter (micsec)	N/A
P-0-0-3	
- Tx (Frames)	2.678.400
- Rx (Frames)	2.678.400
- Avg Latency (micsec)	25,452
- Min Latency (micsec)	3,609
- Max Latency (micsec)	188,707
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A
- Max Jitter (micsec)	N/A
P-0-0-4	
- Tx (Frames)	2.678.400
- Rx (Frames)	2.678.400
- Avg Latency (micsec)	24,907
- Min Latency (micsec)	3,633
- Max Latency (micsec)	174,299
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A
- Max Jitter (micsec)	N/A
P-0-0-5	
- Tx (Frames)	2.678.400
- Rx (Frames)	2.678.400
- Avg Latency (micsec)	25,378
- Min Latency (micsec)	3,633
- Max Latency (micsec)	160,443
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A
- Max Jitter (micsec)	N/A
P-0-2-0	
- Tx (Frames)	2.678.400
- Rx (Frames)	2.678.400
- Avg Latency (micsec)	20,862
- Min Latency (micsec)	2,447
- Max Latency (micsec)	164,957
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A
- Max Jitter (micsec)	N/A
P-0-2-1	
- Tx (Frames)	2.678.400
- Rx (Frames)	2.678.400
- Avg Latency (micsec)	21,699
- Min Latency (micsec)	2,471
- Max Latency (micsec)	159,882
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A
- Max Jitter (micsec)	N/A
P-0-2-2	
- Tx (Frames)	2.678.400
- Rx (Frames)	2.678.400
- Avg Latency (micsec)	25,309
- Min Latency (micsec)	2,447
- Max Latency (micsec)	169,263
- Avg Jitter (micsec)	N/A

- Min Jitter (micsec)	N/A
- Max Jitter (micsec)	N/A
P-0-2-3	
- Tx (Frames)	2.678.400
- Rx (Frames)	2.677.368
- Avg Latency (micsec)	23,292
- Min Latency (micsec)	1,356
- Max Latency (micsec)	165,246
- Avg Jitter (micsec)	0,003
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	136,291
P-0-2-4	
- Tx (Frames)	2.678.400
- Rx (Frames)	2.676.416
- Avg Latency (micsec)	19,433
- Min Latency (micsec)	1,332
- Max Latency (micsec)	163,145
- Avg Jitter (micsec)	0,003
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	123,350
P-0-2-5	
- Tx (Frames)	2.678.400
- Rx (Frames)	2.675.693
- Avg Latency (micsec)	22,782
- Min Latency (micsec)	1,332
- Max Latency (micsec)	159,657
- Avg Jitter (micsec)	0,003
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	120,151
P-0-4-0	
- Tx (Frames)	2.678.400
- Rx (Frames)	2.676.949
- Avg Latency (micsec)	23,615
- Min Latency (micsec)	1,404
- Max Latency (micsec)	173,657
- Avg Jitter (micsec)	0,002
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	121,666
P-0-4-1	
- Tx (Frames)	2.678.400
- Rx (Frames)	2.674.081
- Avg Latency (micsec)	23,631
- Min Latency (micsec)	1,404
- Max Latency (micsec)	164,982
- Avg Jitter (micsec)	0,002
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	123,374
P-0-4-2	
- Tx (Frames)	2.678.400
- Rx (Frames)	2.675.068
- Avg Latency (micsec)	23,162
- Min Latency (micsec)	1,404
- Max Latency (micsec)	159,954
- Avg Jitter (micsec)	0,002
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	116,518
P-0-4-3	
- Tx (Frames)	2.678.400
- Rx (Frames)	2.674.613
- Avg Latency (micsec)	24,491
- Min Latency (micsec)	1,404
- Max Latency (micsec)	173,633
- Avg Jitter (micsec)	0,002
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	124,192
P-0-4-4	
- Tx (Frames)	2.678.400
- Rx (Frames)	2.677.669
- Avg Latency (micsec)	24,371
- Min Latency (micsec)	1,404
- Max Latency (micsec)	154,558



Image not found.

- Avg Jitter (micsec)	0,002
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	136,267
P-0-4-5	
- Tx (Frames)	2.678.400
- Rx (Frames)	2.676.098
- Avg Latency (micsec)	24,564
- Min Latency (micsec)	1,404
- Max Latency (micsec)	161,462
- Avg Jitter (micsec)	0,003
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	136,363



## Frame Loss Rate Test Results

### Test Setup

Time Duration: 600 seconds  
 Iterations: 1  
 Use Pass/Fail Criteria: No

### Test Results

#### Test Results Summary

Total tests executed: 21  
 Rates used: 3  
 Results per rate: 7

Success: All tests passed!

#### Results for 50,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Tx (Frames)	441.871.200	250.776.000	134.427.600	69.692.400	35.478.000	28.479.600
Tx Rate (Fps)	736.452	417.960	224.046	116.154	59.130	47.466
Tx Rate (L1) (Bit/s)	494,9 M	494,86 M	494,69 M	494,35 M	493,85 M	493,65 M
Rx (Frames)	441.871.200	250.776.000	134.427.600	69.692.400	35.464.616	28.479.185
Rx Rate (Fps)	736,45 K	417,96 K	224,05 K	116,15 K	59,11 K	47,47 K
Rx Rate (L1) (Bit/s)	494,9 M	494,86 M	494,69 M	494,35 M	493,67 M	493,64 M
Loss (Frames)	0	0	0	0	13.384	415
Loss Rate (Percent)	0 %	0 %	0 %	0 %	0,04 %	0 %
P-0-0-0						
- Tx (Frames)	24.548.400	13.932.000	7.468.200	3.871.800	1.971.000	1.582.200
- Tx Rate (L1) (Bit/s)	27,49 M	27,49 M	27,48 M	27,46 M	27,44 M	27,42 M
- Tx Rate (Fps)	40.914	23.220	12.447	6.453	3.285	2.637
- Rx (Frames)	24.548.400	13.932.000	7.468.200	3.871.800	1.971.000	1.582.200
- Rx Rate (L1) (Bit/s)	27,49 M	27,49 M	27,48 M	27,46 M	27,44 M	27,42 M
- Rx Rate (Fps)	40.914	23.220	12.447	6.453	3.285	2.637
P-0-0-1						
- Tx (Frames)	24.548.400	13.932.000	7.468.200	3.871.800	1.971.000	1.582.200
- Tx Rate (L1) (Bit/s)	27,49 M	27,49 M	27,48 M	27,46 M	27,44 M	27,42 M
- Tx Rate (Fps)	40.914	23.220	12.447	6.453	3.285	2.637
- Rx (Frames)	24.548.400	13.932.000	7.468.200	3.871.800	1.971.000	1.582.200
- Rx Rate (L1) (Bit/s)	27,49 M	27,49 M	27,48 M	27,46 M	27,44 M	27,42 M
- Rx Rate (Fps)	40.914	23.220	12.447	6.453	3.285	2.637
P-0-0-2						
- Tx (Frames)	24.548.400	13.932.000	7.468.200	3.871.800	1.971.000	1.582.200
- Tx Rate (L1) (Bit/s)	27,49 M	27,49 M	27,48 M	27,46 M	27,44 M	27,42 M
- Tx Rate (Fps)	40.914	23.220	12.447	6.453	3.285	2.637
- Rx (Frames)	24.548.400	13.932.000	7.468.200	3.871.800	1.971.000	1.582.200
- Rx Rate (L1) (Bit/s)	27,49 M	27,49 M	27,48 M	27,46 M	27,44 M	27,42 M
- Rx Rate (Fps)	40.914	23.220	12.447	6.453	3.285	2.637
P-0-0-3						
- Tx (Frames)	24.548.400	13.932.000	7.468.200	3.871.800	1.971.000	1.582.200
- Tx Rate (L1) (Bit/s)	27,49 M	27,49 M	27,48 M	27,46 M	27,44 M	27,42 M
- Tx Rate (Fps)	40.914	23.220	12.447	6.453	3.285	2.637
- Rx (Frames)	24.548.400	13.932.000	7.468.200	3.871.800	1.971.000	1.582.200
- Rx Rate (L1) (Bit/s)	27,49 M	27,49 M	27,48 M	27,46 M	27,44 M	27,42 M
- Rx Rate (Fps)	40.914	23.220	12.447	6.453	3.285	2.637
P-0-0-4						
- Tx (Frames)	24.548.400	13.932.000	7.468.200	3.871.800	1.971.000	1.582.200
- Tx Rate (L1) (Bit/s)	27,49 M	27,49 M	27,48 M	27,46 M	27,44 M	27,42 M
- Tx Rate (Fps)	40.914	23.220	12.447	6.453	3.285	2.637
- Rx (Frames)	24.548.400	13.932.000	7.468.200	3.871.800	1.971.000	1.582.200
- Rx Rate (L1) (Bit/s)	27,49 M	27,49 M	27,48 M	27,46 M	27,44 M	27,42 M
- Rx Rate (Fps)	40.914	23.220	12.447	6.453	3.285	2.637
P-0-0-5						

Image not found.

[illegible]

Image not found.


- Tx Rate (L1) (Bit/s)	27,49 M	27,49 M	27,48 M	27,46 M	27,44 M	27,42 M
- Tx Rate (Fps)	40.914	23.220	12.447	6.453	3.285	2.637
- Rx (Frames)	24.548.400	13.932.000	7.468.200	3.871.800	1.970.087	1.582.132
- Rx Rate (L1) (Bit/s)	27,49 M	27,49 M	27,48 M	27,46 M	27,42 M	27,42 M
- Rx Rate (Fps)	40.914	23.220	12.447	6.453	3.283	2.637
P-0-4-4						
- Tx (Frames)	24.548.400	13.932.000	7.468.200	3.871.800	1.971.000	1.582.200
- Tx Rate (L1) (Bit/s)	27,49 M	27,49 M	27,48 M	27,46 M	27,44 M	27,42 M
- Tx Rate (Fps)	40.914	23.220	12.447	6.453	3.285	2.637
- Rx (Frames)	24.548.400	13.932.000	7.468.200	3.871.800	1.970.873	1.582.194
- Rx Rate (L1) (Bit/s)	27,49 M	27,49 M	27,48 M	27,46 M	27,43 M	27,42 M
- Rx Rate (Fps)	40.914	23.220	12.447	6.453	3.285	2.637
P-0-4-5						
- Tx (Frames)	24.548.400	13.932.000	7.468.200	3.871.800	1.971.000	1.582.200
- Tx Rate (L1) (Bit/s)	27,49 M	27,49 M	27,48 M	27,46 M	27,44 M	27,42 M
- Tx Rate (Fps)	40.914	23.220	12.447	6.453	3.285	2.637
- Rx (Frames)	24.548.400	13.932.000	7.468.200	3.871.800	1.967.689	1.582.100
- Rx Rate (L1) (Bit/s)	27,49 M	27,49 M	27,48 M	27,46 M	27,39 M	27,42 M
- Rx Rate (Fps)	40.914	23.220	12.447	6.453	3.279	2.637

<b>Frame Size</b>	<b>1518</b>
Result State	PASS
Tx (Frames)	24.105.600
Tx Rate (Fps)	40.176
Tx Rate (L1) (Bit/s)	494,33 M
Rx (Frames)	24.105.111
Rx Rate (Fps)	40,18 K
Rx Rate (L1) (Bit/s)	494,32 M
Loss (Frames)	489
Loss Rate (Percent)	0 %
P-0-0-0	
- Tx (Frames)	1.339.200
- Tx Rate (L1) (Bit/s)	27,46 M
- Tx Rate (Fps)	2.232
- Rx (Frames)	1.339.200
- Rx Rate (L1) (Bit/s)	27,46 M
- Rx Rate (Fps)	2.232
P-0-0-1	
- Tx (Frames)	1.339.200
- Tx Rate (L1) (Bit/s)	27,46 M
- Tx Rate (Fps)	2.232
- Rx (Frames)	1.339.200
- Rx Rate (L1) (Bit/s)	27,46 M
- Rx Rate (Fps)	2.232
P-0-0-2	
- Tx (Frames)	1.339.200
- Tx Rate (L1) (Bit/s)	27,46 M
- Tx Rate (Fps)	2.232
- Rx (Frames)	1.339.200
- Rx Rate (L1) (Bit/s)	27,46 M
- Rx Rate (Fps)	2.232
P-0-0-3	
- Tx (Frames)	1.339.200
- Tx Rate (L1) (Bit/s)	27,46 M
- Tx Rate (Fps)	2.232
- Rx (Frames)	1.339.200
- Rx Rate (L1) (Bit/s)	27,46 M
- Rx Rate (Fps)	2.232
P-0-0-4	
- Tx (Frames)	1.339.200
- Tx Rate (L1) (Bit/s)	27,46 M
- Tx Rate (Fps)	2.232
- Rx (Frames)	1.339.200
- Rx Rate (L1) (Bit/s)	27,46 M
- Rx Rate (Fps)	2.232
P-0-0-5	
- Tx (Frames)	1.339.200
- Tx Rate (L1) (Bit/s)	27,46 M
- Tx Rate (Fps)	2.232
- Rx (Frames)	1.339.200

- Rx Rate (L1) (Bit/s)	27,46 M
- Rx Rate (Fps)	2.232
P-0-2-0	
- Tx (Frames)	1.339.200
- Tx Rate (L1) (Bit/s)	27,46 M
- Tx Rate (Fps)	2.232
- Rx (Frames)	1.339.200
- Rx Rate (L1) (Bit/s)	27,46 M
- Rx Rate (Fps)	2.232
P-0-2-1	
- Tx (Frames)	1.339.200
- Tx Rate (L1) (Bit/s)	27,46 M
- Tx Rate (Fps)	2.232
- Rx (Frames)	1.339.200
- Rx Rate (L1) (Bit/s)	27,46 M
- Rx Rate (Fps)	2.232
P-0-2-2	
- Tx (Frames)	1.339.200
- Tx Rate (L1) (Bit/s)	27,46 M
- Tx Rate (Fps)	2.232
- Rx (Frames)	1.339.200
- Rx Rate (L1) (Bit/s)	27,46 M
- Rx Rate (Fps)	2.232
P-0-2-3	
- Tx (Frames)	1.339.200
- Tx Rate (L1) (Bit/s)	27,46 M
- Tx Rate (Fps)	2.232
- Rx (Frames)	1.339.175
- Rx Rate (L1) (Bit/s)	27,46 M
- Rx Rate (Fps)	2.232
P-0-2-4	
- Tx (Frames)	1.339.200
- Tx Rate (L1) (Bit/s)	27,46 M
- Tx Rate (Fps)	2.232
- Rx (Frames)	1.339.090
- Rx Rate (L1) (Bit/s)	27,46 M
- Rx Rate (Fps)	2.232
P-0-2-5	
- Tx (Frames)	1.339.200
- Tx Rate (L1) (Bit/s)	27,46 M
- Tx Rate (Fps)	2.232
- Rx (Frames)	1.339.172
- Rx Rate (L1) (Bit/s)	27,46 M
- Rx Rate (Fps)	2.232
P-0-4-0	
- Tx (Frames)	1.339.200
- Tx Rate (L1) (Bit/s)	27,46 M
- Tx Rate (Fps)	2.232
- Rx (Frames)	1.339.191
- Rx Rate (L1) (Bit/s)	27,46 M
- Rx Rate (Fps)	2.232
P-0-4-1	
- Tx (Frames)	1.339.200
- Tx Rate (L1) (Bit/s)	27,46 M
- Tx Rate (Fps)	2.232
- Rx (Frames)	1.339.191
- Rx Rate (L1) (Bit/s)	27,46 M
- Rx Rate (Fps)	2.232
P-0-4-2	
- Tx (Frames)	1.339.200
- Tx Rate (L1) (Bit/s)	27,46 M
- Tx Rate (Fps)	2.232
- Rx (Frames)	1.339.118
- Rx Rate (L1) (Bit/s)	27,46 M
- Rx Rate (Fps)	2.232
P-0-4-3	
- Tx (Frames)	1.339.200
- Tx Rate (L1) (Bit/s)	27,46 M
- Tx Rate (Fps)	2.232
- Rx (Frames)	1.339.115
- Rx Rate (L1) (Bit/s)	27,46 M

Image not found.

- Rx Rate (Fps)	2.232
P-0-4-4	
- Tx (Frames)	1.339.200
- Tx Rate (L1) (Bit/s)	27,46 M
- Tx Rate (Fps)	2.232
- Rx (Frames)	1.339.199
- Rx Rate (L1) (Bit/s)	27,46 M
- Rx Rate (Fps)	2.232
P-0-4-5	
- Tx (Frames)	1.339.200
- Tx Rate (L1) (Bit/s)	27,46 M
- Tx Rate (Fps)	2.232
- Rx (Frames)	1.339.060
- Rx Rate (L1) (Bit/s)	27,46 M
- Rx Rate (Fps)	2.232



## Results for 75,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Tx (Frames)	662.904.000	376.261.200	201.690.000	104.587.200	53.265.600	42.768.000
Tx Rate (Fps)	1.104.840	627.102	336.150	174.312	88.776	71.280
Tx Rate (L1) (Bit/s)	742,45 M	742,49 M	742,22 M	741,87 M	741,46 M	741,31 M
Rx (Frames)	662.904.000	376.261.200	201.690.000	104.587.200	53.246.246	42.747.077
Rx Rate (Fps)	1,1 M	627,1 K	336,15 K	174,31 K	88,74 K	71,25 K
Rx Rate (L1) (Bit/s)	742,45 M	742,49 M	742,22 M	741,87 M	741,19 M	740,95 M
Loss (Frames)	0	0	0	0	19.354	20.923
Loss Rate (Percent)	0 %	0 %	0 %	0 %	0,04 %	0,05 %
P-0-0-0						
- Tx (Frames)	36.828.000	20.903.400	11.205.000	5.810.400	2.959.200	2.376.000
- Tx Rate (L1) (Bit/s)	41,25 M	41,25 M	41,23 M	41,22 M	41,19 M	41,18 M
- Tx Rate (Fps)	61.380	34.839	18.675	9.684	4.932	3.960
- Rx (Frames)	36.828.000	20.903.400	11.205.000	5.810.400	2.959.200	2.376.000
- Rx Rate (L1) (Bit/s)	41,25 M	41,25 M	41,23 M	41,22 M	41,19 M	41,18 M
- Rx Rate (Fps)	61.380	34.839	18.675	9.684	4.932	3.960
P-0-0-1						
- Tx (Frames)	36.828.000	20.903.400	11.205.000	5.810.400	2.959.200	2.376.000
- Tx Rate (L1) (Bit/s)	41,25 M	41,25 M	41,23 M	41,22 M	41,19 M	41,18 M
- Tx Rate (Fps)	61.380	34.839	18.675	9.684	4.932	3.960
- Rx (Frames)	36.828.000	20.903.400	11.205.000	5.810.400	2.959.200	2.376.000
- Rx Rate (L1) (Bit/s)	41,25 M	41,25 M	41,23 M	41,22 M	41,19 M	41,18 M
- Rx Rate (Fps)	61.380	34.839	18.675	9.684	4.932	3.960
P-0-0-2						
- Tx (Frames)	36.828.000	20.903.400	11.205.000	5.810.400	2.959.200	2.376.000
- Tx Rate (L1) (Bit/s)	41,25 M	41,25 M	41,23 M	41,22 M	41,19 M	41,18 M
- Tx Rate (Fps)	61.380	34.839	18.675	9.684	4.932	3.960
- Rx (Frames)	36.828.000	20.903.400	11.205.000	5.810.400	2.959.200	2.376.000

Image not found

[illegible]

Image not found.

- Rx Rate (Fps)	61.380	34.839	18.675	9.684	4.931	3.958
P-0-4-1						
- Tx (Frames)	36.828.000	20.903.400	11.205.000	5.810.400	2.959.200	2.376.000
- Tx Rate (L1) (Bit/s)	41,25 M	41,25 M	41,23 M	41,22 M	41,19 M	41,18 M
- Tx Rate (Fps)	61.380	34.839	18.675	9.684	4.932	3.960
- Rx (Frames)	36.828.000	20.903.400	11.205.000	5.810.400	2.956.753	2.373.513
- Rx Rate (L1) (Bit/s)	41,25 M	41,25 M	41,23 M	41,22 M	41,16 M	41,14 M
- Rx Rate (Fps)	61.380	34.839	18.675	9.684	4.928	3.956
P-0-4-2						
- Tx (Frames)	36.828.000	20.903.400	11.205.000	5.810.400	2.959.200	2.376.000
- Tx Rate (L1) (Bit/s)	41,25 M	41,25 M	41,23 M	41,22 M	41,19 M	41,18 M
- Tx Rate (Fps)	61.380	34.839	18.675	9.684	4.932	3.960
- Rx (Frames)	36.828.000	20.903.400	11.205.000	5.810.400	2.955.222	2.372.907
- Rx Rate (L1) (Bit/s)	41,25 M	41,25 M	41,23 M	41,22 M	41,14 M	41,13 M
- Rx Rate (Fps)	61.380	34.839	18.675	9.684	4.925	3.955
P-0-4-3						
- Tx (Frames)	36.828.000	20.903.400	11.205.000	5.810.400	2.959.200	2.376.000
- Tx Rate (L1) (Bit/s)	41,25 M	41,25 M	41,23 M	41,22 M	41,19 M	41,18 M
- Tx Rate (Fps)	61.380	34.839	18.675	9.684	4.932	3.960
- Rx (Frames)	36.828.000	20.903.400	11.205.000	5.810.400	2.957.369	2.373.027
- Rx Rate (L1) (Bit/s)	41,25 M	41,25 M	41,23 M	41,22 M	41,17 M	41,13 M
- Rx Rate (Fps)	61.380	34.839	18.675	9.684	4.929	3.955
P-0-4-4						
- Tx (Frames)	36.828.000	20.903.400	11.205.000	5.810.400	2.959.200	2.376.000
- Tx Rate (L1) (Bit/s)	41,25 M	41,25 M	41,23 M	41,22 M	41,19 M	41,18 M
- Tx Rate (Fps)	61.380	34.839	18.675	9.684	4.932	3.960
- Rx (Frames)	36.828.000	20.903.400	11.205.000	5.810.400	2.958.866	2.375.109
- Rx Rate (L1) (Bit/s)	41,25 M	41,25 M	41,23 M	41,22 M	41,19 M	41,17 M
- Rx Rate (Fps)	61.380	34.839	18.675	9.684	4.931	3.959
P-0-4-5						
- Tx (Frames)	36.828.000	20.903.400	11.205.000	5.810.400	2.959.200	2.376.000
- Tx Rate (L1) (Bit/s)	41,25 M	41,25 M	41,23 M	41,22 M	41,19 M	41,18 M
- Tx Rate (Fps)	61.380	34.839	18.675	9.684	4.932	3.960
- Rx (Frames)	36.828.000	20.903.400	11.205.000	5.810.400	2.954.235	2.371.700
- Rx Rate (L1) (Bit/s)	41,25 M	41,25 M	41,23 M	41,22 M	41,12 M	41,11 M
- Rx Rate (Fps)	61.380	34.839	18.675	9.684	4.924	3.953


<b>Frame Size</b>	<b>1518</b>
Result State	PASS
Tx (Frames)	36.158.400
Tx Rate (Fps)	60.264
Tx Rate (L1) (Bit/s)	741,49 M
Rx (Frames)	36.114.219
Rx Rate (Fps)	60,19 K
Rx Rate (L1) (Bit/s)	740,58 M
Loss (Frames)	44.181
Loss Rate (Percent)	0,12 %
P-0-0-0	
- Tx (Frames)	2.008.800
- Tx Rate (L1) (Bit/s)	41,19 M
- Tx Rate (Fps)	3.348
- Rx (Frames)	2.008.799
- Rx Rate (L1) (Bit/s)	41,19 M
- Rx Rate (Fps)	3.348
P-0-0-1	
- Tx (Frames)	2.008.800
- Tx Rate (L1) (Bit/s)	41,19 M
- Tx Rate (Fps)	3.348
- Rx (Frames)	2.008.800
- Rx Rate (L1) (Bit/s)	41,19 M
- Rx Rate (Fps)	3.348
P-0-0-2	
- Tx (Frames)	2.008.800
- Tx Rate (L1) (Bit/s)	41,19 M
- Tx Rate (Fps)	3.348
- Rx (Frames)	2.008.800
- Rx Rate (L1) (Bit/s)	41,19 M
- Rx Rate (Fps)	3.348
P-0-0-3	
- Tx (Frames)	2.008.800



- Tx Rate (L1) (Bit/s)	41,19 M
- Tx Rate (Fps)	3.348
- Rx (Frames)	2.008.800
- Rx Rate (L1) (Bit/s)	41,19 M
- Rx Rate (Fps)	3.348
P-0-0-4	
- Tx (Frames)	2.008.800
- Tx Rate (L1) (Bit/s)	41,19 M
- Tx Rate (Fps)	3.348
- Rx (Frames)	2.008.800
- Rx Rate (L1) (Bit/s)	41,19 M
- Rx Rate (Fps)	3.348
P-0-0-5	
- Tx (Frames)	2.008.800
- Tx Rate (L1) (Bit/s)	41,19 M
- Tx Rate (Fps)	3.348
- Rx (Frames)	2.008.800
- Rx Rate (L1) (Bit/s)	41,19 M
- Rx Rate (Fps)	3.348
P-0-2-0	
- Tx (Frames)	2.008.800
- Tx Rate (L1) (Bit/s)	41,19 M
- Tx Rate (Fps)	3.348
- Rx (Frames)	2.008.800
- Rx Rate (L1) (Bit/s)	41,19 M
- Rx Rate (Fps)	3.348
P-0-2-1	
- Tx (Frames)	2.008.800
- Tx Rate (L1) (Bit/s)	41,19 M
- Tx Rate (Fps)	3.348
- Rx (Frames)	2.008.800
- Rx Rate (L1) (Bit/s)	41,19 M
- Rx Rate (Fps)	3.348
P-0-2-2	
- Tx (Frames)	2.008.800
- Tx Rate (L1) (Bit/s)	41,19 M
- Tx Rate (Fps)	3.348
- Rx (Frames)	2.008.800
- Rx Rate (L1) (Bit/s)	41,19 M
- Rx Rate (Fps)	3.348
P-0-2-3	
- Tx (Frames)	2.008.800
- Tx Rate (L1) (Bit/s)	41,19 M
- Tx Rate (Fps)	3.348
- Rx (Frames)	2.005.779
- Rx Rate (L1) (Bit/s)	41,13 M
- Rx Rate (Fps)	3.343
P-0-2-4	
- Tx (Frames)	2.008.800
- Tx Rate (L1) (Bit/s)	41,19 M
- Tx Rate (Fps)	3.348
- Rx (Frames)	2.005.059
- Rx Rate (L1) (Bit/s)	41,12 M
- Rx Rate (Fps)	3.342
P-0-2-5	
- Tx (Frames)	2.008.800
- Tx Rate (L1) (Bit/s)	41,19 M
- Tx Rate (Fps)	3.348
- Rx (Frames)	2.002.568
- Rx Rate (L1) (Bit/s)	41,07 M
- Rx Rate (Fps)	3.338
P-0-4-0	
- Tx (Frames)	2.008.800
- Tx Rate (L1) (Bit/s)	41,19 M
- Tx Rate (Fps)	3.348
- Rx (Frames)	2.004.517
- Rx Rate (L1) (Bit/s)	41,11 M
- Rx Rate (Fps)	3.341
P-0-4-1	
- Tx (Frames)	2.008.800
- Tx Rate (L1) (Bit/s)	41,19 M

Image not found.

- Tx Rate (Fps)	3.348
- Rx (Frames)	2.003.209
- Rx Rate (L1) (Bit/s)	41,08 M
- Rx Rate (Fps)	3.339
P-0-4-2	
- Tx (Frames)	2.008.800
- Tx Rate (L1) (Bit/s)	41,19 M
- Tx Rate (Fps)	3.348
- Rx (Frames)	2.000.807
- Rx Rate (L1) (Bit/s)	41,03 M
- Rx Rate (Fps)	3.335
P-0-4-3	
- Tx (Frames)	2.008.800
- Tx Rate (L1) (Bit/s)	41,19 M
- Tx Rate (Fps)	3.348
- Rx (Frames)	2.003.103
- Rx Rate (L1) (Bit/s)	41,08 M
- Rx Rate (Fps)	3.339
P-0-4-4	
- Tx (Frames)	2.008.800
- Tx Rate (L1) (Bit/s)	41,19 M
- Tx Rate (Fps)	3.348
- Rx (Frames)	2.006.723
- Rx Rate (L1) (Bit/s)	41,15 M
- Rx Rate (Fps)	3.345
P-0-4-5	
- Tx (Frames)	2.008.800
- Tx Rate (L1) (Bit/s)	41,19 M
- Tx Rate (Fps)	3.348
- Rx (Frames)	2.003.255
- Rx Rate (L1) (Bit/s)	41,08 M
- Rx Rate (Fps)	3.339



### Results for 100,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Tx (Frames)	883.839.600	501.649.200	268.952.400	139.482.000	71.053.200	57.056.400
Tx Rate (Fps)	1.473.066	836.082	448.254	232.470	118.422	95.094
Tx Rate (L1) (Bit/s)	989,9 M	989,92 M	989,74 M	989,39 M	989,06 M	988,98 M
Rx (Frames)	883.839.600	501.649.200	268.952.400	139.482.000	71.043.538	57.055.391
Rx Rate (Fps)	1,47 M	836,08 K	448,25 K	232,47 K	118,41 K	95,09 K
Rx Rate (L1) (Bit/s)	989,9 M	989,92 M	989,74 M	989,39 M	988,93 M	988,96 M
Loss (Frames)	0	0	0	0	9.662	1.009
Loss Rate (Percent)	0 %	0 %	0 %	0 %	0,01 %	0 %
P-0-0-0						
- Tx (Frames)	49.102.200	27.869.400	14.941.800	7.749.000	3.947.400	3.169.800

Image not found

[illegible]

Image not found.

- Tx Rate (Fps)	81.837	46.449	24.903	12.915	6.579	5.283
- Rx (Frames)	49.102.200	27.869.400	14.941.800	7.749.000	3.945.941	3.169.718
- Rx Rate (L1) (Bit/s)	54,99 M	55 M	54,99 M	54,97 M	54,93 M	54,94 M
- Rx Rate (Fps)	81.837	46.449	24.903	12.915	6.577	5.283
P-0-2-5						
- Tx (Frames)	49.102.200	27.869.400	14.941.800	7.749.000	3.947.400	3.169.800
- Tx Rate (L1) (Bit/s)	54,99 M	55 M	54,99 M	54,97 M	54,95 M	54,94 M
- Tx Rate (Fps)	81.837	46.449	24.903	12.915	6.579	5.283
- Rx (Frames)	49.102.200	27.869.400	14.941.800	7.749.000	3.946.413	3.169.701
- Rx Rate (L1) (Bit/s)	54,99 M	55 M	54,99 M	54,97 M	54,93 M	54,94 M
- Rx Rate (Fps)	81.837	46.449	24.903	12.915	6.577	5.283
P-0-4-0						
- Tx (Frames)	49.102.200	27.869.400	14.941.800	7.749.000	3.947.400	3.169.800
- Tx Rate (L1) (Bit/s)	54,99 M	55 M	54,99 M	54,97 M	54,95 M	54,94 M
- Tx Rate (Fps)	81.837	46.449	24.903	12.915	6.579	5.283
- Rx (Frames)	49.102.200	27.869.400	14.941.800	7.749.000	3.946.483	3.169.712
- Rx Rate (L1) (Bit/s)	54,99 M	55 M	54,99 M	54,97 M	54,94 M	54,94 M
- Rx Rate (Fps)	81.837	46.449	24.903	12.915	6.577	5.283
P-0-4-1						
- Tx (Frames)	49.102.200	27.869.400	14.941.800	7.749.000	3.947.400	3.169.800
- Tx Rate (L1) (Bit/s)	54,99 M	55 M	54,99 M	54,97 M	54,95 M	54,94 M
- Tx Rate (Fps)	81.837	46.449	24.903	12.915	6.579	5.283
- Rx (Frames)	49.102.200	27.869.400	14.941.800	7.749.000	3.946.563	3.169.669
- Rx Rate (L1) (Bit/s)	54,99 M	55 M	54,99 M	54,97 M	54,94 M	54,94 M
- Rx Rate (Fps)	81.837	46.449	24.903	12.915	6.578	5.283
P-0-4-2						
- Tx (Frames)	49.102.200	27.869.400	14.941.800	7.749.000	3.947.400	3.169.800
- Tx Rate (L1) (Bit/s)	54,99 M	55 M	54,99 M	54,97 M	54,95 M	54,94 M
- Tx Rate (Fps)	81.837	46.449	24.903	12.915	6.579	5.283
- Rx (Frames)	49.102.200	27.869.400	14.941.800	7.749.000	3.946.094	3.169.662
- Rx Rate (L1) (Bit/s)	54,99 M	55 M	54,99 M	54,97 M	54,93 M	54,94 M
- Rx Rate (Fps)	81.837	46.449	24.903	12.915	6.577	5.283
P-0-4-3						
- Tx (Frames)	49.102.200	27.869.400	14.941.800	7.749.000	3.947.400	3.169.800
- Tx Rate (L1) (Bit/s)	54,99 M	55 M	54,99 M	54,97 M	54,95 M	54,94 M
- Tx Rate (Fps)	81.837	46.449	24.903	12.915	6.579	5.283
- Rx (Frames)	49.102.200	27.869.400	14.941.800	7.749.000	3.946.954	3.169.647
- Rx Rate (L1) (Bit/s)	54,99 M	55 M	54,99 M	54,97 M	54,94 M	54,94 M
- Rx Rate (Fps)	81.837	46.449	24.903	12.915	6.578	5.283
P-0-4-4						
- Tx (Frames)	49.102.200	27.869.400	14.941.800	7.749.000	3.947.400	3.169.800
- Tx Rate (L1) (Bit/s)	54,99 M	55 M	54,99 M	54,97 M	54,95 M	54,94 M
- Tx Rate (Fps)	81.837	46.449	24.903	12.915	6.579	5.283
- Rx (Frames)	49.102.200	27.869.400	14.941.800	7.749.000	3.946.491	3.169.724
- Rx Rate (L1) (Bit/s)	54,99 M	55 M	54,99 M	54,97 M	54,94 M	54,94 M
- Rx Rate (Fps)	81.837	46.449	24.903	12.915	6.577	5.283
P-0-4-5						
- Tx (Frames)	49.102.200	27.869.400	14.941.800	7.749.000	3.947.400	3.169.800
- Tx Rate (L1) (Bit/s)	54,99 M	55 M	54,99 M	54,97 M	54,95 M	54,94 M
- Tx Rate (Fps)	81.837	46.449	24.903	12.915	6.579	5.283
- Rx (Frames)	49.102.200	27.869.400	14.941.800	7.749.000	3.946.482	3.169.607
- Rx Rate (L1) (Bit/s)	54,99 M	55 M	54,99 M	54,97 M	54,94 M	54,94 M
- Rx Rate (Fps)	81.837	46.449	24.903	12.915	6.577	5.283


Frame Size	1518
Result State	PASS
Tx (Frames)	48.211.200
Tx Rate (Fps)	80.352
Tx Rate (L1) (Bit/s)	988,65 M
Rx (Frames)	48.210.581
Rx Rate (Fps)	80,35 K
Rx Rate (L1) (Bit/s)	988,64 M
Loss (Frames)	619
Loss Rate (Percent)	0 %
P-0-0-0	
- Tx (Frames)	2.678.400
- Tx Rate (L1) (Bit/s)	54,93 M
- Tx Rate (Fps)	4.464
- Rx (Frames)	2.678.400
- Rx Rate (L1) (Bit/s)	54,93 M

- Rx Rate (Fps)	4.464
P-0-0-1	
- Tx (Frames)	2.678.400
- Tx Rate (L1) (Bit/s)	54,93 M
- Tx Rate (Fps)	4.464
- Rx (Frames)	2.678.400
- Rx Rate (L1) (Bit/s)	54,93 M
- Rx Rate (Fps)	4.464
P-0-0-2	
- Tx (Frames)	2.678.400
- Tx Rate (L1) (Bit/s)	54,93 M
- Tx Rate (Fps)	4.464
- Rx (Frames)	2.678.400
- Rx Rate (L1) (Bit/s)	54,93 M
- Rx Rate (Fps)	4.464
P-0-0-3	
- Tx (Frames)	2.678.400
- Tx Rate (L1) (Bit/s)	54,93 M
- Tx Rate (Fps)	4.464
- Rx (Frames)	2.678.400
- Rx Rate (L1) (Bit/s)	54,93 M
- Rx Rate (Fps)	4.464
P-0-0-4	
- Tx (Frames)	2.678.400
- Tx Rate (L1) (Bit/s)	54,93 M
- Tx Rate (Fps)	4.464
- Rx (Frames)	2.678.400
- Rx Rate (L1) (Bit/s)	54,93 M
- Rx Rate (Fps)	4.464
P-0-0-5	
- Tx (Frames)	2.678.400
- Tx Rate (L1) (Bit/s)	54,93 M
- Tx Rate (Fps)	4.464
- Rx (Frames)	2.678.400
- Rx Rate (L1) (Bit/s)	54,93 M
- Rx Rate (Fps)	4.464
P-0-2-0	
- Tx (Frames)	2.678.400
- Tx Rate (L1) (Bit/s)	54,93 M
- Tx Rate (Fps)	4.464
- Rx (Frames)	2.678.400
- Rx Rate (L1) (Bit/s)	54,93 M
- Rx Rate (Fps)	4.464
P-0-2-1	
- Tx (Frames)	2.678.400
- Tx Rate (L1) (Bit/s)	54,93 M
- Tx Rate (Fps)	4.464
- Rx (Frames)	2.678.400
- Rx Rate (L1) (Bit/s)	54,93 M
- Rx Rate (Fps)	4.464
P-0-2-2	
- Tx (Frames)	2.678.400
- Tx Rate (L1) (Bit/s)	54,93 M
- Tx Rate (Fps)	4.464
- Rx (Frames)	2.678.400
- Rx Rate (L1) (Bit/s)	54,93 M
- Rx Rate (Fps)	4.464
P-0-2-3	
- Tx (Frames)	2.678.400
- Tx Rate (L1) (Bit/s)	54,93 M
- Tx Rate (Fps)	4.464
- Rx (Frames)	2.678.358
- Rx Rate (L1) (Bit/s)	54,92 M
- Rx Rate (Fps)	4.464
P-0-2-4	
- Tx (Frames)	2.678.400
- Tx Rate (L1) (Bit/s)	54,93 M
- Tx Rate (Fps)	4.464
- Rx (Frames)	2.678.309
- Rx Rate (L1) (Bit/s)	54,92 M
- Rx Rate (Fps)	4.464

Image not found.

P-0-2-5	
- Tx (Frames)	2.678.400
- Tx Rate (L1) (Bit/s)	54,93 M
- Tx Rate (Fps)	4.464
- Rx (Frames)	2.678.335
- Rx Rate (L1) (Bit/s)	54,92 M
- Rx Rate (Fps)	4.464
P-0-4-0	
- Tx (Frames)	2.678.400
- Tx Rate (L1) (Bit/s)	54,93 M
- Tx Rate (Fps)	4.464
- Rx (Frames)	2.678.363
- Rx Rate (L1) (Bit/s)	54,92 M
- Rx Rate (Fps)	4.464
P-0-4-1	
- Tx (Frames)	2.678.400
- Tx Rate (L1) (Bit/s)	54,93 M
- Tx Rate (Fps)	4.464
- Rx (Frames)	2.678.352
- Rx Rate (L1) (Bit/s)	54,92 M
- Rx Rate (Fps)	4.464
P-0-4-2	
- Tx (Frames)	2.678.400
- Tx Rate (L1) (Bit/s)	54,93 M
- Tx Rate (Fps)	4.464
- Rx (Frames)	2.678.320
- Rx Rate (L1) (Bit/s)	54,92 M
- Rx Rate (Fps)	4.464
P-0-4-3	
- Tx (Frames)	2.678.400
- Tx Rate (L1) (Bit/s)	54,93 M
- Tx Rate (Fps)	4.464
- Rx (Frames)	2.678.299
- Rx Rate (L1) (Bit/s)	54,92 M
- Rx Rate (Fps)	4.464
P-0-4-4	
- Tx (Frames)	2.678.400
- Tx Rate (L1) (Bit/s)	54,93 M
- Tx Rate (Fps)	4.464
- Rx (Frames)	2.678.382
- Rx Rate (L1) (Bit/s)	54,92 M
- Rx Rate (Fps)	4.464
P-0-4-5	
- Tx (Frames)	2.678.400
- Tx Rate (L1) (Bit/s)	54,93 M
- Tx Rate (Fps)	4.464
- Rx (Frames)	2.678.263
- Rx Rate (L1) (Bit/s)	54,92 M
- Rx Rate (Fps)	4.464

Image not found.



## Back-to-Back Test Results

### Test Setup

Time Duration: 600 seconds  
 Iterations: 1  
 Rate Result Scope: Common Result

### Test Results

#### Test Results Summary

Total tests executed: 21  
 Rates used: 3  
 Results per rate: 7

Success: All tests passed!

#### Results for 50,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Tx Burst (Frames)	441.964.188	250.844.526	134.510.868	69.783.768	486	111.456
Tx Burst (Bytes)	28.285.708.032	32.108.099.328	34.434.782.208	35.729.289.216	497.664	142.663.680
Max Offered Rate (Fps)	664.787	377.852	202.688	104.964	53.505	42.956
Max Offered Rate (Bit/s)	446,74 M	447,38 M	447,53 M	446,73 M	446,87 M	446,74 M
P-0-0-0						
- Tx Burst (Frames)	24.553.566	13.935.807	7.472.826	3.876.876	27	6.192
- Tx Burst (Bytes)	1.571.428.224	1.783.783.296	1.913.043.456	1.984.960.512	27.648	7.925.760
P-0-0-1						
- Tx Burst (Frames)	24.553.566	13.935.807	7.472.826	3.876.876	27	6.192
- Tx Burst (Bytes)	1.571.428.224	1.783.783.296	1.913.043.456	1.984.960.512	27.648	7.925.760
P-0-0-2						
- Tx Burst (Frames)	24.553.566	13.935.807	7.472.826	3.876.876	27	6.192
- Tx Burst (Bytes)	1.571.428.224	1.783.783.296	1.913.043.456	1.984.960.512	27.648	7.925.760
P-0-0-3						
- Tx Burst (Frames)	24.553.566	13.935.807	7.472.826	3.876.876	27	6.192
- Tx Burst (Bytes)	1.571.428.224	1.783.783.296	1.913.043.456	1.984.960.512	27.648	7.925.760
P-0-0-4						
- Tx Burst (Frames)	24.553.566	13.935.807	7.472.826	3.876.876	27	6.192
- Tx Burst (Bytes)	1.571.428.224	1.783.783.296	1.913.043.456	1.984.960.512	27.648	7.925.760
P-0-0-5						
- Tx Burst (Frames)	24.553.566	13.935.807	7.472.826	3.876.876	27	6.192
- Tx Burst (Bytes)	1.571.428.224	1.783.783.296	1.913.043.456	1.984.960.512	27.648	7.925.760
P-0-2-0						
- Tx Burst (Frames)	24.553.566	13.935.807	7.472.826	3.876.876	27	6.192
- Tx Burst (Bytes)	1.571.428.224	1.783.783.296	1.913.043.456	1.984.960.512	27.648	7.925.760
P-0-2-1						
- Tx Burst (Frames)	24.553.566	13.935.807	7.472.826	3.876.876	27	6.192
- Tx Burst (Bytes)	1.571.428.224	1.783.783.296	1.913.043.456	1.984.960.512	27.648	7.925.760
P-0-2-2						
- Tx Burst (Frames)	24.553.566	13.935.807	7.472.826	3.876.876	27	6.192
- Tx Burst (Bytes)	1.571.428.224	1.783.783.296	1.913.043.456	1.984.960.512	27.648	7.925.760
P-0-2-3						
- Tx Burst (Frames)	24.553.566	13.935.807	7.472.826	3.876.876	27	6.192
- Tx Burst (Bytes)	1.571.428.224	1.783.783.296	1.913.043.456	1.984.960.512	27.648	7.925.760
P-0-2-4						
- Tx Burst (Frames)	24.553.566	13.935.807	7.472.826	3.876.876	27	6.192
- Tx Burst (Bytes)	1.571.428.224	1.783.783.296	1.913.043.456	1.984.960.512	27.648	7.925.760
P-0-2-5						
- Tx Burst (Frames)	24.553.566	13.935.807	7.472.826	3.876.876	27	6.192
- Tx Burst (Bytes)	1.571.428.224	1.783.783.296	1.913.043.456	1.984.960.512	27.648	7.925.760
P-0-4-0						
- Tx Burst (Frames)	24.553.566	13.935.807	7.472.826	3.876.876	27	6.192
- Tx Burst (Bytes)	1.571.428.224	1.783.783.296	1.913.043.456	1.984.960.512	27.648	7.925.760
P-0-4-1						




Image not found.

- Tx Burst (Frames)	24.553.566	13.935.807	7.472.826	3.876.876	27	6.192
- Tx Burst (Bytes)	1.571.428.224	1.783.783.296	1.913.043.456	1.984.960.512	27.648	7.925.760
P-0-4-2						
- Tx Burst (Frames)	24.553.566	13.935.807	7.472.826	3.876.876	27	6.192
- Tx Burst (Bytes)	1.571.428.224	1.783.783.296	1.913.043.456	1.984.960.512	27.648	7.925.760
P-0-4-3						
- Tx Burst (Frames)	24.553.566	13.935.807	7.472.826	3.876.876	27	6.192
- Tx Burst (Bytes)	1.571.428.224	1.783.783.296	1.913.043.456	1.984.960.512	27.648	7.925.760
P-0-4-4						
- Tx Burst (Frames)	24.553.566	13.935.807	7.472.826	3.876.876	27	6.192
- Tx Burst (Bytes)	1.571.428.224	1.783.783.296	1.913.043.456	1.984.960.512	27.648	7.925.760
P-0-4-5						
- Tx Burst (Frames)	24.553.566	13.935.807	7.472.826	3.876.876	27	6.192
- Tx Burst (Bytes)	1.571.428.224	1.783.783.296	1.913.043.456	1.984.960.512	27.648	7.925.760

<b>Frame Size</b>	<b>1518</b>
Result State	PASS
Tx Burst (Frames)	11.826
Tx Burst (Bytes)	17.951.868
Max Offered Rate (Fps)	36.310
Max Offered Rate (Bit/s)	446,75 M
P-0-0-0	
- Tx Burst (Frames)	657
- Tx Burst (Bytes)	997.326
P-0-0-1	
- Tx Burst (Frames)	657
- Tx Burst (Bytes)	997.326
P-0-0-2	
- Tx Burst (Frames)	657
- Tx Burst (Bytes)	997.326
P-0-0-3	
- Tx Burst (Frames)	657
- Tx Burst (Bytes)	997.326
P-0-0-4	
- Tx Burst (Frames)	657
- Tx Burst (Bytes)	997.326
P-0-0-5	
- Tx Burst (Frames)	657
- Tx Burst (Bytes)	997.326
P-0-2-0	
- Tx Burst (Frames)	657
- Tx Burst (Bytes)	997.326
P-0-2-1	
- Tx Burst (Frames)	657
- Tx Burst (Bytes)	997.326
P-0-2-2	
- Tx Burst (Frames)	657
- Tx Burst (Bytes)	997.326
P-0-2-3	
- Tx Burst (Frames)	657
- Tx Burst (Bytes)	997.326
P-0-2-4	
- Tx Burst (Frames)	657
- Tx Burst (Bytes)	997.326
P-0-2-5	
- Tx Burst (Frames)	657
- Tx Burst (Bytes)	997.326
P-0-4-0	
- Tx Burst (Frames)	657
- Tx Burst (Bytes)	997.326
P-0-4-1	
- Tx Burst (Frames)	657
- Tx Burst (Bytes)	997.326
P-0-4-2	
- Tx Burst (Frames)	657
- Tx Burst (Bytes)	997.326
P-0-4-3	
- Tx Burst (Frames)	657
- Tx Burst (Bytes)	997.326
P-0-4-4	

- Tx Burst (Frames)	657
- Tx Burst (Bytes)	997.326
P-0-4-5	
- Tx Burst (Frames)	657
- Tx Burst (Bytes)	997.326



### Results for 75,00% Rate


Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Tx Burst (Frames)	662.946.282	376.266.870	201.766.302	104.675.652	13.122	83.592
Tx Burst (Bytes)	42.428.562.048	48.162.159.360	51.652.173.312	53.593.933.824	13.436.928	106.997.760
Max Offered Rate (Fps)	1.063.597	603.733	323.730	167.956	85.633	68.730
Max Offered Rate (Bit/s)	714,74 M	714,82 M	714,8 M	714,82 M	715,21 M	714,79 M
P-0-0-0						
- Tx Burst (Frames)	36.830.349	20.903.715	11.209.239	5.815.314	729	4.644
- Tx Burst (Bytes)	2.357.142.336	2.675.675.520	2.869.565.184	2.977.440.768	746.496	5.944.320
P-0-0-1						
- Tx Burst (Frames)	36.830.349	20.903.715	11.209.239	5.815.314	729	4.644
- Tx Burst (Bytes)	2.357.142.336	2.675.675.520	2.869.565.184	2.977.440.768	746.496	5.944.320
P-0-0-2						
- Tx Burst (Frames)	36.830.349	20.903.715	11.209.239	5.815.314	729	4.644
- Tx Burst (Bytes)	2.357.142.336	2.675.675.520	2.869.565.184	2.977.440.768	746.496	5.944.320
P-0-0-3						
- Tx Burst (Frames)	36.830.349	20.903.715	11.209.239	5.815.314	729	4.644
- Tx Burst (Bytes)	2.357.142.336	2.675.675.520	2.869.565.184	2.977.440.768	746.496	5.944.320
P-0-0-4						
- Tx Burst (Frames)	36.830.349	20.903.715	11.209.239	5.815.314	729	4.644
- Tx Burst (Bytes)	2.357.142.336	2.675.675.520	2.869.565.184	2.977.440.768	746.496	5.944.320
P-0-0-5						
- Tx Burst (Frames)	36.830.349	20.903.715	11.209.239	5.815.314	729	4.644
- Tx Burst (Bytes)	2.357.142.336	2.675.675.520	2.869.565.184	2.977.440.768	746.496	5.944.320
P-0-2-0						
- Tx Burst (Frames)	36.830.349	20.903.715	11.209.239	5.815.314	729	4.644
- Tx Burst (Bytes)	2.357.142.336	2.675.675.520	2.869.565.184	2.977.440.768	746.496	5.944.320
P-0-2-1						
- Tx Burst (Frames)	36.830.349	20.903.715	11.209.239	5.815.314	729	4.644
- Tx Burst (Bytes)	2.357.142.336	2.675.675.520	2.869.565.184	2.977.440.768	746.496	5.944.320
P-0-2-2						
- Tx Burst (Frames)	36.830.349	20.903.715	11.209.239	5.815.314	729	4.644
- Tx Burst (Bytes)	2.357.142.336	2.675.675.520	2.869.565.184	2.977.440.768	746.496	5.944.320
P-0-2-3						
- Tx Burst (Frames)	36.830.349	20.903.715	11.209.239	5.815.314	729	4.644
- Tx Burst (Bytes)	2.357.142.336	2.675.675.520	2.869.565.184	2.977.440.768	746.496	5.944.320
P-0-2-4						
- Tx Burst (Frames)	36.830.349	20.903.715	11.209.239	5.815.314	729	4.644

Image not found.

- Tx Burst (Bytes)	2.357.142.336	2.675.675.520	2.869.565.184	2.977.440.768	746.496	5.944.320
P-0-2-5						
- Tx Burst (Frames)	36.830.349	20.903.715	11.209.239	5.815.314	729	4.644
- Tx Burst (Bytes)	2.357.142.336	2.675.675.520	2.869.565.184	2.977.440.768	746.496	5.944.320
P-0-4-0						
- Tx Burst (Frames)	36.830.349	20.903.715	11.209.239	5.815.314	729	4.644
- Tx Burst (Bytes)	2.357.142.336	2.675.675.520	2.869.565.184	2.977.440.768	746.496	5.944.320
P-0-4-1						
- Tx Burst (Frames)	36.830.349	20.903.715	11.209.239	5.815.314	729	4.644
- Tx Burst (Bytes)	2.357.142.336	2.675.675.520	2.869.565.184	2.977.440.768	746.496	5.944.320
P-0-4-2						
- Tx Burst (Frames)	36.830.349	20.903.715	11.209.239	5.815.314	729	4.644
- Tx Burst (Bytes)	2.357.142.336	2.675.675.520	2.869.565.184	2.977.440.768	746.496	5.944.320
P-0-4-3						
- Tx Burst (Frames)	36.830.349	20.903.715	11.209.239	5.815.314	729	4.644
- Tx Burst (Bytes)	2.357.142.336	2.675.675.520	2.869.565.184	2.977.440.768	746.496	5.944.320
P-0-4-4						
- Tx Burst (Frames)	36.830.349	20.903.715	11.209.239	5.815.314	729	4.644
- Tx Burst (Bytes)	2.357.142.336	2.675.675.520	2.869.565.184	2.977.440.768	746.496	5.944.320
P-0-4-5						
- Tx Burst (Frames)	36.830.349	20.903.715	11.209.239	5.815.314	729	4.644
- Tx Burst (Bytes)	2.357.142.336	2.675.675.520	2.869.565.184	2.977.440.768	746.496	5.944.320

<b>Frame Size</b>	<b>1518</b>
Result State	<b>PASS</b>
Tx Burst (Frames)	2.430
Tx Burst (Bytes)	3.688.740
Max Offered Rate (Fps)	58.095
Max Offered Rate (Bit/s)	714,8 M
P-0-0-0	
- Tx Burst (Frames)	135
- Tx Burst (Bytes)	204.930
P-0-0-1	
- Tx Burst (Frames)	135
- Tx Burst (Bytes)	204.930
P-0-0-2	
- Tx Burst (Frames)	135
- Tx Burst (Bytes)	204.930
P-0-0-3	
- Tx Burst (Frames)	135
- Tx Burst (Bytes)	204.930
P-0-0-4	
- Tx Burst (Frames)	135
- Tx Burst (Bytes)	204.930
P-0-0-5	
- Tx Burst (Frames)	135
- Tx Burst (Bytes)	204.930
P-0-2-0	
- Tx Burst (Frames)	135
- Tx Burst (Bytes)	204.930
P-0-2-1	
- Tx Burst (Frames)	135
- Tx Burst (Bytes)	204.930
P-0-2-2	
- Tx Burst (Frames)	135
- Tx Burst (Bytes)	204.930
P-0-2-3	
- Tx Burst (Frames)	135
- Tx Burst (Bytes)	204.930
P-0-2-4	
- Tx Burst (Frames)	135
- Tx Burst (Bytes)	204.930
P-0-2-5	
- Tx Burst (Frames)	135
- Tx Burst (Bytes)	204.930
P-0-4-0	
- Tx Burst (Frames)	135
- Tx Burst (Bytes)	204.930
P-0-4-1	
- Tx Burst (Frames)	135

- Tx Burst (Bytes)	204.930
P-0-4-2	
- Tx Burst (Frames)	135
- Tx Burst (Bytes)	204.930
P-0-4-3	
- Tx Burst (Frames)	135
- Tx Burst (Bytes)	204.930
P-0-4-4	
- Tx Burst (Frames)	135
- Tx Burst (Bytes)	204.930
P-0-4-5	
- Tx Burst (Frames)	135
- Tx Burst (Bytes)	204.930



### Results for 100,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Tx Burst (Frames)	883.928.538	501.689.052	269.021.736	139.567.536	2.430	139.482
Tx Burst (Bytes)	56.571.426.432	64.216.198.656	68.869.564.416	71.458.578.432	2.488.320	178.536.960
Max Offered Rate (Fps)	1.462.443	831.532	446.037	230.951	117.680	94.505
Max Offered Rate (Bit/s)	982,76 M	984,53 M	984,85 M	982,93 M	982,87 M	982,85 M
P-0-0-0						
- Tx Burst (Frames)	49.107.141	27.871.614	14.945.652	7.753.752	135	7.749
- Tx Burst (Bytes)	3.142.857.024	3.567.566.592	3.826.086.912	3.969.921.024	138.240	9.918.720
P-0-0-1						
- Tx Burst (Frames)	49.107.141	27.871.614	14.945.652	7.753.752	135	7.749
- Tx Burst (Bytes)	3.142.857.024	3.567.566.592	3.826.086.912	3.969.921.024	138.240	9.918.720
P-0-0-2						
- Tx Burst (Frames)	49.107.141	27.871.614	14.945.652	7.753.752	135	7.749
- Tx Burst (Bytes)	3.142.857.024	3.567.566.592	3.826.086.912	3.969.921.024	138.240	9.918.720
P-0-0-3						
- Tx Burst (Frames)	49.107.141	27.871.614	14.945.652	7.753.752	135	7.749
- Tx Burst (Bytes)	3.142.857.024	3.567.566.592	3.826.086.912	3.969.921.024	138.240	9.918.720
P-0-0-4						
- Tx Burst (Frames)	49.107.141	27.871.614	14.945.652	7.753.752	135	7.749
- Tx Burst (Bytes)	3.142.857.024	3.567.566.592	3.826.086.912	3.969.921.024	138.240	9.918.720
P-0-0-5						
- Tx Burst (Frames)	49.107.141	27.871.614	14.945.652	7.753.752	135	7.749
- Tx Burst (Bytes)	3.142.857.024	3.567.566.592	3.826.086.912	3.969.921.024	138.240	9.918.720
P-0-2-0						
- Tx Burst (Frames)	49.107.141	27.871.614	14.945.652	7.753.752	135	7.749
- Tx Burst (Bytes)	3.142.857.024	3.567.566.592	3.826.086.912	3.969.921.024	138.240	9.918.720
P-0-2-1						
- Tx Burst (Frames)	49.107.141	27.871.614	14.945.652	7.753.752	135	7.749
- Tx Burst (Bytes)	3.142.857.024	3.567.566.592	3.826.086.912	3.969.921.024	138.240	9.918.720

Image not found.

P-0-2-2						
- Tx Burst (Frames)	49.107.141	27.871.614	14.945.652	7.753.752	135	7.749
- Tx Burst (Bytes)	3.142.857.024	3.567.566.592	3.826.086.912	3.969.921.024	138.240	9.918.720
P-0-2-3						
- Tx Burst (Frames)	49.107.141	27.871.614	14.945.652	7.753.752	135	7.749
- Tx Burst (Bytes)	3.142.857.024	3.567.566.592	3.826.086.912	3.969.921.024	138.240	9.918.720
P-0-2-4						
- Tx Burst (Frames)	49.107.141	27.871.614	14.945.652	7.753.752	135	7.749
- Tx Burst (Bytes)	3.142.857.024	3.567.566.592	3.826.086.912	3.969.921.024	138.240	9.918.720
P-0-2-5						
- Tx Burst (Frames)	49.107.141	27.871.614	14.945.652	7.753.752	135	7.749
- Tx Burst (Bytes)	3.142.857.024	3.567.566.592	3.826.086.912	3.969.921.024	138.240	9.918.720
P-0-4-0						
- Tx Burst (Frames)	49.107.141	27.871.614	14.945.652	7.753.752	135	7.749
- Tx Burst (Bytes)	3.142.857.024	3.567.566.592	3.826.086.912	3.969.921.024	138.240	9.918.720
P-0-4-1						
- Tx Burst (Frames)	49.107.141	27.871.614	14.945.652	7.753.752	135	7.749
- Tx Burst (Bytes)	3.142.857.024	3.567.566.592	3.826.086.912	3.969.921.024	138.240	9.918.720
P-0-4-2						
- Tx Burst (Frames)	49.107.141	27.871.614	14.945.652	7.753.752	135	7.749
- Tx Burst (Bytes)	3.142.857.024	3.567.566.592	3.826.086.912	3.969.921.024	138.240	9.918.720
P-0-4-3						
- Tx Burst (Frames)	49.107.141	27.871.614	14.945.652	7.753.752	135	7.749
- Tx Burst (Bytes)	3.142.857.024	3.567.566.592	3.826.086.912	3.969.921.024	138.240	9.918.720
P-0-4-4						
- Tx Burst (Frames)	49.107.141	27.871.614	14.945.652	7.753.752	135	7.749
- Tx Burst (Bytes)	3.142.857.024	3.567.566.592	3.826.086.912	3.969.921.024	138.240	9.918.720
P-0-4-5						
- Tx Burst (Frames)	49.107.141	27.871.614	14.945.652	7.753.752	135	7.749
- Tx Burst (Bytes)	3.142.857.024	3.567.566.592	3.826.086.912	3.969.921.024	138.240	9.918.720

<b>Frame Size</b>	<b>1518</b>
<b>Result State</b>	<b>PASS</b>
Tx Burst (Frames)	188.730
Tx Burst (Bytes)	286.492.140
Max Offered Rate (Fps)	79.867
Max Offered Rate (Bit/s)	982.68 M
P-0-0-0	
- Tx Burst (Frames)	10.485
- Tx Burst (Bytes)	15.916.230
P-0-0-1	
- Tx Burst (Frames)	10.485
- Tx Burst (Bytes)	15.916.230
P-0-0-2	
- Tx Burst (Frames)	10.485
- Tx Burst (Bytes)	15.916.230
P-0-0-3	
- Tx Burst (Frames)	10.485
- Tx Burst (Bytes)	15.916.230
P-0-0-4	
- Tx Burst (Frames)	10.485
- Tx Burst (Bytes)	15.916.230
P-0-0-5	
- Tx Burst (Frames)	10.485
- Tx Burst (Bytes)	15.916.230
P-0-2-0	
- Tx Burst (Frames)	10.485
- Tx Burst (Bytes)	15.916.230
P-0-2-1	
- Tx Burst (Frames)	10.485
- Tx Burst (Bytes)	15.916.230
P-0-2-2	
- Tx Burst (Frames)	10.485
- Tx Burst (Bytes)	15.916.230
P-0-2-3	
- Tx Burst (Frames)	10.485
- Tx Burst (Bytes)	15.916.230
P-0-2-4	
- Tx Burst (Frames)	10.485
- Tx Burst (Bytes)	15.916.230

Image not found.

P-0-2-5	
- Tx Burst (Frames)	10.485
- Tx Burst (Bytes)	15.916.230
P-0-4-0	
- Tx Burst (Frames)	10.485
- Tx Burst (Bytes)	15.916.230
P-0-4-1	
- Tx Burst (Frames)	10.485
- Tx Burst (Bytes)	15.916.230
P-0-4-2	
- Tx Burst (Frames)	10.485
- Tx Burst (Bytes)	15.916.230
P-0-4-3	
- Tx Burst (Frames)	10.485
- Tx Burst (Bytes)	15.916.230
P-0-4-4	
- Tx Burst (Frames)	10.485
- Tx Burst (Bytes)	15.916.230
P-0-4-5	
- Tx Burst (Frames)	10.485
- Tx Burst (Bytes)	15.916.230

