

# Xena2889 Test Report

## Test Summary

Test company: Xena Networks  
Customer: Xena Networks  
Test Date and Time: 2016-08-04, 05:14  
Test Duration: 06:16:01 (h:m:s)  
Generated By: Xena2889 v1.17, running on 'Microsoft Windows 7 Enterprise'

## Test Setup

### Test Configuration

#### Subtest Selection

Rate Test: Full Mesh Enabled  
- Throughput Enabled  
- Forwarding Enabled

Rate Test: Part.Mesh, 1:N Enabled  
- Throughput Enabled  
- Forwarding Enabled

Rate Test: Part.Mesh, N->N Enabled  
- Throughput Enabled  
- Forwarding Enabled

Congestion Control: Enabled  
Forward Pressure: Enabled  
Maximum Forwarding Rate: Enabled  
Address Caching Capacity: Enabled  
Address Learning Rate: Enabled  
Errored Frames Filtering: Enabled  
Broadcast Forwarding: Enabled

#### Test Options

Packet Sizes Used: 64,128,256,512,1024,1280,1518

Rate Type: Fraction  
Fraction per Port: 100,00%

Latency Measurement Mode: Last-To-Last  
Toggle Port Sync States: Yes

## Traffic Configuration

### Used Chassis

Chassis ID	Chassis Name	Address
C-0	New chassis	140.181.139.228:22606

### Used Ports

Port ID	Interface Type	Speed	IP Address & Gateway	Protocol Segment Profile
P-0-0-0	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-1	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-2	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-3	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-4	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-5	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet

Image not found.

P-0-2-0	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-1	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-2	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-3	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-4	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-5	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-0	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-1	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-2	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-3	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-4	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-5	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet

## Rate Test: Full Mesh Results

### Test Setup

Duration: 30 seconds  
 Iteration: 1  
 Topology: Mesh  
 Direction: Bidirectional

### Throughput Options

Initial Rate: 10,00%  
 Maximum Rate: 100,00%  
 Minimum Rate: 10,00%  
 Resolution: 0,50%

### Used Ports

Port ID
P-0-0-0
P-0-0-1
P-0-0-2
P-0-0-3
P-0-0-4
P-0-0-5
P-0-2-0
P-0-2-1
P-0-2-2
P-0-2-3
P-0-2-4
P-0-2-5
P-0-4-0
P-0-4-1
P-0-4-2
P-0-4-3
P-0-4-4
P-0-4-5

### Throughput Test Results

Frame Size	64	128	256	512	1024	1280
Result State	FAIL	FAIL	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	10 %	10 %	52,935 %	95,166 %	39,619 %	32,676 %
Tx Rate (L1) (Bit/s)	1,8 G	1,8 G	9,53 G	17,13 G	7,13 G	5,88 G
Tx Rate (Fps)	2.678.571	1.520.269	4.315.314	4.024.869	853.852	565.539
Rx Rate (Percent)	9,99 %	10 %	52,93 %	95,17 %	39,62 %	32,68 %
Rx Rate (L1) (Bit/s)	1,8 G	1,8 G	9,53 G	17,13 G	7,13 G	5,88 G
Rx Rate (Fps)	2,68 M	1,52 M	4,32 M	4,02 M	853,85 K	565,54 K
Loss Rate (Percent)	0,11 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	89.458	6	0	0	0	0
P-0-0-0						
- Tx (Frames)	4.464.285	2.533.782	7.192.190	6.708.115	1.423.087	942.565
- Tx Rate (L1) (Bit/s)	100 M	100 M	529,35 M	951,66 M	396,19 M	326,76 M
- Tx Rate (Fps)	148.810	84.459	239.740	223.604	47.436	31.419
- Rx (Frames)	4.459.215	2.533.782	7.192.190	6.708.115	1.423.087	942.565
- Rx Rate (L1) (Bit/s)	99,89 M	100 M	529,35 M	951,66 M	396,19 M	326,76 M
- Rx Rate (Fps)	148.641	84.459	239.740	223.604	47.436	31.419
- Flood Count (Frames)	93	91	92	91	94	93
P-0-0-1						
- Tx (Frames)	4.464.285	2.533.782	7.192.190	6.708.115	1.423.087	942.565
- Tx Rate (L1) (Bit/s)	100 M	100 M	529,35 M	951,66 M	396,19 M	326,76 M
- Tx Rate (Fps)	148.810	84.459	239.740	223.604	47.436	31.419
- Rx (Frames)	4.459.105	2.533.782	7.192.190	6.708.115	1.423.087	942.565
- Rx Rate (L1) (Bit/s)	99,88 M	100 M	529,35 M	951,66 M	396,19 M	326,76 M
- Rx Rate (Fps)	148.637	84.459	239.740	223.604	47.436	31.419

Image not found.

- Flood Count (Frames)	91	94	92	90	94	94
P-0-0-2						
- Tx (Frames)	4.464.285	2.533.782	7.192.190	6.708.115	1.423.087	942.565
- Tx Rate (L1) (Bit/s)	100 M	100 M	529,35 M	951,66 M	396,19 M	326,76 M
- Tx Rate (Fps)	148.810	84.459	239.740	223.604	47.436	31.419
- Rx (Frames)	4.458.807	2.533.782	7.192.190	6.708.115	1.423.087	942.565
- Rx Rate (L1) (Bit/s)	99,88 M	100 M	529,35 M	951,66 M	396,19 M	326,76 M
- Rx Rate (Fps)	148.627	84.459	239.740	223.604	47.436	31.419
- Flood Count (Frames)	92	91	92	93	92	92
P-0-0-3						
- Tx (Frames)	4.464.285	2.533.782	7.192.190	6.708.115	1.423.087	942.565
- Tx Rate (L1) (Bit/s)	100 M	100 M	529,35 M	951,66 M	396,19 M	326,76 M
- Tx Rate (Fps)	148.810	84.459	239.740	223.604	47.436	31.419
- Rx (Frames)	4.459.218	2.533.782	7.192.190	6.708.115	1.423.087	942.565
- Rx Rate (L1) (Bit/s)	99,89 M	100 M	529,35 M	951,66 M	396,19 M	326,76 M
- Rx Rate (Fps)	148.641	84.459	239.740	223.604	47.436	31.419
- Flood Count (Frames)	90	93	90	92	90	92
P-0-0-4						
- Tx (Frames)	4.464.285	2.533.782	7.192.190	6.708.115	1.423.087	942.565
- Tx Rate (L1) (Bit/s)	100 M	100 M	529,35 M	951,66 M	396,19 M	326,76 M
- Tx Rate (Fps)	148.810	84.459	239.740	223.604	47.436	31.419
- Rx (Frames)	4.459.554	2.533.782	7.192.190	6.708.115	1.423.087	942.565
- Rx Rate (L1) (Bit/s)	99,89 M	100 M	529,35 M	951,66 M	396,19 M	326,76 M
- Rx Rate (Fps)	148.652	84.459	239.740	223.604	47.436	31.419
- Flood Count (Frames)	95	91	87	96	91	93
P-0-0-5						
- Tx (Frames)	4.464.285	2.533.782	7.192.190	6.708.115	1.423.087	942.565
- Tx Rate (L1) (Bit/s)	100 M	100 M	529,35 M	951,66 M	396,19 M	326,76 M
- Tx Rate (Fps)	148.810	84.459	239.740	223.604	47.436	31.419
- Rx (Frames)	4.459.992	2.533.782	7.192.190	6.708.115	1.423.087	942.565
- Rx Rate (L1) (Bit/s)	99,9 M	100 M	529,35 M	951,66 M	396,19 M	326,76 M
- Rx Rate (Fps)	148.666	84.459	239.740	223.604	47.436	31.419
- Flood Count (Frames)	90	93	92	92	88	93
P-0-2-0						
- Tx (Frames)	4.464.285	2.533.782	7.192.190	6.708.115	1.423.087	942.565
- Tx Rate (L1) (Bit/s)	100 M	100 M	529,35 M	951,66 M	396,19 M	326,76 M
- Tx Rate (Fps)	148.810	84.459	239.740	223.604	47.436	31.419
- Rx (Frames)	4.459.921	2.533.782	7.192.190	6.708.115	1.423.087	942.565
- Rx Rate (L1) (Bit/s)	99,9 M	100 M	529,35 M	951,66 M	396,19 M	326,76 M
- Rx Rate (Fps)	148.664	84.459	239.740	223.604	47.436	31.419
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	4.464.285	2.533.782	7.192.190	6.708.115	1.423.087	942.565
- Tx Rate (L1) (Bit/s)	100 M	100 M	529,35 M	951,66 M	396,19 M	326,76 M
- Tx Rate (Fps)	148.810	84.459	239.740	223.604	47.436	31.419
- Rx (Frames)	4.460.476	2.533.782	7.192.190	6.708.115	1.423.087	942.565
- Rx Rate (L1) (Bit/s)	99,91 M	100 M	529,35 M	951,66 M	396,19 M	326,76 M
- Rx Rate (Fps)	148.683	84.459	239.740	223.604	47.436	31.419
- Flood Count (Frames)	93	95	92	91	92	96
P-0-2-2						
- Tx (Frames)	4.464.285	2.533.782	7.192.190	6.708.115	1.423.087	942.565
- Tx Rate (L1) (Bit/s)	100 M	100 M	529,35 M	951,66 M	396,19 M	326,76 M
- Tx Rate (Fps)	148.810	84.459	239.740	223.604	47.436	31.419
- Rx (Frames)	4.460.588	2.533.782	7.192.190	6.708.115	1.423.087	942.565
- Rx Rate (L1) (Bit/s)	99,92 M	100 M	529,35 M	951,66 M	396,19 M	326,76 M
- Rx Rate (Fps)	148.686	84.459	239.740	223.604	47.436	31.419
- Flood Count (Frames)	91	90	90	93	90	93
P-0-2-3						
- Tx (Frames)	4.464.285	2.533.782	7.192.190	6.708.115	1.423.087	942.565
- Tx Rate (L1) (Bit/s)	100 M	100 M	529,35 M	951,66 M	396,19 M	326,76 M
- Tx Rate (Fps)	148.810	84.459	239.740	223.604	47.436	31.419
- Rx (Frames)	4.459.652	2.533.780	7.192.190	6.708.115	1.423.087	942.565
- Rx Rate (L1) (Bit/s)	99,9 M	100 M	529,35 M	951,66 M	396,19 M	326,76 M
- Rx Rate (Fps)	148.655	84.459	239.740	223.604	47.436	31.419
- Flood Count (Frames)	93	89	92	93	93	90
P-0-2-4						
- Tx (Frames)	4.464.285	2.533.782	7.192.190	6.708.115	1.423.087	942.565
- Tx Rate (L1) (Bit/s)	100 M	100 M	529,35 M	951,66 M	396,19 M	326,76 M
- Tx Rate (Fps)	148.810	84.459	239.740	223.604	47.436	31.419
- Rx (Frames)	4.459.522	2.533.780	7.192.190	6.708.115	1.423.087	942.565
- Rx Rate (L1) (Bit/s)	99,89 M	100 M	529,35 M	951,66 M	396,19 M	326,76 M

Image not found.

- Rx Rate (Fps)	148.651	84.459	239.740	223.604	47.436	31.419
- Flood Count (Frames)	90	94	93	90	93	92
P-0-2-5						
- Tx (Frames)	4.464.285	2.533.782	7.192.190	6.708.115	1.423.087	942.565
- Tx Rate (L1) (Bit/s)	100 M	100 M	529,35 M	951,66 M	396,19 M	326,76 M
- Tx Rate (Fps)	148.810	84.459	239.740	223.604	47.436	31.419
- Rx (Frames)	4.458.443	2.533.782	7.192.190	6.708.115	1.423.087	942.565
- Rx Rate (L1) (Bit/s)	99,87 M	100 M	529,35 M	951,66 M	396,19 M	326,76 M
- Rx Rate (Fps)	148.615	84.459	239.740	223.604	47.436	31.419
- Flood Count (Frames)	90	93	91	92	93	91
P-0-4-0						
- Tx (Frames)	4.464.285	2.533.782	7.192.190	6.708.115	1.423.087	942.565
- Tx Rate (L1) (Bit/s)	100 M	100 M	529,35 M	951,66 M	396,19 M	326,76 M
- Tx Rate (Fps)	148.810	84.459	239.740	223.604	47.436	31.419
- Rx (Frames)	4.457.861	2.533.782	7.192.190	6.708.115	1.423.087	942.565
- Rx Rate (L1) (Bit/s)	99,86 M	100 M	529,35 M	951,66 M	396,19 M	326,76 M
- Rx Rate (Fps)	148.595	84.459	239.740	223.604	47.436	31.419
- Flood Count (Frames)	91	90	93	90	93	90
P-0-4-1						
- Tx (Frames)	4.464.285	2.533.782	7.192.190	6.708.115	1.423.087	942.565
- Tx Rate (L1) (Bit/s)	100 M	100 M	529,35 M	951,66 M	396,19 M	326,76 M
- Tx Rate (Fps)	148.810	84.459	239.740	223.604	47.436	31.419
- Rx (Frames)	4.458.491	2.533.782	7.192.190	6.708.115	1.423.087	942.565
- Rx Rate (L1) (Bit/s)	99,87 M	100 M	529,35 M	951,66 M	396,19 M	326,76 M
- Rx Rate (Fps)	148.616	84.459	239.740	223.604	47.436	31.419
- Flood Count (Frames)	94	94	90	92	92	93
P-0-4-2						
- Tx (Frames)	4.464.285	2.533.782	7.192.190	6.708.115	1.423.087	942.565
- Tx Rate (L1) (Bit/s)	100 M	100 M	529,35 M	951,66 M	396,19 M	326,76 M
- Tx Rate (Fps)	148.810	84.459	239.740	223.604	47.436	31.419
- Rx (Frames)	4.458.638	2.533.782	7.192.190	6.708.115	1.423.087	942.565
- Rx Rate (L1) (Bit/s)	99,87 M	100 M	529,35 M	951,66 M	396,19 M	326,76 M
- Rx Rate (Fps)	148.621	84.459	239.740	223.604	47.436	31.419
- Flood Count (Frames)	94	89	92	93	91	93
P-0-4-3						
- Tx (Frames)	4.464.285	2.533.782	7.192.190	6.708.115	1.423.087	942.565
- Tx Rate (L1) (Bit/s)	100 M	100 M	529,35 M	951,66 M	396,19 M	326,76 M
- Tx Rate (Fps)	148.810	84.459	239.740	223.604	47.436	31.419
- Rx (Frames)	4.459.263	2.533.782	7.192.190	6.708.115	1.423.087	942.565
- Rx Rate (L1) (Bit/s)	99,89 M	100 M	529,35 M	951,66 M	396,19 M	326,76 M
- Rx Rate (Fps)	148.642	84.459	239.740	223.604	47.436	31.419
- Flood Count (Frames)	94	91	95	92	94	92
P-0-4-4						
- Tx (Frames)	4.464.285	2.533.782	7.192.190	6.708.115	1.423.087	942.565
- Tx Rate (L1) (Bit/s)	100 M	100 M	529,35 M	951,66 M	396,19 M	326,76 M
- Tx Rate (Fps)	148.810	84.459	239.740	223.604	47.436	31.419
- Rx (Frames)	4.459.725	2.533.782	7.192.190	6.708.115	1.423.087	942.565
- Rx Rate (L1) (Bit/s)	99,9 M	100 M	529,35 M	951,66 M	396,19 M	326,76 M
- Rx Rate (Fps)	148.658	84.459	239.740	223.604	47.436	31.419
- Flood Count (Frames)	94	97	92	95	93	90
P-0-4-5						
- Tx (Frames)	4.464.285	2.533.782	7.192.190	6.708.115	1.423.087	942.565
- Tx Rate (L1) (Bit/s)	100 M	100 M	529,35 M	951,66 M	396,19 M	326,76 M
- Tx Rate (Fps)	148.810	84.459	239.740	223.604	47.436	31.419
- Rx (Frames)	4.459.201	2.533.780	7.192.190	6.708.115	1.423.087	942.565
- Rx Rate (L1) (Bit/s)	99,89 M	100 M	529,35 M	951,66 M	396,19 M	326,76 M
- Rx Rate (Fps)	148.640	84.459	239.740	223.604	47.436	31.419
- Flood Count (Frames)	93	95	93	95	93	94


<b>Frame Size</b>	<b>1518</b>
Result State	PASS
Iter. #	1
Tx Rate (Percent)	28,633 %
Tx Rate (L1) (Bit/s)	5,15 G
Tx Rate (Fps)	418.873
Rx Rate (Percent)	28,63 %
Rx Rate (L1) (Bit/s)	5,15 G
Rx Rate (Fps)	418,87 K
Loss Rate (Percent)	0 %
Loss (Frames)	0

P-0-0-0	
- Tx (Frames)	698.122
- Tx Rate (L1) (Bit/s)	286,32 M
- Tx Rate (Fps)	23.271
- Rx (Frames)	698.122
- Rx Rate (L1) (Bit/s)	286,32 M
- Rx Rate (Fps)	23.271
- Flood Count (Frames)	92
P-0-0-1	
- Tx (Frames)	698.122
- Tx Rate (L1) (Bit/s)	286,32 M
- Tx Rate (Fps)	23.271
- Rx (Frames)	698.122
- Rx Rate (L1) (Bit/s)	286,32 M
- Rx Rate (Fps)	23.271
- Flood Count (Frames)	92
P-0-0-2	
- Tx (Frames)	698.122
- Tx Rate (L1) (Bit/s)	286,32 M
- Tx Rate (Fps)	23.271
- Rx (Frames)	698.122
- Rx Rate (L1) (Bit/s)	286,32 M
- Rx Rate (Fps)	23.271
- Flood Count (Frames)	93
P-0-0-3	
- Tx (Frames)	698.122
- Tx Rate (L1) (Bit/s)	286,32 M
- Tx Rate (Fps)	23.271
- Rx (Frames)	698.122
- Rx Rate (L1) (Bit/s)	286,32 M
- Rx Rate (Fps)	23.271
- Flood Count (Frames)	92
P-0-0-4	
- Tx (Frames)	698.122
- Tx Rate (L1) (Bit/s)	286,32 M
- Tx Rate (Fps)	23.271
- Rx (Frames)	698.122
- Rx Rate (L1) (Bit/s)	286,32 M
- Rx Rate (Fps)	23.271
- Flood Count (Frames)	94
P-0-0-5	
- Tx (Frames)	698.122
- Tx Rate (L1) (Bit/s)	286,32 M
- Tx Rate (Fps)	23.271
- Rx (Frames)	698.122
- Rx Rate (L1) (Bit/s)	286,32 M
- Rx Rate (Fps)	23.271
- Flood Count (Frames)	95
P-0-2-0	
- Tx (Frames)	698.122
- Tx Rate (L1) (Bit/s)	286,32 M
- Tx Rate (Fps)	23.271
- Rx (Frames)	698.122
- Rx Rate (L1) (Bit/s)	286,32 M
- Rx Rate (Fps)	23.271
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	698.122
- Tx Rate (L1) (Bit/s)	286,32 M
- Tx Rate (Fps)	23.271
- Rx (Frames)	698.122
- Rx Rate (L1) (Bit/s)	286,32 M
- Rx Rate (Fps)	23.271
- Flood Count (Frames)	91
P-0-2-2	
- Tx (Frames)	698.122
- Tx Rate (L1) (Bit/s)	286,32 M
- Tx Rate (Fps)	23.271
- Rx (Frames)	698.122
- Rx Rate (L1) (Bit/s)	286,32 M
- Rx Rate (Fps)	23.271

- Flood Count (Frames)	92
P-0-2-3	
- Tx (Frames)	698.122
- Tx Rate (L1) (Bit/s)	286,32 M
- Tx Rate (Fps)	23.271
- Rx (Frames)	698.122
- Rx Rate (L1) (Bit/s)	286,32 M
- Rx Rate (Fps)	23.271
- Flood Count (Frames)	97
P-0-2-4	
- Tx (Frames)	698.122
- Tx Rate (L1) (Bit/s)	286,32 M
- Tx Rate (Fps)	23.271
- Rx (Frames)	698.122
- Rx Rate (L1) (Bit/s)	286,32 M
- Rx Rate (Fps)	23.271
- Flood Count (Frames)	93
P-0-2-5	
- Tx (Frames)	698.122
- Tx Rate (L1) (Bit/s)	286,32 M
- Tx Rate (Fps)	23.271
- Rx (Frames)	698.122
- Rx Rate (L1) (Bit/s)	286,32 M
- Rx Rate (Fps)	23.271
- Flood Count (Frames)	92
P-0-4-0	
- Tx (Frames)	698.122
- Tx Rate (L1) (Bit/s)	286,32 M
- Tx Rate (Fps)	23.271
- Rx (Frames)	698.122
- Rx Rate (L1) (Bit/s)	286,32 M
- Rx Rate (Fps)	23.271
- Flood Count (Frames)	95
P-0-4-1	
- Tx (Frames)	698.122
- Tx Rate (L1) (Bit/s)	286,32 M
- Tx Rate (Fps)	23.271
- Rx (Frames)	698.122
- Rx Rate (L1) (Bit/s)	286,32 M
- Rx Rate (Fps)	23.271
- Flood Count (Frames)	93
P-0-4-2	
- Tx (Frames)	698.122
- Tx Rate (L1) (Bit/s)	286,32 M
- Tx Rate (Fps)	23.271
- Rx (Frames)	698.122
- Rx Rate (L1) (Bit/s)	286,32 M
- Rx Rate (Fps)	23.271
- Flood Count (Frames)	92
P-0-4-3	
- Tx (Frames)	698.122
- Tx Rate (L1) (Bit/s)	286,32 M
- Tx Rate (Fps)	23.271
- Rx (Frames)	698.122
- Rx Rate (L1) (Bit/s)	286,32 M
- Rx Rate (Fps)	23.271
- Flood Count (Frames)	95
P-0-4-4	
- Tx (Frames)	698.122
- Tx Rate (L1) (Bit/s)	286,32 M
- Tx Rate (Fps)	23.271
- Rx (Frames)	698.122
- Rx Rate (L1) (Bit/s)	286,32 M
- Rx Rate (Fps)	23.271
- Flood Count (Frames)	93
P-0-4-5	
- Tx (Frames)	698.122
- Tx Rate (L1) (Bit/s)	286,32 M
- Tx Rate (Fps)	23.271
- Rx (Frames)	698.122
- Rx Rate (L1) (Bit/s)	286,32 M

- Rx Rate (Fps)	23.271
- Flood Count (Frames)	93

Note: One or more of the rate tests did not pass the test criteria!



## Forwarding Test Results

### Results for 10,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Tx Rate (L1) (Bit/s)	1,8 G	1,8 G	1,8 G	1,8 G	1,8 G	1,8 G
Tx Rate (Fps)	2.678.571	1.520.269	815.215	422.923	215.516	173.074
Rx Rate (Percent)	9,99 %	10 %	10 %	10 %	10 %	10 %
Rx Rate (L1) (Bit/s)	1,8 G	1,8 G	1,8 G	1,8 G	1,8 G	1,8 G
Rx Rate (Fps)	2,68 M	1,52 M	815,21 K	422,92 K	215,52 K	173,07 K
Loss Rate (Percent)	0,07 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	54.142	0	0	0	0	0
P-0-0-0						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	4.460.801	2.533.782	1.358.691	704.871	359.193	288.456
- Rx Rate (L1) (Bit/s)	99,92 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.693	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	90	93	95	90	92	93
P-0-0-1						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	4.461.180	2.533.782	1.358.691	704.871	359.193	288.456
- Rx Rate (L1) (Bit/s)	99,93 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.706	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	92	95	95	92	93	93
P-0-0-2						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	4.461.611	2.533.782	1.358.691	704.871	359.193	288.456
- Rx Rate (L1) (Bit/s)	99,94 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.720	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	94	92	91	92	94	92



P-0-0-3						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	4.461.537	2.533.782	1.358.691	704.871	359.193	288.456
- Rx Rate (L1) (Bit/s)	99,94 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.718	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	92	93	96	92	95	92
P-0-0-4						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	4.461.586	2.533.782	1.358.691	704.871	359.193	288.456
- Rx Rate (L1) (Bit/s)	99,94 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.720	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	95	91	93	89	92	94
P-0-0-5						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	4.462.095	2.533.782	1.358.691	704.871	359.193	288.456
- Rx Rate (L1) (Bit/s)	99,95 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.737	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	91	90	95	91	95	98
P-0-2-0						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	4.460.995	2.533.782	1.358.691	704.871	359.193	288.456
- Rx Rate (L1) (Bit/s)	99,93 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.700	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	4.461.366	2.533.782	1.358.691	704.871	359.193	288.456
- Rx Rate (L1) (Bit/s)	99,93 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.712	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	90	95	91	92	91	92
P-0-2-2						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	4.462.358	2.533.782	1.358.691	704.871	359.193	288.456
- Rx Rate (L1) (Bit/s)	99,96 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.745	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	90	90	93	95	90	90
P-0-2-3						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	4.461.297	2.533.782	1.358.691	704.871	359.193	288.456
- Rx Rate (L1) (Bit/s)	99,93 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.710	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	93	95	94	92	93	91
P-0-2-4						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	4.461.184	2.533.782	1.358.691	704.871	359.193	288.456
- Rx Rate (L1) (Bit/s)	99,93 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.706	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	91	92	93	93	92	93
P-0-2-5						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	4.461.746	2.533.782	1.358.691	704.871	359.193	288.456
- Rx Rate (L1) (Bit/s)	99,94 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.725	84.459	45.290	23.496	11.973	9.615


Image not found.

- Flood Count (Frames)	91	94	94	90	93	93
P-0-4-0						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	4.461.427	2.533.782	1.358.691	704.871	359.193	288.456
- Rx Rate (L1) (Bit/s)	99,94 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.714	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	92	93	91	91	96	93
P-0-4-1						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	4.461.097	2.533.782	1.358.691	704.871	359.193	288.456
- Rx Rate (L1) (Bit/s)	99,93 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.703	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	95	92	95	88	93	91
P-0-4-2						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	4.460.719	2.533.782	1.358.691	704.871	359.193	288.456
- Rx Rate (L1) (Bit/s)	99,92 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.691	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	91	92	93	93	91	91
P-0-4-3						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	4.461.053	2.533.782	1.358.691	704.871	359.193	288.456
- Rx Rate (L1) (Bit/s)	99,93 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.702	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	92	91	92	95	95	92
P-0-4-4						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	4.460.725	2.533.782	1.358.691	704.871	359.193	288.456
- Rx Rate (L1) (Bit/s)	99,92 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.691	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	90	94	96	94	94	93
P-0-4-5						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	4.460.211	2.533.782	1.358.691	704.871	359.193	288.456
- Rx Rate (L1) (Bit/s)	99,91 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.674	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	93	94	94	92	92	89

<b>Frame Size</b>	<b>1518</b>
Result State	PASS
Iter. #	1
Tx Rate (Percent)	10 %
Tx Rate (L1) (Bit/s)	1,8 G
Tx Rate (Fps)	146.288
Rx Rate (Percent)	10 %
Rx Rate (L1) (Bit/s)	1,8 G
Rx Rate (Fps)	146,29 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	243.814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	93
P-0-0-1	

- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	243.814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	93
P-0-0-2	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	243.814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	94
P-0-0-3	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	243.814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	91
P-0-0-4	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	243.814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	90
P-0-0-5	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	243.814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	93
P-0-2-0	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	243.814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	243.814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	93
P-0-2-2	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	243.814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	94
P-0-2-3	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	243.814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	92

P-0-2-4	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	243.814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	93
P-0-2-5	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	243.814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	92
P-0-4-0	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	243.814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	92
P-0-4-1	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	243.814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	95
P-0-4-2	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	243.814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	93
P-0-4-3	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	243.814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	97
P-0-4-4	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	243.814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	94
P-0-4-5	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	243.814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	91



### Results for 20,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	20 %	20 %	20 %	20 %	20 %	20 %
Tx Rate (L1) (Bit/s)	3,6 G	3,6 G	3,6 G	3,6 G	3,6 G	3,6 G
Tx Rate (Fps)	5.357.142	3.040.538	1.630.429	845.855	431.032	346.147
Rx Rate (Percent)	0,03 %	20 %	20 %	20 %	20 %	20 %
Rx Rate (L1) (Bit/s)	6,15 M	3,6 G	3,6 G	3,6 G	3,6 G	3,6 G
Rx Rate (Fps)	9,15 K	3,04 M	1,63 M	845,86 K	431,03 K	346,15 K
Loss Rate (Percent)	99,83 %	0,01 %	0 %	0 %	0 %	0 %
Loss (Frames)	160.439.894	4.731	0	0	0	3
P-0-0-0						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	15.093	5.067.207	2.717.382	1.409.759	718.386	576.911
- Rx Rate (L1) (Bit/s)	338,08 K	199,99 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	503	168.907	90.579	46.992	23.946	19.230
- Flood Count (Frames)	92	92	93	92	92	90
P-0-0-1						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	15.187	5.067.260	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	340,19 K	199,99 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	506	168.909	90.579	46.992	23.946	19.230
- Flood Count (Frames)	90	93	93	95	90	93
P-0-0-2						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	15.259	5.067.390	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	341,8 K	199,99 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	509	168.913	90.579	46.992	23.946	19.230
- Flood Count (Frames)	90	92	95	89	88	91
P-0-0-3						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	15.265	5.067.401	2.717.382	1.409.759	718.386	576.911
- Rx Rate (L1) (Bit/s)	341,94 K	199,99 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	509	168.913	90.579	46.992	23.946	19.230
- Flood Count (Frames)	92	93	94	92	94	93
P-0-0-4						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912

Image not found.

- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	15.268	5.067.299	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	342 K	199,99 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	509	168.910	90.579	46.992	23.946	19.230
- Flood Count (Frames)	94	92	91	92	93	91
P-0-0-5						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	15.266	5.067.282	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	341,96 K	199,99 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	509	168.909	90.579	46.992	23.946	19.230
- Flood Count (Frames)	95	94	94	88	92	93
P-0-2-0						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	15.269	5.067.350	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	342,03 K	199,99 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	509	168.912	90.579	46.992	23.946	19.230
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	15.268	5.067.300	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	342 K	199,99 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	509	168.910	90.579	46.992	23.946	19.230
- Flood Count (Frames)	92	94	89	92	92	96
P-0-2-2						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	15.268	5.067.297	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	342 K	199,99 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	509	168.910	90.579	46.992	23.946	19.230
- Flood Count (Frames)	92	88	94	95	92	94
P-0-2-3						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	15.264	5.067.250	2.717.382	1.409.759	718.386	576.911
- Rx Rate (L1) (Bit/s)	341,91 K	199,99 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	509	168.908	90.579	46.992	23.946	19.230
- Flood Count (Frames)	91	93	89	91	90	93
P-0-2-4						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	15.267	5.067.343	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	341,98 K	199,99 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	509	168.911	90.579	46.992	23.946	19.230
- Flood Count (Frames)	93	88	93	95	93	94
P-0-2-5						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	15.271	5.067.360	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	342,07 K	199,99 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	509	168.912	90.579	46.992	23.946	19.230
- Flood Count (Frames)	93	92	93	92	95	93
P-0-4-0						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	15.268	5.067.305	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	342 K	199,99 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	509	168.910	90.579	46.992	23.946	19.230
- Flood Count (Frames)	91	96	90	93	93	92
P-0-4-1						

Image not found.

- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	15.269	5.067.165	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	342,03 K	199,98 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	509	168.906	90.579	46.992	23.946	19.230
- Flood Count (Frames)	92	96	92	92	88	90
P-0-4-2						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	15.271	5.067.238	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	342,07 K	199,99 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	509	168.908	90.579	46.992	23.946	19.230
- Flood Count (Frames)	91	94	90	93	92	94
P-0-4-3						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	15.262	5.067.342	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	341,87 K	199,99 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	509	168.911	90.579	46.992	23.946	19.230
- Flood Count (Frames)	89	95	93	92	93	91
P-0-4-4						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	15.208	5.067.397	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	340,66 K	199,99 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	507	168.913	90.579	46.992	23.946	19.230
- Flood Count (Frames)	93	94	94	90	95	91
P-0-4-5						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	15.143	5.067.235	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	339,2 K	199,99 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	505	168.908	90.579	46.992	23.946	19.230
- Flood Count (Frames)	89	92	90	93	94	92


<b>Frame Size</b>	<b>1518</b>
Result State	PASS
Iter. #	1
Tx Rate (Percent)	20 %
Tx Rate (L1) (Bit/s)	3,6 G
Tx Rate (Fps)	292.587
Rx Rate (Percent)	20 %
Rx Rate (L1) (Bit/s)	3,6 G
Rx Rate (Fps)	292,59 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	92
P-0-0-1	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	94
P-0-0-2	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M

- Tx Rate (Fps)	16.255
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	93
P-0-0-3	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	95
P-0-0-4	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	92
P-0-0-5	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	92
P-0-2-0	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	90
P-0-2-2	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	92
P-0-2-3	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	90
P-0-2-4	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	92
P-0-2-5	
- Tx (Frames)	487.645



Image not found.

- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	94
P-0-4-0	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	92
P-0-4-1	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	90
P-0-4-2	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	91
P-0-4-3	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	90
P-0-4-4	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	91
P-0-4-5	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	93



### Results for 30,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	30 %	30 %	30 %	30 %	30 %	30 %
Tx Rate (L1) (Bit/s)	5,4 G	5,4 G	5,4 G	5,4 G	5,4 G	5,4 G
Tx Rate (Fps)	8.035.713	4.560.808	2.445.644	1.268.788	646.547	519.221
Rx Rate (Percent)	0,02 %	29,89 %	30 %	30 %	30 %	30 %
Rx Rate (L1) (Bit/s)	4,07 M	5,38 G	5,4 G	5,4 G	5,4 G	5,4 G
Rx Rate (Fps)	6,05 K	4,54 M	2,45 M	1,27 M	646,55 K	519,22 K
Loss Rate (Percent)	99,92 %	0,37 %	0 %	0 %	0 %	0 %
Loss (Frames)	240.889.801	504.128	0	0	0	68
P-0-0-0						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	9.590	7.574.505	4.076.073	2.114.647	1.077.579	865.361
- Rx Rate (L1) (Bit/s)	214,82 K	298,94 M	300 M	300 M	300 M	299,99 M
- Rx Rate (Fps)	320	252.484	135.869	70.488	35.919	28.845
- Flood Count (Frames)	87	92	90	92	91	90
P-0-0-1						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	9.735	7.572.320	4.076.073	2.114.647	1.077.579	865.365
- Rx Rate (L1) (Bit/s)	218,06 K	298,85 M	300 M	300 M	300 M	299,99 M
- Rx Rate (Fps)	325	252.411	135.869	70.488	35.919	28.846
- Flood Count (Frames)	93	91	93	92	92	92
P-0-0-2						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	9.847	7.572.305	4.076.073	2.114.647	1.077.579	865.362
- Rx Rate (L1) (Bit/s)	220,57 K	298,85 M	300 M	300 M	300 M	299,99 M
- Rx Rate (Fps)	328	252.410	135.869	70.488	35.919	28.845
- Flood Count (Frames)	94	93	93	92	93	91
P-0-0-3						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	9.963	7.572.869	4.076.073	2.114.647	1.077.579	865.361
- Rx Rate (L1) (Bit/s)	223,17 K	298,88 M	300 M	300 M	300 M	299,99 M
- Rx Rate (Fps)	332	252.429	135.869	70.488	35.919	28.845
- Flood Count (Frames)	92	90	91	95	93	92
P-0-0-4						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368

Image not found.

- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	10.073	7.572.436	4.076.073	2.114.647	1.077.579	865.367
- Rx Rate (L1) (Bit/s)	225,64 K	298,86 M	300 M	300 M	300 M	299,99 M
- Rx Rate (Fps)	336	252.415	135.869	70.488	35.919	28.846
- Flood Count (Frames)	91	93	93	93	93	93
P-0-0-5						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	10.184	7.574.121	4.076.073	2.114.647	1.077.579	865.366
- Rx Rate (L1) (Bit/s)	228,12 K	298,93 M	300 M	300 M	300 M	299,99 M
- Rx Rate (Fps)	339	252.471	135.869	70.488	35.919	28.846
- Flood Count (Frames)	92	94	95	92	94	94
P-0-2-0						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	10.294	7.574.676	4.076.073	2.114.647	1.077.579	865.368
- Rx Rate (L1) (Bit/s)	230,59 K	298,95 M	300 M	300 M	300 M	299,99 M
- Rx Rate (Fps)	343	252.489	135.869	70.488	35.919	28.846
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	10.405	7.572.571	4.076.073	2.114.647	1.077.579	865.365
- Rx Rate (L1) (Bit/s)	233,07 K	298,86 M	300 M	300 M	300 M	299,99 M
- Rx Rate (Fps)	347	252.419	135.869	70.488	35.919	28.846
- Flood Count (Frames)	97	91	93	92	97	92
P-0-2-2						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	10.400	7.573.247	4.076.073	2.114.647	1.077.579	865.363
- Rx Rate (L1) (Bit/s)	232,96 K	298,89 M	300 M	300 M	300 M	299,99 M
- Rx Rate (Fps)	347	252.442	135.869	70.488	35.919	28.845
- Flood Count (Frames)	91	95	94	95	93	94
P-0-2-3						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	10.405	7.572.864	4.076.073	2.114.647	1.077.579	865.364
- Rx Rate (L1) (Bit/s)	233,07 K	298,88 M	300 M	300 M	300 M	299,99 M
- Rx Rate (Fps)	347	252.429	135.869	70.488	35.919	28.845
- Flood Count (Frames)	95	95	94	94	92	96
P-0-2-4						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	10.404	7.572.334	4.076.073	2.114.647	1.077.579	865.364
- Rx Rate (L1) (Bit/s)	233,05 K	298,85 M	300 M	300 M	300 M	299,99 M
- Rx Rate (Fps)	347	252.411	135.869	70.488	35.919	28.845
- Flood Count (Frames)	90	92	93	91	96	93
P-0-2-5						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	10.313	7.571.993	4.076.073	2.114.647	1.077.579	865.362
- Rx Rate (L1) (Bit/s)	231,01 K	298,84 M	300 M	300 M	300 M	299,99 M
- Rx Rate (Fps)	344	252.400	135.869	70.488	35.919	28.845
- Flood Count (Frames)	92	92	92	97	93	92
P-0-4-0						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	10.224	7.572.717	4.076.073	2.114.647	1.077.579	865.365
- Rx Rate (L1) (Bit/s)	229,02 K	298,87 M	300 M	300 M	300 M	299,99 M
- Rx Rate (Fps)	341	252.424	135.869	70.488	35.919	28.846
- Flood Count (Frames)	92	92	90	91	95	95
P-0-4-1						

Image not found.

- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	10.133	7.573.533	4.076.073	2.114.647	1.077.579	865.366
- Rx Rate (L1) (Bit/s)	226,98 K	298,9 M	300 M	300 M	300 M	299,99 M
- Rx Rate (Fps)	338	252.451	135.869	70.488	35.919	28.846
- Flood Count (Frames)	94	89	91	93	93	94
P-0-4-2						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	10.039	7.574.205	4.076.073	2.114.647	1.077.579	865.363
- Rx Rate (L1) (Bit/s)	224,87 K	298,93 M	300 M	300 M	300 M	299,99 M
- Rx Rate (Fps)	335	252.474	135.869	70.488	35.919	28.845
- Flood Count (Frames)	92	90	93	90	90	89
P-0-4-3						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	9.947	7.574.113	4.076.073	2.114.647	1.077.579	865.366
- Rx Rate (L1) (Bit/s)	222,81 K	298,92 M	300 M	300 M	300 M	299,99 M
- Rx Rate (Fps)	332	252.470	135.869	70.488	35.919	28.846
- Flood Count (Frames)	90	92	93	95	95	95
P-0-4-4						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	9.862	7.574.516	4.076.073	2.114.647	1.077.579	865.363
- Rx Rate (L1) (Bit/s)	220,91 K	298,94 M	300 M	300 M	300 M	299,99 M
- Rx Rate (Fps)	329	252.484	135.869	70.488	35.919	28.845
- Flood Count (Frames)	93	95	91	95	92	95
P-0-4-5						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	9.771	7.574.775	4.076.073	2.114.647	1.077.579	865.365
- Rx Rate (L1) (Bit/s)	218,87 K	298,95 M	300 M	300 M	300 M	299,99 M
- Rx Rate (Fps)	326	252.493	135.869	70.488	35.919	28.846
- Flood Count (Frames)	93	93	92	93	89	93


<b>Frame Size</b>	<b>1518</b>
Result State	<b>PASS</b>
Iter. #	1
Tx Rate (Percent)	30 %
Tx Rate (L1) (Bit/s)	5,4 G
Tx Rate (Fps)	438.875
Rx Rate (Percent)	30 %
Rx Rate (L1) (Bit/s)	5,4 G
Rx Rate (Fps)	438,87 K
Loss Rate (Percent)	<b>0 %</b>
Loss (Frames)	<b>16</b>
P-0-0-0	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	731.459
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	94
P-0-0-1	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	731.459
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	93
P-0-0-2	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M

Image not found.

- Tx Rate (Fps)	24.382
- Rx (Frames)	731.458
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	95
P-0-0-3	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	731.458
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	92
P-0-0-4	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	731.459
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	95
P-0-0-5	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	731.458
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	93
P-0-2-0	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	731.459
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	731.459
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	93
P-0-2-2	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	731.459
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	93
P-0-2-3	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	731.459
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	94
P-0-2-4	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	731.455
- Rx Rate (L1) (Bit/s)	299,99 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	92
P-0-2-5	
- Tx (Frames)	731.459

Image not found.

- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	731.459
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	92
P-0-4-0	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	731.458
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	92
P-0-4-1	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	731.456
- Rx Rate (L1) (Bit/s)	299,99 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	91
P-0-4-2	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	731.458
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	92
P-0-4-3	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	731.456
- Rx Rate (L1) (Bit/s)	299,99 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	95
P-0-4-4	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	731.459
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	92
P-0-4-5	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	731.458
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	94



### Results for 40,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	40 %	40 %	40 %	40 %	40 %	40 %
Tx Rate (L1) (Bit/s)	7,2 G	7,2 G	7,2 G	7,2 G	7,2 G	7,2 G
Tx Rate (Fps)	10.714.284	6.081.077	3.260.869	1.691.721	862.063	692.305
Rx Rate (Percent)	0,02 %	0,05 %	40 %	40 %	40 %	40 %
Rx Rate (L1) (Bit/s)	3,12 M	8,7 M	7,2 G	7,2 G	7,2 G	7,2 G
Rx Rate (Fps)	4,64 K	7,35 K	3,26 M	1,69 M	862,06 K	692,3 K
Loss Rate (Percent)	99,96 %	99,98 %	0 %	0 %	0 %	0 %
Loss (Frames)	321.289.397	182.211.890	0	0	0	9
P-0-0-0						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	6.868	11.931	5.434.781	2.819.535	1.436.772	1.153.840
- Rx Rate (L1) (Bit/s)	153,84 K	470,88 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	229	398	181.159	93.985	47.892	38.461
- Flood Count (Frames)	94	95	95	90	92	95
P-0-0-1						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	7.298	12.116	5.434.781	2.819.535	1.436.772	1.153.841
- Rx Rate (L1) (Bit/s)	163,48 K	478,18 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	243	404	181.159	93.985	47.892	38.461
- Flood Count (Frames)	94	91	91	90	92	92
P-0-0-2						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	7.434	12.189	5.434.781	2.819.535	1.436.772	1.153.840
- Rx Rate (L1) (Bit/s)	166,52 K	481,06 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	248	406	181.159	93.985	47.892	38.461
- Flood Count (Frames)	92	93	93	92	93	95
P-0-0-3						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	7.570	12.252	5.434.781	2.819.535	1.436.772	1.153.841
- Rx Rate (L1) (Bit/s)	169,57 K	483,55 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	252	408	181.159	93.985	47.892	38.461
- Flood Count (Frames)	93	91	92	90	89	92
P-0-0-4						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841

Image not found.

- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	7.687	12.326	5.434.781	2.819.535	1.436.772	1.153.841
- Rx Rate (L1) (Bit/s)	172,19 K	486,47 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	256	411	181.159	93.985	47.892	38.461
- Flood Count (Frames)	92	92	93	92	92	91
P-0-0-5						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	7.827	12.330	5.434.781	2.819.535	1.436.772	1.153.839
- Rx Rate (L1) (Bit/s)	175,32 K	486,62 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	261	411	181.159	93.985	47.892	38.461
- Flood Count (Frames)	92	93	95	93	91	91
P-0-2-0						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	7.964	12.327	5.434.781	2.819.535	1.436.772	1.153.841
- Rx Rate (L1) (Bit/s)	178,39 K	486,51 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	265	411	181.159	93.985	47.892	38.461
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	8.105	12.331	5.434.781	2.819.535	1.436.772	1.153.841
- Rx Rate (L1) (Bit/s)	181,55 K	486,66 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	270	411	181.159	93.985	47.892	38.461
- Flood Count (Frames)	93	94	92	91	90	93
P-0-2-2						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	8.214	12.329	5.434.781	2.819.535	1.436.772	1.153.841
- Rx Rate (L1) (Bit/s)	183,99 K	486,58 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	274	411	181.159	93.985	47.892	38.461
- Flood Count (Frames)	93	90	91	92	95	91
P-0-2-3						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	8.215	12.329	5.434.781	2.819.535	1.436.772	1.153.841
- Rx Rate (L1) (Bit/s)	184,02 K	486,58 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	274	411	181.159	93.985	47.892	38.461
- Flood Count (Frames)	91	90	89	92	93	93
P-0-2-4						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	8.225	12.330	5.434.781	2.819.535	1.436.772	1.153.841
- Rx Rate (L1) (Bit/s)	184,24 K	486,62 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	274	411	181.159	93.985	47.892	38.461
- Flood Count (Frames)	92	94	92	91	92	95
P-0-2-5						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	8.106	12.329	5.434.781	2.819.535	1.436.772	1.153.841
- Rx Rate (L1) (Bit/s)	181,57 K	486,58 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	270	411	181.159	93.985	47.892	38.461
- Flood Count (Frames)	92	94	93	91	90	93
P-0-4-0						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	7.968	12.332	5.434.781	2.819.535	1.436.772	1.153.841
- Rx Rate (L1) (Bit/s)	178,48 K	486,7 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	266	411	181.159	93.985	47.892	38.461
- Flood Count (Frames)	95	94	91	93	94	93
P-0-4-1						



Image not found.


- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	7.813	12.334	5.434.781	2.819.535	1.436.772	1.153.839
- Rx Rate (L1) (Bit/s)	175,01 K	486,78 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	260	411	181.159	93.985	47.892	38.461
- Flood Count (Frames)	90	92	91	93	88	95
P-0-4-2						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	7.668	12.269	5.434.781	2.819.535	1.436.772	1.153.841
- Rx Rate (L1) (Bit/s)	171,76 K	484,22 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	256	409	181.159	93.985	47.892	38.461
- Flood Count (Frames)	94	93	92	93	95	93
P-0-4-3						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	7.515	12.191	5.434.781	2.819.535	1.436.772	1.153.840
- Rx Rate (L1) (Bit/s)	168,34 K	481,14 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	251	406	181.159	93.985	47.892	38.461
- Flood Count (Frames)	93	94	90	96	90	95
P-0-4-4						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	7.389	12.122	5.434.781	2.819.535	1.436.772	1.153.839
- Rx Rate (L1) (Bit/s)	165,51 K	478,41 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	246	404	181.159	93.985	47.892	38.461
- Flood Count (Frames)	92	94	92	93	93	91
P-0-4-5						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	7.257	12.047	5.434.781	2.819.535	1.436.772	1.153.841
- Rx Rate (L1) (Bit/s)	162,56 K	475,45 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	242	402	181.159	93.985	47.892	38.461
- Flood Count (Frames)	92	92	90	91	92	93

<b>Frame Size</b>	<b>1518</b>
Result State	<b>PASS</b>
Iter. #	1
Tx Rate (Percent)	40 %
Tx Rate (L1) (Bit/s)	7,2 G
Tx Rate (Fps)	585.174
Rx Rate (Percent)	40 %
Rx Rate (L1) (Bit/s)	7,2 G
Rx Rate (Fps)	585,17 K
Loss Rate (Percent)	<b>0 %</b>
Loss (Frames)	<b>10</b>
P-0-0-0	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	94
P-0-0-1	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	91
P-0-0-2	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M

- Tx Rate (Fps)	32.510
- Rx (Frames)	975.289
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	92
P-0-0-3	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	94
P-0-0-4	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	90
P-0-0-5	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	975.287
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	93
P-0-2-0	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	94
P-0-2-2	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	89
P-0-2-3	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	93
P-0-2-4	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	975.288
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	95
P-0-2-5	
- Tx (Frames)	975.290

Image not found.

- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	92
P-0-4-0	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	95
P-0-4-1	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	91
P-0-4-2	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	975.289
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	94
P-0-4-3	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	93
P-0-4-4	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	975.287
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	91
P-0-4-5	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	93



### Results for 50,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	50 %	50 %	50 %	50 %	50 %	50 %
Tx Rate (L1) (Bit/s)	9 G	9 G	9 G	9 G	9 G	9 G
Tx Rate (Fps)	13.392.855	7.601.346	4.076.083	2.114.654	1.077.579	865.378
Rx Rate (Percent)	0,02 %	0,04 %	50 %	50 %	50 %	50 %
Rx Rate (L1) (Bit/s)	2,73 M	7,78 M	9 G	9 G	9 G	9 G
Rx Rate (Fps)	4,07 K	6,57 K	4,08 M	2,11 M	1,08 M	865,37 K
Loss Rate (Percent)	99,97 %	99,91 %	0 %	0 %	0 %	0 %
Loss (Frames)	401.663.668	227.843.311	0	0	1	192
P-0-0-0						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	5.898	10.425	6.793.472	3.524.423	1.795.965	1.442.290
- Rx Rate (L1) (Bit/s)	132,12 K	411,44 K	500 M	500 M	500 M	499,99 M
- Rx Rate (Fps)	197	348	226.449	117.481	59.866	48.076
- Flood Count (Frames)	94	90	94	91	93	91
P-0-0-1						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	6.168	10.565	6.793.472	3.524.423	1.795.965	1.442.288
- Rx Rate (L1) (Bit/s)	138,16 K	416,97 K	500 M	500 M	500 M	499,99 M
- Rx Rate (Fps)	206	352	226.449	117.481	59.866	48.076
- Flood Count (Frames)	93	95	91	92	93	89
P-0-0-2						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	6.367	10.674	6.793.472	3.524.423	1.795.965	1.442.281
- Rx Rate (L1) (Bit/s)	142,62 K	421,27 K	500 M	500 M	500 M	499,99 M
- Rx Rate (Fps)	212	356	226.449	117.481	59.866	48.076
- Flood Count (Frames)	95	92	92	90	90	93
P-0-0-3						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	6.570	10.787	6.793.472	3.524.423	1.795.965	1.442.290
- Rx Rate (L1) (Bit/s)	147,17 K	425,73 K	500 M	500 M	500 M	499,99 M
- Rx Rate (Fps)	219	360	226.449	117.481	59.866	48.076
- Flood Count (Frames)	93	93	92	92	92	93
P-0-0-4						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297

Image not found.

- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	6.779	10.897	6.793.472	3.524.423	1.795.965	1.442.289
- Rx Rate (L1) (Bit/s)	151,85 K	430,07 K	500 M	500 M	500 M	499,99 M
- Rx Rate (Fps)	226	363	226.449	117.481	59.866	48.076
- Flood Count (Frames)	90	90	92	92	93	92
P-0-0-5						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	6.983	11.005	6.793.472	3.524.423	1.795.965	1.442.289
- Rx Rate (L1) (Bit/s)	156,42 K	434,33 K	500 M	500 M	500 M	499,99 M
- Rx Rate (Fps)	233	367	226.449	117.481	59.866	48.076
- Flood Count (Frames)	91	92	91	93	95	92
P-0-2-0						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	7.181	11.116	6.793.472	3.524.423	1.795.965	1.442.296
- Rx Rate (L1) (Bit/s)	160,85 K	438,71 K	500 M	500 M	500 M	500 M
- Rx Rate (Fps)	239	371	226.449	117.481	59.866	48.077
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	7.188	11.224	6.793.472	3.524.423	1.795.965	1.442.295
- Rx Rate (L1) (Bit/s)	161,01 K	442,97 K	500 M	500 M	500 M	500 M
- Rx Rate (Fps)	240	374	226.449	117.481	59.866	48.077
- Flood Count (Frames)	90	93	91	91	91	92
P-0-2-2						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	7.193	11.224	6.793.472	3.524.423	1.795.964	1.442.293
- Rx Rate (L1) (Bit/s)	161,12 K	442,97 K	500 M	500 M	500 M	499,99 M
- Rx Rate (Fps)	240	374	226.449	117.481	59.865	48.076
- Flood Count (Frames)	91	91	91	94	91	94
P-0-2-3						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	7.197	11.225	6.793.472	3.524.423	1.795.965	1.442.290
- Rx Rate (L1) (Bit/s)	161,21 K	443,01 K	500 M	500 M	500 M	499,99 M
- Rx Rate (Fps)	240	374	226.449	117.481	59.866	48.076
- Flood Count (Frames)	90	94	90	92	91	92
P-0-2-4						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	7.193	11.225	6.793.472	3.524.423	1.795.965	1.442.285
- Rx Rate (L1) (Bit/s)	161,12 K	443,01 K	500 M	500 M	500 M	499,99 M
- Rx Rate (Fps)	240	374	226.449	117.481	59.866	48.076
- Flood Count (Frames)	90	90	93	95	94	90
P-0-2-5						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	7.191	11.225	6.793.472	3.524.423	1.795.965	1.442.263
- Rx Rate (L1) (Bit/s)	161,08 K	443,01 K	500 M	500 M	500 M	499,98 M
- Rx Rate (Fps)	240	374	226.449	117.481	59.866	48.075
- Flood Count (Frames)	90	92	90	88	94	96
P-0-4-0						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	7.098	11.138	6.793.472	3.524.423	1.795.965	1.442.279
- Rx Rate (L1) (Bit/s)	159 K	439,58 K	500 M	500 M	500 M	499,99 M
- Rx Rate (Fps)	237	371	226.449	117.481	59.866	48.076
- Flood Count (Frames)	95	93	92	93	89	93
P-0-4-1						

Image not found.

- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	6.916	11.048	6.793.472	3.524.423	1.795.965	1.442.288
- Rx Rate (L1) (Bit/s)	154,92 K	436,03 K	500 M	500 M	500 M	499,99 M
- Rx Rate (Fps)	231	368	226.449	117.481	59.866	48.076
- Flood Count (Frames)	91	90	94	94	91	94
P-0-4-2						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	6.750	10.956	6.793.472	3.524.423	1.795.965	1.442.285
- Rx Rate (L1) (Bit/s)	151,2 K	432,4 K	500 M	500 M	500 M	499,99 M
- Rx Rate (Fps)	225	365	226.449	117.481	59.866	48.076
- Flood Count (Frames)	93	91	93	92	95	93
P-0-4-3						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	6.615	10.868	6.793.472	3.524.423	1.795.965	1.442.283
- Rx Rate (L1) (Bit/s)	148,18 K	428,92 K	500 M	500 M	500 M	499,99 M
- Rx Rate (Fps)	221	362	226.449	117.481	59.866	48.076
- Flood Count (Frames)	95	93	92	95	95	92
P-0-4-4						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	6.414	10.777	6.793.472	3.524.423	1.795.965	1.442.285
- Rx Rate (L1) (Bit/s)	143,67 K	425,33 K	500 M	500 M	500 M	499,99 M
- Rx Rate (Fps)	214	359	226.449	117.481	59.866	48.076
- Flood Count (Frames)	92	94	94	93	91	92
P-0-4-5						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	6.281	10.690	6.793.472	3.524.423	1.795.965	1.442.285
- Rx Rate (L1) (Bit/s)	140,69 K	421,9 K	500 M	500 M	500 M	499,99 M
- Rx Rate (Fps)	209	356	226.449	117.481	59.866	48.076
- Flood Count (Frames)	92	90	90	94	95	93


<b>Frame Size</b>	<b>1518</b>
Result State	<b>PASS</b>
Iter. #	1
Tx Rate (Percent)	50 %
Tx Rate (L1) (Bit/s)	9 G
Tx Rate (Fps)	731.462
Rx Rate (Percent)	50 %
Rx Rate (L1) (Bit/s)	9 G
Rx Rate (Fps)	731,46 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	1.219.104
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	92
P-0-0-1	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	1.219.104
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	92
P-0-0-2	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M

- Tx Rate (Fps)	40.637
- Rx (Frames)	1.219.104
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	92
P-0-0-3	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	1.219.104
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	96
P-0-0-4	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	1.219.104
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	95
P-0-0-5	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	1.219.104
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	92
P-0-2-0	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	1.219.104
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	1.219.104
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	94
P-0-2-2	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	1.219.104
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	92
P-0-2-3	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	1.219.104
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	88
P-0-2-4	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	1.219.104
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	92
P-0-2-5	
- Tx (Frames)	1.219.104

Image not found.

- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	1.219.104
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	91
P-0-4-0	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	1.219.104
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	90
P-0-4-1	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	1.219.104
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	93
P-0-4-2	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	1.219.104
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	93
P-0-4-3	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	1.219.104
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	94
P-0-4-4	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	1.219.104
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	93
P-0-4-5	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	1.219.104
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	90





### Results for 60,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	60 %	60 %	60 %	60 %	60 %	60 %
Tx Rate (L1) (Bit/s)	10,8 G	10,8 G	10,8 G	10,8 G	10,8 G	10,8 G
Tx Rate (Fps)	16.071.426	9.121.615	4.891.298	2.537.587	1.293.095	1.038.452
Rx Rate (Percent)	0,01 %	0,04 %	0,12 %	60 %	60 %	59,99 %
Rx Rate (L1) (Bit/s)	2,19 M	6,52 M	20,94 M	10,8 G	10,8 G	10,8 G
Rx Rate (Fps)	3,26 K	5,51 K	9,49 K	2,54 M	1,29 M	1,04 M
Loss Rate (Percent)	99,98 %	99,94 %	99,81 %	0 %	0 %	0,01 %
Loss (Frames)	482.044.957	273.483.294	146.454.382	0	301	2.922
P-0-0-0						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	4.507	8.565	15.728	4.229.311	2.155.144	1.730.607
- Rx Rate (L1) (Bit/s)	100,96 K	338,03 K	1,16 M	600 M	599,99 M	599,94 M
- Rx Rate (Fps)	150	286	524	140.977	71.838	57.687
- Flood Count (Frames)	93	92	93	92	92	95
P-0-0-1						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	4.806	8.741	15.820	4.229.311	2.155.140	1.730.644
- Rx Rate (L1) (Bit/s)	107,65 K	344,98 K	1,16 M	600 M	599,99 M	599,96 M
- Rx Rate (Fps)	160	291	527	140.977	71.838	57.688
- Flood Count (Frames)	94	91	94	94	94	95
P-0-0-2						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	5.022	8.884	15.825	4.229.311	2.155.142	1.730.606
- Rx Rate (L1) (Bit/s)	112,49 K	350,62 K	1,16 M	600 M	599,99 M	599,94 M
- Rx Rate (Fps)	167	296	528	140.977	71.838	57.687
- Flood Count (Frames)	94	90	91	93	92	93
P-0-0-3						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	5.273	9.025	15.831	4.229.311	2.155.146	1.730.507
- Rx Rate (L1) (Bit/s)	118,12 K	356,19 K	1,17 M	600 M	599,99 M	599,91 M
- Rx Rate (Fps)	176	301	528	140.977	71.838	57.684
- Flood Count (Frames)	93	91	95	94	92	90
P-0-0-4						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753

- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	5.519	9.139	15.821	4.229.311	2.155.147	1.730.540
- Rx Rate (L1) (Bit/s)	123,63 K	360,69 K	1,16 M	600 M	599,99 M	599,92 M
- Rx Rate (Fps)	184	305	527	140.977	71.838	57.685
- Flood Count (Frames)	95	94	92	93	90	95
P-0-0-5						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	5.749	9.291	15.835	4.229.311	2.155.145	1.730.582
- Rx Rate (L1) (Bit/s)	128,78 K	366,68 K	1,17 M	600 M	599,99 M	599,94 M
- Rx Rate (Fps)	192	310	528	140.977	71.838	57.686
- Flood Count (Frames)	93	90	90	92	92	93
P-0-2-0						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	5.739	9.386	15.835	4.229.311	2.155.158	1.730.753
- Rx Rate (L1) (Bit/s)	128,55 K	370,43 K	1,17 M	600 M	600 M	599,99 M
- Rx Rate (Fps)	191	313	528	140.977	71.839	57.692
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	5.748	9.511	15.822	4.229.311	2.155.154	1.730.611
- Rx Rate (L1) (Bit/s)	128,76 K	375,37 K	1,16 M	600 M	599,99 M	599,95 M
- Rx Rate (Fps)	192	317	527	140.977	71.838	57.687
- Flood Count (Frames)	92	91	95	92	92	92
P-0-2-2						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	5.769	9.623	15.815	4.229.311	2.155.153	1.730.621
- Rx Rate (L1) (Bit/s)	129,23 K	379,79 K	1,16 M	600 M	599,99 M	599,95 M
- Rx Rate (Fps)	192	321	527	140.977	71.838	57.687
- Flood Count (Frames)	89	94	93	94	92	92
P-0-2-3						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	5.770	9.661	15.812	4.229.311	2.155.156	1.730.593
- Rx Rate (L1) (Bit/s)	129,25 K	381,29 K	1,16 M	600 M	600 M	599,94 M
- Rx Rate (Fps)	192	322	527	140.977	71.839	57.686
- Flood Count (Frames)	92	94	92	96	90	94
P-0-2-4						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	5.770	9.571	15.815	4.229.311	2.155.117	1.730.604
- Rx Rate (L1) (Bit/s)	129,25 K	377,74 K	1,16 M	600 M	599,98 M	599,94 M
- Rx Rate (Fps)	192	319	527	140.977	71.837	57.687
- Flood Count (Frames)	95	90	93	92	93	92
P-0-2-5						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	5.788	9.453	15.809	4.229.311	2.155.133	1.730.582
- Rx Rate (L1) (Bit/s)	129,65 K	373,08 K	1,16 M	600 M	599,99 M	599,94 M
- Rx Rate (Fps)	193	315	527	140.977	71.838	57.686
- Flood Count (Frames)	97	94	97	90	91	91
P-0-4-0						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	5.786	9.341	15.797	4.229.311	2.155.125	1.730.595
- Rx Rate (L1) (Bit/s)	129,61 K	368,66 K	1,16 M	600 M	599,99 M	599,94 M
- Rx Rate (Fps)	193	311	527	140.977	71.838	57.687
- Flood Count (Frames)	93	95	95	92	95	92
P-0-4-1						

Image not found.

- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	5.677	9.208	15.797	4.229.311	2.155.120	1.730.589
- Rx Rate (L1) (Bit/s)	127,16 K	363,41 K	1,16 M	600 M	599,99 M	599,94 M
- Rx Rate (Fps)	189	307	527	140.977	71.837	57.686
- Flood Count (Frames)	93	93	93	91	91	92
P-0-4-2						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	5.506	9.105	15.787	4.229.311	2.155.138	1.730.564
- Rx Rate (L1) (Bit/s)	123,33 K	359,34 K	1,16 M	600 M	599,99 M	599,93 M
- Rx Rate (Fps)	184	304	526	140.977	71.838	57.685
- Flood Count (Frames)	93	90	93	91	91	94
P-0-4-3						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	5.263	8.987	15.787	4.229.311	2.155.137	1.730.569
- Rx Rate (L1) (Bit/s)	117,89 K	354,69 K	1,16 M	600 M	599,99 M	599,93 M
- Rx Rate (Fps)	175	300	526	140.977	71.838	57.686
- Flood Count (Frames)	93	90	95	90	92	93
P-0-4-4						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	5.163	8.879	15.813	4.229.311	2.155.143	1.730.524
- Rx Rate (L1) (Bit/s)	115,65 K	350,42 K	1,16 M	600 M	599,99 M	599,91 M
- Rx Rate (Fps)	172	296	527	140.977	71.838	57.684
- Flood Count (Frames)	91	90	90	96	95	88
P-0-4-5						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	4.968	8.792	15.803	4.229.311	2.155.145	1.730.541
- Rx Rate (L1) (Bit/s)	111,28 K	346,99 K	1,16 M	600 M	599,99 M	599,92 M
- Rx Rate (Fps)	166	293	527	140.977	71.838	57.685
- Flood Count (Frames)	92	94	93	92	91	93


<b>Frame Size</b>	<b>1518</b>
Result State	<b>PASS</b>
Iter. #	1
Tx Rate (Percent)	60 %
Tx Rate (L1) (Bit/s)	10,8 G
Tx Rate (Fps)	877.761
Rx Rate (Percent)	60 %
Rx Rate (L1) (Bit/s)	10,8 G
Rx Rate (Fps)	877,76 K
Loss Rate (Percent)	<b>0 %</b>
Loss (Frames)	<b>105</b>
P-0-0-0	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	1.462.929
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.764
- Flood Count (Frames)	92
P-0-0-1	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	1.462.931
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.764
- Flood Count (Frames)	92
P-0-0-2	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M

Image not found.

- Tx Rate (Fps)	48.765
- Rx (Frames)	1.462.930
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.764
- Flood Count (Frames)	93
P-0-0-3	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	1.462.934
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.764
- Flood Count (Frames)	90
P-0-0-4	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	1.462.931
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.764
- Flood Count (Frames)	91
P-0-0-5	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	1.462.929
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.764
- Flood Count (Frames)	93
P-0-2-0	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	1.462.935
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.765
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	1.462.929
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.764
- Flood Count (Frames)	94
P-0-2-2	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	1.462.927
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.764
- Flood Count (Frames)	87
P-0-2-3	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	1.462.933
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.764
- Flood Count (Frames)	92
P-0-2-4	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	1.462.933
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.764
- Flood Count (Frames)	91
P-0-2-5	
- Tx (Frames)	1.462.935

Image not found.

- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	1.462.930
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.764
- Flood Count (Frames)	92
P-0-4-0	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	1.462.934
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.764
- Flood Count (Frames)	91
P-0-4-1	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	1.462.918
- Rx Rate (L1) (Bit/s)	599,99 M
- Rx Rate (Fps)	48.764
- Flood Count (Frames)	92
P-0-4-2	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	1.462.908
- Rx Rate (L1) (Bit/s)	599,99 M
- Rx Rate (Fps)	48.764
- Flood Count (Frames)	93
P-0-4-3	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	1.462.934
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.764
- Flood Count (Frames)	90
P-0-4-4	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	1.462.933
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.764
- Flood Count (Frames)	91
P-0-4-5	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	1.462.927
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.764
- Flood Count (Frames)	95



### Results for 70,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	70 %	70 %	70 %	70 %	70 %	70 %
Tx Rate (L1) (Bit/s)	12,6 G	12,6 G	12,6 G	12,6 G	12,6 G	12,6 G
Tx Rate (Fps)	18.749.997	10.641.884	5.706.512	2.960.519	1.508.611	1.211.536
Rx Rate (Percent)	0,01 %	0,03 %	0,1 %	70 %	70 %	70 %
Rx Rate (L1) (Bit/s)	1,87 M	5,99 M	17,84 M	12,6 G	12,6 G	12,6 G
Rx Rate (Fps)	2,78 K	5,06 K	8,08 K	2,96 M	1,51 M	1,21 M
Loss Rate (Percent)	99,99 %	99,95 %	99,86 %	0 %	0 %	0 %
Loss (Frames)	562.416.362	319.104.831	170.952.983	0	172	1.440
P-0-0-0						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	3.759	7.662	13.155	4.934.199	2.514.350	2.019.171
- Rx Rate (L1) (Bit/s)	84,2 K	302,39 K	968,21 K	700 M	700 M	699,98 M
- Rx Rate (Fps)	125	255	439	164.473	83.812	67.306
- Flood Count (Frames)	93	92	95	94	95	93
P-0-0-1						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	4.104	7.866	13.356	4.934.199	2.514.348	2.019.173
- Rx Rate (L1) (Bit/s)	91,93 K	310,44 K	983 K	700 M	699,99 M	699,98 M
- Rx Rate (Fps)	137	262	445	164.473	83.812	67.306
- Flood Count (Frames)	92	94	90	90	91	91
P-0-0-2						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	4.376	8.024	13.439	4.934.199	2.514.345	2.019.152
- Rx Rate (L1) (Bit/s)	98,02 K	316,68 K	989,11 K	700 M	699,99 M	699,97 M
- Rx Rate (Fps)	146	267	448	164.473	83.812	67.305
- Flood Count (Frames)	92	92	93	92	92	93
P-0-0-3						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	4.647	8.182	13.522	4.934.199	2.514.345	2.019.170
- Rx Rate (L1) (Bit/s)	104,09 K	322,92 K	995,22 K	700 M	699,99 M	699,98 M
- Rx Rate (Fps)	155	273	451	164.473	83.812	67.306
- Flood Count (Frames)	90	95	94	92	94	92
P-0-0-4						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226

Image not found.

- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	4.916	8.333	13.521	4.934.199	2.514.342	2.019.102
- Rx Rate (L1) (Bit/s)	110,12 K	328,88 K	995,15 K	700 M	699,99 M	699,96 M
- Rx Rate (Fps)	164	278	451	164.473	83.811	67.303
- Flood Count (Frames)	93	92	93	94	94	92
P-0-0-5						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	4.918	8.479	13.521	4.934.199	2.514.348	2.019.134
- Rx Rate (L1) (Bit/s)	110,16 K	334,64 K	995,15 K	700 M	699,99 M	699,97 M
- Rx Rate (Fps)	164	283	451	164.473	83.812	67.304
- Flood Count (Frames)	91	92	91	89	93	90
P-0-2-0						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	4.919	8.628	13.523	4.934.199	2.514.350	2.019.214
- Rx Rate (L1) (Bit/s)	110,19 K	340,52 K	995,29 K	700 M	700 M	699,99 M
- Rx Rate (Fps)	164	288	451	164.473	83.812	67.307
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	4.916	8.791	13.521	4.934.199	2.514.335	2.019.175
- Rx Rate (L1) (Bit/s)	110,12 K	346,95 K	995,15 K	700 M	699,99 M	699,98 M
- Rx Rate (Fps)	164	293	451	164.473	83.811	67.306
- Flood Count (Frames)	89	92	95	88	91	93
P-0-2-2						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	4.916	8.941	13.520	4.934.199	2.514.337	2.019.173
- Rx Rate (L1) (Bit/s)	110,12 K	352,87 K	995,07 K	700 M	699,99 M	699,98 M
- Rx Rate (Fps)	164	298	451	164.473	83.811	67.306
- Flood Count (Frames)	92	92	94	92	93	90
P-0-2-3						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	4.917	8.948	13.526	4.934.199	2.514.326	2.019.165
- Rx Rate (L1) (Bit/s)	110,14 K	353,15 K	995,51 K	700 M	699,99 M	699,98 M
- Rx Rate (Fps)	164	298	451	164.473	83.811	67.306
- Flood Count (Frames)	97	93	95	93	91	92
P-0-2-4						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	4.915	8.941	13.522	4.934.199	2.514.338	2.019.130
- Rx Rate (L1) (Bit/s)	110,1 K	352,87 K	995,22 K	700 M	699,99 M	699,97 M
- Rx Rate (Fps)	164	298	451	164.473	83.811	67.304
- Flood Count (Frames)	91	92	93	93	94	90
P-0-2-5						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	4.914	8.811	13.524	4.934.199	2.514.331	2.019.150
- Rx Rate (L1) (Bit/s)	110,07 K	347,74 K	995,37 K	700 M	699,99 M	699,97 M
- Rx Rate (Fps)	164	294	451	164.473	83.811	67.305
- Flood Count (Frames)	93	94	92	90	94	92
P-0-4-0						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	4.914	8.681	13.524	4.934.199	2.514.332	2.019.140
- Rx Rate (L1) (Bit/s)	110,07 K	342,61 K	995,37 K	700 M	699,99 M	699,97 M
- Rx Rate (Fps)	164	289	451	164.473	83.811	67.305
- Flood Count (Frames)	91	93	95	91	94	92
P-0-4-1						



Image not found.


- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	4.912	8.530	13.522	4.934.199	2.514.346	2.019.090
- Rx Rate (L1) (Bit/s)	110,03 K	336,65 K	995,22 K	700 M	699,99 M	699,95 M
- Rx Rate (Fps)	164	284	451	164.473	83.812	67.303
- Flood Count (Frames)	91	92	93	89	94	92
P-0-4-2						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	4.699	8.405	13.521	4.934.199	2.514.336	2.019.140
- Rx Rate (L1) (Bit/s)	105,26 K	331,72 K	995,15 K	700 M	699,99 M	699,97 M
- Rx Rate (Fps)	157	280	451	164.473	83.811	67.305
- Flood Count (Frames)	95	95	97	93	90	93
P-0-4-3						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	4.482	8.278	13.456	4.934.199	2.514.346	2.019.136
- Rx Rate (L1) (Bit/s)	100,4 K	326,71 K	990,36 K	700 M	699,99 M	699,97 M
- Rx Rate (Fps)	149	276	449	164.473	83.812	67.305
- Flood Count (Frames)	92	93	93	92	88	92
P-0-4-4						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	4.271	8.160	13.391	4.934.199	2.514.347	2.019.148
- Rx Rate (L1) (Bit/s)	95,67 K	322,05 K	985,58 K	700 M	699,99 M	699,97 M
- Rx Rate (Fps)	142	272	446	164.473	83.812	67.305
- Flood Count (Frames)	91	96	95	93	90	93
P-0-4-5						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	4.053	8.041	13.325	4.934.199	2.514.344	2.019.065
- Rx Rate (L1) (Bit/s)	90,79 K	317,35 K	980,72 K	700 M	699,99 M	699,94 M
- Rx Rate (Fps)	135	268	444	164.473	83.811	67.302
- Flood Count (Frames)	96	92	91	95	92	89

<b>Frame Size</b>	<b>1518</b>
Result State	<b>PASS</b>
Iter. #	1
Tx Rate (Percent)	70 %
Tx Rate (L1) (Bit/s)	12,6 G
Tx Rate (Fps)	1.024.049
Rx Rate (Percent)	70 %
Rx Rate (L1) (Bit/s)	12,6 G
Rx Rate (Fps)	1,02 M
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	1.706.749
- Rx Rate (L1) (Bit/s)	699,99 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	94
P-0-0-1	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	1.706.749
- Rx Rate (L1) (Bit/s)	699,99 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	90
P-0-0-2	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M



- Tx Rate (Fps)	56.892
- Rx (Frames)	1.706.749
- Rx Rate (L1) (Bit/s)	699,99 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	90
P-0-0-3	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	1.706.749
- Rx Rate (L1) (Bit/s)	699,99 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	92
P-0-0-4	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	1.706.749
- Rx Rate (L1) (Bit/s)	699,99 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	92
P-0-0-5	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	1.706.749
- Rx Rate (L1) (Bit/s)	699,99 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	96
P-0-2-0	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	1.706.749
- Rx Rate (L1) (Bit/s)	699,99 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	1.706.749
- Rx Rate (L1) (Bit/s)	699,99 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	94
P-0-2-2	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	1.706.749
- Rx Rate (L1) (Bit/s)	699,99 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	92
P-0-2-3	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	1.706.749
- Rx Rate (L1) (Bit/s)	699,99 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	91
P-0-2-4	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	1.706.749
- Rx Rate (L1) (Bit/s)	699,99 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	91
P-0-2-5	
- Tx (Frames)	1.706.749

- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	1.706.749
- Rx Rate (L1) (Bit/s)	699,99 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	89
P-0-4-0	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	1.706.749
- Rx Rate (L1) (Bit/s)	699,99 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	93
P-0-4-1	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	1.706.749
- Rx Rate (L1) (Bit/s)	699,99 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	92
P-0-4-2	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	1.706.749
- Rx Rate (L1) (Bit/s)	699,99 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	90
P-0-4-3	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	1.706.749
- Rx Rate (L1) (Bit/s)	699,99 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	91
P-0-4-4	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	1.706.749
- Rx Rate (L1) (Bit/s)	699,99 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	90
P-0-4-5	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	1.706.749
- Rx Rate (L1) (Bit/s)	699,99 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	92



### Results for 80,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	80 %	80 %	80 %	80 %	80 %	80 %
Tx Rate (L1) (Bit/s)	14,4 G	14,4 G	14,4 G	14,4 G	14,4 G	14,4 G
Tx Rate (Fps)	21.428.568	12.162.154	6.521.737	3.383.452	1.724.137	1.384.609
Rx Rate (Percent)	0,01 %	0,03 %	0,09 %	80 %	80 %	80 %
Rx Rate (L1) (Bit/s)	1,84 M	4,86 M	15,92 M	14,4 G	14,4 G	14,4 G
Rx Rate (Fps)	2,74 K	4,1 K	7,21 K	3,38 M	1,72 M	1,38 M
Loss Rate (Percent)	99,99 %	99,97 %	99,89 %	0 %	0 %	0 %
Loss (Frames)	642.774.751	364.741.527	195.435.862	0	18	249
P-0-0-0						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	3.257	6.043	11.627	5.639.087	2.873.561	2.307.672
- Rx Rate (L1) (Bit/s)	72,96 K	238,5 K	855,75 K	800 M	800 M	799,99 M
- Rx Rate (Fps)	109	201	388	187.970	95.785	76.922
- Flood Count (Frames)	93	93	92	90	89	92
P-0-0-1						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	3.935	6.310	11.725	5.639.087	2.873.558	2.307.673
- Rx Rate (L1) (Bit/s)	88,14 K	249,03 K	862,96 K	800 M	800 M	799,99 M
- Rx Rate (Fps)	131	210	391	187.970	95.785	76.922
- Flood Count (Frames)	93	93	96	93	87	92
P-0-0-2						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	4.274	6.448	11.852	5.639.087	2.873.561	2.307.679
- Rx Rate (L1) (Bit/s)	95,74 K	254,48 K	872,31 K	800 M	800 M	800 M
- Rx Rate (Fps)	142	215	395	187.970	95.785	76.923
- Flood Count (Frames)	92	91	90	92	93	94
P-0-0-3						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	4.575	6.644	11.943	5.639.087	2.873.560	2.307.669
- Rx Rate (L1) (Bit/s)	102,48 K	262,22 K	879 K	800 M	800 M	799,99 M
- Rx Rate (Fps)	153	221	398	187.970	95.785	76.922
- Flood Count (Frames)	93	92	92	89	93	92
P-0-0-4						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682

Image not found.

- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	4.887	6.804	12.042	5.639.087	2.873.559	2.307.668
- Rx Rate (L1) (Bit/s)	109,47 K	268,53 K	886,29 K	800 M	800 M	799,99 M
- Rx Rate (Fps)	163	227	401	187.970	95.785	76.922
- Flood Count (Frames)	92	89	92	90	90	92
P-0-0-5						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	4.885	7.008	12.159	5.639.087	2.873.556	2.307.674
- Rx Rate (L1) (Bit/s)	109,42 K	276,58 K	894,9 K	800 M	800 M	799,99 M
- Rx Rate (Fps)	163	234	405	187.970	95.785	76.922
- Flood Count (Frames)	93	89	92	92	93	92
P-0-2-0						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	4.882	7.146	12.165	5.639.087	2.873.561	2.307.682
- Rx Rate (L1) (Bit/s)	109,36 K	282,03 K	895,34 K	800 M	800 M	800 M
- Rx Rate (Fps)	163	238	406	187.970	95.785	76.923
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	4.883	7.255	12.184	5.639.087	2.873.561	2.307.665
- Rx Rate (L1) (Bit/s)	109,38 K	286,33 K	896,74 K	800 M	800 M	799,99 M
- Rx Rate (Fps)	163	242	406	187.970	95.785	76.922
- Flood Count (Frames)	93	90	90	91	91	90
P-0-2-2						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	4.881	7.250	12.176	5.639.087	2.873.561	2.307.670
- Rx Rate (L1) (Bit/s)	109,33 K	286,13 K	896,15 K	800 M	800 M	799,99 M
- Rx Rate (Fps)	163	242	406	187.970	95.785	76.922
- Flood Count (Frames)	90	95	91	93	90	91
P-0-2-3						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	4.882	7.260	12.175	5.639.087	2.873.561	2.307.666
- Rx Rate (L1) (Bit/s)	109,36 K	286,53 K	896,08 K	800 M	800 M	799,99 M
- Rx Rate (Fps)	163	242	406	187.970	95.785	76.922
- Flood Count (Frames)	92	92	95	94	92	94
P-0-2-4						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	4.890	7.268	12.160	5.639.087	2.873.560	2.307.670
- Rx Rate (L1) (Bit/s)	109,54 K	286,84 K	894,98 K	800 M	800 M	799,99 M
- Rx Rate (Fps)	163	242	405	187.970	95.785	76.922
- Flood Count (Frames)	92	91	94	90	92	92
P-0-2-5						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	4.888	7.271	12.159	5.639.087	2.873.561	2.307.673
- Rx Rate (L1) (Bit/s)	109,49 K	286,96 K	894,9 K	800 M	800 M	799,99 M
- Rx Rate (Fps)	163	242	405	187.970	95.785	76.922
- Flood Count (Frames)	91	93	95	93	91	95
P-0-4-0						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	4.838	7.131	12.145	5.639.087	2.873.559	2.307.662
- Rx Rate (L1) (Bit/s)	108,37 K	281,44 K	893,87 K	800 M	800 M	799,99 M
- Rx Rate (Fps)	161	238	405	187.970	95.785	76.922
- Flood Count (Frames)	94	93	96	93	92	91
P-0-4-1						

Image not found.


- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	4.768	6.992	12.116	5.639.087	2.873.561	2.307.658
- Rx Rate (L1) (Bit/s)	106,8 K	275,95 K	891,74 K	800 M	800 M	799,99 M
- Rx Rate (Fps)	159	233	404	187.970	95.785	76.922
- Flood Count (Frames)	89	95	93	93	92	92
P-0-4-2						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	4.720	6.828	12.017	5.639.087	2.873.559	2.307.659
- Rx Rate (L1) (Bit/s)	105,73 K	269,48 K	884,45 K	800 M	800 M	799,99 M
- Rx Rate (Fps)	157	228	401	187.970	95.785	76.922
- Flood Count (Frames)	93	90	97	94	95	95
P-0-4-3						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	4.482	6.649	11.951	5.639.087	2.873.561	2.307.666
- Rx Rate (L1) (Bit/s)	100,4 K	262,41 K	879,59 K	800 M	800 M	799,99 M
- Rx Rate (Fps)	149	222	398	187.970	95.785	76.922
- Flood Count (Frames)	96	94	90	92	93	90
P-0-4-4						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	4.284	6.444	11.875	5.639.087	2.873.560	2.307.671
- Rx Rate (L1) (Bit/s)	95,96 K	254,32 K	874 K	800 M	800 M	799,99 M
- Rx Rate (Fps)	143	215	396	187.970	95.785	76.922
- Flood Count (Frames)	90	88	95	94	94	90
P-0-4-5						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	4.078	6.330	11.783	5.639.087	2.873.560	2.307.650
- Rx Rate (L1) (Bit/s)	91,35 K	249,82 K	867,23 K	800 M	800 M	799,99 M
- Rx Rate (Fps)	136	211	393	187.970	95.785	76.922
- Flood Count (Frames)	92	93	92	92	93	92

<b>Frame Size</b>	<b>1518</b>
Result State	<b>PASS</b>
Iter. #	1
Tx Rate (Percent)	80 %
Tx Rate (L1) (Bit/s)	14,4 G
Tx Rate (Fps)	1.170.348
Rx Rate (Percent)	80 %
Rx Rate (L1) (Bit/s)	14,4 G
Rx Rate (Fps)	1,17 M
Loss Rate (Percent)	<b>0 %</b>
Loss (Frames)	<b>9</b>
P-0-0-0	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	1.950.580
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65.019
- Flood Count (Frames)	90
P-0-0-1	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	1.950.577
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65.019
- Flood Count (Frames)	92
P-0-0-2	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M

Image not found.

- Tx Rate (Fps)	65.019
- Rx (Frames)	1.950.580
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65.019
- Flood Count (Frames)	90
P-0-0-3	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	1.950.579
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65.019
- Flood Count (Frames)	91
P-0-0-4	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	1.950.580
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65.019
- Flood Count (Frames)	92
P-0-0-5	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	1.950.578
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65.019
- Flood Count (Frames)	94
P-0-2-0	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	1.950.580
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65.019
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	1.950.579
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65.019
- Flood Count (Frames)	93
P-0-2-2	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	1.950.580
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65.019
- Flood Count (Frames)	93
P-0-2-3	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	1.950.578
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65.019
- Flood Count (Frames)	92
P-0-2-4	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	1.950.580
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65.019
- Flood Count (Frames)	91
P-0-2-5	
- Tx (Frames)	1.950.580

- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	1.950.580
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65.019
- Flood Count (Frames)	90
P-0-4-0	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	1.950.580
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65.019
- Flood Count (Frames)	95
P-0-4-1	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	1.950.580
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65.019
- Flood Count (Frames)	95
P-0-4-2	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	1.950.580
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65.019
- Flood Count (Frames)	90
P-0-4-3	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	1.950.580
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65.019
- Flood Count (Frames)	93
P-0-4-4	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	1.950.580
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65.019
- Flood Count (Frames)	92
P-0-4-5	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	1.950.580
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65.019
- Flood Count (Frames)	94



### Results for 90,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	90 %	90 %	90 %	90 %	90 %	90 %
Tx Rate (L1) (Bit/s)	16,2 G	16,2 G	16,2 G	16,2 G	16,2 G	16,2 G
Tx Rate (Fps)	24.107.139	13.682.423	7.336.952	3.806.385	1.939.652	1.557.683
Rx Rate (Percent)	0,01 %	0,02 %	0,08 %	90 %	90 %	90 %
Rx Rate (L1) (Bit/s)	1,59 M	4,39 M	14,42 M	16,2 G	16,2 G	16,2 G
Rx Rate (Fps)	2,37 K	3,7 K	6,53 K	3,81 M	1,94 M	1,56 M
Loss Rate (Percent)	99,99 %	99,97 %	99,91 %	0 %	0 %	0 %
Loss (Frames)	723.143.064	410.361.557	219.912.599	0	5	1.518
P-0-0-0						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	2.694	5.294	10.439	6.343.975	3.232.754	2.596.129
- Rx Rate (L1) (Bit/s)	60,35 K	208,94 K	768,31 K	900 M	900 M	899,99 M
- Rx Rate (Fps)	90	176	348	211.466	107.758	86.538
- Flood Count (Frames)	89	93	95	90	91	93
P-0-0-1						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	3.489	5.547	10.574	6.343.975	3.232.754	2.596.130
- Rx Rate (L1) (Bit/s)	78,15 K	218,92 K	778,25 K	900 M	900 M	899,99 M
- Rx Rate (Fps)	116	185	352	211.466	107.758	86.538
- Flood Count (Frames)	88	92	95	91	92	90
P-0-0-2						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	3.837	5.748	10.683	6.343.975	3.232.754	2.596.130
- Rx Rate (L1) (Bit/s)	85,95 K	226,85 K	786,27 K	900 M	900 M	899,99 M
- Rx Rate (Fps)	128	192	356	211.466	107.758	86.538
- Flood Count (Frames)	90	94	95	93	92	92
P-0-0-3						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	4.182	5.947	10.789	6.343.975	3.232.754	2.596.131
- Rx Rate (L1) (Bit/s)	93,68 K	234,71 K	794,07 K	900 M	900 M	899,99 M
- Rx Rate (Fps)	139	198	360	211.466	107.758	86.538
- Flood Count (Frames)	93	94	93	92	95	95
P-0-0-4						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138



Image not found.

- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	4.183	6.143	10.895	6.343.975	3.232.754	2.596.131
- Rx Rate (L1) (Bit/s)	93,7 K	242,44 K	801,87 K	900 M	900 M	899,99 M
- Rx Rate (Fps)	139	205	363	211.466	107.758	86.538
- Flood Count (Frames)	95	92	91	96	94	93
P-0-0-5						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	4.184	6.341	11.002	6.343.975	3.232.754	2.596.125
- Rx Rate (L1) (Bit/s)	93,72 K	250,26 K	809,75 K	900 M	900 M	899,99 M
- Rx Rate (Fps)	139	211	367	211.466	107.758	86.538
- Flood Count (Frames)	91	94	93	95	93	92
P-0-2-0						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	4.184	6.538	11.107	6.343.975	3.232.754	2.596.138
- Rx Rate (L1) (Bit/s)	93,72 K	258,03 K	817,48 K	900 M	900 M	899,99 M
- Rx Rate (Fps)	139	218	370	211.466	107.758	86.538
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	4.184	6.540	11.112	6.343.975	3.232.753	2.595.713
- Rx Rate (L1) (Bit/s)	93,72 K	258,11 K	817,84 K	900 M	900 M	899,85 M
- Rx Rate (Fps)	139	218	370	211.466	107.758	86.524
- Flood Count (Frames)	93	92	93	91	93	90
P-0-2-2						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	4.184	6.540	11.115	6.343.975	3.232.754	2.595.726
- Rx Rate (L1) (Bit/s)	93,72 K	258,11 K	818,06 K	900 M	900 M	899,85 M
- Rx Rate (Fps)	139	218	371	211.466	107.758	86.524
- Flood Count (Frames)	94	94	92	92	92	89
P-0-2-3						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	4.184	6.541	11.112	6.343.975	3.232.754	2.595.609
- Rx Rate (L1) (Bit/s)	93,72 K	258,15 K	817,84 K	900 M	900 M	899,81 M
- Rx Rate (Fps)	139	218	370	211.466	107.758	86.520
- Flood Count (Frames)	90	92	94	94	92	94
P-0-2-4						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	4.182	6.541	11.115	6.343.975	3.232.754	2.596.131
- Rx Rate (L1) (Bit/s)	93,68 K	258,15 K	818,06 K	900 M	900 M	899,99 M
- Rx Rate (Fps)	139	218	371	211.466	107.758	86.538
- Flood Count (Frames)	93	95	90	93	95	92
P-0-2-5						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	4.182	6.541	11.113	6.343.975	3.232.754	2.596.130
- Rx Rate (L1) (Bit/s)	93,68 K	258,15 K	817,92 K	900 M	900 M	899,99 M
- Rx Rate (Fps)	139	218	370	211.466	107.758	86.538
- Flood Count (Frames)	89	91	95	92	90	90
P-0-4-0						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	4.182	6.540	11.030	6.343.975	3.232.754	2.596.106
- Rx Rate (L1) (Bit/s)	93,68 K	258,11 K	811,81 K	900 M	900 M	899,98 M
- Rx Rate (Fps)	139	218	368	211.466	107.758	86.537
- Flood Count (Frames)	93	94	95	95	93	90
P-0-4-1						


Image not found.

- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	4.182	6.380	10.944	6.343.975	3.232.754	2.596.130
- Rx Rate (L1) (Bit/s)	93,68 K	251,8 K	805,48 K	900 M	900 M	899,99 M
- Rx Rate (Fps)	139	213	365	211.466	107.758	86.538
- Flood Count (Frames)	93	96	92	93	91	93
P-0-4-2						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	4.183	6.223	10.855	6.343.975	3.232.753	2.596.131
- Rx Rate (L1) (Bit/s)	93,7 K	245,6 K	798,93 K	900 M	900 M	899,99 M
- Rx Rate (Fps)	139	207	362	211.466	107.758	86.538
- Flood Count (Frames)	95	92	95	92	91	92
P-0-4-3						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	3.909	6.065	10.774	6.343.975	3.232.752	2.596.132
- Rx Rate (L1) (Bit/s)	87,56 K	239,37 K	792,97 K	900 M	900 M	899,99 M
- Rx Rate (Fps)	130	202	359	211.466	107.758	86.538
- Flood Count (Frames)	92	88	90	90	93	94
P-0-4-4						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	3.628	5.907	10.690	6.343.975	3.232.754	2.596.120
- Rx Rate (L1) (Bit/s)	81,27 K	233,13 K	786,78 K	900 M	900 M	899,99 M
- Rx Rate (Fps)	121	197	356	211.466	107.758	86.537
- Flood Count (Frames)	92	89	93	94	93	93
P-0-4-5						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	3.353	5.751	10.606	6.343.975	3.232.753	2.596.124
- Rx Rate (L1) (Bit/s)	75,11 K	226,97 K	780,6 K	900 M	900 M	899,99 M
- Rx Rate (Fps)	112	192	354	211.466	107.758	86.537
- Flood Count (Frames)	92	90	94	90	88	92

<b>Frame Size</b>	<b>1518</b>
Result State	PASS
Iter. #	1
Tx Rate (Percent)	90 %
Tx Rate (L1) (Bit/s)	16,2 G
Tx Rate (Fps)	1.316.636
Rx Rate (Percent)	90 %
Rx Rate (L1) (Bit/s)	16,2 G
Rx Rate (Fps)	1,32 M
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	2.194.394
- Rx Rate (L1) (Bit/s)	899,99 M
- Rx Rate (Fps)	73.146
- Flood Count (Frames)	95
P-0-0-1	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	2.194.394
- Rx Rate (L1) (Bit/s)	899,99 M
- Rx Rate (Fps)	73.146
- Flood Count (Frames)	90
P-0-0-2	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M

- Tx Rate (Fps)	73.146
- Rx (Frames)	2.194.394
- Rx Rate (L1) (Bit/s)	899,99 M
- Rx Rate (Fps)	73.146
- Flood Count (Frames)	89
P-0-0-3	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	2.194.394
- Rx Rate (L1) (Bit/s)	899,99 M
- Rx Rate (Fps)	73.146
- Flood Count (Frames)	92
P-0-0-4	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	2.194.394
- Rx Rate (L1) (Bit/s)	899,99 M
- Rx Rate (Fps)	73.146
- Flood Count (Frames)	93
P-0-0-5	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	2.194.394
- Rx Rate (L1) (Bit/s)	899,99 M
- Rx Rate (Fps)	73.146
- Flood Count (Frames)	91
P-0-2-0	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	2.194.394
- Rx Rate (L1) (Bit/s)	899,99 M
- Rx Rate (Fps)	73.146
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	2.194.394
- Rx Rate (L1) (Bit/s)	899,99 M
- Rx Rate (Fps)	73.146
- Flood Count (Frames)	91
P-0-2-2	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	2.194.394
- Rx Rate (L1) (Bit/s)	899,99 M
- Rx Rate (Fps)	73.146
- Flood Count (Frames)	88
P-0-2-3	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	2.194.394
- Rx Rate (L1) (Bit/s)	899,99 M
- Rx Rate (Fps)	73.146
- Flood Count (Frames)	94
P-0-2-4	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	2.194.394
- Rx Rate (L1) (Bit/s)	899,99 M
- Rx Rate (Fps)	73.146
- Flood Count (Frames)	90
P-0-2-5	
- Tx (Frames)	2.194.394

- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	2.194.394
- Rx Rate (L1) (Bit/s)	899,99 M
- Rx Rate (Fps)	73.146
- Flood Count (Frames)	93
P-0-4-0	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	2.194.394
- Rx Rate (L1) (Bit/s)	899,99 M
- Rx Rate (Fps)	73.146
- Flood Count (Frames)	90
P-0-4-1	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	2.194.394
- Rx Rate (L1) (Bit/s)	899,99 M
- Rx Rate (Fps)	73.146
- Flood Count (Frames)	93
P-0-4-2	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	2.194.394
- Rx Rate (L1) (Bit/s)	899,99 M
- Rx Rate (Fps)	73.146
- Flood Count (Frames)	93
P-0-4-3	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	2.194.394
- Rx Rate (L1) (Bit/s)	899,99 M
- Rx Rate (Fps)	73.146
- Flood Count (Frames)	93
P-0-4-4	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	2.194.394
- Rx Rate (L1) (Bit/s)	899,99 M
- Rx Rate (Fps)	73.146
- Flood Count (Frames)	92
P-0-4-5	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	2.194.394
- Rx Rate (L1) (Bit/s)	899,99 M
- Rx Rate (Fps)	73.146
- Flood Count (Frames)	94



### Results for 100,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	100 %	100 %	100 %	100 %	100 %	100 %
Tx Rate (L1) (Bit/s)	18 G	18 G	18 G	18 G	18 G	18 G
Tx Rate (Fps)	26.785.710	15.202.702	8.152.166	4.229.318	2.155.168	1.730.767
Rx Rate (Percent)	0,01 %	0,02 %	0,08 %	99,11 %	99,48 %	99,53 %
Rx Rate (L1) (Bit/s)	1,58 M	4,1 M	13,69 M	17,84 G	17,91 G	17,92 G
Rx Rate (Fps)	2,35 K	3,47 K	6,2 K	4,19 M	2,14 M	1,72 M
Loss Rate (Percent)	99,99 %	99,98 %	99,92 %	0,89 %	0,52 %	0,47 %
Loss (Frames)	803.500.736	455.977.098	244.379.006	1.124.337	334.438	243.331
P-0-0-0						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	2.940	4.722	9.645	6.983.330	3.571.198	2.870.064
- Rx Rate (L1) (Bit/s)	65,86 K	186,36 K	709,87 K	990,7 M	994,22 M	994,96 M
- Rx Rate (Fps)	98	157	322	232.778	119.040	95.669
- Flood Count (Frames)	92	93	92	93	92	92
P-0-0-1						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	3.428	5.252	9.961	6.989.323	3.573.372	2.870.531
- Rx Rate (L1) (Bit/s)	76,79 K	207,28 K	733,13 K	991,55 M	994,83 M	995,12 M
- Rx Rate (Fps)	114	175	332	232.977	119.112	95.684
- Flood Count (Frames)	93	93	92	91	92	89
P-0-0-2						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	3.809	5.470	10.099	6.988.129	3.572.811	2.870.816
- Rx Rate (L1) (Bit/s)	85,32 K	215,88 K	743,29 K	991,38 M	994,67 M	995,22 M
- Rx Rate (Fps)	127	182	337	232.938	119.094	95.694
- Flood Count (Frames)	95	92	93	91	92	95
P-0-0-3						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	4.187	5.686	10.216	6.988.878	3.573.485	2.870.662
- Rx Rate (L1) (Bit/s)	93,79 K	224,41 K	751,9 K	991,49 M	994,86 M	995,16 M
- Rx Rate (Fps)	140	190	341	232.963	119.116	95.689
- Flood Count (Frames)	93	90	90	91	94	93
P-0-0-4						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611

Image not found.

- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	4.188	5.902	10.309	6.987.864	3.573.039	2.871.184
- Rx Rate (L1) (Bit/s)	93,81 K	232,93 K	758,74 K	991,34 M	994,73 M	995,34 M
- Rx Rate (Fps)	140	197	344	232.929	119.101	95.706
- Flood Count (Frames)	95	90	90	86	94	91
P-0-0-5						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	4.189	6.116	10.444	6.987.905	3.573.206	2.870.740
- Rx Rate (L1) (Bit/s)	93,83 K	241,38 K	768,68 K	991,35 M	994,78 M	995,19 M
- Rx Rate (Fps)	140	204	348	232.930	119.107	95.691
- Flood Count (Frames)	94	93	91	92	94	87
P-0-2-0						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	4.189	6.117	10.542	6.988.447	3.576.852	2.875.249
- Rx Rate (L1) (Bit/s)	93,83 K	241,42 K	775,89 K	991,43 M	995,8 M	996,75 M
- Rx Rate (Fps)	140	204	351	232.948	119.228	95.842
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	4.185	6.119	10.642	6.987.387	3.573.112	2.870.931
- Rx Rate (L1) (Bit/s)	93,74 K	241,5 K	783,25 K	991,28 M	994,75 M	995,26 M
- Rx Rate (Fps)	140	204	355	232.913	119.104	95.698
- Flood Count (Frames)	92	93	90	91	90	93
P-0-2-2						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	4.185	6.120	10.655	6.987.990	3.572.831	2.871.072
- Rx Rate (L1) (Bit/s)	93,74 K	241,54 K	784,21 K	991,36 M	994,68 M	995,3 M
- Rx Rate (Fps)	140	204	355	232.933	119.094	95.702
- Flood Count (Frames)	93	91	94	86	91	94
P-0-2-3						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	4.185	6.119	10.684	6.987.733	3.572.311	2.870.911
- Rx Rate (L1) (Bit/s)	93,74 K	241,5 K	786,34 K	991,33 M	994,53 M	995,25 M
- Rx Rate (Fps)	140	204	356	232.924	119.077	95.697
- Flood Count (Frames)	92	95	92	91	94	93
P-0-2-4						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	4.186	6.119	10.704	6.986.474	3.572.737	2.870.853
- Rx Rate (L1) (Bit/s)	93,77 K	241,5 K	787,81 K	991,15 M	994,65 M	995,23 M
- Rx Rate (Fps)	140	204	357	232.882	119.091	95.695
- Flood Count (Frames)	94	95	91	91	92	93
P-0-2-5						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	4.186	6.118	10.632	6.985.083	3.572.828	2.870.383
- Rx Rate (L1) (Bit/s)	93,77 K	241,46 K	782,52 K	990,95 M	994,68 M	995,07 M
- Rx Rate (Fps)	140	204	354	232.836	119.094	95.679
- Flood Count (Frames)	93	93	94	88	93	91
P-0-4-0						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	4.186	6.117	10.499	6.984.392	3.574.861	2.870.700
- Rx Rate (L1) (Bit/s)	93,77 K	241,42 K	772,73 K	990,85 M	995,24 M	995,18 M
- Rx Rate (Fps)	140	204	350	232.813	119.162	95.690
- Flood Count (Frames)	90	93	91	91	91	87
P-0-4-1						

Image not found.

- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	4.187	5.945	10.373	6.985.073	3.574.160	2.871.107
- Rx Rate (L1) (Bit/s)	93,79 K	234,63 K	763,45 K	990,95 M	995,05 M	995,32 M
- Rx Rate (Fps)	140	198	346	232.836	119.139	95.704
- Flood Count (Frames)	90	91	91	91	92	88
P-0-4-2						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	3.888	5.772	10.308	6.983.987	3.573.337	2.871.054
- Rx Rate (L1) (Bit/s)	87,09 K	227,8 K	758,67 K	990,79 M	994,82 M	995,3 M
- Rx Rate (Fps)	130	192	344	232.800	119.111	95.702
- Flood Count (Frames)	95	90	93	95	91	90
P-0-4-3						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	3.585	5.597	10.192	6.983.623	3.573.043	2.871.289
- Rx Rate (L1) (Bit/s)	80,3 K	220,89 K	750,13 K	990,74 M	994,74 M	995,38 M
- Rx Rate (Fps)	120	187	340	232.787	119.101	95.710
- Flood Count (Frames)	93	93	94	95	92	90
P-0-4-4						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	3.581	5.424	10.091	6.984.067	3.573.408	2.871.308
- Rx Rate (L1) (Bit/s)	80,21 K	214,07 K	742,7 K	990,81 M	994,84 M	995,39 M
- Rx Rate (Fps)	119	181	336	232.802	119.114	95.710
- Flood Count (Frames)	92	91	96	95	90	92
P-0-4-5						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	3.280	5.253	9.990	6.985.512	3.574.017	2.870.813
- Rx Rate (L1) (Bit/s)	73,47 K	207,32 K	735,26 K	991,01 M	995,01 M	995,22 M
- Rx Rate (Fps)	109	175	333	232.850	119.134	95.694
- Flood Count (Frames)	90	94	93	89	94	93


<b>Frame Size</b>	<b>1518</b>
Result State	<b>PASS</b>
Iter. #	1
Tx Rate (Percent)	100 %
Tx Rate (L1) (Bit/s)	18 G
Tx Rate (Fps)	1.462.935
Rx Rate (Percent)	99,56 %
Rx Rate (L1) (Bit/s)	17,92 G
Rx Rate (Fps)	1,46 M
Loss Rate (Percent)	<b>0,44 %</b>
Loss (Frames)	<b>192.267</b>
P-0-0-0	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	2.426.163
- Rx Rate (L1) (Bit/s)	995,05 M
- Rx Rate (Fps)	80.872
- Flood Count (Frames)	93
P-0-0-1	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	2.427.328
- Rx Rate (L1) (Bit/s)	995,53 M
- Rx Rate (Fps)	80.911
- Flood Count (Frames)	95
P-0-0-2	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M

- Tx Rate (Fps)	81.274
- Rx (Frames)	2.427.537
- Rx Rate (L1) (Bit/s)	995,61 M
- Rx Rate (Fps)	80.918
- Flood Count (Frames)	91
P-0-0-3	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	2.427.724
- Rx Rate (L1) (Bit/s)	995,69 M
- Rx Rate (Fps)	80.924
- Flood Count (Frames)	90
P-0-0-4	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	2.426.777
- Rx Rate (L1) (Bit/s)	995,3 M
- Rx Rate (Fps)	80.893
- Flood Count (Frames)	93
P-0-0-5	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	2.428.210
- Rx Rate (L1) (Bit/s)	995,89 M
- Rx Rate (Fps)	80.940
- Flood Count (Frames)	91
P-0-2-0	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	2.431.696
- Rx Rate (L1) (Bit/s)	997,32 M
- Rx Rate (Fps)	81.057
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	2.427.926
- Rx Rate (L1) (Bit/s)	995,77 M
- Rx Rate (Fps)	80.931
- Flood Count (Frames)	90
P-0-2-2	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	2.427.262
- Rx Rate (L1) (Bit/s)	995,5 M
- Rx Rate (Fps)	80.909
- Flood Count (Frames)	91
P-0-2-3	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	2.427.289
- Rx Rate (L1) (Bit/s)	995,51 M
- Rx Rate (Fps)	80.910
- Flood Count (Frames)	92
P-0-2-4	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	2.427.417
- Rx Rate (L1) (Bit/s)	995,56 M
- Rx Rate (Fps)	80.914
- Flood Count (Frames)	95
P-0-2-5	
- Tx (Frames)	2.438.225



- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	2.426.866
- Rx Rate (L1) (Bit/s)	995,34 M
- Rx Rate (Fps)	80.896
- Flood Count (Frames)	93
P-0-4-0	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	2.427.019
- Rx Rate (L1) (Bit/s)	995,4 M
- Rx Rate (Fps)	80.901
- Flood Count (Frames)	91
P-0-4-1	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	2.426.793
- Rx Rate (L1) (Bit/s)	995,31 M
- Rx Rate (Fps)	80.893
- Flood Count (Frames)	90
P-0-4-2	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	2.427.423
- Rx Rate (L1) (Bit/s)	995,57 M
- Rx Rate (Fps)	80.914
- Flood Count (Frames)	93
P-0-4-3	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	2.427.829
- Rx Rate (L1) (Bit/s)	995,73 M
- Rx Rate (Fps)	80.928
- Flood Count (Frames)	91
P-0-4-4	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	2.427.448
- Rx Rate (L1) (Bit/s)	995,58 M
- Rx Rate (Fps)	80.915
- Flood Count (Frames)	91
P-0-4-5	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	2.427.076
- Rx Rate (L1) (Bit/s)	995,42 M
- Rx Rate (Fps)	80.903
- Flood Count (Frames)	91

Image not found.



## Rate Test: Part.Mesh, 1:N Results

### Test Setup

Duration: 30 seconds  
 Iteration: 1  
 Topology: Blocks  
 Direction: Bidirectional

### Throughput Options

Initial Rate: 10,00%  
 Maximum Rate: 100,00%  
 Minimum Rate: 10,00%  
 Resolution: 10,00%

### Used Ports

Port ID	Port Role
P-0-0-0	East
P-0-0-1	West
P-0-0-2	West
P-0-0-3	West
P-0-0-4	West
P-0-0-5	West
P-0-2-0	West
P-0-2-1	West
P-0-2-2	West
P-0-2-3	West
P-0-2-4	West
P-0-2-5	West
P-0-4-0	West
P-0-4-1	West
P-0-4-2	West
P-0-4-3	West
P-0-4-4	West
P-0-4-5	West

### Throughput Test Results

Frame Size	64	128	256	512	1024	1280
Result State	FAIL	FAIL	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Tx Rate (L1) (Bit/s)	1,8 G	1,8 G	1,8 G	1,8 G	1,8 G	1,8 G
Tx Rate (Fps)	2.678.571	1.520.270	815.217	422.932	215.517	173.076
Rx Rate (Percent)	5,87 %	5,97 %	6,04 %	6,07 %	6,09 %	6,1 %
Rx Rate (L1) (Bit/s)	1,06 G	1,07 G	1,09 G	1,09 G	1,1 G	1,1 G
Rx Rate (Fps)	1,57 M	907,47 K	492,08 K	256,88 K	131,34 K	105,55 K
Loss Rate (Percent)	41,34 %	40,31 %	39,64 %	39,26 %	39,06 %	39,02 %
Loss (Frames)	33.221.903	18.383.975	9.693.998	4.981.407	2.525.194	2.025.820
P-0-0-0						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	42.672.999	24.690.336	13.403.817	7.001.672	3.581.121	2.878.017
- Rx Rate (L1) (Bit/s)	955,88 M	974,45 M	986,52 M	993,3 M	996,98 M	997,71 M
- Rx Rate (Fps)	1.422.433	823.011	446.794	233.389	119.371	95.934
- Flood Count (Frames)	46	55	64	49	44	56
P-0-0-1						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	262.588	149.046	79.923	41.463	21.129	16.968
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.753	4.968	2.664	1.382	704	566

- Flood Count (Frames)	93	93	94	94	91	95
P-0-0-2						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	262.580	149.046	79.923	41.463	21.129	16.968
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.753	4.968	2.664	1.382	704	566
- Flood Count (Frames)	91	90	93	91	92	92
P-0-0-3						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	262.444	149.046	79.923	41.463	21.129	16.968
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.748	4.968	2.664	1.382	704	566
- Flood Count (Frames)	90	93	92	90	89	94
P-0-0-4						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	262.502	149.046	79.923	41.463	21.129	16.968
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.750	4.968	2.664	1.382	704	566
- Flood Count (Frames)	91	95	92	95	92	93
P-0-0-5						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	262.525	149.046	79.923	41.463	21.129	16.968
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.751	4.968	2.664	1.382	704	566
- Flood Count (Frames)	93	93	93	91	90	90
P-0-2-0						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	262.478	149.046	79.923	41.463	21.129	16.968
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.749	4.968	2.664	1.382	704	566
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	262.463	149.046	79.923	41.463	21.129	16.968
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.749	4.968	2.664	1.382	704	566
- Flood Count (Frames)	92	93	90	91	95	93
P-0-2-2						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	262.503	149.046	79.923	41.463	21.129	16.968
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.750	4.968	2.664	1.382	704	566
- Flood Count (Frames)	89	93	93	92	93	92
P-0-2-3						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	262.492	149.046	79.923	41.463	21.129	16.968
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.750	4.968	2.664	1.382	704	566
- Flood Count (Frames)	90	90	92	92	95	92
P-0-2-4						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	262.393	149.046	79.923	41.463	21.129	16.968
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M

Image not found.

- Rx Rate (Fps)	8.746	4.968	2.664	1.382	704	566
- Flood Count (Frames)	93	96	92	89	92	91
P-0-2-5						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	262.484	149.046	79.923	41.463	21.129	16.968
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.749	4.968	2.664	1.382	704	566
- Flood Count (Frames)	92	94	92	95	95	91
P-0-4-0						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	262.518	149.046	79.923	41.463	21.129	16.968
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.751	4.968	2.664	1.382	704	566
- Flood Count (Frames)	95	96	94	94	94	94
P-0-4-1						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	262.385	149.046	79.923	41.463	21.129	16.968
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.746	4.968	2.664	1.382	704	566
- Flood Count (Frames)	90	95	92	95	91	93
P-0-4-2						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	262.461	149.046	79.923	41.463	21.129	16.968
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.749	4.968	2.664	1.382	704	566
- Flood Count (Frames)	93	93	92	92	95	91
P-0-4-3						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	262.506	149.046	79.923	41.463	21.129	16.968
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.750	4.968	2.664	1.382	704	566
- Flood Count (Frames)	93	93	97	95	91	96
P-0-4-4						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	262.464	149.046	79.923	41.463	21.129	16.968
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.749	4.968	2.664	1.382	704	566
- Flood Count (Frames)	92	95	93	95	89	95
P-0-4-5						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	262.442	149.046	79.923	41.463	21.129	16.968
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.748	4.968	2.664	1.382	704	566
- Flood Count (Frames)	93	90	92	91	93	93


<b>Frame Size</b>	<b>1518</b>
Result State	<b>FAIL</b>
Iter. #	1
Tx Rate (Percent)	10 %
Tx Rate (L1) (Bit/s)	1,8 G
Tx Rate (Fps)	146.294
Rx Rate (Percent)	6,1 %
Rx Rate (L1) (Bit/s)	1,1 G
Rx Rate (Fps)	89,26 K
Loss Rate (Percent)	<b>38,99 %</b>
Loss (Frames)	<b>1.711.108</b>

P-0-0-0	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	2.433.883
- Rx Rate (L1) (Bit/s)	998,22 M
- Rx Rate (Fps)	81.129
- Flood Count (Frames)	45
P-0-0-1	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	14.342
- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	88
P-0-0-2	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	14.342
- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	91
P-0-0-3	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	14.342
- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	94
P-0-0-4	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	14.342
- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	92
P-0-0-5	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	14.342
- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	92
P-0-2-0	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	14.342
- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	14.342
- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	95
P-0-2-2	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	14.342
- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478

- Flood Count (Frames)	93
P-0-2-3	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	14.342
- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	92
P-0-2-4	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	14.342
- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	96
P-0-2-5	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	14.342
- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	93
P-0-4-0	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	14.342
- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	96
P-0-4-1	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	14.342
- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	91
P-0-4-2	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	14.342
- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	95
P-0-4-3	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	14.342
- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	88
P-0-4-4	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	14.342
- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	93
P-0-4-5	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	14.342
- Rx Rate (L1) (Bit/s)	5,88 M

- Rx Rate (Fps)	478
- Flood Count (Frames)	94

Note: One or more of the rate tests did not pass the test criteria!



## Forwarding Test Results

### Results for 10,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Tx Rate (L1) (Bit/s)	1,8 G	1,8 G	1,8 G	1,8 G	1,8 G	1,8 G
Tx Rate (Fps)	2.678.571	1.520.270	815.217	422.932	215.517	173.076
Rx Rate (Percent)	5,87 %	5,97 %	6,04 %	6,07 %	6,09 %	6,1 %
Rx Rate (L1) (Bit/s)	1,06 G	1,07 G	1,09 G	1,09 G	1,1 G	1,1 G
Rx Rate (Fps)	1,57 M	907,49 K	492,07 K	256,88 K	131,34 K	105,55 K
Loss Rate (Percent)	41,34 %	40,31 %	39,64 %	39,26 %	39,06 %	39,02 %
Loss (Frames)	33.216.488	18.383.434	9.694.436	4.981.434	2.525.320	2.025.859
P-0-0-0						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	42.677.497	24.690.877	13.403.379	7.001.645	3.580.995	2.877.978
- Rx Rate (L1) (Bit/s)	955,98 M	974,47 M	986,49 M	993,3 M	996,95 M	997,7 M
- Rx Rate (Fps)	1.422.583	823.029	446.779	233.388	119.367	95.933
- Flood Count (Frames)	47	48	43	57	57	66
P-0-0-1						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	262.583	149.046	79.923	41.463	21.129	16.968
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.753	4.968	2.664	1.382	704	566
- Flood Count (Frames)	92	97	94	95	91	94
P-0-0-2						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	262.569	149.046	79.923	41.463	21.129	16.968
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.752	4.968	2.664	1.382	704	566
- Flood Count (Frames)	94	92	94	94	95	93



P-0-0-3						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	262.588	149.046	79.923	41.463	21.129	16.968
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.753	4.968	2.664	1.382	704	566
- Flood Count (Frames)	93	93	90	92	93	93
P-0-0-4						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	262.540	149.046	79.923	41.463	21.129	16.968
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.751	4.968	2.664	1.382	704	566
- Flood Count (Frames)	92	91	90	91	93	96
P-0-0-5						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	262.481	149.046	79.923	41.463	21.129	16.968
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.749	4.968	2.664	1.382	704	566
- Flood Count (Frames)	93	93	90	93	93	97
P-0-2-0						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	262.572	149.046	79.923	41.463	21.129	16.968
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.752	4.968	2.664	1.382	704	566
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	262.540	149.046	79.923	41.463	21.129	16.968
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.751	4.968	2.664	1.382	704	566
- Flood Count (Frames)	92	91	93	93	90	92
P-0-2-2						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	262.514	149.046	79.923	41.463	21.129	16.968
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.750	4.968	2.664	1.382	704	566
- Flood Count (Frames)	91	90	92	90	96	94
P-0-2-3						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	262.553	149.046	79.923	41.463	21.129	16.968
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.752	4.968	2.664	1.382	704	566
- Flood Count (Frames)	90	95	94	94	90	94
P-0-2-4						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	262.562	149.046	79.923	41.463	21.129	16.968
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.752	4.968	2.664	1.382	704	566
- Flood Count (Frames)	95	93	93	93	92	93
P-0-2-5						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	262.526	149.046	79.923	41.463	21.129	16.968
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.751	4.968	2.664	1.382	704	566


Image not found.

- Flood Count (Frames)	93	98	93	95	93	93
P-0-4-0						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	262.505	149.046	79.923	41.463	21.129	16.968
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.750	4.968	2.664	1.382	704	566
- Flood Count (Frames)	90	91	92	92	93	93
P-0-4-1						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	262.561	149.046	79.923	41.463	21.129	16.968
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.752	4.968	2.664	1.382	704	566
- Flood Count (Frames)	93	92	91	92	93	94
P-0-4-2						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	262.517	149.046	79.923	41.463	21.129	16.968
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.751	4.968	2.664	1.382	704	566
- Flood Count (Frames)	95	94	95	92	90	92
P-0-4-3						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	262.454	149.046	79.923	41.463	21.129	16.968
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.748	4.968	2.664	1.382	704	566
- Flood Count (Frames)	92	93	93	91	92	90
P-0-4-4						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	262.559	149.046	79.923	41.463	21.129	16.968
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.752	4.968	2.664	1.382	704	566
- Flood Count (Frames)	93	92	93	92	94	94
P-0-4-5						
- Tx (Frames)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	262.521	149.046	79.923	41.463	21.129	16.968
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.751	4.968	2.664	1.382	704	566
- Flood Count (Frames)	92	94	92	92	92	90

<b>Frame Size</b>	<b>1518</b>
Result State	PASS
Iter. #	1
Tx Rate (Percent)	10 %
Tx Rate (L1) (Bit/s)	1,8 G
Tx Rate (Fps)	146.294
Rx Rate (Percent)	6,1 %
Rx Rate (L1) (Bit/s)	1,1 G
Rx Rate (Fps)	89,25 K
Loss Rate (Percent)	38,99 %
Loss (Frames)	1.711.247
P-0-0-0	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	2.433.744
- Rx Rate (L1) (Bit/s)	998,16 M
- Rx Rate (Fps)	81.125
- Flood Count (Frames)	48
P-0-0-1	

- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	14.342
- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	93
P-0-0-2	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	14.342
- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	94
P-0-0-3	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	14.342
- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	92
P-0-0-4	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	14.342
- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	95
P-0-0-5	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	14.342
- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	93
P-0-2-0	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	14.342
- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	14.342
- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	94
P-0-2-2	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	14.342
- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	92
P-0-2-3	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	14.342
- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	91

P-0-2-4	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	14.342
- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	93
P-0-2-5	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	14.342
- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	93
P-0-4-0	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	14.342
- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	92
P-0-4-1	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	14.342
- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	93
P-0-4-2	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	14.342
- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	95
P-0-4-3	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	14.342
- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	96
P-0-4-4	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	14.342
- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	94
P-0-4-5	
- Tx (Frames)	243.823
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	14.342
- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	89



### Results for 20,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	20 %	20 %	20 %	20 %	20 %	20 %
Tx Rate (L1) (Bit/s)	3,6 G	3,6 G	3,6 G	3,6 G	3,6 G	3,6 G
Tx Rate (Fps)	5.357.143	3.040.540	1.630.434	845.864	431.034	346.153
Rx Rate (Percent)	0,02 %	6,53 %	6,59 %	6,63 %	6,65 %	6,66 %
Rx Rate (L1) (Bit/s)	3,07 M	1,17 G	1,19 G	1,19 G	1,2 G	1,2 G
Rx Rate (Fps)	4,57 K	992,38 K	537,63 K	280,51 K	143,37 K	115,22 K
Loss Rate (Percent)	99,91 %	67,36 %	67,03 %	66,84 %	66,74 %	66,71 %
Loss (Frames)	160.577.081	61.444.680	32.784.211	16.960.476	8.629.826	6.928.010
P-0-0-0						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	121.170	24.703.976	13.411.436	7.005.682	3.582.804	2.879.681
- Rx Rate (L1) (Bit/s)	2,71 M	974,98 M	987,08 M	993,87 M	997,45 M	998,29 M
- Rx Rate (Fps)	4.039	823.466	447.048	233.523	119.427	95.989
- Flood Count (Frames)	90	38	32	42	29	28
P-0-0-1						
- Tx (Frames)	8.928.571	5.067.567	2.717.391	1.409.774	718.390	576.923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	944	298.092	159.846	82.927	42.258	33.936
- Rx Rate (L1) (Bit/s)	21,15 K	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M
- Rx Rate (Fps)	31	9.936	5.328	2.764	1.409	1.131
- Flood Count (Frames)	93	93	90	91	92	93
P-0-0-2						
- Tx (Frames)	8.928.571	5.067.567	2.717.391	1.409.774	718.390	576.923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	944	298.091	159.846	82.927	42.258	33.936
- Rx Rate (L1) (Bit/s)	21,15 K	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M
- Rx Rate (Fps)	31	9.936	5.328	2.764	1.409	1.131
- Flood Count (Frames)	94	92	95	92	93	94
P-0-0-3						
- Tx (Frames)	8.928.571	5.067.567	2.717.391	1.409.774	718.390	576.923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	942	298.092	159.846	82.927	42.258	33.936
- Rx Rate (L1) (Bit/s)	21,1 K	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M
- Rx Rate (Fps)	31	9.936	5.328	2.764	1.409	1.131
- Flood Count (Frames)	93	97	90	93	94	99
P-0-0-4						
- Tx (Frames)	8.928.571	5.067.567	2.717.391	1.409.774	718.390	576.923

Image not found.

- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	943	298.091	159.846	82.927	42.258	33.936
- Rx Rate (L1) (Bit/s)	21,12 K	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M
- Rx Rate (Fps)	31	9.936	5.328	2.764	1.409	1.131
- Flood Count (Frames)	90	97	92	92	92	93
P-0-0-5						
- Tx (Frames)	8.928.571	5.067.567	2.717.391	1.409.774	718.390	576.923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	944	298.091	159.846	82.927	42.258	33.936
- Rx Rate (L1) (Bit/s)	21,15 K	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M
- Rx Rate (Fps)	31	9.936	5.328	2.764	1.409	1.131
- Flood Count (Frames)	93	94	93	93	92	92
P-0-2-0						
- Tx (Frames)	8.928.571	5.067.567	2.717.391	1.409.774	718.390	576.923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	942	298.090	159.846	82.927	42.258	33.936
- Rx Rate (L1) (Bit/s)	21,1 K	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M
- Rx Rate (Fps)	31	9.936	5.328	2.764	1.409	1.131
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	8.928.571	5.067.567	2.717.391	1.409.774	718.390	576.923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	942	298.091	159.846	82.927	42.258	33.936
- Rx Rate (L1) (Bit/s)	21,1 K	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M
- Rx Rate (Fps)	31	9.936	5.328	2.764	1.409	1.131
- Flood Count (Frames)	95	92	92	93	90	93
P-0-2-2						
- Tx (Frames)	8.928.571	5.067.567	2.717.391	1.409.774	718.390	576.923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	943	298.092	159.846	82.927	42.258	33.936
- Rx Rate (L1) (Bit/s)	21,12 K	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M
- Rx Rate (Fps)	31	9.936	5.328	2.764	1.409	1.131
- Flood Count (Frames)	90	92	93	93	95	89
P-0-2-3						
- Tx (Frames)	8.928.571	5.067.567	2.717.391	1.409.774	718.390	576.923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	944	298.091	159.846	82.927	42.258	33.936
- Rx Rate (L1) (Bit/s)	21,15 K	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M
- Rx Rate (Fps)	31	9.936	5.328	2.764	1.409	1.131
- Flood Count (Frames)	93	93	97	93	94	92
P-0-2-4						
- Tx (Frames)	8.928.571	5.067.567	2.717.391	1.409.774	718.390	576.923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	945	298.091	159.846	82.927	42.258	33.936
- Rx Rate (L1) (Bit/s)	21,17 K	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M
- Rx Rate (Fps)	32	9.936	5.328	2.764	1.409	1.131
- Flood Count (Frames)	90	91	93	94	95	92
P-0-2-5						
- Tx (Frames)	8.928.571	5.067.567	2.717.391	1.409.774	718.390	576.923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	945	298.090	159.846	82.927	42.258	33.936
- Rx Rate (L1) (Bit/s)	21,17 K	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M
- Rx Rate (Fps)	32	9.936	5.328	2.764	1.409	1.131
- Flood Count (Frames)	92	90	91	92	94	93
P-0-4-0						
- Tx (Frames)	8.928.571	5.067.567	2.717.391	1.409.774	718.390	576.923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	945	298.091	159.846	82.927	42.258	33.936
- Rx Rate (L1) (Bit/s)	21,17 K	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M
- Rx Rate (Fps)	32	9.936	5.328	2.764	1.409	1.131
- Flood Count (Frames)	90	90	91	90	94	93
P-0-4-1						

Image not found.

- Tx (Frames)	8.928.571	5.067.567	2.717.391	1.409.774	718.390	576.923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	941	298.091	159.846	82.927	42.258	33.936
- Rx Rate (L1) (Bit/s)	21,08 K	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M
- Rx Rate (Fps)	31	9.936	5.328	2.764	1.409	1.131
- Flood Count (Frames)	92	93	94	91	92	92
P-0-4-2						
- Tx (Frames)	8.928.571	5.067.567	2.717.391	1.409.774	718.390	576.923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	941	298.090	159.846	82.927	42.258	33.936
- Rx Rate (L1) (Bit/s)	21,08 K	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M
- Rx Rate (Fps)	31	9.936	5.328	2.764	1.409	1.131
- Flood Count (Frames)	90	90	91	88	94	93
P-0-4-3						
- Tx (Frames)	8.928.571	5.067.567	2.717.391	1.409.774	718.390	576.923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	942	298.091	159.846	82.927	42.258	33.936
- Rx Rate (L1) (Bit/s)	21,1 K	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M
- Rx Rate (Fps)	31	9.936	5.328	2.764	1.409	1.131
- Flood Count (Frames)	94	93	93	91	93	88
P-0-4-4						
- Tx (Frames)	8.928.571	5.067.567	2.717.391	1.409.774	718.390	576.923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	939	298.091	159.846	82.927	42.258	33.936
- Rx Rate (L1) (Bit/s)	21,03 K	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M
- Rx Rate (Fps)	31	9.936	5.328	2.764	1.409	1.131
- Flood Count (Frames)	94	90	90	92	93	93
P-0-4-5						
- Tx (Frames)	8.928.571	5.067.567	2.717.391	1.409.774	718.390	576.923
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	940	298.091	159.846	82.927	42.258	33.936
- Rx Rate (L1) (Bit/s)	21,06 K	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M
- Rx Rate (Fps)	31	9.936	5.328	2.764	1.409	1.131
- Flood Count (Frames)	91	93	90	90	95	91


<b>Frame Size</b>	<b>1518</b>
Result State	PASS
Iter. #	1
Tx Rate (Percent)	20 %
Tx Rate (L1) (Bit/s)	3,6 G
Tx Rate (Fps)	292.588
Rx Rate (Percent)	6,66 %
Rx Rate (L1) (Bit/s)	1,2 G
Rx Rate (Fps)	97,43 K
Loss Rate (Percent)	66,7 %
Loss (Frames)	5.854.787
P-0-0-0	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	2.435.195
- Rx Rate (L1) (Bit/s)	998,75 M
- Rx Rate (Fps)	81.173
- Flood Count (Frames)	44
P-0-0-1	
- Tx (Frames)	487.646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	28.685
- Rx Rate (L1) (Bit/s)	11,76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	95
P-0-0-2	
- Tx (Frames)	487.646
- Tx Rate (L1) (Bit/s)	200 M

Image not found.

- Tx Rate (Fps)	16.255
- Rx (Frames)	28.685
- Rx Rate (L1) (Bit/s)	11,76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	94
P-0-0-3	
- Tx (Frames)	487.646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	28.685
- Rx Rate (L1) (Bit/s)	11,76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	95
P-0-0-4	
- Tx (Frames)	487.646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	28.685
- Rx Rate (L1) (Bit/s)	11,76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	92
P-0-0-5	
- Tx (Frames)	487.646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	28.685
- Rx Rate (L1) (Bit/s)	11,76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	91
P-0-2-0	
- Tx (Frames)	487.646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	28.685
- Rx Rate (L1) (Bit/s)	11,76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	487.646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	28.685
- Rx Rate (L1) (Bit/s)	11,76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	92
P-0-2-2	
- Tx (Frames)	487.646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	28.685
- Rx Rate (L1) (Bit/s)	11,76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	90
P-0-2-3	
- Tx (Frames)	487.646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	28.685
- Rx Rate (L1) (Bit/s)	11,76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	93
P-0-2-4	
- Tx (Frames)	487.646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	28.685
- Rx Rate (L1) (Bit/s)	11,76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	92
P-0-2-5	
- Tx (Frames)	487.646



- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	28.685
- Rx Rate (L1) (Bit/s)	11,76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	92
P-0-4-0	
- Tx (Frames)	487.646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	28.685
- Rx Rate (L1) (Bit/s)	11,76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	94
P-0-4-1	
- Tx (Frames)	487.646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	28.685
- Rx Rate (L1) (Bit/s)	11,76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	92
P-0-4-2	
- Tx (Frames)	487.646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	28.685
- Rx Rate (L1) (Bit/s)	11,76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	95
P-0-4-3	
- Tx (Frames)	487.646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	28.685
- Rx Rate (L1) (Bit/s)	11,76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	91
P-0-4-4	
- Tx (Frames)	487.646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	28.685
- Rx Rate (L1) (Bit/s)	11,76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	95
P-0-4-5	
- Tx (Frames)	487.646
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	28.685
- Rx Rate (L1) (Bit/s)	11,76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	90



### Results for 30,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	30 %	30 %	30 %	30 %	30 %	30 %
Tx Rate (L1) (Bit/s)	5,4 G	5,4 G	5,4 G	5,4 G	5,4 G	5,4 G
Tx Rate (Fps)	8.035.714	4.560.810	2.445.651	1.268.796	646.551	519.230
Rx Rate (Percent)	0,01 %	6,86 %	7,15 %	7,19 %	7,21 %	7,21 %
Rx Rate (L1) (Bit/s)	2,15 M	1,23 G	1,29 G	1,29 G	1,3 G	1,3 G
Rx Rate (Fps)	3,19 K	1,04 M	583,06 K	304,05 K	155,37 K	124,84 K
Loss Rate (Percent)	99,96 %	77,13 %	76,16 %	76,04 %	75,97 %	75,96 %
Loss (Frames)	240.975.609	105.534.927	55.877.798	28.942.383	14.735.365	11.831.709
P-0-0-0						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	77.693	24.707.035	13.415.664	7.006.854	3.583.597	2.879.819
- Rx Rate (L1) (Bit/s)	1,74 M	975,1 M	987,39 M	994,04 M	997,67 M	998,34 M
- Rx Rate (Fps)	2.590	823.568	447.189	233.562	119.453	95.994
- Flood Count (Frames)	89	25	25	29	29	32
P-0-0-1						
- Tx (Frames)	13.392.857	7.601.351	4.076.086	2.114.661	1.077.586	865.384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.870	70.489	35.920	28.846
- Rx (Frames)	1.067	388.007	239.769	124.391	63.387	50.904
- Rx Rate (L1) (Bit/s)	23,9 K	15,31 M	17,65 M	17,65 M	17,65 M	17,65 M
- Rx Rate (Fps)	36	12.934	7.992	4.146	2.113	1.697
- Flood Count (Frames)	91	75	95	92	95	95
P-0-0-2						
- Tx (Frames)	13.392.857	7.601.351	4.076.086	2.114.661	1.077.586	865.384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.870	70.489	35.920	28.846
- Rx (Frames)	1.067	386.855	239.769	124.391	63.387	50.904
- Rx Rate (L1) (Bit/s)	23,9 K	15,27 M	17,65 M	17,65 M	17,65 M	17,65 M
- Rx Rate (Fps)	36	12.895	7.992	4.146	2.113	1.697
- Flood Count (Frames)	93	84	94	92	94	90
P-0-0-3						
- Tx (Frames)	13.392.857	7.601.351	4.076.086	2.114.661	1.077.586	865.384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.870	70.489	35.920	28.846
- Rx (Frames)	1.066	387.468	239.769	124.391	63.387	50.904
- Rx Rate (L1) (Bit/s)	23,88 K	15,29 M	17,65 M	17,65 M	17,65 M	17,65 M
- Rx Rate (Fps)	36	12.916	7.992	4.146	2.113	1.697
- Flood Count (Frames)	95	81	92	93	93	95
P-0-0-4						
- Tx (Frames)	13.392.857	7.601.351	4.076.086	2.114.661	1.077.586	865.384

Image not found.

- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.870	70.489	35.920	28.846
- Rx (Frames)	1.066	387.486	239.769	124.391	63.387	50.904
- Rx Rate (L1) (Bit/s)	23,88 K	15,29 M	17,65 M	17,65 M	17,65 M	17,65 M
- Rx Rate (Fps)	36	12.916	7.992	4.146	2.113	1.697
- Flood Count (Frames)	96	78	94	91	91	93
P-0-0-5						
- Tx (Frames)	13.392.857	7.601.351	4.076.086	2.114.661	1.077.586	865.384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.870	70.489	35.920	28.846
- Rx (Frames)	1.066	387.791	239.769	124.391	63.387	50.904
- Rx Rate (L1) (Bit/s)	23,88 K	15,3 M	17,65 M	17,65 M	17,65 M	17,65 M
- Rx Rate (Fps)	36	12.926	7.992	4.146	2.113	1.697
- Flood Count (Frames)	89	69	95	94	90	91
P-0-2-0						
- Tx (Frames)	13.392.857	7.601.351	4.076.086	2.114.661	1.077.586	865.384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.870	70.489	35.920	28.846
- Rx (Frames)	1.067	387.274	239.769	124.391	63.387	50.904
- Rx Rate (L1) (Bit/s)	23,9 K	15,28 M	17,65 M	17,65 M	17,65 M	17,65 M
- Rx Rate (Fps)	36	12.909	7.992	4.146	2.113	1.697
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	13.392.857	7.601.351	4.076.086	2.114.661	1.077.586	865.384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.870	70.489	35.920	28.846
- Rx (Frames)	1.067	387.371	239.769	124.391	63.387	50.904
- Rx Rate (L1) (Bit/s)	23,9 K	15,29 M	17,65 M	17,65 M	17,65 M	17,65 M
- Rx Rate (Fps)	36	12.912	7.992	4.146	2.113	1.697
- Flood Count (Frames)	93	72	90	96	93	92
P-0-2-2						
- Tx (Frames)	13.392.857	7.601.351	4.076.086	2.114.661	1.077.586	865.384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.870	70.489	35.920	28.846
- Rx (Frames)	1.066	386.791	239.769	124.391	63.387	50.904
- Rx Rate (L1) (Bit/s)	23,88 K	15,27 M	17,65 M	17,65 M	17,65 M	17,65 M
- Rx Rate (Fps)	36	12.893	7.992	4.146	2.113	1.697
- Flood Count (Frames)	93	78	92	95	91	91
P-0-2-3						
- Tx (Frames)	13.392.857	7.601.351	4.076.086	2.114.661	1.077.586	865.384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.870	70.489	35.920	28.846
- Rx (Frames)	1.065	386.649	239.769	124.391	63.387	50.904
- Rx Rate (L1) (Bit/s)	23,86 K	15,26 M	17,65 M	17,65 M	17,65 M	17,65 M
- Rx Rate (Fps)	36	12.888	7.992	4.146	2.113	1.697
- Flood Count (Frames)	97	73	93	92	94	94
P-0-2-4						
- Tx (Frames)	13.392.857	7.601.351	4.076.086	2.114.661	1.077.586	865.384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.870	70.489	35.920	28.846
- Rx (Frames)	1.066	386.807	239.769	124.391	63.387	50.904
- Rx Rate (L1) (Bit/s)	23,88 K	15,27 M	17,65 M	17,65 M	17,65 M	17,65 M
- Rx Rate (Fps)	36	12.894	7.992	4.146	2.113	1.697
- Flood Count (Frames)	95	78	92	93	92	90
P-0-2-5						
- Tx (Frames)	13.392.857	7.601.351	4.076.086	2.114.661	1.077.586	865.384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.870	70.489	35.920	28.846
- Rx (Frames)	1.065	386.815	239.769	124.391	63.387	50.904
- Rx Rate (L1) (Bit/s)	23,86 K	15,27 M	17,65 M	17,65 M	17,65 M	17,65 M
- Rx Rate (Fps)	36	12.894	7.992	4.146	2.113	1.697
- Flood Count (Frames)	92	77	90	92	93	98
P-0-4-0						
- Tx (Frames)	13.392.857	7.601.351	4.076.086	2.114.661	1.077.586	865.384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.870	70.489	35.920	28.846
- Rx (Frames)	1.065	387.468	239.769	124.391	63.387	50.904
- Rx Rate (L1) (Bit/s)	23,86 K	15,29 M	17,65 M	17,65 M	17,65 M	17,65 M
- Rx Rate (Fps)	36	12.916	7.992	4.146	2.113	1.697
- Flood Count (Frames)	91	80	92	92	93	92
P-0-4-1						

Image not found.

- Tx (Frames)	13.392.857	7.601.351	4.076.086	2.114.661	1.077.586	865.384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.870	70.489	35.920	28.846
- Rx (Frames)	1.066	387.361	239.769	124.391	63.387	50.904
- Rx Rate (L1) (Bit/s)	23,88 K	15,29 M	17,65 M	17,65 M	17,65 M	17,65 M
- Rx Rate (Fps)	36	12.912	7.992	4.146	2.113	1.697
- Flood Count (Frames)	93	77	91	90	92	91
P-0-4-2						
- Tx (Frames)	13.392.857	7.601.351	4.076.086	2.114.661	1.077.586	865.384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.870	70.489	35.920	28.846
- Rx (Frames)	1.066	386.711	239.769	124.391	63.387	50.904
- Rx Rate (L1) (Bit/s)	23,88 K	15,26 M	17,65 M	17,65 M	17,65 M	17,65 M
- Rx Rate (Fps)	36	12.890	7.992	4.146	2.113	1.697
- Flood Count (Frames)	91	84	92	95	93	95
P-0-4-3						
- Tx (Frames)	13.392.857	7.601.351	4.076.086	2.114.661	1.077.586	865.384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.870	70.489	35.920	28.846
- Rx (Frames)	1.065	386.942	239.769	124.391	63.387	50.904
- Rx Rate (L1) (Bit/s)	23,86 K	15,27 M	17,65 M	17,65 M	17,65 M	17,65 M
- Rx Rate (Fps)	36	12.898	7.992	4.146	2.113	1.697
- Flood Count (Frames)	93	81	90	93	92	95
P-0-4-4						
- Tx (Frames)	13.392.857	7.601.351	4.076.086	2.114.661	1.077.586	865.384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.870	70.489	35.920	28.846
- Rx (Frames)	1.065	387.232	239.769	124.391	63.387	50.904
- Rx Rate (L1) (Bit/s)	23,86 K	15,28 M	17,65 M	17,65 M	17,65 M	17,65 M
- Rx Rate (Fps)	36	12.908	7.992	4.146	2.113	1.697
- Flood Count (Frames)	92	71	92	92	94	93
P-0-4-5						
- Tx (Frames)	13.392.857	7.601.351	4.076.086	2.114.661	1.077.586	865.384
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.870	70.489	35.920	28.846
- Rx (Frames)	1.067	387.323	239.769	124.391	63.387	50.904
- Rx Rate (L1) (Bit/s)	23,9 K	15,29 M	17,65 M	17,65 M	17,65 M	17,65 M
- Rx Rate (Fps)	36	12.911	7.992	4.146	2.113	1.697
- Flood Count (Frames)	90	80	95	91	90	91


<b>Frame Size</b>	<b>1518</b>
Result State	PASS
Iter. #	1
Tx Rate (Percent)	30 %
Tx Rate (L1) (Bit/s)	5,4 G
Tx Rate (Fps)	438.881
Rx Rate (Percent)	7,22 %
Rx Rate (L1) (Bit/s)	1,3 G
Rx Rate (Fps)	105,56 K
Loss Rate (Percent)	75,95 %
Loss (Frames)	9.999.492
P-0-0-0	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	2.435.481
- Rx Rate (L1) (Bit/s)	998,87 M
- Rx Rate (Fps)	81.183
- Flood Count (Frames)	21
P-0-0-1	
- Tx (Frames)	731.469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	43.027
- Rx Rate (L1) (Bit/s)	17,65 M
- Rx Rate (Fps)	1.434
- Flood Count (Frames)	90
P-0-0-2	
- Tx (Frames)	731.469
- Tx Rate (L1) (Bit/s)	300 M

Image not found.

- Tx Rate (Fps)	24.382
- Rx (Frames)	43.027
- Rx Rate (L1) (Bit/s)	17,65 M
- Rx Rate (Fps)	1.434
- Flood Count (Frames)	91
P-0-0-3	
- Tx (Frames)	731.469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	43.027
- Rx Rate (L1) (Bit/s)	17,65 M
- Rx Rate (Fps)	1.434
- Flood Count (Frames)	93
P-0-0-4	
- Tx (Frames)	731.469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	43.027
- Rx Rate (L1) (Bit/s)	17,65 M
- Rx Rate (Fps)	1.434
- Flood Count (Frames)	94
P-0-0-5	
- Tx (Frames)	731.469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	43.027
- Rx Rate (L1) (Bit/s)	17,65 M
- Rx Rate (Fps)	1.434
- Flood Count (Frames)	90
P-0-2-0	
- Tx (Frames)	731.469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	43.027
- Rx Rate (L1) (Bit/s)	17,65 M
- Rx Rate (Fps)	1.434
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	731.469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	43.027
- Rx Rate (L1) (Bit/s)	17,65 M
- Rx Rate (Fps)	1.434
- Flood Count (Frames)	93
P-0-2-2	
- Tx (Frames)	731.469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	43.027
- Rx Rate (L1) (Bit/s)	17,65 M
- Rx Rate (Fps)	1.434
- Flood Count (Frames)	97
P-0-2-3	
- Tx (Frames)	731.469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	43.027
- Rx Rate (L1) (Bit/s)	17,65 M
- Rx Rate (Fps)	1.434
- Flood Count (Frames)	92
P-0-2-4	
- Tx (Frames)	731.469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	43.027
- Rx Rate (L1) (Bit/s)	17,65 M
- Rx Rate (Fps)	1.434
- Flood Count (Frames)	93
P-0-2-5	
- Tx (Frames)	731.469

Image not found.

- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	43.027
- Rx Rate (L1) (Bit/s)	17,65 M
- Rx Rate (Fps)	1.434
- Flood Count (Frames)	95
P-0-4-0	
- Tx (Frames)	731.469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	43.027
- Rx Rate (L1) (Bit/s)	17,65 M
- Rx Rate (Fps)	1.434
- Flood Count (Frames)	95
P-0-4-1	
- Tx (Frames)	731.469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	43.027
- Rx Rate (L1) (Bit/s)	17,65 M
- Rx Rate (Fps)	1.434
- Flood Count (Frames)	94
P-0-4-2	
- Tx (Frames)	731.469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	43.027
- Rx Rate (L1) (Bit/s)	17,65 M
- Rx Rate (Fps)	1.434
- Flood Count (Frames)	93
P-0-4-3	
- Tx (Frames)	731.469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	43.027
- Rx Rate (L1) (Bit/s)	17,65 M
- Rx Rate (Fps)	1.434
- Flood Count (Frames)	94
P-0-4-4	
- Tx (Frames)	731.469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	43.027
- Rx Rate (L1) (Bit/s)	17,65 M
- Rx Rate (Fps)	1.434
- Flood Count (Frames)	94
P-0-4-5	
- Tx (Frames)	731.469
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	43.027
- Rx Rate (L1) (Bit/s)	17,65 M
- Rx Rate (Fps)	1.434
- Flood Count (Frames)	95



### Results for 40,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	40 %	40 %	40 %	40 %	40 %	40 %
Tx Rate (L1) (Bit/s)	7,2 G	7,2 G	7,2 G	7,2 G	7,2 G	7,2 G
Tx Rate (Fps)	10.714.285	6.081.081	3.260.869	1.691.728	862.068	692.307
Rx Rate (Percent)	0,01 %	0,02 %	7,32 %	7,75 %	7,77 %	7,77 %
Rx Rate (L1) (Bit/s)	1,73 M	3,16 M	1,32 G	1,39 G	1,4 G	1,4 G
Rx Rate (Fps)	2,58 K	2,67 K	596,51 K	327,58 K	167,35 K	134,47 K
Loss Rate (Percent)	99,98 %	99,96 %	81,71 %	80,64 %	80,59 %	80,58 %
Loss (Frames)	321.351.168	182.352.287	79.930.795	40.924.514	20.841.437	16.735.127
P-0-0-0						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	59.836	64.571	13.417.786	7.007.802	3.583.840	2.880.255
- Rx Rate (L1) (Bit/s)	1,34 M	2,55 M	987,55 M	994,17 M	997,74 M	998,49 M
- Rx Rate (Fps)	1.995	2.152	447.260	233.593	119.461	96.009
- Flood Count (Frames)	91	89	20	24	27	26
P-0-0-1						
- Tx (Frames)	17.857.142	10.135.135	5.434.782	2.819.548	1.436.781	1.153.846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	1.034	916	263.463	165.855	84.516	67.873
- Rx Rate (L1) (Bit/s)	23,16 K	36,15 K	19,39 M	23,53 M	23,53 M	23,53 M
- Rx Rate (Fps)	34	31	8.782	5.529	2.817	2.262
- Flood Count (Frames)	93	91	74	95	92	91
P-0-0-2						
- Tx (Frames)	17.857.142	10.135.135	5.434.782	2.819.548	1.436.781	1.153.846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	1.034	920	263.462	165.855	84.516	67.873
- Rx Rate (L1) (Bit/s)	23,16 K	36,31 K	19,39 M	23,53 M	23,53 M	23,53 M
- Rx Rate (Fps)	34	31	8.782	5.529	2.817	2.262
- Flood Count (Frames)	93	95	82	93	90	92
P-0-0-3						
- Tx (Frames)	17.857.142	10.135.135	5.434.782	2.819.548	1.436.781	1.153.846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	1.033	915	263.367	165.855	84.516	67.873
- Rx Rate (L1) (Bit/s)	23,14 K	36,11 K	19,38 M	23,53 M	23,53 M	23,53 M
- Rx Rate (Fps)	34	31	8.779	5.529	2.817	2.262
- Flood Count (Frames)	95	95	81	96	92	92
P-0-0-4						
- Tx (Frames)	17.857.142	10.135.135	5.434.782	2.819.548	1.436.781	1.153.846

Image not found.

- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	1.033	916	263.406	165.855	84.516	67.873
- Rx Rate (L1) (Bit/s)	23,14 K	36,15 K	19,39 M	23,53 M	23,53 M	23,53 M
- Rx Rate (Fps)	34	31	8.780	5.529	2.817	2.262
- Flood Count (Frames)	91	95	85	92	95	91
P-0-0-5						
- Tx (Frames)	17.857.142	10.135.135	5.434.782	2.819.548	1.436.781	1.153.846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	1.033	913	263.115	165.855	84.516	67.873
- Rx Rate (L1) (Bit/s)	23,14 K	36,03 K	19,37 M	23,53 M	23,53 M	23,53 M
- Rx Rate (Fps)	34	30	8.771	5.529	2.817	2.262
- Flood Count (Frames)	90	92	74	93	95	93
P-0-2-0						
- Tx (Frames)	17.857.142	10.135.135	5.434.782	2.819.548	1.436.781	1.153.846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	1.032	916	263.409	165.855	84.516	67.873
- Rx Rate (L1) (Bit/s)	23,12 K	36,15 K	19,39 M	23,53 M	23,53 M	23,53 M
- Rx Rate (Fps)	34	31	8.780	5.529	2.817	2.262
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	17.857.142	10.135.135	5.434.782	2.819.548	1.436.781	1.153.846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	1.032	915	263.232	165.855	84.516	67.873
- Rx Rate (L1) (Bit/s)	23,12 K	36,11 K	19,37 M	23,53 M	23,53 M	23,53 M
- Rx Rate (Fps)	34	31	8.774	5.529	2.817	2.262
- Flood Count (Frames)	92	92	73	94	92	92
P-0-2-2						
- Tx (Frames)	17.857.142	10.135.135	5.434.782	2.819.548	1.436.781	1.153.846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	1.032	916	263.519	165.855	84.516	67.873
- Rx Rate (L1) (Bit/s)	23,12 K	36,15 K	19,39 M	23,53 M	23,53 M	23,53 M
- Rx Rate (Fps)	34	31	8.784	5.529	2.817	2.262
- Flood Count (Frames)	90	89	81	91	92	95
P-0-2-3						
- Tx (Frames)	17.857.142	10.135.135	5.434.782	2.819.548	1.436.781	1.153.846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	1.031	916	263.417	165.855	84.516	67.873
- Rx Rate (L1) (Bit/s)	23,09 K	36,15 K	19,39 M	23,53 M	23,53 M	23,53 M
- Rx Rate (Fps)	34	31	8.781	5.529	2.817	2.262
- Flood Count (Frames)	92	94	83	92	93	93
P-0-2-4						
- Tx (Frames)	17.857.142	10.135.135	5.434.782	2.819.548	1.436.781	1.153.846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	1.032	917	263.339	165.855	84.516	67.873
- Rx Rate (L1) (Bit/s)	23,12 K	36,19 K	19,38 M	23,53 M	23,53 M	23,53 M
- Rx Rate (Fps)	34	31	8.778	5.529	2.817	2.262
- Flood Count (Frames)	92	93	74	94	95	92
P-0-2-5						
- Tx (Frames)	17.857.142	10.135.135	5.434.782	2.819.548	1.436.781	1.153.846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	1.032	913	263.044	165.855	84.516	67.873
- Rx Rate (L1) (Bit/s)	23,12 K	36,03 K	19,36 M	23,53 M	23,53 M	23,53 M
- Rx Rate (Fps)	34	30	8.768	5.529	2.817	2.262
- Flood Count (Frames)	88	93	79	92	92	93
P-0-4-0						
- Tx (Frames)	17.857.142	10.135.135	5.434.782	2.819.548	1.436.781	1.153.846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	1.032	917	263.445	165.855	84.516	67.873
- Rx Rate (L1) (Bit/s)	23,12 K	36,19 K	19,39 M	23,53 M	23,53 M	23,53 M
- Rx Rate (Fps)	34	31	8.782	5.529	2.817	2.262
- Flood Count (Frames)	95	93	79	90	94	93
P-0-4-1						



Image not found.


- Tx (Frames)	17.857.142	10.135.135	5.434.782	2.819.548	1.436.781	1.153.846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	1.032	914	263.803	165.855	84.516	67.873
- Rx Rate (L1) (Bit/s)	23,12 K	36,07 K	19,42 M	23,53 M	23,53 M	23,53 M
- Rx Rate (Fps)	34	30	8.793	5.529	2.817	2.262
- Flood Count (Frames)	92	93	81	92	93	96
P-0-4-2						
- Tx (Frames)	17.857.142	10.135.135	5.434.782	2.819.548	1.436.781	1.153.846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	1.031	917	263.370	165.855	84.516	67.873
- Rx Rate (L1) (Bit/s)	23,09 K	36,19 K	19,38 M	23,53 M	23,53 M	23,53 M
- Rx Rate (Fps)	34	31	8.779	5.529	2.817	2.262
- Flood Count (Frames)	93	92	80	95	94	90
P-0-4-3						
- Tx (Frames)	17.857.142	10.135.135	5.434.782	2.819.548	1.436.781	1.153.846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	1.032	917	263.329	165.855	84.516	67.873
- Rx Rate (L1) (Bit/s)	23,12 K	36,19 K	19,38 M	23,53 M	23,53 M	23,53 M
- Rx Rate (Fps)	34	31	8.778	5.529	2.817	2.262
- Flood Count (Frames)	91	91	85	97	94	93
P-0-4-4						
- Tx (Frames)	17.857.142	10.135.135	5.434.782	2.819.548	1.436.781	1.153.846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	1.032	915	263.461	165.855	84.516	67.873
- Rx Rate (L1) (Bit/s)	23,12 K	36,11 K	19,39 M	23,53 M	23,53 M	23,53 M
- Rx Rate (Fps)	34	31	8.782	5.529	2.817	2.262
- Flood Count (Frames)	88	92	78	95	90	93
P-0-4-5						
- Tx (Frames)	17.857.142	10.135.135	5.434.782	2.819.548	1.436.781	1.153.846
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	1.033	912	263.313	165.855	84.516	67.873
- Rx Rate (L1) (Bit/s)	23,14 K	35,99 K	19,38 M	23,53 M	23,53 M	23,53 M
- Rx Rate (Fps)	34	30	8.777	5.529	2.817	2.262
- Flood Count (Frames)	92	94	79	92	91	93

<b>Frame Size</b>	<b>1518</b>
Result State	<b>PASS</b>
Iter. #	1
Tx Rate (Percent)	40 %
Tx Rate (L1) (Bit/s)	7,2 G
Tx Rate (Fps)	585.175
Rx Rate (Percent)	7,77 %
Rx Rate (L1) (Bit/s)	1,4 G
Rx Rate (Fps)	113,7 K
Loss Rate (Percent)	<b>80,57 %</b>
Loss (Frames)	<b>14.144.242</b>
P-0-0-0	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	2.435.722
- Rx Rate (L1) (Bit/s)	998,97 M
- Rx Rate (Fps)	81.191
- Flood Count (Frames)	27
P-0-0-1	
- Tx (Frames)	975.292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	57.370
- Rx Rate (L1) (Bit/s)	23,53 M
- Rx Rate (Fps)	1.912
- Flood Count (Frames)	92
P-0-0-2	
- Tx (Frames)	975.292
- Tx Rate (L1) (Bit/s)	400 M

- Tx Rate (Fps)	32.510
- Rx (Frames)	57.370
- Rx Rate (L1) (Bit/s)	23,53 M
- Rx Rate (Fps)	1.912
- Flood Count (Frames)	94
P-0-0-3	
- Tx (Frames)	975.292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	57.370
- Rx Rate (L1) (Bit/s)	23,53 M
- Rx Rate (Fps)	1.912
- Flood Count (Frames)	94
P-0-0-4	
- Tx (Frames)	975.292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	57.370
- Rx Rate (L1) (Bit/s)	23,53 M
- Rx Rate (Fps)	1.912
- Flood Count (Frames)	94
P-0-0-5	
- Tx (Frames)	975.292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	57.370
- Rx Rate (L1) (Bit/s)	23,53 M
- Rx Rate (Fps)	1.912
- Flood Count (Frames)	92
P-0-2-0	
- Tx (Frames)	975.292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	57.370
- Rx Rate (L1) (Bit/s)	23,53 M
- Rx Rate (Fps)	1.912
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	975.292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	57.370
- Rx Rate (L1) (Bit/s)	23,53 M
- Rx Rate (Fps)	1.912
- Flood Count (Frames)	92
P-0-2-2	
- Tx (Frames)	975.292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	57.370
- Rx Rate (L1) (Bit/s)	23,53 M
- Rx Rate (Fps)	1.912
- Flood Count (Frames)	92
P-0-2-3	
- Tx (Frames)	975.292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	57.370
- Rx Rate (L1) (Bit/s)	23,53 M
- Rx Rate (Fps)	1.912
- Flood Count (Frames)	90
P-0-2-4	
- Tx (Frames)	975.292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	57.370
- Rx Rate (L1) (Bit/s)	23,53 M
- Rx Rate (Fps)	1.912
- Flood Count (Frames)	95
P-0-2-5	
- Tx (Frames)	975.292

Image not found.

- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	57.370
- Rx Rate (L1) (Bit/s)	23,53 M
- Rx Rate (Fps)	1.912
- Flood Count (Frames)	92
P-0-4-0	
- Tx (Frames)	975.292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	57.370
- Rx Rate (L1) (Bit/s)	23,53 M
- Rx Rate (Fps)	1.912
- Flood Count (Frames)	95
P-0-4-1	
- Tx (Frames)	975.292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	57.370
- Rx Rate (L1) (Bit/s)	23,53 M
- Rx Rate (Fps)	1.912
- Flood Count (Frames)	91
P-0-4-2	
- Tx (Frames)	975.292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	57.370
- Rx Rate (L1) (Bit/s)	23,53 M
- Rx Rate (Fps)	1.912
- Flood Count (Frames)	92
P-0-4-3	
- Tx (Frames)	975.292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	57.370
- Rx Rate (L1) (Bit/s)	23,53 M
- Rx Rate (Fps)	1.912
- Flood Count (Frames)	93
P-0-4-4	
- Tx (Frames)	975.292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	57.370
- Rx Rate (L1) (Bit/s)	23,53 M
- Rx Rate (Fps)	1.912
- Flood Count (Frames)	88
P-0-4-5	
- Tx (Frames)	975.292
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	57.370
- Rx Rate (L1) (Bit/s)	23,53 M
- Rx Rate (Fps)	1.912
- Flood Count (Frames)	94



### Results for 50,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	50 %	50 %	50 %	50 %	50 %	50 %
Tx Rate (L1) (Bit/s)	9 G	9 G	9 G	9 G	9 G	9 G
Tx Rate (Fps)	13.392.857	7.601.351	4.076.087	2.114.661	1.077.586	865.384
Rx Rate (Percent)	0,01 %	0,01 %	7,42 %	7,87 %	8,13 %	8,09 %
Rx Rate (L1) (Bit/s)	1,33 M	2,68 M	1,34 G	1,42 G	1,46 G	1,46 G
Rx Rate (Fps)	1,98 K	2,26 K	605,1 K	332,88 K	175,28 K	139,99 K
Loss Rate (Percent)	99,99 %	99,97 %	85,15 %	84,26 %	83,73 %	83,82 %
Loss (Frames)	401.726.152	227.972.721	104.129.460	53.453.460	27.069.083	21.761.866
P-0-0-0						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	42.839	51.769	13.418.001	7.008.152	3.584.205	2.880.616
- Rx Rate (L1) (Bit/s)	959,59 K	2,04 M	987,56 M	994,22 M	997,84 M	998,61 M
- Rx Rate (Fps)	1.428	1.726	447.267	233.605	119.474	96.021
- Flood Count (Frames)	91	95	26	20	27	24
P-0-0-1						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	984	944	278.795	175.240	98.433	77.624
- Rx Rate (L1) (Bit/s)	22,04 K	37,26 K	20,52 M	24,86 M	27,4 M	26,91 M
- Rx Rate (Fps)	33	31	9.293	5.841	3.281	2.587
- Flood Count (Frames)	93	93	63	77	81	83
P-0-0-2						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	983	944	279.082	175.070	98.405	77.470
- Rx Rate (L1) (Bit/s)	22,02 K	37,26 K	20,54 M	24,84 M	27,4 M	26,86 M
- Rx Rate (Fps)	33	31	9.303	5.836	3.280	2.582
- Flood Count (Frames)	90	94	62	79	74	85
P-0-0-3						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	983	943	279.078	175.399	98.484	77.558
- Rx Rate (L1) (Bit/s)	22,02 K	37,22 K	20,54 M	24,88 M	27,42 M	26,89 M
- Rx Rate (Fps)	33	31	9.303	5.847	3.283	2.585
- Flood Count (Frames)	93	93	71	82	83	83
P-0-0-4						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307

- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	983	942	278.992	175.234	98.338	77.553
- Rx Rate (L1) (Bit/s)	22,02 K	37,18 K	20,53 M	24,86 M	27,38 M	26,89 M
- Rx Rate (Fps)	33	31	9.300	5.841	3.278	2.585
- Flood Count (Frames)	92	93	73	66	86	84
P-0-0-5						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	983	944	279.029	175.145	98.494	77.584
- Rx Rate (L1) (Bit/s)	22,02 K	37,26 K	20,54 M	24,85 M	27,42 M	26,9 M
- Rx Rate (Fps)	33	31	9.301	5.838	3.283	2.586
- Flood Count (Frames)	93	91	60	69	80	82
P-0-2-0						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	983	942	278.805	174.814	98.417	77.553
- Rx Rate (L1) (Bit/s)	22,02 K	37,18 K	20,52 M	24,8 M	27,4 M	26,89 M
- Rx Rate (Fps)	33	31	9.294	5.827	3.281	2.585
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	983	944	278.861	174.914	98.485	77.578
- Rx Rate (L1) (Bit/s)	22,02 K	37,26 K	20,52 M	24,81 M	27,42 M	26,89 M
- Rx Rate (Fps)	33	31	9.295	5.830	3.283	2.586
- Flood Count (Frames)	90	93	62	76	82	87
P-0-2-2						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	983	945	278.507	174.503	98.382	77.545
- Rx Rate (L1) (Bit/s)	22,02 K	37,3 K	20,5 M	24,76 M	27,39 M	26,88 M
- Rx Rate (Fps)	33	32	9.284	5.817	3.279	2.585
- Flood Count (Frames)	95	94	65	80	77	88
P-0-2-3						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	983	945	278.754	174.714	98.314	77.656
- Rx Rate (L1) (Bit/s)	22,02 K	37,3 K	20,52 M	24,79 M	27,37 M	26,92 M
- Rx Rate (Fps)	33	32	9.292	5.824	3.277	2.589
- Flood Count (Frames)	93	93	64	74	81	83
P-0-2-4						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	983	942	278.539	174.738	98.512	77.495
- Rx Rate (L1) (Bit/s)	22,02 K	37,18 K	20,5 M	24,79 M	27,43 M	26,86 M
- Rx Rate (Fps)	33	31	9.285	5.825	3.284	2.583
- Flood Count (Frames)	93	92	57	69	77	84
P-0-2-5						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	983	940	278.364	174.796	98.295	77.529
- Rx Rate (L1) (Bit/s)	22,02 K	37,1 K	20,49 M	24,8 M	27,37 M	26,88 M
- Rx Rate (Fps)	33	31	9.279	5.827	3.277	2.584
- Flood Count (Frames)	94	95	59	73	81	89
P-0-4-0						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	983	941	278.536	175.553	98.597	77.626
- Rx Rate (L1) (Bit/s)	22,02 K	37,14 K	20,5 M	24,91 M	27,45 M	26,91 M
- Rx Rate (Fps)	33	31	9.285	5.852	3.287	2.588
- Flood Count (Frames)	93	92	69	68	83	83
P-0-4-1						

Image not found.


- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	983	942	279.136	175.712	98.609	77.713
- Rx Rate (L1) (Bit/s)	22,02 K	37,18 K	20,54 M	24,93 M	27,45 M	26,94 M
- Rx Rate (Fps)	33	31	9.305	5.857	3.287	2.590
- Flood Count (Frames)	92	92	58	73	80	88
P-0-4-2						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	983	942	278.092	175.671	98.655	77.604
- Rx Rate (L1) (Bit/s)	22,02 K	37,18 K	20,47 M	24,92 M	27,47 M	26,9 M
- Rx Rate (Fps)	33	31	9.270	5.856	3.289	2.587
- Flood Count (Frames)	94	93	62	78	82	88
P-0-4-3						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	982	942	277.731	175.586	98.638	77.702
- Rx Rate (L1) (Bit/s)	22 K	37,18 K	20,44 M	24,91 M	27,46 M	26,94 M
- Rx Rate (Fps)	33	31	9.258	5.853	3.288	2.590
- Flood Count (Frames)	91	92	73	81	80	87
P-0-4-4						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	982	941	277.425	175.572	98.682	77.596
- Rx Rate (L1) (Bit/s)	22 K	37,14 K	20,42 M	24,91 M	27,47 M	26,9 M
- Rx Rate (Fps)	33	31	9.248	5.852	3.289	2.587
- Flood Count (Frames)	93	92	73	72	90	82
P-0-4-5						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	983	943	277.411	175.562	98.546	77.648
- Rx Rate (L1) (Bit/s)	22,02 K	37,22 K	20,42 M	24,91 M	27,44 M	26,92 M
- Rx Rate (Fps)	33	31	9.247	5.852	3.285	2.588
- Flood Count (Frames)	94	95	61	74	83	84

<b>Frame Size</b>	<b>1518</b>
Result State	<b>PASS</b>
Iter. #	1
Tx Rate (Percent)	50 %
Tx Rate (L1) (Bit/s)	9 G
Tx Rate (Fps)	731.469
Rx Rate (Percent)	8,33 %
Rx Rate (L1) (Bit/s)	1,5 G
Rx Rate (Fps)	121,84 K
Loss Rate (Percent)	<b>83,34 %</b>
Loss (Frames)	<b>18.288.988</b>
P-0-0-0	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	2.435.967
- Rx Rate (L1) (Bit/s)	999,07 M
- Rx Rate (Fps)	81.199
- Flood Count (Frames)	29
P-0-0-1	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	71.712
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	91
P-0-0-2	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M

- Tx Rate (Fps)	40.637
- Rx (Frames)	71.712
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	94
P-0-0-3	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	71.712
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	96
P-0-0-4	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	71.712
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	93
P-0-0-5	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	71.712
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	93
P-0-2-0	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	71.712
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	71.712
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	91
P-0-2-2	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	71.712
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	95
P-0-2-3	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	71.712
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	90
P-0-2-4	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	71.712
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	91
P-0-2-5	
- Tx (Frames)	1.219.115

- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	71.712
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	94
P-0-4-0	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	71.712
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	92
P-0-4-1	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	71.712
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	94
P-0-4-2	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	71.712
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	88
P-0-4-3	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	71.712
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	94
P-0-4-4	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	71.712
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	90
P-0-4-5	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	71.712
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	93





### Results for 60,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	60 %	60 %	60 %	60 %	60 %	60 %
Tx Rate (L1) (Bit/s)	10,8 G	10,8 G	10,8 G	10,8 G	10,8 G	10,8 G
Tx Rate (Fps)	16.071.428	9.121.621	4.891.303	2.537.593	1.293.103	1.038.461
Rx Rate (Percent)	0,01 %	0,01 %	0,03 %	8,22 %	8,39 %	8,25 %
Rx Rate (L1) (Bit/s)	1,21 M	2,45 M	4,57 M	1,48 G	1,51 G	1,49 G
Rx Rate (Fps)	1,8 K	2,07 K	2,07 K	347,52 K	180,8 K	142,83 K
Loss Rate (Percent)	99,99 %	99,98 %	99,96 %	86,31 %	86,02 %	86,25 %
Loss (Frames)	482.088.953	273.586.447	146.677.038	65.702.352	33.369.064	26.869.051
P-0-0-0						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	37.024	45.393	47.016	7.008.405	3.584.202	2.880.493
- Rx Rate (L1) (Bit/s)	829,34 K	1,79 M	3,46 M	994,26 M	997,84 M	998,57 M
- Rx Rate (Fps)	1.234	1.513	1.567	233.614	119.473	96.016
- Flood Count (Frames)	93	90	92	25	25	26
P-0-0-1						
- Tx (Frames)	26.785.714	15.202.702	8.152.173	4.229.323	2.155.172	1.730.769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	992	992	885	201.128	108.060	82.753
- Rx Rate (L1) (Bit/s)	22,22 K	39,15 K	65,14 K	28,53 M	30,08 M	28,69 M
- Rx Rate (Fps)	33	33	30	6.704	3.602	2.758
- Flood Count (Frames)	89	93	93	61	66	69
P-0-0-2						
- Tx (Frames)	26.785.714	15.202.702	8.152.173	4.229.323	2.155.172	1.730.769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	992	988	886	200.706	108.061	82.674
- Rx Rate (L1) (Bit/s)	22,22 K	38,99 K	65,21 K	28,47 M	30,08 M	28,66 M
- Rx Rate (Fps)	33	33	30	6.690	3.602	2.756
- Flood Count (Frames)	92	93	90	71	81	72
P-0-0-3						
- Tx (Frames)	26.785.714	15.202.702	8.152.173	4.229.323	2.155.172	1.730.769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	993	985	887	201.044	108.350	82.565
- Rx Rate (L1) (Bit/s)	22,24 K	38,87 K	65,28 K	28,52 M	30,16 M	28,62 M
- Rx Rate (Fps)	33	33	30	6.701	3.612	2.752
- Flood Count (Frames)	93	92	91	55	73	68
P-0-0-4						
- Tx (Frames)	26.785.714	15.202.702	8.152.173	4.229.323	2.155.172	1.730.769

Image not found.

- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	993	989	882	200.906	108.138	82.493
- Rx Rate (L1) (Bit/s)	22,24 K	39,03 K	64,92 K	28,5 M	30,11 M	28,6 M
- Rx Rate (Fps)	33	33	29	6.697	3.605	2.750
- Flood Count (Frames)	97	90	94	69	60	69
P-0-0-5						
- Tx (Frames)	26.785.714	15.202.702	8.152.173	4.229.323	2.155.172	1.730.769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	993	983	886	201.026	108.014	82.599
- Rx Rate (L1) (Bit/s)	22,24 K	38,8 K	65,21 K	28,52 M	30,07 M	28,63 M
- Rx Rate (Fps)	33	33	30	6.701	3.600	2.753
- Flood Count (Frames)	94	93	93	69	67	78
P-0-2-0						
- Tx (Frames)	26.785.714	15.202.702	8.152.173	4.229.323	2.155.172	1.730.769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	993	986	885	200.993	108.118	82.526
- Rx Rate (L1) (Bit/s)	22,24 K	38,91 K	65,14 K	28,51 M	30,1 M	28,61 M
- Rx Rate (Fps)	33	33	30	6.700	3.604	2.751
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	26.785.714	15.202.702	8.152.173	4.229.323	2.155.172	1.730.769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	993	987	886	201.019	108.002	82.605
- Rx Rate (L1) (Bit/s)	22,24 K	38,95 K	65,21 K	28,52 M	30,07 M	28,64 M
- Rx Rate (Fps)	33	33	30	6.701	3.600	2.754
- Flood Count (Frames)	93	91	92	61	59	72
P-0-2-2						
- Tx (Frames)	26.785.714	15.202.702	8.152.173	4.229.323	2.155.172	1.730.769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	993	987	885	200.779	107.989	82.540
- Rx Rate (L1) (Bit/s)	22,24 K	38,95 K	65,14 K	28,48 M	30,06 M	28,61 M
- Rx Rate (Fps)	33	33	30	6.693	3.600	2.751
- Flood Count (Frames)	90	96	90	54	67	62
P-0-2-3						
- Tx (Frames)	26.785.714	15.202.702	8.152.173	4.229.323	2.155.172	1.730.769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	993	983	885	200.890	108.116	82.560
- Rx Rate (L1) (Bit/s)	22,24 K	38,8 K	65,14 K	28,5 M	30,1 M	28,62 M
- Rx Rate (Fps)	33	33	30	6.696	3.604	2.752
- Flood Count (Frames)	89	92	93	45	75	65
P-0-2-4						
- Tx (Frames)	26.785.714	15.202.702	8.152.173	4.229.323	2.155.172	1.730.769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	993	991	886	200.773	108.211	82.331
- Rx Rate (L1) (Bit/s)	22,24 K	39,11 K	65,21 K	28,48 M	30,13 M	28,54 M
- Rx Rate (Fps)	33	33	30	6.692	3.607	2.744
- Flood Count (Frames)	89	92	95	60	70	66
P-0-2-5						
- Tx (Frames)	26.785.714	15.202.702	8.152.173	4.229.323	2.155.172	1.730.769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	993	990	886	200.930	108.352	82.348
- Rx Rate (L1) (Bit/s)	22,24 K	39,07 K	65,21 K	28,51 M	30,17 M	28,55 M
- Rx Rate (Fps)	33	33	30	6.698	3.612	2.745
- Flood Count (Frames)	92	93	88	60	76	72
P-0-4-0						
- Tx (Frames)	26.785.714	15.202.702	8.152.173	4.229.323	2.155.172	1.730.769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	992	991	885	200.962	108.392	82.781
- Rx Rate (L1) (Bit/s)	22,22 K	39,11 K	65,14 K	28,51 M	30,18 M	28,7 M
- Rx Rate (Fps)	33	33	30	6.699	3.613	2.759
- Flood Count (Frames)	94	93	90	62	62	67
P-0-4-1						

Image not found.


- Tx (Frames)	26.785.714	15.202.702	8.152.173	4.229.323	2.155.172	1.730.769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	992	986	884	201.058	108.459	82.645
- Rx Rate (L1) (Bit/s)	22,22 K	38,91 K	65,06 K	28,52 M	30,19 M	28,65 M
- Rx Rate (Fps)	33	33	29	6.702	3.615	2.755
- Flood Count (Frames)	92	92	92	52	68	69
P-0-4-2						
- Tx (Frames)	26.785.714	15.202.702	8.152.173	4.229.323	2.155.172	1.730.769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	992	984	886	201.111	108.420	82.755
- Rx Rate (L1) (Bit/s)	22,22 K	38,84 K	65,21 K	28,53 M	30,18 M	28,69 M
- Rx Rate (Fps)	33	33	30	6.704	3.614	2.759
- Flood Count (Frames)	93	93	97	55	62	62
P-0-4-3						
- Tx (Frames)	26.785.714	15.202.702	8.152.173	4.229.323	2.155.172	1.730.769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	991	988	887	201.265	108.424	82.755
- Rx Rate (L1) (Bit/s)	22,2 K	38,99 K	65,28 K	28,55 M	30,19 M	28,69 M
- Rx Rate (Fps)	33	33	30	6.709	3.614	2.759
- Flood Count (Frames)	95	97	92	52	77	70
P-0-4-4						
- Tx (Frames)	26.785.714	15.202.702	8.152.173	4.229.323	2.155.172	1.730.769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	991	991	884	201.188	108.354	82.738
- Rx Rate (L1) (Bit/s)	22,2 K	39,11 K	65,06 K	28,54 M	30,17 M	28,68 M
- Rx Rate (Fps)	33	33	29	6.706	3.612	2.758
- Flood Count (Frames)	94	92	93	63	67	60
P-0-4-5						
- Tx (Frames)	26.785.714	15.202.702	8.152.173	4.229.323	2.155.172	1.730.769
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	992	985	885	201.267	108.356	82.614
- Rx Rate (L1) (Bit/s)	22,22 K	38,87 K	65,14 K	28,55 M	30,17 M	28,64 M
- Rx Rate (Fps)	33	33	30	6.709	3.612	2.754
- Flood Count (Frames)	91	93	94	62	71	71

<b>Frame Size</b>	<b>1518</b>
Result State	<b>PASS</b>
Iter. #	1
Tx Rate (Percent)	60 %
Tx Rate (L1) (Bit/s)	10,8 G
Tx Rate (Fps)	877.763
Rx Rate (Percent)	8,32 %
Rx Rate (L1) (Bit/s)	1,5 G
Rx Rate (Fps)	121,66 K
Loss Rate (Percent)	<b>86,14 %</b>
Loss (Frames)	<b>22.683.118</b>
P-0-0-0	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	2.436.029
- Rx Rate (L1) (Bit/s)	999,1 M
- Rx Rate (Fps)	81.201
- Flood Count (Frames)	21
P-0-0-1	
- Tx (Frames)	1.462.938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	71.483
- Rx Rate (L1) (Bit/s)	29,32 M
- Rx Rate (Fps)	2.383
- Flood Count (Frames)	80
P-0-0-2	
- Tx (Frames)	1.462.938
- Tx Rate (L1) (Bit/s)	600 M

Image not found.

- Tx Rate (Fps)	48.765
- Rx (Frames)	71.391
- Rx Rate (L1) (Bit/s)	29,28 M
- Rx Rate (Fps)	2.380
- Flood Count (Frames)	79
P-0-0-3	
- Tx (Frames)	1.462.938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	71.375
- Rx Rate (L1) (Bit/s)	29,27 M
- Rx Rate (Fps)	2.379
- Flood Count (Frames)	78
P-0-0-4	
- Tx (Frames)	1.462.938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	71.426
- Rx Rate (L1) (Bit/s)	29,29 M
- Rx Rate (Fps)	2.381
- Flood Count (Frames)	74
P-0-0-5	
- Tx (Frames)	1.462.938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	71.460
- Rx Rate (L1) (Bit/s)	29,31 M
- Rx Rate (Fps)	2.382
- Flood Count (Frames)	64
P-0-2-0	
- Tx (Frames)	1.462.938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	71.351
- Rx Rate (L1) (Bit/s)	29,26 M
- Rx Rate (Fps)	2.378
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	1.462.938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	71.263
- Rx Rate (L1) (Bit/s)	29,23 M
- Rx Rate (Fps)	2.375
- Flood Count (Frames)	71
P-0-2-2	
- Tx (Frames)	1.462.938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	71.310
- Rx Rate (L1) (Bit/s)	29,25 M
- Rx Rate (Fps)	2.377
- Flood Count (Frames)	68
P-0-2-3	
- Tx (Frames)	1.462.938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	71.350
- Rx Rate (L1) (Bit/s)	29,26 M
- Rx Rate (Fps)	2.378
- Flood Count (Frames)	68
P-0-2-4	
- Tx (Frames)	1.462.938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	71.330
- Rx Rate (L1) (Bit/s)	29,25 M
- Rx Rate (Fps)	2.378
- Flood Count (Frames)	71
P-0-2-5	
- Tx (Frames)	1.462.938

- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	71.259
- Rx Rate (L1) (Bit/s)	29,23 M
- Rx Rate (Fps)	2.375
- Flood Count (Frames)	70
P-0-4-0	
- Tx (Frames)	1.462.938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	71.443
- Rx Rate (L1) (Bit/s)	29,3 M
- Rx Rate (Fps)	2.381
- Flood Count (Frames)	81
P-0-4-1	
- Tx (Frames)	1.462.938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	71.419
- Rx Rate (L1) (Bit/s)	29,29 M
- Rx Rate (Fps)	2.381
- Flood Count (Frames)	66
P-0-4-2	
- Tx (Frames)	1.462.938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	71.511
- Rx Rate (L1) (Bit/s)	29,33 M
- Rx Rate (Fps)	2.384
- Flood Count (Frames)	73
P-0-4-3	
- Tx (Frames)	1.462.938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	71.518
- Rx Rate (L1) (Bit/s)	29,33 M
- Rx Rate (Fps)	2.384
- Flood Count (Frames)	55
P-0-4-4	
- Tx (Frames)	1.462.938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	71.449
- Rx Rate (L1) (Bit/s)	29,3 M
- Rx Rate (Fps)	2.382
- Flood Count (Frames)	82
P-0-4-5	
- Tx (Frames)	1.462.938
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	71.396
- Rx Rate (L1) (Bit/s)	29,28 M
- Rx Rate (Fps)	2.380
- Flood Count (Frames)	81



### Results for 70,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	70 %	70 %	70 %	70 %	70 %	70 %
Tx Rate (L1) (Bit/s)	12,6 G	12,6 G	12,6 G	12,6 G	12,6 G	12,6 G
Tx Rate (Fps)	18.750.000	10.641.891	5.706.521	2.960.526	1.508.620	1.211.538
Rx Rate (Percent)	0,01 %	0,01 %	0,02 %	8,51 %	8,32 %	8,73 %
Rx Rate (L1) (Bit/s)	1,04 M	2,13 M	4,18 M	1,53 G	1,5 G	1,57 G
Rx Rate (Fps)	1,55 K	1,8 K	1,89 K	359,7 K	179,4 K	151,14 K
Loss Rate (Percent)	99,99 %	99,98 %	99,97 %	87,85 %	88,11 %	87,53 %
Loss (Frames)	562.453.567	319.202.758	171.138.876	78.024.638	39.876.666	31.812.079
P-0-0-0						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	30.401	36.819	41.493	7.008.619	3.584.276	2.880.675
- Rx Rate (L1) (Bit/s)	680,98 K	1,45 M	3,05 M	994,29 M	997,86 M	998,63 M
- Rx Rate (Fps)	1.013	1.227	1.383	233.621	119.476	96.023
- Flood Count (Frames)	94	94	91	22	21	21
P-0-0-1						
- Tx (Frames)	31.250.000	17.736.486	9.510.869	4.934.210	2.514.367	2.019.230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
- Rx (Frames)	943	1.014	893	222.918	105.895	97.486
- Rx Rate (L1) (Bit/s)	21,12 K	40,02 K	65,72 K	31,62 M	29,48 M	33,8 M
- Rx Rate (Fps)	31	34	30	7.431	3.530	3.250
- Flood Count (Frames)	90	91	90	62	57	56
P-0-0-2						
- Tx (Frames)	31.250.000	17.736.486	9.510.869	4.934.210	2.514.367	2.019.230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
- Rx (Frames)	943	1.011	873	222.237	105.521	97.076
- Rx Rate (L1) (Bit/s)	21,12 K	39,9 K	64,25 K	31,53 M	29,38 M	33,65 M
- Rx Rate (Fps)	31	34	29	7.408	3.517	3.236
- Flood Count (Frames)	94	93	92	54	57	59
P-0-0-3						
- Tx (Frames)	31.250.000	17.736.486	9.510.869	4.934.210	2.514.367	2.019.230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
- Rx (Frames)	943	1.015	904	222.269	105.641	97.241
- Rx Rate (L1) (Bit/s)	21,12 K	40,06 K	66,53 K	31,53 M	29,41 M	33,71 M
- Rx Rate (Fps)	31	34	30	7.409	3.521	3.241
- Flood Count (Frames)	92	93	92	52	49	62
P-0-0-4						
- Tx (Frames)	31.250.000	17.736.486	9.510.869	4.934.210	2.514.367	2.019.230

- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
- Rx (Frames)	943	1.014	910	222.150	105.845	97.328
- Rx Rate (L1) (Bit/s)	21,12 K	40,02 K	66,98 K	31,52 M	29,47 M	33,74 M
- Rx Rate (Fps)	31	34	30	7.405	3.528	3.244
- Flood Count (Frames)	97	90	91	55	53	66
P-0-0-5						
- Tx (Frames)	31.250.000	17.736.486	9.510.869	4.934.210	2.514.367	2.019.230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
- Rx (Frames)	943	1.014	891	222.180	105.797	97.346
- Rx Rate (L1) (Bit/s)	21,12 K	40,02 K	65,58 K	31,52 M	29,45 M	33,75 M
- Rx Rate (Fps)	31	34	30	7.406	3.527	3.245
- Flood Count (Frames)	93	91	91	55	52	59
P-0-2-0						
- Tx (Frames)	31.250.000	17.736.486	9.510.869	4.934.210	2.514.367	2.019.230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
- Rx (Frames)	943	1.008	886	221.990	105.529	97.242
- Rx Rate (L1) (Bit/s)	21,12 K	39,78 K	65,21 K	31,49 M	29,38 M	33,71 M
- Rx Rate (Fps)	31	34	30	7.400	3.518	3.241
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	31.250.000	17.736.486	9.510.869	4.934.210	2.514.367	2.019.230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
- Rx (Frames)	943	1.005	891	222.092	105.742	97.130
- Rx Rate (L1) (Bit/s)	21,12 K	39,66 K	65,58 K	31,51 M	29,44 M	33,67 M
- Rx Rate (Fps)	31	34	30	7.403	3.525	3.238
- Flood Count (Frames)	93	97	92	57	66	59
P-0-2-2						
- Tx (Frames)	31.250.000	17.736.486	9.510.869	4.934.210	2.514.367	2.019.230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
- Rx (Frames)	943	1.012	901	222.206	105.612	96.844
- Rx Rate (L1) (Bit/s)	21,12 K	39,94 K	66,31 K	31,52 M	29,4 M	33,57 M
- Rx Rate (Fps)	31	34	30	7.407	3.520	3.228
- Flood Count (Frames)	93	90	92	55	56	52
P-0-2-3						
- Tx (Frames)	31.250.000	17.736.486	9.510.869	4.934.210	2.514.367	2.019.230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
- Rx (Frames)	943	1.004	894	222.388	105.583	97.184
- Rx Rate (L1) (Bit/s)	21,12 K	39,62 K	65,8 K	31,55 M	29,39 M	33,69 M
- Rx Rate (Fps)	31	33	30	7.413	3.519	3.239
- Flood Count (Frames)	92	92	94	54	59	63
P-0-2-4						
- Tx (Frames)	31.250.000	17.736.486	9.510.869	4.934.210	2.514.367	2.019.230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
- Rx (Frames)	943	1.005	901	222.071	105.544	96.998
- Rx Rate (L1) (Bit/s)	21,12 K	39,66 K	66,31 K	31,5 M	29,38 M	33,63 M
- Rx Rate (Fps)	31	34	30	7.402	3.518	3.233
- Flood Count (Frames)	93	94	92	58	61	66
P-0-2-5						
- Tx (Frames)	31.250.000	17.736.486	9.510.869	4.934.210	2.514.367	2.019.230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
- Rx (Frames)	943	1.011	911	222.167	105.721	97.125
- Rx Rate (L1) (Bit/s)	21,12 K	39,9 K	67,05 K	31,52 M	29,43 M	33,67 M
- Rx Rate (Fps)	31	34	30	7.406	3.524	3.238
- Flood Count (Frames)	94	91	92	50	58	51
P-0-4-0						
- Tx (Frames)	31.250.000	17.736.486	9.510.869	4.934.210	2.514.367	2.019.230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
- Rx (Frames)	943	1.007	904	222.449	105.708	96.961
- Rx Rate (L1) (Bit/s)	21,12 K	39,74 K	66,53 K	31,56 M	29,43 M	33,61 M
- Rx Rate (Fps)	31	34	30	7.415	3.524	3.232
- Flood Count (Frames)	93	93	95	52	60	53
P-0-4-1						

Image not found.


- Tx (Frames)	31.250.000	17.736.486	9.510.869	4.934.210	2.514.367	2.019.230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
- Rx (Frames)	942	1.008	907	222.777	105.886	97.549
- Rx Rate (L1) (Bit/s)	21,1 K	39,78 K	66,76 K	31,6 M	29,48 M	33,82 M
- Rx Rate (Fps)	31	34	30	7.426	3.530	3.252
- Flood Count (Frames)	96	92	92	48	65	64
P-0-4-2						
- Tx (Frames)	31.250.000	17.736.486	9.510.869	4.934.210	2.514.367	2.019.230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
- Rx (Frames)	942	1.010	899	223.063	105.930	97.529
- Rx Rate (L1) (Bit/s)	21,1 K	39,86 K	66,17 K	31,65 M	29,49 M	33,81 M
- Rx Rate (Fps)	31	34	30	7.435	3.531	3.251
- Flood Count (Frames)	94	92	92	57	53	65
P-0-4-3						
- Tx (Frames)	31.250.000	17.736.486	9.510.869	4.934.210	2.514.367	2.019.230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
- Rx (Frames)	942	1.007	900	223.230	105.975	97.547
- Rx Rate (L1) (Bit/s)	21,1 K	39,74 K	66,24 K	31,67 M	29,5 M	33,82 M
- Rx Rate (Fps)	31	34	30	7.441	3.533	3.252
- Flood Count (Frames)	92	92	93	54	48	55
P-0-4-4						
- Tx (Frames)	31.250.000	17.736.486	9.510.869	4.934.210	2.514.367	2.019.230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
- Rx (Frames)	942	1.006	897	223.192	105.749	97.302
- Rx Rate (L1) (Bit/s)	21,1 K	39,7 K	66,02 K	31,66 M	29,44 M	33,73 M
- Rx Rate (Fps)	31	34	30	7.440	3.525	3.243
- Flood Count (Frames)	96	94	93	64	64	56
P-0-4-5						
- Tx (Frames)	31.250.000	17.736.486	9.510.869	4.934.210	2.514.367	2.019.230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
- Rx (Frames)	943	1.008	896	223.133	105.970	97.494
- Rx Rate (L1) (Bit/s)	21,12 K	39,78 K	65,95 K	31,66 M	29,5 M	33,8 M
- Rx Rate (Fps)	31	34	30	7.438	3.532	3.250
- Flood Count (Frames)	92	94	92	62	63	71

<b>Frame Size</b>	<b>1518</b>
Result State	PASS
Iter. #	1
Tx Rate (Percent)	70 %
Tx Rate (L1) (Bit/s)	12,6 G
Tx Rate (Fps)	1.024.057
Rx Rate (Percent)	9,11 %
Rx Rate (L1) (Bit/s)	1,64 G
Rx Rate (Fps)	133,24 K
Loss Rate (Percent)	86,99 %
Loss (Frames)	26.724.628
P-0-0-0	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	2.436.128
- Rx Rate (L1) (Bit/s)	999,14 M
- Rx Rate (Fps)	81.204
- Flood Count (Frames)	20
P-0-0-1	
- Tx (Frames)	1.706.762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	91.979
- Rx Rate (L1) (Bit/s)	37,72 M
- Rx Rate (Fps)	3.066
- Flood Count (Frames)	69
P-0-0-2	
- Tx (Frames)	1.706.762
- Tx Rate (L1) (Bit/s)	700 M



- Tx Rate (Fps)	56.892
- Rx (Frames)	91.755
- Rx Rate (L1) (Bit/s)	37,63 M
- Rx Rate (Fps)	3.059
- Flood Count (Frames)	69
P-0-0-3	
- Tx (Frames)	1.706.762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	91.887
- Rx Rate (L1) (Bit/s)	37,69 M
- Rx Rate (Fps)	3.063
- Flood Count (Frames)	67
P-0-0-4	
- Tx (Frames)	1.706.762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	91.830
- Rx Rate (L1) (Bit/s)	37,66 M
- Rx Rate (Fps)	3.061
- Flood Count (Frames)	71
P-0-0-5	
- Tx (Frames)	1.706.762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	91.875
- Rx Rate (L1) (Bit/s)	37,68 M
- Rx Rate (Fps)	3.063
- Flood Count (Frames)	75
P-0-2-0	
- Tx (Frames)	1.706.762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	91.740
- Rx Rate (L1) (Bit/s)	37,63 M
- Rx Rate (Fps)	3.058
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	1.706.762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	91.733
- Rx Rate (L1) (Bit/s)	37,62 M
- Rx Rate (Fps)	3.058
- Flood Count (Frames)	59
P-0-2-2	
- Tx (Frames)	1.706.762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	91.842
- Rx Rate (L1) (Bit/s)	37,67 M
- Rx Rate (Fps)	3.061
- Flood Count (Frames)	72
P-0-2-3	
- Tx (Frames)	1.706.762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	91.777
- Rx Rate (L1) (Bit/s)	37,64 M
- Rx Rate (Fps)	3.059
- Flood Count (Frames)	71
P-0-2-4	
- Tx (Frames)	1.706.762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	91.681
- Rx Rate (L1) (Bit/s)	37,6 M
- Rx Rate (Fps)	3.056
- Flood Count (Frames)	74
P-0-2-5	
- Tx (Frames)	1.706.762

- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	91.760
- Rx Rate (L1) (Bit/s)	37,63 M
- Rx Rate (Fps)	3.059
- Flood Count (Frames)	70
P-0-4-0	
- Tx (Frames)	1.706.762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	91.799
- Rx Rate (L1) (Bit/s)	37,65 M
- Rx Rate (Fps)	3.060
- Flood Count (Frames)	70
P-0-4-1	
- Tx (Frames)	1.706.762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	91.849
- Rx Rate (L1) (Bit/s)	37,67 M
- Rx Rate (Fps)	3.062
- Flood Count (Frames)	75
P-0-4-2	
- Tx (Frames)	1.706.762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	91.875
- Rx Rate (L1) (Bit/s)	37,68 M
- Rx Rate (Fps)	3.063
- Flood Count (Frames)	66
P-0-4-3	
- Tx (Frames)	1.706.762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	91.836
- Rx Rate (L1) (Bit/s)	37,67 M
- Rx Rate (Fps)	3.061
- Flood Count (Frames)	70
P-0-4-4	
- Tx (Frames)	1.706.762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	91.903
- Rx Rate (L1) (Bit/s)	37,69 M
- Rx Rate (Fps)	3.063
- Flood Count (Frames)	71
P-0-4-5	
- Tx (Frames)	1.706.762
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	91.826
- Rx Rate (L1) (Bit/s)	37,66 M
- Rx Rate (Fps)	3.061
- Flood Count (Frames)	66



### Results for 80,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	80 %	80 %	80 %	80 %	80 %	80 %
Tx Rate (L1) (Bit/s)	14,4 G	14,4 G	14,4 G	14,4 G	14,4 G	14,4 G
Tx Rate (Fps)	21.428.571	12.162.162	6.521.739	3.383.458	1.724.138	1.384.615
Rx Rate (Percent)	0,01 %	0,01 %	0,02 %	7,65 %	8,55 %	8,8 %
Rx Rate (L1) (Bit/s)	1,01 M	1,94 M	3,7 M	1,38 G	1,54 G	1,58 G
Rx Rate (Fps)	1,5 K	1,64 K	1,67 K	323,55 K	184,19 K	152,23 K
Loss Rate (Percent)	99,99 %	99,99 %	99,97 %	90,44 %	89,32 %	89,01 %
Loss (Frames)	642.812.004	364.815.627	195.601.927	91.797.108	46.198.377	36.971.666
P-0-0-0						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	26.854	31.894	34.387	7.008.342	3.584.527	2.867.234
- Rx Rate (L1) (Bit/s)	601,53 K	1,26 M	2,53 M	994,25 M	997,93 M	993,97 M
- Rx Rate (Fps)	895	1.063	1.146	233.611	119.484	95.574
- Flood Count (Frames)	92	94	91	21	30	24
P-0-0-1						
- Tx (Frames)	35.714.285	20.270.270	10.869.565	5.639.097	2.873.563	2.307.692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	1.075	1.020	937	158.338	113.835	100.045
- Rx Rate (L1) (Bit/s)	24,08 K	40,26 K	68,96 K	22,46 M	31,69 M	34,68 M
- Rx Rate (Fps)	36	34	31	5.278	3.795	3.335
- Flood Count (Frames)	92	92	92	54	50	60
P-0-0-2						
- Tx (Frames)	35.714.285	20.270.270	10.869.565	5.639.097	2.873.563	2.307.692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	1.075	1.019	928	157.659	113.805	100.023
- Rx Rate (L1) (Bit/s)	24,08 K	40,22 K	68,3 K	22,37 M	31,68 M	34,67 M
- Rx Rate (Fps)	36	34	31	5.255	3.794	3.334
- Flood Count (Frames)	93	94	92	50	62	55
P-0-0-3						
- Tx (Frames)	35.714.285	20.270.270	10.869.565	5.639.097	2.873.563	2.307.692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	1.075	1.018	941	158.980	114.320	99.913
- Rx Rate (L1) (Bit/s)	24,08 K	40,18 K	69,26 K	22,55 M	31,83 M	34,64 M
- Rx Rate (Fps)	36	34	31	5.299	3.811	3.330
- Flood Count (Frames)	90	92	92	59	53	58
P-0-0-4						
- Tx (Frames)	35.714.285	20.270.270	10.869.565	5.639.097	2.873.563	2.307.692

Image not found.

- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	1.075	1.021	929	158.847	113.931	99.860
- Rx Rate (L1) (Bit/s)	24,08 K	40,3 K	68,37 K	22,54 M	31,72 M	34,62 M
- Rx Rate (Fps)	36	34	31	5.295	3.798	3.329
- Flood Count (Frames)	91	92	94	54	54	60
P-0-0-5						
- Tx (Frames)	35.714.285	20.270.270	10.869.565	5.639.097	2.873.563	2.307.692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	1.075	1.014	924	157.921	113.777	99.944
- Rx Rate (L1) (Bit/s)	24,08 K	40,02 K	68,01 K	22,4 M	31,68 M	34,65 M
- Rx Rate (Fps)	36	34	31	5.264	3.793	3.331
- Flood Count (Frames)	95	90	92	53	57	58
P-0-2-0						
- Tx (Frames)	35.714.285	20.270.270	10.869.565	5.639.097	2.873.563	2.307.692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	1.075	1.022	944	157.188	113.955	100.151
- Rx Rate (L1) (Bit/s)	24,08 K	40,33 K	69,48 K	22,3 M	31,73 M	34,72 M
- Rx Rate (Fps)	36	34	31	5.240	3.799	3.338
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	35.714.285	20.270.270	10.869.565	5.639.097	2.873.563	2.307.692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	1.075	1.016	933	157.364	114.222	99.780
- Rx Rate (L1) (Bit/s)	24,08 K	40,1 K	68,67 K	22,32 M	31,8 M	34,59 M
- Rx Rate (Fps)	36	34	31	5.245	3.807	3.326
- Flood Count (Frames)	95	91	93	54	58	50
P-0-2-2						
- Tx (Frames)	35.714.285	20.270.270	10.869.565	5.639.097	2.873.563	2.307.692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	1.073	1.021	922	158.301	114.010	99.664
- Rx Rate (L1) (Bit/s)	24,04 K	40,3 K	67,86 K	22,46 M	31,74 M	34,55 M
- Rx Rate (Fps)	36	34	31	5.277	3.800	3.322
- Flood Count (Frames)	91	92	91	49	63	51
P-0-2-3						
- Tx (Frames)	35.714.285	20.270.270	10.869.565	5.639.097	2.873.563	2.307.692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	1.073	1.016	951	157.152	113.838	99.724
- Rx Rate (L1) (Bit/s)	24,04 K	40,1 K	69,99 K	22,29 M	31,69 M	34,57 M
- Rx Rate (Fps)	36	34	32	5.238	3.795	3.324
- Flood Count (Frames)	90	91	94	52	48	52
P-0-2-4						
- Tx (Frames)	35.714.285	20.270.270	10.869.565	5.639.097	2.873.563	2.307.692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	1.074	1.021	932	158.413	114.081	100.006
- Rx Rate (L1) (Bit/s)	24,06 K	40,3 K	68,6 K	22,47 M	31,76 M	34,67 M
- Rx Rate (Fps)	36	34	31	5.280	3.803	3.334
- Flood Count (Frames)	91	91	93	59	51	52
P-0-2-5						
- Tx (Frames)	35.714.285	20.270.270	10.869.565	5.639.097	2.873.563	2.307.692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	1.074	1.016	926	159.691	114.155	99.970
- Rx Rate (L1) (Bit/s)	24,06 K	40,1 K	68,15 K	22,65 M	31,78 M	34,66 M
- Rx Rate (Fps)	36	34	31	5.323	3.805	3.332
- Flood Count (Frames)	94	93	90	52	58	60
P-0-4-0						
- Tx (Frames)	35.714.285	20.270.270	10.869.565	5.639.097	2.873.563	2.307.692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	1.074	1.024	929	160.584	114.570	99.902
- Rx Rate (L1) (Bit/s)	24,06 K	40,41 K	68,37 K	22,78 M	31,9 M	34,63 M
- Rx Rate (Fps)	36	34	31	5.353	3.819	3.330
- Flood Count (Frames)	95	94	90	53	61	55
P-0-4-1						

Image not found.

- Tx (Frames)	35.714.285	20.270.270	10.869.565	5.639.097	2.873.563	2.307.692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	1.075	1.015	932	160.571	114.906	100.401
- Rx Rate (L1) (Bit/s)	24,08 K	40,06 K	68,6 K	22,78 M	31,99 M	34,81 M
- Rx Rate (Fps)	36	34	31	5.352	3.830	3.347
- Flood Count (Frames)	93	94	93	43	53	46
P-0-4-2						
- Tx (Frames)	35.714.285	20.270.270	10.869.565	5.639.097	2.873.563	2.307.692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	1.075	1.022	930	160.387	114.491	100.098
- Rx Rate (L1) (Bit/s)	24,08 K	40,33 K	68,45 K	22,75 M	31,87 M	34,7 M
- Rx Rate (Fps)	36	34	31	5.346	3.816	3.337
- Flood Count (Frames)	94	92	93	48	51	63
P-0-4-3						
- Tx (Frames)	35.714.285	20.270.270	10.869.565	5.639.097	2.873.563	2.307.692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	1.075	1.018	932	159.564	114.144	99.896
- Rx Rate (L1) (Bit/s)	24,08 K	40,18 K	68,6 K	22,64 M	31,78 M	34,63 M
- Rx Rate (Fps)	36	34	31	5.319	3.805	3.330
- Flood Count (Frames)	95	95	93	60	57	54
P-0-4-4						
- Tx (Frames)	35.714.285	20.270.270	10.869.565	5.639.097	2.873.563	2.307.692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	1.074	1.024	945	159.058	114.531	99.994
- Rx Rate (L1) (Bit/s)	24,06 K	40,41 K	69,55 K	22,57 M	31,89 M	34,66 M
- Rx Rate (Fps)	36	34	32	5.302	3.818	3.333
- Flood Count (Frames)	93	92	93	47	63	49
P-0-4-5						
- Tx (Frames)	35.714.285	20.270.270	10.869.565	5.639.097	2.873.563	2.307.692
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	1.075	1.018	918	158.268	114.657	100.175
- Rx Rate (L1) (Bit/s)	24,08 K	40,18 K	67,56 K	22,45 M	31,92 M	34,73 M
- Rx Rate (Fps)	36	34	31	5.276	3.822	3.339
- Flood Count (Frames)	96	92	93	60	51	50


<b>Frame Size</b>	<b>1518</b>
Result State	<b>PASS</b>
Iter. #	1
Tx Rate (Percent)	80 %
Tx Rate (L1) (Bit/s)	14,4 G
Tx Rate (Fps)	1.170.351
Rx Rate (Percent)	8,96 %
Rx Rate (L1) (Bit/s)	1,61 G
Rx Rate (Fps)	131,08 K
Loss Rate (Percent)	<b>88,8 %</b>
Loss (Frames)	<b>31.178.227</b>
P-0-0-0	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	2.431.535
- Rx Rate (L1) (Bit/s)	997,25 M
- Rx Rate (Fps)	81.051
- Flood Count (Frames)	20
P-0-0-1	
- Tx (Frames)	1.950.585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.020
- Rx (Frames)	88.652
- Rx Rate (L1) (Bit/s)	36,36 M
- Rx Rate (Fps)	2.955
- Flood Count (Frames)	60
P-0-0-2	
- Tx (Frames)	1.950.585
- Tx Rate (L1) (Bit/s)	800 M

Image not found.

- Tx Rate (Fps)	65.020
- Rx (Frames)	88.111
- Rx Rate (L1) (Bit/s)	36,14 M
- Rx Rate (Fps)	2.937
- Flood Count (Frames)	60
P-0-0-3	
- Tx (Frames)	1.950.585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.020
- Rx (Frames)	87.962
- Rx Rate (L1) (Bit/s)	36,08 M
- Rx Rate (Fps)	2.932
- Flood Count (Frames)	68
P-0-0-4	
- Tx (Frames)	1.950.585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.020
- Rx (Frames)	88.183
- Rx Rate (L1) (Bit/s)	36,17 M
- Rx Rate (Fps)	2.939
- Flood Count (Frames)	55
P-0-0-5	
- Tx (Frames)	1.950.585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.020
- Rx (Frames)	88.057
- Rx Rate (L1) (Bit/s)	36,12 M
- Rx Rate (Fps)	2.935
- Flood Count (Frames)	56
P-0-2-0	
- Tx (Frames)	1.950.585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.020
- Rx (Frames)	88.150
- Rx Rate (L1) (Bit/s)	36,15 M
- Rx Rate (Fps)	2.938
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	1.950.585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.020
- Rx (Frames)	88.434
- Rx Rate (L1) (Bit/s)	36,27 M
- Rx Rate (Fps)	2.948
- Flood Count (Frames)	53
P-0-2-2	
- Tx (Frames)	1.950.585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.020
- Rx (Frames)	88.299
- Rx Rate (L1) (Bit/s)	36,21 M
- Rx Rate (Fps)	2.943
- Flood Count (Frames)	55
P-0-2-3	
- Tx (Frames)	1.950.585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.020
- Rx (Frames)	88.078
- Rx Rate (L1) (Bit/s)	36,12 M
- Rx Rate (Fps)	2.936
- Flood Count (Frames)	64
P-0-2-4	
- Tx (Frames)	1.950.585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.020
- Rx (Frames)	88.215
- Rx Rate (L1) (Bit/s)	36,18 M
- Rx Rate (Fps)	2.941
- Flood Count (Frames)	58
P-0-2-5	
- Tx (Frames)	1.950.585

Image not found.

- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.020
- Rx (Frames)	88.343
- Rx Rate (L1) (Bit/s)	36,23 M
- Rx Rate (Fps)	2.945
- Flood Count (Frames)	62
P-0-4-0	
- Tx (Frames)	1.950.585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.020
- Rx (Frames)	88.165
- Rx Rate (L1) (Bit/s)	36,16 M
- Rx Rate (Fps)	2.939
- Flood Count (Frames)	59
P-0-4-1	
- Tx (Frames)	1.950.585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.020
- Rx (Frames)	88.346
- Rx Rate (L1) (Bit/s)	36,23 M
- Rx Rate (Fps)	2.945
- Flood Count (Frames)	58
P-0-4-2	
- Tx (Frames)	1.950.585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.020
- Rx (Frames)	88.244
- Rx Rate (L1) (Bit/s)	36,19 M
- Rx Rate (Fps)	2.941
- Flood Count (Frames)	64
P-0-4-3	
- Tx (Frames)	1.950.585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.020
- Rx (Frames)	88.473
- Rx Rate (L1) (Bit/s)	36,29 M
- Rx Rate (Fps)	2.949
- Flood Count (Frames)	61
P-0-4-4	
- Tx (Frames)	1.950.585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.020
- Rx (Frames)	88.513
- Rx Rate (L1) (Bit/s)	36,3 M
- Rx Rate (Fps)	2.950
- Flood Count (Frames)	59
P-0-4-5	
- Tx (Frames)	1.950.585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.020
- Rx (Frames)	88.538
- Rx Rate (L1) (Bit/s)	36,31 M
- Rx Rate (Fps)	2.951
- Flood Count (Frames)	60



### Results for 90,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	90 %	90 %	90 %	90 %	90 %	90 %
Tx Rate (L1) (Bit/s)	16,2 G	16,2 G	16,2 G	16,2 G	16,2 G	16,2 G
Tx Rate (Fps)	24.107.142	13.682.432	7.336.956	3.806.390	1.939.655	1.557.691
Rx Rate (Percent)	0 %	0,01 %	0,02 %	7,49 %	8,03 %	7,84 %
Rx Rate (L1) (Bit/s)	865,87 K	1,77 M	3,39 M	1,35 G	1,45 G	1,41 G
Rx Rate (Fps)	1,29 K	1,49 K	1,53 K	316,87 K	173,12 K	135,69 K
Loss Rate (Percent)	99,99 %	99,99 %	99,98 %	91,68 %	91,07 %	91,29 %
Loss (Frames)	723.175.617	410.428.219	220.062.669	104.685.456	52.996.028	42.659.931
P-0-0-0						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	22.801	27.634	31.737	7.008.869	3.579.564	2.785.388
- Rx Rate (L1) (Bit/s)	510,74 K	1,09 M	2,34 M	994,32 M	996,55 M	965,6 M
- Rx Rate (Fps)	760	921	1.058	233.629	119.319	92.846
- Flood Count (Frames)	96	90	91	23	25	19
P-0-0-1						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	933	1.006	838	146.950	94.698	75.525
- Rx Rate (L1) (Bit/s)	20,9 K	39,7 K	61,68 K	20,85 M	26,36 M	26,18 M
- Rx Rate (Fps)	31	34	28	4.898	3.157	2.518
- Flood Count (Frames)	94	95	95	40	59	62
P-0-0-2						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	933	1.005	840	146.774	94.961	75.457
- Rx Rate (L1) (Bit/s)	20,9 K	39,66 K	61,82 K	20,82 M	26,44 M	26,16 M
- Rx Rate (Fps)	31	34	28	4.892	3.165	2.515
- Flood Count (Frames)	91	92	93	36	49	39
P-0-0-3						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	933	1.005	838	146.572	94.865	75.795
- Rx Rate (L1) (Bit/s)	20,9 K	39,66 K	61,68 K	20,79 M	26,41 M	26,28 M
- Rx Rate (Fps)	31	34	28	4.886	3.162	2.527
- Flood Count (Frames)	94	93	91	53	56	56
P-0-0-4						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153



- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	932	1.008	835	146.980	94.983	75.234
- Rx Rate (L1) (Bit/s)	20,88 K	39,78 K	61,46 K	20,85 M	26,44 M	26,08 M
- Rx Rate (Fps)	31	34	28	4.899	3.166	2.508
- Flood Count (Frames)	88	93	90	34	56	54
P-0-0-5						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	933	1.007	847	147.216	95.006	75.612
- Rx Rate (L1) (Bit/s)	20,9 K	39,74 K	62,34 K	20,89 M	26,45 M	26,21 M
- Rx Rate (Fps)	31	34	28	4.907	3.167	2.520
- Flood Count (Frames)	92	93	94	57	47	43
P-0-2-0						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	933	1.004	838	146.863	94.600	75.482
- Rx Rate (L1) (Bit/s)	20,9 K	39,62 K	61,68 K	20,83 M	26,34 M	26,17 M
- Rx Rate (Fps)	31	33	28	4.895	3.153	2.516
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	933	1.006	830	146.612	95.151	75.498
- Rx Rate (L1) (Bit/s)	20,9 K	39,7 K	61,09 K	20,8 M	26,49 M	26,17 M
- Rx Rate (Fps)	31	34	28	4.887	3.172	2.517
- Flood Count (Frames)	92	91	90	45	49	43
P-0-2-2						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	932	1.007	850	146.945	94.681	75.711
- Rx Rate (L1) (Bit/s)	20,88 K	39,74 K	62,56 K	20,85 M	26,36 M	26,25 M
- Rx Rate (Fps)	31	34	28	4.898	3.156	2.524
- Flood Count (Frames)	90	95	96	37	45	52
P-0-2-3						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	932	1.006	833	146.727	95.106	75.437
- Rx Rate (L1) (Bit/s)	20,88 K	39,7 K	61,31 K	20,82 M	26,48 M	26,15 M
- Rx Rate (Fps)	31	34	28	4.891	3.170	2.515
- Flood Count (Frames)	95	94	92	46	50	46
P-0-2-4						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	933	1.005	850	146.893	94.882	75.729
- Rx Rate (L1) (Bit/s)	20,9 K	39,66 K	62,56 K	20,84 M	26,42 M	26,25 M
- Rx Rate (Fps)	31	34	28	4.896	3.163	2.524
- Flood Count (Frames)	93	90	90	50	48	48
P-0-2-5						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	933	1.007	833	147.407	94.750	75.470
- Rx Rate (L1) (Bit/s)	20,9 K	39,74 K	61,31 K	20,91 M	26,38 M	26,16 M
- Rx Rate (Fps)	31	34	28	4.914	3.158	2.516
- Flood Count (Frames)	91	93	95	46	49	54
P-0-4-0						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	933	1.005	834	147.017	95.281	75.864
- Rx Rate (L1) (Bit/s)	20,9 K	39,66 K	61,38 K	20,86 M	26,53 M	26,3 M
- Rx Rate (Fps)	31	34	28	4.901	3.176	2.529
- Flood Count (Frames)	89	95	90	44	53	48
P-0-4-1						

Image not found.


- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	932	1.006	837	146.627	94.992	75.529
- Rx Rate (L1) (Bit/s)	20,88 K	39,7 K	61,6 K	20,8 M	26,45 M	26,18 M
- Rx Rate (Fps)	31	34	28	4.888	3.166	2.518
- Flood Count (Frames)	92	97	91	51	52	47
P-0-4-2						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	932	1.008	837	146.894	94.931	75.712
- Rx Rate (L1) (Bit/s)	20,88 K	39,78 K	61,6 K	20,84 M	26,43 M	26,25 M
- Rx Rate (Fps)	31	34	28	4.896	3.164	2.524
- Flood Count (Frames)	93	93	93	48	44	53
P-0-4-3						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	932	1.005	848	147.060	95.258	75.798
- Rx Rate (L1) (Bit/s)	20,88 K	39,66 K	62,41 K	20,86 M	26,52 M	26,28 M
- Rx Rate (Fps)	31	34	28	4.902	3.175	2.527
- Flood Count (Frames)	90	92	90	49	51	52
P-0-4-4						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	932	1.007	836	146.993	94.684	75.887
- Rx Rate (L1) (Bit/s)	20,88 K	39,74 K	61,53 K	20,85 M	26,36 M	26,31 M
- Rx Rate (Fps)	31	34	28	4.900	3.156	2.530
- Flood Count (Frames)	90	97	90	42	42	49
P-0-4-5						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	933	1.006	843	146.848	95.219	75.680
- Rx Rate (L1) (Bit/s)	20,9 K	39,7 K	62,04 K	20,83 M	26,51 M	26,24 M
- Rx Rate (Fps)	31	34	28	4.895	3.174	2.523
- Flood Count (Frames)	92	90	93	39	45	55

<b>Frame Size</b>	<b>1518</b>
Result State	PASS
Iter. #	1
Tx Rate (Percent)	90 %
Tx Rate (L1) (Bit/s)	16,2 G
Tx Rate (Fps)	1.316.644
Rx Rate (Percent)	8,21 %
Rx Rate (L1) (Bit/s)	1,48 G
Rx Rate (Fps)	120,08 K
Loss Rate (Percent)	90,88 %
Loss (Frames)	35.896.887
P-0-0-0	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	2.408.146
- Rx Rate (L1) (Bit/s)	987,66 M
- Rx Rate (Fps)	80.272
- Flood Count (Frames)	23
P-0-0-1	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	70.076
- Rx Rate (L1) (Bit/s)	28,74 M
- Rx Rate (Fps)	2.336
- Flood Count (Frames)	43
P-0-0-2	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M

- Tx Rate (Fps)	73.147
- Rx (Frames)	70.331
- Rx Rate (L1) (Bit/s)	28,85 M
- Rx Rate (Fps)	2.344
- Flood Count (Frames)	60
P-0-0-3	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	70.018
- Rx Rate (L1) (Bit/s)	28,72 M
- Rx Rate (Fps)	2.334
- Flood Count (Frames)	57
P-0-0-4	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	70.067
- Rx Rate (L1) (Bit/s)	28,74 M
- Rx Rate (Fps)	2.336
- Flood Count (Frames)	62
P-0-0-5	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	70.216
- Rx Rate (L1) (Bit/s)	28,8 M
- Rx Rate (Fps)	2.341
- Flood Count (Frames)	59
P-0-2-0	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	70.180
- Rx Rate (L1) (Bit/s)	28,78 M
- Rx Rate (Fps)	2.339
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	70.277
- Rx Rate (L1) (Bit/s)	28,82 M
- Rx Rate (Fps)	2.343
- Flood Count (Frames)	51
P-0-2-2	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	70.331
- Rx Rate (L1) (Bit/s)	28,85 M
- Rx Rate (Fps)	2.344
- Flood Count (Frames)	55
P-0-2-3	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	70.022
- Rx Rate (L1) (Bit/s)	28,72 M
- Rx Rate (Fps)	2.334
- Flood Count (Frames)	47
P-0-2-4	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	70.318
- Rx Rate (L1) (Bit/s)	28,84 M
- Rx Rate (Fps)	2.344
- Flood Count (Frames)	60
P-0-2-5	
- Tx (Frames)	2.194.408

Image not found.

- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	70.361
- Rx Rate (L1) (Bit/s)	28,86 M
- Rx Rate (Fps)	2.345
- Flood Count (Frames)	47
P-0-4-0	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	70.428
- Rx Rate (L1) (Bit/s)	28,88 M
- Rx Rate (Fps)	2.348
- Flood Count (Frames)	54
P-0-4-1	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	70.410
- Rx Rate (L1) (Bit/s)	28,88 M
- Rx Rate (Fps)	2.347
- Flood Count (Frames)	49
P-0-4-2	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	70.287
- Rx Rate (L1) (Bit/s)	28,83 M
- Rx Rate (Fps)	2.343
- Flood Count (Frames)	53
P-0-4-3	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	70.176
- Rx Rate (L1) (Bit/s)	28,78 M
- Rx Rate (Fps)	2.339
- Flood Count (Frames)	60
P-0-4-4	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	70.557
- Rx Rate (L1) (Bit/s)	28,94 M
- Rx Rate (Fps)	2.352
- Flood Count (Frames)	59
P-0-4-5	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	70.242
- Rx Rate (L1) (Bit/s)	28,81 M
- Rx Rate (Fps)	2.341
- Flood Count (Frames)	55



### Results for 100,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	100 %	100 %	100 %	100 %	100 %	100 %
Tx Rate (L1) (Bit/s)	18 G	18 G	18 G	18 G	18 G	18 G
Tx Rate (Fps)	26.785.714	15.202.702	8.152.173	4.229.323	2.155.172	1.730.769
Rx Rate (Percent)	0 %	0,01 %	0,02 %	7,28 %	7,29 %	7,47 %
Rx Rate (L1) (Bit/s)	819,3 K	1,62 M	3,24 M	1,31 G	1,31 G	1,34 G
Rx Rate (Fps)	1,22 K	1,37 K	1,47 K	307,69 K	157,03 K	129,23 K
Loss Rate (Percent)	100 %	99,99 %	99,98 %	92,72 %	92,71 %	92,53 %
Loss (Frames)	803.534.843	456.040.033	244.521.204	117.648.896	59.944.175	48.046.168
P-0-0-0						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	18.972	22.890	27.888	7.009.286	3.457.129	2.658.040
- Rx Rate (L1) (Bit/s)	424,97 K	903,39 K	2,05 M	994,38 M	962,46 M	921,45 M
- Rx Rate (Fps)	632	763	930	233.643	115.238	88.601
- Flood Count (Frames)	93	92	93	19	21	19
P-0-0-1						
- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	1.036	1.068	949	130.130	73.786	71.696
- Rx Rate (L1) (Bit/s)	23,21 K	42,15 K	69,85 K	18,46 M	20,54 M	24,85 M
- Rx Rate (Fps)	35	36	32	4.338	2.460	2.390
- Flood Count (Frames)	93	92	91	35	46	49
P-0-0-2						
- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	1.036	1.068	949	130.532	74.124	71.553
- Rx Rate (L1) (Bit/s)	23,21 K	42,15 K	69,85 K	18,52 M	20,64 M	24,81 M
- Rx Rate (Fps)	35	36	32	4.351	2.471	2.385
- Flood Count (Frames)	92	92	97	44	52	49
P-0-0-3						
- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	1.036	1.068	948	130.139	73.903	71.946
- Rx Rate (L1) (Bit/s)	23,21 K	42,15 K	69,77 K	18,46 M	20,57 M	24,94 M
- Rx Rate (Fps)	35	36	32	4.338	2.463	2.398
- Flood Count (Frames)	92	92	91	49	49	39
P-0-0-4						
- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615

Image not found.

- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	1.036	1.067	946	130.668	74.207	71.475
- Rx Rate (L1) (Bit/s)	23,21 K	42,11 K	69,63 K	18,54 M	20,66 M	24,78 M
- Rx Rate (Fps)	35	36	32	4.356	2.474	2.383
- Flood Count (Frames)	93	95	90	40	49	50
P-0-0-5						
- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	1.036	1.067	950	130.413	74.015	72.075
- Rx Rate (L1) (Bit/s)	23,21 K	42,11 K	69,92 K	18,5 M	20,61 M	24,99 M
- Rx Rate (Fps)	35	36	32	4.347	2.467	2.403
- Flood Count (Frames)	90	93	91	38	50	40
P-0-2-0						
- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	1.036	1.067	947	130.418	74.402	71.617
- Rx Rate (L1) (Bit/s)	23,21 K	42,11 K	69,7 K	18,5 M	20,71 M	24,83 M
- Rx Rate (Fps)	35	36	32	4.347	2.480	2.387
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	1.036	1.067	949	130.649	74.093	71.876
- Rx Rate (L1) (Bit/s)	23,21 K	42,11 K	69,85 K	18,53 M	20,63 M	24,92 M
- Rx Rate (Fps)	35	36	32	4.355	2.470	2.396
- Flood Count (Frames)	92	94	95	37	55	43
P-0-2-2						
- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	1.036	1.067	946	131.110	73.967	71.633
- Rx Rate (L1) (Bit/s)	23,21 K	42,11 K	69,63 K	18,6 M	20,59 M	24,83 M
- Rx Rate (Fps)	35	36	32	4.370	2.466	2.388
- Flood Count (Frames)	90	92	96	43	50	40
P-0-2-3						
- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	1.035	1.067	946	130.374	74.247	71.781
- Rx Rate (L1) (Bit/s)	23,18 K	42,11 K	69,63 K	18,5 M	20,67 M	24,88 M
- Rx Rate (Fps)	35	36	32	4.346	2.475	2.393
- Flood Count (Frames)	93	93	91	44	39	41
P-0-2-4						
- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	1.035	1.067	945	131.285	73.819	71.546
- Rx Rate (L1) (Bit/s)	23,18 K	42,11 K	69,55 K	18,62 M	20,55 M	24,8 M
- Rx Rate (Fps)	35	36	32	4.376	2.461	2.385
- Flood Count (Frames)	94	92	93	38	47	45
P-0-2-5						
- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	1.035	1.067	947	131.394	74.353	71.807
- Rx Rate (L1) (Bit/s)	23,18 K	42,11 K	69,7 K	18,64 M	20,7 M	24,89 M
- Rx Rate (Fps)	35	36	32	4.380	2.478	2.394
- Flood Count (Frames)	93	90	93	44	40	46
P-0-4-0						
- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	1.035	1.067	946	129.387	73.070	71.480
- Rx Rate (L1) (Bit/s)	23,18 K	42,11 K	69,63 K	18,36 M	20,34 M	24,78 M
- Rx Rate (Fps)	35	36	32	4.313	2.436	2.383
- Flood Count (Frames)	94	95	93	39	49	39
P-0-4-1						

Image not found.

- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	1.035	1.067	947	131.770	73.355	71.615
- Rx Rate (L1) (Bit/s)	23,18 K	42,11 K	69,7 K	18,69 M	20,42 M	24,83 M
- Rx Rate (Fps)	35	36	32	4.392	2.445	2.387
- Flood Count (Frames)	92	93	91	52	52	46
P-0-4-2						
- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	1.035	1.067	946	131.159	72.808	71.616
- Rx Rate (L1) (Bit/s)	23,18 K	42,11 K	69,63 K	18,61 M	20,27 M	24,83 M
- Rx Rate (Fps)	35	36	32	4.372	2.427	2.387
- Flood Count (Frames)	93	96	97	44	43	47
P-0-4-3						
- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	1.035	1.067	947	129.511	73.425	71.757
- Rx Rate (L1) (Bit/s)	23,18 K	42,11 K	69,7 K	18,37 M	20,44 M	24,88 M
- Rx Rate (Fps)	35	36	32	4.317	2.448	2.392
- Flood Count (Frames)	93	92	94	39	46	49
P-0-4-4						
- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	1.035	1.067	949	131.072	72.833	71.643
- Rx Rate (L1) (Bit/s)	23,18 K	42,11 K	69,85 K	18,59 M	20,28 M	24,84 M
- Rx Rate (Fps)	35	36	32	4.369	2.428	2.388
- Flood Count (Frames)	92	92	93	45	42	45
P-0-4-5						
- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	1.036	1.068	947	131.494	73.454	71.742
- Rx Rate (L1) (Bit/s)	23,21 K	42,15 K	69,7 K	18,65 M	20,45 M	24,87 M
- Rx Rate (Fps)	35	36	32	4.383	2.448	2.391
- Flood Count (Frames)	94	92	91	39	54	55

<b>Frame Size</b>	<b>1518</b>
Result State	PASS
Iter. #	1
Tx Rate (Percent)	100 %
Tx Rate (L1) (Bit/s)	18 G
Tx Rate (Fps)	1.462.938
Rx Rate (Percent)	7,86 %
Rx Rate (L1) (Bit/s)	1,41 G
Rx Rate (Fps)	114,92 K
Loss Rate (Percent)	92,14 %
Loss (Frames)	40.440.415
P-0-0-0	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	2.290.368
- Rx Rate (L1) (Bit/s)	939,36 M
- Rx Rate (Fps)	76.346
- Flood Count (Frames)	22
P-0-0-1	
- Tx (Frames)	2.438.231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	68.080
- Rx Rate (L1) (Bit/s)	27,92 M
- Rx Rate (Fps)	2.269
- Flood Count (Frames)	52
P-0-0-2	
- Tx (Frames)	2.438.231
- Tx Rate (L1) (Bit/s)	1000 M

Image not found.


- Tx Rate (Fps)	81.274
- Rx (Frames)	67.927
- Rx Rate (L1) (Bit/s)	27,86 M
- Rx Rate (Fps)	2.264
- Flood Count (Frames)	56
P-0-0-3	
- Tx (Frames)	2.438.231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	68.104
- Rx Rate (L1) (Bit/s)	27,93 M
- Rx Rate (Fps)	2.270
- Flood Count (Frames)	62
P-0-0-4	
- Tx (Frames)	2.438.231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	68.099
- Rx Rate (L1) (Bit/s)	27,93 M
- Rx Rate (Fps)	2.270
- Flood Count (Frames)	50
P-0-0-5	
- Tx (Frames)	2.438.231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	68.230
- Rx Rate (L1) (Bit/s)	27,98 M
- Rx Rate (Fps)	2.274
- Flood Count (Frames)	52
P-0-2-0	
- Tx (Frames)	2.438.231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	67.879
- Rx Rate (L1) (Bit/s)	27,84 M
- Rx Rate (Fps)	2.263
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	2.438.231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	68.363
- Rx Rate (L1) (Bit/s)	28,04 M
- Rx Rate (Fps)	2.279
- Flood Count (Frames)	54
P-0-2-2	
- Tx (Frames)	2.438.231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	67.426
- Rx Rate (L1) (Bit/s)	27,65 M
- Rx Rate (Fps)	2.248
- Flood Count (Frames)	46
P-0-2-3	
- Tx (Frames)	2.438.231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	68.403
- Rx Rate (L1) (Bit/s)	28,05 M
- Rx Rate (Fps)	2.280
- Flood Count (Frames)	46
P-0-2-4	
- Tx (Frames)	2.438.231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	68.005
- Rx Rate (L1) (Bit/s)	27,89 M
- Rx Rate (Fps)	2.267
- Flood Count (Frames)	50
P-0-2-5	
- Tx (Frames)	2.438.231



Image not found.

- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	67.946
- Rx Rate (L1) (Bit/s)	27,87 M
- Rx Rate (Fps)	2.265
- Flood Count (Frames)	48
P-0-4-0	
- Tx (Frames)	2.438.231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	68.449
- Rx Rate (L1) (Bit/s)	28,07 M
- Rx Rate (Fps)	2.282
- Flood Count (Frames)	49
P-0-4-1	
- Tx (Frames)	2.438.231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	67.801
- Rx Rate (L1) (Bit/s)	27,81 M
- Rx Rate (Fps)	2.260
- Flood Count (Frames)	46
P-0-4-2	
- Tx (Frames)	2.438.231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	68.419
- Rx Rate (L1) (Bit/s)	28,06 M
- Rx Rate (Fps)	2.281
- Flood Count (Frames)	52
P-0-4-3	
- Tx (Frames)	2.438.231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	67.863
- Rx Rate (L1) (Bit/s)	27,83 M
- Rx Rate (Fps)	2.262
- Flood Count (Frames)	53
P-0-4-4	
- Tx (Frames)	2.438.231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	68.342
- Rx Rate (L1) (Bit/s)	28,03 M
- Rx Rate (Fps)	2.278
- Flood Count (Frames)	58
P-0-4-5	
- Tx (Frames)	2.438.231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	68.033
- Rx Rate (L1) (Bit/s)	27,9 M
- Rx Rate (Fps)	2.268
- Flood Count (Frames)	56

Image not found.



## Rate Test: Part.Mesh, N->N Results

### Test Setup

Duration: 30 seconds  
 Iteration: 1  
 Topology: Blocks  
 Direction: East-to-West

### Throughput Options

Initial Rate: 10,00%  
 Maximum Rate: 100,00%  
 Minimum Rate: 10,00%  
 Resolution: 10,00%

### Used Ports

Port ID	Port Role
P-0-0-0	East
P-0-0-1	East
P-0-0-2	East
P-0-0-3	East
P-0-0-4	East
P-0-0-5	East
P-0-2-0	East
P-0-2-1	East
P-0-2-2	East
P-0-2-3	West
P-0-2-4	West
P-0-2-5	West
P-0-4-0	West
P-0-4-1	West
P-0-4-2	West
P-0-4-3	West
P-0-4-4	West
P-0-4-5	West

### Throughput Test Results

Frame Size	64	128	256	512	1024	1280
Result State	FAIL	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	10 %	46,563 %	94,375 %	94,375 %	94,375 %	69,063 %
Tx Rate (L1) (Bit/s)	900 M	4,19 G	8,49 G	8,49 G	8,49 G	6,22 G
Tx Rate (Fps)	1.339.284	3.539.379	3.846.806	1.995.710	1.016.971	597.656
Rx Rate (Percent)	10 %	46,56 %	94,38 %	94,38 %	94,38 %	69,06 %
Rx Rate (L1) (Bit/s)	900 M	4,19 G	8,49 G	8,49 G	8,49 G	6,22 G
Rx Rate (Fps)	1,34 M	3,54 M	3,85 M	2 M	1,02 M	597,66 K
Loss Rate (Percent)	0 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	77	0	0	0	0	0
P-0-0-0						
- Tx (Frames)	4.464.279	11.797.929	12.822.687	6.652.368	3.389.904	1.992.186
- Tx Rate (L1) (Bit/s)	100 M	465,62 M	943,75 M	943,75 M	943,75 M	690,62 M
- Tx Rate (Fps)	148.809	393.264	427.423	221.746	112.997	66.406
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	4.464.279	11.797.929	12.822.687	6.652.368	3.389.904	1.992.186
- Tx Rate (L1) (Bit/s)	100 M	465,62 M	943,75 M	943,75 M	943,75 M	690,62 M
- Tx Rate (Fps)	148.809	393.264	427.423	221.746	112.997	66.406
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0

Image not found.

- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	4.464.279	11.797.929	12.822.687	6.652.368	3.389.904	1.992.186
- Tx Rate (L1) (Bit/s)	100 M	465,62 M	943,75 M	943,75 M	943,75 M	690,62 M
- Tx Rate (Fps)	148.809	393.264	427.423	221.746	112.997	66.406
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	4.464.279	11.797.929	12.822.687	6.652.368	3.389.904	1.992.186
- Tx Rate (L1) (Bit/s)	100 M	465,62 M	943,75 M	943,75 M	943,75 M	690,62 M
- Tx Rate (Fps)	148.809	393.264	427.423	221.746	112.997	66.406
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	4.464.279	11.797.929	12.822.687	6.652.368	3.389.904	1.992.186
- Tx Rate (L1) (Bit/s)	100 M	465,62 M	943,75 M	943,75 M	943,75 M	690,62 M
- Tx Rate (Fps)	148.809	393.264	427.423	221.746	112.997	66.406
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	4.464.279	11.797.929	12.822.687	6.652.368	3.389.904	1.992.186
- Tx Rate (L1) (Bit/s)	100 M	465,62 M	943,75 M	943,75 M	943,75 M	690,62 M
- Tx Rate (Fps)	148.809	393.264	427.423	221.746	112.997	66.406
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	4.464.279	11.797.929	12.822.687	6.652.368	3.389.904	1.992.186
- Tx Rate (L1) (Bit/s)	100 M	465,62 M	943,75 M	943,75 M	943,75 M	690,62 M
- Tx Rate (Fps)	148.809	393.264	427.423	221.746	112.997	66.406
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	4.464.279	11.797.929	12.822.687	6.652.368	3.389.904	1.992.186
- Tx Rate (L1) (Bit/s)	100 M	465,62 M	943,75 M	943,75 M	943,75 M	690,62 M
- Tx Rate (Fps)	148.809	393.264	427.423	221.746	112.997	66.406
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	4.464.279	11.797.929	12.822.687	6.652.368	3.389.904	1.992.186
- Tx Rate (L1) (Bit/s)	100 M	465,62 M	943,75 M	943,75 M	943,75 M	690,62 M
- Tx Rate (Fps)	148.809	393.264	427.423	221.746	112.997	66.406
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.464.276	11.797.929	12.822.687	6.652.368	3.389.904	1.992.186
- Rx Rate (L1) (Bit/s)	100 M	465,62 M	943,75 M	943,75 M	943,75 M	690,62 M
- Rx Rate (Fps)	148.809	393.264	427.423	221.746	112.997	66.406
- Flood Count (Frames)	94	94	91	92	93	91
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.464.279	11.797.929	12.822.687	6.652.368	3.389.904	1.992.186
- Rx Rate (L1) (Bit/s)	100 M	465,62 M	943,75 M	943,75 M	943,75 M	690,62 M

Image not found.

- Rx Rate (Fps)	148.809	393.264	427.423	221.746	112.997	66.406
- Flood Count (Frames)	90	94	89	93	92	89
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.464.279	11.797.929	12.822.687	6.652.368	3.389.904	1.992.186
- Rx Rate (L1) (Bit/s)	100 M	465,62 M	943,75 M	943,75 M	943,75 M	690,62 M
- Rx Rate (Fps)	148.809	393.264	427.423	221.746	112.997	66.406
- Flood Count (Frames)	91	92	92	90	93	89
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.464.272	11.797.929	12.822.687	6.652.368	3.389.904	1.992.186
- Rx Rate (L1) (Bit/s)	100 M	465,62 M	943,75 M	943,75 M	943,75 M	690,62 M
- Rx Rate (Fps)	148.809	393.264	427.423	221.746	112.997	66.406
- Flood Count (Frames)	96	94	92	92	93	91
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.464.279	11.797.929	12.822.687	6.652.368	3.389.904	1.992.186
- Rx Rate (L1) (Bit/s)	100 M	465,62 M	943,75 M	943,75 M	943,75 M	690,62 M
- Rx Rate (Fps)	148.809	393.264	427.423	221.746	112.997	66.406
- Flood Count (Frames)	93	90	93	91	89	92
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.464.267	11.797.929	12.822.687	6.652.368	3.389.904	1.992.186
- Rx Rate (L1) (Bit/s)	100 M	465,62 M	943,75 M	943,75 M	943,75 M	690,62 M
- Rx Rate (Fps)	148.809	393.264	427.423	221.746	112.997	66.406
- Flood Count (Frames)	91	93	94	91	93	90
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.464.272	11.797.929	12.822.687	6.652.368	3.389.904	1.992.186
- Rx Rate (L1) (Bit/s)	100 M	465,62 M	943,75 M	943,75 M	943,75 M	690,62 M
- Rx Rate (Fps)	148.809	393.264	427.423	221.746	112.997	66.406
- Flood Count (Frames)	92	94	94	97	91	93
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.464.258	11.797.929	12.822.687	6.652.368	3.389.904	1.992.186
- Rx Rate (L1) (Bit/s)	100 M	465,62 M	943,75 M	943,75 M	943,75 M	690,62 M
- Rx Rate (Fps)	148.809	393.264	427.423	221.746	112.997	66.406
- Flood Count (Frames)	95	93	89	91	92	93
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.464.252	11.797.929	12.822.687	6.652.368	3.389.904	1.992.186
- Rx Rate (L1) (Bit/s)	100 M	465,62 M	943,75 M	943,75 M	943,75 M	690,62 M
- Rx Rate (Fps)	148.808	393.264	427.423	221.746	112.997	66.406
- Flood Count (Frames)	90	91	93	92	95	90


<b>Frame Size</b>	<b>1518</b>
Result State	PASS
Iter. #	1
Tx Rate (Percent)	94,375 %
Tx Rate (L1) (Bit/s)	8,49 G
Tx Rate (Fps)	690,323
Rx Rate (Percent)	94,38 %
Rx Rate (L1) (Bit/s)	8,49 G
Rx Rate (Fps)	690,32 K
Loss Rate (Percent)	0 %
Loss (Frames)	0

P-0-0-0	
- Tx (Frames)	2.301.075
- Tx Rate (L1) (Bit/s)	943,75 M
- Tx Rate (Fps)	76.703
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	2.301.075
- Tx Rate (L1) (Bit/s)	943,75 M
- Tx Rate (Fps)	76.703
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	2.301.075
- Tx Rate (L1) (Bit/s)	943,75 M
- Tx Rate (Fps)	76.703
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	2.301.075
- Tx Rate (L1) (Bit/s)	943,75 M
- Tx Rate (Fps)	76.703
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	2.301.075
- Tx Rate (L1) (Bit/s)	943,75 M
- Tx Rate (Fps)	76.703
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	2.301.075
- Tx Rate (L1) (Bit/s)	943,75 M
- Tx Rate (Fps)	76.703
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	2.301.075
- Tx Rate (L1) (Bit/s)	943,75 M
- Tx Rate (Fps)	76.703
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	2.301.075
- Tx Rate (L1) (Bit/s)	943,75 M
- Tx Rate (Fps)	76.703
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	2.301.075
- Tx Rate (L1) (Bit/s)	943,75 M
- Tx Rate (Fps)	76.703
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0

- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2.301.075
- Rx Rate (L1) (Bit/s)	943,75 M
- Rx Rate (Fps)	76.703
- Flood Count (Frames)	92
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2.301.075
- Rx Rate (L1) (Bit/s)	943,75 M
- Rx Rate (Fps)	76.703
- Flood Count (Frames)	93
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2.301.075
- Rx Rate (L1) (Bit/s)	943,75 M
- Rx Rate (Fps)	76.703
- Flood Count (Frames)	92
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2.301.075
- Rx Rate (L1) (Bit/s)	943,75 M
- Rx Rate (Fps)	76.703
- Flood Count (Frames)	92
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2.301.075
- Rx Rate (L1) (Bit/s)	943,75 M
- Rx Rate (Fps)	76.703
- Flood Count (Frames)	91
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2.301.075
- Rx Rate (L1) (Bit/s)	943,75 M
- Rx Rate (Fps)	76.703
- Flood Count (Frames)	93
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2.301.075
- Rx Rate (L1) (Bit/s)	943,75 M
- Rx Rate (Fps)	76.703
- Flood Count (Frames)	93
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2.301.075
- Rx Rate (L1) (Bit/s)	943,75 M
- Rx Rate (Fps)	76.703
- Flood Count (Frames)	91
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2.301.075
- Rx Rate (L1) (Bit/s)	943,75 M

- Rx Rate (Fps)	76.703
- Flood Count (Frames)	92

Note: One or more of the rate tests did not pass the test criteria!



## Forwarding Test Results

### Results for 10,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	899,99 M	899,99 M	899,99 M
Tx Rate (Fps)	1.339.284	760.134	407.608	211.464	107.757	86.538
Rx Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Rx Rate (L1) (Bit/s)	899,99 M	900 M	900 M	899,99 M	899,99 M	899,99 M
Rx Rate (Fps)	1,34 M	760,13 K	407,61 K	211,46 K	107,76 K	86,54 K
Loss Rate (Percent)	0 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	367	0	0	0	0	0
P-0-0-0						
- Tx (Frames)	4.464.279	2.533.779	1.358.694	704.880	359.190	288.459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.809	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	4.464.279	2.533.779	1.358.694	704.880	359.190	288.459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.809	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	4.464.279	2.533.779	1.358.694	704.880	359.190	288.459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.809	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0



Image not found.

P-0-0-3						
- Tx (Frames)	4.464.279	2.533.779	1.358.694	704.880	359.190	288.459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.809	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	4.464.279	2.533.779	1.358.694	704.880	359.190	288.459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.809	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	4.464.279	2.533.779	1.358.694	704.880	359.190	288.459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.809	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	4.464.279	2.533.779	1.358.694	704.880	359.190	288.459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.809	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	4.464.279	2.533.779	1.358.694	704.880	359.190	288.459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.809	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	4.464.279	2.533.779	1.358.694	704.880	359.190	288.459
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.809	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.464.238	2.533.779	1.358.694	704.880	359.190	288.459
- Rx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.808	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	92	92	92	94	90	92
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.464.251	2.533.779	1.358.694	704.880	359.190	288.459
- Rx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.808	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	94	90	92	92	97	91
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.464.273	2.533.779	1.358.694	704.880	359.190	288.459
- Rx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.809	84.459	45.290	23.496	11.973	9.615

Image not found.


- Flood Count (Frames)	92	95	92	93	92	92
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.464.278	2.533.779	1.358.694	704.880	359.190	288.459
- Rx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.809	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	95	92	93	93	94	90
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.464.272	2.533.779	1.358.694	704.880	359.190	288.459
- Rx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.809	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	92	90	96	93	96	93
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.464.228	2.533.779	1.358.694	704.880	359.190	288.459
- Rx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.808	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	92	94	95	92	96	95
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.464.165	2.533.779	1.358.694	704.880	359.190	288.459
- Rx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.806	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	91	92	95	91	92	93
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.464.197	2.533.779	1.358.694	704.880	359.190	288.459
- Rx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.807	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	93	93	89	92	93	95
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.464.242	2.533.779	1.358.694	704.880	359.190	288.459
- Rx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.808	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	94	91	93	91	92	92

<b>Frame Size</b>	<b>1518</b>
Result State	PASS
Iter. #	1
Tx Rate (Percent)	10 %
Tx Rate (L1) (Bit/s)	899,98 M
Tx Rate (Fps)	73.146
Rx Rate (Percent)	10 %
Rx Rate (L1) (Bit/s)	899,98 M
Rx Rate (Fps)	73,15 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	243.819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	

Image not found.

- Tx (Frames)	243.819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	243.819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	243.819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	243.819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	243.819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	243.819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	243.819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	243.819
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	243.819
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	95

P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	243.819
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	92
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	243.819
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	93
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	243.819
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	93
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	243.819
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	92
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	243.819
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	96
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	243.819
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	95
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	243.819
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	91
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	243.819
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	93



### Results for 20,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	20 %	20 %	20 %	20 %	20 %	20 %
Tx Rate (L1) (Bit/s)	1,8 G	1,8 G	1,8 G	1,8 G	1,8 G	1,8 G
Tx Rate (Fps)	2.678.570	1.520.270	815.216	422.931	215.517	173.075
Rx Rate (Percent)	20 %	20 %	20 %	20 %	20 %	20 %
Rx Rate (L1) (Bit/s)	1,8 G	1,8 G	1,8 G	1,8 G	1,8 G	1,8 G
Rx Rate (Fps)	2,68 M	1,52 M	815,22 K	422,93 K	215,52 K	173,08 K
Loss Rate (Percent)	0,01 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	5.988	0	0	0	0	0
P-0-0-0						
- Tx (Frames)	8.928.567	5.067.567	2.717.388	1.409.769	718.389	576.918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	8.928.567	5.067.567	2.717.388	1.409.769	718.389	576.918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	8.928.567	5.067.567	2.717.388	1.409.769	718.389	576.918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	8.928.567	5.067.567	2.717.388	1.409.769	718.389	576.918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	8.928.567	5.067.567	2.717.388	1.409.769	718.389	576.918

Image not found.

- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	8.928.567	5.067.567	2.717.388	1.409.769	718.389	576.918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	8.928.567	5.067.567	2.717.388	1.409.769	718.389	576.918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	8.928.567	5.067.567	2.717.388	1.409.769	718.389	576.918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	8.928.567	5.067.567	2.717.388	1.409.769	718.389	576.918
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8.928.340	5.067.567	2.717.388	1.409.769	718.389	576.918
- Rx Rate (L1) (Bit/s)	199.99 M	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	297.611	168.919	90.580	46.992	23.946	19.231
- Flood Count (Frames)	94	92	95	94	92	93
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8.927.676	5.067.567	2.717.388	1.409.769	718.389	576.918
- Rx Rate (L1) (Bit/s)	199.98 M	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	297.589	168.919	90.580	46.992	23.946	19.231
- Flood Count (Frames)	91	94	93	94	93	93
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8.928.044	5.067.567	2.717.388	1.409.769	718.389	576.918
- Rx Rate (L1) (Bit/s)	199.99 M	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	297.601	168.919	90.580	46.992	23.946	19.231
- Flood Count (Frames)	96	92	92	93	90	94
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8.928.314	5.067.567	2.717.388	1.409.769	718.389	576.918
- Rx Rate (L1) (Bit/s)	199.99 M	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	297.610	168.919	90.580	46.992	23.946	19.231
- Flood Count (Frames)	92	90	92	93	92	93
P-0-4-1						

Image not found.

- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8.927.747	5.067.567	2.717.388	1.409.769	718.389	576.918
- Rx Rate (L1) (Bit/s)	199,98 M	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	297.592	168.919	90.580	46.992	23.946	19.231
- Flood Count (Frames)	93	92	93	91	95	91
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8.927.565	5.067.567	2.717.388	1.409.769	718.389	576.918
- Rx Rate (L1) (Bit/s)	199,98 M	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	297.586	168.919	90.580	46.992	23.946	19.231
- Flood Count (Frames)	90	91	90	93	95	93
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8.927.249	5.067.567	2.717.388	1.409.769	718.389	576.918
- Rx Rate (L1) (Bit/s)	199,97 M	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	297.575	168.919	90.580	46.992	23.946	19.231
- Flood Count (Frames)	92	90	92	92	90	90
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8.927.954	5.067.567	2.717.388	1.409.769	718.389	576.918
- Rx Rate (L1) (Bit/s)	199,99 M	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	297.598	168.919	90.580	46.992	23.946	19.231
- Flood Count (Frames)	93	95	94	91	93	90
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8.928.226	5.067.567	2.717.388	1.409.769	718.389	576.918
- Rx Rate (L1) (Bit/s)	199,99 M	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	297.608	168.919	90.580	46.992	23.946	19.231
- Flood Count (Frames)	95	94	93	90	91	93

<b>Frame Size</b>	<b>1518</b>
Result State	<b>PASS</b>
Iter. #	1
Tx Rate (Percent)	20 %
Tx Rate (L1) (Bit/s)	1,8 G
Tx Rate (Fps)	146.291
Rx Rate (Percent)	20 %
Rx Rate (L1) (Bit/s)	1,8 G
Rx Rate (Fps)	146,29 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	487.638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	487.638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	487.638
- Tx Rate (L1) (Bit/s)	200 M


Image not found.

- Tx Rate (Fps)	16.255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	487.638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	487.638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	487.638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	487.638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	487.638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	487.638
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	487.638
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	93
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	487.638
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	92
P-0-2-5	
- Tx (Frames)	0



Image not found.

- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	487.638
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	90
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	487.638
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	94
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	487.638
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	93
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	487.638
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	90
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	487.638
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	93
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	487.638
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	91
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	487.638
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	94



### Results for 30,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	30 %	30 %	30 %	30 %	30 %	30 %
Tx Rate (L1) (Bit/s)	2,7 G	2,7 G	2,7 G	2,7 G	2,7 G	2,7 G
Tx Rate (Fps)	4.017.857	2.280.404	1.222.825	634.397	323.274	259.613
Rx Rate (Percent)	29,99 %	30 %	30 %	30 %	30 %	30 %
Rx Rate (L1) (Bit/s)	2,7 G	2,7 G	2,7 G	2,7 G	2,7 G	2,7 G
Rx Rate (Fps)	4,02 M	2,28 M	1,22 M	634,4 K	323,27 K	259,61 K
Loss Rate (Percent)	0,04 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	51.942	0	0	0	0	0
P-0-0-0						
- Tx (Frames)	13.392.855	7.601.346	4.076.082	2.114.658	1.077.579	865.377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.489	35.919	28.846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	13.392.855	7.601.346	4.076.082	2.114.658	1.077.579	865.377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.489	35.919	28.846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	13.392.855	7.601.346	4.076.082	2.114.658	1.077.579	865.377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.489	35.919	28.846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	13.392.855	7.601.346	4.076.082	2.114.658	1.077.579	865.377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.489	35.919	28.846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	13.392.855	7.601.346	4.076.082	2.114.658	1.077.579	865.377

Image not found.

- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.489	35.919	28.846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	13.392.855	7.601.346	4.076.082	2.114.658	1.077.579	865.377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.489	35.919	28.846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	13.392.855	7.601.346	4.076.082	2.114.658	1.077.579	865.377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.489	35.919	28.846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	13.392.855	7.601.346	4.076.082	2.114.658	1.077.579	865.377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.489	35.919	28.846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	13.392.855	7.601.346	4.076.082	2.114.658	1.077.579	865.377
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.489	35.919	28.846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13.392.140	7.601.346	4.076.082	2.114.658	1.077.579	865.377
- Rx Rate (L1) (Bit/s)	299.98 M	300 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	446.405	253.378	135.869	70.489	35.919	28.846
- Flood Count (Frames)	93	91	90	94	93	93
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13.390.774	7.601.346	4.076.082	2.114.658	1.077.579	865.377
- Rx Rate (L1) (Bit/s)	299.95 M	300 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	446.359	253.378	135.869	70.489	35.919	28.846
- Flood Count (Frames)	90	90	91	89	91	88
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13.389.371	7.601.346	4.076.082	2.114.658	1.077.579	865.377
- Rx Rate (L1) (Bit/s)	299.92 M	300 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	446.312	253.378	135.869	70.489	35.919	28.846
- Flood Count (Frames)	91	93	95	96	93	92
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13.389.052	7.601.346	4.076.082	2.114.658	1.077.579	865.377
- Rx Rate (L1) (Bit/s)	299.91 M	300 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	446.302	253.378	135.869	70.489	35.919	28.846
- Flood Count (Frames)	94	91	92	95	91	92
P-0-4-1						

Image not found.

- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13.387.218	7.601.346	4.076.082	2.114.658	1.077.579	865.377
- Rx Rate (L1) (Bit/s)	299,87 M	300 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	446.241	253.378	135.869	70.489	35.919	28.846
- Flood Count (Frames)	93	89	95	91	93	90
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13.384.707	7.601.346	4.076.082	2.114.658	1.077.579	865.377
- Rx Rate (L1) (Bit/s)	299,82 M	300 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	446.157	253.378	135.869	70.489	35.919	28.846
- Flood Count (Frames)	93	90	92	95	94	91
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13.383.630	7.601.346	4.076.082	2.114.658	1.077.579	865.377
- Rx Rate (L1) (Bit/s)	299,79 M	300 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	446.121	253.378	135.869	70.489	35.919	28.846
- Flood Count (Frames)	92	97	94	91	95	92
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13.383.611	7.601.346	4.076.082	2.114.658	1.077.579	865.377
- Rx Rate (L1) (Bit/s)	299,79 M	300 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	446.120	253.378	135.869	70.489	35.919	28.846
- Flood Count (Frames)	92	89	93	91	91	93
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13.383.250	7.601.346	4.076.082	2.114.658	1.077.579	865.377
- Rx Rate (L1) (Bit/s)	299,78 M	300 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	446.108	253.378	135.869	70.489	35.919	28.846
- Flood Count (Frames)	93	91	93	91	95	90


<b>Frame Size</b>	<b>1518</b>
Result State	PASS
Iter. #	1
Tx Rate (Percent)	30 %
Tx Rate (L1) (Bit/s)	2,7 G
Tx Rate (Fps)	219.440
Rx Rate (Percent)	30 %
Rx Rate (L1) (Bit/s)	2,7 G
Rx Rate (Fps)	219,44 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	731.466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	731.466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	731.466
- Tx Rate (L1) (Bit/s)	300 M

Image not found.

- Tx Rate (Fps)	24.382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	731.466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	731.466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	731.466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	731.466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	731.466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	731.466
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	731.466
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	95
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	731.466
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	95
P-0-2-5	
- Tx (Frames)	0

Image not found.

- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	731.466
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	95
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	731.466
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	93
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	731.466
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	92
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	731.466
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	93
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	731.466
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	91
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	731.466
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	90
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	731.466
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	93



### Results for 40,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	40 %	40 %	40 %	40 %	40 %	40 %
Tx Rate (L1) (Bit/s)	3,6 G	3,6 G	3,6 G	3,6 G	3,6 G	3,6 G
Tx Rate (Fps)	5.357.140	3.040.540	1.630.433	845.864	431.033	346.154
Rx Rate (Percent)	0,03 %	40 %	40 %	40 %	40 %	40 %
Rx Rate (L1) (Bit/s)	3,05 M	3,6 G	3,6 G	3,6 G	3,6 G	3,6 G
Rx Rate (Fps)	4,53 K	3,04 M	1,63 M	845,86 K	431,03 K	346,15 K
Loss Rate (Percent)	99,92 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	160.578.257	0	0	0	0	0
P-0-0-0						
- Tx (Frames)	17.857.134	10.135.134	5.434.776	2.819.547	1.436.778	1.153.845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	17.857.134	10.135.134	5.434.776	2.819.547	1.436.778	1.153.845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	17.857.134	10.135.134	5.434.776	2.819.547	1.436.778	1.153.845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	17.857.134	10.135.134	5.434.776	2.819.547	1.436.778	1.153.845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	17.857.134	10.135.134	5.434.776	2.819.547	1.436.778	1.153.845

Image not found.

- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	17.857.134	10.135.134	5.434.776	2.819.547	1.436.778	1.153.845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	17.857.134	10.135.134	5.434.776	2.819.547	1.436.778	1.153.845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	17.857.134	10.135.134	5.434.776	2.819.547	1.436.778	1.153.845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	17.857.134	10.135.134	5.434.776	2.819.547	1.436.778	1.153.845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	15.104	10.135.134	5.434.776	2.819.547	1.436.778	1.153.845
- Rx Rate (L1) (Bit/s)	338,33 K	400 M	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	503	337.838	181.159	93.985	47.893	38.462
- Flood Count (Frames)	92	92	94	91	90	88
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	15.107	10.135.134	5.434.776	2.819.547	1.436.778	1.153.845
- Rx Rate (L1) (Bit/s)	338,4 K	400 M	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	504	337.838	181.159	93.985	47.893	38.462
- Flood Count (Frames)	96	92	95	94	93	91
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	15.104	10.135.134	5.434.776	2.819.547	1.436.778	1.153.845
- Rx Rate (L1) (Bit/s)	338,33 K	400 M	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	503	337.838	181.159	93.985	47.893	38.462
- Flood Count (Frames)	91	93	95	91	93	96
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	15.103	10.135.134	5.434.776	2.819.547	1.436.778	1.153.845
- Rx Rate (L1) (Bit/s)	338,31 K	400 M	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	503	337.838	181.159	93.985	47.893	38.462
- Flood Count (Frames)	90	93	90	94	93	93
P-0-4-1						



Image not found.

- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	15.102	10.135.134	5.434.776	2.819.547	1.436.778	1.153.845
- Rx Rate (L1) (Bit/s)	338,28 K	400 M	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	503	337.838	181.159	93.985	47.893	38.462
- Flood Count (Frames)	95	95	91	92	95	94
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	15.107	10.135.134	5.434.776	2.819.547	1.436.778	1.153.845
- Rx Rate (L1) (Bit/s)	338,4 K	400 M	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	504	337.838	181.159	93.985	47.893	38.462
- Flood Count (Frames)	92	93	91	93	96	93
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	15.106	10.135.134	5.434.776	2.819.547	1.436.778	1.153.845
- Rx Rate (L1) (Bit/s)	338,37 K	400 M	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	504	337.838	181.159	93.985	47.893	38.462
- Flood Count (Frames)	91	93	95	92	93	95
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	15.107	10.135.134	5.434.776	2.819.547	1.436.778	1.153.845
- Rx Rate (L1) (Bit/s)	338,4 K	400 M	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	504	337.838	181.159	93.985	47.893	38.462
- Flood Count (Frames)	92	93	95	90	94	93
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	15.109	10.135.134	5.434.776	2.819.547	1.436.778	1.153.845
- Rx Rate (L1) (Bit/s)	338,44 K	400 M	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	504	337.838	181.159	93.985	47.893	38.462
- Flood Count (Frames)	94	92	93	94	90	92


<b>Frame Size</b>	<b>1518</b>
Result State	<b>PASS</b>
Iter. #	1
Tx Rate (Percent)	40 %
Tx Rate (L1) (Bit/s)	3,6 G
Tx Rate (Fps)	292.586
Rx Rate (Percent)	40 %
Rx Rate (L1) (Bit/s)	3,6 G
Rx Rate (Fps)	292,59 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	975.285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	975.285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	975.285
- Tx Rate (L1) (Bit/s)	400 M

Image not found.

- Tx Rate (Fps)	32.510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	975.285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	975.285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	975.285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	975.285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	975.285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	975.285
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	975.285
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	94
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	975.285
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	90
P-0-2-5	
- Tx (Frames)	0

Image not found.

- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	975.285
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	90
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	975.285
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	93
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	975.285
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	95
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	975.285
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	93
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	975.285
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	95
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	975.285
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	90
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	975.285
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	93



### Results for 50,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	50 %	50 %	50 %	50 %	50 %	50 %
Tx Rate (L1) (Bit/s)	4,5 G	4,5 G	4,5 G	4,5 G	4,5 G	4,5 G
Tx Rate (Fps)	6.696.427	3.800.674	2.038.041	1.057.331	538.793	432.691
Rx Rate (Percent)	0,03 %	50 %	50 %	50 %	50 %	50 %
Rx Rate (L1) (Bit/s)	2,77 M	4,5 G	4,5 G	4,5 G	4,5 G	4,5 G
Rx Rate (Fps)	4,13 K	3,8 M	2,04 M	1,06 M	538,79 K	432,69 K
Loss Rate (Percent)	99,94 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	200.768.989	0	0	0	0	0
P-0-0-0						
- Tx (Frames)	22.321.422	12.668.913	6.793.470	3.524.436	1.795.977	1.442.304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.047	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	22.321.422	12.668.913	6.793.470	3.524.436	1.795.977	1.442.304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.047	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	22.321.422	12.668.913	6.793.470	3.524.436	1.795.977	1.442.304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.047	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	22.321.422	12.668.913	6.793.470	3.524.436	1.795.977	1.442.304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.047	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	22.321.422	12.668.913	6.793.470	3.524.436	1.795.977	1.442.304

Image not found.

- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.047	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	22.321.422	12.668.913	6.793.470	3.524.436	1.795.977	1.442.304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.047	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	22.321.422	12.668.913	6.793.470	3.524.436	1.795.977	1.442.304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.047	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	22.321.422	12.668.913	6.793.470	3.524.436	1.795.977	1.442.304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.047	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	22.321.422	12.668.913	6.793.470	3.524.436	1.795.977	1.442.304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.047	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13.756	12.668.913	6.793.470	3.524.436	1.795.977	1.442.304
- Rx Rate (L1) (Bit/s)	308,13 K	500 M	500 M	500 M	500 M	500 M
- Rx Rate (Fps)	459	422.297	226.449	117.481	59.866	48.077
- Flood Count (Frames)	94	93	90	92	92	94
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13.758	12.668.913	6.793.470	3.524.436	1.795.977	1.442.304
- Rx Rate (L1) (Bit/s)	308,18 K	500 M	500 M	500 M	500 M	500 M
- Rx Rate (Fps)	459	422.297	226.449	117.481	59.866	48.077
- Flood Count (Frames)	93	91	93	92	93	90
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13.758	12.668.913	6.793.470	3.524.436	1.795.977	1.442.304
- Rx Rate (L1) (Bit/s)	308,18 K	500 M	500 M	500 M	500 M	500 M
- Rx Rate (Fps)	459	422.297	226.449	117.481	59.866	48.077
- Flood Count (Frames)	93	90	94	96	94	93
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13.757	12.668.913	6.793.470	3.524.436	1.795.977	1.442.304
- Rx Rate (L1) (Bit/s)	308,16 K	500 M	500 M	500 M	500 M	500 M
- Rx Rate (Fps)	459	422.297	226.449	117.481	59.866	48.077
- Flood Count (Frames)	94	97	92	92	93	96
P-0-4-1						

Image not found.

- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13.758	12.668.913	6.793.470	3.524.436	1.795.977	1.442.304
- Rx Rate (L1) (Bit/s)	308,18 K	500 M	500 M	500 M	500 M	500 M
- Rx Rate (Fps)	459	422.297	226.449	117.481	59.866	48.077
- Flood Count (Frames)	91	90	94	91	90	93
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13.756	12.668.913	6.793.470	3.524.436	1.795.977	1.442.304
- Rx Rate (L1) (Bit/s)	308,13 K	500 M	500 M	500 M	500 M	500 M
- Rx Rate (Fps)	459	422.297	226.449	117.481	59.866	48.077
- Flood Count (Frames)	92	92	94	92	95	92
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13.754	12.668.913	6.793.470	3.524.436	1.795.977	1.442.304
- Rx Rate (L1) (Bit/s)	308,09 K	500 M	500 M	500 M	500 M	500 M
- Rx Rate (Fps)	458	422.297	226.449	117.481	59.866	48.077
- Flood Count (Frames)	93	96	90	94	91	90
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13.754	12.668.913	6.793.470	3.524.436	1.795.977	1.442.304
- Rx Rate (L1) (Bit/s)	308,09 K	500 M	500 M	500 M	500 M	500 M
- Rx Rate (Fps)	458	422.297	226.449	117.481	59.866	48.077
- Flood Count (Frames)	95	92	90	90	96	89
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13.758	12.668.913	6.793.470	3.524.436	1.795.977	1.442.304
- Rx Rate (L1) (Bit/s)	308,18 K	500 M	500 M	500 M	500 M	500 M
- Rx Rate (Fps)	459	422.297	226.449	117.481	59.866	48.077
- Flood Count (Frames)	91	95	94	93	89	90

<b>Frame Size</b>	<b>1518</b>
Result State	PASS
Iter. #	1
Tx Rate (Percent)	50 %
Tx Rate (L1) (Bit/s)	4,5 G
Tx Rate (Fps)	365.734
Rx Rate (Percent)	50 %
Rx Rate (L1) (Bit/s)	4,5 G
Rx Rate (Fps)	365,73 K
Loss Rate (Percent)	0 %
Loss (Frames)	2
P-0-0-0	
- Tx (Frames)	1.219.113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	1.219.113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	1.219.113
- Tx Rate (L1) (Bit/s)	500 M


Image not found.

- Tx Rate (Fps)	40.637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	1.219.113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	1.219.113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	1.219.113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	1.219.113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	1.219.113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	1.219.113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.219.113
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	95
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.219.113
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	92
P-0-2-5	
- Tx (Frames)	0

Image not found.

- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.219.113
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	90
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.219.113
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	92
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.219.113
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	92
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.219.113
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	91
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.219.113
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	93
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.219.111
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	93
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.219.113
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	95





### Results for 60,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	60 %	60 %	60 %	60 %	60 %	60 %
Tx Rate (L1) (Bit/s)	5,4 G	5,4 G	5,4 G	5,4 G	5,4 G	5,4 G
Tx Rate (Fps)	8.035.713	4.560.810	2.445.652	1.268.795	646.550	519.229
Rx Rate (Percent)	0,03 %	59,99 %	60 %	60 %	60 %	60 %
Rx Rate (L1) (Bit/s)	2,34 M	5,4 G	5,4 G	5,4 G	5,4 G	5,4 G
Rx Rate (Fps)	3,49 K	4,56 M	2,45 M	1,27 M	646,55 K	519,23 K
Loss Rate (Percent)	99,96 %	0,02 %	0 %	0 %	0 %	0 %
Loss (Frames)	240.966.829	33.181	0	0	0	0
P-0-0-0						
- Tx (Frames)	26.785.710	15.202.701	8.152.173	4.229.316	2.155.167	1.730.763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	26.785.710	15.202.701	8.152.173	4.229.316	2.155.167	1.730.763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	26.785.710	15.202.701	8.152.173	4.229.316	2.155.167	1.730.763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	26.785.710	15.202.701	8.152.173	4.229.316	2.155.167	1.730.763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	26.785.710	15.202.701	8.152.173	4.229.316	2.155.167	1.730.763

Image not found.

- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	26.785.710	15.202.701	8.152.173	4.229.316	2.155.167	1.730.763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	26.785.710	15.202.701	8.152.173	4.229.316	2.155.167	1.730.763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	26.785.710	15.202.701	8.152.173	4.229.316	2.155.167	1.730.763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	26.785.710	15.202.701	8.152.173	4.229.316	2.155.167	1.730.763
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	11.616	15.200.274	8.152.173	4.229.316	2.155.167	1.730.763
- Rx Rate (L1) (Bit/s)	260,2 K	599,9 M	600 M	600 M	600 M	600 M
- Rx Rate (Fps)	387	506.676	271.739	140.977	71.839	57.692
- Flood Count (Frames)	95	90	93	92	89	93
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	11.617	15.202.046	8.152.173	4.229.316	2.155.167	1.730.763
- Rx Rate (L1) (Bit/s)	260,22 K	599,97 M	600 M	600 M	600 M	600 M
- Rx Rate (Fps)	387	506.735	271.739	140.977	71.839	57.692
- Flood Count (Frames)	92	90	93	90	91	94
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	11.618	15.201.981	8.152.173	4.229.316	2.155.167	1.730.763
- Rx Rate (L1) (Bit/s)	260,24 K	599,97 M	600 M	600 M	600 M	600 M
- Rx Rate (Fps)	387	506.733	271.739	140.977	71.839	57.692
- Flood Count (Frames)	91	91	93	93	92	91
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	11.619	15.201.314	8.152.173	4.229.316	2.155.167	1.730.763
- Rx Rate (L1) (Bit/s)	260,27 K	599,95 M	600 M	600 M	600 M	600 M
- Rx Rate (Fps)	387	506.710	271.739	140.977	71.839	57.692
- Flood Count (Frames)	95	91	90	95	93	90
P-0-4-1						

Image not found.

- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	11.618	15.200.887	8.152.173	4.229.316	2.155.167	1.730.763
- Rx Rate (L1) (Bit/s)	260,24 K	599,93 M	600 M	600 M	600 M	600 M
- Rx Rate (Fps)	387	506.696	271.739	140.977	71.839	57.692
- Flood Count (Frames)	93	92	94	94	92	93
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	11.619	15.198.803	8.152.173	4.229.316	2.155.167	1.730.763
- Rx Rate (L1) (Bit/s)	260,27 K	599,85 M	600 M	600 M	600 M	600 M
- Rx Rate (Fps)	387	506.627	271.739	140.977	71.839	57.692
- Flood Count (Frames)	92	93	92	92	93	93
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	11.618	15.198.592	8.152.173	4.229.316	2.155.167	1.730.763
- Rx Rate (L1) (Bit/s)	260,24 K	599,84 M	600 M	600 M	600 M	600 M
- Rx Rate (Fps)	387	506.620	271.739	140.977	71.839	57.692
- Flood Count (Frames)	93	93	92	93	92	95
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	11.616	15.195.991	8.152.173	4.229.316	2.155.167	1.730.763
- Rx Rate (L1) (Bit/s)	260,2 K	599,74 M	600 M	600 M	600 M	600 M
- Rx Rate (Fps)	387	506.533	271.739	140.977	71.839	57.692
- Flood Count (Frames)	97	93	91	92	95	93
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	11.620	15.191.240	8.152.173	4.229.316	2.155.167	1.730.763
- Rx Rate (L1) (Bit/s)	260,29 K	599,55 M	600 M	600 M	600 M	600 M
- Rx Rate (Fps)	387	506.375	271.739	140.977	71.839	57.692
- Flood Count (Frames)	92	94	92	91	92	91


<b>Frame Size</b>	<b>1518</b>
Result State	PASS
Iter. #	1
Tx Rate (Percent)	60 %
Tx Rate (L1) (Bit/s)	5,4 G
Tx Rate (Fps)	438.880
Rx Rate (Percent)	60 %
Rx Rate (L1) (Bit/s)	5,4 G
Rx Rate (Fps)	438,88 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	1.462.932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	1.462.932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	1.462.932
- Tx Rate (L1) (Bit/s)	600 M

Image not found.

- Tx Rate (Fps)	48.764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	1.462.932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	1.462.932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	1.462.932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	1.462.932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	1.462.932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	1.462.932
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.764
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.462.932
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.764
- Flood Count (Frames)	92
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.462.932
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.764
- Flood Count (Frames)	91
P-0-2-5	
- Tx (Frames)	0

Image not found.

- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.462.932
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.764
- Flood Count (Frames)	93
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.462.932
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.764
- Flood Count (Frames)	91
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.462.932
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.764
- Flood Count (Frames)	96
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.462.932
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.764
- Flood Count (Frames)	91
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.462.932
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.764
- Flood Count (Frames)	93
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.462.932
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.764
- Flood Count (Frames)	92
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.462.932
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.764
- Flood Count (Frames)	93



### Results for 70,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	70 %	70 %	70 %	70 %	70 %	70 %
Tx Rate (L1) (Bit/s)	6,3 G	6,3 G	6,3 G	6,3 G	6,3 G	6,3 G
Tx Rate (Fps)	9.374.999	5.320.944	2.853.260	1.480.262	754.310	605.767
Rx Rate (Percent)	0,02 %	0,06 %	70 %	70 %	70 %	70 %
Rx Rate (L1) (Bit/s)	1,79 M	5,23 M	6,3 G	6,3 G	6,3 G	6,3 G
Rx Rate (Fps)	2,66 K	4,42 K	2,85 M	1,48 M	754,31 K	605,77 K
Loss Rate (Percent)	99,97 %	99,92 %	0 %	0 %	0 %	0 %
Loss (Frames)	281.170.196	159.495.679	0	0	0	11
P-0-0-0						
- Tx (Frames)	31.249.998	17.736.480	9.510.867	4.934.205	2.514.366	2.019.222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.307
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	31.249.998	17.736.480	9.510.867	4.934.205	2.514.366	2.019.222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.307
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	31.249.998	17.736.480	9.510.867	4.934.205	2.514.366	2.019.222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.307
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	31.249.998	17.736.480	9.510.867	4.934.205	2.514.366	2.019.222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.307
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	31.249.998	17.736.480	9.510.867	4.934.205	2.514.366	2.019.222

Image not found.

- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.307
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	31.249.998	17.736.480	9.510.867	4.934.205	2.514.366	2.019.222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.307
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	31.249.998	17.736.480	9.510.867	4.934.205	2.514.366	2.019.222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.307
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	31.249.998	17.736.480	9.510.867	4.934.205	2.514.366	2.019.222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.307
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	31.249.998	17.736.480	9.510.867	4.934.205	2.514.366	2.019.222
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.307
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8.865	14.725	9.510.867	4.934.205	2.514.366	2.019.222
- Rx Rate (L1) (Bit/s)	198,58 K	581,15 K	700 M	700 M	700 M	700 M
- Rx Rate (Fps)	296	491	317.029	164.474	83.812	67.307
- Flood Count (Frames)	94	92	92	92	90	90
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8.865	14.739	9.510.867	4.934.205	2.514.366	2.019.222
- Rx Rate (L1) (Bit/s)	198,58 K	581,7 K	700 M	700 M	700 M	700 M
- Rx Rate (Fps)	296	491	317.029	164.474	83.812	67.307
- Flood Count (Frames)	93	96	95	91	94	89
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8.866	14.764	9.510.867	4.934.205	2.514.366	2.019.222
- Rx Rate (L1) (Bit/s)	198,6 K	582,69 K	700 M	700 M	700 M	700 M
- Rx Rate (Fps)	296	492	317.029	164.474	83.812	67.307
- Flood Count (Frames)	90	92	91	91	93	93
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8.865	14.760	9.510.867	4.934.205	2.514.366	2.019.221
- Rx Rate (L1) (Bit/s)	198,58 K	582,53 K	700 M	700 M	700 M	700 M
- Rx Rate (Fps)	296	492	317.029	164.474	83.812	67.307
- Flood Count (Frames)	91	94	92	93	92	96
P-0-4-1						

Image not found.

- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8.865	14.737	9.510.867	4.934.205	2.514.366	2.019.221
- Rx Rate (L1) (Bit/s)	198,58 K	581,62 K	700 M	700 M	700 M	700 M
- Rx Rate (Fps)	296	491	317.029	164.474	83.812	67.307
- Flood Count (Frames)	94	92	91	90	95	93
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8.863	14.728	9.510.867	4.934.205	2.514.366	2.019.222
- Rx Rate (L1) (Bit/s)	198,53 K	581,27 K	700 M	700 M	700 M	700 M
- Rx Rate (Fps)	295	491	317.029	164.474	83.812	67.307
- Flood Count (Frames)	92	90	93	92	91	91
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8.864	14.728	9.510.867	4.934.205	2.514.366	2.019.216
- Rx Rate (L1) (Bit/s)	198,55 K	581,27 K	700 M	700 M	700 M	699,99 M
- Rx Rate (Fps)	295	491	317.029	164.474	83.812	67.307
- Flood Count (Frames)	96	90	93	88	90	95
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8.864	14.730	9.510.867	4.934.205	2.514.366	2.019.220
- Rx Rate (L1) (Bit/s)	198,55 K	581,34 K	700 M	700 M	700 M	700 M
- Rx Rate (Fps)	295	491	317.029	164.474	83.812	67.307
- Flood Count (Frames)	90	93	91	93	90	93
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8.869	14.730	9.510.867	4.934.205	2.514.366	2.019.221
- Rx Rate (L1) (Bit/s)	198,67 K	581,34 K	700 M	700 M	700 M	700 M
- Rx Rate (Fps)	296	491	317.029	164.474	83.812	67.307
- Flood Count (Frames)	93	92	90	95	89	90

<b>Frame Size</b>	<b>1518</b>
Result State	PASS
Iter. #	1
Tx Rate (Percent)	70 %
Tx Rate (L1) (Bit/s)	6,3 G
Tx Rate (Fps)	512.028
Rx Rate (Percent)	70 %
Rx Rate (L1) (Bit/s)	6,3 G
Rx Rate (Fps)	512,03 K
Loss Rate (Percent)	0 %
Loss (Frames)	5
P-0-0-0	
- Tx (Frames)	1.706.760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	1.706.760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	1.706.760
- Tx Rate (L1) (Bit/s)	700 M




Image not found.

- Tx Rate (Fps)	56.892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	1.706.760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	1.706.760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	1.706.760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	1.706.760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	1.706.760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	1.706.760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.706.760
- Rx Rate (L1) (Bit/s)	700 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	95
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.706.760
- Rx Rate (L1) (Bit/s)	700 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	91
P-0-2-5	
- Tx (Frames)	0

Image not found.

- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.706.760
- Rx Rate (L1) (Bit/s)	700 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	92
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.706.760
- Rx Rate (L1) (Bit/s)	700 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	94
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.706.757
- Rx Rate (L1) (Bit/s)	700 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	95
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.706.760
- Rx Rate (L1) (Bit/s)	700 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	92
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.706.759
- Rx Rate (L1) (Bit/s)	700 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	90
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.706.759
- Rx Rate (L1) (Bit/s)	700 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	97
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.706.760
- Rx Rate (L1) (Bit/s)	700 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	92



### Results for 80,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	80 %	80 %	80 %	80 %	80 %	80 %
Tx Rate (L1) (Bit/s)	7,2 G	7,2 G	7,2 G	7,2 G	7,2 G	7,2 G
Tx Rate (Fps)	10.714.283	6.081.080	3.260.868	1.691.728	862.067	692.307
Rx Rate (Percent)	0,02 %	0,05 %	80 %	80 %	80 %	80 %
Rx Rate (L1) (Bit/s)	1,43 M	4,27 M	7,2 G	7,2 G	7,2 G	7,2 G
Rx Rate (Fps)	2,13 K	3,61 K	3,26 M	1,69 M	862,07 K	692,3 K
Loss Rate (Percent)	99,98 %	99,94 %	0 %	0 %	0 %	0 %
Loss (Frames)	321.364.567	182.324.146	0	0	0	68
P-0-0-0						
- Tx (Frames)	35.714.277	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	35.714.277	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	35.714.277	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	35.714.277	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	35.714.277	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690

Image not found.

- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	35.714.277	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	35.714.277	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	35.714.277	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	35.714.277	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.065	12.034	10.869.561	5.639.094	2.873.556	2.307.681
- Rx Rate (L1) (Bit/s)	158,26 K	474,94 K	800 M	800 M	800 M	800 M
- Rx Rate (Fps)	236	401	362.319	187.970	95.785	76.923
- Flood Count (Frames)	95	92	92	91	90	94
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.103	12.032	10.869.561	5.639.094	2.873.556	2.307.685
- Rx Rate (L1) (Bit/s)	159,11 K	474,86 K	800 M	800 M	800 M	800 M
- Rx Rate (Fps)	237	401	362.319	187.970	95.785	76.923
- Flood Count (Frames)	93	91	91	93	92	90
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.121	12.033	10.869.561	5.639.094	2.873.556	2.307.686
- Rx Rate (L1) (Bit/s)	159,51 K	474,9 K	800 M	800 M	800 M	800 M
- Rx Rate (Fps)	237	401	362.319	187.970	95.785	76.923
- Flood Count (Frames)	93	93	92	90	90	92
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.168	12.029	10.869.561	5.639.094	2.873.556	2.307.678
- Rx Rate (L1) (Bit/s)	160,56 K	474,74 K	800 M	800 M	800 M	800 M
- Rx Rate (Fps)	239	401	362.319	187.970	95.785	76.923
- Flood Count (Frames)	91	93	94	91	92	95
P-0-4-1						

Image not found.

- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.143	12.024	10.869.561	5.639.094	2.873.556	2.307.683
- Rx Rate (L1) (Bit/s)	160 K	474,55 K	800 M	800 M	800 M	800 M
- Rx Rate (Fps)	238	401	362.319	187.970	95.785	76.923
- Flood Count (Frames)	93	93	90	93	93	90
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.138	12.022	10.869.561	5.639.094	2.873.556	2.307.686
- Rx Rate (L1) (Bit/s)	159,89 K	474,47 K	800 M	800 M	800 M	800 M
- Rx Rate (Fps)	238	401	362.319	187.970	95.785	76.923
- Flood Count (Frames)	92	92	93	93	91	92
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.125	12.035	10.869.561	5.639.094	2.873.556	2.307.686
- Rx Rate (L1) (Bit/s)	159,6 K	474,98 K	800 M	800 M	800 M	800 M
- Rx Rate (Fps)	238	401	362.319	187.970	95.785	76.923
- Flood Count (Frames)	92	93	94	92	92	95
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.037	12.030	10.869.561	5.639.094	2.873.556	2.307.682
- Rx Rate (L1) (Bit/s)	157,63 K	474,78 K	800 M	800 M	800 M	800 M
- Rx Rate (Fps)	235	401	362.319	187.970	95.785	76.923
- Flood Count (Frames)	94	91	89	92	95	91
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.026	12.027	10.869.561	5.639.094	2.873.556	2.307.675
- Rx Rate (L1) (Bit/s)	157,38 K	474,67 K	800 M	800 M	800 M	799,99 M
- Rx Rate (Fps)	234	401	362.319	187.970	95.785	76.923
- Flood Count (Frames)	96	91	94	95	93	93


<b>Frame Size</b>	<b>1518</b>
Result State	<b>PASS</b>
Iter. #	1
Tx Rate (Percent)	80 %
Tx Rate (L1) (Bit/s)	7,2 G
Tx Rate (Fps)	585.174
Rx Rate (Percent)	80 %
Rx Rate (L1) (Bit/s)	7,2 G
Rx Rate (Fps)	585,17 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	1.950.579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	1.950.579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	1.950.579
- Tx Rate (L1) (Bit/s)	800 M

Image not found.

- Tx Rate (Fps)	65.019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	1.950.579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	1.950.579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	1.950.579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	1.950.579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	1.950.579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	1.950.579
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.950.579
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65.019
- Flood Count (Frames)	96
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.950.579
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65.019
- Flood Count (Frames)	93
P-0-2-5	
- Tx (Frames)	0

Image not found.

- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.950.579
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65.019
- Flood Count (Frames)	90
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.950.579
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65.019
- Flood Count (Frames)	95
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.950.579
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65.019
- Flood Count (Frames)	93
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.950.579
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65.019
- Flood Count (Frames)	95
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.950.579
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65.019
- Flood Count (Frames)	92
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.950.579
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65.019
- Flood Count (Frames)	94
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.950.579
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65.019
- Flood Count (Frames)	95



### Results for 90,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	90 %	90 %	90 %	90 %	90 %	90 %
Tx Rate (L1) (Bit/s)	8,1 G	8,1 G	8,1 G	8,1 G	8,1 G	8,1 G
Tx Rate (Fps)	12.053.570	6.841.214	3.668.477	1.903.195	969.827	778.845
Rx Rate (Percent)	0,02 %	0,06 %	90 %	90 %	90 %	90 %
Rx Rate (L1) (Bit/s)	1,45 M	5,09 M	8,1 G	8,1 G	8,1 G	8,1 G
Rx Rate (Fps)	2,16 K	4,3 K	3,67 M	1,9 M	969,83 K	778,84 K
Loss Rate (Percent)	99,98 %	99,94 %	0 %	0 %	0 %	0 %
Loss (Frames)	361.542.410	205.107.506	0	0	0	0
P-0-0-0						
- Tx (Frames)	40.178.565	22.804.047	12.228.255	6.343.983	3.232.755	2.596.149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	40.178.565	22.804.047	12.228.255	6.343.983	3.232.755	2.596.149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	40.178.565	22.804.047	12.228.255	6.343.983	3.232.755	2.596.149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	40.178.565	22.804.047	12.228.255	6.343.983	3.232.755	2.596.149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	40.178.565	22.804.047	12.228.255	6.343.983	3.232.755	2.596.149



Image not found.

- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	40.178.565	22.804.047	12.228.255	6.343.983	3.232.755	2.596.149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	40.178.565	22.804.047	12.228.255	6.343.983	3.232.755	2.596.149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	40.178.565	22.804.047	12.228.255	6.343.983	3.232.755	2.596.149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	40.178.565	22.804.047	12.228.255	6.343.983	3.232.755	2.596.149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.187	14.325	12.228.255	6.343.983	3.232.755	2.596.149
- Rx Rate (L1) (Bit/s)	160,99 K	565,36 K	900 M	900 M	900 M	900 M
- Rx Rate (Fps)	240	478	407.609	211.466	107.759	86.538
- Flood Count (Frames)	93	93	92	90	93	91
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.186	14.324	12.228.255	6.343.983	3.232.755	2.596.149
- Rx Rate (L1) (Bit/s)	160,97 K	565,32 K	900 M	900 M	900 M	900 M
- Rx Rate (Fps)	240	477	407.609	211.466	107.759	86.538
- Flood Count (Frames)	90	93	90	94	93	92
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.186	14.323	12.228.255	6.343.983	3.232.755	2.596.149
- Rx Rate (L1) (Bit/s)	160,97 K	565,28 K	900 M	900 M	900 M	900 M
- Rx Rate (Fps)	240	477	407.609	211.466	107.759	86.538
- Flood Count (Frames)	93	90	95	95	90	92
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.185	14.324	12.228.255	6.343.983	3.232.755	2.596.149
- Rx Rate (L1) (Bit/s)	160,94 K	565,32 K	900 M	900 M	900 M	900 M
- Rx Rate (Fps)	240	477	407.609	211.466	107.759	86.538
- Flood Count (Frames)	94	92	93	91	90	93
P-0-4-1						

Image not found.

- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.185	14.324	12.228.255	6.343.983	3.232.755	2.596.149
- Rx Rate (L1) (Bit/s)	160,94 K	565,32 K	900 M	900 M	900 M	900 M
- Rx Rate (Fps)	240	477	407.609	211.466	107.759	86.538
- Flood Count (Frames)	91	93	93	91	93	93
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.185	14.323	12.228.255	6.343.983	3.232.755	2.596.149
- Rx Rate (L1) (Bit/s)	160,94 K	565,28 K	900 M	900 M	900 M	900 M
- Rx Rate (Fps)	240	477	407.609	211.466	107.759	86.538
- Flood Count (Frames)	92	92	92	93	91	93
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.185	14.324	12.228.255	6.343.983	3.232.755	2.596.149
- Rx Rate (L1) (Bit/s)	160,94 K	565,32 K	900 M	900 M	900 M	900 M
- Rx Rate (Fps)	240	477	407.609	211.466	107.759	86.538
- Flood Count (Frames)	95	97	91	93	93	92
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.185	14.324	12.228.255	6.343.983	3.232.755	2.596.149
- Rx Rate (L1) (Bit/s)	160,94 K	565,32 K	900 M	900 M	900 M	900 M
- Rx Rate (Fps)	240	477	407.609	211.466	107.759	86.538
- Flood Count (Frames)	88	93	89	94	92	90
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.191	14.326	12.228.255	6.343.983	3.232.755	2.596.149
- Rx Rate (L1) (Bit/s)	161,08 K	565,4 K	900 M	900 M	900 M	900 M
- Rx Rate (Fps)	240	478	407.609	211.466	107.759	86.538
- Flood Count (Frames)	90	93	93	90	92	92


<b>Frame Size</b>	<b>1518</b>
Result State	<b>PASS</b>
Iter. #	1
Tx Rate (Percent)	90 %
Tx Rate (L1) (Bit/s)	8,1 G
Tx Rate (Fps)	658.322
Rx Rate (Percent)	90 %
Rx Rate (L1) (Bit/s)	8,1 G
Rx Rate (Fps)	658,32 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	2.194.407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	2.194.407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	2.194.407
- Tx Rate (L1) (Bit/s)	900 M

Image not found.

- Tx Rate (Fps)	73.147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	2.194.407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	2.194.407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	2.194.407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	2.194.407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	2.194.407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	2.194.407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2.194.407
- Rx Rate (L1) (Bit/s)	900 M
- Rx Rate (Fps)	73.147
- Flood Count (Frames)	94
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2.194.407
- Rx Rate (L1) (Bit/s)	900 M
- Rx Rate (Fps)	73.147
- Flood Count (Frames)	92
P-0-2-5	
- Tx (Frames)	0

Image not found.

- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2.194.407
- Rx Rate (L1) (Bit/s)	900 M
- Rx Rate (Fps)	73.147
- Flood Count (Frames)	93
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2.194.407
- Rx Rate (L1) (Bit/s)	900 M
- Rx Rate (Fps)	73.147
- Flood Count (Frames)	95
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2.194.407
- Rx Rate (L1) (Bit/s)	900 M
- Rx Rate (Fps)	73.147
- Flood Count (Frames)	91
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2.194.407
- Rx Rate (L1) (Bit/s)	900 M
- Rx Rate (Fps)	73.147
- Flood Count (Frames)	91
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2.194.407
- Rx Rate (L1) (Bit/s)	900 M
- Rx Rate (Fps)	73.147
- Flood Count (Frames)	90
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2.194.407
- Rx Rate (L1) (Bit/s)	900 M
- Rx Rate (Fps)	73.147
- Flood Count (Frames)	94
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2.194.407
- Rx Rate (L1) (Bit/s)	900 M
- Rx Rate (Fps)	73.147
- Flood Count (Frames)	93



### Results for 100,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	100 %	100 %	100 %	100 %	100 %	100 %
Tx Rate (L1) (Bit/s)	9 G	9 G	9 G	9 G	9 G	9 G
Tx Rate (Fps)	13.392.856	7.601.351	4.076.085	2.114.662	1.077.586	865.382
Rx Rate (Percent)	0,02 %	0,04 %	98,46 %	99,17 %	99,47 %	99,45 %
Rx Rate (L1) (Bit/s)	1,57 M	3,93 M	8,86 G	8,93 G	8,95 G	8,95 G
Rx Rate (Fps)	2,33 K	3,32 K	4,01 M	2,1 M	1,07 M	860,66 K
Loss Rate (Percent)	99,98 %	99,96 %	1,54 %	0,83 %	0,53 %	0,55 %
Loss (Frames)	401.715.663	227.941.005	1.877.297	523.626	171.085	141.619
P-0-0-0						
- Tx (Frames)	44.642.853	25.337.835	13.586.949	7.048.872	3.591.954	2.884.608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	44.642.853	25.337.835	13.586.949	7.048.872	3.591.954	2.884.608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	44.642.853	25.337.835	13.586.949	7.048.872	3.591.954	2.884.608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	44.642.853	25.337.835	13.586.949	7.048.872	3.591.954	2.884.608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	44.642.853	25.337.835	13.586.949	7.048.872	3.591.954	2.884.608

Image not found.

- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	44.642.853	25.337.835	13.586.949	7.048.872	3.591.954	2.884.608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	44.642.853	25.337.835	13.586.949	7.048.872	3.591.954	2.884.608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	44.642.853	25.337.835	13.586.949	7.048.872	3.591.954	2.884.608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	44.642.853	25.337.835	13.586.949	7.048.872	3.591.954	2.884.608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.779	11.057	13.365.137	6.975.601	3.570.764	2.865.361
- Rx Rate (L1) (Bit/s)	174,25 K	436,38 K	983,67 M	989,61 M	994,1 M	993,33 M
- Rx Rate (Fps)	259	369	445.505	232.520	119.025	95.512
- Flood Count (Frames)	92	95	89	89	90	90
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.778	11.057	13.389.415	6.991.410	3.572.844	2.868.381
- Rx Rate (L1) (Bit/s)	174,23 K	436,38 K	985,46 M	991,85 M	994,68 M	994,37 M
- Rx Rate (Fps)	259	369	446.314	233.047	119.095	95.613
- Flood Count (Frames)	91	92	88	91	92	90
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.779	11.057	13.389.641	6.995.147	3.573.493	2.868.384
- Rx Rate (L1) (Bit/s)	174,25 K	436,38 K	985,48 M	992,38 M	994,86 M	994,37 M
- Rx Rate (Fps)	259	369	446.321	233.172	119.116	95.613
- Flood Count (Frames)	93	94	90	93	94	90
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.779	11.057	13.361.970	6.996.311	3.573.329	2.871.311
- Rx Rate (L1) (Bit/s)	174,25 K	436,38 K	983,44 M	992,54 M	994,81 M	995,39 M
- Rx Rate (Fps)	259	369	445.399	233.210	119.111	95.710
- Flood Count (Frames)	94	94	93	91	88	94
P-0-4-1						

Image not found.

- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.779	11.056	13.373.363	6.993.884	3.573.463	2.869.944
- Rx Rate (L1) (Bit/s)	174,25 K	436,34 K	984,28 M	992,2 M	994,85 M	994,91 M
- Rx Rate (Fps)	259	369	445.779	233.129	119.115	95.665
- Flood Count (Frames)	91	94	92	90	89	95
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.779	11.057	13.376.664	6.993.445	3.573.155	2.869.606
- Rx Rate (L1) (Bit/s)	174,25 K	436,38 K	984,52 M	992,14 M	994,77 M	994,8 M
- Rx Rate (Fps)	259	369	445.889	233.115	119.105	95.654
- Flood Count (Frames)	93	93	91	91	94	92
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.779	11.055	13.380.512	6.992.063	3.573.064	2.869.497
- Rx Rate (L1) (Bit/s)	174,25 K	436,3 K	984,81 M	991,94 M	994,74 M	994,76 M
- Rx Rate (Fps)	259	369	446.017	233.069	119.102	95.650
- Flood Count (Frames)	95	94	90	94	90	92
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.778	11.055	13.385.782	6.989.658	3.573.283	2.868.599
- Rx Rate (L1) (Bit/s)	174,23 K	436,3 K	985,19 M	991,6 M	994,8 M	994,45 M
- Rx Rate (Fps)	259	369	446.193	232.989	119.109	95.620
- Flood Count (Frames)	93	91	88	90	93	93
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.784	11.059	13.382.760	6.988.703	3.573.106	2.868.770
- Rx Rate (L1) (Bit/s)	174,36 K	436,46 K	984,97 M	991,46 M	994,75 M	994,51 M
- Rx Rate (Fps)	259	369	446.092	232.957	119.104	95.626
- Flood Count (Frames)	95	93	92	94	88	96

<b>Frame Size</b>	<b>1518</b>
Result State	PASS
Iter. #	1
Tx Rate (Percent)	100 %
Tx Rate (L1) (Bit/s)	9 G
Tx Rate (Fps)	731.468
Rx Rate (Percent)	99,55 %
Rx Rate (L1) (Bit/s)	8,96 G
Rx Rate (Fps)	728,18 K
Loss Rate (Percent)	0.45 %
Loss (Frames)	98.676
P-0-0-0	
- Tx (Frames)	2.438.226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	2.438.226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	2.438.226
- Tx Rate (L1) (Bit/s)	1000 M

Image not found.


- Tx Rate (Fps)	81.274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	2.438.226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	2.438.226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	2.438.226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	2.438.226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	2.438.226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	2.438.226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2.426.136
- Rx Rate (L1) (Bit/s)	995,04 M
- Rx Rate (Fps)	80.871
- Flood Count (Frames)	93
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2.426.986
- Rx Rate (L1) (Bit/s)	995,39 M
- Rx Rate (Fps)	80.900
- Flood Count (Frames)	90
P-0-2-5	
- Tx (Frames)	0



Image not found.

- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2.427.259
- Rx Rate (L1) (Bit/s)	995,5 M
- Rx Rate (Fps)	80.909
- Flood Count (Frames)	89
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2.428.296
- Rx Rate (L1) (Bit/s)	995,93 M
- Rx Rate (Fps)	80.943
- Flood Count (Frames)	95
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2.427.491
- Rx Rate (L1) (Bit/s)	995,59 M
- Rx Rate (Fps)	80.916
- Flood Count (Frames)	91
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2.427.480
- Rx Rate (L1) (Bit/s)	995,59 M
- Rx Rate (Fps)	80.916
- Flood Count (Frames)	94
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2.427.239
- Rx Rate (L1) (Bit/s)	995,49 M
- Rx Rate (Fps)	80.908
- Flood Count (Frames)	90
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2.427.475
- Rx Rate (L1) (Bit/s)	995,59 M
- Rx Rate (Fps)	80.916
- Flood Count (Frames)	92
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2.426.996
- Rx Rate (L1) (Bit/s)	995,39 M
- Rx Rate (Fps)	80.900
- Flood Count (Frames)	90

Image not found.



## Congestion Control Results

### Test Setup

Duration: 30 seconds  
Iteration: 1

Port ID	Port Role
P-0-0-0	Source
P-0-0-1	Source
P-0-0-2	Destination
P-0-0-3	Destination

### Test Results

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	100 %	100 %	100 %	100 %	100 %	100 %
Tx (Frames)	89.357.331	50.716.615	27.185.677	14.109.200	7.185.964	5.771.001
Uncongested Port:						
- Tx (Frames)	22.337.769	12.678.194	6.795.900	3.527.065	1.796.354	1.442.655
- Rx (Frames)	22.337.769	12.678.194	6.795.900	3.527.065	1.796.354	1.442.655
- Loss (Frames)	0	0	0	0	0	0
- Loss (Percent)	0,00	0,00	0,00	0,00	0,00	0,00
Congested Port:						
- Tx (Frames)	67.019.562	38.038.421	20.389.777	10.582.135	5.389.610	4.328.346
- Rx (Frames)	42.660.356	24.694.862	13.400.918	7.003.095	3.579.891	2.877.125
- Loss (Frames)	24.359.206	13.343.559	6.988.859	3.579.040	1.809.719	1.451.221
- Loss (Percent)	36,35	35,08	34,28	33,82	33,58	33,53

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	100 %
Tx (Frames)	4.878.685
Uncongested Port:	
- Tx (Frames)	1.219.592
- Rx (Frames)	1.219.592
- Loss (Frames)	0
- Loss (Percent)	0,00
Congested Port:	
- Tx (Frames)	3.659.093
- Rx (Frames)	2.433.426
- Loss (Frames)	1.225.667
- Loss (Percent)	33,50

## Forward Pressure Results

### Test Setup

Duration: 30 seconds  
 Iteration: 1  
 InterFrame Gap Delta: 1 bytes

Port ID	Port Role
P-0-0-0	Source
P-0-0-1	Destination

### Test Results

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx (Frames)	45.180.722	25.510.204	13.636.363	7.062.146	3.595.397	2.886.836
Tx Rate (Fps)	1.506.024	850.340	454.545	235.405	119.847	96.228
Tx IFG (Bytes)	20	20	20	20	20	20
Tx Max. Util. (Percent)	101,205	100,680	100,364	100,188	100,096	100,077
Rx (Frames)	42.613.533	24.671.022	13.392.864	6.996.301	3.578.291	2.875.817
Rx Rate (Fps)	1.420.449	822.365	446.427	233.208	119.274	95.859
Rx Max. Util. (Percent)	95,454	97,368	98,571	99,253	99,618	99,693
Loss (Frames)	2.567.189	839.182	243.499	65.845	17.106	11.019
Loss (Percent)	5,68	3,29	1,79	0,93	0,48	0,38

Frame Size	1518
Result State	PASS
Iter. #	1
Tx (Frames)	2.439.817
Tx Rate (Fps)	81.327
Tx IFG (Bytes)	20
Tx Max. Util. (Percent)	100,065
Rx (Frames)	2.431.958
Rx Rate (Fps)	81.063
Rx Max. Util. (Percent)	99,740
Loss (Frames)	7.859
Loss (Percent)	0,32

## Maximum Forwarding Rate Results

### Test Setup

Duration: 30 seconds  
Iteration: 1

Port ID	Port Role
P-0-0-0	Source
P-0-0-1	Destination

### Test Results

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	100 %	100 %	100 %	100 %	100 %	100 %
Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
Rx (Frames)	42.613.548	24.671.016	13.392.866	6.996.303	3.578.292	2.875.817
Rx Rate (L1) (Bit/s)	954,54 M	973,68 M	985,71 M	992,54 M	996,2 M	996,95 M
Rx Rate (Fps)	1.420.452	822.367	446.429	233.210	119.276	95.861

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	100 %
Tx (Frames)	2.438.231
Tx Rate (L1) (Bit/s)	1000 M
Tx Rate (Fps)	81.274
Rx (Frames)	2.431.958
Rx Rate (L1) (Bit/s)	997,43 M
Rx Rate (Fps)	81.065

## Address Caching Capacity Results

### Test Setup

Iteration: 1  
 Test Port Address Mode: Use Port Native MAC  
 Learn Port DMAC Mode: Use Test Port MAC  
 Learn Port Base Address: 02:F4:BC  
 Address Initial Count: 4.096  
 Address Maximum Count: 65.535  
 Address Minimum Count: 100  
 Address Resolution: 100  
 Learning Rate: 1.000 Fps  
 Toggle Port Sync State: Yes  
 Sync. State Off Duration: 1 seconds  
 Switch Test Ports: No  
 DUT Aging Time: 300 seconds

Port ID	Port Role
P-0-0-0	Test Port
P-0-0-1	Learning Port
P-0-0-2	Monitoring Port

### Test Results

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Duration (Seconds)	3	3	3	3	3	3
Address Count	1.504	1.504	1.504	1.504	1.504	1.504
TestPort Tx (Frames)	1.504	1.504	1.504	1.504	1.504	1.504
TestPort Rx (Frames)	0	0	0	0	0	0
LearnPort Rx (Frames)	1.504	1.504	1.504	1.504	1.504	1.504
MonPort Rx (Frames)	0	0	0	0	0	0

Frame Size	1518
Result State	PASS
Iter. #	1
Duration (Seconds)	3
Address Count	1.504
TestPort Tx (Frames)	1.504
TestPort Rx (Frames)	0
LearnPort Rx (Frames)	1.504
MonPort Rx (Frames)	0

## Address Learning Rate Results

### Test Setup

Iteration: 1  
 Test Port Address Mode: Use Port Native MAC  
 Learn Port DMAC Mode: Use Test Port MAC  
 Learn Port Base Address: 02:F4:BC  
 Only Use Max. Capacity: No  
 Set End = Max. Capacity: Yes  
  
 Base Learning Rate: 1,000 Fps  
 Initial Rate: 10,00%  
 Maximum Rate: 100,00%  
 Minimum Rate : 10,00%  
 Resolution: 10,00%  
  
 Toggle Port Sync State: Yes  
 Sync. State Off Duration: 1 seconds  
 Switch Test Ports: No  
 DUT Aging Time: 300 seconds

Port ID	Port Role
P-0-0-0	Test Port
P-0-0-1	Learning Port
P-0-0-2	Monitoring Port


### Test Results

#### Results for 1.504 Addresses

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Learning Rate (Percent)	94,375 %	94,375 %	94,375 %	94,375 %	94,375 %	94,375 %
Learning Rate (Fps)	944	944	944	944	944	944
Duration (Seconds)	3	3	3	3	3	3
Address Count	1.504	1.504	1.504	1.504	1.504	1.504
TestPort Tx (Frames)	1.504	1.504	1.504	1.504	1.504	1.504
TestPort Rx (Frames)	0	0	0	0	0	0
LearnPort Rx (Frames)	1.504	1.504	1.504	1.504	1.504	1.504
MonPort Rx (Frames)	0	0	0	0	0	0

Frame Size	1518
Result State	PASS
Iter. #	1
Learning Rate (Percent)	94,375 %
Learning Rate (Fps)	944
Duration (Seconds)	3
Address Count	1.504
TestPort Tx (Frames)	1.504
TestPort Rx (Frames)	0
LearnPort Rx (Frames)	1.504
MonPort Rx (Frames)	0

Image not found.





## Errored Frames Filtering Results

### Test Setup

Duration: 30 seconds  
 Iteration: 1  
 Oversize Test Enabled: Yes  
 Max. Valid Frame Size: 1518 bytes  
 Min. Valid Frame Size: 64 bytes  
 Oversize Frame Span: 1 bytes  
 Undersize Frame Span: 1 bytes

Port ID	Port Role
P-0-0-0	Source
P-0-0-1	Destination

### Test Results

Tx Rate (Percent)	10 %	20 %	30 %	40 %	50 %	60 %
Result State	FAIL	FAIL	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Tx Rate (L1) (Bit/s)	100 M	200 M	300 M	400 M	500 M	600 M
Tx (Frames)	1.741.375	3.482.752	5.224.128	6.965.498	8.706.880	10.448.257
Rx (Frames)	1.741.375	3.482.752	5.224.128	6.965.498	8.706.880	10.448.257
Tx Valid (Frames)	154.130	308.261	462.392	616.522	770.653	924.784
Rx Valid (Frames)	154.130	308.261	462.392	616.522	770.653	924.784
Tx Oversize (Frames)	81.221	162.443	243.664	324.880	406.107	487.329
Rx Oversize (Frames)	81.221	162.443	243.664	324.880	406.107	487.329
Tx Undersize (Frames)	1.506.024	3.012.048	4.518.072	6.024.096	7.530.120	9.036.144
Rx Undersize (Frames)	1.506.024	3.012.048	4.518.072	6.024.096	7.530.120	9.036.144
Tx FCS Error (Frames)	59	59	59	59	59	59
Rx FCS Error (Frames)	0	0	0	0	0	0

Tx Rate (Percent)	70 %	80 %	90 %	100 %
Result State	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1
Tx Rate (L1) (Bit/s)	700 M	800 M	900 M	1000 M
Tx (Frames)	12.189.633	13.931.009	15.672.386	17.413.762
Rx (Frames)	12.189.633	13.930.542	15.671.881	13.697.399
Tx Valid (Frames)	1.078.914	1.233.045	1.387.176	1.541.307
Rx Valid (Frames)	1.078.914	1.233.045	1.387.176	1.476.555
Tx Oversize (Frames)	568.551	649.772	730.994	812.215
Rx Oversize (Frames)	568.551	649.772	730.994	636.940
Tx Undersize (Frames)	10.542.168	12.048.192	13.554.216	15.060.240
Rx Undersize (Frames)	10.542.168	12.047.725	13.553.711	11.583.904
Tx FCS Error (Frames)	59	59	59	59
Rx FCS Error (Frames)	0	0	0	0

Note: One or more of the tests did not pass the test criteria!

## Broadcast Forwarding Results

### Test Setup

Duration: 30 seconds  
 Iteration: 1  
 Initial Rate: 10,00%  
 Maximum Rate: 100,00%  
 Minimum Rate: 10,00%  
 Resolution: 10,00%

Port ID	Port Role
P-0-0-0	Source
P-0-0-1	Destination
P-0-0-2	Destination
P-0-0-3	Destination
P-0-0-4	Destination
P-0-0-5	Destination
P-0-2-0	Destination
P-0-2-1	Destination
P-0-2-2	Destination
P-0-2-3	Destination
P-0-2-4	Destination
P-0-2-5	Destination
P-0-4-0	Destination
P-0-4-1	Destination
P-0-4-2	Destination
P-0-4-3	Destination
P-0-4-4	Destination
P-0-4-5	Destination

### Test Results

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	60,625 %	71,875 %	80,313 %	89,453 %	94,375 %	94,375 %
Tx (Frames)	27.064.732	18.211.570	10.912.024	6.305.436	3.389.906	2.722.355
Tx Rate (L1) (Bit/s)	606,25 M	718,75 M	803,12 M	894,53 M	943,75 M	943,75 M
Tx Rate (Fps)	902.158	607.052	363.734	210.181	112.997	90.745
Loss Rate (Percent)	0 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	0	0	0	0	0	0
P-0-0-1						
- Rx (Frames)	27.064.732	18.211.570	10.912.024	6.305.436	3.389.906	2.722.355
- Rx Rate (L1) (Bit/s)	606,25 M	718,75 M	803,12 M	894,53 M	943,75 M	943,75 M
- Rx Rate (Fps)	902.158	607.052	363.734	210.181	112.997	90.745
- Avg Latency (micsec)	2,983	3,121	2,902	3,023	3,072	2,861
- Min Latency (micsec)	2,190	2,655	2,647	2,679	2,743	2,655
- Max Latency (micsec)	7,554	7,610	5,269	6,311	7,819	5,373
- Avg Jitter (micsec)	0,014	0,010	0,008	0,007	0,004	0,005
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,381	2,188	2,333	2,525	2,285	2,645
P-0-0-2						
- Rx (Frames)	27.064.732	18.211.570	10.912.024	6.305.436	3.389.906	2.722.355
- Rx Rate (L1) (Bit/s)	606,25 M	718,75 M	803,12 M	894,53 M	943,75 M	943,75 M
- Rx Rate (Fps)	902.158	607.052	363.734	210.181	112.997	90.745
- Avg Latency (micsec)	2,379	2,846	2,848	2,854	2,870	2,857
- Min Latency (micsec)	2,166	2,655	2,647	2,655	2,671	2,679
- Max Latency (micsec)	4,427	4,676	4,427	4,387	4,788	4,483
- Avg Jitter (micsec)	0,026	0,019	0,010	0,008	0,004	0,003
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,068	1,828	1,611	1,467	1,948	1,539
P-0-0-3						
- Rx (Frames)	27.064.732	18.211.570	10.912.024	6.305.436	3.389.906	2.722.355
- Rx Rate (L1) (Bit/s)	606,25 M	718,75 M	803,12 M	894,53 M	943,75 M	943,75 M
- Rx Rate (Fps)	902.158	607.052	363.734	210.181	112.997	90.745
- Avg Latency (micsec)	2,377	2,822	2,839	2,839	2,847	2,864

- Min Latency (micsec)	2,166	2,655	2,647	2,655	2,647	2,655
- Max Latency (micsec)	4,692	4,555	4,668	4,459	4,523	4,363
- Avg Jitter (micsec)	0,026	0,017	0,010	0,008	0,005	0,004
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,237	1,659	1,924	1,683	1,707	1,611
P-0-0-4						
- Rx (Frames)	27.064.732	18.211.570	10.912.024	6.305.436	3.389.906	2.722.355
- Rx Rate (L1) (Bit/s)	606,25 M	718,75 M	803,12 M	894,53 M	943,75 M	943,75 M
- Rx Rate (Fps)	902.158	607.052	363.734	210.181	112.997	90.745
- Avg Latency (micsec)	2,379	2,867	2,855	2,876	2,880	2,891
- Min Latency (micsec)	2,190	2,655	2,671	2,679	2,671	2,703
- Max Latency (micsec)	4,523	4,604	4,427	4,267	4,355	4,171
- Avg Jitter (micsec)	0,034	0,017	0,010	0,008	0,005	0,004
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	1,996	1,828	1,491	1,491	1,395	1,347
P-0-0-5						
- Rx (Frames)	27.064.732	18.211.570	10.912.024	6.305.436	3.389.906	2.722.355
- Rx Rate (L1) (Bit/s)	606,25 M	718,75 M	803,12 M	894,53 M	943,75 M	943,75 M
- Rx Rate (Fps)	902.158	607.052	363.734	210.181	112.997	90.745
- Avg Latency (micsec)	2,383	2,832	2,844	2,865	2,869	2,889
- Min Latency (micsec)	2,214	2,655	2,671	2,655	2,671	2,655
- Max Latency (micsec)	4,451	4,363	4,547	4,531	4,355	4,604
- Avg Jitter (micsec)	0,033	0,019	0,010	0,009	0,004	0,003
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,092	1,587	1,804	1,852	1,611	1,563
P-0-2-0						
- Rx (Frames)	27.064.732	18.211.570	10.912.024	6.305.436	3.389.906	2.722.355
- Rx Rate (L1) (Bit/s)	606,25 M	718,75 M	803,12 M	894,53 M	943,75 M	943,75 M
- Rx Rate (Fps)	902.158	607.052	363.734	210.181	112.997	90.745
- Avg Latency (micsec)	1,821	2,316	2,319	2,312	2,315	2,337
- Min Latency (micsec)	1,637	2,102	2,118	2,126	2,118	2,126
- Max Latency (micsec)	2,022	2,487	2,503	2,511	2,527	2,535
- Avg Jitter (micsec)	0,021	0,019	0,010	0,005	0,004	0,003
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	0,312	0,336	0,336	0,336	0,312	0,360
P-0-2-1						
- Rx (Frames)	27.064.732	18.211.570	10.912.024	6.305.436	3.389.906	2.722.355
- Rx Rate (L1) (Bit/s)	606,25 M	718,75 M	803,12 M	894,53 M	943,75 M	943,75 M
- Rx Rate (Fps)	902.158	607.052	363.734	210.181	112.997	90.745
- Avg Latency (micsec)	1,818	2,327	2,328	2,311	2,326	2,345
- Min Latency (micsec)	1,661	2,126	2,118	2,126	2,118	2,150
- Max Latency (micsec)	3,657	4,387	4,042	3,689	3,922	3,714
- Avg Jitter (micsec)	0,025	0,018	0,009	0,006	0,003	0,003
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	1,876	2,068	1,804	1,419	1,635	1,395
P-0-2-2						
- Rx (Frames)	27.064.732	18.211.570	10.912.024	6.305.436	3.389.906	2.722.355
- Rx Rate (L1) (Bit/s)	606,25 M	718,75 M	803,12 M	894,53 M	943,75 M	943,75 M
- Rx Rate (Fps)	902.158	607.052	363.734	210.181	112.997	90.745
- Avg Latency (micsec)	1,853	2,355	2,353	2,329	2,334	2,367
- Min Latency (micsec)	1,661	2,126	2,142	2,126	2,142	2,150
- Max Latency (micsec)	4,018	4,002	3,681	3,714	3,754	3,617
- Avg Jitter (micsec)	0,025	0,018	0,009	0,006	0,004	0,003
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,188	1,611	1,322	1,395	1,443	1,322
P-0-2-3						
- Rx (Frames)	27.064.732	18.211.570	10.912.024	6.305.436	3.389.906	2.722.355
- Rx Rate (L1) (Bit/s)	606,25 M	718,75 M	803,12 M	894,53 M	943,75 M	943,75 M
- Rx Rate (Fps)	902.158	607.052	363.734	210.181	112.997	90.745
- Avg Latency (micsec)	1,843	2,356	2,349	2,327	2,330	2,364
- Min Latency (micsec)	1,637	2,126	2,142	2,126	2,118	2,150
- Max Latency (micsec)	3,994	3,978	3,994	3,738	3,946	3,810
- Avg Jitter (micsec)	0,023	0,017	0,011	0,006	0,005	0,004
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,164	1,683	1,659	1,443	1,587	1,419
P-0-2-4						
- Rx (Frames)	27.064.732	18.211.570	10.912.024	6.305.436	3.389.906	2.722.355
- Rx Rate (L1) (Bit/s)	606,25 M	718,75 M	803,12 M	894,53 M	943,75 M	943,75 M
- Rx Rate (Fps)	902.158	607.052	363.734	210.181	112.997	90.745
- Avg Latency (micsec)	1,858	2,340	2,349	2,326	2,321	2,373
- Min Latency (micsec)	1,637	2,126	2,142	2,150	2,142	2,150

- Max Latency (micsec)	4,042	4,026	3,826	4,002	3,994	3,665
- Avg Jitter (micsec)	0,020	0,019	0,011	0,006	0,005	0,005
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,092	1,804	1,443	1,780	1,755	1,322
P-0-2-5						
- Rx (Frames)	27.064.732	18.211.570	10.912.024	6.305.436	3.389.906	2.722.355
- Rx Rate (L1) (Bit/s)	606,25 M	718,75 M	803,12 M	894,53 M	943,75 M	943,75 M
- Rx Rate (Fps)	902.158	607.052	363.734	210.181	112.997	90.745
- Avg Latency (micsec)	1,860	2,318	2,337	2,336	2,339	2,341
- Min Latency (micsec)	1,685	2,126	2,142	2,150	2,142	2,150
- Max Latency (micsec)	3,922	3,930	4,235	3,882	3,802	3,641
- Avg Jitter (micsec)	0,024	0,019	0,012	0,008	0,004	0,004
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,164	1,635	1,924	1,539	1,539	1,443
P-0-4-0						
- Rx (Frames)	27.064.732	18.211.570	10.912.024	6.305.436	3.389.906	2.722.355
- Rx Rate (L1) (Bit/s)	606,25 M	718,75 M	803,12 M	894,53 M	943,75 M	943,75 M
- Rx Rate (Fps)	902.158	607.052	363.734	210.181	112.997	90.745
- Avg Latency (micsec)	1,968	2,417	2,442	2,456	2,475	2,481
- Min Latency (micsec)	1,765	2,254	2,270	2,254	2,246	2,278
- Max Latency (micsec)	4,002	4,058	4,315	3,842	3,882	3,818
- Avg Jitter (micsec)	0,036	0,016	0,010	0,008	0,003	0,004
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,044	1,611	1,683	1,491	1,539	1,347
P-0-4-1						
- Rx (Frames)	27.064.732	18.211.570	10.912.024	6.305.436	3.389.906	2.722.355
- Rx Rate (L1) (Bit/s)	606,25 M	718,75 M	803,12 M	894,53 M	943,75 M	943,75 M
- Rx Rate (Fps)	902.158	607.052	363.734	210.181	112.997	90.745
- Avg Latency (micsec)	1,965	2,410	2,413	2,437	2,458	2,444
- Min Latency (micsec)	1,765	2,230	2,246	2,254	2,246	2,254
- Max Latency (micsec)	3,834	4,058	3,954	3,986	3,882	3,794
- Avg Jitter (micsec)	0,036	0,015	0,009	0,006	0,004	0,003
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	1,828	1,635	1,563	1,515	1,539	1,419
P-0-4-2						
- Rx (Frames)	27.064.732	18.211.570	10.912.024	6.305.436	3.389.906	2.722.355
- Rx Rate (L1) (Bit/s)	606,25 M	718,75 M	803,12 M	894,53 M	943,75 M	943,75 M
- Rx Rate (Fps)	902.158	607.052	363.734	210.181	112.997	90.745
- Avg Latency (micsec)	1,979	2,452	2,440	2,474	2,474	2,455
- Min Latency (micsec)	1,789	2,278	2,270	2,278	2,270	2,278
- Max Latency (micsec)	3,930	4,082	4,002	3,938	3,858	4,058
- Avg Jitter (micsec)	0,033	0,016	0,011	0,007	0,004	0,003
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	1,948	1,731	1,539	1,491	1,515	1,443
P-0-4-3						
- Rx (Frames)	27.064.732	18.211.570	10.912.024	6.305.436	3.389.906	2.722.355
- Rx Rate (L1) (Bit/s)	606,25 M	718,75 M	803,12 M	894,53 M	943,75 M	943,75 M
- Rx Rate (Fps)	902.158	607.052	363.734	210.181	112.997	90.745
- Avg Latency (micsec)	1,969	2,480	2,467	2,496	2,491	2,495
- Min Latency (micsec)	1,789	2,302	2,294	2,302	2,294	2,326
- Max Latency (micsec)	3,978	4,419	4,098	4,010	3,906	3,962
- Avg Jitter (micsec)	0,032	0,014	0,009	0,007	0,003	0,003
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	1,972	1,948	1,683	1,539	1,419	1,587
P-0-4-4						
- Rx (Frames)	27.064.732	18.211.570	10.912.024	6.305.436	3.389.906	2.722.355
- Rx Rate (L1) (Bit/s)	606,25 M	718,75 M	803,12 M	894,53 M	943,75 M	943,75 M
- Rx Rate (Fps)	902.158	607.052	363.734	210.181	112.997	90.745
- Avg Latency (micsec)	1,938	2,444	2,453	2,447	2,465	2,475
- Min Latency (micsec)	1,789	2,254	2,270	2,254	2,270	2,278
- Max Latency (micsec)	4,050	4,323	3,834	3,914	3,834	4,251
- Avg Jitter (micsec)	0,019	0,017	0,012	0,007	0,003	0,003
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,116	1,900	1,322	1,467	1,371	1,780
P-0-4-5						
- Rx (Frames)	27.064.732	18.211.570	10.912.024	6.305.436	3.389.906	2.722.355
- Rx Rate (L1) (Bit/s)	606,25 M	718,75 M	803,12 M	894,53 M	943,75 M	943,75 M
- Rx Rate (Fps)	902.158	607.052	363.734	210.181	112.997	90.745
- Avg Latency (micsec)	1,988	2,472	2,481	2,477	2,487	2,499
- Min Latency (micsec)	1,813	2,278	2,294	2,302	2,294	2,302
- Max Latency (micsec)	4,098	4,203	4,122	3,890	4,098	3,818

Image not found.

- Avg Jitter (micsec)	0,022	0,020	0,010	0,007	0,003	0,003
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,140	1,876	1,611	1,467	1,563	1,491

<b>Frame Size</b>	<b>1518</b>
Result State	PASS
Iter. #	1
Tx Rate (Percent)	94,375 %
Tx (Frames)	2.301.080
Tx Rate (L1) (Bit/s)	943,75 M
Tx Rate (Fps)	76.703
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-1	
- Rx (Frames)	2.301.080
- Rx Rate (L1) (Bit/s)	943,75 M
- Rx Rate (Fps)	76.703
- Avg Latency (micsec)	2,858
- Min Latency (micsec)	2,663
- Max Latency (micsec)	5,189
- Avg Jitter (micsec)	0,003
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	2,309
P-0-0-2	
- Rx (Frames)	2.301.080
- Rx Rate (L1) (Bit/s)	943,75 M
- Rx Rate (Fps)	76.703
- Avg Latency (micsec)	2,869
- Min Latency (micsec)	2,663
- Max Latency (micsec)	4,130
- Avg Jitter (micsec)	0,003
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	1,178
P-0-0-3	
- Rx (Frames)	2.301.080
- Rx Rate (L1) (Bit/s)	943,75 M
- Rx Rate (Fps)	76.703
- Avg Latency (micsec)	2,869
- Min Latency (micsec)	2,663
- Max Latency (micsec)	4,275
- Avg Jitter (micsec)	0,002
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	1,274
P-0-0-4	
- Rx (Frames)	2.301.080
- Rx Rate (L1) (Bit/s)	943,75 M
- Rx Rate (Fps)	76.703
- Avg Latency (micsec)	2,878
- Min Latency (micsec)	2,687
- Max Latency (micsec)	4,467
- Avg Jitter (micsec)	0,002
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	1,683
P-0-0-5	
- Rx (Frames)	2.301.080
- Rx Rate (L1) (Bit/s)	943,75 M
- Rx Rate (Fps)	76.703
- Avg Latency (micsec)	2,868
- Min Latency (micsec)	2,687
- Max Latency (micsec)	4,082
- Avg Jitter (micsec)	0,004
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	1,347
P-0-2-0	
- Rx (Frames)	2.301.080
- Rx Rate (L1) (Bit/s)	943,75 M
- Rx Rate (Fps)	76.703
- Avg Latency (micsec)	2,353
- Min Latency (micsec)	2,134
- Max Latency (micsec)	2,567

- Avg Jitter (micsec)	0,003
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	0,408
P-0-2-1	
- Rx (Frames)	2.301.080
- Rx Rate (L1) (Bit/s)	943,75 M
- Rx Rate (Fps)	76.703
- Avg Latency (micsec)	2,352
- Min Latency (micsec)	2,158
- Max Latency (micsec)	3,746
- Avg Jitter (micsec)	0,002
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	1,371
P-0-2-2	
- Rx (Frames)	2.301.080
- Rx Rate (L1) (Bit/s)	943,75 M
- Rx Rate (Fps)	76.703
- Avg Latency (micsec)	2,373
- Min Latency (micsec)	2,182
- Max Latency (micsec)	3,529
- Avg Jitter (micsec)	0,002
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	1,202
P-0-2-3	
- Rx (Frames)	2.301.080
- Rx Rate (L1) (Bit/s)	943,75 M
- Rx Rate (Fps)	76.703
- Avg Latency (micsec)	2,378
- Min Latency (micsec)	2,158
- Max Latency (micsec)	3,818
- Avg Jitter (micsec)	0,002
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	1,419
P-0-2-4	
- Rx (Frames)	2.301.080
- Rx Rate (L1) (Bit/s)	943,75 M
- Rx Rate (Fps)	76.703
- Avg Latency (micsec)	2,387
- Min Latency (micsec)	2,158
- Max Latency (micsec)	3,577
- Avg Jitter (micsec)	0,002
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	1,178
P-0-2-5	
- Rx (Frames)	2.301.080
- Rx Rate (L1) (Bit/s)	943,75 M
- Rx Rate (Fps)	76.703
- Avg Latency (micsec)	2,349
- Min Latency (micsec)	2,158
- Max Latency (micsec)	3,986
- Avg Jitter (micsec)	0,003
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	1,659
P-0-4-0	
- Rx (Frames)	2.301.080
- Rx Rate (L1) (Bit/s)	943,75 M
- Rx Rate (Fps)	76.703
- Avg Latency (micsec)	2,454
- Min Latency (micsec)	2,286
- Max Latency (micsec)	3,922
- Avg Jitter (micsec)	0,004
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	1,443
P-0-4-1	
- Rx (Frames)	2.301.080
- Rx Rate (L1) (Bit/s)	943,75 M
- Rx Rate (Fps)	76.703
- Avg Latency (micsec)	2,428
- Min Latency (micsec)	2,238
- Max Latency (micsec)	4,235
- Avg Jitter (micsec)	0,004

- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	1,683
P-0-4-2	
- Rx (Frames)	2.301.080
- Rx Rate (L1) (Bit/s)	943,75 M
- Rx Rate (Fps)	76.703
- Avg Latency (micsec)	2,476
- Min Latency (micsec)	2,286
- Max Latency (micsec)	3,681
- Avg Jitter (micsec)	0,003
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	1,202
P-0-4-3	
- Rx (Frames)	2.301.080
- Rx Rate (L1) (Bit/s)	943,75 M
- Rx Rate (Fps)	76.703
- Avg Latency (micsec)	2,511
- Min Latency (micsec)	2,334
- Max Latency (micsec)	4,163
- Avg Jitter (micsec)	0,003
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	1,707
P-0-4-4	
- Rx (Frames)	2.301.080
- Rx Rate (L1) (Bit/s)	943,75 M
- Rx Rate (Fps)	76.703
- Avg Latency (micsec)	2,479
- Min Latency (micsec)	2,286
- Max Latency (micsec)	4,211
- Avg Jitter (micsec)	0,003
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	1,780
P-0-4-5	
- Rx (Frames)	2.301.080
- Rx Rate (L1) (Bit/s)	943,75 M
- Rx Rate (Fps)	76.703
- Avg Latency (micsec)	2,517
- Min Latency (micsec)	2,310
- Max Latency (micsec)	3,850
- Avg Jitter (micsec)	0,002
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	1,250

