

Xena2544 Test Report

Test Summary

Test company: Xena Networks
 Customer: Xena Networks
 Test Date and Time: 2016-06-23, 02:26
 Test Duration: 22:01:31 (h:m:s)
 Generated By: Xena2544 v2.39, running on 'Microsoft Windows 7 Enterprise'

Test Setup

Test Configuration

Main Test Options

Topology: Blocks
 Direction: Bidirectional
 Frame Size Type: IEEE Default
 Frame Sizes Used: 64,128,256,512,1024,1280,1518
 Toggle Port Sync: Yes
 Sync Off Duration: 1 seconds
 Sync On Delay: 1 seconds
 Flow Creation Type: Stream-based
 Enable Multi-Stream: No

Test Type Selection

Throughput Test: Enabled
 Latency and Jitter Test: Enabled
 Frame Loss Rate Test: Enabled
 Back-to-Back Test: Enabled

Port Configuration

Used Port Count: 18

Used Chassis Summary

Chassis ID	Chassis Name	Address and Port
C-0	New chassis	140.181.139.228:22606

Used Ports Summary

Port ID	Interface Type	Port Group	Port Peer	Port Speed	Port Rate
P-0-0-0	SFP-O LR 1310 nm	East	N/A	AUTO	500 M
P-0-0-1	SFP-O LR 1310 nm	East	N/A	AUTO	500 M
P-0-0-2	SFP-O LR 1310 nm	East	N/A	AUTO	500 M
P-0-0-3	SFP-O LR 1310 nm	East	N/A	AUTO	500 M
P-0-0-4	SFP-O LR 1310 nm	East	N/A	AUTO	500 M
P-0-0-5	SFP-O LR 1310 nm	East	N/A	AUTO	500 M
P-0-2-0	SFP-O LR 1310 nm	East	N/A	AUTO	500 M
P-0-2-1	SFP-O LR 1310 nm	East	N/A	AUTO	500 M
P-0-2-2	SFP-O LR 1310 nm	East	N/A	AUTO	500 M
P-0-2-3	SFP-O LR 1310 nm	West	N/A	AUTO	500 M
P-0-2-4	SFP-O LR 1310 nm	West	N/A	AUTO	500 M
P-0-2-5	SFP-O LR 1310 nm	West	N/A	AUTO	500 M
P-0-4-0	SFP-O LR 1310 nm	West	N/A	AUTO	500 M
P-0-4-1	SFP-O LR 1310 nm	West	N/A	AUTO	500 M
P-0-4-2	SFP-O LR 1310 nm	West	N/A	AUTO	500 M
P-0-4-3	SFP-O LR 1310 nm	West	N/A	AUTO	500 M
P-0-4-4	SFP-O LR 1310 nm	West	N/A	AUTO	500 M

P-0-4-5	SFP-O LR 1310 nm	West	N/A	AUTO	500 M
---------	------------------	------	-----	------	-------

Port Traffic Setup

Port ID	IP Address & Gateway	Protocol Segment Profile
P-0-0-0	No address specified	1: Ethernet
P-0-0-1	No address specified	1: Ethernet
P-0-0-2	No address specified	1: Ethernet
P-0-0-3	No address specified	1: Ethernet
P-0-0-4	No address specified	1: Ethernet
P-0-0-5	No address specified	1: Ethernet
P-0-2-0	No address specified	1: Ethernet
P-0-2-1	No address specified	1: Ethernet
P-0-2-2	No address specified	1: Ethernet
P-0-2-3	No address specified	1: Ethernet
P-0-2-4	No address specified	1: Ethernet
P-0-2-5	No address specified	1: Ethernet
P-0-4-0	No address specified	1: Ethernet
P-0-4-1	No address specified	1: Ethernet
P-0-4-2	No address specified	1: Ethernet
P-0-4-3	No address specified	1: Ethernet
P-0-4-4	No address specified	1: Ethernet
P-0-4-5	No address specified	1: Ethernet

Throughput Test Results

Test Setup

Time Duration: 600 seconds
Iterations: 1
Initial Rate: 10,000 %
Maximum Rate: 100,000 %
Minimum Rate: 10,000 %
Resolution: 10,000 %
Use Pass Threshold: No
Pass Threshold: 0,000 %
Acceptable Loss: 0,000 %
Rate Result Scope: Common Result
Use Fast Binary Search: No

Test Results

Test Results Summary

Total tests executed: 7

Warning: 6 test(s) passed and 1 test(s) failed!

Detailed Test Results

Frame Size	64	128	256	512	1024	1280
Result State	FAIL	PASS	PASS	PASS	PASS	PASS
Tx Rate (Percent)	10 %	32,5 %	100 %	100 %	60,625 %	26,875 %
Tx (Frames)	803.552.400	1.482.202.800	2.445.649.200	1.268.751.600	391.910.400	139.482.000
Tx Rate (L1) (Bit/s)	899,98 M	2,92 G	9 G	9 G	5,46 G	2,42 G
Tx Rate (L2) (Bit/s)	685,7 M	2,53 G	8,35 G	8,66 G	5,35 G	2,38 G
Tx Rate (Fps)	1.339.254	2.470.338	4.076.082	2.114.586	653.184	232.470
Rx (Frames)	803.515.911	1.482.202.800	2.445.649.200	1.268.751.600	391.910.400	139.482.000
Loss (Frames)	36.489	0	0	0	0	0
Loss Rate (Percent)	0 %	0 %	0 %	0 %	0 %	0 %
P-0-0-0						
- Tx (Frames)	44.641.800	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Tx Rate (L1) (Bit/s)	50 M	162,49 M	500 M	499,98 M	303,08 M	134,32 M
- Tx Rate (L2) (Bit/s)	38,09 M	140,53 M	463,77 M	481,19 M	297,27 M	132,25 M
- Tx Rate (Fps)	74.403	137.241	226.449	117.477	36.288	12.915
- Rx (Frames)	44.640.394	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Rx Rate (L1) (Bit/s)	50 M	162,49 M	500 M	499,98 M	303,08 M	134,32 M
- Rx Rate (L2) (Bit/s)	38,09 M	140,53 M	463,77 M	481,19 M	297,27 M	132,25 M
- Rx Rate (Fps)	74.401	137.241	226.449	117.477	36.288	12.915
P-0-0-1						
- Tx (Frames)	44.641.800	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Tx Rate (L1) (Bit/s)	50 M	162,49 M	500 M	499,98 M	303,08 M	134,32 M
- Tx Rate (L2) (Bit/s)	38,09 M	140,53 M	463,77 M	481,19 M	297,27 M	132,25 M
- Tx Rate (Fps)	74.403	137.241	226.449	117.477	36.288	12.915
- Rx (Frames)	44.640.199	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Rx Rate (L1) (Bit/s)	50 M	162,49 M	500 M	499,98 M	303,08 M	134,32 M
- Rx Rate (L2) (Bit/s)	38,09 M	140,53 M	463,77 M	481,19 M	297,27 M	132,25 M
- Rx Rate (Fps)	74.400	137.241	226.449	117.477	36.288	12.915
P-0-0-2						
- Tx (Frames)	44.641.800	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Tx Rate (L1) (Bit/s)	50 M	162,49 M	500 M	499,98 M	303,08 M	134,32 M
- Tx Rate (L2) (Bit/s)	38,09 M	140,53 M	463,77 M	481,19 M	297,27 M	132,25 M
- Tx Rate (Fps)	74.403	137.241	226.449	117.477	36.288	12.915
- Rx (Frames)	44.639.755	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Rx Rate (L1) (Bit/s)	50 M	162,49 M	500 M	499,98 M	303,08 M	134,32 M
- Rx Rate (L2) (Bit/s)	38,09 M	140,53 M	463,77 M	481,19 M	297,27 M	132,25 M
- Rx Rate (Fps)	74.400	137.241	226.449	117.477	36.288	12.915
P-0-0-3						
- Tx (Frames)	44.641.800	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000

- Tx Rate (L1) (Bit/s)	50 M	162,49 M	500 M	499,98 M	303,08 M	134,32 M
- Tx Rate (L2) (Bit/s)	38,09 M	140,53 M	463,77 M	481,19 M	297,27 M	132,25 M
- Tx Rate (Fps)	74.403	137.241	226.449	117.477	36.288	12.915
- Rx (Frames)	44.639.480	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Rx Rate (L1) (Bit/s)	50 M	162,49 M	500 M	499,98 M	303,08 M	134,32 M
- Rx Rate (L2) (Bit/s)	38,09 M	140,53 M	463,77 M	481,19 M	297,27 M	132,25 M
- Rx Rate (Fps)	74.399	137.241	226.449	117.477	36.288	12.915
P-0-0-4						
- Tx (Frames)	44.641.800	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Tx Rate (L1) (Bit/s)	50 M	162,49 M	500 M	499,98 M	303,08 M	134,32 M
- Tx Rate (L2) (Bit/s)	38,09 M	140,53 M	463,77 M	481,19 M	297,27 M	132,25 M
- Tx Rate (Fps)	74.403	137.241	226.449	117.477	36.288	12.915
- Rx (Frames)	44.638.058	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Rx Rate (L1) (Bit/s)	49,99 M	162,49 M	500 M	499,98 M	303,08 M	134,32 M
- Rx Rate (L2) (Bit/s)	38,09 M	140,53 M	463,77 M	481,19 M	297,27 M	132,25 M
- Rx Rate (Fps)	74.397	137.241	226.449	117.477	36.288	12.915
P-0-0-5						
- Tx (Frames)	44.641.800	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Tx Rate (L1) (Bit/s)	50 M	162,49 M	500 M	499,98 M	303,08 M	134,32 M
- Tx Rate (L2) (Bit/s)	38,09 M	140,53 M	463,77 M	481,19 M	297,27 M	132,25 M
- Tx Rate (Fps)	74.403	137.241	226.449	117.477	36.288	12.915
- Rx (Frames)	44.639.013	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Rx Rate (L1) (Bit/s)	50 M	162,49 M	500 M	499,98 M	303,08 M	134,32 M
- Rx Rate (L2) (Bit/s)	38,09 M	140,53 M	463,77 M	481,19 M	297,27 M	132,25 M
- Rx Rate (Fps)	74.398	137.241	226.449	117.477	36.288	12.915
P-0-2-0						
- Tx (Frames)	44.641.800	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Tx Rate (L1) (Bit/s)	50 M	162,49 M	500 M	499,98 M	303,08 M	134,32 M
- Tx Rate (L2) (Bit/s)	38,09 M	140,53 M	463,77 M	481,19 M	297,27 M	132,25 M
- Tx Rate (Fps)	74.403	137.241	226.449	117.477	36.288	12.915
- Rx (Frames)	44.639.359	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Rx Rate (L1) (Bit/s)	50 M	162,49 M	500 M	499,98 M	303,08 M	134,32 M
- Rx Rate (L2) (Bit/s)	38,09 M	140,53 M	463,77 M	481,19 M	297,27 M	132,25 M
- Rx Rate (Fps)	74.399	137.241	226.449	117.477	36.288	12.915
P-0-2-1						
- Tx (Frames)	44.641.800	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Tx Rate (L1) (Bit/s)	50 M	162,49 M	500 M	499,98 M	303,08 M	134,32 M
- Tx Rate (L2) (Bit/s)	38,09 M	140,53 M	463,77 M	481,19 M	297,27 M	132,25 M
- Tx Rate (Fps)	74.403	137.241	226.449	117.477	36.288	12.915
- Rx (Frames)	44.639.487	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Rx Rate (L1) (Bit/s)	50 M	162,49 M	500 M	499,98 M	303,08 M	134,32 M
- Rx Rate (L2) (Bit/s)	38,09 M	140,53 M	463,77 M	481,19 M	297,27 M	132,25 M
- Rx Rate (Fps)	74.399	137.241	226.449	117.477	36.288	12.915
P-0-2-2						
- Tx (Frames)	44.641.800	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Tx Rate (L1) (Bit/s)	50 M	162,49 M	500 M	499,98 M	303,08 M	134,32 M
- Tx Rate (L2) (Bit/s)	38,09 M	140,53 M	463,77 M	481,19 M	297,27 M	132,25 M
- Tx Rate (Fps)	74.403	137.241	226.449	117.477	36.288	12.915
- Rx (Frames)	44.638.981	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Rx Rate (L1) (Bit/s)	50 M	162,49 M	500 M	499,98 M	303,08 M	134,32 M
- Rx Rate (L2) (Bit/s)	38,09 M	140,53 M	463,77 M	481,19 M	297,27 M	132,25 M
- Rx Rate (Fps)	74.398	137.241	226.449	117.477	36.288	12.915
P-0-2-3						
- Tx (Frames)	44.641.800	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Tx Rate (L1) (Bit/s)	50 M	162,49 M	500 M	499,98 M	303,08 M	134,32 M
- Tx Rate (L2) (Bit/s)	38,09 M	140,53 M	463,77 M	481,19 M	297,27 M	132,25 M
- Tx Rate (Fps)	74.403	137.241	226.449	117.477	36.288	12.915
- Rx (Frames)	44.640.161	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Rx Rate (L1) (Bit/s)	50 M	162,49 M	500 M	499,98 M	303,08 M	134,32 M
- Rx Rate (L2) (Bit/s)	38,09 M	140,53 M	463,77 M	481,19 M	297,27 M	132,25 M
- Rx Rate (Fps)	74.400	137.241	226.449	117.477	36.288	12.915
P-0-2-4						
- Tx (Frames)	44.641.800	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Tx Rate (L1) (Bit/s)	50 M	162,49 M	500 M	499,98 M	303,08 M	134,32 M
- Tx Rate (L2) (Bit/s)	38,09 M	140,53 M	463,77 M	481,19 M	297,27 M	132,25 M
- Tx Rate (Fps)	74.403	137.241	226.449	117.477	36.288	12.915
- Rx (Frames)	44.641.472	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Rx Rate (L1) (Bit/s)	50 M	162,49 M	500 M	499,98 M	303,08 M	134,32 M
- Rx Rate (L2) (Bit/s)	38,09 M	140,53 M	463,77 M	481,19 M	297,27 M	132,25 M
- Rx Rate (Fps)	74.402	137.241	226.449	117.477	36.288	12.915
P-0-2-5						

- Tx (Frames)	44.641.800	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Tx Rate (L1) (Bit/s)	50 M	162,49 M	500 M	499,98 M	303,08 M	134,32 M
- Tx Rate (L2) (Bit/s)	38,09 M	140,53 M	463,77 M	481,19 M	297,27 M	132,25 M
- Tx Rate (Fps)	74.403	137.241	226.449	117.477	36.288	12.915
- Rx (Frames)	44.638.638	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Rx Rate (L1) (Bit/s)	50 M	162,49 M	500 M	499,98 M	303,08 M	134,32 M
- Rx Rate (L2) (Bit/s)	38,09 M	140,53 M	463,77 M	481,19 M	297,27 M	132,25 M
- Rx Rate (Fps)	74.398	137.241	226.449	117.477	36.288	12.915
P-0-4-0						
- Tx (Frames)	44.641.800	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Tx Rate (L1) (Bit/s)	50 M	162,49 M	500 M	499,98 M	303,08 M	134,32 M
- Tx Rate (L2) (Bit/s)	38,09 M	140,53 M	463,77 M	481,19 M	297,27 M	132,25 M
- Tx Rate (Fps)	74.403	137.241	226.449	117.477	36.288	12.915
- Rx (Frames)	44.640.198	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Rx Rate (L1) (Bit/s)	50 M	162,49 M	500 M	499,98 M	303,08 M	134,32 M
- Rx Rate (L2) (Bit/s)	38,09 M	140,53 M	463,77 M	481,19 M	297,27 M	132,25 M
- Rx Rate (Fps)	74.400	137.241	226.449	117.477	36.288	12.915
P-0-4-1						
- Tx (Frames)	44.641.800	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Tx Rate (L1) (Bit/s)	50 M	162,49 M	500 M	499,98 M	303,08 M	134,32 M
- Tx Rate (L2) (Bit/s)	38,09 M	140,53 M	463,77 M	481,19 M	297,27 M	132,25 M
- Tx Rate (Fps)	74.403	137.241	226.449	117.477	36.288	12.915
- Rx (Frames)	44.639.218	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Rx Rate (L1) (Bit/s)	50 M	162,49 M	500 M	499,98 M	303,08 M	134,32 M
- Rx Rate (L2) (Bit/s)	38,09 M	140,53 M	463,77 M	481,19 M	297,27 M	132,25 M
- Rx Rate (Fps)	74.399	137.241	226.449	117.477	36.288	12.915
P-0-4-2						
- Tx (Frames)	44.641.800	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Tx Rate (L1) (Bit/s)	50 M	162,49 M	500 M	499,98 M	303,08 M	134,32 M
- Tx Rate (L2) (Bit/s)	38,09 M	140,53 M	463,77 M	481,19 M	297,27 M	132,25 M
- Tx Rate (Fps)	74.403	137.241	226.449	117.477	36.288	12.915
- Rx (Frames)	44.640.878	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Rx Rate (L1) (Bit/s)	50 M	162,49 M	500 M	499,98 M	303,08 M	134,32 M
- Rx Rate (L2) (Bit/s)	38,09 M	140,53 M	463,77 M	481,19 M	297,27 M	132,25 M
- Rx Rate (Fps)	74.401	137.241	226.449	117.477	36.288	12.915
P-0-4-3						
- Tx (Frames)	44.641.800	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Tx Rate (L1) (Bit/s)	50 M	162,49 M	500 M	499,98 M	303,08 M	134,32 M
- Tx Rate (L2) (Bit/s)	38,09 M	140,53 M	463,77 M	481,19 M	297,27 M	132,25 M
- Tx Rate (Fps)	74.403	137.241	226.449	117.477	36.288	12.915
- Rx (Frames)	44.640.788	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Rx Rate (L1) (Bit/s)	50 M	162,49 M	500 M	499,98 M	303,08 M	134,32 M
- Rx Rate (L2) (Bit/s)	38,09 M	140,53 M	463,77 M	481,19 M	297,27 M	132,25 M
- Rx Rate (Fps)	74.401	137.241	226.449	117.477	36.288	12.915
P-0-4-4						
- Tx (Frames)	44.641.800	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Tx Rate (L1) (Bit/s)	50 M	162,49 M	500 M	499,98 M	303,08 M	134,32 M
- Tx Rate (L2) (Bit/s)	38,09 M	140,53 M	463,77 M	481,19 M	297,27 M	132,25 M
- Tx Rate (Fps)	74.403	137.241	226.449	117.477	36.288	12.915
- Rx (Frames)	44.641.109	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Rx Rate (L1) (Bit/s)	50 M	162,49 M	500 M	499,98 M	303,08 M	134,32 M
- Rx Rate (L2) (Bit/s)	38,09 M	140,53 M	463,77 M	481,19 M	297,27 M	132,25 M
- Rx Rate (Fps)	74.402	137.241	226.449	117.477	36.288	12.915
P-0-4-5						
- Tx (Frames)	44.641.800	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Tx Rate (L1) (Bit/s)	50 M	162,49 M	500 M	499,98 M	303,08 M	134,32 M
- Tx Rate (L2) (Bit/s)	38,09 M	140,53 M	463,77 M	481,19 M	297,27 M	132,25 M
- Tx Rate (Fps)	74.403	137.241	226.449	117.477	36.288	12.915
- Rx (Frames)	44.638.723	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Rx Rate (L1) (Bit/s)	50 M	162,49 M	500 M	499,98 M	303,08 M	134,32 M
- Rx Rate (L2) (Bit/s)	38,09 M	140,53 M	463,77 M	481,19 M	297,27 M	132,25 M
- Rx Rate (Fps)	74.398	137.241	226.449	117.477	36.288	12.915


Frame Size	1518
Result State	PASS
Tx Rate (Percent)	21,25 %
Tx (Frames)	93.214.800
Tx Rate (L1) (Bit/s)	1,91 G
Tx Rate (L2) (Bit/s)	1,89 G
Tx Rate (Fps)	155.358

Rx (Frames)	93.214.800
Loss (Frames)	0
Loss Rate (Percent)	0 %
P-0-0-0	
- Tx (Frames)	5.178.600
- Tx Rate (L1) (Bit/s)	106,2 M
- Tx Rate (L2) (Bit/s)	104,81 M
- Tx Rate (Fps)	8.631
- Rx (Frames)	5.178.600
- Rx Rate (L1) (Bit/s)	106,2 M
- Rx Rate (L2) (Bit/s)	104,81 M
- Rx Rate (Fps)	8.631
P-0-0-1	
- Tx (Frames)	5.178.600
- Tx Rate (L1) (Bit/s)	106,2 M
- Tx Rate (L2) (Bit/s)	104,81 M
- Tx Rate (Fps)	8.631
- Rx (Frames)	5.178.600
- Rx Rate (L1) (Bit/s)	106,2 M
- Rx Rate (L2) (Bit/s)	104,81 M
- Rx Rate (Fps)	8.631
P-0-0-2	
- Tx (Frames)	5.178.600
- Tx Rate (L1) (Bit/s)	106,2 M
- Tx Rate (L2) (Bit/s)	104,81 M
- Tx Rate (Fps)	8.631
- Rx (Frames)	5.178.600
- Rx Rate (L1) (Bit/s)	106,2 M
- Rx Rate (L2) (Bit/s)	104,81 M
- Rx Rate (Fps)	8.631
P-0-0-3	
- Tx (Frames)	5.178.600
- Tx Rate (L1) (Bit/s)	106,2 M
- Tx Rate (L2) (Bit/s)	104,81 M
- Tx Rate (Fps)	8.631
- Rx (Frames)	5.178.600
- Rx Rate (L1) (Bit/s)	106,2 M
- Rx Rate (L2) (Bit/s)	104,81 M
- Rx Rate (Fps)	8.631
P-0-0-4	
- Tx (Frames)	5.178.600
- Tx Rate (L1) (Bit/s)	106,2 M
- Tx Rate (L2) (Bit/s)	104,81 M
- Tx Rate (Fps)	8.631
- Rx (Frames)	5.178.600
- Rx Rate (L1) (Bit/s)	106,2 M
- Rx Rate (L2) (Bit/s)	104,81 M
- Rx Rate (Fps)	8.631
P-0-0-5	
- Tx (Frames)	5.178.600
- Tx Rate (L1) (Bit/s)	106,2 M
- Tx Rate (L2) (Bit/s)	104,81 M
- Tx Rate (Fps)	8.631
- Rx (Frames)	5.178.600
- Rx Rate (L1) (Bit/s)	106,2 M
- Rx Rate (L2) (Bit/s)	104,81 M
- Rx Rate (Fps)	8.631
P-0-2-0	
- Tx (Frames)	5.178.600
- Tx Rate (L1) (Bit/s)	106,2 M
- Tx Rate (L2) (Bit/s)	104,81 M
- Tx Rate (Fps)	8.631
- Rx (Frames)	5.178.600
- Rx Rate (L1) (Bit/s)	106,2 M
- Rx Rate (L2) (Bit/s)	104,81 M
- Rx Rate (Fps)	8.631
P-0-2-1	
- Tx (Frames)	5.178.600
- Tx Rate (L1) (Bit/s)	106,2 M
- Tx Rate (L2) (Bit/s)	104,81 M
- Tx Rate (Fps)	8.631

- Rx (Frames)	5.178.600
- Rx Rate (L1) (Bit/s)	106,2 M
- Rx Rate (L2) (Bit/s)	104,81 M
- Rx Rate (Fps)	8.631
P-0-2-2	
- Tx (Frames)	5.178.600
- Tx Rate (L1) (Bit/s)	106,2 M
- Tx Rate (L2) (Bit/s)	104,81 M
- Tx Rate (Fps)	8.631
- Rx (Frames)	5.178.600
- Rx Rate (L1) (Bit/s)	106,2 M
- Rx Rate (L2) (Bit/s)	104,81 M
- Rx Rate (Fps)	8.631
P-0-2-3	
- Tx (Frames)	5.178.600
- Tx Rate (L1) (Bit/s)	106,2 M
- Tx Rate (L2) (Bit/s)	104,81 M
- Tx Rate (Fps)	8.631
- Rx (Frames)	5.178.600
- Rx Rate (L1) (Bit/s)	106,2 M
- Rx Rate (L2) (Bit/s)	104,81 M
- Rx Rate (Fps)	8.631
P-0-2-4	
- Tx (Frames)	5.178.600
- Tx Rate (L1) (Bit/s)	106,2 M
- Tx Rate (L2) (Bit/s)	104,81 M
- Tx Rate (Fps)	8.631
- Rx (Frames)	5.178.600
- Rx Rate (L1) (Bit/s)	106,2 M
- Rx Rate (L2) (Bit/s)	104,81 M
- Rx Rate (Fps)	8.631
P-0-2-5	
- Tx (Frames)	5.178.600
- Tx Rate (L1) (Bit/s)	106,2 M
- Tx Rate (L2) (Bit/s)	104,81 M
- Tx Rate (Fps)	8.631
- Rx (Frames)	5.178.600
- Rx Rate (L1) (Bit/s)	106,2 M
- Rx Rate (L2) (Bit/s)	104,81 M
- Rx Rate (Fps)	8.631
P-0-4-0	
- Tx (Frames)	5.178.600
- Tx Rate (L1) (Bit/s)	106,2 M
- Tx Rate (L2) (Bit/s)	104,81 M
- Tx Rate (Fps)	8.631
- Rx (Frames)	5.178.600
- Rx Rate (L1) (Bit/s)	106,2 M
- Rx Rate (L2) (Bit/s)	104,81 M
- Rx Rate (Fps)	8.631
P-0-4-1	
- Tx (Frames)	5.178.600
- Tx Rate (L1) (Bit/s)	106,2 M
- Tx Rate (L2) (Bit/s)	104,81 M
- Tx Rate (Fps)	8.631
- Rx (Frames)	5.178.600
- Rx Rate (L1) (Bit/s)	106,2 M
- Rx Rate (L2) (Bit/s)	104,81 M
- Rx Rate (Fps)	8.631
P-0-4-2	
- Tx (Frames)	5.178.600
- Tx Rate (L1) (Bit/s)	106,2 M
- Tx Rate (L2) (Bit/s)	104,81 M
- Tx Rate (Fps)	8.631
- Rx (Frames)	5.178.600
- Rx Rate (L1) (Bit/s)	106,2 M
- Rx Rate (L2) (Bit/s)	104,81 M
- Rx Rate (Fps)	8.631
P-0-4-3	
- Tx (Frames)	5.178.600
- Tx Rate (L1) (Bit/s)	106,2 M
- Tx Rate (L2) (Bit/s)	104,81 M

- Tx Rate (Fps)	8.631
- Rx (Frames)	5.178.600
- Rx Rate (L1) (Bit/s)	106,2 M
- Rx Rate (L2) (Bit/s)	104,81 M
- Rx Rate (Fps)	8.631
P-0-4-4	
- Tx (Frames)	5.178.600
- Tx Rate (L1) (Bit/s)	106,2 M
- Tx Rate (L2) (Bit/s)	104,81 M
- Tx Rate (Fps)	8.631
- Rx (Frames)	5.178.600
- Rx Rate (L1) (Bit/s)	106,2 M
- Rx Rate (L2) (Bit/s)	104,81 M
- Rx Rate (Fps)	8.631
P-0-4-5	
- Tx (Frames)	5.178.600
- Tx Rate (L1) (Bit/s)	106,2 M
- Tx Rate (L2) (Bit/s)	104,81 M
- Tx Rate (Fps)	8.631
- Rx (Frames)	5.178.600
- Rx Rate (L1) (Bit/s)	106,2 M
- Rx Rate (L2) (Bit/s)	104,81 M
- Rx Rate (Fps)	8.631

Note: One or more of the rate tests did not pass the test criteria!



Latency and Jitter Test Results

Test Setup

Time Duration: 600 seconds
Iterations: 1
Latency Mode: Last-To-Last
Relative to Throughput: Yes

Test Results

Test Results Summary

Total tests executed: 21
Rates used: 3
Results per rate: 7

Success: All tests passed!

Results for 50,00% Rate (Nominal)

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Tx Rate (Percent)	50 %	16,25 %	50 %	50 %	30,313 %	13,438 %
Tx Rate (L1) (Bit/s)	4,5 G	1,46 G	4,5 G	4,5 G	2,73 G	1,21 G
Tx Rate (Fps)	6.696.270	1.235.088	2.037.960	1.057.212	326.592	116.154
Tx (Frames)	4.017.762.000	741.052.800	1.222.776.000	634.327.200	195.955.200	69.692.400
Rx (Frames)	212.272	741.052.800	1.222.776.000	634.327.200	195.955.200	69.692.400
P-0-0-0						
- Tx (Frames)	223.209.000	41.169.600	67.932.000	35.240.400	10.886.400	3.871.800
- Rx (Frames)	11.635	41.169.600	67.932.000	35.240.400	10.886.400	3.871.800
- Avg Latency (micsec)	3,702	3,836	4,035	5,087	4,133	4,005
- Min Latency (micsec)	3,184	3,577	3,593	3,601	3,593	3,601
- Max Latency (micsec)	6,143	5,574	6,889	16,542	12,662	14,642
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-0-1						
- Tx (Frames)	223.209.000	41.169.600	67.932.000	35.240.400	10.886.400	3.871.800
- Rx (Frames)	11.637	41.169.600	67.932.000	35.240.400	10.886.400	3.871.800
- Avg Latency (micsec)	3,716	3,844	4,041	5,090	4,145	4,022
- Min Latency (micsec)	3,136	3,601	3,593	3,601	3,617	3,601
- Max Latency (micsec)	6,408	6,103	7,851	16,831	20,552	24,384
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-0-2						
- Tx (Frames)	223.209.000	41.169.600	67.932.000	35.240.400	10.886.400	3.871.800
- Rx (Frames)	11.638	41.169.600	67.932.000	35.240.400	10.886.400	3.871.800
- Avg Latency (micsec)	3,702	3,843	4,040	5,094	4,141	4,010
- Min Latency (micsec)	3,136	3,577	3,593	3,601	3,617	3,601
- Max Latency (micsec)	6,287	6,368	9,150	20,319	15,284	14,642
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-0-3						
- Tx (Frames)	223.209.000	41.169.600	67.932.000	35.240.400	10.886.400	3.871.800
- Rx (Frames)	11.634	41.169.600	67.932.000	35.240.400	10.886.400	3.871.800
- Avg Latency (micsec)	3,693	3,839	4,039	5,088	4,149	4,007
- Min Latency (micsec)	3,136	3,577	3,593	3,601	3,617	3,601
- Max Latency (micsec)	6,384	6,271	8,500	16,639	20,167	14,666
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-0-4						
- Tx (Frames)	223.209.000	41.169.600	67.932.000	35.240.400	10.886.400	3.871.800

- Rx (Frames)	11.635	41.169.600	67.932.000	35.240.400	10.886.400	3.871.800
- Avg Latency (micsec)	3,712	3,858	4,055	5,102	4,153	4,025
- Min Latency (micsec)	3,184	3,601	3,593	3,625	3,617	3,625
- Max Latency (micsec)	6,359	6,343	8,669	17,408	12,830	15,989
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-0-5						
- Tx (Frames)	223.209.000	41.169.600	67.932.000	35.240.400	10.886.400	3.871.800
- Rx (Frames)	11.637	41.169.600	67.932.000	35.240.400	10.886.400	3.871.800
- Avg Latency (micsec)	3,719	3,857	4,054	5,103	4,151	4,024
- Min Latency (micsec)	3,136	3,601	3,593	3,601	3,617	3,625
- Max Latency (micsec)	6,191	6,368	8,741	18,034	12,638	15,989
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-2-0						
- Tx (Frames)	223.209.000	41.169.600	67.932.000	35.240.400	10.886.400	3.871.800
- Rx (Frames)	11.639	41.169.600	67.932.000	35.240.400	10.886.400	3.871.800
- Avg Latency (micsec)	2,529	2,671	2,869	3,923	2,982	2,839
- Min Latency (micsec)	1,998	2,415	2,407	2,439	2,431	2,439
- Max Latency (micsec)	5,077	5,157	7,073	18,747	19,461	13,504
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-2-1						
- Tx (Frames)	223.209.000	41.169.600	67.932.000	35.240.400	10.886.400	3.871.800
- Rx (Frames)	11.639	41.169.600	67.932.000	35.240.400	10.886.400	3.871.800
- Avg Latency (micsec)	2,550	2,689	2,888	3,938	2,988	2,856
- Min Latency (micsec)	1,998	2,439	2,431	2,439	2,455	2,439
- Max Latency (micsec)	5,125	5,253	7,578	15,765	14,121	13,480
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-2-2						
- Tx (Frames)	223.209.000	41.169.600	67.932.000	35.240.400	10.886.400	3.871.800
- Rx (Frames)	11.637	41.169.600	67.932.000	35.240.400	10.886.400	3.871.800
- Avg Latency (micsec)	2,546	2,682	2,880	3,933	2,985	2,861
- Min Latency (micsec)	1,974	2,439	2,431	2,439	2,455	2,439
- Max Latency (micsec)	5,053	5,181	6,833	18,964	19,509	23,222
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-2-3						
- Tx (Frames)	223.209.000	41.169.600	67.932.000	35.240.400	10.886.400	3.871.800
- Rx (Frames)	11.955	41.169.600	67.932.000	35.240.400	10.886.400	3.871.800
- Avg Latency (micsec)	1,793	2,039	2,178	2,322	3,105	2,099
- Min Latency (micsec)	0,883	1,348	1,340	1,348	1,340	1,348
- Max Latency (micsec)	5,149	6,047	8,949	8,861	18,788	13,720
- Avg Jitter (micsec)	0,025	0,001	0,002	0,001	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	1,804	3,054	5,941	5,171	15,899	11,449
P-0-2-4						
- Tx (Frames)	223.209.000	41.169.600	67.932.000	35.240.400	10.886.400	3.871.800
- Rx (Frames)	11.956	41.169.600	67.932.000	35.240.400	10.886.400	3.871.800
- Avg Latency (micsec)	1,784	2,020	2,160	2,310	3,086	2,087
- Min Latency (micsec)	0,859	1,324	1,340	1,324	1,316	1,324
- Max Latency (micsec)	5,149	6,215	8,973	12,084	18,547	22,043
- Avg Jitter (micsec)	0,000	0,001	0,002	0,002	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	1,322	3,054	5,989	7,937	15,539	10,559
P-0-2-5						
- Tx (Frames)	223.209.000	41.169.600	67.932.000	35.240.400	10.886.400	3.871.800
- Rx (Frames)	11.950	41.169.600	67.932.000	35.240.400	10.886.400	3.871.800
- Avg Latency (micsec)	1,766	2,003	2,146	2,291	3,071	2,065
- Min Latency (micsec)	0,883	1,300	1,316	1,324	1,316	1,324
- Max Latency (micsec)	5,125	6,047	8,901	11,724	26,509	13,624
- Avg Jitter (micsec)	0,031	0,001	0,002	0,001	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	1,034	3,103	6,061	5,123	23,837	10,535
P-0-4-0						



- Tx (Frames)	223.209.000	41.169.600	67.932.000	35.240.400	10.886.400	3.871.800
- Rx (Frames)	11.947	41.169.600	67.932.000	35.240.400	10.886.400	3.871.800
- Avg Latency (micsec)	1,850	2,075	2,217	2,368	3,141	2,136
- Min Latency (micsec)	0,907	1,372	1,388	1,396	1,388	1,372
- Max Latency (micsec)	5,125	5,878	8,973	12,181	26,774	13,600
- Avg Jitter (micsec)	0,027	0,001	0,002	0,001	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	1,347	3,078	4,979	6,037	23,741	10,535
P-0-4-1						
- Tx (Frames)	223.209.000	41.169.600	67.932.000	35.240.400	10.886.400	3.871.800
- Rx (Frames)	11.946	41.169.600	67.932.000	35.240.400	10.886.400	3.871.800
- Avg Latency (micsec)	1,843	2,077	2,217	2,363	3,143	2,137
- Min Latency (micsec)	0,955	1,372	1,388	1,396	1,388	1,396
- Max Latency (micsec)	5,173	5,878	8,997	11,026	23,791	13,961
- Avg Jitter (micsec)	0,000	0,001	0,002	0,001	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	1,347	3,030	5,051	8,298	15,539	10,559
P-0-4-2						
- Tx (Frames)	223.209.000	41.169.600	67.932.000	35.240.400	10.886.400	3.871.800
- Rx (Frames)	11.944	41.169.600	67.932.000	35.240.400	10.886.400	3.871.800
- Avg Latency (micsec)	1,833	2,074	2,217	2,364	3,147	2,138
- Min Latency (micsec)	0,931	1,372	1,388	1,396	1,388	1,372
- Max Latency (micsec)	5,028	6,287	8,973	10,304	26,172	13,624
- Avg Jitter (micsec)	0,000	0,001	0,002	0,001	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	1,058	2,381	3,993	7,504	15,587	10,559
P-0-4-3						
- Tx (Frames)	223.209.000	41.169.600	67.932.000	35.240.400	10.886.400	3.871.800
- Rx (Frames)	11.947	41.169.600	67.932.000	35.240.400	10.886.400	3.871.800
- Avg Latency (micsec)	1,842	2,077	2,217	2,367	3,141	2,135
- Min Latency (micsec)	0,907	1,372	1,388	1,396	1,388	1,396
- Max Latency (micsec)	5,077	5,927	9,022	11,868	18,547	13,600
- Avg Jitter (micsec)	0,000	0,001	0,002	0,001	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	1,347	2,429	4,017	4,690	15,490	10,559
P-0-4-4						
- Tx (Frames)	223.209.000	41.169.600	67.932.000	35.240.400	10.886.400	3.871.800
- Rx (Frames)	11.945	41.169.600	67.932.000	35.240.400	10.886.400	3.871.800
- Avg Latency (micsec)	1,841	2,074	2,216	2,361	3,141	2,135
- Min Latency (micsec)	0,931	1,372	1,388	1,396	1,388	1,372
- Max Latency (micsec)	5,197	5,854	8,973	11,988	19,413	13,624
- Avg Jitter (micsec)	0,000	0,001	0,002	0,001	0,001	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	1,322	1,804	3,993	4,498	15,539	10,535
P-0-4-5						
- Tx (Frames)	223.209.000	41.169.600	67.932.000	35.240.400	10.886.400	3.871.800
- Rx (Frames)	11.951	41.169.600	67.932.000	35.240.400	10.886.400	3.871.800
- Avg Latency (micsec)	1,866	2,073	2,216	2,365	3,141	2,141
- Min Latency (micsec)	0,931	1,372	1,388	1,396	1,388	1,372
- Max Latency (micsec)	7,763	5,854	10,489	11,748	24,537	13,840
- Avg Jitter (micsec)	0,000	0,001	0,002	0,002	0,001	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	1,347	2,092	3,463	7,769	15,875	10,992

Frame Size	1518
Result State	PASS
Tx Rate (Percent)	10,625 %
Tx Rate (L1) (Bit/s)	954,77 M
Tx Rate (Fps)	77.598
Tx (Frames)	46.558.800
Rx (Frames)	46.558.800
P-0-0-0	
- Tx (Frames)	2.586.600
- Rx (Frames)	2.586.600
- Avg Latency (micsec)	3,957
- Min Latency (micsec)	3,609
- Max Latency (micsec)	22,829
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A
- Max Jitter (micsec)	N/A

P-0-0-1	
- Tx (Frames)	2.586.600
- Rx (Frames)	2.586.600
- Avg Latency (micsec)	3,959
- Min Latency (micsec)	3,609
- Max Latency (micsec)	22,805
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A
- Max Jitter (micsec)	N/A
P-0-0-2	
- Tx (Frames)	2.586.600
- Rx (Frames)	2.586.600
- Avg Latency (micsec)	3,959
- Min Latency (micsec)	3,609
- Max Latency (micsec)	22,829
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A
- Max Jitter (micsec)	N/A
P-0-0-3	
- Tx (Frames)	2.586.600
- Rx (Frames)	2.586.600
- Avg Latency (micsec)	3,954
- Min Latency (micsec)	3,609
- Max Latency (micsec)	22,805
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A
- Max Jitter (micsec)	N/A
P-0-0-4	
- Tx (Frames)	2.586.600
- Rx (Frames)	2.586.600
- Avg Latency (micsec)	3,977
- Min Latency (micsec)	3,633
- Max Latency (micsec)	22,829
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A
- Max Jitter (micsec)	N/A
P-0-0-5	
- Tx (Frames)	2.586.600
- Rx (Frames)	2.586.600
- Avg Latency (micsec)	3,975
- Min Latency (micsec)	3,633
- Max Latency (micsec)	22,805
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A
- Max Jitter (micsec)	N/A
P-0-2-0	
- Tx (Frames)	2.586.600
- Rx (Frames)	2.586.600
- Avg Latency (micsec)	2,787
- Min Latency (micsec)	2,447
- Max Latency (micsec)	21,642
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A
- Max Jitter (micsec)	N/A
P-0-2-1	
- Tx (Frames)	2.586.600
- Rx (Frames)	2.586.600
- Avg Latency (micsec)	2,805
- Min Latency (micsec)	2,471
- Max Latency (micsec)	21,666
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A
- Max Jitter (micsec)	N/A
P-0-2-2	
- Tx (Frames)	2.586.600
- Rx (Frames)	2.586.600
- Avg Latency (micsec)	2,798
- Min Latency (micsec)	2,447
- Max Latency (micsec)	21,666
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A

- Max Jitter (micsec)	N/A
P-0-2-3	
- Tx (Frames)	2.586.600
- Rx (Frames)	2.586.600
- Avg Latency (micsec)	2,006
- Min Latency (micsec)	1,356
- Max Latency (micsec)	15,219
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	12,363
P-0-2-4	
- Tx (Frames)	2.586.600
- Rx (Frames)	2.586.600
- Avg Latency (micsec)	1,988
- Min Latency (micsec)	1,332
- Max Latency (micsec)	15,219
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	12,387
P-0-2-5	
- Tx (Frames)	2.586.600
- Rx (Frames)	2.586.600
- Avg Latency (micsec)	1,972
- Min Latency (micsec)	1,308
- Max Latency (micsec)	15,388
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	12,436
P-0-4-0	
- Tx (Frames)	2.586.600
- Rx (Frames)	2.586.600
- Avg Latency (micsec)	2,043
- Min Latency (micsec)	1,404
- Max Latency (micsec)	15,268
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	12,363
P-0-4-1	
- Tx (Frames)	2.586.600
- Rx (Frames)	2.586.600
- Avg Latency (micsec)	2,046
- Min Latency (micsec)	1,404
- Max Latency (micsec)	15,604
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	12,556
P-0-4-2	
- Tx (Frames)	2.586.600
- Rx (Frames)	2.586.600
- Avg Latency (micsec)	2,044
- Min Latency (micsec)	1,404
- Max Latency (micsec)	15,965
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	12,724
P-0-4-3	
- Tx (Frames)	2.586.600
- Rx (Frames)	2.586.600
- Avg Latency (micsec)	2,044
- Min Latency (micsec)	1,404
- Max Latency (micsec)	15,268
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	12,363
P-0-4-4	
- Tx (Frames)	2.586.600
- Rx (Frames)	2.586.600
- Avg Latency (micsec)	2,043
- Min Latency (micsec)	1,404
- Max Latency (micsec)	15,677
- Avg Jitter (micsec)	0,000

- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	12,844
P-0-4-5	
- Tx (Frames)	2.586.600
- Rx (Frames)	2.586.600
- Avg Latency (micsec)	2,041
- Min Latency (micsec)	1,380
- Max Latency (micsec)	15,244
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	12,412



Results for 75,00% Rate (Nominal)

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Tx Rate (Percent)	75 %	24,375 %	75 %	75 %	45,469 %	20,156 %
Tx Rate (L1) (Bit/s)	6,75 G	2,19 G	6,75 G	6,75 G	4,09 G	1,81 G
Tx Rate (Fps)	10.044.486	1.852.794	3.056.940	1.585.980	489.888	174.312
Tx (Frames)	6.026.691.600	1.111.676.400	1.834.164.000	951.588.000	293.932.800	104.587.200
Rx (Frames)	148.103	1.111.676.392	1.834.164.000	951.588.000	293.908.494	104.587.199
P-0-0-0						
- Tx (Frames)	334.816.200	61.759.800	101.898.000	52.866.000	16.329.600	5.810.400

- Rx (Frames)	7.835	61.759.799	101.898.000	52.866.000	16.329.588	5.810.400
- Avg Latency (micsec)	3,769	4,024	5,070	4,938	4,305	4,086
- Min Latency (micsec)	3,184	3,577	3,593	3,601	3,593	3,601
- Max Latency (micsec)	5,590	6,728	13,383	15,075	12,926	14,666
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-0-1						
- Tx (Frames)	334.816.200	61.759.800	101.898.000	52.866.000	16.329.600	5.810.400
- Rx (Frames)	7.834	61.759.800	101.898.000	52.866.000	16.329.584	5.810.400
- Avg Latency (micsec)	3,786	4,032	5,077	4,943	4,313	4,093
- Min Latency (micsec)	3,136	3,601	3,593	3,601	3,617	3,601
- Max Latency (micsec)	5,710	6,969	13,407	15,821	16,943	14,666
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-0-2						
- Tx (Frames)	334.816.200	61.759.800	101.898.000	52.866.000	16.329.600	5.810.400
- Rx (Frames)	7.835	61.759.800	101.898.000	52.866.000	16.329.584	5.810.400
- Avg Latency (micsec)	3,773	4,024	5,075	4,941	4,314	4,095
- Min Latency (micsec)	3,136	3,577	3,593	3,601	3,617	3,601
- Max Latency (micsec)	5,662	6,873	14,057	15,893	17,497	21,089
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-0-3						
- Tx (Frames)	334.816.200	61.759.800	101.898.000	52.866.000	16.329.600	5.810.400
- Rx (Frames)	7.835	61.759.800	101.898.000	52.866.000	16.329.590	5.810.400
- Avg Latency (micsec)	3,771	4,027	5,072	4,940	4,316	4,091
- Min Latency (micsec)	3,136	3,577	3,593	3,601	3,617	3,601
- Max Latency (micsec)	5,373	7,185	14,490	15,171	20,046	21,233
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-0-4						
- Tx (Frames)	334.816.200	61.759.800	101.898.000	52.866.000	16.329.600	5.810.400
- Rx (Frames)	7.835	61.759.800	101.898.000	52.866.000	16.329.582	5.810.400
- Avg Latency (micsec)	3,790	4,042	5,089	4,957	4,329	4,104
- Min Latency (micsec)	3,184	3,601	3,593	3,601	3,617	3,625
- Max Latency (micsec)	5,445	7,282	13,311	19,237	19,012	14,690
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-0-5						
- Tx (Frames)	334.816.200	61.759.800	101.898.000	52.866.000	16.329.600	5.810.400
- Rx (Frames)	7.836	61.759.800	101.898.000	52.866.000	16.329.582	5.810.400
- Avg Latency (micsec)	3,792	4,039	5,090	4,958	4,330	4,104
- Min Latency (micsec)	3,136	3,601	3,593	3,601	3,617	3,625
- Max Latency (micsec)	5,494	7,233	13,480	18,996	18,988	14,690
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-2-0						
- Tx (Frames)	334.816.200	61.759.800	101.898.000	52.866.000	16.329.600	5.810.400
- Rx (Frames)	7.838	61.759.800	101.898.000	52.866.000	16.329.583	5.810.400
- Avg Latency (micsec)	2,604	2,857	3,903	3,772	3,150	2,924
- Min Latency (micsec)	1,998	2,415	2,407	2,439	2,431	2,439
- Max Latency (micsec)	4,235	6,191	12,125	13,913	18,884	20,070
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-2-1						
- Tx (Frames)	334.816.200	61.759.800	101.898.000	52.866.000	16.329.600	5.810.400
- Rx (Frames)	7.841	61.759.800	101.898.000	52.866.000	16.329.588	5.810.400
- Avg Latency (micsec)	2,624	2,874	3,921	3,789	3,161	2,941
- Min Latency (micsec)	1,998	2,439	2,431	2,439	2,455	2,463
- Max Latency (micsec)	4,283	6,047	13,279	13,913	16,382	19,974
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-2-2						


- Tx (Frames)	334.816.200	61.759.800	101.898.000	52.866.000	16.329.600	5.810.400
- Rx (Frames)	7.843	61.759.795	101.898.000	52.866.000	16.329.585	5.810.400
- Avg Latency (micsec)	2,971	2,870	3,916	3,784	3,154	2,932
- Min Latency (micsec)	1,974	2,439	2,431	2,439	2,455	2,439
- Max Latency (micsec)	5,702	6,047	12,509	14,297	15,733	13,552
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-2-3						
- Tx (Frames)	334.816.200	61.759.800	101.898.000	52.866.000	16.329.600	5.810.400
- Rx (Frames)	8.622	61.759.800	101.898.000	52.866.000	16.327.364	5.810.400
- Avg Latency (micsec)	2,075	2,050	2,495	2,890	2,517	2,322
- Min Latency (micsec)	0,883	1,348	1,340	1,348	1,340	1,348
- Max Latency (micsec)	4,764	5,878	9,286	14,658	12,269	17,256
- Avg Jitter (micsec)	0,000	0,002	0,003	0,002	0,001	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	1,467	2,645	4,810	7,649	9,164	10,535
P-0-2-4						
- Tx (Frames)	334.816.200	61.759.800	101.898.000	52.866.000	16.329.600	5.810.400
- Rx (Frames)	8.622	61.759.800	101.898.000	52.866.000	16.327.473	5.810.400
- Avg Latency (micsec)	2,078	2,032	2,477	2,872	2,511	2,298
- Min Latency (micsec)	0,859	1,324	1,340	1,324	1,340	1,324
- Max Latency (micsec)	4,307	5,878	8,805	14,971	20,062	17,232
- Avg Jitter (micsec)	0,000	0,002	0,003	0,002	0,001	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	1,010	2,621	4,738	8,611	16,765	10,559
P-0-2-5						
- Tx (Frames)	334.816.200	61.759.800	101.898.000	52.866.000	16.329.600	5.810.400
- Rx (Frames)	8.619	61.759.800	101.898.000	52.866.000	16.326.518	5.810.400
- Avg Latency (micsec)	2,074	2,016	2,462	2,857	2,485	2,286
- Min Latency (micsec)	0,907	1,300	1,316	1,324	1,316	1,300
- Max Latency (micsec)	4,235	6,335	9,286	16,077	12,966	17,256
- Avg Jitter (micsec)	0,000	0,002	0,003	0,002	0,001	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	1,178	2,573	5,075	12,941	8,996	10,535
P-0-4-0						
- Tx (Frames)	334.816.200	61.759.800	101.898.000	52.866.000	16.329.600	5.810.400
- Rx (Frames)	8.620	61.759.800	101.898.000	52.866.000	16.326.501	5.810.400
- Avg Latency (micsec)	2,183	2,086	2,533	2,927	2,558	2,352
- Min Latency (micsec)	0,931	1,372	1,388	1,396	1,388	1,372
- Max Latency (micsec)	4,379	5,999	9,214	16,438	14,987	17,304
- Avg Jitter (micsec)	0,000	0,002	0,003	0,002	0,001	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	1,034	2,549	5,412	8,659	9,020	10,535
P-0-4-1						
- Tx (Frames)	334.816.200	61.759.800	101.898.000	52.866.000	16.329.600	5.810.400
- Rx (Frames)	8.619	61.759.800	101.898.000	52.866.000	16.327.224	5.810.400
- Avg Latency (micsec)	2,183	2,089	2,534	2,926	2,562	2,352
- Min Latency (micsec)	0,955	1,372	1,388	1,396	1,388	1,396
- Max Latency (micsec)	4,403	5,927	8,757	14,730	17,465	17,304
- Avg Jitter (micsec)	0,000	0,002	0,003	0,002	0,001	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	1,010	2,621	4,762	7,697	11,786	10,583
P-0-4-2						
- Tx (Frames)	334.816.200	61.759.800	101.898.000	52.866.000	16.329.600	5.810.400
- Rx (Frames)	8.618	61.759.800	101.898.000	52.866.000	16.326.221	5.810.400
- Avg Latency (micsec)	2,188	2,086	2,534	2,927	2,561	2,351
- Min Latency (micsec)	0,931	1,372	1,388	1,396	1,388	1,372
- Max Latency (micsec)	4,427	5,951	9,022	14,706	17,873	17,304
- Avg Jitter (micsec)	0,000	0,002	0,003	0,002	0,001	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	0,890	2,597	5,219	7,793	11,522	10,920
P-0-4-3						
- Tx (Frames)	334.816.200	61.759.800	101.898.000	52.866.000	16.329.600	5.810.400
- Rx (Frames)	8.616	61.759.800	101.898.000	52.866.000	16.327.301	5.810.400
- Avg Latency (micsec)	2,154	2,088	2,534	2,927	2,558	2,353
- Min Latency (micsec)	0,907	1,372	1,388	1,396	1,388	1,396
- Max Latency (micsec)	4,355	5,927	8,709	14,706	16,069	17,304
- Avg Jitter (micsec)	0,000	0,002	0,003	0,002	0,001	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	0,914	2,670	4,546	9,381	9,068	10,920


P-0-4-4						
- Tx (Frames)	334.816.200	61.759.800	101.898.000	52.866.000	16.329.600	5.810.400
- Rx (Frames)	8.613	61.759.798	101.898.000	52.866.000	16.326.678	5.810.399
- Avg Latency (micsec)	2,137	2,087	2,533	2,927	2,554	2,356
- Min Latency (micsec)	0,955	1,372	1,388	1,396	1,388	1,396
- Max Latency (micsec)	4,331	5,927	9,238	14,778	12,918	19,373
- Avg Jitter (micsec)	0,000	0,002	0,003	0,002	0,001	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	0,914	2,670	4,738	8,635	9,044	16,982
P-0-4-5						
- Tx (Frames)	334.816.200	61.759.800	101.898.000	52.866.000	16.329.600	5.810.400
- Rx (Frames)	8.622	61.759.800	101.898.000	52.866.000	16.326.948	5.810.400
- Avg Latency (micsec)	2,257	2,086	2,534	2,927	2,571	2,354
- Min Latency (micsec)	0,955	1,372	1,388	1,396	1,388	1,396
- Max Latency (micsec)	8,797	6,720	9,118	14,827	20,086	17,304
- Avg Jitter (micsec)	0,000	0,002	0,003	0,002	0,001	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	1,202	2,718	4,522	8,659	13,614	11,185

Frame Size	1518
Result State	PASS
Tx Rate (Percent)	15,938 %
Tx Rate (L1) (Bit/s)	1,43 G
Tx Rate (Fps)	116.478
Tx (Frames)	69.886.800
Rx (Frames)	69.886.800
P-0-0-0	
- Tx (Frames)	3.882.600
- Rx (Frames)	3.882.600
- Avg Latency (micsec)	4,077
- Min Latency (micsec)	3,609
- Max Latency (micsec)	16,550
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A
- Max Jitter (micsec)	N/A
P-0-0-1	
- Tx (Frames)	3.882.600
- Rx (Frames)	3.882.600
- Avg Latency (micsec)	4,085
- Min Latency (micsec)	3,609
- Max Latency (micsec)	19,172
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A
- Max Jitter (micsec)	N/A
P-0-0-2	
- Tx (Frames)	3.882.600
- Rx (Frames)	3.882.600
- Avg Latency (micsec)	4,082
- Min Latency (micsec)	3,609
- Max Latency (micsec)	16,575
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A
- Max Jitter (micsec)	N/A
P-0-0-3	
- Tx (Frames)	3.882.600
- Rx (Frames)	3.882.600
- Avg Latency (micsec)	4,079
- Min Latency (micsec)	3,609
- Max Latency (micsec)	16,575
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A
- Max Jitter (micsec)	N/A
P-0-0-4	
- Tx (Frames)	3.882.600
- Rx (Frames)	3.882.600
- Avg Latency (micsec)	4,101
- Min Latency (micsec)	3,633
- Max Latency (micsec)	24,609
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A

- Max Jitter (micsec)	N/A
P-0-0-5	
- Tx (Frames)	3.882.600
- Rx (Frames)	3.882.600
- Avg Latency (micsec)	4,100
- Min Latency (micsec)	3,633
- Max Latency (micsec)	24,681
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A
- Max Jitter (micsec)	N/A
P-0-2-0	
- Tx (Frames)	3.882.600
- Rx (Frames)	3.882.600
- Avg Latency (micsec)	2,911
- Min Latency (micsec)	2,447
- Max Latency (micsec)	15,388
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A
- Max Jitter (micsec)	N/A
P-0-2-1	
- Tx (Frames)	3.882.600
- Rx (Frames)	3.882.600
- Avg Latency (micsec)	2,928
- Min Latency (micsec)	2,447
- Max Latency (micsec)	15,388
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A
- Max Jitter (micsec)	N/A
P-0-2-2	
- Tx (Frames)	3.882.600
- Rx (Frames)	3.882.600
- Avg Latency (micsec)	2,924
- Min Latency (micsec)	2,447
- Max Latency (micsec)	18,010
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A
- Max Jitter (micsec)	N/A
P-0-2-3	
- Tx (Frames)	3.882.600
- Rx (Frames)	3.882.600
- Avg Latency (micsec)	2,269
- Min Latency (micsec)	1,356
- Max Latency (micsec)	20,271
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	16,140
P-0-2-4	
- Tx (Frames)	3.882.600
- Rx (Frames)	3.882.600
- Avg Latency (micsec)	2,253
- Min Latency (micsec)	1,332
- Max Latency (micsec)	18,900
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	16,188
P-0-2-5	
- Tx (Frames)	3.882.600
- Rx (Frames)	3.882.600
- Avg Latency (micsec)	2,231
- Min Latency (micsec)	1,308
- Max Latency (micsec)	18,876
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	16,164
P-0-4-0	
- Tx (Frames)	3.882.600
- Rx (Frames)	3.882.600
- Avg Latency (micsec)	2,301
- Min Latency (micsec)	1,404
- Max Latency (micsec)	18,948
- Avg Jitter (micsec)	0,000

- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	16,212
P-0-4-1	
- Tx (Frames)	3.882.600
- Rx (Frames)	3.882.600
- Avg Latency (micsec)	2,303
- Min Latency (micsec)	1,380
- Max Latency (micsec)	18,948
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	16,164
P-0-4-2	
- Tx (Frames)	3.882.600
- Rx (Frames)	3.882.600
- Avg Latency (micsec)	2,303
- Min Latency (micsec)	1,404
- Max Latency (micsec)	18,948
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	12,387
P-0-4-3	
- Tx (Frames)	3.882.600
- Rx (Frames)	3.882.600
- Avg Latency (micsec)	2,301
- Min Latency (micsec)	1,404
- Max Latency (micsec)	18,924
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	12,460
P-0-4-4	
- Tx (Frames)	3.882.600
- Rx (Frames)	3.882.600
- Avg Latency (micsec)	2,302
- Min Latency (micsec)	1,380
- Max Latency (micsec)	18,996
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	12,460
P-0-4-5	
- Tx (Frames)	3.882.600
- Rx (Frames)	3.882.600
- Avg Latency (micsec)	2,308
- Min Latency (micsec)	1,380
- Max Latency (micsec)	27,271
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	24,535





Results for 100,00% Rate (Nominal)

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Tx Rate (Percent)	100 %	32,5 %	100 %	100 %	60,625 %	26,875 %
Tx Rate (L1) (Bit/s)	9 G	2,92 G	9 G	9 G	5,46 G	2,42 G
Tx Rate (Fps)	13.392.702	2.470.338	4.076.082	2.114.586	653.184	232.470
Tx (Frames)	8.035.621.200	1.482.202.800	2.445.649.200	1.268.751.600	391.910.400	139.482.000
Rx (Frames)	115.225	1.482.198.632	2.445.649.200	1.268.751.596	391.910.399	139.482.000
P-0-0-0						
- Tx (Frames)	446.423.400	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Rx (Frames)	5.850	82.344.492	135.869.400	70.486.200	21.772.800	7.749.000
- Avg Latency (micsec)	3,764	4,117	4,392	6,010	4,844	4,148
- Min Latency (micsec)	3,184	3,577	3,593	3,601	3,593	3,601
- Max Latency (micsec)	5,277	7,570	8,765	18,034	14,947	14,787
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-0-1						
- Tx (Frames)	446.423.400	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Rx (Frames)	5.848	82.344.394	135.869.400	70.486.200	21.772.800	7.749.000
- Avg Latency (micsec)	3,758	4,124	4,399	6,015	4,864	4,155
- Min Latency (micsec)	3,136	3,577	3,593	3,601	3,617	3,601
- Max Latency (micsec)	5,301	8,989	9,270	19,429	23,053	14,811
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-0-2						
- Tx (Frames)	446.423.400	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Rx (Frames)	5.851	82.344.385	135.869.400	70.486.200	21.772.800	7.749.000
- Avg Latency (micsec)	3,745	4,117	4,395	6,013	4,857	4,156
- Min Latency (micsec)	3,112	3,577	3,593	3,601	3,617	3,601
- Max Latency (micsec)	5,373	8,268	9,390	19,261	23,005	17,577
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-0-3						
- Tx (Frames)	446.423.400	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Rx (Frames)	5.851	82.344.306	135.869.400	70.486.200	21.772.800	7.749.000
- Avg Latency (micsec)	3,743	4,119	4,393	6,012	4,868	4,151
- Min Latency (micsec)	3,136	3,577	3,593	3,601	3,617	3,601
- Max Latency (micsec)	5,373	7,618	10,136	19,261	23,053	15,677
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-0-4						

- Tx (Frames)	446.423.400	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Rx (Frames)	5.852	82.344.483	135.869.400	70.486.200	21.772.800	7.749.000
- Avg Latency (micsec)	3,771	4,135	4,411	6,026	4,880	4,173
- Min Latency (micsec)	3,184	3,601	3,593	3,601	3,617	3,625
- Max Latency (micsec)	5,277	7,715	9,751	18,034	23,077	22,941
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-0-5						
- Tx (Frames)	446.423.400	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Rx (Frames)	5.853	82.344.323	135.869.400	70.486.200	21.772.800	7.749.000
- Avg Latency (micsec)	3,783	4,132	4,412	6,026	4,881	4,171
- Min Latency (micsec)	3,136	3,601	3,593	3,601	3,617	3,625
- Max Latency (micsec)	5,325	8,316	9,775	19,237	20,215	23,013
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-2-0						
- Tx (Frames)	446.423.400	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Rx (Frames)	5.854	82.344.514	135.869.400	70.486.200	21.772.800	7.749.000
- Avg Latency (micsec)	2,589	2,949	3,227	4,844	3,699	2,983
- Min Latency (micsec)	1,998	2,415	2,407	2,439	2,431	2,439
- Max Latency (micsec)	4,114	6,359	8,540	18,916	21,891	14,658
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-2-1						
- Tx (Frames)	446.423.400	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Rx (Frames)	5.854	82.344.382	135.869.400	70.486.200	21.772.800	7.749.000
- Avg Latency (micsec)	2,596	2,967	3,244	4,862	3,706	3,004
- Min Latency (micsec)	1,998	2,439	2,431	2,439	2,455	2,439
- Max Latency (micsec)	4,211	6,456	8,420	18,772	21,842	16,414
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-2-2						
- Tx (Frames)	446.423.400	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Rx (Frames)	5.858	82.344.291	135.869.400	70.486.200	21.772.800	7.749.000
- Avg Latency (micsec)	3,156	2,963	3,236	4,855	3,706	2,993
- Min Latency (micsec)	1,974	2,439	2,431	2,439	2,455	2,439
- Max Latency (micsec)	4,499	6,672	8,540	16,847	21,891	13,624
- Avg Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Min Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
- Max Jitter (micsec)	N/A	N/A	N/A	N/A	N/A	N/A
P-0-2-3						
- Tx (Frames)	446.423.400	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Rx (Frames)	6.955	82.344.452	135.869.400	70.486.200	21.772.800	7.749.000
- Avg Latency (micsec)	1,512	2,242	2,849	3,935	2,796	2,378
- Min Latency (micsec)	0,931	1,348	1,340	1,348	1,340	1,348
- Max Latency (micsec)	2,599	5,782	10,705	16,029	19,052	16,847
- Avg Jitter (micsec)	0,000	0,006	0,006	0,010	0,001	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	1,274	2,573	6,326	8,803	16,044	14,119
P-0-2-4						
- Tx (Frames)	446.423.400	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Rx (Frames)	6.954	82.344.430	135.869.400	70.486.200	21.772.800	7.749.000
- Avg Latency (micsec)	1,526	2,223	2,829	3,918	2,789	2,357
- Min Latency (micsec)	0,859	1,324	1,340	1,324	1,316	1,324
- Max Latency (micsec)	2,743	5,951	10,705	16,053	18,956	16,823
- Avg Jitter (micsec)	0,000	0,006	0,006	0,010	0,001	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	0,986	2,597	6,302	10,896	16,020	14,071
P-0-2-5						
- Tx (Frames)	446.423.400	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Rx (Frames)	6.952	82.344.567	135.869.400	70.486.200	21.772.800	7.749.000
- Avg Latency (micsec)	1,522	2,209	2,816	3,903	2,763	2,345
- Min Latency (micsec)	0,907	1,300	1,316	1,324	1,316	1,300
- Max Latency (micsec)	2,840	5,878	11,667	15,981	19,052	16,847
- Avg Jitter (micsec)	0,000	0,006	0,006	0,010	0,001	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	1,010	2,982	6,278	8,779	16,044	14,071



P-0-4-0						
- Tx (Frames)	446.423.400	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Rx (Frames)	6.951	82.343.798	135.869.400	70.486.199	21.772.800	7.749.000
- Avg Latency (micsec)	1,615	2,277	2,883	3,974	2,840	2,422
- Min Latency (micsec)	0.907	1,372	1,388	1,396	1,388	1,372
- Max Latency (micsec)	3,080	6,143	10,729	16,101	19,028	21,249
- Avg Jitter (micsec)	0.000	0.005	0.005	0.010	0.001	0.001
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	0.986	2,838	7,360	8,779	16,020	18,401
P-0-4-1						
- Tx (Frames)	446.423.400	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Rx (Frames)	6.948	82.344.334	135.869.400	70.486.199	21.772.800	7.749.000
- Avg Latency (micsec)	1,656	2,279	2,887	3,973	2,838	2,423
- Min Latency (micsec)	0.955	1,372	1,388	1,396	1,388	1,372
- Max Latency (micsec)	3,248	6,215	10,946	16,150	19,028	23,270
- Avg Jitter (micsec)	0.000	0.005	0.006	0.011	0.001	0.000
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	0.962	3,078	6,783	8,779	15,996	14,095
P-0-4-2						
- Tx (Frames)	446.423.400	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Rx (Frames)	6.947	82.344.432	135.869.400	70.486.200	21.772.800	7.749.000
- Avg Latency (micsec)	1,651	2,278	2,884	3,974	2,837	2,425
- Min Latency (micsec)	0.931	1,372	1,388	1,396	1,388	1,372
- Max Latency (micsec)	3,321	6,071	11,403	16,077	19,076	23,847
- Avg Jitter (micsec)	0.000	0.005	0.006	0.008	0.001	0.000
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	0.769	2,742	6,470	8,755	15,996	14,095
P-0-4-3						
- Tx (Frames)	446.423.400	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Rx (Frames)	6.946	82.344.380	135.869.400	70.486.199	21.772.800	7.749.000
- Avg Latency (micsec)	1,373	2,277	2,885	3,974	2,840	2,423
- Min Latency (micsec)	0.979	1,372	1,388	1,396	1,388	1,396
- Max Latency (micsec)	2,206	6,191	10,753	16,101	19,413	27,335
- Avg Jitter (micsec)	0.000	0.005	0.006	0.008	0.001	0.001
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	0.673	2,501	6,278	8,755	16,020	18,569
P-0-4-4						
- Tx (Frames)	446.423.400	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Rx (Frames)	6.946	82.344.128	135.869.400	70.486.200	21.772.800	7.749.000
- Avg Latency (micsec)	1,374	2,275	2,884	3,974	2,832	2,415
- Min Latency (micsec)	0.931	1,372	1,388	1,396	1,388	1,372
- Max Latency (micsec)	2,158	6,456	10,729	16,101	19,052	16,895
- Avg Jitter (micsec)	0.000	0.005	0.005	0.008	0.001	0.000
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	0.673	2,597	6,374	11,329	16,044	14,095
P-0-4-5						
- Tx (Frames)	446.423.400	82.344.600	135.869.400	70.486.200	21.772.800	7.749.000
- Rx (Frames)	6.955	82.344.541	135.869.400	70.486.199	21.772.799	7.749.000
- Avg Latency (micsec)	2,944	2,277	2,889	3,973	2,844	2,412
- Min Latency (micsec)	0.931	1,372	1,388	1,396	1,388	1,372
- Max Latency (micsec)	7,410	6,191	10,729	16,053	19,413	16,895
- Avg Jitter (micsec)	0.000	0.005	0.006	0.008	0.001	0.000
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	0.697	2,886	6,278	8,803	15,972	14,095

Frame Size	1518
Result State	PASS
Tx Rate (Percent)	21,25 %
Tx Rate (L1) (Bit/s)	1,91 G
Tx Rate (Fps)	155.358
Tx (Frames)	93.214.800
Rx (Frames)	93.214.800
P-0-0-0	
- Tx (Frames)	5.178.600
- Rx (Frames)	5.178.600
- Avg Latency (micsec)	4,100
- Min Latency (micsec)	3,609
- Max Latency (micsec)	17,681
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A

- Max Jitter (micsec)	N/A
P-0-0-1	
- Tx (Frames)	5.178.600
- Rx (Frames)	5.178.600
- Avg Latency (micsec)	4,110
- Min Latency (micsec)	3,609
- Max Latency (micsec)	26,389
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A
- Max Jitter (micsec)	N/A
P-0-0-2	
- Tx (Frames)	5.178.600
- Rx (Frames)	5.178.600
- Avg Latency (micsec)	4,104
- Min Latency (micsec)	3,609
- Max Latency (micsec)	17,513
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A
- Max Jitter (micsec)	N/A
P-0-0-3	
- Tx (Frames)	5.178.600
- Rx (Frames)	5.178.600
- Avg Latency (micsec)	4,102
- Min Latency (micsec)	3,609
- Max Latency (micsec)	17,537
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A
- Max Jitter (micsec)	N/A
P-0-0-4	
- Tx (Frames)	5.178.600
- Rx (Frames)	5.178.600
- Avg Latency (micsec)	4,118
- Min Latency (micsec)	3,633
- Max Latency (micsec)	17,705
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A
- Max Jitter (micsec)	N/A
P-0-0-5	
- Tx (Frames)	5.178.600
- Rx (Frames)	5.178.600
- Avg Latency (micsec)	4,118
- Min Latency (micsec)	3,609
- Max Latency (micsec)	17,441
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A
- Max Jitter (micsec)	N/A
P-0-2-0	
- Tx (Frames)	5.178.600
- Rx (Frames)	5.178.600
- Avg Latency (micsec)	2,933
- Min Latency (micsec)	2,447
- Max Latency (micsec)	16,278
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A
- Max Jitter (micsec)	N/A
P-0-2-1	
- Tx (Frames)	5.178.600
- Rx (Frames)	5.178.600
- Avg Latency (micsec)	2,950
- Min Latency (micsec)	2,447
- Max Latency (micsec)	16,518
- Avg Jitter (micsec)	N/A
- Min Jitter (micsec)	N/A
- Max Jitter (micsec)	N/A
P-0-2-2	
- Tx (Frames)	5.178.600
- Rx (Frames)	5.178.600
- Avg Latency (micsec)	2,950
- Min Latency (micsec)	2,447
- Max Latency (micsec)	25,250
- Avg Jitter (micsec)	N/A

- Min Jitter (micsec)	N/A
- Max Jitter (micsec)	N/A
P-0-2-3	
- Tx (Frames)	5.178.600
- Rx (Frames)	5.178.600
- Avg Latency (micsec)	3,129
- Min Latency (micsec)	1,356
- Max Latency (micsec)	20,848
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	12,820
P-0-2-4	
- Tx (Frames)	5.178.600
- Rx (Frames)	5.178.600
- Avg Latency (micsec)	3,101
- Min Latency (micsec)	1,332
- Max Latency (micsec)	20,728
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	12,460
P-0-2-5	
- Tx (Frames)	5.178.600
- Rx (Frames)	5.178.600
- Avg Latency (micsec)	3,090
- Min Latency (micsec)	1,308
- Max Latency (micsec)	20,704
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	12,460
P-0-4-0	
- Tx (Frames)	5.178.600
- Rx (Frames)	5.178.600
- Avg Latency (micsec)	3,158
- Min Latency (micsec)	1,404
- Max Latency (micsec)	20,848
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	12,460
P-0-4-1	
- Tx (Frames)	5.178.600
- Rx (Frames)	5.178.600
- Avg Latency (micsec)	3,165
- Min Latency (micsec)	1,380
- Max Latency (micsec)	22,604
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	13,157
P-0-4-2	
- Tx (Frames)	5.178.600
- Rx (Frames)	5.178.600
- Avg Latency (micsec)	3,164
- Min Latency (micsec)	1,404
- Max Latency (micsec)	22,075
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	17,728
P-0-4-3	
- Tx (Frames)	5.178.600
- Rx (Frames)	5.178.600
- Avg Latency (micsec)	3,160
- Min Latency (micsec)	1,380
- Max Latency (micsec)	22,075
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	12,844
P-0-4-4	
- Tx (Frames)	5.178.600
- Rx (Frames)	5.178.600
- Avg Latency (micsec)	3,161
- Min Latency (micsec)	1,380
- Max Latency (micsec)	21,979

- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	17,631
P-0-4-5	
- Tx (Frames)	5.178.600
- Rx (Frames)	5.178.600
- Avg Latency (micsec)	3,155
- Min Latency (micsec)	1,380
- Max Latency (micsec)	20,776
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	12,484



Frame Loss Rate Test Results

Test Setup

Time Duration: 600 seconds
Iterations: 1
Use Pass/Fail Criteria: No

Test Results

Test Results Summary

Total tests executed: 21
Rates used: 3
Results per rate: 7

Success: All tests passed!

Results for 50,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Tx (Frames)	4.017.762.000	2.280.312.000	1.222.776.000	634.327.200	323.190.000	259.524.000
Tx Rate (Fps)	6.696.270	3.800.520	2.037.960	1.057.212	538.650	432.540
Tx Rate (L1) (Bit/s)	4,5 G	4,5 G	4,5 G	4,5 G	4,5 G	4,5 G
Rx (Frames)	204.411	2.280.299.301	1.222.776.000	634.327.200	323.189.997	259.523.939
Rx Rate (Fps)	340,68	3,8 M	2,04 M	1,06 M	538,65 K	432,54 K
Rx Rate (L1) (Bit/s)	228,94 K	4,5 G	4,5 G	4,5 G	4,5 G	4,5 G
Loss (Frames)	4.017.557.589	12.699	0	0	3	61
Loss Rate (Percent)	99,99 %	0 %	0 %	0 %	0 %	0 %
P-0-0-0						
- Tx (Frames)	223.209.000	126.684.000	67.932.000	35.240.400	17.955.000	14.418.000
- Tx Rate (L1) (Bit/s)	249,99 M	249,99 M	249,99 M	249,97 M	249,93 M	249,91 M
- Tx Rate (Fps)	372.015	211.140	113.220	58.734	29.925	24.030
- Rx (Frames)	11.202	126.683.588	67.932.000	35.240.400	17.955.000	14.418.000
- Rx Rate (L1) (Bit/s)	12,55 K	249,99 M	249,99 M	249,97 M	249,93 M	249,91 M
- Rx Rate (Fps)	19	211.139	113.220	58.734	29.925	24.030
P-0-0-1						
- Tx (Frames)	223.209.000	126.684.000	67.932.000	35.240.400	17.955.000	14.418.000
- Tx Rate (L1) (Bit/s)	249,99 M	249,99 M	249,99 M	249,97 M	249,93 M	249,91 M
- Tx Rate (Fps)	372.015	211.140	113.220	58.734	29.925	24.030
- Rx (Frames)	11.200	126.683.875	67.932.000	35.240.400	17.955.000	14.418.000
- Rx Rate (L1) (Bit/s)	12,54 K	249,99 M	249,99 M	249,97 M	249,93 M	249,91 M
- Rx Rate (Fps)	19	211.140	113.220	58.734	29.925	24.030
P-0-0-2						
- Tx (Frames)	223.209.000	126.684.000	67.932.000	35.240.400	17.955.000	14.418.000
- Tx Rate (L1) (Bit/s)	249,99 M	249,99 M	249,99 M	249,97 M	249,93 M	249,91 M
- Tx Rate (Fps)	372.015	211.140	113.220	58.734	29.925	24.030
- Rx (Frames)	11.198	126.683.730	67.932.000	35.240.400	17.955.000	14.418.000
- Rx Rate (L1) (Bit/s)	12,54 K	249,99 M	249,99 M	249,97 M	249,93 M	249,91 M
- Rx Rate (Fps)	19	211.140	113.220	58.734	29.925	24.030
P-0-0-3						
- Tx (Frames)	223.209.000	126.684.000	67.932.000	35.240.400	17.955.000	14.418.000
- Tx Rate (L1) (Bit/s)	249,99 M	249,99 M	249,99 M	249,97 M	249,93 M	249,91 M
- Tx Rate (Fps)	372.015	211.140	113.220	58.734	29.925	24.030
- Rx (Frames)	11.195	126.683.227	67.932.000	35.240.400	17.955.000	14.418.000
- Rx Rate (L1) (Bit/s)	12,54 K	249,99 M	249,99 M	249,97 M	249,93 M	249,91 M
- Rx Rate (Fps)	19	211.139	113.220	58.734	29.925	24.030
P-0-0-4						
- Tx (Frames)	223.209.000	126.684.000	67.932.000	35.240.400	17.955.000	14.418.000
- Tx Rate (L1) (Bit/s)	249,99 M	249,99 M	249,99 M	249,97 M	249,93 M	249,91 M
- Tx Rate (Fps)	372.015	211.140	113.220	58.734	29.925	24.030
- Rx (Frames)	11.195	126.681.894	67.932.000	35.240.400	17.955.000	14.418.000
- Rx Rate (L1) (Bit/s)	12,54 K	249,99 M	249,99 M	249,97 M	249,93 M	249,91 M
- Rx Rate (Fps)	19	211.136	113.220	58.734	29.925	24.030
P-0-0-5						


[illegible]

- Tx Rate (L1) (Bit/s)	249,99 M	249,99 M	249,99 M	249,97 M	249,93 M	249,91 M
- Tx Rate (Fps)	372.015	211.140	113.220	58.734	29.925	24.030
- Rx (Frames)	11.512	126.683.574	67.932.000	35.240.400	17.955.000	14.417.996
- Rx Rate (L1) (Bit/s)	12,89 K	249,99 M	249,99 M	249,97 M	249,93 M	249,91 M
- Rx Rate (Fps)	19	211.139	113.220	58.734	29.925	24.030
P-0-4-4						
- Tx (Frames)	223.209.000	126.684.000	67.932.000	35.240.400	17.955.000	14.418.000
- Tx Rate (L1) (Bit/s)	249,99 M	249,99 M	249,99 M	249,97 M	249,93 M	249,91 M
- Tx Rate (Fps)	372.015	211.140	113.220	58.734	29.925	24.030
- Rx (Frames)	11.512	126.682.856	67.932.000	35.240.400	17.955.000	14.417.992
- Rx Rate (L1) (Bit/s)	12,89 K	249,99 M	249,99 M	249,97 M	249,93 M	249,91 M
- Rx Rate (Fps)	19	211.138	113.220	58.734	29.925	24.030
P-0-4-5						
- Tx (Frames)	223.209.000	126.684.000	67.932.000	35.240.400	17.955.000	14.418.000
- Tx Rate (L1) (Bit/s)	249,99 M	249,99 M	249,99 M	249,97 M	249,93 M	249,91 M
- Tx Rate (Fps)	372.015	211.140	113.220	58.734	29.925	24.030
- Rx (Frames)	11.515	126.682.981	67.932.000	35.240.400	17.954.999	14.417.992
- Rx Rate (L1) (Bit/s)	12,9 K	249,99 M	249,99 M	249,97 M	249,93 M	249,91 M
- Rx Rate (Fps)	19	211.138	113.220	58.734	29.925	24.030

Frame Size	1518
Result State	PASS
Tx (Frames)	219.380.400
Tx Rate (Fps)	365.634
Tx Rate (L1) (Bit/s)	4,5 G
Rx (Frames)	219.380.352
Rx Rate (Fps)	365,63 K
Rx Rate (L1) (Bit/s)	4,5 G
Loss (Frames)	48
Loss Rate (Percent)	0 %
P-0-0-0	
- Tx (Frames)	12.187.800
- Tx Rate (L1) (Bit/s)	249,93 M
- Tx Rate (Fps)	20.313
- Rx (Frames)	12.187.800
- Rx Rate (L1) (Bit/s)	249,93 M
- Rx Rate (Fps)	20.313
P-0-0-1	
- Tx (Frames)	12.187.800
- Tx Rate (L1) (Bit/s)	249,93 M
- Tx Rate (Fps)	20.313
- Rx (Frames)	12.187.800
- Rx Rate (L1) (Bit/s)	249,93 M
- Rx Rate (Fps)	20.313
P-0-0-2	
- Tx (Frames)	12.187.800
- Tx Rate (L1) (Bit/s)	249,93 M
- Tx Rate (Fps)	20.313
- Rx (Frames)	12.187.800
- Rx Rate (L1) (Bit/s)	249,93 M
- Rx Rate (Fps)	20.313
P-0-0-3	
- Tx (Frames)	12.187.800
- Tx Rate (L1) (Bit/s)	249,93 M
- Tx Rate (Fps)	20.313
- Rx (Frames)	12.187.800
- Rx Rate (L1) (Bit/s)	249,93 M
- Rx Rate (Fps)	20.313
P-0-0-4	
- Tx (Frames)	12.187.800
- Tx Rate (L1) (Bit/s)	249,93 M
- Tx Rate (Fps)	20.313
- Rx (Frames)	12.187.800
- Rx Rate (L1) (Bit/s)	249,93 M
- Rx Rate (Fps)	20.313
P-0-0-5	
- Tx (Frames)	12.187.800
- Tx Rate (L1) (Bit/s)	249,93 M
- Tx Rate (Fps)	20.313
- Rx (Frames)	12.187.800

- Rx Rate (L1) (Bit/s)	249,93 M
- Rx Rate (Fps)	20.313
P-0-2-0	
- Tx (Frames)	12.187.800
- Tx Rate (L1) (Bit/s)	249,93 M
- Tx Rate (Fps)	20.313
- Rx (Frames)	12.187.800
- Rx Rate (L1) (Bit/s)	249,93 M
- Rx Rate (Fps)	20.313
P-0-2-1	
- Tx (Frames)	12.187.800
- Tx Rate (L1) (Bit/s)	249,93 M
- Tx Rate (Fps)	20.313
- Rx (Frames)	12.187.800
- Rx Rate (L1) (Bit/s)	249,93 M
- Rx Rate (Fps)	20.313
P-0-2-2	
- Tx (Frames)	12.187.800
- Tx Rate (L1) (Bit/s)	249,93 M
- Tx Rate (Fps)	20.313
- Rx (Frames)	12.187.800
- Rx Rate (L1) (Bit/s)	249,93 M
- Rx Rate (Fps)	20.313
P-0-2-3	
- Tx (Frames)	12.187.800
- Tx Rate (L1) (Bit/s)	249,93 M
- Tx Rate (Fps)	20.313
- Rx (Frames)	12.187.797
- Rx Rate (L1) (Bit/s)	249,93 M
- Rx Rate (Fps)	20.313
P-0-2-4	
- Tx (Frames)	12.187.800
- Tx Rate (L1) (Bit/s)	249,93 M
- Tx Rate (Fps)	20.313
- Rx (Frames)	12.187.800
- Rx Rate (L1) (Bit/s)	249,93 M
- Rx Rate (Fps)	20.313
P-0-2-5	
- Tx (Frames)	12.187.800
- Tx Rate (L1) (Bit/s)	249,93 M
- Tx Rate (Fps)	20.313
- Rx (Frames)	12.187.797
- Rx Rate (L1) (Bit/s)	249,93 M
- Rx Rate (Fps)	20.313
P-0-4-0	
- Tx (Frames)	12.187.800
- Tx Rate (L1) (Bit/s)	249,93 M
- Tx Rate (Fps)	20.313
- Rx (Frames)	12.187.787
- Rx Rate (L1) (Bit/s)	249,93 M
- Rx Rate (Fps)	20.313
P-0-4-1	
- Tx (Frames)	12.187.800
- Tx Rate (L1) (Bit/s)	249,93 M
- Tx Rate (Fps)	20.313
- Rx (Frames)	12.187.794
- Rx Rate (L1) (Bit/s)	249,93 M
- Rx Rate (Fps)	20.313
P-0-4-2	
- Tx (Frames)	12.187.800
- Tx Rate (L1) (Bit/s)	249,93 M
- Tx Rate (Fps)	20.313
- Rx (Frames)	12.187.793
- Rx Rate (L1) (Bit/s)	249,93 M
- Rx Rate (Fps)	20.313
P-0-4-3	
- Tx (Frames)	12.187.800
- Tx Rate (L1) (Bit/s)	249,93 M
- Tx Rate (Fps)	20.313
- Rx (Frames)	12.187.792
- Rx Rate (L1) (Bit/s)	249,93 M

- Rx Rate (Fps)	20.313
P-0-4-4	
- Tx (Frames)	12.187.800
- Tx Rate (L1) (Bit/s)	249,93 M
- Tx Rate (Fps)	20.313
- Rx (Frames)	12.187.797
- Rx Rate (L1) (Bit/s)	249,93 M
- Rx Rate (Fps)	20.313
P-0-4-5	
- Tx (Frames)	12.187.800
- Tx Rate (L1) (Bit/s)	249,93 M
- Tx Rate (Fps)	20.313
- Rx (Frames)	12.187.795
- Rx Rate (L1) (Bit/s)	249,93 M
- Rx Rate (Fps)	20.313



Results for 75,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Tx (Frames)	6.026.691.600	3.420.565.200	1.834.164.000	951.588.000	484.833.600	389.383.200
Tx Rate (Fps)	10.044.486	5.700.942	3.056.940	1.585.980	808.056	648.972
Tx Rate (L1) (Bit/s)	6,75 G	6,75 G	6,75 G	6,75 G	6,75 G	6,75 G
Rx (Frames)	144.179	240.340	1.834.164.000	951.588.000	484.833.582	389.381.301
Rx Rate (Fps)	240,3	400,57	3,06 M	1,59 M	808,06 K	648,97 K
Rx Rate (L1) (Bit/s)	161,48 K	474,27 K	6,75 G	6,75 G	6,75 G	6,75 G
Loss (Frames)	6.026.547.421	3.420.324.860	0	0	18	1.899
Loss Rate (Percent)	100 %	99,99 %	0 %	0 %	0 %	0 %
P-0-0-0						
- Tx (Frames)	334.816.200	190.031.400	101.898.000	52.866.000	26.935.200	21.632.400
- Tx Rate (L1) (Bit/s)	374,99 M	375 M	374,98 M	375 M	374,94 M	374,96 M
- Tx Rate (Fps)	558.027	316.719	169.830	88.110	44.892	36.054
- Rx (Frames)	7.490	13.326	101.898.000	52.866.000	26.935.200	21.632.400
- Rx Rate (L1) (Bit/s)	8,39 K	26,3 K	374,98 M	375 M	374,94 M	374,96 M
- Rx Rate (Fps)	12	22	169.830	88.110	44.892	36.054
P-0-0-1						
- Tx (Frames)	334.816.200	190.031.400	101.898.000	52.866.000	26.935.200	21.632.400
- Tx Rate (L1) (Bit/s)	374,99 M	375 M	374,98 M	375 M	374,94 M	374,96 M
- Tx Rate (Fps)	558.027	316.719	169.830	88.110	44.892	36.054
- Rx (Frames)	7.490	13.325	101.898.000	52.866.000	26.935.200	21.632.400
- Rx Rate (L1) (Bit/s)	8,39 K	26,29 K	374,98 M	375 M	374,94 M	374,96 M
- Rx Rate (Fps)	12	22	169.830	88.110	44.892	36.054
P-0-0-2						
- Tx (Frames)	334.816.200	190.031.400	101.898.000	52.866.000	26.935.200	21.632.400
- Tx Rate (L1) (Bit/s)	374,99 M	375 M	374,98 M	375 M	374,94 M	374,96 M
- Tx Rate (Fps)	558.027	316.719	169.830	88.110	44.892	36.054
- Rx (Frames)	7.490	13.325	101.898.000	52.866.000	26.935.200	21.632.400


- Rx Rate (L1) (Bit/s)	8,39 K	26,29 K	374,98 M	375 M	374,94 M	374,96 M
- Rx Rate (Fps)	12	22	169.830	88.110	44.892	36.054
P-0-0-3						
- Tx (Frames)	334.816.200	190.031.400	101.898.000	52.866.000	26.935.200	21.632.400
- Tx Rate (L1) (Bit/s)	374,99 M	375 M	374,98 M	375 M	374,94 M	374,96 M
- Tx Rate (Fps)	558.027	316.719	169.830	88.110	44.892	36.054
- Rx (Frames)	7.490	13.324	101.898.000	52.866.000	26.935.200	21.632.400
- Rx Rate (L1) (Bit/s)	8,39 K	26,29 K	374,98 M	375 M	374,94 M	374,96 M
- Rx Rate (Fps)	12	22	169.830	88.110	44.892	36.054
P-0-0-4						
- Tx (Frames)	334.816.200	190.031.400	101.898.000	52.866.000	26.935.200	21.632.400
- Tx Rate (L1) (Bit/s)	374,99 M	375 M	374,98 M	375 M	374,94 M	374,96 M
- Tx Rate (Fps)	558.027	316.719	169.830	88.110	44.892	36.054
- Rx (Frames)	7.493	13.325	101.898.000	52.866.000	26.935.200	21.632.400
- Rx Rate (L1) (Bit/s)	8,39 K	26,29 K	374,98 M	375 M	374,94 M	374,96 M
- Rx Rate (Fps)	12	22	169.830	88.110	44.892	36.054
P-0-0-5						
- Tx (Frames)	334.816.200	190.031.400	101.898.000	52.866.000	26.935.200	21.632.400
- Tx Rate (L1) (Bit/s)	374,99 M	375 M	374,98 M	375 M	374,94 M	374,96 M
- Tx Rate (Fps)	558.027	316.719	169.830	88.110	44.892	36.054
- Rx (Frames)	7.495	13.324	101.898.000	52.866.000	26.935.200	21.632.400
- Rx Rate (L1) (Bit/s)	8,39 K	26,29 K	374,98 M	375 M	374,94 M	374,96 M
- Rx Rate (Fps)	12	22	169.830	88.110	44.892	36.054
P-0-2-0						
- Tx (Frames)	334.816.200	190.031.400	101.898.000	52.866.000	26.935.200	21.632.400
- Tx Rate (L1) (Bit/s)	374,99 M	375 M	374,98 M	375 M	374,94 M	374,96 M
- Tx Rate (Fps)	558.027	316.719	169.830	88.110	44.892	36.054
- Rx (Frames)	7.496	13.325	101.898.000	52.866.000	26.935.200	21.632.400
- Rx Rate (L1) (Bit/s)	8,4 K	26,29 K	374,98 M	375 M	374,94 M	374,96 M
- Rx Rate (Fps)	12	22	169.830	88.110	44.892	36.054
P-0-2-1						
- Tx (Frames)	334.816.200	190.031.400	101.898.000	52.866.000	26.935.200	21.632.400
- Tx Rate (L1) (Bit/s)	374,99 M	375 M	374,98 M	375 M	374,94 M	374,96 M
- Tx Rate (Fps)	558.027	316.719	169.830	88.110	44.892	36.054
- Rx (Frames)	7.497	13.326	101.898.000	52.866.000	26.935.200	21.632.400
- Rx Rate (L1) (Bit/s)	8,4 K	26,3 K	374,98 M	375 M	374,94 M	374,96 M
- Rx Rate (Fps)	12	22	169.830	88.110	44.892	36.054
P-0-2-2						
- Tx (Frames)	334.816.200	190.031.400	101.898.000	52.866.000	26.935.200	21.632.400
- Tx Rate (L1) (Bit/s)	374,99 M	375 M	374,98 M	375 M	374,94 M	374,96 M
- Tx Rate (Fps)	558.027	316.719	169.830	88.110	44.892	36.054
- Rx (Frames)	7.498	13.328	101.898.000	52.866.000	26.935.200	21.632.400
- Rx Rate (L1) (Bit/s)	8,4 K	26,3 K	374,98 M	375 M	374,94 M	374,96 M
- Rx Rate (Fps)	12	22	169.830	88.110	44.892	36.054
P-0-2-3						
- Tx (Frames)	334.816.200	190.031.400	101.898.000	52.866.000	26.935.200	21.632.400
- Tx Rate (L1) (Bit/s)	374,99 M	375 M	374,98 M	375 M	374,94 M	374,96 M
- Tx Rate (Fps)	558.027	316.719	169.830	88.110	44.892	36.054
- Rx (Frames)	8.531	13.380	101.898.000	52.866.000	26.935.197	21.632.209
- Rx Rate (L1) (Bit/s)	9,55 K	26,4 K	374,98 M	375 M	374,94 M	374,96 M
- Rx Rate (Fps)	14	22	169.830	88.110	44.892	36.054
P-0-2-4						
- Tx (Frames)	334.816.200	190.031.400	101.898.000	52.866.000	26.935.200	21.632.400
- Tx Rate (L1) (Bit/s)	374,99 M	375 M	374,98 M	375 M	374,94 M	374,96 M
- Tx Rate (Fps)	558.027	316.719	169.830	88.110	44.892	36.054
- Rx (Frames)	8.531	13.380	101.898.000	52.866.000	26.935.200	21.632.216
- Rx Rate (L1) (Bit/s)	9,55 K	26,4 K	374,98 M	375 M	374,94 M	374,96 M
- Rx Rate (Fps)	14	22	169.830	88.110	44.892	36.054
P-0-2-5						
- Tx (Frames)	334.816.200	190.031.400	101.898.000	52.866.000	26.935.200	21.632.400
- Tx Rate (L1) (Bit/s)	374,99 M	375 M	374,98 M	375 M	374,94 M	374,96 M
- Tx Rate (Fps)	558.027	316.719	169.830	88.110	44.892	36.054
- Rx (Frames)	8.526	13.379	101.898.000	52.866.000	26.935.200	21.632.200
- Rx Rate (L1) (Bit/s)	9,55 K	26,4 K	374,98 M	375 M	374,94 M	374,96 M
- Rx Rate (Fps)	14	22	169.830	88.110	44.892	36.054
P-0-4-0						
- Tx (Frames)	334.816.200	190.031.400	101.898.000	52.866.000	26.935.200	21.632.400
- Tx Rate (L1) (Bit/s)	374,99 M	375 M	374,98 M	375 M	374,94 M	374,96 M
- Tx Rate (Fps)	558.027	316.719	169.830	88.110	44.892	36.054
- Rx (Frames)	8.526	13.379	101.898.000	52.866.000	26.935.198	21.632.146
- Rx Rate (L1) (Bit/s)	9,55 K	26,4 K	374,98 M	375 M	374,94 M	374,96 M

- Rx Rate (Fps)	14	22	169.830	88.110	44.892	36.054
P-0-4-1						
- Tx (Frames)	334.816.200	190.031.400	101.898.000	52.866.000	26.935.200	21.632.400
- Tx Rate (L1) (Bit/s)	374,99 M	375 M	374,98 M	375 M	374,94 M	374,96 M
- Tx Rate (Fps)	558.027	316.719	169.830	88.110	44.892	36.054
- Rx (Frames)	8.526	13.378	101.898.000	52.866.000	26.935.196	21.632.198
- Rx Rate (L1) (Bit/s)	9,55 K	26,4 K	374,98 M	375 M	374,94 M	374,96 M
- Rx Rate (Fps)	14	22	169.830	88.110	44.892	36.054
P-0-4-2						
- Tx (Frames)	334.816.200	190.031.400	101.898.000	52.866.000	26.935.200	21.632.400
- Tx Rate (L1) (Bit/s)	374,99 M	375 M	374,98 M	375 M	374,94 M	374,96 M
- Tx Rate (Fps)	558.027	316.719	169.830	88.110	44.892	36.054
- Rx (Frames)	8.524	13.379	101.898.000	52.866.000	26.935.198	21.632.166
- Rx Rate (L1) (Bit/s)	9,55 K	26,4 K	374,98 M	375 M	374,94 M	374,96 M
- Rx Rate (Fps)	14	22	169.830	88.110	44.892	36.054
P-0-4-3						
- Tx (Frames)	334.816.200	190.031.400	101.898.000	52.866.000	26.935.200	21.632.400
- Tx Rate (L1) (Bit/s)	374,99 M	375 M	374,98 M	375 M	374,94 M	374,96 M
- Tx Rate (Fps)	558.027	316.719	169.830	88.110	44.892	36.054
- Rx (Frames)	8.522	13.379	101.898.000	52.866.000	26.935.197	21.632.203
- Rx Rate (L1) (Bit/s)	9,54 K	26,4 K	374,98 M	375 M	374,94 M	374,96 M
- Rx Rate (Fps)	14	22	169.830	88.110	44.892	36.054
P-0-4-4						
- Tx (Frames)	334.816.200	190.031.400	101.898.000	52.866.000	26.935.200	21.632.400
- Tx Rate (L1) (Bit/s)	374,99 M	375 M	374,98 M	375 M	374,94 M	374,96 M
- Tx Rate (Fps)	558.027	316.719	169.830	88.110	44.892	36.054
- Rx (Frames)	8.522	13.377	101.898.000	52.866.000	26.935.197	21.632.187
- Rx Rate (L1) (Bit/s)	9,54 K	26,4 K	374,98 M	375 M	374,94 M	374,96 M
- Rx Rate (Fps)	14	22	169.830	88.110	44.892	36.054
P-0-4-5						
- Tx (Frames)	334.816.200	190.031.400	101.898.000	52.866.000	26.935.200	21.632.400
- Tx Rate (L1) (Bit/s)	374,99 M	375 M	374,98 M	375 M	374,94 M	374,96 M
- Tx Rate (Fps)	558.027	316.719	169.830	88.110	44.892	36.054
- Rx (Frames)	8.532	13.381	101.898.000	52.866.000	26.935.199	21.632.176
- Rx Rate (L1) (Bit/s)	9,56 K	26,41 K	374,98 M	375 M	374,94 M	374,96 M
- Rx Rate (Fps)	14	22	169.830	88.110	44.892	36.054

Frame Size	1518
Result State	PASS
Tx (Frames)	329.119.200
Tx Rate (Fps)	548.532
Tx Rate (L1) (Bit/s)	6,75 G
Rx (Frames)	329.113.786
Rx Rate (Fps)	548,52 K
Rx Rate (L1) (Bit/s)	6,75 G
Loss (Frames)	5.414
Loss Rate (Percent)	0 %
P-0-0-0	
- Tx (Frames)	18.284.400
- Tx Rate (L1) (Bit/s)	374,95 M
- Tx Rate (Fps)	30.474
- Rx (Frames)	18.284.400
- Rx Rate (L1) (Bit/s)	374,95 M
- Rx Rate (Fps)	30.474
P-0-0-1	
- Tx (Frames)	18.284.400
- Tx Rate (L1) (Bit/s)	374,95 M
- Tx Rate (Fps)	30.474
- Rx (Frames)	18.284.400
- Rx Rate (L1) (Bit/s)	374,95 M
- Rx Rate (Fps)	30.474
P-0-0-2	
- Tx (Frames)	18.284.400
- Tx Rate (L1) (Bit/s)	374,95 M
- Tx Rate (Fps)	30.474
- Rx (Frames)	18.284.400
- Rx Rate (L1) (Bit/s)	374,95 M
- Rx Rate (Fps)	30.474
P-0-0-3	
- Tx (Frames)	18.284.400

- Tx Rate (L1) (Bit/s)	374,95 M
- Tx Rate (Fps)	30.474
- Rx (Frames)	18.284.400
- Rx Rate (L1) (Bit/s)	374,95 M
- Rx Rate (Fps)	30.474
P-0-0-4	
- Tx (Frames)	18.284.400
- Tx Rate (L1) (Bit/s)	374,95 M
- Tx Rate (Fps)	30.474
- Rx (Frames)	18.284.400
- Rx Rate (L1) (Bit/s)	374,95 M
- Rx Rate (Fps)	30.474
P-0-0-5	
- Tx (Frames)	18.284.400
- Tx Rate (L1) (Bit/s)	374,95 M
- Tx Rate (Fps)	30.474
- Rx (Frames)	18.284.400
- Rx Rate (L1) (Bit/s)	374,95 M
- Rx Rate (Fps)	30.474
P-0-2-0	
- Tx (Frames)	18.284.400
- Tx Rate (L1) (Bit/s)	374,95 M
- Tx Rate (Fps)	30.474
- Rx (Frames)	18.284.400
- Rx Rate (L1) (Bit/s)	374,95 M
- Rx Rate (Fps)	30.474
P-0-2-1	
- Tx (Frames)	18.284.400
- Tx Rate (L1) (Bit/s)	374,95 M
- Tx Rate (Fps)	30.474
- Rx (Frames)	18.284.400
- Rx Rate (L1) (Bit/s)	374,95 M
- Rx Rate (Fps)	30.474
P-0-2-2	
- Tx (Frames)	18.284.400
- Tx Rate (L1) (Bit/s)	374,95 M
- Tx Rate (Fps)	30.474
- Rx (Frames)	18.284.400
- Rx Rate (L1) (Bit/s)	374,95 M
- Rx Rate (Fps)	30.474
P-0-2-3	
- Tx (Frames)	18.284.400
- Tx Rate (L1) (Bit/s)	374,95 M
- Tx Rate (Fps)	30.474
- Rx (Frames)	18.283.873
- Rx Rate (L1) (Bit/s)	374,94 M
- Rx Rate (Fps)	30.473
P-0-2-4	
- Tx (Frames)	18.284.400
- Tx Rate (L1) (Bit/s)	374,95 M
- Tx Rate (Fps)	30.474
- Rx (Frames)	18.283.961
- Rx Rate (L1) (Bit/s)	374,94 M
- Rx Rate (Fps)	30.473
P-0-2-5	
- Tx (Frames)	18.284.400
- Tx Rate (L1) (Bit/s)	374,95 M
- Tx Rate (Fps)	30.474
- Rx (Frames)	18.283.369
- Rx Rate (L1) (Bit/s)	374,93 M
- Rx Rate (Fps)	30.472
P-0-4-0	
- Tx (Frames)	18.284.400
- Tx Rate (L1) (Bit/s)	374,95 M
- Tx Rate (Fps)	30.474
- Rx (Frames)	18.283.959
- Rx Rate (L1) (Bit/s)	374,94 M
- Rx Rate (Fps)	30.473
P-0-4-1	
- Tx (Frames)	18.284.400
- Tx Rate (L1) (Bit/s)	374,95 M

- Tx Rate (Fps)	30.474
- Rx (Frames)	18.283.950
- Rx Rate (L1) (Bit/s)	374,94 M
- Rx Rate (Fps)	30.473
P-0-4-2	
- Tx (Frames)	18.284.400
- Tx Rate (L1) (Bit/s)	374,95 M
- Tx Rate (Fps)	30.474
- Rx (Frames)	18.284.043
- Rx Rate (L1) (Bit/s)	374,94 M
- Rx Rate (Fps)	30.473
P-0-4-3	
- Tx (Frames)	18.284.400
- Tx Rate (L1) (Bit/s)	374,95 M
- Tx Rate (Fps)	30.474
- Rx (Frames)	18.283.926
- Rx Rate (L1) (Bit/s)	374,94 M
- Rx Rate (Fps)	30.473
P-0-4-4	
- Tx (Frames)	18.284.400
- Tx Rate (L1) (Bit/s)	374,95 M
- Tx Rate (Fps)	30.474
- Rx (Frames)	18.283.450
- Rx Rate (L1) (Bit/s)	374,93 M
- Rx Rate (Fps)	30.472
P-0-4-5	
- Tx (Frames)	18.284.400
- Tx Rate (L1) (Bit/s)	374,95 M
- Tx Rate (Fps)	30.474
- Rx (Frames)	18.283.655
- Rx Rate (L1) (Bit/s)	374,94 M
- Rx Rate (Fps)	30.473



Results for 100,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Tx (Frames)	8.035.621.200	4.560.721.200	2.445.649.200	1.268.751.600	646.477.200	519.145.200
Tx Rate (Fps)	13.392.702	7.601.202	4.076.082	2.114.586	1.077.462	865.242
Tx Rate (L1) (Bit/s)	9 G	9 G	9 G	9 G	9 G	9 G
Rx (Frames)	105.205	201.739	2.445.649.200	1.268.751.600	646.476.728	519.132.816
Rx Rate (Fps)	175,34	336,23	4,08 M	2,11 M	1,08 M	865,22 K
Rx Rate (L1) (Bit/s)	117,83 K	398,1 K	9 G	9 G	9 G	9 G
Loss (Frames)	8.035.515.995	4.560.519.461	0	0	472	12.384
Loss Rate (Percent)	100 %	100 %	0 %	0 %	0 %	0 %
P-0-0-0						
- Tx (Frames)	446.423.400	253.373.400	135.869.400	70.486.200	35.915.400	28.841.400


- Tx Rate (L1) (Bit/s)	499,99 M	499,99 M	500 M	499,98 M	499,94 M	499,92 M
- Tx Rate (Fps)	744.039	422.289	226.449	117.477	59.859	48.069
- Rx (Frames)	5.889	10.900	135.869.400	70.486.200	35.915.400	28.841.399
- Rx Rate (L1) (Bit/s)	6,6 K	21,51 K	500 M	499,98 M	499,94 M	499,92 M
- Rx Rate (Fps)	10	18	226.449	117.477	59.859	48.069
P-0-0-1						
- Tx (Frames)	446.423.400	253.373.400	135.869.400	70.486.200	35.915.400	28.841.400
- Tx Rate (L1) (Bit/s)	499,99 M	499,99 M	500 M	499,98 M	499,94 M	499,92 M
- Tx Rate (Fps)	744.039	422.289	226.449	117.477	59.859	48.069
- Rx (Frames)	5.889	10.864	135.869.400	70.486.200	35.915.400	28.841.399
- Rx Rate (L1) (Bit/s)	6,6 K	21,44 K	500 M	499,98 M	499,94 M	499,92 M
- Rx Rate (Fps)	10	18	226.449	117.477	59.859	48.069
P-0-0-2						
- Tx (Frames)	446.423.400	253.373.400	135.869.400	70.486.200	35.915.400	28.841.400
- Tx Rate (L1) (Bit/s)	499,99 M	499,99 M	500 M	499,98 M	499,94 M	499,92 M
- Tx Rate (Fps)	744.039	422.289	226.449	117.477	59.859	48.069
- Rx (Frames)	5.890	10.913	135.869.400	70.486.200	35.915.400	28.841.400
- Rx Rate (L1) (Bit/s)	6,6 K	21,53 K	500 M	499,98 M	499,94 M	499,92 M
- Rx Rate (Fps)	10	18	226.449	117.477	59.859	48.069
P-0-0-3						
- Tx (Frames)	446.423.400	253.373.400	135.869.400	70.486.200	35.915.400	28.841.400
- Tx Rate (L1) (Bit/s)	499,99 M	499,99 M	500 M	499,98 M	499,94 M	499,92 M
- Tx Rate (Fps)	744.039	422.289	226.449	117.477	59.859	48.069
- Rx (Frames)	5.888	10.912	135.869.400	70.486.200	35.915.400	28.841.400
- Rx Rate (L1) (Bit/s)	6,59 K	21,53 K	500 M	499,98 M	499,94 M	499,92 M
- Rx Rate (Fps)	10	18	226.449	117.477	59.859	48.069
P-0-0-4						
- Tx (Frames)	446.423.400	253.373.400	135.869.400	70.486.200	35.915.400	28.841.400
- Tx Rate (L1) (Bit/s)	499,99 M	499,99 M	500 M	499,98 M	499,94 M	499,92 M
- Tx Rate (Fps)	744.039	422.289	226.449	117.477	59.859	48.069
- Rx (Frames)	5.889	10.949	135.869.400	70.486.200	35.915.399	28.841.400
- Rx Rate (L1) (Bit/s)	6,6 K	21,61 K	500 M	499,98 M	499,94 M	499,92 M
- Rx Rate (Fps)	10	18	226.449	117.477	59.859	48.069
P-0-0-5						
- Tx (Frames)	446.423.400	253.373.400	135.869.400	70.486.200	35.915.400	28.841.400
- Tx Rate (L1) (Bit/s)	499,99 M	499,99 M	500 M	499,98 M	499,94 M	499,92 M
- Tx Rate (Fps)	744.039	422.289	226.449	117.477	59.859	48.069
- Rx (Frames)	5.889	10.932	135.869.400	70.486.200	35.915.400	28.841.400
- Rx Rate (L1) (Bit/s)	6,6 K	21,57 K	500 M	499,98 M	499,94 M	499,92 M
- Rx Rate (Fps)	10	18	226.449	117.477	59.859	48.069
P-0-2-0						
- Tx (Frames)	446.423.400	253.373.400	135.869.400	70.486.200	35.915.400	28.841.400
- Tx Rate (L1) (Bit/s)	499,99 M	499,99 M	500 M	499,98 M	499,94 M	499,92 M
- Tx Rate (Fps)	744.039	422.289	226.449	117.477	59.859	48.069
- Rx (Frames)	5.889	10.878	135.869.400	70.486.200	35.915.399	28.841.400
- Rx Rate (L1) (Bit/s)	6,6 K	21,47 K	500 M	499,98 M	499,94 M	499,92 M
- Rx Rate (Fps)	10	18	226.449	117.477	59.859	48.069
P-0-2-1						
- Tx (Frames)	446.423.400	253.373.400	135.869.400	70.486.200	35.915.400	28.841.400
- Tx Rate (L1) (Bit/s)	499,99 M	499,99 M	500 M	499,98 M	499,94 M	499,92 M
- Tx Rate (Fps)	744.039	422.289	226.449	117.477	59.859	48.069
- Rx (Frames)	5.891	10.816	135.869.400	70.486.200	35.915.400	28.841.400
- Rx Rate (L1) (Bit/s)	6,6 K	21,34 K	500 M	499,98 M	499,94 M	499,92 M
- Rx Rate (Fps)	10	18	226.449	117.477	59.859	48.069
P-0-2-2						
- Tx (Frames)	446.423.400	253.373.400	135.869.400	70.486.200	35.915.400	28.841.400
- Tx Rate (L1) (Bit/s)	499,99 M	499,99 M	500 M	499,98 M	499,94 M	499,92 M
- Tx Rate (Fps)	744.039	422.289	226.449	117.477	59.859	48.069
- Rx (Frames)	5.895	10.862	135.869.400	70.486.200	35.915.399	28.841.399
- Rx Rate (L1) (Bit/s)	6,6 K	21,43 K	500 M	499,98 M	499,94 M	499,92 M
- Rx Rate (Fps)	10	18	226.449	117.477	59.859	48.069
P-0-2-3						
- Tx (Frames)	446.423.400	253.373.400	135.869.400	70.486.200	35.915.400	28.841.400
- Tx Rate (L1) (Bit/s)	499,99 M	499,99 M	500 M	499,98 M	499,94 M	499,92 M
- Tx Rate (Fps)	744.039	422.289	226.449	117.477	59.859	48.069
- Rx (Frames)	5.802	11.555	135.869.400	70.486.200	35.915.346	28.840.288
- Rx Rate (L1) (Bit/s)	6,5 K	22,8 K	500 M	499,98 M	499,94 M	499,9 M
- Rx Rate (Fps)	10	19	226.449	117.477	59.859	48.067
P-0-2-4						
- Tx (Frames)	446.423.400	253.373.400	135.869.400	70.486.200	35.915.400	28.841.400
- Tx Rate (L1) (Bit/s)	499,99 M	499,99 M	500 M	499,98 M	499,94 M	499,92 M

- Tx Rate (Fps)	744.039	422.289	226.449	117.477	59.859	48.069
- Rx (Frames)	5.800	11.547	135.869.400	70.486.200	35.915.363	28.840.309
- Rx Rate (L1) (Bit/s)	6,5 K	22,79 K	500 M	499,98 M	499,94 M	499,9 M
- Rx Rate (Fps)	10	19	226.449	117.477	59.859	48.067
P-0-2-5						
- Tx (Frames)	446.423.400	253.373.400	135.869.400	70.486.200	35.915.400	28.841.400
- Tx Rate (L1) (Bit/s)	499,99 M	499,99 M	500 M	499,98 M	499,94 M	499,92 M
- Tx Rate (Fps)	744.039	422.289	226.449	117.477	59.859	48.069
- Rx (Frames)	5.800	11.533	135.869.400	70.486.200	35.915.345	28.839.853
- Rx Rate (L1) (Bit/s)	6,5 K	22,76 K	500 M	499,98 M	499,94 M	499,89 M
- Rx Rate (Fps)	10	19	226.449	117.477	59.859	48.066
P-0-4-0						
- Tx (Frames)	446.423.400	253.373.400	135.869.400	70.486.200	35.915.400	28.841.400
- Tx Rate (L1) (Bit/s)	499,99 M	499,99 M	500 M	499,98 M	499,94 M	499,92 M
- Tx Rate (Fps)	744.039	422.289	226.449	117.477	59.859	48.069
- Rx (Frames)	5.800	11.515	135.869.400	70.486.200	35.915.335	28.839.881
- Rx Rate (L1) (Bit/s)	6,5 K	22,72 K	500 M	499,98 M	499,94 M	499,89 M
- Rx Rate (Fps)	10	19	226.449	117.477	59.859	48.066
P-0-4-1						
- Tx (Frames)	446.423.400	253.373.400	135.869.400	70.486.200	35.915.400	28.841.400
- Tx Rate (L1) (Bit/s)	499,99 M	499,99 M	500 M	499,98 M	499,94 M	499,92 M
- Tx Rate (Fps)	744.039	422.289	226.449	117.477	59.859	48.069
- Rx (Frames)	5.799	11.509	135.869.400	70.486.200	35.915.333	28.840.346
- Rx Rate (L1) (Bit/s)	6,49 K	22,71 K	500 M	499,98 M	499,94 M	499,9 M
- Rx Rate (Fps)	10	19	226.449	117.477	59.859	48.067
P-0-4-2						
- Tx (Frames)	446.423.400	253.373.400	135.869.400	70.486.200	35.915.400	28.841.400
- Tx Rate (L1) (Bit/s)	499,99 M	499,99 M	500 M	499,98 M	499,94 M	499,92 M
- Tx Rate (Fps)	744.039	422.289	226.449	117.477	59.859	48.069
- Rx (Frames)	5.798	11.507	135.869.400	70.486.200	35.915.348	28.839.781
- Rx Rate (L1) (Bit/s)	6,49 K	22,71 K	500 M	499,98 M	499,94 M	499,89 M
- Rx Rate (Fps)	10	19	226.449	117.477	59.859	48.066
P-0-4-3						
- Tx (Frames)	446.423.400	253.373.400	135.869.400	70.486.200	35.915.400	28.841.400
- Tx Rate (L1) (Bit/s)	499,99 M	499,99 M	500 M	499,98 M	499,94 M	499,92 M
- Tx Rate (Fps)	744.039	422.289	226.449	117.477	59.859	48.069
- Rx (Frames)	5.797	11.495	135.869.400	70.486.200	35.915.369	28.840.218
- Rx Rate (L1) (Bit/s)	6,49 K	22,68 K	500 M	499,98 M	499,94 M	499,9 M
- Rx Rate (Fps)	10	19	226.449	117.477	59.859	48.067
P-0-4-4						
- Tx (Frames)	446.423.400	253.373.400	135.869.400	70.486.200	35.915.400	28.841.400
- Tx Rate (L1) (Bit/s)	499,99 M	499,99 M	500 M	499,98 M	499,94 M	499,92 M
- Tx Rate (Fps)	744.039	422.289	226.449	117.477	59.859	48.069
- Rx (Frames)	5.796	11.502	135.869.400	70.486.200	35.915.349	28.839.796
- Rx Rate (L1) (Bit/s)	6,49 K	22,7 K	500 M	499,98 M	499,94 M	499,89 M
- Rx Rate (Fps)	10	19	226.449	117.477	59.859	48.066
P-0-4-5						
- Tx (Frames)	446.423.400	253.373.400	135.869.400	70.486.200	35.915.400	28.841.400
- Tx Rate (L1) (Bit/s)	499,99 M	499,99 M	500 M	499,98 M	499,94 M	499,92 M
- Tx Rate (Fps)	744.039	422.289	226.449	117.477	59.859	48.069
- Rx (Frames)	5.804	11.550	135.869.400	70.486.200	35.915.343	28.839.747
- Rx Rate (L1) (Bit/s)	6,5 K	22,79 K	500 M	499,98 M	499,94 M	499,89 M
- Rx Rate (Fps)	10	19	226.449	117.477	59.859	48.066

Frame Size	1518
Result State	PASS
Tx (Frames)	438.858.000
Tx Rate (Fps)	731.430
Tx Rate (L1) (Bit/s)	9 G
Rx (Frames)	438.854.637
Rx Rate (Fps)	731,42 K
Rx Rate (L1) (Bit/s)	9 G
Loss (Frames)	3.363
Loss Rate (Percent)	0 %
P-0-0-0	
- Tx (Frames)	24.381.000
- Tx Rate (L1) (Bit/s)	499,97 M
- Tx Rate (Fps)	40.635
- Rx (Frames)	24.380.998
- Rx Rate (L1) (Bit/s)	499,97 M

- Rx Rate (Fps)	40.635
P-0-0-1	
- Tx (Frames)	24.381.000
- Tx Rate (L1) (Bit/s)	499,97 M
- Tx Rate (Fps)	40.635
- Rx (Frames)	24.380.999
- Rx Rate (L1) (Bit/s)	499,97 M
- Rx Rate (Fps)	40.635
P-0-0-2	
- Tx (Frames)	24.381.000
- Tx Rate (L1) (Bit/s)	499,97 M
- Tx Rate (Fps)	40.635
- Rx (Frames)	24.381.000
- Rx Rate (L1) (Bit/s)	499,97 M
- Rx Rate (Fps)	40.635
P-0-0-3	
- Tx (Frames)	24.381.000
- Tx Rate (L1) (Bit/s)	499,97 M
- Tx Rate (Fps)	40.635
- Rx (Frames)	24.381.000
- Rx Rate (L1) (Bit/s)	499,97 M
- Rx Rate (Fps)	40.635
P-0-0-4	
- Tx (Frames)	24.381.000
- Tx Rate (L1) (Bit/s)	499,97 M
- Tx Rate (Fps)	40.635
- Rx (Frames)	24.381.000
- Rx Rate (L1) (Bit/s)	499,97 M
- Rx Rate (Fps)	40.635
P-0-0-5	
- Tx (Frames)	24.381.000
- Tx Rate (L1) (Bit/s)	499,97 M
- Tx Rate (Fps)	40.635
- Rx (Frames)	24.381.000
- Rx Rate (L1) (Bit/s)	499,97 M
- Rx Rate (Fps)	40.635
P-0-2-0	
- Tx (Frames)	24.381.000
- Tx Rate (L1) (Bit/s)	499,97 M
- Tx Rate (Fps)	40.635
- Rx (Frames)	24.381.000
- Rx Rate (L1) (Bit/s)	499,97 M
- Rx Rate (Fps)	40.635
P-0-2-1	
- Tx (Frames)	24.381.000
- Tx Rate (L1) (Bit/s)	499,97 M
- Tx Rate (Fps)	40.635
- Rx (Frames)	24.381.000
- Rx Rate (L1) (Bit/s)	499,97 M
- Rx Rate (Fps)	40.635
P-0-2-2	
- Tx (Frames)	24.381.000
- Tx Rate (L1) (Bit/s)	499,97 M
- Tx Rate (Fps)	40.635
- Rx (Frames)	24.381.000
- Rx Rate (L1) (Bit/s)	499,97 M
- Rx Rate (Fps)	40.635
P-0-2-3	
- Tx (Frames)	24.381.000
- Tx Rate (L1) (Bit/s)	499,97 M
- Tx Rate (Fps)	40.635
- Rx (Frames)	24.380.760
- Rx Rate (L1) (Bit/s)	499,97 M
- Rx Rate (Fps)	40.635
P-0-2-4	
- Tx (Frames)	24.381.000
- Tx Rate (L1) (Bit/s)	499,97 M
- Tx Rate (Fps)	40.635
- Rx (Frames)	24.380.750
- Rx Rate (L1) (Bit/s)	499,97 M
- Rx Rate (Fps)	40.635

P-0-2-5	
- Tx (Frames)	24.381.000
- Tx Rate (L1) (Bit/s)	499,97 M
- Tx Rate (Fps)	40.635
- Rx (Frames)	24.380.769
- Rx Rate (L1) (Bit/s)	499,97 M
- Rx Rate (Fps)	40.635
P-0-4-0	
- Tx (Frames)	24.381.000
- Tx Rate (L1) (Bit/s)	499,97 M
- Tx Rate (Fps)	40.635
- Rx (Frames)	24.380.387
- Rx Rate (L1) (Bit/s)	499,96 M
- Rx Rate (Fps)	40.634
P-0-4-1	
- Tx (Frames)	24.381.000
- Tx Rate (L1) (Bit/s)	499,97 M
- Tx Rate (Fps)	40.635
- Rx (Frames)	24.380.519
- Rx Rate (L1) (Bit/s)	499,96 M
- Rx Rate (Fps)	40.634
P-0-4-2	
- Tx (Frames)	24.381.000
- Tx Rate (L1) (Bit/s)	499,97 M
- Tx Rate (Fps)	40.635
- Rx (Frames)	24.380.405
- Rx Rate (L1) (Bit/s)	499,96 M
- Rx Rate (Fps)	40.634
P-0-4-3	
- Tx (Frames)	24.381.000
- Tx Rate (L1) (Bit/s)	499,97 M
- Tx Rate (Fps)	40.635
- Rx (Frames)	24.380.602
- Rx Rate (L1) (Bit/s)	499,96 M
- Rx Rate (Fps)	40.634
P-0-4-4	
- Tx (Frames)	24.381.000
- Tx Rate (L1) (Bit/s)	499,97 M
- Tx Rate (Fps)	40.635
- Rx (Frames)	24.380.717
- Rx Rate (L1) (Bit/s)	499,97 M
- Rx Rate (Fps)	40.635
P-0-4-5	
- Tx (Frames)	24.381.000
- Tx Rate (L1) (Bit/s)	499,97 M
- Tx Rate (Fps)	40.635
- Rx (Frames)	24.380.731
- Rx Rate (L1) (Bit/s)	499,97 M
- Rx Rate (Fps)	40.635



Back-to-Back Test Results

Test Setup

Time Duration: 600 seconds
Iterations: 1
Rate Result Scope: Common Result

Test Results

Test Results Summary

Total tests executed: 21
Rates used: 3
Results per rate: 7

Success: All tests passed!


Results for 50,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Tx Burst (Frames)	212.868	142.525.332	1.222.826.058	634.398.480	138.540.618	6.047.460
Tx Burst (Bytes)	13.623.552	18.243.242.496	313.043.470.848	324.812.021.760	141.865.592.832	7.740.748.800
Max Offered Rate (Fps)	6.049.532	3.432.942	1.841.243	955.454	486.789	390.866
Max Offered Rate (Bit/s)	4,07 G	4,06 G	4,07 G	4,07 G	4,07 G	4,07 G
P-0-0-0						
- Tx Burst (Frames)	11.826	7.918.074	67.934.781	35.244.360	7.696.701	335.970
- Tx Burst (Bytes)	756.864	1.013.513.472	17.391.303.936	18.045.112.320	7.881.421.824	430.041.600
P-0-0-1						
- Tx Burst (Frames)	11.826	7.918.074	67.934.781	35.244.360	7.696.701	335.970
- Tx Burst (Bytes)	756.864	1.013.513.472	17.391.303.936	18.045.112.320	7.881.421.824	430.041.600
P-0-0-2						
- Tx Burst (Frames)	11.826	7.918.074	67.934.781	35.244.360	7.696.701	335.970
- Tx Burst (Bytes)	756.864	1.013.513.472	17.391.303.936	18.045.112.320	7.881.421.824	430.041.600
P-0-0-3						
- Tx Burst (Frames)	11.826	7.918.074	67.934.781	35.244.360	7.696.701	335.970
- Tx Burst (Bytes)	756.864	1.013.513.472	17.391.303.936	18.045.112.320	7.881.421.824	430.041.600
P-0-0-4						
- Tx Burst (Frames)	11.826	7.918.074	67.934.781	35.244.360	7.696.701	335.970
- Tx Burst (Bytes)	756.864	1.013.513.472	17.391.303.936	18.045.112.320	7.881.421.824	430.041.600
P-0-0-5						
- Tx Burst (Frames)	11.826	7.918.074	67.934.781	35.244.360	7.696.701	335.970
- Tx Burst (Bytes)	756.864	1.013.513.472	17.391.303.936	18.045.112.320	7.881.421.824	430.041.600
P-0-2-0						
- Tx Burst (Frames)	11.826	7.918.074	67.934.781	35.244.360	7.696.701	335.970
- Tx Burst (Bytes)	756.864	1.013.513.472	17.391.303.936	18.045.112.320	7.881.421.824	430.041.600
P-0-2-1						
- Tx Burst (Frames)	11.826	7.918.074	67.934.781	35.244.360	7.696.701	335.970
- Tx Burst (Bytes)	756.864	1.013.513.472	17.391.303.936	18.045.112.320	7.881.421.824	430.041.600
P-0-2-2						
- Tx Burst (Frames)	11.826	7.918.074	67.934.781	35.244.360	7.696.701	335.970
- Tx Burst (Bytes)	756.864	1.013.513.472	17.391.303.936	18.045.112.320	7.881.421.824	430.041.600
P-0-2-3						
- Tx Burst (Frames)	11.826	7.918.074	67.934.781	35.244.360	7.696.701	335.970
- Tx Burst (Bytes)	756.864	1.013.513.472	17.391.303.936	18.045.112.320	7.881.421.824	430.041.600
P-0-2-4						
- Tx Burst (Frames)	11.826	7.918.074	67.934.781	35.244.360	7.696.701	335.970
- Tx Burst (Bytes)	756.864	1.013.513.472	17.391.303.936	18.045.112.320	7.881.421.824	430.041.600
P-0-2-5						
- Tx Burst (Frames)	11.826	7.918.074	67.934.781	35.244.360	7.696.701	335.970
- Tx Burst (Bytes)	756.864	1.013.513.472	17.391.303.936	18.045.112.320	7.881.421.824	430.041.600
P-0-4-0						
- Tx Burst (Frames)	11.826	7.918.074	67.934.781	35.244.360	7.696.701	335.970
- Tx Burst (Bytes)	756.864	1.013.513.472	17.391.303.936	18.045.112.320	7.881.421.824	430.041.600
P-0-4-1						

- Tx Burst (Frames)	11.826	7.918.074	67.934.781	35.244.360	7.696.701	335.970
- Tx Burst (Bytes)	756.864	1.013.513.472	17.391.303.936	18.045.112.320	7.881.421.824	430.041.600
P-0-4-2						
- Tx Burst (Frames)	11.826	7.918.074	67.934.781	35.244.360	7.696.701	335.970
- Tx Burst (Bytes)	756.864	1.013.513.472	17.391.303.936	18.045.112.320	7.881.421.824	430.041.600
P-0-4-3						
- Tx Burst (Frames)	11.826	7.918.074	67.934.781	35.244.360	7.696.701	335.970
- Tx Burst (Bytes)	756.864	1.013.513.472	17.391.303.936	18.045.112.320	7.881.421.824	430.041.600
P-0-4-4						
- Tx Burst (Frames)	11.826	7.918.074	67.934.781	35.244.360	7.696.701	335.970
- Tx Burst (Bytes)	756.864	1.013.513.472	17.391.303.936	18.045.112.320	7.881.421.824	430.041.600
P-0-4-5						
- Tx Burst (Frames)	11.826	7.918.074	67.934.781	35.244.360	7.696.701	335.970
- Tx Burst (Bytes)	756.864	1.013.513.472	17.391.303.936	18.045.112.320	7.881.421.824	430.041.600

Frame Size	1518
Result State	PASS
Tx Burst (Frames)	28.981.152
Tx Burst (Bytes)	43.993.388.736
Max Offered Rate (Fps)	330.928
Max Offered Rate (Bit/s)	4,07 G
P-0-0-0	
- Tx Burst (Frames)	1.610.064
- Tx Burst (Bytes)	2.444.077.152
P-0-0-1	
- Tx Burst (Frames)	1.610.064
- Tx Burst (Bytes)	2.444.077.152
P-0-0-2	
- Tx Burst (Frames)	1.610.064
- Tx Burst (Bytes)	2.444.077.152
P-0-0-3	
- Tx Burst (Frames)	1.610.064
- Tx Burst (Bytes)	2.444.077.152
P-0-0-4	
- Tx Burst (Frames)	1.610.064
- Tx Burst (Bytes)	2.444.077.152
P-0-0-5	
- Tx Burst (Frames)	1.610.064
- Tx Burst (Bytes)	2.444.077.152
P-0-2-0	
- Tx Burst (Frames)	1.610.064
- Tx Burst (Bytes)	2.444.077.152
P-0-2-1	
- Tx Burst (Frames)	1.610.064
- Tx Burst (Bytes)	2.444.077.152
P-0-2-2	
- Tx Burst (Frames)	1.610.064
- Tx Burst (Bytes)	2.444.077.152
P-0-2-3	
- Tx Burst (Frames)	1.610.064
- Tx Burst (Bytes)	2.444.077.152
P-0-2-4	
- Tx Burst (Frames)	1.610.064
- Tx Burst (Bytes)	2.444.077.152
P-0-2-5	
- Tx Burst (Frames)	1.610.064
- Tx Burst (Bytes)	2.444.077.152
P-0-4-0	
- Tx Burst (Frames)	1.610.064
- Tx Burst (Bytes)	2.444.077.152
P-0-4-1	
- Tx Burst (Frames)	1.610.064
- Tx Burst (Bytes)	2.444.077.152
P-0-4-2	
- Tx Burst (Frames)	1.610.064
- Tx Burst (Bytes)	2.444.077.152
P-0-4-3	
- Tx Burst (Frames)	1.610.064
- Tx Burst (Bytes)	2.444.077.152
P-0-4-4	

- Tx Burst (Frames)	1.610.064
- Tx Burst (Bytes)	2.444.077.152
P-0-4-5	
- Tx Burst (Frames)	1.610.064
- Tx Burst (Bytes)	2.444.077.152




Results for 75,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Tx Burst (Frames)	212.868	225.828	1.834.239.006	951.597.720	51.071.958	11.126.970
Tx Burst (Bytes)	13.623.552	28.905.984	469.565.185.536	487.218.032.640	52.297.684.992	14.242.521.600
Max Offered Rate (Fps)	9.677.372	5.504.051	2.945.999	1.531.054	779.159	625.403
Max Offered Rate (Bit/s)	6,5 G	6,52 G	6,5 G	6,52 G	6,51 G	6,5 G
P-0-0-0						
- Tx Burst (Frames)	11.826	12.546	101.902.167	52.866.540	2.837.331	618.165
- Tx Burst (Bytes)	756.864	1.605.888	26.086.954.752	27.067.668.480	2.905.426.944	791.251.200
P-0-0-1						
- Tx Burst (Frames)	11.826	12.546	101.902.167	52.866.540	2.837.331	618.165
- Tx Burst (Bytes)	756.864	1.605.888	26.086.954.752	27.067.668.480	2.905.426.944	791.251.200
P-0-0-2						
- Tx Burst (Frames)	11.826	12.546	101.902.167	52.866.540	2.837.331	618.165
- Tx Burst (Bytes)	756.864	1.605.888	26.086.954.752	27.067.668.480	2.905.426.944	791.251.200
P-0-0-3						
- Tx Burst (Frames)	11.826	12.546	101.902.167	52.866.540	2.837.331	618.165
- Tx Burst (Bytes)	756.864	1.605.888	26.086.954.752	27.067.668.480	2.905.426.944	791.251.200
P-0-0-4						
- Tx Burst (Frames)	11.826	12.546	101.902.167	52.866.540	2.837.331	618.165
- Tx Burst (Bytes)	756.864	1.605.888	26.086.954.752	27.067.668.480	2.905.426.944	791.251.200
P-0-0-5						
- Tx Burst (Frames)	11.826	12.546	101.902.167	52.866.540	2.837.331	618.165
- Tx Burst (Bytes)	756.864	1.605.888	26.086.954.752	27.067.668.480	2.905.426.944	791.251.200
P-0-2-0						
- Tx Burst (Frames)	11.826	12.546	101.902.167	52.866.540	2.837.331	618.165
- Tx Burst (Bytes)	756.864	1.605.888	26.086.954.752	27.067.668.480	2.905.426.944	791.251.200
P-0-2-1						
- Tx Burst (Frames)	11.826	12.546	101.902.167	52.866.540	2.837.331	618.165
- Tx Burst (Bytes)	756.864	1.605.888	26.086.954.752	27.067.668.480	2.905.426.944	791.251.200
P-0-2-2						
- Tx Burst (Frames)	11.826	12.546	101.902.167	52.866.540	2.837.331	618.165
- Tx Burst (Bytes)	756.864	1.605.888	26.086.954.752	27.067.668.480	2.905.426.944	791.251.200
P-0-2-3						
- Tx Burst (Frames)	11.826	12.546	101.902.167	52.866.540	2.837.331	618.165
- Tx Burst (Bytes)	756.864	1.605.888	26.086.954.752	27.067.668.480	2.905.426.944	791.251.200
P-0-2-4						
- Tx Burst (Frames)	11.826	12.546	101.902.167	52.866.540	2.837.331	618.165

- Tx Burst (Bytes)	756.864	1.605.888	26.086.954.752	27.067.668.480	2.905.426.944	791.251.200
P-0-2-5						
- Tx Burst (Frames)	11.826	12.546	101.902.167	52.866.540	2.837.331	618.165
- Tx Burst (Bytes)	756.864	1.605.888	26.086.954.752	27.067.668.480	2.905.426.944	791.251.200
P-0-4-0						
- Tx Burst (Frames)	11.826	12.546	101.902.167	52.866.540	2.837.331	618.165
- Tx Burst (Bytes)	756.864	1.605.888	26.086.954.752	27.067.668.480	2.905.426.944	791.251.200
P-0-4-1						
- Tx Burst (Frames)	11.826	12.546	101.902.167	52.866.540	2.837.331	618.165
- Tx Burst (Bytes)	756.864	1.605.888	26.086.954.752	27.067.668.480	2.905.426.944	791.251.200
P-0-4-2						
- Tx Burst (Frames)	11.826	12.546	101.902.167	52.866.540	2.837.331	618.165
- Tx Burst (Bytes)	756.864	1.605.888	26.086.954.752	27.067.668.480	2.905.426.944	791.251.200
P-0-4-3						
- Tx Burst (Frames)	11.826	12.546	101.902.167	52.866.540	2.837.331	618.165
- Tx Burst (Bytes)	756.864	1.605.888	26.086.954.752	27.067.668.480	2.905.426.944	791.251.200
P-0-4-4						
- Tx Burst (Frames)	11.826	12.546	101.902.167	52.866.540	2.837.331	618.165
- Tx Burst (Bytes)	756.864	1.605.888	26.086.954.752	27.067.668.480	2.905.426.944	791.251.200
P-0-4-5						
- Tx Burst (Frames)	11.826	12.546	101.902.167	52.866.540	2.837.331	618.165
- Tx Burst (Bytes)	756.864	1.605.888	26.086.954.752	27.067.668.480	2.905.426.944	791.251.200

Frame Size	1518
Result State	PASS
Tx Burst (Frames)	877.554
Tx Burst (Bytes)	1.332.126.972
Max Offered Rate (Fps)	528.667
Max Offered Rate (Bit/s)	6,5 G
P-0-0-0	
- Tx Burst (Frames)	48.753
- Tx Burst (Bytes)	74.007.054
P-0-0-1	
- Tx Burst (Frames)	48.753
- Tx Burst (Bytes)	74.007.054
P-0-0-2	
- Tx Burst (Frames)	48.753
- Tx Burst (Bytes)	74.007.054
P-0-0-3	
- Tx Burst (Frames)	48.753
- Tx Burst (Bytes)	74.007.054
P-0-0-4	
- Tx Burst (Frames)	48.753
- Tx Burst (Bytes)	74.007.054
P-0-0-5	
- Tx Burst (Frames)	48.753
- Tx Burst (Bytes)	74.007.054
P-0-2-0	
- Tx Burst (Frames)	48.753
- Tx Burst (Bytes)	74.007.054
P-0-2-1	
- Tx Burst (Frames)	48.753
- Tx Burst (Bytes)	74.007.054
P-0-2-2	
- Tx Burst (Frames)	48.753
- Tx Burst (Bytes)	74.007.054
P-0-2-3	
- Tx Burst (Frames)	48.753
- Tx Burst (Bytes)	74.007.054
P-0-2-4	
- Tx Burst (Frames)	48.753
- Tx Burst (Bytes)	74.007.054
P-0-2-5	
- Tx Burst (Frames)	48.753
- Tx Burst (Bytes)	74.007.054
P-0-4-0	
- Tx Burst (Frames)	48.753
- Tx Burst (Bytes)	74.007.054
P-0-4-1	
- Tx Burst (Frames)	48.753

- Tx Burst (Bytes)	74.007.054
P-0-4-2	
- Tx Burst (Frames)	48.753
- Tx Burst (Bytes)	74.007.054
P-0-4-3	
- Tx Burst (Frames)	48.753
- Tx Burst (Bytes)	74.007.054
P-0-4-4	
- Tx Burst (Frames)	48.753
- Tx Burst (Bytes)	74.007.054
P-0-4-5	
- Tx Burst (Frames)	48.753
- Tx Burst (Bytes)	74.007.054



Results for 100,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Tx Burst (Frames)	180.954	242.352	2.445.652.116	1.268.796.960	15.193.170	851.634
Tx Burst (Bytes)	11.581.056	31.021.056	626.086.941.696	649.624.043.520	15.557.806.080	1.090.091.520
Max Offered Rate (Fps)	13.309.933	7.555.169	4.051.233	2.101.683	1.070.847	860.114
Max Offered Rate (Bit/s)	8,94 G	8,95 G	8,95 G	8,94 G	8,94 G	8,95 G
P-0-0-0						
- Tx Burst (Frames)	10.053	13.464	135.869.562	70.488.720	844.065	47.313
- Tx Burst (Bytes)	643.392	1.723.392	34.782.607.872	36.090.224.640	864.322.560	60.560.640
P-0-0-1						
- Tx Burst (Frames)	10.053	13.464	135.869.562	70.488.720	844.065	47.313
- Tx Burst (Bytes)	643.392	1.723.392	34.782.607.872	36.090.224.640	864.322.560	60.560.640
P-0-0-2						
- Tx Burst (Frames)	10.053	13.464	135.869.562	70.488.720	844.065	47.313
- Tx Burst (Bytes)	643.392	1.723.392	34.782.607.872	36.090.224.640	864.322.560	60.560.640
P-0-0-3						
- Tx Burst (Frames)	10.053	13.464	135.869.562	70.488.720	844.065	47.313
- Tx Burst (Bytes)	643.392	1.723.392	34.782.607.872	36.090.224.640	864.322.560	60.560.640
P-0-0-4						
- Tx Burst (Frames)	10.053	13.464	135.869.562	70.488.720	844.065	47.313
- Tx Burst (Bytes)	643.392	1.723.392	34.782.607.872	36.090.224.640	864.322.560	60.560.640
P-0-0-5						
- Tx Burst (Frames)	10.053	13.464	135.869.562	70.488.720	844.065	47.313
- Tx Burst (Bytes)	643.392	1.723.392	34.782.607.872	36.090.224.640	864.322.560	60.560.640
P-0-2-0						
- Tx Burst (Frames)	10.053	13.464	135.869.562	70.488.720	844.065	47.313
- Tx Burst (Bytes)	643.392	1.723.392	34.782.607.872	36.090.224.640	864.322.560	60.560.640
P-0-2-1						
- Tx Burst (Frames)	10.053	13.464	135.869.562	70.488.720	844.065	47.313
- Tx Burst (Bytes)	643.392	1.723.392	34.782.607.872	36.090.224.640	864.322.560	60.560.640

P-0-2-2						
- Tx Burst (Frames)	10.053	13.464	135.869.562	70.488.720	844.065	47.313
- Tx Burst (Bytes)	643.392	1.723.392	34.782.607.872	36.090.224.640	864.322.560	60.560.640
P-0-2-3						
- Tx Burst (Frames)	10.053	13.464	135.869.562	70.488.720	844.065	47.313
- Tx Burst (Bytes)	643.392	1.723.392	34.782.607.872	36.090.224.640	864.322.560	60.560.640
P-0-2-4						
- Tx Burst (Frames)	10.053	13.464	135.869.562	70.488.720	844.065	47.313
- Tx Burst (Bytes)	643.392	1.723.392	34.782.607.872	36.090.224.640	864.322.560	60.560.640
P-0-2-5						
- Tx Burst (Frames)	10.053	13.464	135.869.562	70.488.720	844.065	47.313
- Tx Burst (Bytes)	643.392	1.723.392	34.782.607.872	36.090.224.640	864.322.560	60.560.640
P-0-4-0						
- Tx Burst (Frames)	10.053	13.464	135.869.562	70.488.720	844.065	47.313
- Tx Burst (Bytes)	643.392	1.723.392	34.782.607.872	36.090.224.640	864.322.560	60.560.640
P-0-4-1						
- Tx Burst (Frames)	10.053	13.464	135.869.562	70.488.720	844.065	47.313
- Tx Burst (Bytes)	643.392	1.723.392	34.782.607.872	36.090.224.640	864.322.560	60.560.640
P-0-4-2						
- Tx Burst (Frames)	10.053	13.464	135.869.562	70.488.720	844.065	47.313
- Tx Burst (Bytes)	643.392	1.723.392	34.782.607.872	36.090.224.640	864.322.560	60.560.640
P-0-4-3						
- Tx Burst (Frames)	10.053	13.464	135.869.562	70.488.720	844.065	47.313
- Tx Burst (Bytes)	643.392	1.723.392	34.782.607.872	36.090.224.640	864.322.560	60.560.640
P-0-4-4						
- Tx Burst (Frames)	10.053	13.464	135.869.562	70.488.720	844.065	47.313
- Tx Burst (Bytes)	643.392	1.723.392	34.782.607.872	36.090.224.640	864.322.560	60.560.640
P-0-4-5						
- Tx Burst (Frames)	10.053	13.464	135.869.562	70.488.720	844.065	47.313
- Tx Burst (Bytes)	643.392	1.723.392	34.782.607.872	36.090.224.640	864.322.560	60.560.640

Frame Size	1518
Result State	PASS
Tx Burst (Frames)	1.735.992
Tx Burst (Bytes)	2.635.235.856
Max Offered Rate (Fps)	728.343
Max Offered Rate (Bit/s)	8,96 G
P-0-0-0	
- Tx Burst (Frames)	96.444
- Tx Burst (Bytes)	146.401.992
P-0-0-1	
- Tx Burst (Frames)	96.444
- Tx Burst (Bytes)	146.401.992
P-0-0-2	
- Tx Burst (Frames)	96.444
- Tx Burst (Bytes)	146.401.992
P-0-0-3	
- Tx Burst (Frames)	96.444
- Tx Burst (Bytes)	146.401.992
P-0-0-4	
- Tx Burst (Frames)	96.444
- Tx Burst (Bytes)	146.401.992
P-0-0-5	
- Tx Burst (Frames)	96.444
- Tx Burst (Bytes)	146.401.992
P-0-2-0	
- Tx Burst (Frames)	96.444
- Tx Burst (Bytes)	146.401.992
P-0-2-1	
- Tx Burst (Frames)	96.444
- Tx Burst (Bytes)	146.401.992
P-0-2-2	
- Tx Burst (Frames)	96.444
- Tx Burst (Bytes)	146.401.992
P-0-2-3	
- Tx Burst (Frames)	96.444
- Tx Burst (Bytes)	146.401.992
P-0-2-4	
- Tx Burst (Frames)	96.444
- Tx Burst (Bytes)	146.401.992

P-0-2-5	
- Tx Burst (Frames)	96.444
- Tx Burst (Bytes)	146.401.992
P-0-4-0	
- Tx Burst (Frames)	96.444
- Tx Burst (Bytes)	146.401.992
P-0-4-1	
- Tx Burst (Frames)	96.444
- Tx Burst (Bytes)	146.401.992
P-0-4-2	
- Tx Burst (Frames)	96.444
- Tx Burst (Bytes)	146.401.992
P-0-4-3	
- Tx Burst (Frames)	96.444
- Tx Burst (Bytes)	146.401.992
P-0-4-4	
- Tx Burst (Frames)	96.444
- Tx Burst (Bytes)	146.401.992
P-0-4-5	
- Tx Burst (Frames)	96.444
- Tx Burst (Bytes)	146.401.992

