Xena2889 Test Report

Test Summary

Test company:	Xena Networks
Customer:	Xena Networks

Test Date and Time:	2016-08-02, 05:13
Test Duration:	01:50:26 (h:m:s)
Generated By:	Xena2889 v1.17, running on 'Microsoft Windows 7 Enterprise'

Test Setup

Test Configuration

Subtest Selection

Rate Test: Full Mesh	Enabled
- Throughput	Enabled
- Forwarding	Enabled

Rate Test: Part.Mesh, 1:N	Disabled
Rate Test: Part.Mesh, N->N	Disabled
Congestion Control:	Disabled
Forward Pressure:	Disabled
Maximum Forwarding Rate:	Disabled
Address Caching Capacity:	Disabled
Address Learning Rate:	Disabled
Errored Frames Filtering:	Disabled
Broadcast Forwarding:	Disabled

Test Options

Packet Sizes Used:	64,128,256,512,1024,1280,1518

Rate Type:	Fraction
Fraction per Port:	100,00%

Latency Measurement Mode:	Last-To-Last
Toggle Port Sync States:	Yes

Traffic Configuration

Used Chassis

Chassis ID	Chassis Name	Address
C-0	New chassis	140.181.139.228:22606

Used Ports

Port ID	Interface Type	Speed	IP Address & Gateway	Protocol Segment Profile
P-0-0-0	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-1	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-2	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-3	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-4	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-5	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet

Rate Test: Full Mesh Results

Test Setup

Duration:	30 seconds
Iteration:	1
Topology:	Mesh
Direction:	Bidirectional

Throughput Options

Initial Rate:	10,00%
Maximum Rate:	100,00%
Minimum Rate:	10,00%
Resolution:	0,50%

Used Ports

Port ID
P-0-0-3
P-0-0-4
P-0-0-1
P-0-0-0
P-0-0-2
P-0-0-5

Throughput Test Results

| Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	41,663 %	94,727 %	98,242 %	98,945 %	99,473 %	99,648 %
Tx Rate (L1) (Bit/s)	2,5 G	5,68 G	5,89 G	5,94 G	5,97 G	5,98 G
Tx Rate (Fps)	3.719.874	4.800.332	2.669.624	1.394.905	714.602	574.894
Rx Rate (Percent)	41,66 %	94,73 %	98,24 %	98,95 %	99,47 %	99,65 %
Rx Rate (L1) (Bit/s)	2,5 G	5,68 G	5,89 G	5,94 G	5,97 G	5,98 G
Rx Rate (Fps)	3,72 M	4,8 M	2,67 M	1,39 M	714,6 K	574,89 K
Loss Rate (Percent)	0 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	0	0	0	0	0	0
P-0-0-0						
- Tx (Frames)	18.599.370	24.001.660	13.348.120	6.974.525	3.573.010	2.874.470
- Tx Rate (L1) (Bit/s)	416,63 M	947,27 M	982,42 M	989,45 M	994,73 M	996,48 M
- Tx Rate (Fps)	619.979	800.055	444.937	232.484	119.100	95.816
- Rx (Frames)	18.599.370	24.001.660	13.348.120	6.974.525	3.573.010	2.874.470
- Rx Rate (L1) (Bit/s)	416,63 M	947,27 M	982,42 M	989,45 M	994,73 M	996,48 M
- Rx Rate (Fps)	619.979	800.055	444.937	232.484	119.100	95.816
- Flood Count (Frames)	92	93	93	95	91	94
P-0-0-1						
- Tx (Frames)	18.599.370	24.001.660	13.348.120	6.974.525	3.573.010	2.874.470
- Tx Rate (L1) (Bit/s)	416,63 M	947,27 M	982,42 M	989,45 M	994,73 M	996,48 M
- Tx Rate (Fps)	619.979	800.055	444.937	232.484	119.100	95.816
- Rx (Frames)	18.599.370	24.001.660	13.348.120	6.974.525	3.573.010	2.874.470
- Rx Rate (L1) (Bit/s)	416,63 M	947,27 M	982,42 M	989,45 M	994,73 M	996,48 M
- Rx Rate (Fps)	619.979	800.055	444.937	232.484	119.100	95.816
- Flood Count (Frames)	90	91	91	89	90	91
P-0-0-2						
- Tx (Frames)	18.599.370	24.001.660	13.348.120	6.974.525	3.573.010	2.874.470
- Tx Rate (L1) (Bit/s)	416,63 M	947,27 M	982,42 M	989,45 M	994,73 M	996,48 M
- Tx Rate (Fps)	619.979	800.055	444.937	232.484	119.100	95.816
- Rx (Frames)	18.599.370	24.001.660	13.348.120	6.974.525	3.573.010	2.874.470
- Rx Rate (L1) (Bit/s)	416,63 M	947,27 M	982,42 M	989,45 M	994,73 M	996,48 M
- Rx Rate (Fps)	619.979	800.055	444.937	232.484	119.100	95.816
- Flood Count (Frames)	93	93	91	88	91	89
P-0-0-3						
- Tx (Frames)	18.599.370	24.001.660	13.348.120	6.974.525	3.573.010	2.874.470
- Tx Rate (L1) (Bit/s)	416,63 M	947,27 M	982,42 M	989,45 M	994,73 M	996,48 M

- Tx Rate (Fps)	619.979	800.055	444.937	232.484	119.100	95.816
- Rx (Frames)	18.599.370	24.001.660	13.348.120	6.974.525	3.573.010	2.874.470
- Rx Rate (L1) (Bit/s)	416,63 M	947,27 M	982,42 M	989,45 M	994,73 M	996,48 M
- Rx Rate (Fps)	619.979	800.055	444.937	232.484	119.100	95.816
- Flood Count (Frames)	90	91	93	93	92	91
P-0-0-4						
- Tx (Frames)	18.599.370	24.001.660	13.348.120	6.974.525	3.573.010	2.874.470
- Tx Rate (L1) (Bit/s)	416,63 M	947,27 M	982,42 M	989,45 M	994,73 M	996,48 M
- Tx Rate (Fps)	619.979	800.055	444.937	232.484	119.100	95.816
- Rx (Frames)	18.599.370	24.001.660	13.348.120	6.974.525	3.573.010	2.874.470
- Rx Rate (L1) (Bit/s)	416,63 M	947,27 M	982,42 M	989,45 M	994,73 M	996,48 M
- Rx Rate (Fps)	619.979	800.055	444.937	232.484	119.100	95.816
- Flood Count (Frames)	93	91	91	93	91	93
P-0-0-5						
- Tx (Frames)	18.599.370	24.001.660	13.348.120	6.974.525	3.573.010	2.874.470
- Tx Rate (L1) (Bit/s)	416,63 M	947,27 M	982,42 M	989,45 M	994,73 M	996,48 M
- Tx Rate (Fps)	619.979	800.055	444.937	232.484	119.100	95.816
- Rx (Frames)	18.599.370	24.001.660	13.348.120	6.974.525	3.573.010	2.874.470
- Rx Rate (L1) (Bit/s)	416,63 M	947,27 M	982,42 M	989,45 M	994,73 M	996,48 M
- Rx Rate (Fps)	619.979	800.055	444.937	232.484	119.100	95.816
- Flood Count (Frames)	92	93	93	93	95	93

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	99,648 %
Tx Rate (L1) (Bit/s)	5,98 G
Tx Rate (Fps)	485.931
Rx Rate (Percent)	99,65 %
Rx Rate (L1) (Bit/s)	5,98 G
Rx Rate (Fps)	485,93 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	2.429.655
- Tx Rate (L1) (Bit/s)	996,48 M
- Tx Rate (Fps)	80.989
- Rx (Frames)	2.429.655
- Rx Rate (L1) (Bit/s)	996,48 M
- Rx Rate (Fps)	80.989
- Flood Count (Frames)	91
P-0-0-1	
- Tx (Frames)	2.429.655
- Tx Rate (L1) (Bit/s)	996,48 M
- Tx Rate (Fps)	80.989
- Rx (Frames)	2.429.655
- Rx Rate (L1) (Bit/s)	996,48 M
- Rx Rate (Fps)	80.989
- Flood Count (Frames)	95
P-0-0-2	
- Tx (Frames)	2.429.655
- Tx Rate (L1) (Bit/s)	996,48 M
- Tx Rate (Fps)	80.989
- Rx (Frames)	2.429.655
- Rx Rate (L1) (Bit/s)	996,48 M
- Rx Rate (Fps)	80.989
- Flood Count (Frames)	91
P-0-0-3	
- Tx (Frames)	2.429.655
- Tx Rate (L1) (Bit/s)	996,48 M
- Tx Rate (Fps)	80.989
- Rx (Frames)	2.429.655
- Rx Rate (L1) (Bit/s)	996,48 M
- Rx Rate (Fps)	80.989
- Flood Count (Frames)	92
P-0-0-4	
- Tx (Frames)	2.429.655
- Tx Rate (L1) (Bit/s)	996,48 M
- Tx Rate (Fps)	80.989
- Rx (Frames)	2.429.655

- Rx Rate (L1) (Bit/s)	996,48 M
- Rx Rate (Fps)	80.989
- Flood Count (Frames)	91
P-0-0-5	
- Tx (Frames)	2.429.655
- Tx Rate (L1) (Bit/s)	996,48 M
- Tx Rate (Fps)	80.989
- Rx (Frames)	2.429.655
- Rx Rate (L1) (Bit/s)	996,48 M
- Rx Rate (Fps)	80.989
- Flood Count (Frames)	93

Full Mesh: Throughput by Frame Size vs Theoretical Max

Forwarding Test Results

Results for 10,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
Rx Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Rx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
Rx Rate (Fps)	892,86 K	506,76 K	271,74 K	140,98 K	71,84 K	57,69 K
Loss Rate (Percent)	0 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	0	0	0	0	0	0
P-0-0-0						
- Tx (Frames)	4.464.285	2.533.780	1.358.695	704.885	359.195	288.460
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	4.464.285	2.533.780	1.358.695	704.885	359.195	288.460
- Rx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	92	90	88	90	93	90
P-0-0-1						
- Tx (Frames)	4.464.285	2.533.780	1.358.695	704.885	359.195	288.460
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	4.464.285	2.533.780	1.358.695	704.885	359.195	288.460
- Rx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	90	91	93	94	92	93
P-0-0-2						
- Tx (Frames)	4.464.285	2.533.780	1.358.695	704.885	359.195	288.460
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M

- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	4.464.285	2.533.780	1.358.695	704.885	359.195	288.460
- Rx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	93	93	92	93	93	92
P-0-0-3						
- Tx (Frames)	4.464.285	2.533.780	1.358.695	704.885	359.195	288.460
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	4.464.285	2.533.780	1.358.695	704.885	359.195	288.460
- Rx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	88	92	91	91	95	92
P-0-0-4						
- Tx (Frames)	4.464.285	2.533.780	1.358.695	704.885	359.195	288.460
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	4.464.285	2.533.780	1.358.695	704.885	359.195	288.460
- Rx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	92	94	88	93	89	95
P-0-0-5						
- Tx (Frames)	4.464.285	2.533.780	1.358.695	704.885	359.195	288.460
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	4.464.285	2.533.780	1.358.695	704.885	359.195	288.460
- Rx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	89	92	88	88	90	92

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	10 %
Tx Rate (L1) (Bit/s)	599,99 M
Tx Rate (Fps)	48.764
Rx Rate (Percent)	10 %
Rx Rate (L1) (Bit/s)	599,99 M
Rx Rate (Fps)	48,76 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	243.820
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	243.820
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	95
P-0-0-1	
- Tx (Frames)	243.820
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	243.820
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	90
P-0-0-2	
- Tx (Frames)	243.820
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	243.820
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	95
P-0-0-3	
- Tx (Frames)	243.820
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	243.820

- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	88
P-0-0-4	
- Tx (Frames)	243.820
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	243.820
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	94
P-0-0-5	
- Tx (Frames)	243.820
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	243.820
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	94

Full Mesh: Loss by Frame Size at 10,00% Rate

Results for 20,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	20 %	20 %	20 %	20 %	20 %	20 %
Tx Rate (L1) (Bit/s)	1,2 G	1,2 G	1,2 G	1,2 G	1,2 G	1,2 G
Tx Rate (Fps)	1.785.714	1.013.513	543.478	281.954	143.678	115.384
Rx Rate (Percent)	20 %	20 %	20 %	20 %	20 %	20 %
Rx Rate (L1) (Bit/s)	1,2 G	1,2 G	1,2 G	1,2 G	1,2 G	1,2 G
Rx Rate (Fps)	1,79 M	1,01 M	543,48 K	281,95 K	143,68 K	115,38 K
Loss Rate (Percent)	0 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	0	0	0	0	0	0
P-0-0-0						
- Tx (Frames)	8.928.570	5.067.565	2.717.390	1.409.770	718.390	576.920
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	8.928.570	5.067.565	2.717.390	1.409.770	718.390	576.920
- Rx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Flood Count (Frames)	91	88	90	89	96	90
P-0-0-1						
- Tx (Frames)	8.928.570	5.067.565	2.717.390	1.409.770	718.390	576.920
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	8.928.570	5.067.565	2.717.390	1.409.770	718.390	576.920
- Rx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M

- Rx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Flood Count (Frames)	95	90	90	94	92	94
P-0-0-2						
- Tx (Frames)	8.928.570	5.067.565	2.717.390	1.409.770	718.390	576.920
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	8.928.570	5.067.565	2.717.390	1.409.770	718.390	576.920
- Rx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Flood Count (Frames)	88	91	90	94	97	92
P-0-0-3						
- Tx (Frames)	8.928.570	5.067.565	2.717.390	1.409.770	718.390	576.920
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	8.928.570	5.067.565	2.717.390	1.409.770	718.390	576.920
- Rx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Flood Count (Frames)	90	92	92	95	91	91
P-0-0-4						
- Tx (Frames)	8.928.570	5.067.565	2.717.390	1.409.770	718.390	576.920
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	8.928.570	5.067.565	2.717.390	1.409.770	718.390	576.920
- Rx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Flood Count (Frames)	93	94	90	93	93	92
P-0-0-5						
- Tx (Frames)	8.928.570	5.067.565	2.717.390	1.409.770	718.390	576.920
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	8.928.570	5.067.565	2.717.390	1.409.770	718.390	576.920
- Rx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Flood Count (Frames)	95	90	93	91	94	89

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	20 %
Tx Rate (L1) (Bit/s)	1,2 G
Tx Rate (Fps)	97.529
Rx Rate (Percent)	20 %
Rx Rate (L1) (Bit/s)	1,2 G
Rx Rate (Fps)	97,53 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	93
P-0-0-1	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	92
P-0-0-2	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	90

P-0-0-3	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	93
P-0-0-4	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	91
P-0-0-5	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	90

Full Mesh: Loss by Frame Size at 20,00% Rate

Results for 30,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	30 %	30 %	30 %	30 %	30 %	30 %
Tx Rate (L1) (Bit/s)	1,8 G	1,8 G	1,8 G	1,8 G	1,8 G	1,8 G
Tx Rate (Fps)	2.678.571	1.520.270	815.217	422.932	215.517	173.076
Rx Rate (Percent)	30 %	30 %	30 %	30 %	30 %	30 %
Rx Rate (L1) (Bit/s)	1,8 G	1,8 G	1,8 G	1,8 G	1,8 G	1,8 G
Rx Rate (Fps)	2,68 M	1,52 M	815,22 K	422,93 K	215,52 K	173,08 K
Loss Rate (Percent)	0 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	0	0	0	0	0	0
P-0-0-0						
- Tx (Frames)	13.392.855	7.601.350	4.076.085	2.114.660	1.077.585	865.380
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.870	70.489	35.920	28.846
- Rx (Frames)	13.392.855	7.601.350	4.076.085	2.114.660	1.077.585	865.380
- Rx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	446.429	253.378	135.870	70.489	35.920	28.846
- Flood Count (Frames)	88	93	94	91	90	96
P-0-0-1						

- Tx (Frames)	13.392.855	7.601.350	4.076.085	2.114.660	1.077.585	865.380
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.870	70.489	35.920	28.846
- Rx (Frames)	13.392.855	7.601.350	4.076.085	2.114.660	1.077.585	865.380
- Rx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	446.429	253.378	135.870	70.489	35.920	28.846
- Flood Count (Frames)	88	91	92	93	90	92
P-0-0-2						
- Tx (Frames)	13.392.855	7.601.350	4.076.085	2.114.660	1.077.585	865.380
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.870	70.489	35.920	28.846
- Rx (Frames)	13.392.855	7.601.350	4.076.085	2.114.660	1.077.585	865.380
- Rx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	446.429	253.378	135.870	70.489	35.920	28.846
- Flood Count (Frames)	91	92	96	95	91	90
P-0-0-3						
- Tx (Frames)	13.392.855	7.601.350	4.076.085	2.114.660	1.077.585	865.380
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.870	70.489	35.920	28.846
- Rx (Frames)	13.392.855	7.601.350	4.076.085	2.114.660	1.077.585	865.380
- Rx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	446.429	253.378	135.870	70.489	35.920	28.846
- Flood Count (Frames)	95	94	93	92	90	91
P-0-0-4						
- Tx (Frames)	13.392.855	7.601.350	4.076.085	2.114.660	1.077.585	865.380
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.870	70.489	35.920	28.846
- Rx (Frames)	13.392.855	7.601.350	4.076.085	2.114.660	1.077.585	865.380
- Rx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	446.429	253.378	135.870	70.489	35.920	28.846
- Flood Count (Frames)	90	90	94	93	93	91
P-0-0-5						
- Tx (Frames)	13.392.855	7.601.350	4.076.085	2.114.660	1.077.585	865.380
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.870	70.489	35.920	28.846
- Rx (Frames)	13.392.855	7.601.350	4.076.085	2.114.660	1.077.585	865.380
- Rx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	446.429	253.378	135.870	70.489	35.920	28.846
- Flood Count (Frames)	93	92	93	92	94	93

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	30 %
Tx Rate (L1) (Bit/s)	1,8 G
Tx Rate (Fps)	146.293
Rx Rate (Percent)	30 %
Rx Rate (L1) (Bit/s)	1,8 G
Rx Rate (Fps)	146,29 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	731.465
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	731.465
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	90
P-0-0-1	
- Tx (Frames)	731.465
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	731.465
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	94
P-0-0-2	
- Tx (Frames)	731.465
- Tx Rate (L1) (Bit/s)	300 M

- Tx Rate (Fps)	24.382
- Rx (Frames)	731.465
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	93
P-0-0-3	
- Tx (Frames)	731.465
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	731.465
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	92
P-0-0-4	
- Tx (Frames)	731.465
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	731.465
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	93
P-0-0-5	
- Tx (Frames)	731.465
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	731.465
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	90

Full Mesh: Loss by Frame Size at 30,00% Rate

Results for 40,00% Rate

| Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	40 %	40 %	40 %	40 %	40 %	40 %
Tx Rate (L1) (Bit/s)	2,4 G	2,4 G	2,4 G	2,4 G	2,4 G	2,4 G
Tx Rate (Fps)	3.571.428	2.027.027	1.086.956	563.909	287.356	230.769
Rx Rate (Percent)	39,99 %	40 %	40 %	40 %	40 %	40 %
Rx Rate (L1) (Bit/s)	2,4 G	2,4 G	2,4 G	2,4 G	2,4 G	2,4 G
Rx Rate (Fps)	3,57 M	2,03 M	1,09 M	563,91 K	287,36 K	230,77 K
Loss Rate (Percent)	0,02 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	17.941	0	0	0	0	0
P-0-0-0						
- Tx (Frames)	17.857.140	10.135.135	5.434.780	2.819.545	1.436.780	1.153.845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462

- Rx (Frames)	17.852.873	10.135.135	5.434.780	2.819.545	1.436.780	1.153.845
- Rx Rate (L1) (Bit/s)	399,9 M	400 M	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	595.096	337.838	181.159	93.985	47.893	38.462
- Flood Count (Frames)	89	90	92	91	91	93
P-0-0-1						
- Tx (Frames)	17.857.140	10.135.135	5.434.780	2.819.545	1.436.780	1.153.845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	17.857.140	10.135.135	5.434.780	2.819.545	1.436.780	1.153.845
- Rx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Flood Count (Frames)	93	92	90	90	90	88
P-0-0-2						
- Tx (Frames)	17.857.140	10.135.135	5.434.780	2.819.545	1.436.780	1.153.845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	17.854.323	10.135.135	5.434.780	2.819.545	1.436.780	1.153.845
- Rx Rate (L1) (Bit/s)	399,94 M	400 M	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	595.144	337.838	181.159	93.985	47.893	38.462
- Flood Count (Frames)	90	89	91	90	90	93
P-0-0-3						
- Tx (Frames)	17.857.140	10.135.135	5.434.780	2.819.545	1.436.780	1.153.845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	17.854.323	10.135.135	5.434.780	2.819.545	1.436.780	1.153.845
- Rx Rate (L1) (Bit/s)	399,94 M	400 M	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	595.144	337.838	181.159	93.985	47.893	38.462
- Flood Count (Frames)	88	92	96	92	92	92
P-0-0-4						
- Tx (Frames)	17.857.140	10.135.135	5.434.780	2.819.545	1.436.780	1.153.845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	17.857.140	10.135.135	5.434.780	2.819.545	1.436.780	1.153.845
- Rx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Flood Count (Frames)	92	95	91	90	92	88
P-0-0-5						
- Tx (Frames)	17.857.140	10.135.135	5.434.780	2.819.545	1.436.780	1.153.845
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	17.849.100	10.135.135	5.434.780	2.819.545	1.436.780	1.153.845
- Rx Rate (L1) (Bit/s)	399,82 M	400 M	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	594.970	337.838	181.159	93.985	47.893	38.462
- Flood Count (Frames)	97	90	91	93	93	91

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	40 %
Tx Rate (L1) (Bit/s)	2,4 G
Tx Rate (Fps)	195.058
Rx Rate (Percent)	40 %
Rx Rate (L1) (Bit/s)	2,4 G
Rx Rate (Fps)	195,06 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	92
P-0-0-1	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	400 M

- Rx Rate (Fps)	32.510
- Flood Count (Frames)	91
P-0-0-2	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	90
P-0-0-3	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	94
P-0-0-4	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	93
P-0-0-5	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	94

Full Mesh: Loss by Frame Size at 40,00% Rate

Results for 50,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	50 %	50 %	50 %	50 %	50 %	50 %
Tx Rate (L1) (Bit/s)	3 G	3 G	3 G	3 G	3 G	3 G
Tx Rate (Fps)	4.464.285	2.533.783	1.358.695	704.887	359.195	288.461
Rx Rate (Percent)	49,99 %	50 %	50 %	50 %	50 %	50 %
Rx Rate (L1) (Bit/s)	3 G	3 G	3 G	3 G	3 G	3 G
Rx Rate (Fps)	4,46 M	2,53 M	1,36 M	704,89 K	359,2 K	288,46 K
Loss Rate (Percent)	0,02 %	0 %	0 %	0 %	0 %	0 %

Loss (Frames)	30.301	0	0	0	0	0
P-0-0-0						
- Tx (Frames)	22.321.425	12.668.915	6.793.475	3.524.435	1.795.975	1.442.305
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	22.316.915	12.668.915	6.793.475	3.524.435	1.795.975	1.442.305
- Rx Rate (L1) (Bit/s)	499,9 M	500 M	500 M	500 M	500 M	500 M
- Rx Rate (Fps)	743.897	422.297	226.449	117.481	59.866	48.077
- Flood Count (Frames)	91	93	92	91	94	89
P-0-0-1						
- Tx (Frames)	22.321.425	12.668.915	6.793.475	3.524.435	1.795.975	1.442.305
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	22.315.768	12.668.915	6.793.475	3.524.435	1.795.975	1.442.305
- Rx Rate (L1) (Bit/s)	499,87 M	500 M	500 M	500 M	500 M	500 M
- Rx Rate (Fps)	743.859	422.297	226.449	117.481	59.866	48.077
- Flood Count (Frames)	88	90	94	94	92	93
P-0-0-2						
- Tx (Frames)	22.321.425	12.668.915	6.793.475	3.524.435	1.795.975	1.442.305
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	22.314.668	12.668.915	6.793.475	3.524.435	1.795.975	1.442.305
- Rx Rate (L1) (Bit/s)	499,85 M	500 M	500 M	500 M	500 M	500 M
- Rx Rate (Fps)	743.822	422.297	226.449	117.481	59.866	48.077
- Flood Count (Frames)	86	90	91	90	91	90
P-0-0-3						
- Tx (Frames)	22.321.425	12.668.915	6.793.475	3.524.435	1.795.975	1.442.305
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	22.318.450	12.668.915	6.793.475	3.524.435	1.795.975	1.442.305
- Rx Rate (L1) (Bit/s)	499,93 M	500 M	500 M	500 M	500 M	500 M
- Rx Rate (Fps)	743.948	422.297	226.449	117.481	59.866	48.077
- Flood Count (Frames)	91	95	92	90	93	91
P-0-0-4						
- Tx (Frames)	22.321.425	12.668.915	6.793.475	3.524.435	1.795.975	1.442.305
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	22.314.112	12.668.915	6.793.475	3.524.435	1.795.975	1.442.305
- Rx Rate (L1) (Bit/s)	499,84 M	500 M	500 M	500 M	500 M	500 M
- Rx Rate (Fps)	743.804	422.297	226.449	117.481	59.866	48.077
- Flood Count (Frames)	94	94	95	95	91	90
P-0-0-5						
- Tx (Frames)	22.321.425	12.668.915	6.793.475	3.524.435	1.795.975	1.442.305
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	22.318.336	12.668.915	6.793.475	3.524.435	1.795.975	1.442.305
- Rx Rate (L1) (Bit/s)	499,93 M	500 M	500 M	500 M	500 M	500 M
- Rx Rate (Fps)	743.945	422.297	226.449	117.481	59.866	48.077
- Flood Count (Frames)	84	91	94	95	92	93

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	50 %
Tx Rate (L1) (Bit/s)	3 G
Tx Rate (Fps)	243.823
Rx Rate (Percent)	50 %
Rx Rate (L1) (Bit/s)	3 G
Rx Rate (Fps)	243,82 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	1.219.115
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	91
P-0-0-1	

- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	1.219.115
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	95
P-0-0-2	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	1.219.115
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	89
P-0-0-3	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	1.219.115
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	91
P-0-0-4	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	1.219.115
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	88
P-0-0-5	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	1.219.115
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	92

Full Mesh: Loss by Frame Size at 50,00% Rate

Results for 60,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	60 %	60 %	60 %	60 %	60 %	60 %
Tx Rate (L1) (Bit/s)	3,6 G	3,6 G	3,6 G	3,6 G	3,6 G	3,6 G

Tx Rate (Fps)	5.357.142	3.040.540	1.630.434	845.864	431.034	346.153
Rx Rate (Percent)	0,04 %	60 %	60 %	60 %	60 %	60 %
Rx Rate (L1) (Bit/s)	2,4 M	3,6 G	3,6 G	3,6 G	3,6 G	3,6 G
Rx Rate (Fps)	3,57 K	3,04 M	1,63 M	845,86 K	431,03 K	346,15 K
Loss Rate (Percent)	99,93 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	160.607.129	0	0	0	0	0
P-0-0-0						
- Tx (Frames)	26.785.710	15.202.700	8.152.170	4.229.320	2.155.170	1.730.765
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	17.854	15.202.700	8.152.170	4.229.320	2.155.170	1.730.765
- Rx Rate (L1) (Bit/s)	399,93 K	600 M	600 M	600 M	600 M	600 M
- Rx Rate (Fps)	595	506.757	271.739	140.977	71.839	57.692
- Flood Count (Frames)	92	93	90	87	91	95
P-0-0-1						
- Tx (Frames)	26.785.710	15.202.700	8.152.170	4.229.320	2.155.170	1.730.765
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	17.855	15.202.700	8.152.170	4.229.320	2.155.170	1.730.765
- Rx Rate (L1) (Bit/s)	399,95 K	600 M	600 M	600 M	600 M	600 M
- Rx Rate (Fps)	595	506.757	271.739	140.977	71.839	57.692
- Flood Count (Frames)	89	91	90	88	93	94
P-0-0-2						
- Tx (Frames)	26.785.710	15.202.700	8.152.170	4.229.320	2.155.170	1.730.765
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	17.854	15.202.700	8.152.170	4.229.320	2.155.170	1.730.765
- Rx Rate (L1) (Bit/s)	399,93 K	600 M	600 M	600 M	600 M	600 M
- Rx Rate (Fps)	595	506.757	271.739	140.977	71.839	57.692
- Flood Count (Frames)	91	88	89	88	93	91
P-0-0-3						
- Tx (Frames)	26.785.710	15.202.700	8.152.170	4.229.320	2.155.170	1.730.765
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	17.856	15.202.700	8.152.170	4.229.320	2.155.170	1.730.765
- Rx Rate (L1) (Bit/s)	399,97 K	600 M	600 M	600 M	600 M	600 M
- Rx Rate (Fps)	595	506.757	271.739	140.977	71.839	57.692
- Flood Count (Frames)	92	90	91	92	90	92
P-0-0-4						
- Tx (Frames)	26.785.710	15.202.700	8.152.170	4.229.320	2.155.170	1.730.765
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	17.857	15.202.700	8.152.170	4.229.320	2.155.170	1.730.765
- Rx Rate (L1) (Bit/s)	400 K	600 M	600 M	600 M	600 M	600 M
- Rx Rate (Fps)	595	506.757	271.739	140.977	71.839	57.692
- Flood Count (Frames)	93	91	90	86	92	93
P-0-0-5						
- Tx (Frames)	26.785.710	15.202.700	8.152.170	4.229.320	2.155.170	1.730.765
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	17.855	15.202.700	8.152.170	4.229.320	2.155.170	1.730.765
- Rx Rate (L1) (Bit/s)	399,95 K	600 M	600 M	600 M	600 M	600 M
- Rx Rate (Fps)	595	506.757	271.739	140.977	71.839	57.692
- Flood Count (Frames)	91	89	93	88	95	92

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	60 %
Tx Rate (L1) (Bit/s)	3,6 G
Tx Rate (Fps)	292.587
Rx Rate (Percent)	60 %
Rx Rate (L1) (Bit/s)	3,6 G
Rx Rate (Fps)	292,59 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765

- Rx (Frames)	1.462.935
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.765
- Flood Count (Frames)	89
P-0-0-1	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	1.462.935
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.765
- Flood Count (Frames)	90
P-0-0-2	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	1.462.935
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.765
- Flood Count (Frames)	91
P-0-0-3	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	1.462.935
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.765
- Flood Count (Frames)	93
P-0-0-4	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	1.462.935
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.765
- Flood Count (Frames)	93
P-0-0-5	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	1.462.935
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.765
- Flood Count (Frames)	91

Full Mesh: Loss by Frame Size at 60,00% Rate

Results for 70,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	70 %	70 %	70 %	70 %	70 %	70 %
Tx Rate (L1) (Bit/s)	4,2 G	4,2 G	4,2 G	4,2 G	4,2 G	4,2 G
Tx Rate (Fps)	6.250.000	3.547.297	1.902.173	986.842	502.873	403.846
Rx Rate (Percent)	0,03 %	70 %	70 %	70 %	70 %	70 %
Rx Rate (L1) (Bit/s)	1,78 M	4,2 G	4,2 G	4,2 G	4,2 G	4,2 G
Rx Rate (Fps)	2,65 K	3,55 M	1,9 M	986,84 K	502,87 K	403,85 K
Loss Rate (Percent)	99,96 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	187.420.363	0	0	0	0	0
P-0-0-0						
- Tx (Frames)	31.250.000	17.736.485	9.510.865	4.934.210	2.514.365	2.019.230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
- Rx (Frames)	12.535	17.736.485	9.510.865	4.934.210	2.514.365	2.019.230
- Rx Rate (L1) (Bit/s)	280,78 K	700 M	700 M	700 M	700 M	700 M
- Rx Rate (Fps)	418	591.216	317.029	164.474	83.812	67.308
- Flood Count (Frames)	91	93	91	92	93	92
P-0-0-1						
- Tx (Frames)	31.250.000	17.736.485	9.510.865	4.934.210	2.514.365	2.019.230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
- Rx (Frames)	13.576	17.736.485	9.510.865	4.934.210	2.514.365	2.019.230
- Rx Rate (L1) (Bit/s)	304,1 K	700 M	700 M	700 M	700 M	700 M
- Rx Rate (Fps)	453	591.216	317.029	164.474	83.812	67.308
- Flood Count (Frames)	93	92	92	88	90	88
P-0-0-2						
- Tx (Frames)	31.250.000	17.736.485	9.510.865	4.934.210	2.514.365	2.019.230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
- Rx (Frames)	13.577	17.736.485	9.510.865	4.934.210	2.514.365	2.019.230
- Rx Rate (L1) (Bit/s)	304,12 K	700 M	700 M	700 M	700 M	700 M
- Rx Rate (Fps)	453	591.216	317.029	164.474	83.812	67.308
- Flood Count (Frames)	92	94	88	92	89	91
P-0-0-3						
- Tx (Frames)	31.250.000	17.736.485	9.510.865	4.934.210	2.514.365	2.019.230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
- Rx (Frames)	13.575	17.736.485	9.510.865	4.934.210	2.514.365	2.019.230
- Rx Rate (L1) (Bit/s)	304,08 K	700 M	700 M	700 M	700 M	700 M
- Rx Rate (Fps)	453	591.216	317.029	164.474	83.812	67.308
- Flood Count (Frames)	91	93	90	90	90	90
P-0-0-4						
- Tx (Frames)	31.250.000	17.736.485	9.510.865	4.934.210	2.514.365	2.019.230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
- Rx (Frames)	13.576	17.736.485	9.510.865	4.934.210	2.514.365	2.019.230
- Rx Rate (L1) (Bit/s)	304,1 K	700 M	700 M	700 M	700 M	700 M
- Rx Rate (Fps)	453	591.216	317.029	164.474	83.812	67.308
- Flood Count (Frames)	94	95	92	90	91	89
P-0-0-5						
- Tx (Frames)	31.250.000	17.736.485	9.510.865	4.934.210	2.514.365	2.019.230
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
- Rx (Frames)	12.798	17.736.485	9.510.865	4.934.210	2.514.365	2.019.230
- Rx Rate (L1) (Bit/s)	286,68 K	700 M	700 M	700 M	700 M	700 M
- Rx Rate (Fps)	427	591.216	317.029	164.474	83.812	67.308
- Flood Count (Frames)	95	92	95	92	90	96

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	70 %
Tx Rate (L1) (Bit/s)	4,2 G
Tx Rate (Fps)	341.352
Rx Rate (Percent)	70 %
Rx Rate (L1) (Bit/s)	4,2 G
Rx Rate (Fps)	341,35 K
Loss Rate (Percent)	0 %

Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	1.706.760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	1.706.760
- Rx Rate (L1) (Bit/s)	700 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	91
P-0-0-1	
- Tx (Frames)	1.706.760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	1.706.760
- Rx Rate (L1) (Bit/s)	700 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	93
P-0-0-2	
- Tx (Frames)	1.706.760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	1.706.760
- Rx Rate (L1) (Bit/s)	700 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	92
P-0-0-3	
- Tx (Frames)	1.706.760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	1.706.760
- Rx Rate (L1) (Bit/s)	700 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	90
P-0-0-4	
- Tx (Frames)	1.706.760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	1.706.760
- Rx Rate (L1) (Bit/s)	700 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	88
P-0-0-5	
- Tx (Frames)	1.706.760
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	1.706.760
- Rx Rate (L1) (Bit/s)	700 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	96

Full Mesh: Loss by Frame Size at 70,00% Rate

Results for 80,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	80 %	80 %	80 %	80 %	80 %	80 %
Tx Rate (L1) (Bit/s)	4,8 G	4,8 G	4,8 G	4,8 G	4,8 G	4,8 G
Tx Rate (Fps)	7.142.857	4.054.054	2.173.913	1.127.819	574.712	461.538
Rx Rate (Percent)	0,03 %	80 %	80 %	80 %	80 %	80 %
Rx Rate (L1) (Bit/s)	2,04 M	4,8 G	4,8 G	4,8 G	4,8 G	4,8 G
Rx Rate (Fps)	3,03 K	4,05 M	2,17 M	1,13 M	574,71 K	461,54 K
Loss Rate (Percent)	99,96 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	214.194.822	0	0	0	0	0
P-0-0-0						
- Tx (Frames)	35.714.285	20.270.270	10.869.565	5.639.095	2.873.560	2.307.690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	14.304	20.270.270	10.869.565	5.639.095	2.873.560	2.307.690
- Rx Rate (L1) (Bit/s)	320,41 K	800 M	800 M	800 M	800 M	800 M
- Rx Rate (Fps)	477	675.676	362.319	187.970	95.785	76.923
- Flood Count (Frames)	93	93	90	89	91	91
P-0-0-1						
- Tx (Frames)	35.714.285	20.270.270	10.869.565	5.639.095	2.873.560	2.307.690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	15.490	20.270.270	10.869.565	5.639.095	2.873.560	2.307.690
- Rx Rate (L1) (Bit/s)	346,98 K	800 M	800 M	800 M	800 M	800 M
- Rx Rate (Fps)	516	675.676	362.319	187.970	95.785	76.923
- Flood Count (Frames)	91	88	93	91	88	90
P-0-0-2						
- Tx (Frames)	35.714.285	20.270.270	10.869.565	5.639.095	2.873.560	2.307.690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	15.497	20.270.270	10.869.565	5.639.095	2.873.560	2.307.690
- Rx Rate (L1) (Bit/s)	347,13 K	800 M	800 M	800 M	800 M	800 M
- Rx Rate (Fps)	517	675.676	362.319	187.970	95.785	76.923
- Flood Count (Frames)	93	91	92	95	93	90
P-0-0-3						
- Tx (Frames)	35.714.285	20.270.270	10.869.565	5.639.095	2.873.560	2.307.690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	15.496	20.270.270	10.869.565	5.639.095	2.873.560	2.307.690
- Rx Rate (L1) (Bit/s)	347,11 K	800 M	800 M	800 M	800 M	800 M
- Rx Rate (Fps)	517	675.676	362.319	187.970	95.785	76.923
- Flood Count (Frames)	93	93	93	93	93	91
P-0-0-4						
- Tx (Frames)	35.714.285	20.270.270	10.869.565	5.639.095	2.873.560	2.307.690

- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	15.497	20.270.270	10.869.565	5.639.095	2.873.560	2.307.690
- Rx Rate (L1) (Bit/s)	347,13 K	800 M	800 M	800 M	800 M	800 M
- Rx Rate (Fps)	517	675.676	362.319	187.970	95.785	76.923
- Flood Count (Frames)	94	90	91	97	88	95
P-0-0-5						
- Tx (Frames)	35.714.285	20.270.270	10.869.565	5.639.095	2.873.560	2.307.690
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	14.604	20.270.270	10.869.565	5.639.095	2.873.560	2.307.690
- Rx Rate (L1) (Bit/s)	327,13 K	800 M	800 M	800 M	800 M	800 M
- Rx Rate (Fps)	487	675.676	362.319	187.970	95.785	76.923
- Flood Count (Frames)	92	90	94	94	93	93

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	80 %
Tx Rate (L1) (Bit/s)	4,8 G
Tx Rate (Fps)	390.117
Rx Rate (Percent)	80 %
Rx Rate (L1) (Bit/s)	4,8 G
Rx Rate (Fps)	390,12 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	1.950.585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.020
- Rx (Frames)	1.950.585
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65.020
- Flood Count (Frames)	94
P-0-0-1	
- Tx (Frames)	1.950.585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.020
- Rx (Frames)	1.950.585
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65.020
- Flood Count (Frames)	89
P-0-0-2	
- Tx (Frames)	1.950.585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.020
- Rx (Frames)	1.950.585
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65.020
- Flood Count (Frames)	92
P-0-0-3	
- Tx (Frames)	1.950.585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.020
- Rx (Frames)	1.950.585
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65.020
- Flood Count (Frames)	88
P-0-0-4	
- Tx (Frames)	1.950.585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.020
- Rx (Frames)	1.950.585
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65.020
- Flood Count (Frames)	91
P-0-0-5	
- Tx (Frames)	1.950.585
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.020

- Rx (Frames)	1.950.585
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65.020
- Flood Count (Frames)	92

Full Mesh: Loss by Frame Size at 80,00% Rate

Results for 90,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	90 %	90 %	90 %	90 %	90 %	90 %
Tx Rate (L1) (Bit/s)	5,4 G	5,4 G	5,4 G	5,4 G	5,4 G	5,4 G
Tx Rate (Fps)	8.035.714	4.560.810	2.445.652	1.268.796	646.551	519.230
Rx Rate (Percent)	0,02 %	90 %	90 %	90 %	90 %	90 %
Rx Rate (L1) (Bit/s)	1,39 M	5,4 G	5,4 G	5,4 G	5,4 G	5,4 G
Rx Rate (Fps)	2,07 K	4,56 M	2,45 M	1,27 M	646,55 K	519,23 K
Loss Rate (Percent)	99,97 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	241.009.341	0	0	0	0	0
P-0-0-0						
- Tx (Frames)	40.178.570	22.804.050	12.228.260	6.343.980	3.232.755	2.596.150
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	9.064	22.804.050	12.228.260	6.343.980	3.232.755	2.596.150
- Rx Rate (L1) (Bit/s)	203,03 K	900 M	900 M	900 M	900 M	900 M
- Rx Rate (Fps)	302	760.135	407.609	211.466	107.759	86.538
- Flood Count (Frames)	91	90	91	91	88	92
P-0-0-1						
- Tx (Frames)	40.178.570	22.804.050	12.228.260	6.343.980	3.232.755	2.596.150
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	10.398	22.804.050	12.228.260	6.343.980	3.232.755	2.596.150
- Rx Rate (L1) (Bit/s)	232,92 K	900 M	900 M	900 M	900 M	900 M
- Rx Rate (Fps)	347	760.135	407.609	211.466	107.759	86.538
- Flood Count (Frames)	91	95	90	92	92	93
P-0-0-2						
- Tx (Frames)	40.178.570	22.804.050	12.228.260	6.343.980	3.232.755	2.596.150
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	11.407	22.804.050	12.228.260	6.343.980	3.232.755	2.596.150
- Rx Rate (L1) (Bit/s)	255,52 K	900 M	900 M	900 M	900 M	900 M
- Rx Rate (Fps)	380	760.135	407.609	211.466	107.759	86.538
- Flood Count (Frames)	90	91	91	92	88	93
P-0-0-3						
- Tx (Frames)	40.178.570	22.804.050	12.228.260	6.343.980	3.232.755	2.596.150
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	11.408	22.804.050	12.228.260	6.343.980	3.232.755	2.596.150

- Rx Rate (L1) (Bit/s)	255,54 K	900 M	900 M	900 M	900 M	900 M
- Rx Rate (Fps)	380	760.135	407.609	211.466	107.759	86.538
- Flood Count (Frames)	90	93	92	91	92	92
P-0-0-4						
- Tx (Frames)	40.178.570	22.804.050	12.228.260	6.343.980	3.232.755	2.596.150
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	10.402	22.804.050	12.228.260	6.343.980	3.232.755	2.596.150
- Rx Rate (L1) (Bit/s)	233 K	900 M	900 M	900 M	900 M	900 M
- Rx Rate (Fps)	347	760.135	407.609	211.466	107.759	86.538
- Flood Count (Frames)	90	90	92	90	93	95
P-0-0-5						
- Tx (Frames)	40.178.570	22.804.050	12.228.260	6.343.980	3.232.755	2.596.150
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	9.400	22.804.050	12.228.260	6.343.980	3.232.755	2.596.150
- Rx Rate (L1) (Bit/s)	210,56 K	900 M	900 M	900 M	900 M	900 M
- Rx Rate (Fps)	313	760.135	407.609	211.466	107.759	86.538
- Flood Count (Frames)	91	90	93	89	92	89

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	90 %
Tx Rate (L1) (Bit/s)	5,4 G
Tx Rate (Fps)	438.881
Rx Rate (Percent)	90 %
Rx Rate (L1) (Bit/s)	5,4 G
Rx Rate (Fps)	438,88 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	2.194.405
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	2.194.405
- Rx Rate (L1) (Bit/s)	900 M
- Rx Rate (Fps)	73.147
- Flood Count (Frames)	93
P-0-0-1	
- Tx (Frames)	2.194.405
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	2.194.405
- Rx Rate (L1) (Bit/s)	900 M
- Rx Rate (Fps)	73.147
- Flood Count (Frames)	90
P-0-0-2	
- Tx (Frames)	2.194.405
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	2.194.405
- Rx Rate (L1) (Bit/s)	900 M
- Rx Rate (Fps)	73.147
- Flood Count (Frames)	92
P-0-0-3	
- Tx (Frames)	2.194.405
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	2.194.405
- Rx Rate (L1) (Bit/s)	900 M
- Rx Rate (Fps)	73.147
- Flood Count (Frames)	92
P-0-0-4	
- Tx (Frames)	2.194.405
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	2.194.405
- Rx Rate (L1) (Bit/s)	900 M
- Rx Rate (Fps)	73.147

- Flood Count (Frames)	89
P-0-0-5	
- Tx (Frames)	2.194.405
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	2.194.405
- Rx Rate (L1) (Bit/s)	900 M
- Rx Rate (Fps)	73.147
- Flood Count (Frames)	90

Full Mesh: Loss by Frame Size at 90,00% Rate

Results for 100,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	100 %	100 %	100 %	100 %	100 %	100 %
Tx Rate (L1) (Bit/s)	6 G	6 G	6 G	6 G	6 G	6 G
Tx Rate (Fps)	8.928.571	5.067.567	2.717.391	1.409.774	718.390	576.923
Rx Rate (Percent)	0,03 %	0,07 %	98,57 %	99,21 %	99,52 %	99,63 %
Rx Rate (L1) (Bit/s)	1,53 M	4,01 M	5,91 G	5,95 G	5,97 G	5,98 G
Rx Rate (Fps)	2,28 K	3,38 K	2,68 M	1,4 M	714,95 K	574,78 K
Loss Rate (Percent)	99,97 %	99,93 %	1,43 %	0,79 %	0,48 %	0,37 %
Loss (Frames)	267.788.782	151.925.491	1.164.348	332.690	103.155	64.399
P-0-0-0						
- Tx (Frames)	44.642.855	25.337.835	13.586.955	7.048.870	3.591.950	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	9.974	16.880	13.392.653	6.991.135	3.562.200	2.874.114
- Rx Rate (L1) (Bit/s)	223,42 K	666,2 K	985,7 M	991,81 M	991,72 M	996,36 M
- Rx Rate (Fps)	332	563	446.422	233.038	118.740	95.804
- Flood Count (Frames)	93	92	88	91	86	86
P-0-0-1						
- Tx (Frames)	44.642.855	25.337.835	13.586.955	7.048.870	3.591.950	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	11.446	16.933	13.392.976	6.996.317	3.578.295	2.873.353
- Rx Rate (L1) (Bit/s)	256,39 K	668,29 K	985,72 M	992,54 M	996,2 M	996,1 M
- Rx Rate (Fps)	382	564	446.433	233.211	119.277	95.778
- Flood Count (Frames)	93	92	92	87	90	83
P-0-0-2						
- Tx (Frames)	44.642.855	25.337.835	13.586.955	7.048.870	3.591.950	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	12.561	16.931	13.392.978	6.996.325	3.577.049	2.874.299
- Rx Rate (L1) (Bit/s)	281,37 K	668,21 K	985,72 M	992,55 M	995,85 M	996,42 M
- Rx Rate (Fps)	419	564	446.433	233.211	119.235	95.810
- Flood Count (Frames)	92	94	92	88	88	81

P-0-0-3						
- Tx (Frames)	44.642.855	25.337.835	13.586.955	7.048.870	3.591.950	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	12.563	16.934	13.392.979	6.996.197	3.576.898	2.875.807
- Rx Rate (L1) (Bit/s)	281,41 K	668,33 K	985,72 M	992,53 M	995,81 M	996,95 M
- Rx Rate (Fps)	419	564	446.433	233.207	119.230	95.860
- Flood Count (Frames)	91	90	90	94	88	87
P-0-0-4						
- Tx (Frames)	44.642.855	25.337.835	13.586.955	7.048.870	3.591.950	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	11.455	16.932	13.392.840	6.986.048	3.578.165	2.870.295
- Rx Rate (L1) (Bit/s)	256,59 K	668,25 K	985,71 M	991,09 M	996,16 M	995,04 M
- Rx Rate (Fps)	382	564	446.428	232.868	119.272	95.677
- Flood Count (Frames)	95	90	90	89	87	88
P-0-0-5						
- Tx (Frames)	44.642.855	25.337.835	13.586.955	7.048.870	3.591.950	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	10.349	16.909	13.392.956	6.994.508	3.575.938	2.875.423
- Rx Rate (L1) (Bit/s)	231,82 K	667,34 K	985,72 M	992,29 M	995,54 M	996,81 M
- Rx Rate (Fps)	345	564	446.432	233.150	119.198	95.847
- Flood Count (Frames)	90	94	87	93	93	80

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	100 %
Tx Rate (L1) (Bit/s)	6 G
Tx Rate (Fps)	487.646
Rx Rate (Percent)	99,3 %
Rx Rate (L1) (Bit/s)	5,96 G
Rx Rate (Fps)	484,21 K
Loss Rate (Percent)	0,7 %
Loss (Frames)	103.096
P-0-0-0	
- Tx (Frames)	2.438.230
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	2.431.941
- Rx Rate (L1) (Bit/s)	997,42 M
- Rx Rate (Fps)	81.065
- Flood Count (Frames)	91
P-0-0-1	
- Tx (Frames)	2.438.230
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	2.421.834
- Rx Rate (L1) (Bit/s)	993,27 M
- Rx Rate (Fps)	80.728
- Flood Count (Frames)	90
P-0-0-2	
- Tx (Frames)	2.438.230
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	2.422.537
- Rx Rate (L1) (Bit/s)	993,56 M
- Rx Rate (Fps)	80.751
- Flood Count (Frames)	87
P-0-0-3	
- Tx (Frames)	2.438.230
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	2.405.826
- Rx Rate (L1) (Bit/s)	986,71 M
- Rx Rate (Fps)	80.194
- Flood Count (Frames)	91
P-0-0-4	
- Tx (Frames)	2.438.230

- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	2.422.470
- Rx Rate (L1) (Bit/s)	993,54 M
- Rx Rate (Fps)	80.749
- Flood Count (Frames)	89
P-0-0-5	
- Tx (Frames)	2.438.230
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	2.421.676
- Rx Rate (L1) (Bit/s)	993,21 M
- Rx Rate (Fps)	80.723
- Flood Count (Frames)	88

Full Mesh: Loss by Frame Size at 100,00% Rate