Xena2889 Test Report

Test Summary

Test company:	Xena Networks
Customer:	Xena Networks
Test Date and Time:	2016-06-24, 11:19
Test Duration:	09:07:28 (h:m:s)
Generated By:	Xena2889 v1.17, running on 'Microsoft Windows 7 Enterprise'

Test Setup

Test Configuration

Subtest Selection

Rate Test: Full Mesh	Enabled
- Throughput	Enabled
- Forwarding	Enabled
Rate Test: Part.Mesh, 1:N	Enabled
- Throughput	Enabled
- Forwarding	Enabled
Rate Test: Part.Mesh, N->N	Enabled
- Throughput	Enabled
- Forwarding	Enabled
Congestion Control:	Enabled
Forward Pressure:	Enabled
Maximum Forwarding Rate:	Enabled
Address Caching Capacity:	Enabled
Address Learning Rate:	Enabled
Errored Frames Filtering:	Enabled
Broadcast Forwarding:	Enabled

Test Options

Packet Sizes Used:	64,128,256,512,1024,1280,1518
Rate Type:	Fraction
Fraction per Port:	100,00%
Latency Measurement Mode:	Last-To-Last
Toggle Port Sync States:	Yes

Traffic Configuration

Used Chassis

Chassis ID	Chassis Name	Address
C-0	New chassis	140.181.139.228:22606

Used Ports

Port ID	Interface Type	Speed	IP Address & Gateway	Protocol Segment Profile
P-0-0-0	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-1	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-2	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-3	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-4	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-5	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet

P-0-2-0	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-1	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-2	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-3	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-4	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-5	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-0	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-1	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-2	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-3	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-4	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-5	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet

Rate Test: Full Mesh Results

Test Setup

Duration: 60 seconds
Iteration: 1

Topology: Mesh
Direction: Bidirectional

Throughput Options

Initial Rate: 10,00%
Maximum Rate: 50,00%
Minimum Rate: 10,00%
Resolution: 10,00%

Used Ports

Port ID
P-0-0-0
P-0-0-1
P-0-0-2
P-0-0-3
P-0-0-4
P-0-0-5
P-0-2-0
P-0-2-1
P-0-2-2
P-0-2-3
P-0-2-4
P-0-2-5
P-0-4-0
P-0-4-1
P-0-4-2
P-0-4-3
P-0-4-4
P-0-4-5

Throughput Test Results

Frame Size	64	128	256	512	1024	1280
Result State	FAIL	FAIL	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	10 %	10 %	40 %	40 %	30,625 %	20 %
Tx Rate (L1) (Bit/s)	1,8 G	1,8 G	7,2 G	7,2 G	5,51 G	3,6 G
Tx Rate (Fps)	2.678.571	1.520.269	3.260.869	1.691.726	660.017	346.152
Rx Rate (Percent)	9,99 %	10 %	40 %	40 %	30,63 %	20 %
Rx Rate (L1) (Bit/s)	1,8 G	1,8 G	7,2 G	7,2 G	5,51 G	3,6 G
Rx Rate (Fps)	2,68 M	1,52 M	3,26 M	1,69 M	660,02 K	346,15 K
Loss Rate (Percent)	0,06 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	97.558	179	0	0	0	0
P-0-0-0						
- Tx (Frames)	8.928.570	5.067.564	10.869.562	5.639.087	2.200.055	1.153.841
- Tx Rate (L1) (Bit/s)	100 M	100 M	400 M	400 M	306,25 M	200 M
- Tx Rate (Fps)	148.810	84.459	181.159	93.985	36.668	19.231
- Rx (Frames)	8.922.411	5.067.525	10.869.562	5.639.087	2.200.055	1.153.841
- Rx Rate (L1) (Bit/s)	99,93 M	100 M	400 M	400 M	306,25 M	200 M
- Rx Rate (Fps)	148.707	84.459	181.159	93.985	36.668	19.231
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	8.928.570	5.067.564	10.869.562	5.639.087	2.200.055	1.153.841
- Tx Rate (L1) (Bit/s)	100 M	100 M	400 M	400 M	306,25 M	200 M
- Tx Rate (Fps)	148.810	84.459	181.159	93.985	36.668	19.231
- Rx (Frames)	8.923.604	5.067.559	10.869.562	5.639.087	2.200.055	1.153.841
- Rx Rate (L1) (Bit/s)	99,94 M	100 M	400 M	400 M	306,25 M	200 M
- Rx Rate (Fps)	148.727	84.459	181.159	93.985	36.668	19.231

- Flood Count (Frames)	170	169	170	169	168	173
P-0-0-2						
- Tx (Frames)	8.928.570	5.067.564	10.869.562	5.639.087	2.200.055	1.153.841
- Tx Rate (L1) (Bit/s)	100 M	100 M	400 M	400 M	306,25 M	200 M
- Tx Rate (Fps)	148.810	84.459	181.159	93.985	36.668	19.231
- Rx (Frames)	8.924.219	5.067.561	10.869.562	5.639.087	2.200.055	1.153.841
- Rx Rate (L1) (Bit/s)	99,95 M	100 M	400 M	400 M	306,25 M	200 M
- Rx Rate (Fps)	148.737	84.459	181.159	93.985	36.668	19.231
- Flood Count (Frames)	171	172	169	171	172	172
P-0-0-3						
- Tx (Frames)	8.928.570	5.067.564	10.869.562	5.639.087	2.200.055	1.153.841
- Tx Rate (L1) (Bit/s)	100 M	100 M	400 M	400 M	306,25 M	200 M
- Tx Rate (Fps)	148.810	84.459	181.159	93.985	36.668	19.231
- Rx (Frames)	8.923.016	5.067.551	10.869.562	5.639.087	2.200.055	1.153.841
- Rx Rate (L1) (Bit/s)	99,94 M	100 M	400 M	400 M	306,25 M	200 M
- Rx Rate (Fps)	148.717	84.459	181.159	93.985	36.668	19.231
- Flood Count (Frames)	168	168	170	163	173	169
P-0-0-4						
- Tx (Frames)	8.928.570	5.067.564	10.869.562	5.639.087	2.200.055	1.153.841
- Tx Rate (L1) (Bit/s)	100 M	100 M	400 M	400 M	306,25 M	200 M
- Tx Rate (Fps)	148.810	84.459	181.159	93.985	36.668	19.231
- Rx (Frames)	8.922.903	5.067.560	10.869.562	5.639.087	2.200.055	1.153.841
- Rx Rate (L1) (Bit/s)	99,94 M	100 M	400 M	400 M	306,25 M	200 M
- Rx Rate (Fps)	148.715	84.459	181.159	93.985	36.668	19.231
- Flood Count (Frames)	167	170	171	172	166	168
P-0-0-5						
- Tx (Frames)	8.928.570	5.067.564	10.869.562	5.639.087	2.200.055	1.153.841
- Tx Rate (L1) (Bit/s)	100 M	100 M	400 M	400 M	306,25 M	200 M
- Tx Rate (Fps)	148.810	84.459	181.159	93.985	36.668	19.231
- Rx (Frames)	8.922.498	5.067.564	10.869.562	5.639.087	2.200.055	1.153.841
- Rx Rate (L1) (Bit/s)	99,93 M	100 M	400 M	400 M	306,25 M	200 M
- Rx Rate (Fps)	148.708	84.459	181.159	93.985	36.668	19.231
- Flood Count (Frames)	167	171	163	172	166	169
P-0-2-0						
- Tx (Frames)	8.928.570	5.067.564	10.869.562	5.639.087	2.200.055	1.153.841
- Tx Rate (L1) (Bit/s)	100 M	100 M	400 M	400 M	306,25 M	200 M
- Tx Rate (Fps)	148.810	84.459	181.159	93.985	36.668	19.231
- Rx (Frames)	8.922.245	5.067.563	10.869.562	5.639.087	2.200.055	1.153.841
- Rx Rate (L1) (Bit/s)	99,93 M	100 M	400 M	400 M	306,25 M	200 M
- Rx Rate (Fps)	148.704	84.459	181.159	93.985	36.668	19.231
- Flood Count (Frames)	172	172	167	170	169	173
P-0-2-1						
- Tx (Frames)	8.928.570	5.067.564	10.869.562	5.639.087	2.200.055	1.153.841
- Tx Rate (L1) (Bit/s)	100 M	100 M	400 M	400 M	306,25 M	200 M
- Tx Rate (Fps)	148.810	84.459	181.159	93.985	36.668	19.231
- Rx (Frames)	8.923.030	5.067.563	10.869.562	5.639.087	2.200.055	1.153.841
- Rx Rate (L1) (Bit/s)	99,94 M	100 M	400 M	400 M	306,25 M	200 M
- Rx Rate (Fps)	148.717	84.459	181.159	93.985	36.668	19.231
- Flood Count (Frames)	173	171	170	173	168	167
P-0-2-2						
- Tx (Frames)	8.928.570	5.067.564	10.869.562	5.639.087	2.200.055	1.153.841
- Tx Rate (L1) (Bit/s)	100 M	100 M	400 M	400 M	306,25 M	200 M
- Tx Rate (Fps)	148.810	84.459	181.159	93.985	36.668	19.231
- Rx (Frames)	8.924.798	5.067.560	10.869.562	5.639.087	2.200.055	1.153.841
- Rx Rate (L1) (Bit/s)	99,96 M	100 M	400 M	400 M	306,25 M	200 M
- Rx Rate (Fps)	148.747	84.459	181.159	93.985	36.668	19.231
- Flood Count (Frames)	172	169	169	171	172	170
P-0-2-3						
- Tx (Frames)	8.928.570	5.067.564	10.869.562	5.639.087	2.200.055	1.153.841
- Tx Rate (L1) (Bit/s)	100 M	100 M	400 M	400 M	306,25 M	200 M
- Tx Rate (Fps)	148.810	84.459	181.159	93.985	36.668	19.231
- Rx (Frames)	8.924.557	5.067.551	10.869.562	5.639.087	2.200.055	1.153.841
- Rx Rate (L1) (Bit/s)	99,96 M	100 M	400 M	400 M	306,25 M	200 M
- Rx Rate (Fps)	148.743	84.459	181.159	93.985	36.668	19.231
- Flood Count (Frames)	167	168	171	170	169	170
P-0-2-4						
- Tx (Frames)	8.928.570	5.067.564	10.869.562	5.639.087	2.200.055	1.153.841
- Tx Rate (L1) (Bit/s)	100 M	100 M	400 M	400 M	306,25 M	200 M
- Tx Rate (Fps)	148.810	84.459	181.159	93.985	36.668	19.231
- Rx (Frames)	8.923.210	5.067.513	10.869.562	5.639.087	2.200.055	1.153.841
- Rx Rate (L1) (Bit/s)	99,94 M	100 M	400 M	400 M	306,25 M	200 M

- Rx Rate (Fps)	148.720	84.459	181.159	93.985	36.668	19.231
- Flood Count (Frames)	171	170	172	168	166	173
P-0-2-5						
- Tx (Frames)	8.928.570	5.067.564	10.869.562	5.639.087	2.200.055	1.153.841
- Tx Rate (L1) (Bit/s)	100 M	100 M	400 M	400 M	306,25 M	200 M
- Tx Rate (Fps)	148.810	84.459	181.159	93.985	36.668	19.231
- Rx (Frames)	8.924.749	5.067.558	10.869.562	5.639.087	2.200.055	1.153.841
- Rx Rate (L1) (Bit/s)	99,96 M	100 M	400 M	400 M	306,25 M	200 M
- Rx Rate (Fps)	148.746	84.459	181.159	93.985	36.668	19.231
- Flood Count (Frames)	168	170	174	168	170	166
P-0-4-0						
- Tx (Frames)	8.928.570	5.067.564	10.869.562	5.639.087	2.200.055	1.153.841
- Tx Rate (L1) (Bit/s)	100 M	100 M	400 M	400 M	306,25 M	200 M
- Tx Rate (Fps)	148.810	84.459	181.159	93.985	36.668	19.231
- Rx (Frames)	8.924.780	5.067.564	10.869.562	5.639.087	2.200.055	1.153.841
- Rx Rate (L1) (Bit/s)	99,96 M	100 M	400 M	400 M	306,25 M	200 M
- Rx Rate (Fps)	148.746	84.459	181.159	93.985	36.668	19.231
- Flood Count (Frames)	167	171	167	169	171	170
P-0-4-1						
- Tx (Frames)	8.928.570	5.067.564	10.869.562	5.639.087	2.200.055	1.153.841
- Tx Rate (L1) (Bit/s)	100 M	100 M	400 M	400 M	306,25 M	200 M
- Tx Rate (Fps)	148.810	84.459	181.159	93.985	36.668	19.231
- Rx (Frames)	8.921.560	5.067.546	10.869.562	5.639.087	2.200.055	1.153.841
- Rx Rate (L1) (Bit/s)	99,92 M	100 M	400 M	400 M	306,25 M	200 M
- Rx Rate (Fps)	148.693	84.459	181.159	93.985	36.668	19.231
- Flood Count (Frames)	168	171	173	171	169	172
P-0-4-2						
- Tx (Frames)	8.928.570	5.067.564	10.869.562	5.639.087	2.200.055	1.153.841
- Tx Rate (L1) (Bit/s)	100 M	100 M	400 M	400 M	306,25 M	200 M
- Tx Rate (Fps)	148.810	84.459	181.159	93.985	36.668	19.231
- Rx (Frames)	8.921.704	5.067.562	10.869.562	5.639.087	2.200.055	1.153.841
- Rx Rate (L1) (Bit/s)	99,92 M	100 M	400 M	400 M	306,25 M	200 M
- Rx Rate (Fps)	148.695	84.459	181.159	93.985	36.668	19.231
- Flood Count (Frames)	168	170	169	169	166	168
P-0-4-3						
- Tx (Frames)	8.928.570	5.067.564	10.869.562	5.639.087	2.200.055	1.153.841
- Tx Rate (L1) (Bit/s)	100 M	100 M	400 M	400 M	306,25 M	200 M
- Tx Rate (Fps)	148.810	84.459	181.159	93.985	36.668	19.231
- Rx (Frames)	8.922.485	5.067.564	10.869.562	5.639.087	2.200.055	1.153.841
- Rx Rate (L1) (Bit/s)	99,93 M	100 M	400 M	400 M	306,25 M	200 M
- Rx Rate (Fps)	148.708	84.459	181.159	93.985	36.668	19.231
- Flood Count (Frames)	174	168	170	172	170	170
P-0-4-4						
- Tx (Frames)	8.928.570	5.067.564	10.869.562	5.639.087	2.200.055	1.153.841
- Tx Rate (L1) (Bit/s)	100 M	100 M	400 M	400 M	306,25 M	200 M
- Tx Rate (Fps)	148.810	84.459	181.159	93.985	36.668	19.231
- Rx (Frames)	8.921.745	5.067.563	10.869.562	5.639.087	2.200.055	1.153.841
- Rx Rate (L1) (Bit/s)	99,92 M	100 M	400 M	400 M	306,25 M	200 M
- Rx Rate (Fps)	148.696	84.459	181.159	93.985	36.668	19.231
- Flood Count (Frames)	173	169	171	171	172	169
P-0-4-5						
- Tx (Frames)	8.928.570	5.067.564	10.869.562	5.639.087	2.200.055	1.153.841
- Tx Rate (L1) (Bit/s)	100 M	100 M	400 M	400 M	306,25 M	200 M
- Tx Rate (Fps)	148.810	84.459	181.159	93.985	36.668	19.231
- Rx (Frames)	8.923.188	5.067.546	10.869.562	5.639.087	2.200.055	1.153.841
- Rx Rate (L1) (Bit/s)	99,94 M	100 M	400 M	400 M	306,25 M	200 M
- Rx Rate (Fps)	148.720	84.459	181.159	93.985	36.668	19.231
- Flood Count (Frames)	168	169	172	170	167	171

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	20 %
Tx Rate (L1) (Bit/s)	3,6 G
Tx Rate (Fps)	292.587
Rx Rate (Percent)	20 %
Rx Rate (L1) (Bit/s)	3,6 G
Rx Rate (Fps)	292,59 K
Loss Rate (Percent)	0 %
Loss (Frames)	0

P-0-0-0	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	168
P-0-0-2	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	170
P-0-0-3	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	173
P-0-0-4	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	173
P-0-0-5	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	173
P-0-2-0	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	170
P-0-2-1	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	166
P-0-2-2	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255

- Flood Count (Frames)	168
P-0-2-3	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	175
P-0-2-4	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	164
P-0-2-5	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	169
P-0-4-0	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	170
P-0-4-1	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	168
P-0-4-2	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	170
P-0-4-3	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	169
P-0-4-4	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	170
P-0-4-5	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	200 M

- Rx Rate (Fps)	16.255
- Flood Count (Frames)	165

Note: One or more of the rate tests did not pass the test criteria!



Forwarding Test Results

Results for 10,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Tx Rate (L1) (Bit/s)	1,8 G	1,8 G	1,8 G	1,8 G	1,8 G	1,8 G
Tx Rate (Fps)	2.678.571	1.520.269	815.215	422.928	215.516	173.074
Rx Rate (Percent)	9,99 %	10 %	10 %	10 %	10 %	10 %
Rx Rate (L1) (Bit/s)	1,8 G	1,8 G	1,8 G	1,8 G	1,8 G	1,8 G
Rx Rate (Fps)	2,68 M	1,52 M	815,21 K	422,93 K	215,52 K	173,07 K
Loss Rate (Percent)	0,07 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	104.721	18	0	0	0	0
P-0-0-0						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	8.922.863	5.067.564	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	99,94 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.714	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	8.923.691	5.067.564	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	99,95 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.728	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	172	168	168	168	170	170
P-0-0-2						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	8.925.184	5.067.564	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	99,96 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.753	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	169	165	170	171	168	170

P-0-0-3						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	8.924.087	5.067.564	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	99,95 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.735	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	167	166	170	168	173	169
P-0-0-4						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	8.923.771	5.067.564	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	99,95 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.730	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	171	170	168	168	171	170
P-0-0-5						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	8.922.319	5.067.564	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	99,93 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.705	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	165	170	170	168	169	171
P-0-2-0						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	8.922.355	5.067.564	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	99,93 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.706	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	167	169	169	168	166	170
P-0-2-1						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	8.923.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	99,94 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.726	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	171	173	170	170	168	172
P-0-2-2						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	8.923.816	5.067.560	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	99,95 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.730	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	173	171	168	170	169	171
P-0-2-3						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	8.924.314	5.067.563	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	99,95 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.739	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	165	170	172	171	168	171
P-0-2-4						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	8.923.358	5.067.564	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	99,94 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.723	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	167	167	175	170	169	169
P-0-2-5						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	8.922.328	5.067.562	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	99,93 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.705	84.459	45.290	23.496	11.973	9.615

- Flood Count (Frames)	168	168	166	170	174	165
P-0-4-0						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	8.922.487	5.067.562	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	99,93 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.708	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	169	171	170	169	168	171
P-0-4-1						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	8.921.279	5.067.559	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	99,92 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.688	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	168	170	168	169	169	172
P-0-4-2						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	8.921.319	5.067.562	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	99,92 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.689	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	166	169	172	170	171	171
P-0-4-3						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	8.920.443	5.067.563	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	99,91 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.674	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	173	165	167	171	169	167
P-0-4-4						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	8.920.541	5.067.564	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	99,91 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.676	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	170	172	172	170	170	168
P-0-4-5						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	8.921.814	5.067.563	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	99,92 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.697	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	173	166	172	171	167	177

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	10 %
Tx Rate (L1) (Bit/s)	1,8 G
Tx Rate (Fps)	146.294
Rx Rate (Percent)	10 %
Rx Rate (L1) (Bit/s)	1,8 G
Rx Rate (Fps)	146,29 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	0
P-0-0-1	

- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	167
P-0-0-2	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	170
P-0-0-3	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	168
P-0-0-4	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	163
P-0-0-5	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	168
P-0-2-0	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	166
P-0-2-1	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	167
P-0-2-2	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	163
P-0-2-3	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	169

P-0-2-4	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	166
P-0-2-5	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	166
P-0-4-0	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	170
P-0-4-1	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	168
P-0-4-2	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	166
P-0-4-3	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	166
P-0-4-4	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	170
P-0-4-5	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	169



Results for 20,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	20 %	20 %	20 %	20 %	20 %	20 %
Tx Rate (L1) (Bit/s)	3,6 G	3,6 G	3,6 G	3,6 G	3,6 G	3,6 G
Tx Rate (Fps)	5.357.142	3.040.538	1.630.434	845.861	431.032	346.152
Rx Rate (Percent)	0,02 %	20 %	20 %	20 %	20 %	20 %
Rx Rate (L1) (Bit/s)	3,03 M	3,6 G	3,6 G	3,6 G	3,6 G	3,6 G
Rx Rate (Fps)	4,5 K	3,04 M	1,63 M	845,86 K	431,03 K	346,15 K
Loss Rate (Percent)	99,92 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	321.158.347	1.843	0	0	0	0
P-0-0-0						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	14.842	10.135.005	5.434.781	2.819.535	1.436.772	1.153.841
- Rx Rate (L1) (Bit/s)	166,23 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	247	168.917	90.580	46.992	23.946	19.231
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	14.958	10.134.971	5.434.781	2.819.535	1.436.772	1.153.841
- Rx Rate (L1) (Bit/s)	167,53 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	249	168.916	90.580	46.992	23.946	19.231
- Flood Count (Frames)	168	166	168	171	168	168
P-0-0-2						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	15.032	10.135.056	5.434.781	2.819.535	1.436.772	1.153.841
- Rx Rate (L1) (Bit/s)	168,36 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	251	168.918	90.580	46.992	23.946	19.231
- Flood Count (Frames)	167	167	170	168	175	170
P-0-0-3						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	15.035	10.135.083	5.434.781	2.819.535	1.436.772	1.153.841
- Rx Rate (L1) (Bit/s)	168,39 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	251	168.918	90.580	46.992	23.946	19.231
- Flood Count (Frames)	169	170	168	166	169	167
P-0-0-4						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841

- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	15.036	10.135.064	5.434.781	2.819.535	1.436.772	1.153.841
- Rx Rate (L1) (Bit/s)	168,4 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	251	168.918	90.580	46.992	23.946	19.231
- Flood Count (Frames)	173	171	170	168	168	170
P-0-0-5						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	15.034	10.135.062	5.434.781	2.819.535	1.436.772	1.153.841
- Rx Rate (L1) (Bit/s)	168,38 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	251	168.918	90.580	46.992	23.946	19.231
- Flood Count (Frames)	171	171	171	170	169	168
P-0-2-0						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	15.035	10.134.986	5.434.781	2.819.535	1.436.772	1.153.841
- Rx Rate (L1) (Bit/s)	168,39 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	251	168.916	90.580	46.992	23.946	19.231
- Flood Count (Frames)	170	171	168	169	170	169
P-0-2-1						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	15.038	10.134.986	5.434.781	2.819.535	1.436.772	1.153.841
- Rx Rate (L1) (Bit/s)	168,43 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	251	168.916	90.580	46.992	23.946	19.231
- Flood Count (Frames)	168	166	169	171	167	170
P-0-2-2						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	15.040	10.135.053	5.434.781	2.819.535	1.436.772	1.153.841
- Rx Rate (L1) (Bit/s)	168,45 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	251	168.918	90.580	46.992	23.946	19.231
- Flood Count (Frames)	174	169	176	168	170	170
P-0-2-3						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	15.039	10.135.078	5.434.781	2.819.535	1.436.772	1.153.841
- Rx Rate (L1) (Bit/s)	168,44 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	251	168.918	90.580	46.992	23.946	19.231
- Flood Count (Frames)	169	172	170	169	166	164
P-0-2-4						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	15.036	10.135.072	5.434.781	2.819.535	1.436.772	1.153.841
- Rx Rate (L1) (Bit/s)	168,4 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	251	168.918	90.580	46.992	23.946	19.231
- Flood Count (Frames)	173	170	169	173	167	169
P-0-2-5						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	15.039	10.134.971	5.434.781	2.819.535	1.436.772	1.153.841
- Rx Rate (L1) (Bit/s)	168,44 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	251	168.916	90.580	46.992	23.946	19.231
- Flood Count (Frames)	168	174	170	168	171	168
P-0-4-0						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	15.035	10.134.956	5.434.781	2.819.535	1.436.772	1.153.841
- Rx Rate (L1) (Bit/s)	168,39 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	251	168.916	90.580	46.992	23.946	19.231
- Flood Count (Frames)	169	172	168	171	173	173
P-0-4-1						

- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	15.032	10.134.968	5.434.781	2.819.535	1.436.772	1.153.841
- Rx Rate (L1) (Bit/s)	168,36 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	251	168.916	90.580	46.992	23.946	19.231
- Flood Count (Frames)	171	168	169	170	171	175
P-0-4-2						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	15.030	10.135.071	5.434.781	2.819.535	1.436.772	1.153.841
- Rx Rate (L1) (Bit/s)	168,34 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	251	168.918	90.580	46.992	23.946	19.231
- Flood Count (Frames)	171	170	171	169	166	169
P-0-4-3						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	15.029	10.135.076	5.434.781	2.819.535	1.436.772	1.153.841
- Rx Rate (L1) (Bit/s)	168,32 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	250	168.918	90.580	46.992	23.946	19.231
- Flood Count (Frames)	165	168	170	170	166	167
P-0-4-4						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	14.970	10.135.066	5.434.781	2.819.535	1.436.772	1.153.841
- Rx Rate (L1) (Bit/s)	167,66 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	250	168.918	90.580	46.992	23.946	19.231
- Flood Count (Frames)	172	171	168	175	172	172
P-0-4-5						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	14.913	10.134.937	5.434.781	2.819.535	1.436.772	1.153.841
- Rx Rate (L1) (Bit/s)	167,03 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	249	168.916	90.580	46.992	23.946	19.231
- Flood Count (Frames)	170	166	173	168	169	170

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	20 %
Tx Rate (L1) (Bit/s)	3,6 G
Tx Rate (Fps)	292.587
Rx Rate (Percent)	20 %
Rx Rate (L1) (Bit/s)	3,6 G
Rx Rate (Fps)	292,59 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	169
P-0-0-2	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	200 M

- Tx Rate (Fps)	16.255
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	164
P-0-0-3	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	169
P-0-0-4	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	165
P-0-0-5	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	166
P-0-2-0	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	165
P-0-2-1	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	165
P-0-2-2	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	167
P-0-2-3	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	165
P-0-2-4	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	166
P-0-2-5	
- Tx (Frames)	975.290

- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	168
P-0-4-0	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	168
P-0-4-1	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	168
P-0-4-2	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	170
P-0-4-3	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	170
P-0-4-4	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	162
P-0-4-5	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	167



Results for 30,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	30 %	30 %	30 %	30 %	30 %	30 %
Tx Rate (L1) (Bit/s)	5,4 G	5,4 G	5,4 G	5,4 G	5,4 G	5,4 G
Tx Rate (Fps)	8.035.713	4.560.808	2.445.649	1.268.793	646.547	519.226
Rx Rate (Percent)	0,01 %	29,89 %	30 %	30 %	30 %	30 %
Rx Rate (L1) (Bit/s)	2,03 M	5,38 G	5,4 G	5,4 G	5,4 G	5,4 G
Rx Rate (Fps)	3,03 K	4,54 M	2,45 M	1,27 M	646,55 K	519,23 K
Loss Rate (Percent)	99,96 %	0,36 %	0 %	0 %	0 %	0 %
Loss (Frames)	481.961.196	987.235	0	0	0	11
P-0-0-0						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.489	35.919	28.846
- Rx (Frames)	9.588	15.147.081	8.152.163	4.229.311	2.155.158	1.730.753
- Rx Rate (L1) (Bit/s)	107,39 K	298,9 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	160	252.451	135.869	70.489	35.919	28.846
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.489	35.919	28.846
- Rx (Frames)	9.730	15.146.563	8.152.163	4.229.311	2.155.158	1.730.753
- Rx Rate (L1) (Bit/s)	108,98 K	298,89 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	162	252.443	135.869	70.489	35.919	28.846
- Flood Count (Frames)	171	173	166	173	166	171
P-0-0-2						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.489	35.919	28.846
- Rx (Frames)	9.843	15.147.197	8.152.163	4.229.311	2.155.158	1.730.753
- Rx Rate (L1) (Bit/s)	110,24 K	298,9 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	164	252.453	135.869	70.489	35.919	28.846
- Flood Count (Frames)	172	172	169	171	173	169
P-0-0-3						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.489	35.919	28.846
- Rx (Frames)	9.958	15.149.065	8.152.163	4.229.311	2.155.158	1.730.753
- Rx Rate (L1) (Bit/s)	111,53 K	298,94 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	166	252.484	135.869	70.489	35.919	28.846
- Flood Count (Frames)	168	169	172	166	169	168
P-0-0-4						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753

- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.489	35.919	28.846
- Rx (Frames)	10.071	15.147.976	8.152.163	4.229.311	2.155.158	1.730.752
- Rx Rate (L1) (Bit/s)	112,8 K	298,92 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	168	252.466	135.869	70.489	35.919	28.846
- Flood Count (Frames)	166	166	169	165	170	168
P-0-0-5						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.489	35.919	28.846
- Rx (Frames)	10.180	15.149.887	8.152.163	4.229.311	2.155.158	1.730.753
- Rx Rate (L1) (Bit/s)	114,02 K	298,96 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	170	252.498	135.869	70.489	35.919	28.846
- Flood Count (Frames)	168	173	173	170	168	171
P-0-2-0						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.489	35.919	28.846
- Rx (Frames)	10.293	15.149.055	8.152.163	4.229.311	2.155.158	1.730.751
- Rx Rate (L1) (Bit/s)	115,28 K	298,94 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	172	252.484	135.869	70.489	35.919	28.846
- Flood Count (Frames)	172	168	166	175	173	176
P-0-2-1						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.489	35.919	28.846
- Rx (Frames)	10.403	15.150.904	8.152.163	4.229.311	2.155.158	1.730.753
- Rx Rate (L1) (Bit/s)	116,51 K	298,98 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	173	252.515	135.869	70.489	35.919	28.846
- Flood Count (Frames)	165	169	171	175	172	170
P-0-2-2						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.489	35.919	28.846
- Rx (Frames)	10.406	15.152.817	8.152.163	4.229.311	2.155.158	1.730.753
- Rx Rate (L1) (Bit/s)	116,55 K	299,02 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	173	252.547	135.869	70.489	35.919	28.846
- Flood Count (Frames)	169	171	172	171	168	170
P-0-2-3						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.489	35.919	28.846
- Rx (Frames)	10.410	15.149.606	8.152.163	4.229.311	2.155.158	1.730.753
- Rx Rate (L1) (Bit/s)	116,59 K	298,95 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	174	252.493	135.869	70.489	35.919	28.846
- Flood Count (Frames)	168	170	170	170	172	171
P-0-2-4						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.489	35.919	28.846
- Rx (Frames)	10.407	15.149.156	8.152.163	4.229.311	2.155.158	1.730.753
- Rx Rate (L1) (Bit/s)	116,56 K	298,94 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	173	252.486	135.869	70.489	35.919	28.846
- Flood Count (Frames)	171	168	171	167	165	168
P-0-2-5						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.489	35.919	28.846
- Rx (Frames)	10.316	15.148.484	8.152.163	4.229.311	2.155.158	1.730.753
- Rx Rate (L1) (Bit/s)	115,54 K	298,93 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	172	252.475	135.869	70.489	35.919	28.846
- Flood Count (Frames)	169	170	167	170	171	168
P-0-4-0						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.489	35.919	28.846
- Rx (Frames)	10.222	15.146.349	8.152.163	4.229.311	2.155.158	1.730.752
- Rx Rate (L1) (Bit/s)	114,49 K	298,89 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	170	252.439	135.869	70.489	35.919	28.846
- Flood Count (Frames)	169	168	168	169	174	170
P-0-4-1						

- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.489	35.919	28.846
- Rx (Frames)	10.133	15.144.138	8.152.163	4.229.311	2.155.158	1.730.751
- Rx Rate (L1) (Bit/s)	113,49 K	298,84 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	169	252.402	135.869	70.489	35.919	28.846
- Flood Count (Frames)	167	169	168	168	174	167
P-0-4-2						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.489	35.919	28.846
- Rx (Frames)	10.042	15.145.750	8.152.163	4.229.311	2.155.158	1.730.749
- Rx Rate (L1) (Bit/s)	112,47 K	298,88 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	167	252.429	135.869	70.489	35.919	28.846
- Flood Count (Frames)	170	171	173	169	171	175
P-0-4-3						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.489	35.919	28.846
- Rx (Frames)	9.951	15.146.500	8.152.163	4.229.311	2.155.158	1.730.752
- Rx Rate (L1) (Bit/s)	111,45 K	298,89 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	166	252.442	135.869	70.489	35.919	28.846
- Flood Count (Frames)	172	167	173	172	169	167
P-0-4-4						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.489	35.919	28.846
- Rx (Frames)	9.859	15.144.545	8.152.163	4.229.311	2.155.158	1.730.753
- Rx Rate (L1) (Bit/s)	110,42 K	298,85 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	164	252.409	135.869	70.489	35.919	28.846
- Flood Count (Frames)	168	170	167	168	170	171
P-0-4-5						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.489	35.919	28.846
- Rx (Frames)	9.772	15.146.148	8.152.163	4.229.311	2.155.158	1.730.753
- Rx Rate (L1) (Bit/s)	109,45 K	298,88 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	163	252.436	135.869	70.489	35.919	28.846
- Flood Count (Frames)	169	169	171	174	170	168

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	30 %
Tx Rate (L1) (Bit/s)	5,4 G
Tx Rate (Fps)	438.881
Rx Rate (Percent)	30 %
Rx Rate (L1) (Bit/s)	5,4 G
Rx Rate (Fps)	438,88 K
Loss Rate (Percent)	0 %
Loss (Frames)	41
P-0-0-0	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	1.462.935
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	1.462.934
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	163
P-0-0-2	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	300 M

- Tx Rate (Fps)	24.382
- Rx (Frames)	1.462.934
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	167
P-0-0-3	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	1.462.933
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	166
P-0-0-4	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	1.462.934
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	169
P-0-0-5	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	1.462.935
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	163
P-0-2-0	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	1.462.934
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	168
P-0-2-1	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	1.462.927
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	162
P-0-2-2	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	1.462.934
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	170
P-0-2-3	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	1.462.921
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	167
P-0-2-4	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	1.462.931
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	169
P-0-2-5	
- Tx (Frames)	1.462.935

- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	1.462.928
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	166
P-0-4-0	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	1.462.935
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	167
P-0-4-1	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	1.462.935
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	170
P-0-4-2	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	1.462.935
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	165
P-0-4-3	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	1.462.935
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	165
P-0-4-4	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	1.462.935
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	170
P-0-4-5	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	1.462.934
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	167



Results for 40,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	40 %	40 %	40 %	40 %	40 %	40 %
Tx Rate (L1) (Bit/s)	7,2 G	7,2 G	7,2 G	7,2 G	7,2 G	7,2 G
Tx Rate (Fps)	10.714.284	6.081.077	3.260.869	1.691.726	862.068	692.305
Rx Rate (Percent)	0,01 %	0,03 %	40 %	40 %	40 %	40 %
Rx Rate (L1) (Bit/s)	1,65 M	4,57 M	7,2 G	7,2 G	7,2 G	7,2 G
Rx Rate (Fps)	2,46 K	3,86 K	3,26 M	1,69 M	862,07 K	692,3 K
Loss Rate (Percent)	99,98 %	99,94 %	0 %	0 %	0 %	0 %
Loss (Frames)	642.709.568	364.633.264	0	0	0	110
P-0-0-0						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.461
- Rx (Frames)	7.390	12.569	10.869.562	5.639.087	2.873.561	2.307.682
- Rx Rate (L1) (Bit/s)	82,77 K	248,03 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	123	209	181.159	93.985	47.893	38.461
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.461
- Rx (Frames)	7.577	12.679	10.869.562	5.639.087	2.873.561	2.307.672
- Rx Rate (L1) (Bit/s)	84,86 K	250,2 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	126	211	181.159	93.985	47.893	38.461
- Flood Count (Frames)	169	168	168	173	171	167
P-0-0-2						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.461
- Rx (Frames)	7.755	12.769	10.869.562	5.639.087	2.873.561	2.307.669
- Rx Rate (L1) (Bit/s)	86,86 K	251,97 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	129	213	181.159	93.985	47.893	38.461
- Flood Count (Frames)	167	170	168	170	167	170
P-0-0-3						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.461
- Rx (Frames)	7.977	12.855	10.869.562	5.639.087	2.873.561	2.307.677
- Rx Rate (L1) (Bit/s)	89,34 K	253,67 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	133	214	181.159	93.985	47.893	38.461
- Flood Count (Frames)	167	167	169	170	168	168
P-0-0-4						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682

- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.461
- Rx (Frames)	8.118	12.937	10.869.562	5.639.087	2.873.561	2.307.677
- Rx Rate (L1) (Bit/s)	90,92 K	255,29 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	135	216	181.159	93.985	47.893	38.461
- Flood Count (Frames)	170	168	171	168	170	170
P-0-0-5						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.461
- Rx (Frames)	8.298	12.940	10.869.562	5.639.087	2.873.561	2.307.673
- Rx Rate (L1) (Bit/s)	92,94 K	255,35 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	138	216	181.159	93.985	47.893	38.461
- Flood Count (Frames)	172	173	169	171	168	175
P-0-2-0						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.461
- Rx (Frames)	8.474	12.941	10.869.562	5.639.087	2.873.561	2.307.676
- Rx Rate (L1) (Bit/s)	94,91 K	255,37 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	141	216	181.159	93.985	47.893	38.461
- Flood Count (Frames)	172	167	171	173	173	170
P-0-2-1						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.461
- Rx (Frames)	8.627	12.945	10.869.562	5.639.087	2.873.561	2.307.677
- Rx Rate (L1) (Bit/s)	96,62 K	255,45 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	144	216	181.159	93.985	47.893	38.461
- Flood Count (Frames)	171	165	171	171	172	169
P-0-2-2						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.461
- Rx (Frames)	8.717	12.940	10.869.562	5.639.087	2.873.561	2.307.682
- Rx Rate (L1) (Bit/s)	97,63 K	255,35 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	145	216	181.159	93.985	47.893	38.461
- Flood Count (Frames)	168	170	166	168	166	167
P-0-2-3						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.461
- Rx (Frames)	8.717	12.948	10.869.562	5.639.087	2.873.561	2.307.678
- Rx Rate (L1) (Bit/s)	97,63 K	255,51 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	145	216	181.159	93.985	47.893	38.461
- Flood Count (Frames)	172	168	169	172	170	168
P-0-2-4						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.461
- Rx (Frames)	8.718	12.946	10.869.562	5.639.087	2.873.561	2.307.679
- Rx Rate (L1) (Bit/s)	97,64 K	255,47 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	145	216	181.159	93.985	47.893	38.461
- Flood Count (Frames)	172	170	172	172	173	165
P-0-2-5						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.461
- Rx (Frames)	8.597	12.944	10.869.562	5.639.087	2.873.561	2.307.677
- Rx Rate (L1) (Bit/s)	96,29 K	255,43 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	143	216	181.159	93.985	47.893	38.461
- Flood Count (Frames)	169	166	171	168	171	168
P-0-4-0						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.461
- Rx (Frames)	8.456	12.942	10.869.562	5.639.087	2.873.561	2.307.676
- Rx Rate (L1) (Bit/s)	94,71 K	255,39 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	141	216	181.159	93.985	47.893	38.461
- Flood Count (Frames)	171	168	174	171	168	165
P-0-4-1						

- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.461
- Rx (Frames)	8.298	12.936	10.869.562	5.639.087	2.873.561	2.307.681
- Rx Rate (L1) (Bit/s)	92,94 K	255,27 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	138	216	181.159	93.985	47.893	38.461
- Flood Count (Frames)	171	168	174	169	166	173
P-0-4-2						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.461
- Rx (Frames)	8.160	12.872	10.869.562	5.639.087	2.873.561	2.307.670
- Rx Rate (L1) (Bit/s)	91,39 K	254,01 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	136	215	181.159	93.985	47.893	38.461
- Flood Count (Frames)	171	166	166	172	171	170
P-0-4-3						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.461
- Rx (Frames)	8.019	12.797	10.869.562	5.639.087	2.873.561	2.307.672
- Rx Rate (L1) (Bit/s)	89,81 K	252,53 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	134	213	181.159	93.985	47.893	38.461
- Flood Count (Frames)	172	168	170	168	174	166
P-0-4-4						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.461
- Rx (Frames)	7.859	12.728	10.869.562	5.639.087	2.873.561	2.307.677
- Rx Rate (L1) (Bit/s)	88,02 K	251,17 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	131	212	181.159	93.985	47.893	38.461
- Flood Count (Frames)	169	166	168	172	168	166
P-0-4-5						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.461
- Rx (Frames)	7.715	12.656	10.869.562	5.639.087	2.873.561	2.307.671
- Rx Rate (L1) (Bit/s)	86,41 K	249,75 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	129	211	181.159	93.985	47.893	38.461
- Flood Count (Frames)	168	168	171	171	170	169

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	40 %
Tx Rate (L1) (Bit/s)	7,2 G
Tx Rate (Fps)	585.174
Rx Rate (Percent)	40 %
Rx Rate (L1) (Bit/s)	7,2 G
Rx Rate (Fps)	585,17 K
Loss Rate (Percent)	0 %
Loss (Frames)	29
P-0-0-0	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	1.950.580
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	1.950.578
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	163
P-0-0-2	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	400 M

- Tx Rate (Fps)	32.510
- Rx (Frames)	1.950.580
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	167
P-0-0-3	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	1.950.577
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	164
P-0-0-4	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	1.950.580
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	168
P-0-0-5	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	1.950.575
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	168
P-0-2-0	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	1.950.573
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	168
P-0-2-1	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	1.950.575
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	168
P-0-2-2	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	1.950.579
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	167
P-0-2-3	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	1.950.579
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	170
P-0-2-4	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	1.950.580
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	170
P-0-2-5	
- Tx (Frames)	1.950.580

- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	1.950.579
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	168
P-0-4-0	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	1.950.580
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	167
P-0-4-1	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	1.950.579
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	170
P-0-4-2	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	1.950.577
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	163
P-0-4-3	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	1.950.580
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	169
P-0-4-4	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	1.950.580
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	170
P-0-4-5	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	1.950.580
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	167



Results for 50,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	50 %	50 %	50 %	50 %	50 %	50 %
Tx Rate (L1) (Bit/s)	9 G	9 G	9 G	9 G	9 G	9 G
Tx Rate (Fps)	13.392.855	7.601.351	4.076.083	2.114.659	1.077.584	865.383
Rx Rate (Percent)	0,01 %	0,02 %	50 %	50 %	50 %	50 %
Rx Rate (L1) (Bit/s)	1,31 M	3,56 M	9 G	9 G	9 G	9 G
Rx Rate (Fps)	1,95 K	3 K	4,08 M	2,11 M	1,08 M	865,37 K
Loss Rate (Percent)	99,99 %	99,96 %	0 %	0 %	0 %	0 %
Loss (Frames)	803.454.231	455.900.822	0	0	9	764
P-0-0-0						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	5.672	9.511	13.586.944	7.048.863	3.591.947	2.884.611
- Rx Rate (L1) (Bit/s)	63,53 K	187,68 K	500 M	500 M	500 M	500 M
- Rx Rate (Fps)	95	159	226.449	117.481	59.866	48.077
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	5.914	9.674	13.586.944	7.048.863	3.591.946	2.884.397
- Rx Rate (L1) (Bit/s)	66,24 K	190,9 K	500 M	500 M	500 M	499,96 M
- Rx Rate (Fps)	99	161	226.449	117.481	59.866	48.073
- Flood Count (Frames)	170	173	169	169	167	167
P-0-0-2						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	6.115	9.780	13.586.944	7.048.863	3.591.947	2.884.590
- Rx Rate (L1) (Bit/s)	68,49 K	192,99 K	500 M	500 M	500 M	500 M
- Rx Rate (Fps)	102	163	226.449	117.481	59.866	48.077
- Flood Count (Frames)	169	172	173	169	169	166
P-0-0-3						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	6.312	9.885	13.586.944	7.048.863	3.591.946	2.884.571
- Rx Rate (L1) (Bit/s)	70,69 K	195,06 K	500 M	500 M	500 M	499,99 M
- Rx Rate (Fps)	105	165	226.449	117.481	59.866	48.076
- Flood Count (Frames)	171	169	168	171	166	165
P-0-0-4						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611

- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	6.508	9.990	13.586.944	7.048.863	3.591.947	2.884.584
- Rx Rate (L1) (Bit/s)	72,89 K	197,14 K	500 M	500 M	500 M	499,99 M
- Rx Rate (Fps)	108	167	226.449	117.481	59.866	48.076
- Flood Count (Frames)	170	167	168	168	170	166
P-0-0-5						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	6.706	10.096	13.586.944	7.048.863	3.591.947	2.884.590
- Rx Rate (L1) (Bit/s)	75,11 K	199,23 K	500 M	500 M	500 M	500 M
- Rx Rate (Fps)	112	168	226.449	117.481	59.866	48.077
- Flood Count (Frames)	171	170	165	167	168	168
P-0-2-0						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	6.909	10.181	13.586.944	7.048.863	3.591.947	2.884.587
- Rx Rate (L1) (Bit/s)	77,38 K	200,91 K	500 M	500 M	500 M	500 M
- Rx Rate (Fps)	115	170	226.449	117.481	59.866	48.076
- Flood Count (Frames)	170	168	167	169	169	166
P-0-2-1						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	6.896	10.265	13.586.944	7.048.863	3.591.946	2.884.583
- Rx Rate (L1) (Bit/s)	77,24 K	202,56 K	500 M	500 M	500 M	499,99 M
- Rx Rate (Fps)	115	171	226.449	117.481	59.866	48.076
- Flood Count (Frames)	168	170	171	168	172	169
P-0-2-2						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	6.889	10.266	13.586.944	7.048.863	3.591.947	2.884.590
- Rx Rate (L1) (Bit/s)	77,16 K	202,58 K	500 M	500 M	500 M	500 M
- Rx Rate (Fps)	115	171	226.449	117.481	59.866	48.077
- Flood Count (Frames)	168	170	171	169	172	167
P-0-2-3						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	6.894	10.265	13.586.944	7.048.863	3.591.947	2.884.593
- Rx Rate (L1) (Bit/s)	77,21 K	202,56 K	500 M	500 M	500 M	500 M
- Rx Rate (Fps)	115	171	226.449	117.481	59.866	48.077
- Flood Count (Frames)	171	167	171	170	172	165
P-0-2-4						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	6.898	10.266	13.586.944	7.048.863	3.591.947	2.884.585
- Rx Rate (L1) (Bit/s)	77,26 K	202,58 K	500 M	500 M	500 M	499,99 M
- Rx Rate (Fps)	115	171	226.449	117.481	59.866	48.076
- Flood Count (Frames)	168	168	170	168	170	172
P-0-2-5						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	6.884	10.266	13.586.944	7.048.863	3.591.945	2.884.560
- Rx Rate (L1) (Bit/s)	77,1 K	202,58 K	500 M	500 M	500 M	499,99 M
- Rx Rate (Fps)	115	171	226.449	117.481	59.866	48.076
- Flood Count (Frames)	172	168	168	173	168	168
P-0-4-0						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	6.784	10.181	13.586.944	7.048.863	3.591.947	2.884.564
- Rx Rate (L1) (Bit/s)	75,98 K	200,91 K	500 M	500 M	500 M	499,99 M
- Rx Rate (Fps)	113	170	226.449	117.481	59.866	48.076
- Flood Count (Frames)	167	168	175	168	169	167
P-0-4-1						

- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	6.665	10.096	13.586.944	7.048.863	3.591.947	2.884.564
- Rx Rate (L1) (Bit/s)	74,65 K	199,23 K	500 M	500 M	500 M	499,99 M
- Rx Rate (Fps)	111	168	226.449	117.481	59.866	48.076
- Flood Count (Frames)	170	170	172	165	170	165
P-0-4-2						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	6.480	10.009	13.586.944	7.048.863	3.591.946	2.884.562
- Rx Rate (L1) (Bit/s)	72,58 K	197,51 K	500 M	500 M	500 M	499,99 M
- Rx Rate (Fps)	108	167	226.449	117.481	59.866	48.076
- Flood Count (Frames)	167	170	172	169	172	167
P-0-4-3						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	6.348	9.924	13.586.944	7.048.863	3.591.945	2.884.583
- Rx Rate (L1) (Bit/s)	71,1 K	195,83 K	500 M	500 M	500 M	499,99 M
- Rx Rate (Fps)	106	165	226.449	117.481	59.866	48.076
- Flood Count (Frames)	168	170	170	169	169	170
P-0-4-4						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	6.173	9.838	13.586.944	7.048.863	3.591.947	2.884.561
- Rx Rate (L1) (Bit/s)	69,14 K	194,14 K	500 M	500 M	500 M	499,99 M
- Rx Rate (Fps)	103	164	226.449	117.481	59.866	48.076
- Flood Count (Frames)	169	166	169	170	169	166
P-0-4-5						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	6.022	9.751	13.586.944	7.048.863	3.591.946	2.884.559
- Rx Rate (L1) (Bit/s)	67,45 K	192,42 K	500 M	500 M	500 M	499,99 M
- Rx Rate (Fps)	100	163	226.449	117.481	59.866	48.076
- Flood Count (Frames)	170	171	167	168	171	167

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	50 %
Tx Rate (L1) (Bit/s)	9 G
Tx Rate (Fps)	731.468
Rx Rate (Percent)	50 %
Rx Rate (L1) (Bit/s)	9 G
Rx Rate (Fps)	731,45 K
Loss Rate (Percent)	0 %
Loss (Frames)	1.078
P-0-0-0	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	2.438.225
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	2.438.200
- Rx Rate (L1) (Bit/s)	499,99 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	167
P-0-0-2	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	500 M

- Tx Rate (Fps)	40.637
- Rx (Frames)	2.438.207
- Rx Rate (L1) (Bit/s)	499,99 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	169
P-0-0-3	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	2.438.210
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	165
P-0-0-4	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	2.438.216
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	168
P-0-0-5	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	2.438.210
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	170
P-0-2-0	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	2.438.200
- Rx Rate (L1) (Bit/s)	499,99 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	163
P-0-2-1	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	2.438.176
- Rx Rate (L1) (Bit/s)	499,99 M
- Rx Rate (Fps)	40.636
- Flood Count (Frames)	170
P-0-2-2	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	2.438.190
- Rx Rate (L1) (Bit/s)	499,99 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	167
P-0-2-3	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	2.438.171
- Rx Rate (L1) (Bit/s)	499,99 M
- Rx Rate (Fps)	40.636
- Flood Count (Frames)	167
P-0-2-4	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	2.438.145
- Rx Rate (L1) (Bit/s)	499,98 M
- Rx Rate (Fps)	40.636
- Flood Count (Frames)	167
P-0-2-5	
- Tx (Frames)	2.438.225

- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	2.438.111
- Rx Rate (L1) (Bit/s)	499,98 M
- Rx Rate (Fps)	40.635
- Flood Count (Frames)	168
P-0-4-0	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	2.438.170
- Rx Rate (L1) (Bit/s)	499,99 M
- Rx Rate (Fps)	40.636
- Flood Count (Frames)	167
P-0-4-1	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	2.438.104
- Rx Rate (L1) (Bit/s)	499,97 M
- Rx Rate (Fps)	40.635
- Flood Count (Frames)	167
P-0-4-2	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	2.438.125
- Rx Rate (L1) (Bit/s)	499,98 M
- Rx Rate (Fps)	40.635
- Flood Count (Frames)	171
P-0-4-3	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	2.438.135
- Rx Rate (L1) (Bit/s)	499,98 M
- Rx Rate (Fps)	40.636
- Flood Count (Frames)	167
P-0-4-4	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	2.438.079
- Rx Rate (L1) (Bit/s)	499,97 M
- Rx Rate (Fps)	40.635
- Flood Count (Frames)	168
P-0-4-5	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	2.438.098
- Rx Rate (L1) (Bit/s)	499,97 M
- Rx Rate (Fps)	40.635
- Flood Count (Frames)	172


Part.Mesh, N->N: Loss by Frame Size at 50,00% Rate
Loss Test Result (Loss Percent)
100,0
80,0
60,0
40,0
20,0
0,0
64
128
256
512
1024
1280
1518
Frame size (bytes)
Loss Percent

Rate Test: Part.Mesh, 1:N Results

Test Setup

Duration: 60 seconds
Iteration: 1

Topology: Blocks
Direction: East-to-West

Throughput Options

Initial Rate: 10,00%
Maximum Rate: 100,00%
Minimum Rate: 10,00%
Resolution: 10,00%

Used Ports

Port ID	Port Role
P-0-0-0	East
P-0-0-1	West
P-0-0-2	West
P-0-0-3	West
P-0-0-4	West
P-0-0-5	West
P-0-2-0	West
P-0-2-1	West
P-0-2-2	West
P-0-2-3	West
P-0-2-4	West
P-0-2-5	West
P-0-4-0	West
P-0-4-1	West
P-0-4-2	West
P-0-4-3	West
P-0-4-4	West
P-0-4-5	West

Throughput Test Results

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	94,375 %	94,375 %	94,375 %	94,375 %	94,375 %	94,375 %
Tx Rate (L1) (Bit/s)	943,75 M	943,75 M	943,75 M	943,75 M	943,75 M	943,75 M
Tx Rate (Fps)	1.404.390	797.086	427.423	221.746	112.997	90.745
Rx Rate (Percent)	94,38 %	94,38 %	94,38 %	94,38 %	94,38 %	94,38 %
Rx Rate (L1) (Bit/s)	943,75 M	943,75 M	943,75 M	943,75 M	943,75 M	943,75 M
Rx Rate (Fps)	1,4 M	797,09 K	427,42 K	221,75 K	113 K	90,75 K
Loss Rate (Percent)	0 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	0	0	0	0	0	0
P-0-0-0						
- Tx (Frames)	84.263.390	47.825.165	25.645.367	13.304.744	6.779.804	5.444.709
- Tx Rate (L1) (Bit/s)	943,75 M	943,75 M	943,75 M	943,75 M	943,75 M	943,75 M
- Tx Rate (Fps)	1.404.390	797.086	427.423	221.746	112.997	90.745
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.956.670	2.813.245	1.508.551	782.632	398.812	320.277
- Rx Rate (L1) (Bit/s)	55,51 M	55,51 M	55,51 M	55,51 M	55,51 M	55,51 M
- Rx Rate (Fps)	82.611	46.887	25.143	13.044	6.647	5.338

- Flood Count (Frames)	167	169	164	162	165	168
P-0-0-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.956.670	2.813.245	1.508.551	782.632	398.812	320.277
- Rx Rate (L1) (Bit/s)	55,51 M	55,51 M	55,51 M	55,51 M	55,51 M	55,51 M
- Rx Rate (Fps)	82.611	46.887	25.143	13.044	6.647	5.338
- Flood Count (Frames)	168	168	166	167	162	167
P-0-0-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.956.670	2.813.245	1.508.551	782.632	398.812	320.277
- Rx Rate (L1) (Bit/s)	55,51 M	55,51 M	55,51 M	55,51 M	55,51 M	55,51 M
- Rx Rate (Fps)	82.611	46.887	25.143	13.044	6.647	5.338
- Flood Count (Frames)	165	168	167	167	160	169
P-0-0-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.956.670	2.813.245	1.508.551	782.632	398.812	320.277
- Rx Rate (L1) (Bit/s)	55,51 M	55,51 M	55,51 M	55,51 M	55,51 M	55,51 M
- Rx Rate (Fps)	82.611	46.887	25.143	13.044	6.647	5.338
- Flood Count (Frames)	163	167	164	165	165	162
P-0-0-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.956.670	2.813.245	1.508.551	782.632	398.812	320.277
- Rx Rate (L1) (Bit/s)	55,51 M	55,51 M	55,51 M	55,51 M	55,51 M	55,51 M
- Rx Rate (Fps)	82.611	46.887	25.143	13.044	6.647	5.338
- Flood Count (Frames)	165	171	163	167	162	167
P-0-2-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.956.670	2.813.245	1.508.551	782.632	398.812	320.277
- Rx Rate (L1) (Bit/s)	55,51 M	55,51 M	55,51 M	55,51 M	55,51 M	55,51 M
- Rx Rate (Fps)	82.611	46.887	25.143	13.044	6.647	5.338
- Flood Count (Frames)	168	166	167	166	169	168
P-0-2-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.956.670	2.813.245	1.508.551	782.632	398.812	320.277
- Rx Rate (L1) (Bit/s)	55,51 M	55,51 M	55,51 M	55,51 M	55,51 M	55,51 M
- Rx Rate (Fps)	82.611	46.887	25.143	13.044	6.647	5.338
- Flood Count (Frames)	166	168	164	165	170	163
P-0-2-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.956.670	2.813.245	1.508.551	782.632	398.812	320.277
- Rx Rate (L1) (Bit/s)	55,51 M	55,51 M	55,51 M	55,51 M	55,51 M	55,51 M
- Rx Rate (Fps)	82.611	46.887	25.143	13.044	6.647	5.338
- Flood Count (Frames)	166	163	162	165	165	168
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.956.670	2.813.245	1.508.551	782.632	398.812	320.277
- Rx Rate (L1) (Bit/s)	55,51 M	55,51 M	55,51 M	55,51 M	55,51 M	55,51 M
- Rx Rate (Fps)	82.611	46.887	25.143	13.044	6.647	5.338
- Flood Count (Frames)	166	165	169	167	166	170
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.956.670	2.813.245	1.508.551	782.632	398.812	320.277
- Rx Rate (L1) (Bit/s)	55,51 M	55,51 M	55,51 M	55,51 M	55,51 M	55,51 M

- Rx Rate (Fps)	82.611	46.887	25.143	13.044	6.647	5.338
- Flood Count (Frames)	167	164	167	164	170	168
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.956.670	2.813.245	1.508.551	782.632	398.812	320.277
- Rx Rate (L1) (Bit/s)	55,51 M	55,51 M	55,51 M	55,51 M	55,51 M	55,51 M
- Rx Rate (Fps)	82.611	46.887	25.143	13.044	6.647	5.338
- Flood Count (Frames)	167	166	166	168	161	167
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.956.670	2.813.245	1.508.551	782.632	398.812	320.277
- Rx Rate (L1) (Bit/s)	55,51 M	55,51 M	55,51 M	55,51 M	55,51 M	55,51 M
- Rx Rate (Fps)	82.611	46.887	25.143	13.044	6.647	5.338
- Flood Count (Frames)	165	169	168	164	164	162
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.956.670	2.813.245	1.508.551	782.632	398.812	320.277
- Rx Rate (L1) (Bit/s)	55,51 M	55,51 M	55,51 M	55,51 M	55,51 M	55,51 M
- Rx Rate (Fps)	82.611	46.887	25.143	13.044	6.647	5.338
- Flood Count (Frames)	163	165	165	167	170	167
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.956.670	2.813.245	1.508.551	782.632	398.812	320.277
- Rx Rate (L1) (Bit/s)	55,51 M	55,51 M	55,51 M	55,51 M	55,51 M	55,51 M
- Rx Rate (Fps)	82.611	46.887	25.143	13.044	6.647	5.338
- Flood Count (Frames)	161	163	166	167	169	172
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.956.670	2.813.245	1.508.551	782.632	398.812	320.277
- Rx Rate (L1) (Bit/s)	55,51 M	55,51 M	55,51 M	55,51 M	55,51 M	55,51 M
- Rx Rate (Fps)	82.611	46.887	25.143	13.044	6.647	5.338
- Flood Count (Frames)	169	161	165	167	165	168
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.956.670	2.813.245	1.508.551	782.632	398.812	320.277
- Rx Rate (L1) (Bit/s)	55,51 M	55,51 M	55,51 M	55,51 M	55,51 M	55,51 M
- Rx Rate (Fps)	82.611	46.887	25.143	13.044	6.647	5.338
- Flood Count (Frames)	166	162	163	165	168	164
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.956.670	2.813.245	1.508.551	782.632	398.812	320.277
- Rx Rate (L1) (Bit/s)	55,51 M	55,51 M	55,51 M	55,51 M	55,51 M	55,51 M
- Rx Rate (Fps)	82.611	46.887	25.143	13.044	6.647	5.338
- Flood Count (Frames)	164	164	165	162	166	168

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	94,375 %
Tx Rate (L1) (Bit/s)	943,75 M
Tx Rate (Fps)	76.703
Rx Rate (Percent)	94,38 %
Rx Rate (L1) (Bit/s)	943,75 M
Rx Rate (Fps)	76,7 K
Loss Rate (Percent)	0 %
Loss (Frames)	0

P-0-0-0	
- Tx (Frames)	4.602.155
- Tx Rate (L1) (Bit/s)	943,75 M
- Tx Rate (Fps)	76.703
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270.715
- Rx Rate (L1) (Bit/s)	55,51 M
- Rx Rate (Fps)	4.512
- Flood Count (Frames)	167
P-0-0-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270.715
- Rx Rate (L1) (Bit/s)	55,51 M
- Rx Rate (Fps)	4.512
- Flood Count (Frames)	165
P-0-0-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270.715
- Rx Rate (L1) (Bit/s)	55,51 M
- Rx Rate (Fps)	4.512
- Flood Count (Frames)	165
P-0-0-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270.715
- Rx Rate (L1) (Bit/s)	55,51 M
- Rx Rate (Fps)	4.512
- Flood Count (Frames)	169
P-0-0-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270.715
- Rx Rate (L1) (Bit/s)	55,51 M
- Rx Rate (Fps)	4.512
- Flood Count (Frames)	166
P-0-2-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270.715
- Rx Rate (L1) (Bit/s)	55,51 M
- Rx Rate (Fps)	4.512
- Flood Count (Frames)	168
P-0-2-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270.715
- Rx Rate (L1) (Bit/s)	55,51 M
- Rx Rate (Fps)	4.512
- Flood Count (Frames)	166
P-0-2-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270.715
- Rx Rate (L1) (Bit/s)	55,51 M
- Rx Rate (Fps)	4.512

- Flood Count (Frames)	169
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270.715
- Rx Rate (L1) (Bit/s)	55,51 M
- Rx Rate (Fps)	4.512
- Flood Count (Frames)	166
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270.715
- Rx Rate (L1) (Bit/s)	55,51 M
- Rx Rate (Fps)	4.512
- Flood Count (Frames)	163
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270.715
- Rx Rate (L1) (Bit/s)	55,51 M
- Rx Rate (Fps)	4.512
- Flood Count (Frames)	162
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270.715
- Rx Rate (L1) (Bit/s)	55,51 M
- Rx Rate (Fps)	4.512
- Flood Count (Frames)	165
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270.715
- Rx Rate (L1) (Bit/s)	55,51 M
- Rx Rate (Fps)	4.512
- Flood Count (Frames)	167
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270.715
- Rx Rate (L1) (Bit/s)	55,51 M
- Rx Rate (Fps)	4.512
- Flood Count (Frames)	165
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270.715
- Rx Rate (L1) (Bit/s)	55,51 M
- Rx Rate (Fps)	4.512
- Flood Count (Frames)	167
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270.715
- Rx Rate (L1) (Bit/s)	55,51 M
- Rx Rate (Fps)	4.512
- Flood Count (Frames)	167
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	270.715
- Rx Rate (L1) (Bit/s)	55,51 M

- Rx Rate (Fps)	4.512
- Flood Count (Frames)	169



Forwarding Test Results

Results for 10,00% Rate

Frame Size	**64**	**128**	**256**	**512**	**1024**	**1280**
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
Rx Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Rx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
Rx Rate (Fps)	148,81 K	84,46 K	45,29 K	23,5 K	11,97 K	9,62 K
Loss Rate (Percent)	0 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	0	0	0	0	0	0
P-0-0-0						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	525.210	298.092	159.846	82.927	42.258	33.936
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.754	4.968	2.664	1.382	704	566
- Flood Count (Frames)	166	165	164	166	168	165
P-0-0-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	525.210	298.092	159.846	82.927	42.258	33.936
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.754	4.968	2.664	1.382	704	566
- Flood Count (Frames)	166	167	166	168	165	170
P-0-0-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0

- Rx (Frames)	525.210	298.092	159.846	82.927	42.258	33.936
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.754	4.968	2.664	1.382	704	566
- Flood Count (Frames)	165	166	169	168	166	166
P-0-0-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	525.210	298.092	159.846	82.927	42.258	33.936
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.754	4.968	2.664	1.382	704	566
- Flood Count (Frames)	164	164	169	165	168	164
P-0-0-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	525.210	298.092	159.846	82.927	42.258	33.936
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.754	4.968	2.664	1.382	704	566
- Flood Count (Frames)	164	168	163	166	169	167
P-0-2-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	525.210	298.092	159.846	82.927	42.258	33.936
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.754	4.968	2.664	1.382	704	566
- Flood Count (Frames)	167	162	165	169	164	169
P-0-2-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	525.210	298.092	159.846	82.927	42.258	33.936
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.754	4.968	2.664	1.382	704	566
- Flood Count (Frames)	168	168	167	165	167	165
P-0-2-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	525.210	298.092	159.846	82.927	42.258	33.936
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.754	4.968	2.664	1.382	704	566
- Flood Count (Frames)	170	169	169	165	167	167
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	525.210	298.092	159.846	82.927	42.258	33.936
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.754	4.968	2.664	1.382	704	566
- Flood Count (Frames)	169	168	167	163	166	168
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	525.210	298.092	159.846	82.927	42.258	33.936
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.754	4.968	2.664	1.382	704	566
- Flood Count (Frames)	167	164	168	167	166	166
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	525.210	298.092	159.846	82.927	42.258	33.936
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.754	4.968	2.664	1.382	704	566
- Flood Count (Frames)	166	169	165	161	168	167
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0

- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	525.210	298.092	159.846	82.927	42.258	33.936
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.754	4.968	2.664	1.382	704	566
- Flood Count (Frames)	163	164	170	167	169	168
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	525.210	298.092	159.846	82.927	42.258	33.936
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.754	4.968	2.664	1.382	704	566
- Flood Count (Frames)	166	168	168	173	167	166
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	525.210	298.092	159.846	82.927	42.258	33.936
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.754	4.968	2.664	1.382	704	566
- Flood Count (Frames)	166	167	167	170	167	167
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	525.210	298.092	159.846	82.927	42.258	33.936
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.754	4.968	2.664	1.382	704	566
- Flood Count (Frames)	165	164	170	172	166	168
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	525.210	298.092	159.846	82.927	42.258	33.936
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.754	4.968	2.664	1.382	704	566
- Flood Count (Frames)	168	168	168	168	169	167
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	525.210	298.092	159.846	82.927	42.258	33.936
- Rx Rate (L1) (Bit/s)	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M	5,88 M
- Rx Rate (Fps)	8.754	4.968	2.664	1.382	704	566
- Flood Count (Frames)	163	164	173	167	170	168

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	10 %
Tx Rate (L1) (Bit/s)	100 M
Tx Rate (Fps)	8.127
Rx Rate (Percent)	10 %
Rx Rate (L1) (Bit/s)	100 M
Rx Rate (Fps)	8,13 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	28.685

- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	165
P-0-0-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	28.685
- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	166
P-0-0-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	28.685
- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	168
P-0-0-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	28.685
- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	170
P-0-0-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	28.685
- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	167
P-0-2-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	28.685
- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	168
P-0-2-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	28.685
- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	170
P-0-2-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	28.685
- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	167
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	28.685
- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	167
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0

- Rx (Frames)	28.685
- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	170
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	28.685
- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	166
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	28.685
- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	170
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	28.685
- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	169
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	28.685
- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	170
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	28.685
- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	172
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	28.685
- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	162
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	28.685
- Rx Rate (L1) (Bit/s)	5,88 M
- Rx Rate (Fps)	478
- Flood Count (Frames)	168



Results for 20,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	20 %	20 %	20 %	20 %	20 %	20 %
Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
Rx Rate (Percent)	20 %	20 %	20 %	20 %	20 %	20 %
Rx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
Rx Rate (Fps)	297,62 K	168,92 K	90,58 K	46,99 K	23,95 K	19,23 K
Loss Rate (Percent)	0 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	0	0	0	0	0	0
P-0-0-0						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	1.050.420	596.184	319.693	165.855	84.516	67.873
- Rx Rate (L1) (Bit/s)	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M
- Rx Rate (Fps)	17.507	9.936	5.328	2.764	1.409	1.131
- Flood Count (Frames)	165	161	168	167	166	171
P-0-0-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	1.050.420	596.184	319.693	165.855	84.516	67.873
- Rx Rate (L1) (Bit/s)	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M
- Rx Rate (Fps)	17.507	9.936	5.328	2.764	1.409	1.131
- Flood Count (Frames)	163	168	165	165	165	166
P-0-0-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	1.050.420	596.184	319.693	165.855	84.516	67.873
- Rx Rate (L1) (Bit/s)	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M
- Rx Rate (Fps)	17.507	9.936	5.328	2.764	1.409	1.131
- Flood Count (Frames)	170	167	171	166	168	164
P-0-0-4						
- Tx (Frames)	0	0	0	0	0	0

- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	1.050.420	596.184	319.693	165.855	84.516	67.873
- Rx Rate (L1) (Bit/s)	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M
- Rx Rate (Fps)	17.507	9.936	5.328	2.764	1.409	1.131
- Flood Count (Frames)	168	167	169	169	168	168
P-0-0-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	1.050.420	596.184	319.693	165.855	84.516	67.873
- Rx Rate (L1) (Bit/s)	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M
- Rx Rate (Fps)	17.507	9.936	5.328	2.764	1.409	1.131
- Flood Count (Frames)	163	167	167	167	167	171
P-0-2-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	1.050.420	596.184	319.693	165.855	84.516	67.873
- Rx Rate (L1) (Bit/s)	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M
- Rx Rate (Fps)	17.507	9.936	5.328	2.764	1.409	1.131
- Flood Count (Frames)	165	165	168	166	166	163
P-0-2-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	1.050.420	596.184	319.693	165.855	84.516	67.873
- Rx Rate (L1) (Bit/s)	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M
- Rx Rate (Fps)	17.507	9.936	5.328	2.764	1.409	1.131
- Flood Count (Frames)	168	165	166	165	166	166
P-0-2-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	1.050.420	596.184	319.693	165.855	84.516	67.873
- Rx Rate (L1) (Bit/s)	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M
- Rx Rate (Fps)	17.507	9.936	5.328	2.764	1.409	1.131
- Flood Count (Frames)	163	164	165	168	169	165
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	1.050.420	596.184	319.693	165.855	84.516	67.873
- Rx Rate (L1) (Bit/s)	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M
- Rx Rate (Fps)	17.507	9.936	5.328	2.764	1.409	1.131
- Flood Count (Frames)	171	168	164	166	165	167
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	1.050.420	596.184	319.693	165.855	84.516	67.873
- Rx Rate (L1) (Bit/s)	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M
- Rx Rate (Fps)	17.507	9.936	5.328	2.764	1.409	1.131
- Flood Count (Frames)	167	164	166	168	165	170
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	1.050.420	596.184	319.693	165.855	84.516	67.873
- Rx Rate (L1) (Bit/s)	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M
- Rx Rate (Fps)	17.507	9.936	5.328	2.764	1.409	1.131
- Flood Count (Frames)	167	167	165	168	167	171
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	1.050.420	596.184	319.693	165.855	84.516	67.873
- Rx Rate (L1) (Bit/s)	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M
- Rx Rate (Fps)	17.507	9.936	5.328	2.764	1.409	1.131
- Flood Count (Frames)	164	165	164	164	172	169
P-0-4-1						

- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	1.050.420	596.184	319.693	165.855	84.516	67.873
- Rx Rate (L1) (Bit/s)	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M
- Rx Rate (Fps)	17.507	9.936	5.328	2.764	1.409	1.131
- Flood Count (Frames)	166	168	165	167	166	165
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	1.050.420	596.184	319.693	165.855	84.516	67.873
- Rx Rate (L1) (Bit/s)	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M
- Rx Rate (Fps)	17.507	9.936	5.328	2.764	1.409	1.131
- Flood Count (Frames)	166	168	170	168	167	170
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	1.050.420	596.184	319.693	165.855	84.516	67.873
- Rx Rate (L1) (Bit/s)	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M
- Rx Rate (Fps)	17.507	9.936	5.328	2.764	1.409	1.131
- Flood Count (Frames)	166	165	167	170	170	167
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	1.050.420	596.184	319.693	165.855	84.516	67.873
- Rx Rate (L1) (Bit/s)	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M
- Rx Rate (Fps)	17.507	9.936	5.328	2.764	1.409	1.131
- Flood Count (Frames)	168	165	166	171	169	166
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	1.050.420	596.184	319.693	165.855	84.516	67.873
- Rx Rate (L1) (Bit/s)	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M	11,76 M
- Rx Rate (Fps)	17.507	9.936	5.328	2.764	1.409	1.131
- Flood Count (Frames)	162	167	168	167	168	165

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	20 %
Tx Rate (L1) (Bit/s)	200 M
Tx Rate (Fps)	16.255
Rx Rate (Percent)	20 %
Rx Rate (L1) (Bit/s)	200 M
Rx Rate (Fps)	16,25 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	57.370
- Rx Rate (L1) (Bit/s)	11,76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	168
P-0-0-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0

- Tx Rate (Fps)	0
- Rx (Frames)	57.370
- Rx Rate (L1) (Bit/s)	11,76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	166
P-0-0-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	57.370
- Rx Rate (L1) (Bit/s)	11,76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	167
P-0-0-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	57.370
- Rx Rate (L1) (Bit/s)	11,76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	168
P-0-0-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	57.370
- Rx Rate (L1) (Bit/s)	11,76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	168
P-0-2-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	57.370
- Rx Rate (L1) (Bit/s)	11,76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	165
P-0-2-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	57.370
- Rx Rate (L1) (Bit/s)	11,76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	168
P-0-2-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	57.370
- Rx Rate (L1) (Bit/s)	11,76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	167
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	57.370
- Rx Rate (L1) (Bit/s)	11,76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	169
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	57.370
- Rx Rate (L1) (Bit/s)	11,76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	165
P-0-2-5	
- Tx (Frames)	0

- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	57.370
- Rx Rate (L1) (Bit/s)	11,76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	172
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	57.370
- Rx Rate (L1) (Bit/s)	11,76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	168
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	57.370
- Rx Rate (L1) (Bit/s)	11,76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	171
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	57.370
- Rx Rate (L1) (Bit/s)	11,76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	171
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	57.370
- Rx Rate (L1) (Bit/s)	11,76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	169
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	57.370
- Rx Rate (L1) (Bit/s)	11,76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	168
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	57.370
- Rx Rate (L1) (Bit/s)	11,76 M
- Rx Rate (Fps)	956
- Flood Count (Frames)	166



Results for 30,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	30 %	30 %	30 %	30 %	30 %	30 %
Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
Tx Rate (Fps)	446.429	253.378	135.869	70.489	35.919	28.846
Rx Rate (Percent)	30 %	30 %	30 %	30 %	30 %	30 %
Rx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
Rx Rate (Fps)	446,43 K	253,38 K	135,87 K	70,49 K	35,92 K	28,85 K
Loss Rate (Percent)	0 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	0	0	0	0	0	0
P-0-0-0						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.489	35.919	28.846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	1.575.630	894.276	479.539	248.783	126.774	101.809
- Rx Rate (L1) (Bit/s)	17,65 M	17,65 M	17,65 M	17,65 M	17,65 M	17,65 M
- Rx Rate (Fps)	26.261	14.905	7.992	4.146	2.113	1.697
- Flood Count (Frames)	164	165	165	167	164	168
P-0-0-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	1.575.630	894.276	479.539	248.783	126.774	101.809
- Rx Rate (L1) (Bit/s)	17,65 M	17,65 M	17,65 M	17,65 M	17,65 M	17,65 M
- Rx Rate (Fps)	26.261	14.905	7.992	4.146	2.113	1.697
- Flood Count (Frames)	164	166	166	167	170	169
P-0-0-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	1.575.630	894.276	479.539	248.783	126.774	101.809
- Rx Rate (L1) (Bit/s)	17,65 M	17,65 M	17,65 M	17,65 M	17,65 M	17,65 M
- Rx Rate (Fps)	26.261	14.905	7.992	4.146	2.113	1.697
- Flood Count (Frames)	164	164	169	163	171	170
P-0-0-4						
- Tx (Frames)	0	0	0	0	0	0

- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	1.575.630	894.276	479.539	248.783	126.774	101.809
- Rx Rate (L1) (Bit/s)	17,65 M	17,65 M	17,65 M	17,65 M	17,65 M	17,65 M
- Rx Rate (Fps)	26.261	14.905	7.992	4.146	2.113	1.697
- Flood Count (Frames)	164	171	168	167	167	169
P-0-0-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	1.575.630	894.276	479.539	248.783	126.774	101.809
- Rx Rate (L1) (Bit/s)	17,65 M	17,65 M	17,65 M	17,65 M	17,65 M	17,65 M
- Rx Rate (Fps)	26.261	14.905	7.992	4.146	2.113	1.697
- Flood Count (Frames)	166	169	167	166	162	167
P-0-2-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	1.575.630	894.276	479.539	248.783	126.774	101.809
- Rx Rate (L1) (Bit/s)	17,65 M	17,65 M	17,65 M	17,65 M	17,65 M	17,65 M
- Rx Rate (Fps)	26.261	14.905	7.992	4.146	2.113	1.697
- Flood Count (Frames)	165	163	166	162	167	169
P-0-2-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	1.575.630	894.276	479.539	248.783	126.774	101.809
- Rx Rate (L1) (Bit/s)	17,65 M	17,65 M	17,65 M	17,65 M	17,65 M	17,65 M
- Rx Rate (Fps)	26.261	14.905	7.992	4.146	2.113	1.697
- Flood Count (Frames)	171	171	167	168	165	168
P-0-2-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	1.575.630	894.276	479.539	248.783	126.774	101.809
- Rx Rate (L1) (Bit/s)	17,65 M	17,65 M	17,65 M	17,65 M	17,65 M	17,65 M
- Rx Rate (Fps)	26.261	14.905	7.992	4.146	2.113	1.697
- Flood Count (Frames)	166	168	167	166	167	167
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	1.575.630	894.276	479.539	248.783	126.774	101.809
- Rx Rate (L1) (Bit/s)	17,65 M	17,65 M	17,65 M	17,65 M	17,65 M	17,65 M
- Rx Rate (Fps)	26.261	14.905	7.992	4.146	2.113	1.697
- Flood Count (Frames)	163	163	169	169	165	169
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	1.575.630	894.276	479.539	248.783	126.774	101.809
- Rx Rate (L1) (Bit/s)	17,65 M	17,65 M	17,65 M	17,65 M	17,65 M	17,65 M
- Rx Rate (Fps)	26.261	14.905	7.992	4.146	2.113	1.697
- Flood Count (Frames)	167	163	167	167	167	165
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	1.575.630	894.276	479.539	248.783	126.774	101.809
- Rx Rate (L1) (Bit/s)	17,65 M	17,65 M	17,65 M	17,65 M	17,65 M	17,65 M
- Rx Rate (Fps)	26.261	14.905	7.992	4.146	2.113	1.697
- Flood Count (Frames)	167	168	164	169	170	165
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	1.575.630	894.276	479.539	248.783	126.774	101.809
- Rx Rate (L1) (Bit/s)	17,65 M	17,65 M	17,65 M	17,65 M	17,65 M	17,65 M
- Rx Rate (Fps)	26.261	14.905	7.992	4.146	2.113	1.697
- Flood Count (Frames)	168	166	164	167	167	166
P-0-4-1						

- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	1.575.630	894.276	479.539	248.783	126.774	101.809
- Rx Rate (L1) (Bit/s)	17,65 M	17,65 M	17,65 M	17,65 M	17,65 M	17,65 M
- Rx Rate (Fps)	26.261	14.905	7.992	4.146	2.113	1.697
- Flood Count (Frames)	166	164	168	165	169	173
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	1.575.630	894.276	479.539	248.783	126.774	101.809
- Rx Rate (L1) (Bit/s)	17,65 M	17,65 M	17,65 M	17,65 M	17,65 M	17,65 M
- Rx Rate (Fps)	26.261	14.905	7.992	4.146	2.113	1.697
- Flood Count (Frames)	170	167	164	167	167	169
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	1.575.630	894.276	479.539	248.783	126.774	101.809
- Rx Rate (L1) (Bit/s)	17,65 M	17,65 M	17,65 M	17,65 M	17,65 M	17,65 M
- Rx Rate (Fps)	26.261	14.905	7.992	4.146	2.113	1.697
- Flood Count (Frames)	165	166	166	168	169	170
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	1.575.630	894.276	479.539	248.783	126.774	101.809
- Rx Rate (L1) (Bit/s)	17,65 M	17,65 M	17,65 M	17,65 M	17,65 M	17,65 M
- Rx Rate (Fps)	26.261	14.905	7.992	4.146	2.113	1.697
- Flood Count (Frames)	168	167	166	166	163	172
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	1.575.630	894.276	479.539	248.783	126.774	101.809
- Rx Rate (L1) (Bit/s)	17,65 M	17,65 M	17,65 M	17,65 M	17,65 M	17,65 M
- Rx Rate (Fps)	26.261	14.905	7.992	4.146	2.113	1.697
- Flood Count (Frames)	165	165	164	166	167	169

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	30 %
Tx Rate (L1) (Bit/s)	300 M
Tx Rate (Fps)	24.382
Rx Rate (Percent)	30 %
Rx Rate (L1) (Bit/s)	300 M
Rx Rate (Fps)	24,38 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	86.055
- Rx Rate (L1) (Bit/s)	17,65 M
- Rx Rate (Fps)	1.434
- Flood Count (Frames)	163
P-0-0-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0

- Tx Rate (Fps)	0
- Rx (Frames)	86.055
- Rx Rate (L1) (Bit/s)	17,65 M
- Rx Rate (Fps)	1.434
- Flood Count (Frames)	168
P-0-0-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	86.055
- Rx Rate (L1) (Bit/s)	17,65 M
- Rx Rate (Fps)	1.434
- Flood Count (Frames)	169
P-0-0-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	86.055
- Rx Rate (L1) (Bit/s)	17,65 M
- Rx Rate (Fps)	1.434
- Flood Count (Frames)	164
P-0-0-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	86.055
- Rx Rate (L1) (Bit/s)	17,65 M
- Rx Rate (Fps)	1.434
- Flood Count (Frames)	165
P-0-2-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	86.055
- Rx Rate (L1) (Bit/s)	17,65 M
- Rx Rate (Fps)	1.434
- Flood Count (Frames)	168
P-0-2-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	86.055
- Rx Rate (L1) (Bit/s)	17,65 M
- Rx Rate (Fps)	1.434
- Flood Count (Frames)	166
P-0-2-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	86.055
- Rx Rate (L1) (Bit/s)	17,65 M
- Rx Rate (Fps)	1.434
- Flood Count (Frames)	167
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	86.055
- Rx Rate (L1) (Bit/s)	17,65 M
- Rx Rate (Fps)	1.434
- Flood Count (Frames)	170
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	86.055
- Rx Rate (L1) (Bit/s)	17,65 M
- Rx Rate (Fps)	1.434
- Flood Count (Frames)	169
P-0-2-5	
- Tx (Frames)	0

- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	86.055
- Rx Rate (L1) (Bit/s)	17,65 M
- Rx Rate (Fps)	1.434
- Flood Count (Frames)	163
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	86.055
- Rx Rate (L1) (Bit/s)	17,65 M
- Rx Rate (Fps)	1.434
- Flood Count (Frames)	170
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	86.055
- Rx Rate (L1) (Bit/s)	17,65 M
- Rx Rate (Fps)	1.434
- Flood Count (Frames)	164
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	86.055
- Rx Rate (L1) (Bit/s)	17,65 M
- Rx Rate (Fps)	1.434
- Flood Count (Frames)	166
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	86.055
- Rx Rate (L1) (Bit/s)	17,65 M
- Rx Rate (Fps)	1.434
- Flood Count (Frames)	167
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	86.055
- Rx Rate (L1) (Bit/s)	17,65 M
- Rx Rate (Fps)	1.434
- Flood Count (Frames)	171
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	86.055
- Rx Rate (L1) (Bit/s)	17,65 M
- Rx Rate (Fps)	1.434
- Flood Count (Frames)	167



Results for 40,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	40 %	40 %	40 %	40 %	40 %	40 %
Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.461
Rx Rate (Percent)	40 %	40 %	40 %	40 %	40 %	40 %
Rx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
Rx Rate (Fps)	595,24 K	337,84 K	181,16 K	93,98 K	47,89 K	38,46 K
Loss Rate (Percent)	0 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	0	0	0	0	0	0
P-0-0-0						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.461
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	2.100.840	1.192.368	639.386	331.711	169.033	135.746
- Rx Rate (L1) (Bit/s)	23,53 M	23,53 M	23,53 M	23,53 M	23,53 M	23,53 M
- Rx Rate (Fps)	35.014	19.873	10.656	5.529	2.817	2.262
- Flood Count (Frames)	165	167	164	162	165	172
P-0-0-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	2.100.840	1.192.368	639.386	331.711	169.033	135.746
- Rx Rate (L1) (Bit/s)	23,53 M	23,53 M	23,53 M	23,53 M	23,53 M	23,53 M
- Rx Rate (Fps)	35.014	19.873	10.656	5.529	2.817	2.262
- Flood Count (Frames)	169	167	166	168	170	168
P-0-0-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	2.100.840	1.192.368	639.386	331.711	169.033	135.746
- Rx Rate (L1) (Bit/s)	23,53 M	23,53 M	23,53 M	23,53 M	23,53 M	23,53 M
- Rx Rate (Fps)	35.014	19.873	10.656	5.529	2.817	2.262
- Flood Count (Frames)	168	166	167	163	169	162
P-0-0-4						
- Tx (Frames)	0	0	0	0	0	0

- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	2.100.840	1.192.368	639.386	331.711	169.033	135.746
- Rx Rate (L1) (Bit/s)	23,53 M	23,53 M	23,53 M	23,53 M	23,53 M	23,53 M
- Rx Rate (Fps)	35.014	19.873	10.656	5.529	2.817	2.262
- Flood Count (Frames)	163	163	164	163	165	166
P-0-0-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	2.100.840	1.192.368	639.386	331.711	169.033	135.746
- Rx Rate (L1) (Bit/s)	23,53 M	23,53 M	23,53 M	23,53 M	23,53 M	23,53 M
- Rx Rate (Fps)	35.014	19.873	10.656	5.529	2.817	2.262
- Flood Count (Frames)	168	168	170	167	168	166
P-0-2-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	2.100.840	1.192.368	639.386	331.711	169.033	135.746
- Rx Rate (L1) (Bit/s)	23,53 M	23,53 M	23,53 M	23,53 M	23,53 M	23,53 M
- Rx Rate (Fps)	35.014	19.873	10.656	5.529	2.817	2.262
- Flood Count (Frames)	166	168	165	169	166	169
P-0-2-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	2.100.840	1.192.368	639.386	331.711	169.033	135.746
- Rx Rate (L1) (Bit/s)	23,53 M	23,53 M	23,53 M	23,53 M	23,53 M	23,53 M
- Rx Rate (Fps)	35.014	19.873	10.656	5.529	2.817	2.262
- Flood Count (Frames)	166	164	169	165	169	167
P-0-2-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	2.100.840	1.192.368	639.386	331.711	169.033	135.746
- Rx Rate (L1) (Bit/s)	23,53 M	23,53 M	23,53 M	23,53 M	23,53 M	23,53 M
- Rx Rate (Fps)	35.014	19.873	10.656	5.529	2.817	2.262
- Flood Count (Frames)	169	165	166	170	168	167
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	2.100.840	1.192.368	639.386	331.711	169.033	135.746
- Rx Rate (L1) (Bit/s)	23,53 M	23,53 M	23,53 M	23,53 M	23,53 M	23,53 M
- Rx Rate (Fps)	35.014	19.873	10.656	5.529	2.817	2.262
- Flood Count (Frames)	165	163	165	166	164	166
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	2.100.840	1.192.368	639.386	331.711	169.033	135.746
- Rx Rate (L1) (Bit/s)	23,53 M	23,53 M	23,53 M	23,53 M	23,53 M	23,53 M
- Rx Rate (Fps)	35.014	19.873	10.656	5.529	2.817	2.262
- Flood Count (Frames)	163	163	169	164	167	168
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	2.100.840	1.192.368	639.386	331.711	169.033	135.746
- Rx Rate (L1) (Bit/s)	23,53 M	23,53 M	23,53 M	23,53 M	23,53 M	23,53 M
- Rx Rate (Fps)	35.014	19.873	10.656	5.529	2.817	2.262
- Flood Count (Frames)	166	170	167	167	166	167
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	2.100.840	1.192.368	639.386	331.711	169.033	135.746
- Rx Rate (L1) (Bit/s)	23,53 M	23,53 M	23,53 M	23,53 M	23,53 M	23,53 M
- Rx Rate (Fps)	35.014	19.873	10.656	5.529	2.817	2.262
- Flood Count (Frames)	168	164	169	167	169	162
P-0-4-1						

- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	2.100.840	1.192.368	639.386	331.711	169.033	135.746
- Rx Rate (L1) (Bit/s)	23,53 M	23,53 M	23,53 M	23,53 M	23,53 M	23,53 M
- Rx Rate (Fps)	35.014	19.873	10.656	5.529	2.817	2.262
- Flood Count (Frames)	165	169	167	168	169	168
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	2.100.840	1.192.368	639.386	331.711	169.033	135.746
- Rx Rate (L1) (Bit/s)	23,53 M	23,53 M	23,53 M	23,53 M	23,53 M	23,53 M
- Rx Rate (Fps)	35.014	19.873	10.656	5.529	2.817	2.262
- Flood Count (Frames)	169	166	166	163	171	166
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	2.100.840	1.192.368	639.386	331.711	169.033	135.746
- Rx Rate (L1) (Bit/s)	23,53 M	23,53 M	23,53 M	23,53 M	23,53 M	23,53 M
- Rx Rate (Fps)	35.014	19.873	10.656	5.529	2.817	2.262
- Flood Count (Frames)	164	167	165	164	167	169
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	2.100.840	1.192.368	639.386	331.711	169.033	135.746
- Rx Rate (L1) (Bit/s)	23,53 M	23,53 M	23,53 M	23,53 M	23,53 M	23,53 M
- Rx Rate (Fps)	35.014	19.873	10.656	5.529	2.817	2.262
- Flood Count (Frames)	161	164	166	166	168	168
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	2.100.840	1.192.368	639.386	331.711	169.033	135.746
- Rx Rate (L1) (Bit/s)	23,53 M	23,53 M	23,53 M	23,53 M	23,53 M	23,53 M
- Rx Rate (Fps)	35.014	19.873	10.656	5.529	2.817	2.262
- Flood Count (Frames)	162	167	167	168	169	167

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	40 %
Tx Rate (L1) (Bit/s)	400 M
Tx Rate (Fps)	32.510
Rx Rate (Percent)	40 %
Rx Rate (L1) (Bit/s)	400 M
Rx Rate (Fps)	32,51 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	114.740
- Rx Rate (L1) (Bit/s)	23,53 M
- Rx Rate (Fps)	1.912
- Flood Count (Frames)	165
P-0-0-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0

- Tx Rate (Fps)	0
- Rx (Frames)	114.740
- Rx Rate (L1) (Bit/s)	23,53 M
- Rx Rate (Fps)	1.912
- Flood Count (Frames)	165
P-0-0-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	114.740
- Rx Rate (L1) (Bit/s)	23,53 M
- Rx Rate (Fps)	1.912
- Flood Count (Frames)	162
P-0-0-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	114.740
- Rx Rate (L1) (Bit/s)	23,53 M
- Rx Rate (Fps)	1.912
- Flood Count (Frames)	169
P-0-0-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	114.740
- Rx Rate (L1) (Bit/s)	23,53 M
- Rx Rate (Fps)	1.912
- Flood Count (Frames)	169
P-0-2-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	114.740
- Rx Rate (L1) (Bit/s)	23,53 M
- Rx Rate (Fps)	1.912
- Flood Count (Frames)	167
P-0-2-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	114.740
- Rx Rate (L1) (Bit/s)	23,53 M
- Rx Rate (Fps)	1.912
- Flood Count (Frames)	168
P-0-2-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	114.740
- Rx Rate (L1) (Bit/s)	23,53 M
- Rx Rate (Fps)	1.912
- Flood Count (Frames)	169
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	114.740
- Rx Rate (L1) (Bit/s)	23,53 M
- Rx Rate (Fps)	1.912
- Flood Count (Frames)	170
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	114.740
- Rx Rate (L1) (Bit/s)	23,53 M
- Rx Rate (Fps)	1.912
- Flood Count (Frames)	165
P-0-2-5	
- Tx (Frames)	0

- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	114.740
- Rx Rate (L1) (Bit/s)	23,53 M
- Rx Rate (Fps)	1.912
- Flood Count (Frames)	171
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	114.740
- Rx Rate (L1) (Bit/s)	23,53 M
- Rx Rate (Fps)	1.912
- Flood Count (Frames)	166
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	114.740
- Rx Rate (L1) (Bit/s)	23,53 M
- Rx Rate (Fps)	1.912
- Flood Count (Frames)	170
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	114.740
- Rx Rate (L1) (Bit/s)	23,53 M
- Rx Rate (Fps)	1.912
- Flood Count (Frames)	164
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	114.740
- Rx Rate (L1) (Bit/s)	23,53 M
- Rx Rate (Fps)	1.912
- Flood Count (Frames)	170
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	114.740
- Rx Rate (L1) (Bit/s)	23,53 M
- Rx Rate (Fps)	1.912
- Flood Count (Frames)	168
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	114.740
- Rx Rate (L1) (Bit/s)	23,53 M
- Rx Rate (Fps)	1.912
- Flood Count (Frames)	168



Results for 50,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	50 %	50 %	50 %	50 %	50 %	50 %
Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
Rx Rate (Percent)	50 %	50 %	50 %	50 %	50 %	50 %
Rx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
Rx Rate (Fps)	744,05 K	422,3 K	226,45 K	117,48 K	59,87 K	48,08 K
Loss Rate (Percent)	0 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	0	0	0	0	0	0
P-0-0-0						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	2.626.050	1.490.461	799.232	414.639	211.291	169.683
- Rx Rate (L1) (Bit/s)	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M
- Rx Rate (Fps)	43.768	24.841	13.321	6.911	3.522	2.828
- Flood Count (Frames)	164	161	164	172	163	168
P-0-0-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	2.626.050	1.490.461	799.232	414.639	211.291	169.683
- Rx Rate (L1) (Bit/s)	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M
- Rx Rate (Fps)	43.768	24.841	13.321	6.911	3.522	2.828
- Flood Count (Frames)	167	170	166	168	171	166
P-0-0-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	2.626.050	1.490.461	799.232	414.639	211.291	169.683
- Rx Rate (L1) (Bit/s)	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M
- Rx Rate (Fps)	43.768	24.841	13.321	6.911	3.522	2.828
- Flood Count (Frames)	168	164	168	166	170	170
P-0-0-4						
- Tx (Frames)	0	0	0	0	0	0

- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	2.626.050	1.490.461	799.232	414.639	211.291	169.683
- Rx Rate (L1) (Bit/s)	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M
- Rx Rate (Fps)	43.768	24.841	13.321	6.911	3.522	2.828
- Flood Count (Frames)	165	167	163	168	169	171
P-0-0-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	2.626.050	1.490.461	799.232	414.639	211.291	169.683
- Rx Rate (L1) (Bit/s)	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M
- Rx Rate (Fps)	43.768	24.841	13.321	6.911	3.522	2.828
- Flood Count (Frames)	168	165	169	163	169	165
P-0-2-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	2.626.050	1.490.461	799.232	414.639	211.291	169.683
- Rx Rate (L1) (Bit/s)	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M
- Rx Rate (Fps)	43.768	24.841	13.321	6.911	3.522	2.828
- Flood Count (Frames)	163	163	166	165	163	169
P-0-2-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	2.626.050	1.490.461	799.232	414.639	211.291	169.683
- Rx Rate (L1) (Bit/s)	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M
- Rx Rate (Fps)	43.768	24.841	13.321	6.911	3.522	2.828
- Flood Count (Frames)	168	164	164	166	168	166
P-0-2-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	2.626.050	1.490.461	799.232	414.639	211.291	169.683
- Rx Rate (L1) (Bit/s)	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M
- Rx Rate (Fps)	43.768	24.841	13.321	6.911	3.522	2.828
- Flood Count (Frames)	167	166	167	168	167	163
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	2.626.050	1.490.461	799.232	414.639	211.291	169.683
- Rx Rate (L1) (Bit/s)	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M
- Rx Rate (Fps)	43.768	24.841	13.321	6.911	3.522	2.828
- Flood Count (Frames)	169	161	168	171	162	173
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	2.626.050	1.490.461	799.232	414.639	211.291	169.683
- Rx Rate (L1) (Bit/s)	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M
- Rx Rate (Fps)	43.768	24.841	13.321	6.911	3.522	2.828
- Flood Count (Frames)	166	170	163	168	168	162
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	2.626.050	1.490.461	799.232	414.639	211.291	169.683
- Rx Rate (L1) (Bit/s)	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M
- Rx Rate (Fps)	43.768	24.841	13.321	6.911	3.522	2.828
- Flood Count (Frames)	164	167	165	168	171	163
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	2.626.050	1.490.461	799.232	414.639	211.291	169.683
- Rx Rate (L1) (Bit/s)	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M
- Rx Rate (Fps)	43.768	24.841	13.321	6.911	3.522	2.828
- Flood Count (Frames)	166	168	172	167	168	168
P-0-4-1						

- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	2.626.050	1.490.461	799.232	414.639	211.291	169.683
- Rx Rate (L1) (Bit/s)	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M
- Rx Rate (Fps)	43.768	24.841	13.321	6.911	3.522	2.828
- Flood Count (Frames)	167	164	166	165	165	169
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	2.626.050	1.490.461	799.232	414.639	211.291	169.683
- Rx Rate (L1) (Bit/s)	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M
- Rx Rate (Fps)	43.768	24.841	13.321	6.911	3.522	2.828
- Flood Count (Frames)	172	168	167	164	171	168
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	2.626.050	1.490.461	799.232	414.639	211.291	169.683
- Rx Rate (L1) (Bit/s)	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M
- Rx Rate (Fps)	43.768	24.841	13.321	6.911	3.522	2.828
- Flood Count (Frames)	163	165	170	167	169	169
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	2.626.050	1.490.461	799.232	414.639	211.291	169.683
- Rx Rate (L1) (Bit/s)	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M
- Rx Rate (Fps)	43.768	24.841	13.321	6.911	3.522	2.828
- Flood Count (Frames)	161	165	163	167	168	167
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	2.626.050	1.490.461	799.232	414.639	211.291	169.683
- Rx Rate (L1) (Bit/s)	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M
- Rx Rate (Fps)	43.768	24.841	13.321	6.911	3.522	2.828
- Flood Count (Frames)	169	168	170	168	170	167

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	50 %
Tx Rate (L1) (Bit/s)	500 M
Tx Rate (Fps)	40.637
Rx Rate (Percent)	50 %
Rx Rate (L1) (Bit/s)	500 M
Rx Rate (Fps)	40,64 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	143.425
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	169
P-0-0-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0

- Tx Rate (Fps)	0
- Rx (Frames)	143.425
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	169
P-0-0-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	143.425
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	165
P-0-0-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	143.425
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	167
P-0-0-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	143.425
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	169
P-0-2-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	143.425
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	167
P-0-2-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	143.425
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	165
P-0-2-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	143.425
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	166
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	143.425
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	168
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	143.425
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	169
P-0-2-5	
- Tx (Frames)	0

- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	143.425
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	169
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	143.425
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	168
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	143.425
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	166
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	143.425
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	165
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	143.425
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	167
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	143.425
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	168
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	143.425
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	169



Results for 60,00% Rate

Frame Size	**64**	**128**	**256**	**512**	**1024**	**1280**
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	60 %	60 %	60 %	60 %	60 %	60 %
Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
Rx Rate (Percent)	60 %	60 %	60 %	60 %	60 %	60 %
Rx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
Rx Rate (Fps)	892,86 K	506,76 K	271,74 K	140,98 K	71,84 K	57,69 K
Loss Rate (Percent)	0 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	0	0	0	0	0	0
P-0-0-0						
- Tx (Frames)	53.571.420	30.405.401	16.304.343	8.458.639	4.310.333	3.461.523
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3.151.260	1.788.553	959.079	497.567	253.549	203.619
- Rx Rate (L1) (Bit/s)	35,29 M	35,29 M	35,29 M	35,29 M	35,29 M	35,29 M
- Rx Rate (Fps)	52.521	29.809	15.985	8.293	4.226	3.394
- Flood Count (Frames)	168	171	170	167	164	167
P-0-0-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3.151.260	1.788.553	959.079	497.567	253.549	203.619
- Rx Rate (L1) (Bit/s)	35,29 M	35,29 M	35,29 M	35,29 M	35,29 M	35,29 M
- Rx Rate (Fps)	52.521	29.809	15.985	8.293	4.226	3.394
- Flood Count (Frames)	166	164	169	165	168	168
P-0-0-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3.151.260	1.788.553	959.079	497.567	253.549	203.619
- Rx Rate (L1) (Bit/s)	35,29 M	35,29 M	35,29 M	35,29 M	35,29 M	35,29 M
- Rx Rate (Fps)	52.521	29.809	15.985	8.293	4.226	3.394
- Flood Count (Frames)	168	168	165	165	165	166
P-0-0-4						
- Tx (Frames)	0	0	0	0	0	0

- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3.151.260	1.788.553	959.079	497.567	253.549	203.619
- Rx Rate (L1) (Bit/s)	35,29 M	35,29 M	35,29 M	35,29 M	35,29 M	35,29 M
- Rx Rate (Fps)	52.521	29.809	15.985	8.293	4.226	3.394
- Flood Count (Frames)	164	168	166	164	166	166
P-0-0-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3.151.260	1.788.553	959.079	497.567	253.549	203.619
- Rx Rate (L1) (Bit/s)	35,29 M	35,29 M	35,29 M	35,29 M	35,29 M	35,29 M
- Rx Rate (Fps)	52.521	29.809	15.985	8.293	4.226	3.394
- Flood Count (Frames)	167	166	165	169	166	169
P-0-2-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3.151.260	1.788.553	959.079	497.567	253.549	203.619
- Rx Rate (L1) (Bit/s)	35,29 M	35,29 M	35,29 M	35,29 M	35,29 M	35,29 M
- Rx Rate (Fps)	52.521	29.809	15.985	8.293	4.226	3.394
- Flood Count (Frames)	165	166	160	168	167	167
P-0-2-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3.151.260	1.788.553	959.079	497.567	253.549	203.619
- Rx Rate (L1) (Bit/s)	35,29 M	35,29 M	35,29 M	35,29 M	35,29 M	35,29 M
- Rx Rate (Fps)	52.521	29.809	15.985	8.293	4.226	3.394
- Flood Count (Frames)	167	165	166	164	173	166
P-0-2-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3.151.260	1.788.553	959.079	497.567	253.549	203.619
- Rx Rate (L1) (Bit/s)	35,29 M	35,29 M	35,29 M	35,29 M	35,29 M	35,29 M
- Rx Rate (Fps)	52.521	29.809	15.985	8.293	4.226	3.394
- Flood Count (Frames)	165	166	167	163	162	163
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3.151.260	1.788.553	959.079	497.567	253.549	203.619
- Rx Rate (L1) (Bit/s)	35,29 M	35,29 M	35,29 M	35,29 M	35,29 M	35,29 M
- Rx Rate (Fps)	52.521	29.809	15.985	8.293	4.226	3.394
- Flood Count (Frames)	169	167	163	161	168	168
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3.151.260	1.788.553	959.079	497.567	253.549	203.619
- Rx Rate (L1) (Bit/s)	35,29 M	35,29 M	35,29 M	35,29 M	35,29 M	35,29 M
- Rx Rate (Fps)	52.521	29.809	15.985	8.293	4.226	3.394
- Flood Count (Frames)	170	168	166	167	169	163
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3.151.260	1.788.553	959.079	497.567	253.549	203.619
- Rx Rate (L1) (Bit/s)	35,29 M	35,29 M	35,29 M	35,29 M	35,29 M	35,29 M
- Rx Rate (Fps)	52.521	29.809	15.985	8.293	4.226	3.394
- Flood Count (Frames)	166	165	169	164	168	167
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3.151.260	1.788.553	959.079	497.567	253.549	203.619
- Rx Rate (L1) (Bit/s)	35,29 M	35,29 M	35,29 M	35,29 M	35,29 M	35,29 M
- Rx Rate (Fps)	52.521	29.809	15.985	8.293	4.226	3.394
- Flood Count (Frames)	165	167	169	167	164	163
P-0-4-1						

- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3.151.260	1.788.553	959.079	497.567	253.549	203.619
- Rx Rate (L1) (Bit/s)	35,29 M	35,29 M	35,29 M	35,29 M	35,29 M	35,29 M
- Rx Rate (Fps)	52.521	29.809	15.985	8.293	4.226	3.394
- Flood Count (Frames)	164	169	167	168	164	168
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3.151.260	1.788.553	959.079	497.567	253.549	203.619
- Rx Rate (L1) (Bit/s)	35,29 M	35,29 M	35,29 M	35,29 M	35,29 M	35,29 M
- Rx Rate (Fps)	52.521	29.809	15.985	8.293	4.226	3.394
- Flood Count (Frames)	169	164	166	168	166	165
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3.151.260	1.788.553	959.079	497.567	253.549	203.619
- Rx Rate (L1) (Bit/s)	35,29 M	35,29 M	35,29 M	35,29 M	35,29 M	35,29 M
- Rx Rate (Fps)	52.521	29.809	15.985	8.293	4.226	3.394
- Flood Count (Frames)	166	164	160	171	168	166
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3.151.260	1.788.553	959.079	497.567	253.549	203.619
- Rx Rate (L1) (Bit/s)	35,29 M	35,29 M	35,29 M	35,29 M	35,29 M	35,29 M
- Rx Rate (Fps)	52.521	29.809	15.985	8.293	4.226	3.394
- Flood Count (Frames)	167	167	165	165	168	165
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3.151.260	1.788.553	959.079	497.567	253.549	203.619
- Rx Rate (L1) (Bit/s)	35,29 M	35,29 M	35,29 M	35,29 M	35,29 M	35,29 M
- Rx Rate (Fps)	52.521	29.809	15.985	8.293	4.226	3.394
- Flood Count (Frames)	167	169	163	169	165	168

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	60 %
Tx Rate (L1) (Bit/s)	600 M
Tx Rate (Fps)	48.765
Rx Rate (Percent)	60 %
Rx Rate (L1) (Bit/s)	600 M
Rx Rate (Fps)	48,76 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	2.925.870
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	172.110
- Rx Rate (L1) (Bit/s)	35,29 M
- Rx Rate (Fps)	2.869
- Flood Count (Frames)	167
P-0-0-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0

- Tx Rate (Fps)	0
- Rx (Frames)	172.110
- Rx Rate (L1) (Bit/s)	35,29 M
- Rx Rate (Fps)	2.869
- Flood Count (Frames)	170
P-0-0-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	172.110
- Rx Rate (L1) (Bit/s)	35,29 M
- Rx Rate (Fps)	2.869
- Flood Count (Frames)	165
P-0-0-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	172.110
- Rx Rate (L1) (Bit/s)	35,29 M
- Rx Rate (Fps)	2.869
- Flood Count (Frames)	170
P-0-0-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	172.110
- Rx Rate (L1) (Bit/s)	35,29 M
- Rx Rate (Fps)	2.869
- Flood Count (Frames)	166
P-0-2-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	172.110
- Rx Rate (L1) (Bit/s)	35,29 M
- Rx Rate (Fps)	2.869
- Flood Count (Frames)	168
P-0-2-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	172.110
- Rx Rate (L1) (Bit/s)	35,29 M
- Rx Rate (Fps)	2.869
- Flood Count (Frames)	162
P-0-2-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	172.110
- Rx Rate (L1) (Bit/s)	35,29 M
- Rx Rate (Fps)	2.869
- Flood Count (Frames)	167
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	172.110
- Rx Rate (L1) (Bit/s)	35,29 M
- Rx Rate (Fps)	2.869
- Flood Count (Frames)	168
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	172.110
- Rx Rate (L1) (Bit/s)	35,29 M
- Rx Rate (Fps)	2.869
- Flood Count (Frames)	167
P-0-2-5	
- Tx (Frames)	0

- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	172.110
- Rx Rate (L1) (Bit/s)	35,29 M
- Rx Rate (Fps)	2.869
- Flood Count (Frames)	167
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	172.110
- Rx Rate (L1) (Bit/s)	35,29 M
- Rx Rate (Fps)	2.869
- Flood Count (Frames)	164
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	172.110
- Rx Rate (L1) (Bit/s)	35,29 M
- Rx Rate (Fps)	2.869
- Flood Count (Frames)	168
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	172.110
- Rx Rate (L1) (Bit/s)	35,29 M
- Rx Rate (Fps)	2.869
- Flood Count (Frames)	163
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	172.110
- Rx Rate (L1) (Bit/s)	35,29 M
- Rx Rate (Fps)	2.869
- Flood Count (Frames)	167
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	172.110
- Rx Rate (L1) (Bit/s)	35,29 M
- Rx Rate (Fps)	2.869
- Flood Count (Frames)	164
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	172.110
- Rx Rate (L1) (Bit/s)	35,29 M
- Rx Rate (Fps)	2.869
- Flood Count (Frames)	165



Results for 70,00% Rate

Frame Size	**64**	**128**	**256**	**512**	**1024**	**1280**
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	70 %	70 %	70 %	70 %	70 %	70 %
Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
Rx Rate (Percent)	70 %	70 %	70 %	70 %	70 %	70 %
Rx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
Rx Rate (Fps)	1,04 M	591,22 K	317,03 K	164,47 K	83,81 K	67,31 K
Loss Rate (Percent)	0 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	0	0	0	0	0	0
P-0-0-0						
- Tx (Frames)	62.499.990	35.472.965	19.021.725	9.868.415	5.028.719	4.038.452
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3.676.470	2.086.645	1.118.925	580.495	295.807	237.556
- Rx Rate (L1) (Bit/s)	41,18 M	41,18 M	41,18 M	41,18 M	41,18 M	41,18 M
- Rx Rate (Fps)	61.275	34.777	18.649	9.675	4.930	3.959
- Flood Count (Frames)	165	168	167	170	167	168
P-0-0-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3.676.470	2.086.645	1.118.925	580.495	295.807	237.556
- Rx Rate (L1) (Bit/s)	41,18 M	41,18 M	41,18 M	41,18 M	41,18 M	41,18 M
- Rx Rate (Fps)	61.275	34.777	18.649	9.675	4.930	3.959
- Flood Count (Frames)	169	164	168	167	167	169
P-0-0-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3.676.470	2.086.645	1.118.925	580.495	295.807	237.556
- Rx Rate (L1) (Bit/s)	41,18 M	41,18 M	41,18 M	41,18 M	41,18 M	41,18 M
- Rx Rate (Fps)	61.275	34.777	18.649	9.675	4.930	3.959
- Flood Count (Frames)	166	166	163	164	172	168
P-0-0-4						
- Tx (Frames)	0	0	0	0	0	0

- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3.676.470	2.086.645	1.118.925	580.495	295.807	237.556
- Rx Rate (L1) (Bit/s)	41,18 M	41,18 M	41,18 M	41,18 M	41,18 M	41,18 M
- Rx Rate (Fps)	61.275	34.777	18.649	9.675	4.930	3.959
- Flood Count (Frames)	166	166	166	164	165	168
P-0-0-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3.676.470	2.086.645	1.118.925	580.495	295.807	237.556
- Rx Rate (L1) (Bit/s)	41,18 M	41,18 M	41,18 M	41,18 M	41,18 M	41,18 M
- Rx Rate (Fps)	61.275	34.777	18.649	9.675	4.930	3.959
- Flood Count (Frames)	166	165	164	169	165	165
P-0-2-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3.676.470	2.086.645	1.118.925	580.495	295.807	237.556
- Rx Rate (L1) (Bit/s)	41,18 M	41,18 M	41,18 M	41,18 M	41,18 M	41,18 M
- Rx Rate (Fps)	61.275	34.777	18.649	9.675	4.930	3.959
- Flood Count (Frames)	164	166	169	166	165	167
P-0-2-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3.676.470	2.086.645	1.118.925	580.495	295.807	237.556
- Rx Rate (L1) (Bit/s)	41,18 M	41,18 M	41,18 M	41,18 M	41,18 M	41,18 M
- Rx Rate (Fps)	61.275	34.777	18.649	9.675	4.930	3.959
- Flood Count (Frames)	167	165	166	167	167	170
P-0-2-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3.676.470	2.086.645	1.118.925	580.495	295.807	237.556
- Rx Rate (L1) (Bit/s)	41,18 M	41,18 M	41,18 M	41,18 M	41,18 M	41,18 M
- Rx Rate (Fps)	61.275	34.777	18.649	9.675	4.930	3.959
- Flood Count (Frames)	170	167	172	164	168	170
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3.676.470	2.086.645	1.118.925	580.495	295.807	237.556
- Rx Rate (L1) (Bit/s)	41,18 M	41,18 M	41,18 M	41,18 M	41,18 M	41,18 M
- Rx Rate (Fps)	61.275	34.777	18.649	9.675	4.930	3.959
- Flood Count (Frames)	167	167	167	163	166	169
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3.676.470	2.086.645	1.118.925	580.495	295.807	237.556
- Rx Rate (L1) (Bit/s)	41,18 M	41,18 M	41,18 M	41,18 M	41,18 M	41,18 M
- Rx Rate (Fps)	61.275	34.777	18.649	9.675	4.930	3.959
- Flood Count (Frames)	160	164	169	167	163	167
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3.676.470	2.086.645	1.118.925	580.495	295.807	237.556
- Rx Rate (L1) (Bit/s)	41,18 M	41,18 M	41,18 M	41,18 M	41,18 M	41,18 M
- Rx Rate (Fps)	61.275	34.777	18.649	9.675	4.930	3.959
- Flood Count (Frames)	165	168	163	169	170	164
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3.676.470	2.086.645	1.118.925	580.495	295.807	237.556
- Rx Rate (L1) (Bit/s)	41,18 M	41,18 M	41,18 M	41,18 M	41,18 M	41,18 M
- Rx Rate (Fps)	61.275	34.777	18.649	9.675	4.930	3.959
- Flood Count (Frames)	166	166	170	163	168	168
P-0-4-1						

- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3.676.470	2.086.645	1.118.925	580.495	295.807	237.556
- Rx Rate (L1) (Bit/s)	41,18 M	41,18 M	41,18 M	41,18 M	41,18 M	41,18 M
- Rx Rate (Fps)	61.275	34.777	18.649	9.675	4.930	3.959
- Flood Count (Frames)	167	165	166	168	167	167
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3.676.470	2.086.645	1.118.925	580.495	295.807	237.556
- Rx Rate (L1) (Bit/s)	41,18 M	41,18 M	41,18 M	41,18 M	41,18 M	41,18 M
- Rx Rate (Fps)	61.275	34.777	18.649	9.675	4.930	3.959
- Flood Count (Frames)	167	165	167	168	167	168
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3.676.470	2.086.645	1.118.925	580.495	295.807	237.556
- Rx Rate (L1) (Bit/s)	41,18 M	41,18 M	41,18 M	41,18 M	41,18 M	41,18 M
- Rx Rate (Fps)	61.275	34.777	18.649	9.675	4.930	3.959
- Flood Count (Frames)	165	164	167	165	167	166
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3.676.470	2.086.645	1.118.925	580.495	295.807	237.556
- Rx Rate (L1) (Bit/s)	41,18 M	41,18 M	41,18 M	41,18 M	41,18 M	41,18 M
- Rx Rate (Fps)	61.275	34.777	18.649	9.675	4.930	3.959
- Flood Count (Frames)	165	169	168	169	165	169
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3.676.470	2.086.645	1.118.925	580.495	295.807	237.556
- Rx Rate (L1) (Bit/s)	41,18 M	41,18 M	41,18 M	41,18 M	41,18 M	41,18 M
- Rx Rate (Fps)	61.275	34.777	18.649	9.675	4.930	3.959
- Flood Count (Frames)	169	167	167	169	166	169

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	70 %
Tx Rate (L1) (Bit/s)	700 M
Tx Rate (Fps)	56.892
Rx Rate (Percent)	70 %
Rx Rate (L1) (Bit/s)	700 M
Rx Rate (Fps)	56,89 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	3.413.515
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	200.795
- Rx Rate (L1) (Bit/s)	41,18 M
- Rx Rate (Fps)	3.347
- Flood Count (Frames)	167
P-0-0-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0

- Tx Rate (Fps)	0
- Rx (Frames)	200.795
- Rx Rate (L1) (Bit/s)	41,18 M
- Rx Rate (Fps)	3.347
- Flood Count (Frames)	170
P-0-0-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	200.795
- Rx Rate (L1) (Bit/s)	41,18 M
- Rx Rate (Fps)	3.347
- Flood Count (Frames)	166
P-0-0-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	200.795
- Rx Rate (L1) (Bit/s)	41,18 M
- Rx Rate (Fps)	3.347
- Flood Count (Frames)	167
P-0-0-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	200.795
- Rx Rate (L1) (Bit/s)	41,18 M
- Rx Rate (Fps)	3.347
- Flood Count (Frames)	170
P-0-2-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	200.795
- Rx Rate (L1) (Bit/s)	41,18 M
- Rx Rate (Fps)	3.347
- Flood Count (Frames)	167
P-0-2-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	200.795
- Rx Rate (L1) (Bit/s)	41,18 M
- Rx Rate (Fps)	3.347
- Flood Count (Frames)	174
P-0-2-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	200.795
- Rx Rate (L1) (Bit/s)	41,18 M
- Rx Rate (Fps)	3.347
- Flood Count (Frames)	164
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	200.795
- Rx Rate (L1) (Bit/s)	41,18 M
- Rx Rate (Fps)	3.347
- Flood Count (Frames)	165
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	200.795
- Rx Rate (L1) (Bit/s)	41,18 M
- Rx Rate (Fps)	3.347
- Flood Count (Frames)	167
P-0-2-5	
- Tx (Frames)	0

- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	200.795
- Rx Rate (L1) (Bit/s)	41,18 M
- Rx Rate (Fps)	3.347
- Flood Count (Frames)	169
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	200.795
- Rx Rate (L1) (Bit/s)	41,18 M
- Rx Rate (Fps)	3.347
- Flood Count (Frames)	169
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	200.795
- Rx Rate (L1) (Bit/s)	41,18 M
- Rx Rate (Fps)	3.347
- Flood Count (Frames)	166
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	200.795
- Rx Rate (L1) (Bit/s)	41,18 M
- Rx Rate (Fps)	3.347
- Flood Count (Frames)	168
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	200.795
- Rx Rate (L1) (Bit/s)	41,18 M
- Rx Rate (Fps)	3.347
- Flood Count (Frames)	168
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	200.795
- Rx Rate (L1) (Bit/s)	41,18 M
- Rx Rate (Fps)	3.347
- Flood Count (Frames)	170
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	200.795
- Rx Rate (L1) (Bit/s)	41,18 M
- Rx Rate (Fps)	3.347
- Flood Count (Frames)	173



Results for 80,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	80 %	80 %	80 %	80 %	80 %	80 %
Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
Rx Rate (Percent)	80 %	80 %	80 %	80 %	80 %	80 %
Rx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
Rx Rate (Fps)	1,19 M	675,68 K	362,32 K	187,97 K	95,79 K	76,92 K
Loss Rate (Percent)	0 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	0	0	0	0	0	0
P-0-0-0						
- Tx (Frames)	71.428.560	40.540.529	21.739.124	11.278.191	5.747.122	4.615.381
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.201.680	2.384.737	1.278.772	663.423	338.066	271.493
- Rx Rate (L1) (Bit/s)	47,06 M	47,06 M	47,06 M	47,06 M	47,06 M	47,06 M
- Rx Rate (Fps)	70.028	39.746	21.313	11.057	5.634	4.525
- Flood Count (Frames)	165	167	164	167	169	168
P-0-0-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.201.680	2.384.737	1.278.772	663.423	338.066	271.493
- Rx Rate (L1) (Bit/s)	47,06 M	47,06 M	47,06 M	47,06 M	47,06 M	47,06 M
- Rx Rate (Fps)	70.028	39.746	21.313	11.057	5.634	4.525
- Flood Count (Frames)	167	167	166	169	166	167
P-0-0-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.201.680	2.384.737	1.278.772	663.423	338.066	271.493
- Rx Rate (L1) (Bit/s)	47,06 M	47,06 M	47,06 M	47,06 M	47,06 M	47,06 M
- Rx Rate (Fps)	70.028	39.746	21.313	11.057	5.634	4.525
- Flood Count (Frames)	163	172	167	167	168	165
P-0-0-4						
- Tx (Frames)	0	0	0	0	0	0

- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.201.680	2.384.737	1.278.772	663.423	338.066	271.493
- Rx Rate (L1) (Bit/s)	47,06 M	47,06 M	47,06 M	47,06 M	47,06 M	47,06 M
- Rx Rate (Fps)	70.028	39.746	21.313	11.057	5.634	4.525
- Flood Count (Frames)	164	166	165	168	164	169
P-0-0-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.201.680	2.384.737	1.278.772	663.423	338.066	271.493
- Rx Rate (L1) (Bit/s)	47,06 M	47,06 M	47,06 M	47,06 M	47,06 M	47,06 M
- Rx Rate (Fps)	70.028	39.746	21.313	11.057	5.634	4.525
- Flood Count (Frames)	168	164	164	167	168	161
P-0-2-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.201.680	2.384.737	1.278.772	663.423	338.066	271.493
- Rx Rate (L1) (Bit/s)	47,06 M	47,06 M	47,06 M	47,06 M	47,06 M	47,06 M
- Rx Rate (Fps)	70.028	39.746	21.313	11.057	5.634	4.525
- Flood Count (Frames)	168	166	170	167	168	167
P-0-2-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.201.680	2.384.737	1.278.772	663.423	338.066	271.493
- Rx Rate (L1) (Bit/s)	47,06 M	47,06 M	47,06 M	47,06 M	47,06 M	47,06 M
- Rx Rate (Fps)	70.028	39.746	21.313	11.057	5.634	4.525
- Flood Count (Frames)	166	167	164	170	168	167
P-0-2-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.201.680	2.384.737	1.278.772	663.423	338.066	271.493
- Rx Rate (L1) (Bit/s)	47,06 M	47,06 M	47,06 M	47,06 M	47,06 M	47,06 M
- Rx Rate (Fps)	70.028	39.746	21.313	11.057	5.634	4.525
- Flood Count (Frames)	167	166	171	166	170	169
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.201.680	2.384.737	1.278.772	663.423	338.066	271.493
- Rx Rate (L1) (Bit/s)	47,06 M	47,06 M	47,06 M	47,06 M	47,06 M	47,06 M
- Rx Rate (Fps)	70.028	39.746	21.313	11.057	5.634	4.525
- Flood Count (Frames)	166	166	169	167	166	170
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.201.680	2.384.737	1.278.772	663.423	338.066	271.493
- Rx Rate (L1) (Bit/s)	47,06 M	47,06 M	47,06 M	47,06 M	47,06 M	47,06 M
- Rx Rate (Fps)	70.028	39.746	21.313	11.057	5.634	4.525
- Flood Count (Frames)	164	167	169	164	167	167
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.201.680	2.384.737	1.278.772	663.423	338.066	271.493
- Rx Rate (L1) (Bit/s)	47,06 M	47,06 M	47,06 M	47,06 M	47,06 M	47,06 M
- Rx Rate (Fps)	70.028	39.746	21.313	11.057	5.634	4.525
- Flood Count (Frames)	165	165	163	168	169	164
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.201.680	2.384.737	1.278.772	663.423	338.066	271.493
- Rx Rate (L1) (Bit/s)	47,06 M	47,06 M	47,06 M	47,06 M	47,06 M	47,06 M
- Rx Rate (Fps)	70.028	39.746	21.313	11.057	5.634	4.525
- Flood Count (Frames)	166	165	163	170	166	165
P-0-4-1						

- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.201.680	2.384.737	1.278.772	663.423	338.066	271.493
- Rx Rate (L1) (Bit/s)	47,06 M	47,06 M	47,06 M	47,06 M	47,06 M	47,06 M
- Rx Rate (Fps)	70.028	39.746	21.313	11.057	5.634	4.525
- Flood Count (Frames)	169	167	169	162	168	167
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.201.680	2.384.737	1.278.772	663.423	338.066	271.493
- Rx Rate (L1) (Bit/s)	47,06 M	47,06 M	47,06 M	47,06 M	47,06 M	47,06 M
- Rx Rate (Fps)	70.028	39.746	21.313	11.057	5.634	4.525
- Flood Count (Frames)	169	167	167	173	169	169
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.201.680	2.384.737	1.278.772	663.423	338.066	271.493
- Rx Rate (L1) (Bit/s)	47,06 M	47,06 M	47,06 M	47,06 M	47,06 M	47,06 M
- Rx Rate (Fps)	70.028	39.746	21.313	11.057	5.634	4.525
- Flood Count (Frames)	168	163	166	167	165	167
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.201.680	2.384.737	1.278.772	663.423	338.066	271.493
- Rx Rate (L1) (Bit/s)	47,06 M	47,06 M	47,06 M	47,06 M	47,06 M	47,06 M
- Rx Rate (Fps)	70.028	39.746	21.313	11.057	5.634	4.525
- Flood Count (Frames)	164	165	168	168	165	165
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.201.680	2.384.737	1.278.772	663.423	338.066	271.493
- Rx Rate (L1) (Bit/s)	47,06 M	47,06 M	47,06 M	47,06 M	47,06 M	47,06 M
- Rx Rate (Fps)	70.028	39.746	21.313	11.057	5.634	4.525
- Flood Count (Frames)	169	169	166	168	166	165

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	80 %
Tx Rate (L1) (Bit/s)	800 M
Tx Rate (Fps)	65.019
Rx Rate (Percent)	80 %
Rx Rate (L1) (Bit/s)	800 M
Rx Rate (Fps)	65,02 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	3.901.160
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	229.480
- Rx Rate (L1) (Bit/s)	47,06 M
- Rx Rate (Fps)	3.825
- Flood Count (Frames)	166
P-0-0-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0

- Tx Rate (Fps)	0
- Rx (Frames)	229.480
- Rx Rate (L1) (Bit/s)	47,06 M
- Rx Rate (Fps)	3.825
- Flood Count (Frames)	165
P-0-0-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	229.480
- Rx Rate (L1) (Bit/s)	47,06 M
- Rx Rate (Fps)	3.825
- Flood Count (Frames)	170
P-0-0-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	229.480
- Rx Rate (L1) (Bit/s)	47,06 M
- Rx Rate (Fps)	3.825
- Flood Count (Frames)	165
P-0-0-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	229.480
- Rx Rate (L1) (Bit/s)	47,06 M
- Rx Rate (Fps)	3.825
- Flood Count (Frames)	168
P-0-2-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	229.480
- Rx Rate (L1) (Bit/s)	47,06 M
- Rx Rate (Fps)	3.825
- Flood Count (Frames)	168
P-0-2-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	229.480
- Rx Rate (L1) (Bit/s)	47,06 M
- Rx Rate (Fps)	3.825
- Flood Count (Frames)	172
P-0-2-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	229.480
- Rx Rate (L1) (Bit/s)	47,06 M
- Rx Rate (Fps)	3.825
- Flood Count (Frames)	167
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	229.480
- Rx Rate (L1) (Bit/s)	47,06 M
- Rx Rate (Fps)	3.825
- Flood Count (Frames)	167
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	229.480
- Rx Rate (L1) (Bit/s)	47,06 M
- Rx Rate (Fps)	3.825
- Flood Count (Frames)	165
P-0-2-5	
- Tx (Frames)	0

- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	229.480
- Rx Rate (L1) (Bit/s)	47,06 M
- Rx Rate (Fps)	3.825
- Flood Count (Frames)	168
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	229.480
- Rx Rate (L1) (Bit/s)	47,06 M
- Rx Rate (Fps)	3.825
- Flood Count (Frames)	166
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	229.480
- Rx Rate (L1) (Bit/s)	47,06 M
- Rx Rate (Fps)	3.825
- Flood Count (Frames)	168
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	229.480
- Rx Rate (L1) (Bit/s)	47,06 M
- Rx Rate (Fps)	3.825
- Flood Count (Frames)	165
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	229.480
- Rx Rate (L1) (Bit/s)	47,06 M
- Rx Rate (Fps)	3.825
- Flood Count (Frames)	170
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	229.480
- Rx Rate (L1) (Bit/s)	47,06 M
- Rx Rate (Fps)	3.825
- Flood Count (Frames)	167
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	229.480
- Rx Rate (L1) (Bit/s)	47,06 M
- Rx Rate (Fps)	3.825
- Flood Count (Frames)	170



Results for 90,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	90 %	90 %	90 %	90 %	90 %	90 %
Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
Rx Rate (Percent)	90 %	90 %	90 %	90 %	90 %	90 %
Rx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
Rx Rate (Fps)	1,34 M	760,13 K	407,61 K	211,47 K	107,76 K	86,54 K
Loss Rate (Percent)	0 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	0	0	0	0	0	0
P-0-0-0						
- Tx (Frames)	80.357.130	45.608.093	24.456.506	12.687.967	6.465.508	5.192.293
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.726.890	2.682.829	1.438.618	746.351	380.324	305.429
- Rx Rate (L1) (Bit/s)	52,94 M	52,94 M	52,94 M	52,94 M	52,94 M	52,94 M
- Rx Rate (Fps)	78.782	44.714	23.977	12.439	6.339	5.090
- Flood Count (Frames)	162	168	165	169	165	166
P-0-0-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.726.890	2.682.829	1.438.618	746.351	380.324	305.429
- Rx Rate (L1) (Bit/s)	52,94 M	52,94 M	52,94 M	52,94 M	52,94 M	52,94 M
- Rx Rate (Fps)	78.782	44.714	23.977	12.439	6.339	5.090
- Flood Count (Frames)	168	166	167	170	168	167
P-0-0-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.726.890	2.682.829	1.438.618	746.351	380.324	305.429
- Rx Rate (L1) (Bit/s)	52,94 M	52,94 M	52,94 M	52,94 M	52,94 M	52,94 M
- Rx Rate (Fps)	78.782	44.714	23.977	12.439	6.339	5.090
- Flood Count (Frames)	168	163	170	166	167	170
P-0-0-4						
- Tx (Frames)	0	0	0	0	0	0

- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.726.890	2.682.829	1.438.618	746.351	380.324	305.429
- Rx Rate (L1) (Bit/s)	52,94 M	52,94 M	52,94 M	52,94 M	52,94 M	52,94 M
- Rx Rate (Fps)	78.782	44.714	23.977	12.439	6.339	5.090
- Flood Count (Frames)	165	168	167	167	168	164
P-0-0-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.726.890	2.682.829	1.438.618	746.351	380.324	305.429
- Rx Rate (L1) (Bit/s)	52,94 M	52,94 M	52,94 M	52,94 M	52,94 M	52,94 M
- Rx Rate (Fps)	78.782	44.714	23.977	12.439	6.339	5.090
- Flood Count (Frames)	170	167	168	163	168	169
P-0-2-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.726.890	2.682.829	1.438.618	746.351	380.324	305.429
- Rx Rate (L1) (Bit/s)	52,94 M	52,94 M	52,94 M	52,94 M	52,94 M	52,94 M
- Rx Rate (Fps)	78.782	44.714	23.977	12.439	6.339	5.090
- Flood Count (Frames)	163	166	167	166	166	166
P-0-2-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.726.890	2.682.829	1.438.618	746.351	380.324	305.429
- Rx Rate (L1) (Bit/s)	52,94 M	52,94 M	52,94 M	52,94 M	52,94 M	52,94 M
- Rx Rate (Fps)	78.782	44.714	23.977	12.439	6.339	5.090
- Flood Count (Frames)	163	167	166	165	168	170
P-0-2-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.726.890	2.682.829	1.438.618	746.351	380.324	305.429
- Rx Rate (L1) (Bit/s)	52,94 M	52,94 M	52,94 M	52,94 M	52,94 M	52,94 M
- Rx Rate (Fps)	78.782	44.714	23.977	12.439	6.339	5.090
- Flood Count (Frames)	168	165	163	167	167	168
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.726.890	2.682.829	1.438.618	746.351	380.324	305.429
- Rx Rate (L1) (Bit/s)	52,94 M	52,94 M	52,94 M	52,94 M	52,94 M	52,94 M
- Rx Rate (Fps)	78.782	44.714	23.977	12.439	6.339	5.090
- Flood Count (Frames)	163	164	170	170	167	166
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.726.890	2.682.829	1.438.618	746.351	380.324	305.429
- Rx Rate (L1) (Bit/s)	52,94 M	52,94 M	52,94 M	52,94 M	52,94 M	52,94 M
- Rx Rate (Fps)	78.782	44.714	23.977	12.439	6.339	5.090
- Flood Count (Frames)	169	167	166	167	166	166
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.726.890	2.682.829	1.438.618	746.351	380.324	305.429
- Rx Rate (L1) (Bit/s)	52,94 M	52,94 M	52,94 M	52,94 M	52,94 M	52,94 M
- Rx Rate (Fps)	78.782	44.714	23.977	12.439	6.339	5.090
- Flood Count (Frames)	166	166	166	168	170	166
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.726.890	2.682.829	1.438.618	746.351	380.324	305.429
- Rx Rate (L1) (Bit/s)	52,94 M	52,94 M	52,94 M	52,94 M	52,94 M	52,94 M
- Rx Rate (Fps)	78.782	44.714	23.977	12.439	6.339	5.090
- Flood Count (Frames)	168	163	163	168	165	166
P-0-4-1						

- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.726.890	2.682.829	1.438.618	746.351	380.324	305.429
- Rx Rate (L1) (Bit/s)	52,94 M	52,94 M	52,94 M	52,94 M	52,94 M	52,94 M
- Rx Rate (Fps)	78.782	44.714	23.977	12.439	6.339	5.090
- Flood Count (Frames)	168	164	167	169	166	168
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.726.890	2.682.829	1.438.618	746.351	380.324	305.429
- Rx Rate (L1) (Bit/s)	52,94 M	52,94 M	52,94 M	52,94 M	52,94 M	52,94 M
- Rx Rate (Fps)	78.782	44.714	23.977	12.439	6.339	5.090
- Flood Count (Frames)	165	164	169	164	168	163
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.726.890	2.682.829	1.438.618	746.351	380.324	305.429
- Rx Rate (L1) (Bit/s)	52,94 M	52,94 M	52,94 M	52,94 M	52,94 M	52,94 M
- Rx Rate (Fps)	78.782	44.714	23.977	12.439	6.339	5.090
- Flood Count (Frames)	164	167	165	170	164	167
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.726.890	2.682.829	1.438.618	746.351	380.324	305.429
- Rx Rate (L1) (Bit/s)	52,94 M	52,94 M	52,94 M	52,94 M	52,94 M	52,94 M
- Rx Rate (Fps)	78.782	44.714	23.977	12.439	6.339	5.090
- Flood Count (Frames)	164	163	165	167	165	165
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.726.890	2.682.829	1.438.618	746.351	380.324	305.429
- Rx Rate (L1) (Bit/s)	52,94 M	52,94 M	52,94 M	52,94 M	52,94 M	52,94 M
- Rx Rate (Fps)	78.782	44.714	23.977	12.439	6.339	5.090
- Flood Count (Frames)	168	165	166	166	168	168

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	90 %
Tx Rate (L1) (Bit/s)	900 M
Tx Rate (Fps)	73.147
Rx Rate (Percent)	90 %
Rx Rate (L1) (Bit/s)	900 M
Rx Rate (Fps)	73,15 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	4.388.805
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	258.165
- Rx Rate (L1) (Bit/s)	52,94 M
- Rx Rate (Fps)	4.303
- Flood Count (Frames)	167
P-0-0-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0

- Tx Rate (Fps)	0
- Rx (Frames)	258.165
- Rx Rate (L1) (Bit/s)	52,94 M
- Rx Rate (Fps)	4.303
- Flood Count (Frames)	167
P-0-0-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	258.165
- Rx Rate (L1) (Bit/s)	52,94 M
- Rx Rate (Fps)	4.303
- Flood Count (Frames)	168
P-0-0-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	258.165
- Rx Rate (L1) (Bit/s)	52,94 M
- Rx Rate (Fps)	4.303
- Flood Count (Frames)	165
P-0-0-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	258.165
- Rx Rate (L1) (Bit/s)	52,94 M
- Rx Rate (Fps)	4.303
- Flood Count (Frames)	166
P-0-2-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	258.165
- Rx Rate (L1) (Bit/s)	52,94 M
- Rx Rate (Fps)	4.303
- Flood Count (Frames)	168
P-0-2-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	258.165
- Rx Rate (L1) (Bit/s)	52,94 M
- Rx Rate (Fps)	4.303
- Flood Count (Frames)	171
P-0-2-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	258.165
- Rx Rate (L1) (Bit/s)	52,94 M
- Rx Rate (Fps)	4.303
- Flood Count (Frames)	166
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	258.165
- Rx Rate (L1) (Bit/s)	52,94 M
- Rx Rate (Fps)	4.303
- Flood Count (Frames)	166
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	258.165
- Rx Rate (L1) (Bit/s)	52,94 M
- Rx Rate (Fps)	4.303
- Flood Count (Frames)	166
P-0-2-5	
- Tx (Frames)	0

- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	258.165
- Rx Rate (L1) (Bit/s)	52,94 M
- Rx Rate (Fps)	4.303
- Flood Count (Frames)	166
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	258.165
- Rx Rate (L1) (Bit/s)	52,94 M
- Rx Rate (Fps)	4.303
- Flood Count (Frames)	168
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	258.165
- Rx Rate (L1) (Bit/s)	52,94 M
- Rx Rate (Fps)	4.303
- Flood Count (Frames)	165
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	258.165
- Rx Rate (L1) (Bit/s)	52,94 M
- Rx Rate (Fps)	4.303
- Flood Count (Frames)	167
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	258.165
- Rx Rate (L1) (Bit/s)	52,94 M
- Rx Rate (Fps)	4.303
- Flood Count (Frames)	165
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	258.165
- Rx Rate (L1) (Bit/s)	52,94 M
- Rx Rate (Fps)	4.303
- Flood Count (Frames)	171
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	258.165
- Rx Rate (L1) (Bit/s)	52,94 M
- Rx Rate (Fps)	4.303
- Flood Count (Frames)	167



Results for 100,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	100 %	100 %	100 %	100 %	100 %	100 %
Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
Rx Rate (Percent)	100 %	100 %	100 %	99,43 %	97,85 %	97,19 %
Rx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	994,31 M	978,47 M	971,93 M
Rx Rate (Fps)	1,49 M	844,59 K	452,9 K	233,63 K	117,15 K	93,46 K
Loss Rate (Percent)	0 %	0 %	0 %	0,57 %	2,15 %	2,81 %
Loss (Frames)	0	0	0	80.156	154.656	161.905
P-0-0-0						
- Tx (Frames)	89.285.700	50.675.674	27.173.905	14.097.743	7.183.894	5.769.222
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.252.100	2.980.922	1.598.465	824.418	413.289	329.773
- Rx Rate (L1) (Bit/s)	58,82 M	58,82 M	58,82 M	58,48 M	57,53 M	57,16 M
- Rx Rate (Fps)	87.535	49.682	26.641	13.740	6.888	5.496
- Flood Count (Frames)	163	166	167	166	169	168
P-0-0-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.252.100	2.980.922	1.598.465	824.630	413.356	329.807
- Rx Rate (L1) (Bit/s)	58,82 M	58,82 M	58,82 M	58,49 M	57,54 M	57,17 M
- Rx Rate (Fps)	87.535	49.682	26.641	13.744	6.889	5.497
- Flood Count (Frames)	168	163	166	169	166	163
P-0-0-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.252.100	2.980.922	1.598.465	824.595	413.543	329.696
- Rx Rate (L1) (Bit/s)	58,82 M	58,82 M	58,82 M	58,49 M	57,57 M	57,15 M
- Rx Rate (Fps)	87.535	49.682	26.641	13.743	6.892	5.495
- Flood Count (Frames)	166	161	163	166	169	166
P-0-0-4						
- Tx (Frames)	0	0	0	0	0	0

- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.252.100	2.980.922	1.598.465	824.457	413.451	329.714
- Rx Rate (L1) (Bit/s)	58,82 M	58,82 M	58,82 M	58,48 M	57,55 M	57,15 M
- Rx Rate (Fps)	87.535	49.682	26.641	13.741	6.891	5.495
- Flood Count (Frames)	163	167	171	166	169	170
P-0-0-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.252.100	2.980.922	1.598.465	824.570	413.549	329.817
- Rx Rate (L1) (Bit/s)	58,82 M	58,82 M	58,82 M	58,49 M	57,57 M	57,17 M
- Rx Rate (Fps)	87.535	49.682	26.641	13.743	6.892	5.497
- Flood Count (Frames)	168	165	166	166	168	165
P-0-2-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.252.100	2.980.922	1.598.465	824.534	413.618	329.863
- Rx Rate (L1) (Bit/s)	58,82 M	58,82 M	58,82 M	58,49 M	57,58 M	57,18 M
- Rx Rate (Fps)	87.535	49.682	26.641	13.742	6.894	5.498
- Flood Count (Frames)	165	167	169	167	167	168
P-0-2-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.252.100	2.980.922	1.598.465	824.601	413.451	329.864
- Rx Rate (L1) (Bit/s)	58,82 M	58,82 M	58,82 M	58,49 M	57,55 M	57,18 M
- Rx Rate (Fps)	87.535	49.682	26.641	13.743	6.891	5.498
- Flood Count (Frames)	165	164	164	165	165	169
P-0-2-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.252.100	2.980.922	1.598.465	824.545	413.376	329.829
- Rx Rate (L1) (Bit/s)	58,82 M	58,82 M	58,82 M	58,49 M	57,54 M	57,17 M
- Rx Rate (Fps)	87.535	49.682	26.641	13.742	6.890	5.497
- Flood Count (Frames)	165	163	168	165	166	165
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.252.100	2.980.922	1.598.465	824.568	413.394	329.764
- Rx Rate (L1) (Bit/s)	58,82 M	58,82 M	58,82 M	58,49 M	57,54 M	57,16 M
- Rx Rate (Fps)	87.535	49.682	26.641	13.743	6.890	5.496
- Flood Count (Frames)	168	164	166	169	170	169
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.252.100	2.980.922	1.598.465	824.583	413.566	329.844
- Rx Rate (L1) (Bit/s)	58,82 M	58,82 M	58,82 M	58,49 M	57,57 M	57,17 M
- Rx Rate (Fps)	87.535	49.682	26.641	13.743	6.893	5.497
- Flood Count (Frames)	169	170	166	166	165	173
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.252.100	2.980.922	1.598.465	824.523	413.630	330.130
- Rx Rate (L1) (Bit/s)	58,82 M	58,82 M	58,82 M	58,49 M	57,58 M	57,22 M
- Rx Rate (Fps)	87.535	49.682	26.641	13.742	6.894	5.502
- Flood Count (Frames)	165	164	165	168	166	168
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.252.100	2.980.922	1.598.465	824.481	413.526	329.932
- Rx Rate (L1) (Bit/s)	58,82 M	58,82 M	58,82 M	58,48 M	57,56 M	57,19 M
- Rx Rate (Fps)	87.535	49.682	26.641	13.741	6.892	5.499
- Flood Count (Frames)	167	164	168	170	165	163
P-0-4-1						

- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.252.100	2.980.922	1.598.465	824.695	413.534	329.940
- Rx Rate (L1) (Bit/s)	58,82 M	58,82 M	58,82 M	58,5 M	57,56 M	57,19 M
- Rx Rate (Fps)	87.535	49.682	26.641	13.745	6.892	5.499
- Flood Count (Frames)	165	167	168	165	168	164
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.252.100	2.980.922	1.598.465	824.597	413.508	329.823
- Rx Rate (L1) (Bit/s)	58,82 M	58,82 M	58,82 M	58,49 M	57,56 M	57,17 M
- Rx Rate (Fps)	87.535	49.682	26.641	13.743	6.892	5.497
- Flood Count (Frames)	168	166	169	166	167	168
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.252.100	2.980.922	1.598.465	824.652	413.563	329.909
- Rx Rate (L1) (Bit/s)	58,82 M	58,82 M	58,82 M	58,5 M	57,57 M	57,18 M
- Rx Rate (Fps)	87.535	49.682	26.641	13.744	6.893	5.498
- Flood Count (Frames)	172	167	165	167	167	170
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.252.100	2.980.922	1.598.465	824.664	413.521	329.780
- Rx Rate (L1) (Bit/s)	58,82 M	58,82 M	58,82 M	58,5 M	57,56 M	57,16 M
- Rx Rate (Fps)	87.535	49.682	26.641	13.744	6.892	5.496
- Flood Count (Frames)	171	164	165	168	164	169
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.252.100	2.980.922	1.598.465	824.474	413.363	329.832
- Rx Rate (L1) (Bit/s)	58,82 M	58,82 M	58,82 M	58,48 M	57,54 M	57,17 M
- Rx Rate (Fps)	87.535	49.682	26.641	13.741	6.889	5.497
- Flood Count (Frames)	165	166	168	170	167	168

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	100 %
Tx Rate (L1) (Bit/s)	1000 M
Tx Rate (Fps)	81.274
Rx Rate (Percent)	97,45 %
Rx Rate (L1) (Bit/s)	974,51 M
Rx Rate (Fps)	79,2 K
Loss Rate (Percent)	2,55 %
Loss (Frames)	124.305
P-0-0-0	
- Tx (Frames)	4.876.450
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	279.518
- Rx Rate (L1) (Bit/s)	57,32 M
- Rx Rate (Fps)	4.659
- Flood Count (Frames)	169
P-0-0-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0

- Tx Rate (Fps)	0
- Rx (Frames)	279.573
- Rx Rate (L1) (Bit/s)	57,33 M
- Rx Rate (Fps)	4.660
- Flood Count (Frames)	167
P-0-0-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	279.520
- Rx Rate (L1) (Bit/s)	57,32 M
- Rx Rate (Fps)	4.659
- Flood Count (Frames)	170
P-0-0-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	279.560
- Rx Rate (L1) (Bit/s)	57,33 M
- Rx Rate (Fps)	4.659
- Flood Count (Frames)	167
P-0-0-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	279.524
- Rx Rate (L1) (Bit/s)	57,32 M
- Rx Rate (Fps)	4.659
- Flood Count (Frames)	166
P-0-2-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	279.554
- Rx Rate (L1) (Bit/s)	57,33 M
- Rx Rate (Fps)	4.659
- Flood Count (Frames)	165
P-0-2-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	279.531
- Rx Rate (L1) (Bit/s)	57,32 M
- Rx Rate (Fps)	4.659
- Flood Count (Frames)	164
P-0-2-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	279.638
- Rx Rate (L1) (Bit/s)	57,34 M
- Rx Rate (Fps)	4.661
- Flood Count (Frames)	165
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	279.606
- Rx Rate (L1) (Bit/s)	57,34 M
- Rx Rate (Fps)	4.660
- Flood Count (Frames)	167
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	279.487
- Rx Rate (L1) (Bit/s)	57,31 M
- Rx Rate (Fps)	4.658
- Flood Count (Frames)	166
P-0-2-5	
- Tx (Frames)	0

- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	279.519
- Rx Rate (L1) (Bit/s)	57,32 M
- Rx Rate (Fps)	4.659
- Flood Count (Frames)	169
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	279.556
- Rx Rate (L1) (Bit/s)	57,33 M
- Rx Rate (Fps)	4.659
- Flood Count (Frames)	167
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	279.477
- Rx Rate (L1) (Bit/s)	57,31 M
- Rx Rate (Fps)	4.658
- Flood Count (Frames)	170
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	279.587
- Rx Rate (L1) (Bit/s)	57,33 M
- Rx Rate (Fps)	4.660
- Flood Count (Frames)	166
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	279.422
- Rx Rate (L1) (Bit/s)	57,3 M
- Rx Rate (Fps)	4.657
- Flood Count (Frames)	168
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	279.522
- Rx Rate (L1) (Bit/s)	57,32 M
- Rx Rate (Fps)	4.659
- Flood Count (Frames)	168
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	279.551
- Rx Rate (L1) (Bit/s)	57,33 M
- Rx Rate (Fps)	4.659
- Flood Count (Frames)	168


Part.Mesh, N->N: Loss by Frame Size at 100,00% Rate
Loss Test Result (Loss Percent)
100,0
80,0
60,0
40,0
20,0
0,0
64
128
256
512
1024
1280
1518
Frame size (bytes)
Loss Percent

Rate Test: Part.Mesh, N->N Results

Test Setup

Duration: 60 seconds
Iteration: 1

Topology: Blocks
Direction: East-to-West

Throughput Options

Initial Rate: 10,00%
Maximum Rate: 50,00%
Minimum Rate: 10,00%
Resolution: 10,00%

Used Ports

Port ID	Port Role
P-0-0-0	East
P-0-0-1	East
P-0-0-2	East
P-0-0-3	East
P-0-0-4	East
P-0-0-5	East
P-0-2-0	East
P-0-2-1	East
P-0-2-2	East
P-0-2-3	West
P-0-2-4	West
P-0-2-5	West
P-0-4-0	West
P-0-4-1	West
P-0-4-2	West
P-0-4-3	West
P-0-4-4	West
P-0-4-5	West

Throughput Test Results

Frame Size	64	128	256	512	1024	1280
Result State	FAIL	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	20 %	40 %	40 %	40 %	40 %	40 %
Tx Rate (L1) (Bit/s)	1,8 G	3,6 G	3,6 G	3,6 G	3,6 G	3,6 G
Tx Rate (Fps)	2.678.570	3.040.540	1.630.434	845.864	431.033	346.154
Rx Rate (Percent)	20 %	40 %	40 %	40 %	40 %	40 %
Rx Rate (L1) (Bit/s)	1,8 G	3,6 G	3,6 G	3,6 G	3,6 G	3,6 G
Rx Rate (Fps)	2,68 M	3,04 M	1,63 M	845,86 K	431,03 K	346,15 K
Loss Rate (Percent)	0 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	7.818	0	0	0	0	0
P-0-0-0						
- Tx (Frames)	17.857.134	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Tx Rate (L1) (Bit/s)	200 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	297.619	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	17.857.134	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Tx Rate (L1) (Bit/s)	200 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	297.619	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0

- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	17.857.134	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Tx Rate (L1) (Bit/s)	200 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	297.619	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	17.857.134	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Tx Rate (L1) (Bit/s)	200 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	297.619	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	17.857.134	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Tx Rate (L1) (Bit/s)	200 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	297.619	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	17.857.134	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Tx Rate (L1) (Bit/s)	200 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	297.619	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	17.857.134	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Tx Rate (L1) (Bit/s)	200 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	297.619	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	17.857.134	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Tx Rate (L1) (Bit/s)	200 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	297.619	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	17.857.134	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Tx Rate (L1) (Bit/s)	200 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	297.619	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	17.856.866	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Rx Rate (L1) (Bit/s)	200 M	400 M	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	297.614	337.838	181.159	93.985	47.893	38.462
- Flood Count (Frames)	167	166	167	171	172	170
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	17.856.786	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Rx Rate (L1) (Bit/s)	200 M	400 M	400 M	400 M	400 M	400 M

- Rx Rate (Fps)	297.613	337.838	181.159	93.985	47.893	38.462
- Flood Count (Frames)	171	164	167	171	169	165
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	17.856.467	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Rx Rate (L1) (Bit/s)	199,99 M	400 M	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	297.608	337.838	181.159	93.985	47.893	38.462
- Flood Count (Frames)	170	171	167	166	168	172
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	17.855.412	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Rx Rate (L1) (Bit/s)	199,98 M	400 M	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	297.590	337.838	181.159	93.985	47.893	38.462
- Flood Count (Frames)	163	168	173	168	171	168
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	17.856.484	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Rx Rate (L1) (Bit/s)	199,99 M	400 M	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	297.608	337.838	181.159	93.985	47.893	38.462
- Flood Count (Frames)	170	168	168	169	165	168
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	17.856.518	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Rx Rate (L1) (Bit/s)	199,99 M	400 M	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	297.609	337.838	181.159	93.985	47.893	38.462
- Flood Count (Frames)	165	166	168	169	168	166
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	17.856.531	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Rx Rate (L1) (Bit/s)	199,99 M	400 M	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	297.609	337.838	181.159	93.985	47.893	38.462
- Flood Count (Frames)	167	167	170	164	164	167
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	17.856.099	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Rx Rate (L1) (Bit/s)	199,99 M	400 M	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	297.602	337.838	181.159	93.985	47.893	38.462
- Flood Count (Frames)	170	167	168	169	164	165
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	17.855.225	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Rx Rate (L1) (Bit/s)	199,98 M	400 M	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	297.587	337.838	181.159	93.985	47.893	38.462
- Flood Count (Frames)	170	172	169	168	165	168

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	35 %
Tx Rate (L1) (Bit/s)	3,15 G
Tx Rate (Fps)	256.014
Rx Rate (Percent)	35 %
Rx Rate (L1) (Bit/s)	3,15 G
Rx Rate (Fps)	256,01 K
Loss Rate (Percent)	0 %
Loss (Frames)	0

P-0-0-0	
- Tx (Frames)	1.706.760
- Tx Rate (L1) (Bit/s)	350 M
- Tx Rate (Fps)	28.446
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	1.706.760
- Tx Rate (L1) (Bit/s)	350 M
- Tx Rate (Fps)	28.446
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	1.706.760
- Tx Rate (L1) (Bit/s)	350 M
- Tx Rate (Fps)	28.446
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	1.706.760
- Tx Rate (L1) (Bit/s)	350 M
- Tx Rate (Fps)	28.446
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	1.706.760
- Tx Rate (L1) (Bit/s)	350 M
- Tx Rate (Fps)	28.446
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	1.706.760
- Tx Rate (L1) (Bit/s)	350 M
- Tx Rate (Fps)	28.446
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	1.706.760
- Tx Rate (L1) (Bit/s)	350 M
- Tx Rate (Fps)	28.446
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	1.706.760
- Tx Rate (L1) (Bit/s)	350 M
- Tx Rate (Fps)	28.446
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	1.706.760
- Tx Rate (L1) (Bit/s)	350 M
- Tx Rate (Fps)	28.446
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0

- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.706.760
- Rx Rate (L1) (Bit/s)	350 M
- Rx Rate (Fps)	28.446
- Flood Count (Frames)	172
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.706.760
- Rx Rate (L1) (Bit/s)	350 M
- Rx Rate (Fps)	28.446
- Flood Count (Frames)	167
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.706.760
- Rx Rate (L1) (Bit/s)	350 M
- Rx Rate (Fps)	28.446
- Flood Count (Frames)	170
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.706.760
- Rx Rate (L1) (Bit/s)	350 M
- Rx Rate (Fps)	28.446
- Flood Count (Frames)	168
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.706.760
- Rx Rate (L1) (Bit/s)	350 M
- Rx Rate (Fps)	28.446
- Flood Count (Frames)	171
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.706.760
- Rx Rate (L1) (Bit/s)	350 M
- Rx Rate (Fps)	28.446
- Flood Count (Frames)	166
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.706.760
- Rx Rate (L1) (Bit/s)	350 M
- Rx Rate (Fps)	28.446
- Flood Count (Frames)	169
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.706.760
- Rx Rate (L1) (Bit/s)	350 M
- Rx Rate (Fps)	28.446
- Flood Count (Frames)	166
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.706.760
- Rx Rate (L1) (Bit/s)	350 M

- Rx Rate (Fps)	28.446
- Flood Count (Frames)	168

Note: One or more of the rate tests did not pass the test criteria!



Forwarding Test Results

Results for 10,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
Tx Rate (Fps)	1.339.285	760.135	407.608	211.465	107.758	86.538
Rx Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Rx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
Rx Rate (Fps)	1,34 M	760,14 K	407,61 K	211,47 K	107,76 K	86,54 K
Loss Rate (Percent)	0 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	14	0	0	0	0	0
P-0-0-0						
- Tx (Frames)	8.928.567	5.067.567	2.717.388	1.409.769	718.389	576.918
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.809	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	8.928.567	5.067.567	2.717.388	1.409.769	718.389	576.918
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.809	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	8.928.567	5.067.567	2.717.388	1.409.769	718.389	576.918
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.809	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0

P-0-0-3						
- Tx (Frames)	8.928.567	5.067.567	2.717.388	1.409.769	718.389	576.918
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.809	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	8.928.567	5.067.567	2.717.388	1.409.769	718.389	576.918
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.809	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	8.928.567	5.067.567	2.717.388	1.409.769	718.389	576.918
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.809	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	8.928.567	5.067.567	2.717.388	1.409.769	718.389	576.918
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.809	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	8.928.567	5.067.567	2.717.388	1.409.769	718.389	576.918
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.809	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	8.928.567	5.067.567	2.717.388	1.409.769	718.389	576.918
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.809	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8.928.566	5.067.567	2.717.388	1.409.769	718.389	576.918
- Rx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.809	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	165	164	166	172	172	168
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8.928.567	5.067.567	2.717.388	1.409.769	718.389	576.918
- Rx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.809	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	168	168	168	166	172	172
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8.928.567	5.067.567	2.717.388	1.409.769	718.389	576.918
- Rx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.809	84.459	45.290	23.496	11.973	9.615

- Flood Count (Frames)	170	166	163	170	169	168
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8.928.567	5.067.567	2.717.388	1.409.769	718.389	576.918
- Rx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.809	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	170	170	166	166	170	170
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8.928.567	5.067.567	2.717.388	1.409.769	718.389	576.918
- Rx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.809	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	167	169	169	165	169	170
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8.928.567	5.067.567	2.717.388	1.409.769	718.389	576.918
- Rx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.809	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	165	167	169	168	169	170
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8.928.567	5.067.567	2.717.388	1.409.769	718.389	576.918
- Rx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.809	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	170	167	167	167	171	167
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8.928.567	5.067.567	2.717.388	1.409.769	718.389	576.918
- Rx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.809	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	168	163	166	172	168	170
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8.928.554	5.067.567	2.717.388	1.409.769	718.389	576.918
- Rx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.809	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	170	169	169	170	170	172

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	10 %
Tx Rate (L1) (Bit/s)	899,98 M
Tx Rate (Fps)	73.146
Rx Rate (Percent)	10 %
Rx Rate (L1) (Bit/s)	899,98 M
Rx Rate (Fps)	73,15 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	487.638
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	

- Tx (Frames)	487.638
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	487.638
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	487.638
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	487.638
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	487.638
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	487.638
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	487.638
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	487.638
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	487.638
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	168

P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	487.638
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	174
P-0-2-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	487.638
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	175
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	487.638
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	175
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	487.638
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	173
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	487.638
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	173
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	487.638
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	173
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	487.638
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	171
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	487.638
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	167



Results for 20,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	20 %	20 %	20 %	20 %	20 %	20 %
Tx Rate (L1) (Bit/s)	1,8 G	1,8 G	1,8 G	1,8 G	1,8 G	1,8 G
Tx Rate (Fps)	2.678.570	1.520.270	815.216	422.932	215.517	173.077
Rx Rate (Percent)	20 %	20 %	20 %	20 %	20 %	20 %
Rx Rate (L1) (Bit/s)	1,8 G	1,8 G	1,8 G	1,8 G	1,8 G	1,8 G
Rx Rate (Fps)	2,68 M	1,52 M	815,22 K	422,93 K	215,52 K	173,08 K
Loss Rate (Percent)	0 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	6.661	0	0	0	0	0
P-0-0-0						
- Tx (Frames)	17.857.134	10.135.134	5.434.776	2.819.547	1.436.778	1.153.845
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	17.857.134	10.135.134	5.434.776	2.819.547	1.436.778	1.153.845
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	17.857.134	10.135.134	5.434.776	2.819.547	1.436.778	1.153.845
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	17.857.134	10.135.134	5.434.776	2.819.547	1.436.778	1.153.845
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	17.857.134	10.135.134	5.434.776	2.819.547	1.436.778	1.153.845

- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	17.857.134	10.135.134	5.434.776	2.819.547	1.436.778	1.153.845
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	17.857.134	10.135.134	5.434.776	2.819.547	1.436.778	1.153.845
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	17.857.134	10.135.134	5.434.776	2.819.547	1.436.778	1.153.845
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	17.857.134	10.135.134	5.434.776	2.819.547	1.436.778	1.153.845
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.580	46.992	23.946	19.231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	17.856.938	10.135.134	5.434.776	2.819.547	1.436.778	1.153.845
- Rx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	297.616	168.919	90.580	46.992	23.946	19.231
- Flood Count (Frames)	170	166	168	169	173	172
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	17.856.744	10.135.134	5.434.776	2.819.547	1.436.778	1.153.845
- Rx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	297.612	168.919	90.580	46.992	23.946	19.231
- Flood Count (Frames)	166	169	163	172	166	167
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	17.856.252	10.135.134	5.434.776	2.819.547	1.436.778	1.153.845
- Rx Rate (L1) (Bit/s)	199,99 M	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	297.604	168.919	90.580	46.992	23.946	19.231
- Flood Count (Frames)	165	163	165	168	171	169
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	17.856.631	10.135.134	5.434.776	2.819.547	1.436.778	1.153.845
- Rx Rate (L1) (Bit/s)	199,99 M	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	297.611	168.919	90.580	46.992	23.946	19.231
- Flood Count (Frames)	171	168	164	171	169	168
P-0-4-1						

- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	17.855.916	10.135.134	5.434.776	2.819.547	1.436.778	1.153.845
- Rx Rate (L1) (Bit/s)	199,99 M	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	297.599	168.919	90.580	46.992	23.946	19.231
- Flood Count (Frames)	166	168	171	169	168	170
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	17.856.260	10.135.134	5.434.776	2.819.547	1.436.778	1.153.845
- Rx Rate (L1) (Bit/s)	199,99 M	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	297.604	168.919	90.580	46.992	23.946	19.231
- Flood Count (Frames)	168	168	165	170	169	169
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	17.856.226	10.135.134	5.434.776	2.819.547	1.436.778	1.153.845
- Rx Rate (L1) (Bit/s)	199,99 M	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	297.604	168.919	90.580	46.992	23.946	19.231
- Flood Count (Frames)	170	173	167	170	171	165
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	17.855.971	10.135.134	5.434.776	2.819.547	1.436.778	1.153.845
- Rx Rate (L1) (Bit/s)	199,99 M	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	297.600	168.919	90.580	46.992	23.946	19.231
- Flood Count (Frames)	165	169	165	169	171	168
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	17.856.607	10.135.134	5.434.776	2.819.547	1.436.778	1.153.845
- Rx Rate (L1) (Bit/s)	199,99 M	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	297.610	168.919	90.580	46.992	23.946	19.231
- Flood Count (Frames)	173	167	169	170	171	170

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	20 %
Tx Rate (L1) (Bit/s)	1,8 G
Tx Rate (Fps)	146.293
Rx Rate (Percent)	20 %
Rx Rate (L1) (Bit/s)	1,8 G
Rx Rate (Fps)	146,29 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	975.285
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	975.285
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	975.285
- Tx Rate (L1) (Bit/s)	200 M

- Tx Rate (Fps)	16.255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	975.285
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	975.285
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	975.285
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	975.285
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	975.285
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	975.285
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	975.285
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	174
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	975.285
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	170
P-0-2-5	
- Tx (Frames)	0

- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	975.285
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	170
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	975.285
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	171
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	975.285
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	168
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	975.285
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	171
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	975.285
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	173
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	975.285
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	171
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	975.285
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	170



Results for 30,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	30 %	30 %	30 %	30 %	30 %	30 %
Tx Rate (L1) (Bit/s)	2,7 G	2,7 G	2,7 G	2,7 G	2,7 G	2,7 G
Tx Rate (Fps)	4.017.857	2.280.405	1.222.826	634.397	323.275	259.614
Rx Rate (Percent)	29,99 %	30 %	30 %	30 %	30 %	30 %
Rx Rate (L1) (Bit/s)	2,7 G	2,7 G	2,7 G	2,7 G	2,7 G	2,7 G
Rx Rate (Fps)	4,02 M	2,28 M	1,22 M	634,4 K	323,28 K	259,61 K
Loss Rate (Percent)	0,05 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	115.552	0	0	0	0	0
P-0-0-0						
- Tx (Frames)	26.785.710	15.202.701	8.152.173	4.229.316	2.155.167	1.730.763
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.870	70.489	35.919	28.846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	26.785.710	15.202.701	8.152.173	4.229.316	2.155.167	1.730.763
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.870	70.489	35.919	28.846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	26.785.710	15.202.701	8.152.173	4.229.316	2.155.167	1.730.763
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.870	70.489	35.919	28.846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	26.785.710	15.202.701	8.152.173	4.229.316	2.155.167	1.730.763
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.870	70.489	35.919	28.846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	26.785.710	15.202.701	8.152.173	4.229.316	2.155.167	1.730.763

- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.870	70.489	35.919	28.846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	26.785.710	15.202.701	8.152.173	4.229.316	2.155.167	1.730.763
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.870	70.489	35.919	28.846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	26.785.710	15.202.701	8.152.173	4.229.316	2.155.167	1.730.763
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.870	70.489	35.919	28.846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	26.785.710	15.202.701	8.152.173	4.229.316	2.155.167	1.730.763
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.870	70.489	35.919	28.846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	26.785.710	15.202.701	8.152.173	4.229.316	2.155.167	1.730.763
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	300 M
- Tx Rate (Fps)	446.429	253.378	135.870	70.489	35.919	28.846
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	26.784.219	15.202.701	8.152.173	4.229.316	2.155.167	1.730.763
- Rx Rate (L1) (Bit/s)	299,98 M	300 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	446.404	253.378	135.870	70.489	35.919	28.846
- Flood Count (Frames)	170	168	166	170	173	171
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	26.780.366	15.202.701	8.152.173	4.229.316	2.155.167	1.730.763
- Rx Rate (L1) (Bit/s)	299,94 M	300 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	446.339	253.378	135.870	70.489	35.919	28.846
- Flood Count (Frames)	165	171	168	170	170	168
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	26.779.363	15.202.701	8.152.173	4.229.316	2.155.167	1.730.763
- Rx Rate (L1) (Bit/s)	299,93 M	300 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	446.323	253.378	135.870	70.489	35.919	28.846
- Flood Count (Frames)	167	172	170	171	167	174
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	26.773.864	15.202.701	8.152.173	4.229.316	2.155.167	1.730.763
- Rx Rate (L1) (Bit/s)	299,87 M	300 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	446.231	253.378	135.870	70.489	35.919	28.846
- Flood Count (Frames)	170	167	162	167	166	168
P-0-4-1						

- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	26.770.275	15.202.701	8.152.173	4.229.316	2.155.167	1.730.763
- Rx Rate (L1) (Bit/s)	299,83 M	300 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	446.171	253.378	135.870	70.489	35.919	28.846
- Flood Count (Frames)	163	169	169	170	168	168
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	26.768.243	15.202.701	8.152.173	4.229.316	2.155.167	1.730.763
- Rx Rate (L1) (Bit/s)	299,8 M	300 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	446.137	253.378	135.870	70.489	35.919	28.846
- Flood Count (Frames)	169	169	169	168	172	168
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	26.766.923	15.202.701	8.152.173	4.229.316	2.155.167	1.730.763
- Rx Rate (L1) (Bit/s)	299,79 M	300 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	446.115	253.378	135.870	70.489	35.919	28.846
- Flood Count (Frames)	169	175	172	170	170	170
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	26.766.497	15.202.701	8.152.173	4.229.316	2.155.167	1.730.763
- Rx Rate (L1) (Bit/s)	299,78 M	300 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	446.108	253.378	135.870	70.489	35.919	28.846
- Flood Count (Frames)	169	169	171	165	166	173
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	26.766.088	15.202.701	8.152.173	4.229.316	2.155.167	1.730.763
- Rx Rate (L1) (Bit/s)	299,78 M	300 M	300 M	300 M	300 M	300 M
- Rx Rate (Fps)	446.101	253.378	135.870	70.489	35.919	28.846
- Flood Count (Frames)	163	169	168	172	172	171

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	30 %
Tx Rate (L1) (Bit/s)	2,7 G
Tx Rate (Fps)	219.440
Rx Rate (Percent)	30 %
Rx Rate (L1) (Bit/s)	2,7 G
Rx Rate (Fps)	219,44 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	1.462.932
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	1.462.932
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	1.462.932
- Tx Rate (L1) (Bit/s)	300 M

- Tx Rate (Fps)	24.382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	1.462.932
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	1.462.932
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	1.462.932
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	1.462.932
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	1.462.932
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	1.462.932
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.462.932
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	169
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.462.932
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	171
P-0-2-5	
- Tx (Frames)	0

- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.462.932
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	169
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.462.932
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	167
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.462.932
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	170
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.462.932
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	169
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.462.932
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	170
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.462.932
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	169
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.462.932
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	168



Results for 40,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	40 %	40 %	40 %	40 %	40 %	40 %
Tx Rate (L1) (Bit/s)	3,6 G	3,6 G	3,6 G	3,6 G	3,6 G	3,6 G
Tx Rate (Fps)	5.357.142	3.040.540	1.630.434	845.864	431.033	346.154
Rx Rate (Percent)	0,02 %	40 %	40 %	40 %	40 %	40 %
Rx Rate (L1) (Bit/s)	1,47 M	3,6 G	3,6 G	3,6 G	3,6 G	3,6 G
Rx Rate (Fps)	2,19 K	3,04 M	1,63 M	845,86 K	431,03 K	346,15 K
Loss Rate (Percent)	99,96 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	321.297.306	0	0	0	0	0
P-0-0-0						
- Tx (Frames)	35.714.277	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	35.714.277	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	35.714.277	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	35.714.277	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	35.714.277	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690

- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	35.714.277	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	35.714.277	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	35.714.277	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	35.714.277	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.893	38.462
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	14.576	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Rx Rate (L1) (Bit/s)	163,25 K	400 M	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	243	337.838	181.159	93.985	47.893	38.462
- Flood Count (Frames)	170	164	172	166	167	174
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	14.574	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Rx Rate (L1) (Bit/s)	163,23 K	400 M	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	243	337.838	181.159	93.985	47.893	38.462
- Flood Count (Frames)	168	167	168	167	167	172
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	14.583	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Rx Rate (L1) (Bit/s)	163,33 K	400 M	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	243	337.838	181.159	93.985	47.893	38.462
- Flood Count (Frames)	171	172	163	170	169	168
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	14.582	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Rx Rate (L1) (Bit/s)	163,32 K	400 M	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	243	337.838	181.159	93.985	47.893	38.462
- Flood Count (Frames)	165	167	165	164	165	172
P-0-4-1						

- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	14.579	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Rx Rate (L1) (Bit/s)	163,28 K	400 M	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	243	337.838	181.159	93.985	47.893	38.462
- Flood Count (Frames)	165	169	163	163	169	171
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	14.573	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Rx Rate (L1) (Bit/s)	163,22 K	400 M	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	243	337.838	181.159	93.985	47.893	38.462
- Flood Count (Frames)	164	167	166	166	171	170
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	14.574	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Rx Rate (L1) (Bit/s)	163,23 K	400 M	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	243	337.838	181.159	93.985	47.893	38.462
- Flood Count (Frames)	165	168	166	173	167	171
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	14.572	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Rx Rate (L1) (Bit/s)	163,21 K	400 M	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	243	337.838	181.159	93.985	47.893	38.462
- Flood Count (Frames)	168	168	168	170	167	169
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	14.574	20.270.268	10.869.561	5.639.094	2.873.556	2.307.690
- Rx Rate (L1) (Bit/s)	163,23 K	400 M	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	243	337.838	181.159	93.985	47.893	38.462
- Flood Count (Frames)	169	166	168	168	168	172

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	40 %
Tx Rate (L1) (Bit/s)	3,6 G
Tx Rate (Fps)	292.587
Rx Rate (Percent)	40 %
Rx Rate (L1) (Bit/s)	3,6 G
Rx Rate (Fps)	292,59 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	1.950.579
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	1.950.579
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	1.950.579
- Tx Rate (L1) (Bit/s)	400 M

- Tx Rate (Fps)	32.510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	1.950.579
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	1.950.579
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	1.950.579
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	1.950.579
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	1.950.579
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	1.950.579
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.950.579
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	167
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.950.579
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	171
P-0-2-5	
- Tx (Frames)	0

- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.950.579
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	172
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.950.579
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	173
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.950.579
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	167
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.950.579
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	167
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.950.579
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	171
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.950.579
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	167
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.950.579
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	171



Results for 50,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	50 %	50 %	50 %	50 %	50 %	50 %
Tx Rate (L1) (Bit/s)	4,5 G	4,5 G	4,5 G	4,5 G	4,5 G	4,5 G
Tx Rate (Fps)	6.696.428	3.800.675	2.038.042	1.057.331	538.793	432.691
Rx Rate (Percent)	0,02 %	50 %	50 %	50 %	50 %	49,99 %
Rx Rate (L1) (Bit/s)	1,39 M	4,5 G	4,5 G	4,5 G	4,5 G	4,5 G
Rx Rate (Fps)	2,07 K	3,8 M	2,04 M	1,06 M	538,79 K	432,61 K
Loss Rate (Percent)	99,97 %	0 %	0 %	0 %	0 %	0,02 %
Loss (Frames)	401.661.468	0	0	0	0	4.793
P-0-0-0						
- Tx (Frames)	44.642.853	25.337.835	13.586.949	7.048.872	3.591.954	2.884.608
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	44.642.853	25.337.835	13.586.949	7.048.872	3.591.954	2.884.608
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	44.642.853	25.337.835	13.586.949	7.048.872	3.591.954	2.884.608
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	44.642.853	25.337.835	13.586.949	7.048.872	3.591.954	2.884.608
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	44.642.853	25.337.835	13.586.949	7.048.872	3.591.954	2.884.608

- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	44.642.853	25.337.835	13.586.949	7.048.872	3.591.954	2.884.608
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	44.642.853	25.337.835	13.586.949	7.048.872	3.591.954	2.884.608
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	44.642.853	25.337.835	13.586.949	7.048.872	3.591.954	2.884.608
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	44.642.853	25.337.835	13.586.949	7.048.872	3.591.954	2.884.608
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13.801	25.337.835	13.586.949	7.048.872	3.591.954	2.884.291
- Rx Rate (L1) (Bit/s)	154,57 K	500 M	500 M	500 M	500 M	499,94 M
- Rx Rate (Fps)	230	422.297	226.449	117.481	59.866	48.072
- Flood Count (Frames)	165	170	167	168	170	170
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13.804	25.337.835	13.586.949	7.048.872	3.591.954	2.884.224
- Rx Rate (L1) (Bit/s)	154,6 K	500 M	500 M	500 M	500 M	499,93 M
- Rx Rate (Fps)	230	422.297	226.449	117.481	59.866	48.070
- Flood Count (Frames)	168	169	165	170	166	166
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13.803	25.337.835	13.586.949	7.048.872	3.591.954	2.883.897
- Rx Rate (L1) (Bit/s)	154,59 K	500 M	500 M	500 M	500 M	499,88 M
- Rx Rate (Fps)	230	422.297	226.449	117.481	59.866	48.065
- Flood Count (Frames)	168	172	171	173	168	169
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13.801	25.337.835	13.586.949	7.048.872	3.591.954	2.883.691
- Rx Rate (L1) (Bit/s)	154,57 K	500 M	500 M	500 M	500 M	499,84 M
- Rx Rate (Fps)	230	422.297	226.449	117.481	59.866	48.062
- Flood Count (Frames)	168	166	168	169	168	172
P-0-4-1						

- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13.803	25.337.835	13.586.949	7.048.872	3.591.954	2.884.410
- Rx Rate (L1) (Bit/s)	154,59 K	500 M	500 M	500 M	500 M	499,96 M
- Rx Rate (Fps)	230	422.297	226.449	117.481	59.866	48.074
- Flood Count (Frames)	168	165	165	169	169	171
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13.799	25.337.835	13.586.949	7.048.872	3.591.954	2.883.895
- Rx Rate (L1) (Bit/s)	154,55 K	500 M	500 M	500 M	500 M	499,88 M
- Rx Rate (Fps)	230	422.297	226.449	117.481	59.866	48.065
- Flood Count (Frames)	164	169	170	169	166	170
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13.800	25.337.835	13.586.949	7.048.872	3.591.954	2.884.273
- Rx Rate (L1) (Bit/s)	154,56 K	500 M	500 M	500 M	500 M	499,94 M
- Rx Rate (Fps)	230	422.297	226.449	117.481	59.866	48.071
- Flood Count (Frames)	166	165	165	167	172	174
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13.797	25.337.835	13.586.949	7.048.872	3.591.954	2.883.988
- Rx Rate (L1) (Bit/s)	154,53 K	500 M	500 M	500 M	500 M	499,89 M
- Rx Rate (Fps)	230	422.297	226.449	117.481	59.866	48.066
- Flood Count (Frames)	170	168	165	168	172	170
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13.801	25.337.835	13.586.949	7.048.872	3.591.954	2.884.010
- Rx Rate (L1) (Bit/s)	154,57 K	500 M	500 M	500 M	500 M	499,9 M
- Rx Rate (Fps)	230	422.297	226.449	117.481	59.866	48.067
- Flood Count (Frames)	164	170	166	169	167	168

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	50 %
Tx Rate (L1) (Bit/s)	4,5 G
Tx Rate (Fps)	365.734
Rx Rate (Percent)	50 %
Rx Rate (L1) (Bit/s)	4,5 G
Rx Rate (Fps)	365,73 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	2.438.226
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	2.438.226
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	2.438.226
- Tx Rate (L1) (Bit/s)	500 M

- Tx Rate (Fps)	40.637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	2.438.226
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	2.438.226
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	2.438.226
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	2.438.226
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	2.438.226
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	2.438.226
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2.438.226
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	168
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2.438.226
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	168
P-0-2-5	
- Tx (Frames)	0

- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2.438.226
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	172
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2.438.226
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	169
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2.438.226
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	170
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2.438.226
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	171
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2.438.226
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	164
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2.438.226
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	168
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2.438.226
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	165



Results for 60,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	60 %	60 %	60 %	60 %	60 %	60 %
Tx Rate (L1) (Bit/s)	5,4 G	5,4 G	5,4 G	5,4 G	5,4 G	5,4 G
Tx Rate (Fps)	8.035.713	4.560.810	2.445.652	1.268.796	646.551	519.230
Rx Rate (Percent)	0,01 %	59,98 %	60 %	60 %	60 %	60 %
Rx Rate (L1) (Bit/s)	1,19 M	5,4 G	5,4 G	5,4 G	5,4 G	5,4 G
Rx Rate (Fps)	1,77 K	4,56 M	2,45 M	1,27 M	646,55 K	519,23 K
Loss Rate (Percent)	99,98 %	0,04 %	0 %	0 %	0 %	0 %
Loss (Frames)	482.036.486	103.617	0	0	0	0
P-0-0-0						
- Tx (Frames)	53.571.420	30.405.402	16.304.346	8.458.641	4.310.343	3.461.535
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	53.571.420	30.405.402	16.304.346	8.458.641	4.310.343	3.461.535
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	53.571.420	30.405.402	16.304.346	8.458.641	4.310.343	3.461.535
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	53.571.420	30.405.402	16.304.346	8.458.641	4.310.343	3.461.535
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	53.571.420	30.405.402	16.304.346	8.458.641	4.310.343	3.461.535

- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	53.571.420	30.405.402	16.304.346	8.458.641	4.310.343	3.461.535
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	53.571.420	30.405.402	16.304.346	8.458.641	4.310.343	3.461.535
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	53.571.420	30.405.402	16.304.346	8.458.641	4.310.343	3.461.535
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	53.571.420	30.405.402	16.304.346	8.458.641	4.310.343	3.461.535
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	600 M
- Tx Rate (Fps)	892.857	506.757	271.739	140.977	71.839	57.692
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	11.810	30.395.639	16.304.346	8.458.641	4.310.343	3.461.535
- Rx Rate (L1) (Bit/s)	132,27 K	599,81 M	600 M	600 M	600 M	600 M
- Rx Rate (Fps)	197	506.594	271.739	140.977	71.839	57.692
- Flood Count (Frames)	166	167	165	168	170	170
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	11.812	30.398.447	16.304.346	8.458.641	4.310.343	3.461.535
- Rx Rate (L1) (Bit/s)	132,29 K	599,86 M	600 M	600 M	600 M	600 M
- Rx Rate (Fps)	197	506.641	271.739	140.977	71.839	57.692
- Flood Count (Frames)	169	167	166	163	170	168
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	11.810	30.398.176	16.304.346	8.458.641	4.310.343	3.461.535
- Rx Rate (L1) (Bit/s)	132,27 K	599,86 M	600 M	600 M	600 M	600 M
- Rx Rate (Fps)	197	506.636	271.739	140.977	71.839	57.692
- Flood Count (Frames)	174	167	170	169	170	168
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	11.811	30.398.383	16.304.346	8.458.641	4.310.343	3.461.535
- Rx Rate (L1) (Bit/s)	132,28 K	599,86 M	600 M	600 M	600 M	600 M
- Rx Rate (Fps)	197	506.640	271.739	140.977	71.839	57.692
- Flood Count (Frames)	169	165	169	172	164	169
P-0-4-1						

- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	11.810	30.397.129	16.304.346	8.458.641	4.310.343	3.461.535
- Rx Rate (L1) (Bit/s)	132,27 K	599,84 M	600 M	600 M	600 M	600 M
- Rx Rate (Fps)	197	506.619	271.739	140.977	71.839	57.692
- Flood Count (Frames)	166	167	169	170	168	168
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	11.811	30.395.861	16.304.346	8.458.641	4.310.343	3.461.535
- Rx Rate (L1) (Bit/s)	132,28 K	599,81 M	600 M	600 M	600 M	600 M
- Rx Rate (Fps)	197	506.598	271.739	140.977	71.839	57.692
- Flood Count (Frames)	166	165	172	171	170	171
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	11.809	30.391.432	16.304.346	8.458.641	4.310.343	3.461.535
- Rx Rate (L1) (Bit/s)	132,26 K	599,72 M	600 M	600 M	600 M	600 M
- Rx Rate (Fps)	197	506.524	271.739	140.977	71.839	57.692
- Flood Count (Frames)	166	166	166	167	167	171
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	11.809	30.387.694	16.304.346	8.458.641	4.310.343	3.461.535
- Rx Rate (L1) (Bit/s)	132,26 K	599,65 M	600 M	600 M	600 M	600 M
- Rx Rate (Fps)	197	506.462	271.739	140.977	71.839	57.692
- Flood Count (Frames)	165	168	170	172	166	169
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	11.812	30.382.240	16.304.346	8.458.641	4.310.343	3.461.535
- Rx Rate (L1) (Bit/s)	132,29 K	599,54 M	600 M	600 M	600 M	600 M
- Rx Rate (Fps)	197	506.371	271.739	140.977	71.839	57.692
- Flood Count (Frames)	168	167	171	167	168	170

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	60 %
Tx Rate (L1) (Bit/s)	5,4 G
Tx Rate (Fps)	438.881
Rx Rate (Percent)	60 %
Rx Rate (L1) (Bit/s)	5,4 G
Rx Rate (Fps)	438,88 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	2.925.873
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	2.925.873
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	2.925.873
- Tx Rate (L1) (Bit/s)	600 M

- Tx Rate (Fps)	48.765
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	2.925.873
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	2.925.873
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	2.925.873
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	2.925.873
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	2.925.873
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	2.925.873
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2.925.873
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.765
- Flood Count (Frames)	172
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2.925.873
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.765
- Flood Count (Frames)	169
P-0-2-5	
- Tx (Frames)	0

- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2.925.873
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.765
- Flood Count (Frames)	172
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2.925.873
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.765
- Flood Count (Frames)	171
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2.925.873
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.765
- Flood Count (Frames)	175
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2.925.873
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.765
- Flood Count (Frames)	171
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2.925.873
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.765
- Flood Count (Frames)	169
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2.925.873
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.765
- Flood Count (Frames)	168
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	2.925.873
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.765
- Flood Count (Frames)	169



Results for 70,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	70 %	70 %	70 %	70 %	70 %	70 %
Tx Rate (L1) (Bit/s)	6,3 G	6,3 G	6,3 G	6,3 G	6,3 G	6,3 G
Tx Rate (Fps)	9.374.999	5.320.945	2.853.260	1.480.263	754.310	605.768
Rx Rate (Percent)	0,01 %	0,03 %	70 %	70 %	70 %	70 %
Rx Rate (L1) (Bit/s)	980,74 K	2,57 M	6,3 G	6,3 G	6,3 G	6,3 G
Rx Rate (Fps)	1,46 K	2,17 K	2,85 M	1,48 M	754,31 K	605,77 K
Loss Rate (Percent)	99,98 %	99,96 %	0 %	0 %	0 %	0 %
Loss (Frames)	562.412.398	319.126.604	0	0	0	8
P-0-0-0						
- Tx (Frames)	62.499.996	35.472.969	19.021.734	9.868.419	5.028.732	4.038.453
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	62.499.996	35.472.969	19.021.734	9.868.419	5.028.732	4.038.453
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	62.499.996	35.472.969	19.021.734	9.868.419	5.028.732	4.038.453
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	62.499.996	35.472.969	19.021.734	9.868.419	5.028.732	4.038.453
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	62.499.996	35.472.969	19.021.734	9.868.419	5.028.732	4.038.453

- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	62.499.996	35.472.969	19.021.734	9.868.419	5.028.732	4.038.453
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	62.499.996	35.472.969	19.021.734	9.868.419	5.028.732	4.038.453
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	62.499.996	35.472.969	19.021.734	9.868.419	5.028.732	4.038.453
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	62.499.996	35.472.969	19.021.734	9.868.419	5.028.732	4.038.453
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.029	164.474	83.812	67.308
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	9.730	14.470	19.021.734	9.868.419	5.028.732	4.038.453
- Rx Rate (L1) (Bit/s)	108,98 K	285,54 K	700 M	700 M	700 M	700 M
- Rx Rate (Fps)	162	241	317.029	164.474	83.812	67.308
- Flood Count (Frames)	168	169	169	165	170	170
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	9.730	14.463	19.021.734	9.868.419	5.028.732	4.038.453
- Rx Rate (L1) (Bit/s)	108,98 K	285,4 K	700 M	700 M	700 M	700 M
- Rx Rate (Fps)	162	241	317.029	164.474	83.812	67.308
- Flood Count (Frames)	170	168	168	169	168	168
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	9.729	14.478	19.021.734	9.868.419	5.028.732	4.038.452
- Rx Rate (L1) (Bit/s)	108,96 K	285,7 K	700 M	700 M	700 M	700 M
- Rx Rate (Fps)	162	241	317.029	164.474	83.812	67.308
- Flood Count (Frames)	165	169	167	168	166	170
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	9.729	14.452	19.021.734	9.868.419	5.028.732	4.038.453
- Rx Rate (L1) (Bit/s)	108,96 K	285,19 K	700 M	700 M	700 M	700 M
- Rx Rate (Fps)	162	241	317.029	164.474	83.812	67.308
- Flood Count (Frames)	168	162	172	170	162	170
P-0-4-1						

- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	9.728	14.437	19.021.734	9.868.419	5.028.732	4.038.452
- Rx Rate (L1) (Bit/s)	108,95 K	284,89 K	700 M	700 M	700 M	700 M
- Rx Rate (Fps)	162	241	317.029	164.474	83.812	67.308
- Flood Count (Frames)	169	166	167	169	168	170
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	9.728	14.468	19.021.734	9.868.419	5.028.732	4.038.453
- Rx Rate (L1) (Bit/s)	108,95 K	285,5 K	700 M	700 M	700 M	700 M
- Rx Rate (Fps)	162	241	317.029	164.474	83.812	67.308
- Flood Count (Frames)	170	166	167	166	166	164
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	9.729	14.448	19.021.734	9.868.419	5.028.732	4.038.451
- Rx Rate (L1) (Bit/s)	108,96 K	285,11 K	700 M	700 M	700 M	700 M
- Rx Rate (Fps)	162	241	317.029	164.474	83.812	67.308
- Flood Count (Frames)	169	169	165	167	169	165
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	9.729	14.448	19.021.734	9.868.419	5.028.732	4.038.451
- Rx Rate (L1) (Bit/s)	108,96 K	285,11 K	700 M	700 M	700 M	700 M
- Rx Rate (Fps)	162	241	317.029	164.474	83.812	67.308
- Flood Count (Frames)	169	170	166	168	170	168
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	9.734	14.453	19.021.734	9.868.419	5.028.732	4.038.451
- Rx Rate (L1) (Bit/s)	109,02 K	285,21 K	700 M	700 M	700 M	700 M
- Rx Rate (Fps)	162	241	317.029	164.474	83.812	67.308
- Flood Count (Frames)	172	168	170	170	167	171

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	70 %
Tx Rate (L1) (Bit/s)	6,3 G
Tx Rate (Fps)	512.028
Rx Rate (Percent)	70 %
Rx Rate (L1) (Bit/s)	6,3 G
Rx Rate (Fps)	512,03 K
Loss Rate (Percent)	0 %
Loss (Frames)	5
P-0-0-0	
- Tx (Frames)	3.413.520
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	3.413.520
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	3.413.520
- Tx Rate (L1) (Bit/s)	700 M

- Tx Rate (Fps)	56.892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	3.413.520
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	3.413.520
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	3.413.520
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	3.413.520
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	3.413.520
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	3.413.520
- Tx Rate (L1) (Bit/s)	700 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	3.413.520
- Rx Rate (L1) (Bit/s)	700 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	170
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	3.413.520
- Rx Rate (L1) (Bit/s)	700 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	170
P-0-2-5	
- Tx (Frames)	0

- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	3.413.520
- Rx Rate (L1) (Bit/s)	700 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	171
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	3.413.520
- Rx Rate (L1) (Bit/s)	700 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	170
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	3.413.517
- Rx Rate (L1) (Bit/s)	700 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	169
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	3.413.518
- Rx Rate (L1) (Bit/s)	700 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	171
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	3.413.520
- Rx Rate (L1) (Bit/s)	700 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	165
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	3.413.520
- Rx Rate (L1) (Bit/s)	700 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	175
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	3.413.520
- Rx Rate (L1) (Bit/s)	700 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	175



Results for 80,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	80 %	80 %	80 %	80 %	80 %	80 %
Tx Rate (L1) (Bit/s)	7,2 G	7,2 G	7,2 G	7,2 G	7,2 G	7,2 G
Tx Rate (Fps)	10.714.284	6.081.080	3.260.868	1.691.728	862.068	692.307
Rx Rate (Percent)	0,01 %	0,03 %	80 %	80 %	80 %	80 %
Rx Rate (L1) (Bit/s)	773,14 K	2,29 M	7,2 G	7,2 G	7,2 G	7,2 G
Rx Rate (Fps)	1,15 K	1,93 K	3,26 M	1,69 M	862,07 K	692,31 K
Loss Rate (Percent)	99,99 %	99,97 %	0 %	0 %	0 %	0 %
Loss (Frames)	642.788.037	364.748.998	0	0	0	2
P-0-0-0						
- Tx (Frames)	71.428.563	40.540.536	21.739.122	11.278.188	5.747.121	4.615.380
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	71.428.563	40.540.536	21.739.122	11.278.188	5.747.121	4.615.380
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	71.428.563	40.540.536	21.739.122	11.278.188	5.747.121	4.615.380
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	71.428.563	40.540.536	21.739.122	11.278.188	5.747.121	4.615.380
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	71.428.563	40.540.536	21.739.122	11.278.188	5.747.121	4.615.380

- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	71.428.563	40.540.536	21.739.122	11.278.188	5.747.121	4.615.380
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	71.428.563	40.540.536	21.739.122	11.278.188	5.747.121	4.615.380
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	71.428.563	40.540.536	21.739.122	11.278.188	5.747.121	4.615.380
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	71.428.563	40.540.536	21.739.122	11.278.188	5.747.121	4.615.380
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.676	362.319	187.970	95.785	76.923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.655	12.855	21.739.122	11.278.188	5.747.121	4.615.380
- Rx Rate (L1) (Bit/s)	85,74 K	253,67 K	800 M	800 M	800 M	800 M
- Rx Rate (Fps)	128	214	362.319	187.970	95.785	76.923
- Flood Count (Frames)	165	166	168	171	166	172
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.683	12.870	21.739.122	11.278.188	5.747.121	4.615.380
- Rx Rate (L1) (Bit/s)	86,05 K	253,97 K	800 M	800 M	800 M	800 M
- Rx Rate (Fps)	128	215	362.319	187.970	95.785	76.923
- Flood Count (Frames)	169	166	165	173	170	174
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.715	12.899	21.739.122	11.278.188	5.747.121	4.615.380
- Rx Rate (L1) (Bit/s)	86,41 K	254,54 K	800 M	800 M	800 M	800 M
- Rx Rate (Fps)	129	215	362.319	187.970	95.785	76.923
- Flood Count (Frames)	164	168	172	166	165	170
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.708	12.892	21.739.122	11.278.188	5.747.121	4.615.380
- Rx Rate (L1) (Bit/s)	86,33 K	254,4 K	800 M	800 M	800 M	800 M
- Rx Rate (Fps)	128	215	362.319	187.970	95.785	76.923
- Flood Count (Frames)	168	169	169	170	170	170
P-0-4-1						

- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.710	12.858	21.739.122	11.278.188	5.747.121	4.615.378
- Rx Rate (L1) (Bit/s)	86,35 K	253,73 K	800 M	800 M	800 M	800 M
- Rx Rate (Fps)	129	214	362.319	187.970	95.785	76.923
- Flood Count (Frames)	167	168	169	167	171	168
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.697	12.872	21.739.122	11.278.188	5.747.121	4.615.380
- Rx Rate (L1) (Bit/s)	86,21 K	254,01 K	800 M	800 M	800 M	800 M
- Rx Rate (Fps)	128	215	362.319	187.970	95.785	76.923
- Flood Count (Frames)	169	172	167	172	166	172
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.660	12.871	21.739.122	11.278.188	5.747.121	4.615.380
- Rx Rate (L1) (Bit/s)	85,79 K	253,99 K	800 M	800 M	800 M	800 M
- Rx Rate (Fps)	128	215	362.319	187.970	95.785	76.923
- Flood Count (Frames)	170	167	165	166	169	171
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.604	12.868	21.739.122	11.278.188	5.747.121	4.615.380
- Rx Rate (L1) (Bit/s)	85,16 K	253,93 K	800 M	800 M	800 M	800 M
- Rx Rate (Fps)	127	214	362.319	187.970	95.785	76.923
- Flood Count (Frames)	170	165	169	169	169	171
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.598	12.841	21.739.122	11.278.188	5.747.121	4.615.380
- Rx Rate (L1) (Bit/s)	85,1 K	253,4 K	800 M	800 M	800 M	800 M
- Rx Rate (Fps)	127	214	362.319	187.970	95.785	76.923
- Flood Count (Frames)	170	166	168	171	170	174

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	80 %
Tx Rate (L1) (Bit/s)	7,2 G
Tx Rate (Fps)	585.175
Rx Rate (Percent)	80 %
Rx Rate (L1) (Bit/s)	7,2 G
Rx Rate (Fps)	585,18 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	3.901.167
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	3.901.167
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	3.901.167
- Tx Rate (L1) (Bit/s)	800 M

- Tx Rate (Fps)	65.019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	3.901.167
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	3.901.167
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	3.901.167
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	3.901.167
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	3.901.167
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	3.901.167
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	3.901.167
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65.019
- Flood Count (Frames)	170
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	3.901.167
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65.019
- Flood Count (Frames)	168
P-0-2-5	
- Tx (Frames)	0

- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	3.901.167
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65.019
- Flood Count (Frames)	168
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	3.901.167
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65.019
- Flood Count (Frames)	173
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	3.901.167
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65.019
- Flood Count (Frames)	173
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	3.901.167
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65.019
- Flood Count (Frames)	167
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	3.901.167
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65.019
- Flood Count (Frames)	169
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	3.901.167
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65.019
- Flood Count (Frames)	173
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	3.901.167
- Rx Rate (L1) (Bit/s)	800 M
- Rx Rate (Fps)	65.019
- Flood Count (Frames)	167



Results for 90,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	90 %	90 %	90 %	90 %	90 %	90 %
Tx Rate (L1) (Bit/s)	8,1 G	8,1 G	8,1 G	8,1 G	8,1 G	8,1 G
Tx Rate (Fps)	12.053.571	6.841.215	3.668.478	1.903.195	969.827	778.846
Rx Rate (Percent)	0,01 %	0,03 %	90 %	90 %	90 %	90 %
Rx Rate (L1) (Bit/s)	725,58 K	2,37 M	8,1 G	8,1 G	8,1 G	8,1 G
Rx Rate (Fps)	1,08 K	2 K	3,67 M	1,9 M	969,83 K	778,85 K
Loss Rate (Percent)	99,99 %	99,97 %	0 %	0 %	0 %	0 %
Loss (Frames)	723.149.467	410.353.025	0	0	0	0
P-0-0-0						
- Tx (Frames)	80.357.139	45.608.103	24.456.519	12.687.966	6.465.510	5.192.307
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	80.357.139	45.608.103	24.456.519	12.687.966	6.465.510	5.192.307
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	80.357.139	45.608.103	24.456.519	12.687.966	6.465.510	5.192.307
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	80.357.139	45.608.103	24.456.519	12.687.966	6.465.510	5.192.307
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	80.357.139	45.608.103	24.456.519	12.687.966	6.465.510	5.192.307

- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	80.357.139	45.608.103	24.456.519	12.687.966	6.465.510	5.192.307
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	80.357.139	45.608.103	24.456.519	12.687.966	6.465.510	5.192.307
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	80.357.139	45.608.103	24.456.519	12.687.966	6.465.510	5.192.307
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	80.357.139	45.608.103	24.456.519	12.687.966	6.465.510	5.192.307
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.198	13.321	24.456.519	12.687.966	6.465.510	5.192.307
- Rx Rate (L1) (Bit/s)	80,62 K	262,87 K	900 M	900 M	900 M	900 M
- Rx Rate (Fps)	120	222	407.609	211.466	107.759	86.538
- Flood Count (Frames)	168	167	164	168	168	170
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.197	13.321	24.456.519	12.687.966	6.465.510	5.192.307
- Rx Rate (L1) (Bit/s)	80,61 K	262,87 K	900 M	900 M	900 M	900 M
- Rx Rate (Fps)	120	222	407.609	211.466	107.759	86.538
- Flood Count (Frames)	167	167	168	168	170	167
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.198	13.321	24.456.519	12.687.966	6.465.510	5.192.307
- Rx Rate (L1) (Bit/s)	80,62 K	262,87 K	900 M	900 M	900 M	900 M
- Rx Rate (Fps)	120	222	407.609	211.466	107.759	86.538
- Flood Count (Frames)	170	168	171	170	171	166
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.199	13.322	24.456.519	12.687.966	6.465.510	5.192.307
- Rx Rate (L1) (Bit/s)	80,63 K	262,89 K	900 M	900 M	900 M	900 M
- Rx Rate (Fps)	120	222	407.609	211.466	107.759	86.538
- Flood Count (Frames)	169	166	164	172	170	170
P-0-4-1						

- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.197	13.323	24.456.519	12.687.966	6.465.510	5.192.307
- Rx Rate (L1) (Bit/s)	80,61 K	262,91 K	900 M	900 M	900 M	900 M
- Rx Rate (Fps)	120	222	407.609	211.466	107.759	86.538
- Flood Count (Frames)	168	165	167	168	167	170
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.197	13.323	24.456.519	12.687.966	6.465.510	5.192.307
- Rx Rate (L1) (Bit/s)	80,61 K	262,91 K	900 M	900 M	900 M	900 M
- Rx Rate (Fps)	120	222	407.609	211.466	107.759	86.538
- Flood Count (Frames)	170	167	168	170	172	167
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.198	13.322	24.456.519	12.687.966	6.465.510	5.192.307
- Rx Rate (L1) (Bit/s)	80,62 K	262,89 K	900 M	900 M	900 M	900 M
- Rx Rate (Fps)	120	222	407.609	211.466	107.759	86.538
- Flood Count (Frames)	166	171	166	167	172	172
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.197	13.323	24.456.519	12.687.966	6.465.510	5.192.307
- Rx Rate (L1) (Bit/s)	80,61 K	262,91 K	900 M	900 M	900 M	900 M
- Rx Rate (Fps)	120	222	407.609	211.466	107.759	86.538
- Flood Count (Frames)	171	169	169	166	170	172
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.203	13.326	24.456.519	12.687.966	6.465.510	5.192.307
- Rx Rate (L1) (Bit/s)	80,67 K	262,97 K	900 M	900 M	900 M	900 M
- Rx Rate (Fps)	120	222	407.609	211.466	107.759	86.538
- Flood Count (Frames)	165	165	168	169	173	171

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	90 %
Tx Rate (L1) (Bit/s)	8,1 G
Tx Rate (Fps)	658.322
Rx Rate (Percent)	90 %
Rx Rate (L1) (Bit/s)	8,1 G
Rx Rate (Fps)	658,32 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	4.388.814
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	4.388.814
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	4.388.814
- Tx Rate (L1) (Bit/s)	900 M

- Tx Rate (Fps)	73.147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	4.388.814
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	4.388.814
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	4.388.814
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	4.388.814
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	4.388.814
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	4.388.814
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	4.388.814
- Rx Rate (L1) (Bit/s)	900 M
- Rx Rate (Fps)	73.147
- Flood Count (Frames)	168
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	4.388.814
- Rx Rate (L1) (Bit/s)	900 M
- Rx Rate (Fps)	73.147
- Flood Count (Frames)	172
P-0-2-5	
- Tx (Frames)	0

- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	4.388.814
- Rx Rate (L1) (Bit/s)	900 M
- Rx Rate (Fps)	73.147
- Flood Count (Frames)	169
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	4.388.814
- Rx Rate (L1) (Bit/s)	900 M
- Rx Rate (Fps)	73.147
- Flood Count (Frames)	176
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	4.388.814
- Rx Rate (L1) (Bit/s)	900 M
- Rx Rate (Fps)	73.147
- Flood Count (Frames)	172
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	4.388.814
- Rx Rate (L1) (Bit/s)	900 M
- Rx Rate (Fps)	73.147
- Flood Count (Frames)	173
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	4.388.814
- Rx Rate (L1) (Bit/s)	900 M
- Rx Rate (Fps)	73.147
- Flood Count (Frames)	171
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	4.388.814
- Rx Rate (L1) (Bit/s)	900 M
- Rx Rate (Fps)	73.147
- Flood Count (Frames)	170
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	4.388.814
- Rx Rate (L1) (Bit/s)	900 M
- Rx Rate (Fps)	73.147
- Flood Count (Frames)	174



Results for 100,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	100 %	100 %	100 %	100 %	100 %	100 %
Tx Rate (L1) (Bit/s)	9 G	9 G	9 G	9 G	9 G	9 G
Tx Rate (Fps)	13.392.856	7.601.351	4.076.086	2.114.662	1.077.586	865.384
Rx Rate (Percent)	0,01 %	0,02 %	98,48 %	99,19 %	99,38 %	99,49 %
Rx Rate (L1) (Bit/s)	774,22 K	1,92 M	8,86 G	8,93 G	8,94 G	8,95 G
Rx Rate (Fps)	1,15 K	1,62 K	4,01 M	2,1 M	1,07 M	860,99 K
Loss Rate (Percent)	99,99 %	99,98 %	1,52 %	0,81 %	0,62 %	0,51 %
Loss (Frames)	803.502.227	455.983.590	3.721.523	1.024.899	398.026	263.574
P-0-0-0						
- Tx (Frames)	89.285.706	50.675.670	27.173.907	14.097.744	7.183.908	5.769.225
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	89.285.706	50.675.670	27.173.907	14.097.744	7.183.908	5.769.225
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	89.285.706	50.675.670	27.173.907	14.097.744	7.183.908	5.769.225
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	89.285.706	50.675.670	27.173.907	14.097.744	7.183.908	5.769.225
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-4						
- Tx (Frames)	89.285.706	50.675.670	27.173.907	14.097.744	7.183.908	5.769.225

- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-5						
- Tx (Frames)	89.285.706	50.675.670	27.173.907	14.097.744	7.183.908	5.769.225
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-0						
- Tx (Frames)	89.285.706	50.675.670	27.173.907	14.097.744	7.183.908	5.769.225
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	89.285.706	50.675.670	27.173.907	14.097.744	7.183.908	5.769.225
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	89.285.706	50.675.670	27.173.907	14.097.744	7.183.908	5.769.225
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.682	10.827	26.712.368	13.967.703	7.126.265	5.737.444
- Rx Rate (L1) (Bit/s)	86,04 K	213,65 K	983,02 M	990,78 M	991,98 M	994,49 M
- Rx Rate (Fps)	128	180	445.206	232.795	118.771	95.624
- Flood Count (Frames)	168	170	164	160	173	170
P-0-2-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.681	10.828	26.780.698	13.990.642	7.137.896	5.740.176
- Rx Rate (L1) (Bit/s)	86,03 K	213,67 K	985,53 M	992,4 M	993,6 M	994,96 M
- Rx Rate (Fps)	128	180	446.345	233.177	118.965	95.670
- Flood Count (Frames)	165	164	164	166	168	165
P-0-2-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.679	10.827	26.777.520	13.990.774	7.142.923	5.740.043
- Rx Rate (L1) (Bit/s)	86 K	213,65 K	985,41 M	992,41 M	994,29 M	994,94 M
- Rx Rate (Fps)	128	180	446.292	233.180	119.049	95.667
- Flood Count (Frames)	170	169	159	159	165	172
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.679	10.827	26.763.603	13.984.212	7.147.993	5.740.367
- Rx Rate (L1) (Bit/s)	86 K	213,65 K	984,9 M	991,95 M	995 M	995 M
- Rx Rate (Fps)	128	180	446.060	233.070	119.133	95.673
- Flood Count (Frames)	169	169	165	161	165	166
P-0-4-1						

- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.679	10.826	26.771.949	13.979.117	7.146.277	5.740.575
- Rx Rate (L1) (Bit/s)	86 K	213,63 K	985,21 M	991,59 M	994,76 M	995,03 M
- Rx Rate (Fps)	128	180	446.199	232.985	119.105	95.676
- Flood Count (Frames)	168	166	169	160	169	169
P-0-4-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.679	10.825	26.771.194	13.981.628	7.142.754	5.740.362
- Rx Rate (L1) (Bit/s)	86 K	213,61 K	985,18 M	991,76 M	994,27 M	995 M
- Rx Rate (Fps)	128	180	446.187	233.027	119.046	95.673
- Flood Count (Frames)	166	165	169	164	167	160
P-0-4-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.680	10.824	26.760.992	13.987.414	7.140.527	5.739.994
- Rx Rate (L1) (Bit/s)	86,02 K	213,59 K	984,8 M	992,17 M	993,96 M	994,93 M
- Rx Rate (Fps)	128	180	446.017	233.124	119.009	95.667
- Flood Count (Frames)	172	168	165	164	168	168
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.681	10.826	26.748.152	13.984.774	7.137.505	5.740.365
- Rx Rate (L1) (Bit/s)	86,03 K	213,63 K	984,33 M	991,99 M	993,54 M	995 M
- Rx Rate (Fps)	128	180	445.803	233.080	118.958	95.673
- Flood Count (Frames)	169	170	162	163	165	166
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.687	10.830	26.757.164	13.988.533	7.135.006	5.740.125
- Rx Rate (L1) (Bit/s)	86,09 K	213,71 K	984,66 M	992,25 M	993,19 M	994,96 M
- Rx Rate (Fps)	128	181	445.953	233.142	118.917	95.669
- Flood Count (Frames)	168	164	160	171	169	163

Frame Size	**1518**
Result State	PASS
Iter. #	1
Tx Rate (Percent)	100 %
Tx Rate (L1) (Bit/s)	9 G
Tx Rate (Fps)	731.469
Rx Rate (Percent)	99,56 %
Rx Rate (L1) (Bit/s)	8,96 G
Rx Rate (Fps)	728,27 K
Loss Rate (Percent)	0,44 %
Loss (Frames)	191.710
P-0-0-0	
- Tx (Frames)	4.876.461
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	4.876.461
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	4.876.461
- Tx Rate (L1) (Bit/s)	1000 M

- Tx Rate (Fps)	81.274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	4.876.461
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-4	
- Tx (Frames)	4.876.461
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-5	
- Tx (Frames)	4.876.461
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-0	
- Tx (Frames)	4.876.461
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	4.876.461
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	4.876.461
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	4.852.107
- Rx Rate (L1) (Bit/s)	995,01 M
- Rx Rate (Fps)	80.868
- Flood Count (Frames)	167
P-0-2-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	4.854.587
- Rx Rate (L1) (Bit/s)	995,51 M
- Rx Rate (Fps)	80.910
- Flood Count (Frames)	162
P-0-2-5	
- Tx (Frames)	0

- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	4.855.112
- Rx Rate (L1) (Bit/s)	995,62 M
- Rx Rate (Fps)	80.919
- Flood Count (Frames)	172
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	4.857.062
- Rx Rate (L1) (Bit/s)	996,02 M
- Rx Rate (Fps)	80.951
- Flood Count (Frames)	166
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	4.855.799
- Rx Rate (L1) (Bit/s)	995,76 M
- Rx Rate (Fps)	80.930
- Flood Count (Frames)	172
P-0-4-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	4.855.324
- Rx Rate (L1) (Bit/s)	995,67 M
- Rx Rate (Fps)	80.922
- Flood Count (Frames)	164
P-0-4-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	4.855.673
- Rx Rate (L1) (Bit/s)	995,74 M
- Rx Rate (Fps)	80.928
- Flood Count (Frames)	170
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	4.855.556
- Rx Rate (L1) (Bit/s)	995,71 M
- Rx Rate (Fps)	80.926
- Flood Count (Frames)	167
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	4.855.219
- Rx Rate (L1) (Bit/s)	995,64 M
- Rx Rate (Fps)	80.920
- Flood Count (Frames)	165


Part.Mesh, N->N: Loss by Frame Size at 100,00% Rate
Loss Test Result (Loss Percent)
100,0
80,0
60,0
40,0
20,0
0,0
64
128
256
512
1024
1280
1518
Frame size (bytes)
Loss Percent

Congestion Control Results

Test Setup

Duration: 60 seconds
Iteration: 1

Port ID	Port Role
P-0-0-0	Source
P-0-0-1	Source
P-0-0-2	Destination
P-0-0-3	Destination

Test Results

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	FAIL	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	100 %	100 %	100 %	100 %	100 %	100 %
Tx (Frames)	178.913.605	101.502.327	54.422.588	28.232.297	14.386.713	11.553.735
Uncongested Port:						
- Tx (Frames)	44.726.913	25.374.616	13.605.191	7.057.804	3.596.541	2.888.322
- Rx (Frames)	44.726.913	25.374.616	13.605.191	7.017.194	3.518.759	2.806.600
- Loss (Frames)	0	0	0	40.610	77.782	81.722
- Loss (Percent)	0,00	0,00	0,00	0,58	2,16	2,83
Congested Port:						
- Tx (Frames)	134.186.692	76.127.711	40.817.397	21.174.493	10.790.172	8.665.413
- Rx (Frames)	85.408.622	49.419.396	26.824.506	14.011.909	7.136.864	5.718.362
- Loss (Frames)	48.778.070	26.708.315	13.992.891	7.162.584	3.653.308	2.947.051
- Loss (Percent)	36,35	35,08	34,28	33,83	33,86	34,01

Frame Size	1518
Result State	FAIL
Iter. #	1
Tx Rate (Percent)	100 %
Tx (Frames)	9.767.660
Uncongested Port:	
- Tx (Frames)	2.441.822
- Rx (Frames)	2.379.962
- Loss (Frames)	61.860
- Loss (Percent)	2,53
Congested Port:	
- Tx (Frames)	7.325.838
- Rx (Frames)	4.844.838
- Loss (Frames)	2.481.000
- Loss (Percent)	33,87

Note: One or more of the tests did not pass the test criteria!

Forward Pressure Results

Test Setup

Duration: 60 seconds
Iteration: 1

InterFrame Gap Delta: 1 bytes

Port ID	Port Role
P-0-0-0	Source
P-0-0-1	Destination

Test Results

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx (Frames)	90.361.445	51.020.408	27.272.727	14.124.293	7.190.795	5.773.672
Tx Rate (Fps)	1.506.024	850.340	454.545	235.405	119.847	96.228
Tx IFG (Bytes)	20	20	20	20	20	20
Tx Max. Util. (Percent)	101,205	100,680	100,364	100,188	100,096	100,077
Rx (Frames)	85.226.928	49.341.917	26.785.645	13.992.529	7.024.166	5.601.002
Rx Rate (Fps)	1.420.448	822.364	446.426	233.208	117.070	93.350
Rx Max. Util. (Percent)	95,454	97,368	98,571	99,253	97,777	97,084
Loss (Frames)	5.134.517	1.678.491	487.082	131.764	166.629	172.670
Loss (Percent)	5,68	3,29	1,79	0,93	2,32	2,99

Frame Size	1518
Result State	PASS
Iter. #	1
Tx (Frames)	4.879.635
Tx Rate (Fps)	81.327
Tx IFG (Bytes)	20
Tx Max. Util. (Percent)	100,065
Rx (Frames)	4.750.561
Rx Rate (Fps)	79.176
Rx Max. Util. (Percent)	97,418
Loss (Frames)	129.074
Loss (Percent)	2,65

Maximum Forwarding Rate Results

Test Setup

Duration: 60 seconds
Iteration: 1

Port ID	Port Role
P-0-0-0	Source
P-0-0-1	Destination

Test Results

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	100 %	100 %	100 %	100 %	100 %	100 %
Tx (Frames)	89.285.714	50.675.675	27.173.913	14.097.744	7.183.908	5.769.230
Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
Rx (Frames)	85.226.920	49.341.926	26.785.643	13.992.529	7.027.830	5.606.421
Rx Rate (L1) (Bit/s)	954,54 M	973,68 M	985,71 M	992,54 M	978,27 M	971,78 M
Rx Rate (Fps)	1.420.449	822.365	446.427	233.209	117.131	93.440

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	100 %
Tx (Frames)	4.876.462
Tx Rate (L1) (Bit/s)	1000 M
Tx Rate (Fps)	81.274
Rx (Frames)	4.752.157
Rx Rate (L1) (Bit/s)	974,51 M
Rx Rate (Fps)	79.203

Address Caching Capacity Results

Test Setup

Iteration: 1

Test Port Address Mode: Use Port Native MAC
Learn Port DMAC Mode: Use Test Port MAC
Learn Port Base Address: 02:F4:BC

Address Initial Count: 4.096
Address Maximum Count: 65.535
Address Minimum Count: 100
Address Resolution: 100

Learning Rate: 1.000 Fps
Toggle Port Sync State: Yes
Sync. State Off Duration: 1 seconds
Switch Test Ports: No
DUT Aging Time: 300 seconds

Port ID	Port Role
P-0-0-0	Test Port
P-0-0-1	Learning Port
P-0-0-2	Monitoring Port

Test Results

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Duration (Seconds)	3	3	3	3	3	3
Address Count	1.504	1.504	1.504	1.504	1.504	1.504
TestPort Tx (Frames)	1.504	1.504	1.504	1.504	1.504	1.504
TestPort Rx (Frames)	0	0	0	0	0	0
LearnPort Rx (Frames)	1.504	1.504	1.504	1.504	1.504	1.504
MonPort Rx (Frames)	0	0	0	0	0	0

Frame Size	1518
Result State	PASS
Iter. #	1
Duration (Seconds)	3
Address Count	1.504
TestPort Tx (Frames)	1.504
TestPort Rx (Frames)	0
LearnPort Rx (Frames)	1.504
MonPort Rx (Frames)	0

Address Learning Rate Results

Test Setup

Iteration: 1

Test Port Address Mode: Use Port Native MAC
Learn Port DMAC Mode: Use Test Port MAC
Learn Port Base Address: 02:F4:BC
Only Use Max. Capacity: No
Set End = Max. Capacity: Yes

Base Learning Rate: 1.000 Fps
Initial Rate: 10,00%
Maximum Rate: 100,00%
Minimum Rate : 10,00%
Resolution: 10,00%

Toggle Port Sync State: Yes
Sync. State Off Duration: 1 seconds
Switch Test Ports: No
DUT Aging Time: 300 seconds

Port ID	Port Role
P-0-0-0	Test Port
P-0-0-1	Learning Port
P-0-0-2	Monitoring Port

Test Results

Results for 1.504 Addresses

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Learning Rate (Percent)	94,375 %	94,375 %	94,375 %	94,375 %	94,375 %	94,375 %
Learning Rate (Fps)	944	944	944	944	944	944
Duration (Seconds)	3	3	3	3	3	3
Address Count	1.504	1.504	1.504	1.504	1.504	1.504
TestPort Tx (Frames)	1.504	1.504	1.504	1.504	1.504	1.504
TestPort Rx (Frames)	0	0	0	0	0	0
LearnPort Rx (Frames)	1.504	1.504	1.504	1.504	1.504	1.504
MonPort Rx (Frames)	0	0	0	0	0	0

Frame Size	1518
Result State	PASS
Iter. #	1
Learning Rate (Percent)	94,375 %
Learning Rate (Fps)	944
Duration (Seconds)	3
Address Count	1.504
TestPort Tx (Frames)	1.504
TestPort Rx (Frames)	0
LearnPort Rx (Frames)	1.504
MonPort Rx (Frames)	0


Address Learning Rate for 1.504 Addresses
Learning Test Result (Learning Rate)
1.000
800
600
400
200
0
64
128
256
512
1024
1280
1518
Frame size (bytes)
Max. Learning Rate

Errored Frames Filtering Results

Test Setup

Duration: 120 seconds
Iteration: 1

Oversize Test Enabled: Yes
Max. Valid Frame Size: 1518 bytes
Min. Valid Frame Size: 64 bytes
Oversize Frame Span: 1 bytes
Undersize Frame Span: 1 bytes

Port ID	Port Role
P-0-0-0	Source
P-0-0-1	Destination

Test Results

Tx Rate (Percent)	10 %	20 %	30 %	40 %	50 %	60 %
Result State	FAIL	FAIL	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Tx Rate (L1) (Bit/s)	100 M	200 M	300 M	400 M	500 M	600 M
Tx (Frames)	6.965.504	13.931.009	20.896.515	27.862.019	34.827.526	41.793.031
Rx (Frames)	6.965.504	13.931.009	20.895.904	27.861.238	34.826.548	41.791.936
Tx Valid (Frames)	616.522	1.233.045	1.849.568	2.466.091	3.082.614	3.699.136
Rx Valid (Frames)	616.522	1.233.045	1.849.568	2.466.091	3.082.614	3.699.136
Tx Oversize (Frames)	324.886	649.772	974.658	1.299.543	1.624.431	1.949.317
Rx Oversize (Frames)	324.886	649.772	974.658	1.299.543	1.624.431	1.949.317
Tx Undersize (Frames)	6.024.096	12.048.192	18.072.289	24.096.385	30.120.481	36.144.578
Rx Undersize (Frames)	6.024.096	12.048.192	18.071.678	24.095.604	30.119.503	36.143.483
Tx FCS Error (Frames)	236	236	236	236	236	236
Rx FCS Error (Frames)	0	0	0	0	0	0

Tx Rate (Percent)	70 %	80 %	90 %	100 %
Result State	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1
Tx Rate (L1) (Bit/s)	700 M	800 M	900 M	1000 M
Tx (Frames)	48.758.537	55.724.043	62.689.548	69.655.053
Rx (Frames)	48.757.268	55.722.814	62.688.322	195.658
Tx Valid (Frames)	4.315.659	4.932.182	5.548.705	6.165.228
Rx Valid (Frames)	4.315.659	4.932.182	5.548.705	19.734
Tx Oversize (Frames)	2.274.204	2.599.090	2.923.976	3.248.862
Rx Oversize (Frames)	2.274.204	2.599.090	2.923.976	10.108
Tx Undersize (Frames)	42.168.674	48.192.771	54.216.867	60.240.963
Rx Undersize (Frames)	42.167.405	48.191.542	54.215.641	165.816
Tx FCS Error (Frames)	236	236	236	236
Rx FCS Error (Frames)	0	0	0	239

Note: One or more of the tests did not pass the test criteria!

Broadcast Forwarding Results

Test Setup

Duration: 120 seconds
Iteration: 1

Initial Rate: 10,00%
Maximum Rate: 100,00%
Minimum Rate: 10,00%
Resolution: 10,00%

Port ID	Port Role
P-0-0-0	Source
P-0-0-1	Destination
P-0-0-2	Destination
P-0-0-3	Destination
P-0-0-4	Destination
P-0-0-5	Destination
P-0-2-0	Destination
P-0-2-1	Destination
P-0-2-2	Destination
P-0-2-3	Destination
P-0-2-4	Destination
P-0-2-5	Destination
P-0-4-0	Destination
P-0-4-1	Destination
P-0-4-2	Destination
P-0-4-3	Destination
P-0-4-4	Destination
P-0-4-5	Destination

Test Results

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	94,375 %	94,375 %	94,375 %	94,375 %	10 %	10 %
Tx (Frames)	168.526.785	95.650.337	51.290.760	26.609.492	1.436.781	1.153.846
Tx Rate (L1) (Bit/s)	943,75 M	943,75 M	943,75 M	943,75 M	100 M	100 M
Tx Rate (Fps)	1.404.390	797.086	427.423	221.746	11.973	9.615
Loss Rate (Percent)	0 %	0 %	0 %	0 %	0,63 %	0,61 %
Loss (Frames)	0	0	0	0	153.021	119.196
P-0-0-1						
- Rx (Frames)	168.526.785	95.650.337	51.290.760	26.609.492	1.426.338	1.145.803
- Rx Rate (L1) (Bit/s)	943,75 M	943,75 M	943,75 M	943,75 M	99,27 M	99,3 M
- Rx Rate (Fps)	1.404.390	797.086	427.423	221.746	11.886	9.548
- Avg Latency (micsec)	2,461	2,902	2,882	2,870	2,856	2,861
- Min Latency (micsec)	2,262	2,679	2,671	2,655	2,671	2,655
- Max Latency (micsec)	4,860	5,037	4,788	4,652	4,980	4,147
- Avg Jitter (micsec)	0,011	0,033	0,027	0,025	0,002	0,002
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,357	2,092	2,020	1,804	2,261	1,419
P-0-0-2						
- Rx (Frames)	168.526.785	95.650.337	51.290.760	26.609.492	1.436.781	1.153.846
- Rx Rate (L1) (Bit/s)	943,75 M	943,75 M	943,75 M	943,75 M	100 M	100 M
- Rx Rate (Fps)	1.404.390	797.086	427.423	221.746	11.973	9.615
- Avg Latency (micsec)	2,473	2,922	2,896	2,887	2,891	2,895
- Min Latency (micsec)	2,286	2,679	2,695	2,679	2,695	2,703
- Max Latency (micsec)	4,764	4,916	4,740	4,772	4,187	4,122
- Avg Jitter (micsec)	0,010	0,034	0,027	0,021	0,002	0,002
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,285	1,948	1,996	1,972	1,443	1,347
P-0-0-3						
- Rx (Frames)	168.526.785	95.650.337	51.290.760	26.609.492	1.436.185	1.153.429
- Rx Rate (L1) (Bit/s)	943,75 M	943,75 M	943,75 M	943,75 M	99,96 M	99,96 M
- Rx Rate (Fps)	1.404.390	797.086	427.423	221.746	11.968	9.612
- Avg Latency (micsec)	2,483	2,902	2,874	2,869	2,861	2,865

- Min Latency (micsec)	2,286	2,655	2,671	2,655	2,695	2,703
- Max Latency (micsec)	4,668	4,796	4,668	4,868	3,922	4,483
- Avg Jitter (micsec)	0,011	0,034	0,026	0,020	0,002	0,002
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,140	1,972	1,755	1,948	1,082	1,707
P-0-0-4						
- Rx (Frames)	168.526.785	95.650.337	51.290.760	26.609.492	1.433.306	1.151.044
- Rx Rate (L1) (Bit/s)	943,75 M	943,75 M	943,75 M	943,75 M	99,76 M	99,76 M
- Rx Rate (Fps)	1.404.390	797.086	427.423	221.746	11.944	9.592
- Avg Latency (micsec)	2,473	2,913	2,889	2,884	2,852	2,856
- Min Latency (micsec)	2,262	2,703	2,695	2,655	2,671	2,679
- Max Latency (micsec)	4,716	4,964	4,836	4,604	3,874	4,748
- Avg Jitter (micsec)	0,011	0,034	0,027	0,019	0,002	0,001
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,261	2,092	1,924	1,780	1,058	1,924
P-0-0-5						
- Rx (Frames)	168.526.785	95.650.337	51.290.760	26.609.492	1.433.566	1.151.324
- Rx Rate (L1) (Bit/s)	943,75 M	943,75 M	943,75 M	943,75 M	99,78 M	99,78 M
- Rx Rate (Fps)	1.404.390	797.086	427.423	221.746	11.946	9.594
- Avg Latency (micsec)	2,471	2,912	2,890	2,889	2,847	2,852
- Min Latency (micsec)	2,286	2,679	2,695	2,679	2,695	2,703
- Max Latency (micsec)	4,716	4,796	4,884	4,724	3,321	4,243
- Avg Jitter (micsec)	0,011	0,034	0,026	0,019	0,001	0,001
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,237	1,804	1,948	1,876	0,505	1,443
P-0-2-0						
- Rx (Frames)	168.526.785	95.650.337	51.290.760	26.609.492	1.436.781	1.153.845
- Rx Rate (L1) (Bit/s)	943,75 M	943,75 M	943,75 M	943,75 M	100 M	100 M
- Rx Rate (Fps)	1.404.390	797.086	427.423	221.746	11.973	9.615
- Avg Latency (micsec)	1,309	1,727	1,717	1,717	1,720	1,725
- Min Latency (micsec)	1,148	1,493	1,509	1,517	1,533	1,565
- Max Latency (micsec)	3,673	3,898	3,625	3,633	3,120	3,321
- Avg Jitter (micsec)	0,012	0,030	0,024	0,021	0,001	0,001
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,429	2,237	1,924	1,876	1,419	1,611
P-0-2-1						
- Rx (Frames)	168.526.785	95.650.337	51.290.760	26.609.492	1.436.781	1.153.846
- Rx Rate (L1) (Bit/s)	943,75 M	943,75 M	943,75 M	943,75 M	100 M	100 M
- Rx Rate (Fps)	1.404.390	797.086	427.423	221.746	11.973	9.615
- Avg Latency (micsec)	1,332	1,758	1,746	1,751	1,728	1,733
- Min Latency (micsec)	1,148	1,541	1,533	1,517	1,581	1,613
- Max Latency (micsec)	3,385	3,850	3,697	3,609	2,495	2,791
- Avg Jitter (micsec)	0,011	0,031	0,025	0,025	0,001	0,001
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,068	2,140	1,948	1,924	0,841	1,082
P-0-2-2						
- Rx (Frames)	168.526.785	95.650.337	51.290.760	26.609.492	1.424.174	1.144.190
- Rx Rate (L1) (Bit/s)	943,75 M	943,75 M	943,75 M	943,75 M	99,12 M	99,16 M
- Rx Rate (Fps)	1.404.390	797.086	427.423	221.746	11.868	9.535
- Avg Latency (micsec)	1,309	1,740	1,721	1,724	1,682	1,687
- Min Latency (micsec)	1,124	1,517	1,509	1,517	1,533	1,517
- Max Latency (micsec)	3,673	3,706	3,794	3,633	3,120	3,345
- Avg Jitter (micsec)	0,011	0,031	0,026	0,023	0,001	0,001
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,357	1,900	1,924	1,972	1,419	1,707
P-0-2-3						
- Rx (Frames)	168.526.785	95.650.337	51.290.760	26.609.492	1.436.781	1.153.846
- Rx Rate (L1) (Bit/s)	943,75 M	943,75 M	943,75 M	943,75 M	100 M	100 M
- Rx Rate (Fps)	1.404.390	797.086	427.423	221.746	11.973	9.615
- Avg Latency (micsec)	1,323	1,758	1,747	1,744	1,761	1,766
- Min Latency (micsec)	1,148	1,541	1,533	1,517	1,557	1,565
- Max Latency (micsec)	3,481	3,730	3,529	3,441	2,519	2,984
- Avg Jitter (micsec)	0,011	0,030	0,025	0,025	0,001	0,001
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,140	1,996	1,876	1,780	0,817	1,274
P-0-2-4						
- Rx (Frames)	168.526.785	95.650.337	51.290.760	26.609.492	1.436.780	1.153.845
- Rx Rate (L1) (Bit/s)	943,75 M	943,75 M	943,75 M	943,75 M	100 M	100 M
- Rx Rate (Fps)	1.404.390	797.086	427.423	221.746	11.973	9.615
- Avg Latency (micsec)	1,310	1,737	1,724	1,727	1,688	1,693
- Min Latency (micsec)	1,124	1,517	1,509	1,493	1,533	1,541

- Max Latency (micsec)	3,649	3,898	3,529	3,441	2,783	3,273
- Avg Jitter (micsec)	0,011	0,034	0,025	0,024	0,001	0,001
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,309	2,212	1,876	1,731	1,130	1,635
P-0-2-5						
- Rx (Frames)	168.526.785	95.650.337	51.290.760	26.609.492	1.404.588	1.128.744
- Rx Rate (L1) (Bit/s)	943,75 M	943,75 M	943,75 M	943,75 M	97,76 M	97,82 M
- Rx Rate (Fps)	1.404.390	797.086	427.423	221.746	11.705	9.406
- Avg Latency (micsec)	1,299	1,738	1,720	1,703	1,740	1,745
- Min Latency (micsec)	1,148	1,493	1,509	1,493	1,484	1,493
- Max Latency (micsec)	3,505	3,730	3,673	3,441	2,326	3,393
- Avg Jitter (micsec)	0,011	0,034	0,026	0,026	0,002	0,002
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,164	1,948	1,948	1,731	0,721	1,707
P-0-4-0						
- Rx (Frames)	168.526.785	95.650.337	51.290.760	26.609.492	1.436.780	1.153.846
- Rx Rate (L1) (Bit/s)	943,75 M	943,75 M	943,75 M	943,75 M	100 M	100 M
- Rx Rate (Fps)	1.404.390	797.086	427.423	221.746	11.973	9.615
- Avg Latency (micsec)	1,364	1,809	1,790	1,785	1,831	1,836
- Min Latency (micsec)	1,172	1,565	1,581	1,565	1,605	1,613
- Max Latency (micsec)	3,577	3,970	3,553	3,513	2,976	2,960
- Avg Jitter (micsec)	0,012	0,030	0,029	0,022	0,001	0,001
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,237	2,188	1,755	1,804	1,202	1,202
P-0-4-1						
- Rx (Frames)	168.526.785	95.650.337	51.290.760	26.609.492	1.413.904	1.136.082
- Rx Rate (L1) (Bit/s)	943,75 M	943,75 M	943,75 M	943,75 M	98,41 M	98,46 M
- Rx Rate (Fps)	1.404.390	797.086	427.423	221.746	11.783	9.467
- Avg Latency (micsec)	1,361	1,810	1,792	1,782	1,832	1,836
- Min Latency (micsec)	1,196	1,565	1,581	1,565	1,557	1,565
- Max Latency (micsec)	3,649	3,754	3,794	3,754	2,567	2,815
- Avg Jitter (micsec)	0,012	0,030	0,029	0,022	0,002	0,001
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,309	1,948	2,140	2,068	0,769	1,034
P-0-4-2						
- Rx (Frames)	168.526.785	95.650.337	51.290.760	26.609.492	1.408.028	1.131.103
- Rx Rate (L1) (Bit/s)	943,75 M	943,75 M	943,75 M	943,75 M	98 M	98,03 M
- Rx Rate (Fps)	1.404.390	797.086	427.423	221.746	11.734	9.426
- Avg Latency (micsec)	1,365	1,812	1,793	1,772	1,809	1,813
- Min Latency (micsec)	1,196	1,565	1,581	1,541	1,581	1,589
- Max Latency (micsec)	3,673	3,657	3,673	3,537	3,265	2,334
- Avg Jitter (micsec)	0,011	0,030	0,030	0,022	0,002	0,002
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,357	1,876	1,924	1,804	1,467	0,505
P-0-4-3						
- Rx (Frames)	168.526.785	95.650.337	51.290.760	26.609.492	1.430.489	1.149.233
- Rx Rate (L1) (Bit/s)	943,75 M	943,75 M	943,75 M	943,75 M	99,56 M	99,6 M
- Rx Rate (Fps)	1.404.390	797.086	427.423	221.746	11.921	9.577
- Avg Latency (micsec)	1,376	1,808	1,789	1,769	1,794	1,798
- Min Latency (micsec)	1,148	1,565	1,581	1,565	1,605	1,589
- Max Latency (micsec)	3,697	3,802	3,649	3,561	2,832	2,166
- Avg Jitter (micsec)	0,012	0,031	0,030	0,023	0,003	0,003
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,357	1,948	1,876	1,828	1,202	0,481
P-0-4-4						
- Rx (Frames)	168.526.785	95.650.337	51.290.760	26.609.492	1.436.781	1.153.846
- Rx Rate (L1) (Bit/s)	943,75 M	943,75 M	943,75 M	943,75 M	100 M	100 M
- Rx Rate (Fps)	1.404.390	797.086	427.423	221.746	11.973	9.615
- Avg Latency (micsec)	1,374	1,804	1,789	1,786	1,809	1,814
- Min Latency (micsec)	1,196	1,565	1,581	1,565	1,605	1,613
- Max Latency (micsec)	3,697	3,946	3,842	3,609	2,880	2,623
- Avg Jitter (micsec)	0,012	0,030	0,028	0,022	0,002	0,001
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,285	2,116	2,044	1,828	1,226	0,793
P-0-4-5						
- Rx (Frames)	168.526.785	95.650.337	51.290.760	26.609.492	1.404.213	1.128.314
- Rx Rate (L1) (Bit/s)	943,75 M	943,75 M	943,75 M	943,75 M	97,73 M	97,79 M
- Rx Rate (Fps)	1.404.390	797.086	427.423	221.746	11.702	9.403
- Avg Latency (micsec)	1,369	1,806	1,789	1,772	1,769	1,773
- Min Latency (micsec)	1,148	1,565	1,581	1,565	1,557	1,541
- Max Latency (micsec)	3,457	3,754	3,866	3,657	3,240	3,056

- Avg Jitter (micsec)	0,012	0,031	0,030	0,022	0,002	0,002
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,092	1,924	2,140	1,996	1,467	1,322

Frame Size	**1518**
Result State	FAIL
Iter. #	1
Tx Rate (Percent)	10 %
Tx (Frames)	975.292
Tx Rate (L1) (Bit/s)	100 M
Tx Rate (Fps)	8.127
Loss Rate (Percent)	0,77 %
Loss (Frames)	128.337
P-0-0-1	
- Rx (Frames)	971.975
- Rx Rate (L1) (Bit/s)	99,66 M
- Rx Rate (Fps)	8.100
- Avg Latency (micsec)	2,878
- Min Latency (micsec)	2,663
- Max Latency (micsec)	3,914
- Avg Jitter (micsec)	0,001
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	1,154
P-0-0-2	
- Rx (Frames)	975.292
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Avg Latency (micsec)	2,906
- Min Latency (micsec)	2,687
- Max Latency (micsec)	4,106
- Avg Jitter (micsec)	0,001
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	1,298
P-0-0-3	
- Rx (Frames)	973.343
- Rx Rate (L1) (Bit/s)	99,8 M
- Rx Rate (Fps)	8.111
- Avg Latency (micsec)	2,868
- Min Latency (micsec)	2,687
- Max Latency (micsec)	3,962
- Avg Jitter (micsec)	0,001
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	1,154
P-0-0-4	
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Avg Latency (micsec)	2,854
- Min Latency (micsec)	2,687
- Max Latency (micsec)	4,539
- Avg Jitter (micsec)	0,001
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	1,755
P-0-0-5	
- Rx (Frames)	967.754
- Rx Rate (L1) (Bit/s)	99,23 M
- Rx Rate (Fps)	8.065
- Avg Latency (micsec)	2,847
- Min Latency (micsec)	2,687
- Max Latency (micsec)	4,972
- Avg Jitter (micsec)	0,001
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	2,212
P-0-2-0	
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Avg Latency (micsec)	1,729
- Min Latency (micsec)	1,597
- Max Latency (micsec)	2,848

- Avg Jitter (micsec)	0,001
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	1,154
P-0-2-1	
- Rx (Frames)	975.292
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Avg Latency (micsec)	1,737
- Min Latency (micsec)	1,621
- Max Latency (micsec)	2,583
- Avg Jitter (micsec)	0,001
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	0,890
P-0-2-2	
- Rx (Frames)	975.291
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Avg Latency (micsec)	1,685
- Min Latency (micsec)	1,525
- Max Latency (micsec)	2,944
- Avg Jitter (micsec)	0,001
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	1,250
P-0-2-3	
- Rx (Frames)	975.291
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Avg Latency (micsec)	1,770
- Min Latency (micsec)	1,549
- Max Latency (micsec)	2,198
- Avg Jitter (micsec)	0,001
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	0,457
P-0-2-4	
- Rx (Frames)	975.291
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Avg Latency (micsec)	1,697
- Min Latency (micsec)	1,549
- Max Latency (micsec)	2,583
- Avg Jitter (micsec)	0,001
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	0,986
P-0-2-5	
- Rx (Frames)	945.889
- Rx Rate (L1) (Bit/s)	96,99 M
- Rx Rate (Fps)	7.882
- Avg Latency (micsec)	1,731
- Min Latency (micsec)	1,501
- Max Latency (micsec)	1,982
- Avg Jitter (micsec)	0,001
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	0,336
P-0-4-0	
- Rx (Frames)	975.292
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Avg Latency (micsec)	1,834
- Min Latency (micsec)	1,621
- Max Latency (micsec)	2,775
- Avg Jitter (micsec)	0,001
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	1,154
P-0-4-1	
- Rx (Frames)	944.122
- Rx Rate (L1) (Bit/s)	96,8 M
- Rx Rate (Fps)	7.868
- Avg Latency (micsec)	1,829
- Min Latency (micsec)	1,573
- Max Latency (micsec)	3,088
- Avg Jitter (micsec)	0,001

- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	1,322
P-0-4-2	
- Rx (Frames)	944.937
- Rx Rate (L1) (Bit/s)	96,89 M
- Rx Rate (Fps)	7.874
- Avg Latency (micsec)	1,799
- Min Latency (micsec)	1,573
- Max Latency (micsec)	3,401
- Avg Jitter (micsec)	0,001
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	1,780
P-0-4-3	
- Rx (Frames)	975.292
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Avg Latency (micsec)	1,800
- Min Latency (micsec)	1,597
- Max Latency (micsec)	3,088
- Avg Jitter (micsec)	0,001
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	1,371
P-0-4-4	
- Rx (Frames)	975.291
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Avg Latency (micsec)	1,810
- Min Latency (micsec)	1,621
- Max Latency (micsec)	2,896
- Avg Jitter (micsec)	0,001
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	1,154
P-0-4-5	
- Rx (Frames)	950.695
- Rx Rate (L1) (Bit/s)	97,48 M
- Rx Rate (Fps)	7.922
- Avg Latency (micsec)	1,793
- Min Latency (micsec)	1,549
- Max Latency (micsec)	2,006
- Avg Jitter (micsec)	0,002
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	0,336

Note: One or more of the tests did not pass the test criteria!