Xena2889 Test Report

Test Summary

Test company: Xena Networks
Customer: Xena Networks

Test Date and Time: 2016-08-03, 06:29
Test Duration: 01:46:31 (h:m:s)
Generated By: Xena2889 v1.17, running on 'Microsoft Windows 7 Enterprise'

Test Setup

Test Configuration

Subtest Selection

Rate Test: Full Mesh   Enabled
- Throughput   Enabled
- Forwarding   Enabled

Rate Test: Part.Mesh, 1:N   Disabled
Rate Test: Part.Mesh, N->N   Disabled
Congestion Control: Disabled
Forward Pressure: Disabled
Maximum Forwarding Rate: Disabled
Address Caching Capacity: Disabled
Address Learning Rate: Disabled
Errored Frames Filtering: Disabled
Broadcast Forwarding: Disabled

Test Options

Packet Sizes Used: 64,128,256,512,1024,1280,1518

Rate Type: Fraction
Fraction per Port: 100,00%

Latency Measurement Mode: Last-To-Last
Toggle Port Sync States: Yes

Traffic Configuration

Used Chassis

Chassis ID	Chassis Name	Address
C-0	New chassis	140.181.139.228:22606

Used Ports

Port ID	Interface Type	Speed	IP Address & Gateway	Protocol Segment Profile
P-0-0-0	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-1	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-2	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-3	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-4	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-5	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-0	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-1	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-2	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-3	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-4	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-5	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-0	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet

P-0-4-1	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-2	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-3	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-4	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-5	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet

Rate Test: Full Mesh Results

Test Setup

Duration:	30 seconds
Iteration:	1
Topology:	Mesh
Direction:	Bidirectional

Throughput Options

Initial Rate:	10,00%
Maximum Rate:	100,00%
Minimum Rate:	10,00%
Resolution:	0,50%

Used Ports

Port ID
P-0-0-0
P-0-0-1
P-0-0-2
P-0-0-3
P-0-0-4
P-0-0-5
P-0-2-0
P-0-2-1
P-0-2-2
P-0-2-3
P-0-2-4
P-0-2-5
P-0-4-0
P-0-4-1
P-0-4-2
P-0-4-3
P-0-4-4
P-0-4-5

Throughput Test Results

Frame Size	64	128	256	512	1024	1280
Result State	FAIL	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	10 %	11,055 %	52,539 %	83,301 %	32,148 %	55,005 %
Tx Rate (L1) (Bit/s)	1,8 G	1,99 G	9,46 G	14,99 G	5,79 G	9,9 G
Tx Rate (Fps)	2.678.571	1.680.603	4.283.072	3.523.049	692.845	952.017
Rx Rate (Percent)	9,99 %	11,05 %	52,54 %	83,3 %	32,15 %	55,01 %
Rx Rate (L1) (Bit/s)	1,8 G	1,99 G	9,46 G	14,99 G	5,79 G	9,9 G
Rx Rate (Fps)	2,68 M	1,68 M	4,28 M	3,52 M	692,85 K	952,02 K
Loss Rate (Percent)	0,08 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	62.606	0	0	0	0	0
P-0-0-0						
- Tx (Frames)	4.464.285	2.801.005	7.138.453	5.871.749	1.154.742	1.586.695
- Tx Rate (L1) (Bit/s)	100 M	110,55 M	525,39 M	833,01 M	321,48 M	550,05 M
- Tx Rate (Fps)	148.810	93.367	237.948	195.725	38.491	52.890
- Rx (Frames)	4.460.748	2.801.005	7.138.453	5.871.749	1.154.742	1.586.695
- Rx Rate (L1) (Bit/s)	99,92 M	110,55 M	525,39 M	833,01 M	321,48 M	550,05 M
- Rx Rate (Fps)	148.692	93.367	237.948	195.725	38.491	52.890
- Flood Count (Frames)	94	97	91	95	93	93
P-0-0-1						
- Tx (Frames)	4.464.285	2.801.005	7.138.453	5.871.749	1.154.742	1.586.695
- Tx Rate (L1) (Bit/s)	100 M	110,55 M	525,39 M	833,01 M	321,48 M	550,05 M
- Tx Rate (Fps)	148.810	93.367	237.948	195.725	38.491	52.890
- Rx (Frames)	4.460.277	2.801.005	7.138.453	5.871.749	1.154.742	1.586.695
- Rx Rate (L1) (Bit/s)	99,91 M	110,55 M	525,39 M	833,01 M	321,48 M	550,05 M
- Rx Rate (Fps)	148.676	93.367	237.948	195.725	38.491	52.890

- Flood Count (Frames)	94	92	95	91	92	89
P-0-0-2						
- Tx (Frames)	4.464.285	2.801.005	7.138.453	5.871.749	1.154.742	1.586.695
- Tx Rate (L1) (Bit/s)	100 M	110,55 M	525,39 M	833,01 M	321,48 M	550,05 M
- Tx Rate (Fps)	148.810	93.367	237.948	195.725	38.491	52.890
- Rx (Frames)	4.460.522	2.801.005	7.138.453	5.871.749	1.154.742	1.586.695
- Rx Rate (L1) (Bit/s)	99,92 M	110,55 M	525,39 M	833,01 M	321,48 M	550,05 M
- Rx Rate (Fps)	148.684	93.367	237.948	195.725	38.491	52.890
- Flood Count (Frames)	94	93	91	89	91	92
P-0-0-3						
- Tx (Frames)	4.464.285	2.801.005	7.138.453	5.871.749	1.154.742	1.586.695
- Tx Rate (L1) (Bit/s)	100 M	110,55 M	525,39 M	833,01 M	321,48 M	550,05 M
- Tx Rate (Fps)	148.810	93.367	237.948	195.725	38.491	52.890
- Rx (Frames)	4.460.925	2.801.005	7.138.453	5.871.749	1.154.742	1.586.695
- Rx Rate (L1) (Bit/s)	99,92 M	110,55 M	525,39 M	833,01 M	321,48 M	550,05 M
- Rx Rate (Fps)	148.698	93.367	237.948	195.725	38.491	52.890
- Flood Count (Frames)	93	93	95	92	92	91
P-0-0-4						
- Tx (Frames)	4.464.285	2.801.005	7.138.453	5.871.749	1.154.742	1.586.695
- Tx Rate (L1) (Bit/s)	100 M	110,55 M	525,39 M	833,01 M	321,48 M	550,05 M
- Tx Rate (Fps)	148.810	93.367	237.948	195.725	38.491	52.890
- Rx (Frames)	4.461.287	2.801.005	7.138.453	5.871.749	1.154.742	1.586.695
- Rx Rate (L1) (Bit/s)	99,93 M	110,55 M	525,39 M	833,01 M	321,48 M	550,05 M
- Rx Rate (Fps)	148.710	93.367	237.948	195.725	38.491	52.890
- Flood Count (Frames)	92	90	92	93	91	90
P-0-0-5						
- Tx (Frames)	4.464.285	2.801.005	7.138.453	5.871.749	1.154.742	1.586.695
- Tx Rate (L1) (Bit/s)	100 M	110,55 M	525,39 M	833,01 M	321,48 M	550,05 M
- Tx Rate (Fps)	148.810	93.367	237.948	195.725	38.491	52.890
- Rx (Frames)	4.462.061	2.801.005	7.138.453	5.871.749	1.154.742	1.586.695
- Rx Rate (L1) (Bit/s)	99,95 M	110,55 M	525,39 M	833,01 M	321,48 M	550,05 M
- Rx Rate (Fps)	148.735	93.367	237.948	195.725	38.491	52.890
- Flood Count (Frames)	90	93	93	95	95	90
P-0-2-0						
- Tx (Frames)	4.464.285	2.801.005	7.138.453	5.871.749	1.154.742	1.586.695
- Tx Rate (L1) (Bit/s)	100 M	110,55 M	525,39 M	833,01 M	321,48 M	550,05 M
- Tx Rate (Fps)	148.810	93.367	237.948	195.725	38.491	52.890
- Rx (Frames)	4.462.109	2.801.005	7.138.453	5.871.749	1.154.742	1.586.695
- Rx Rate (L1) (Bit/s)	99,95 M	110,55 M	525,39 M	833,01 M	321,48 M	550,05 M
- Rx Rate (Fps)	148.737	93.367	237.948	195.725	38.491	52.890
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	4.464.285	2.801.005	7.138.453	5.871.749	1.154.742	1.586.695
- Tx Rate (L1) (Bit/s)	100 M	110,55 M	525,39 M	833,01 M	321,48 M	550,05 M
- Tx Rate (Fps)	148.810	93.367	237.948	195.725	38.491	52.890
- Rx (Frames)	4.461.157	2.801.005	7.138.453	5.871.749	1.154.742	1.586.695
- Rx Rate (L1) (Bit/s)	99,93 M	110,55 M	525,39 M	833,01 M	321,48 M	550,05 M
- Rx Rate (Fps)	148.705	93.367	237.948	195.725	38.491	52.890
- Flood Count (Frames)	95	95	92	95	92	93
P-0-2-2						
- Tx (Frames)	4.464.285	2.801.005	7.138.453	5.871.749	1.154.742	1.586.695
- Tx Rate (L1) (Bit/s)	100 M	110,55 M	525,39 M	833,01 M	321,48 M	550,05 M
- Tx Rate (Fps)	148.810	93.367	237.948	195.725	38.491	52.890
- Rx (Frames)	4.461.429	2.801.005	7.138.453	5.871.749	1.154.742	1.586.695
- Rx Rate (L1) (Bit/s)	99,94 M	110,55 M	525,39 M	833,01 M	321,48 M	550,05 M
- Rx Rate (Fps)	148.714	93.367	237.948	195.725	38.491	52.890
- Flood Count (Frames)	93	93	92	93	93	90
P-0-2-3						
- Tx (Frames)	4.464.285	2.801.005	7.138.453	5.871.749	1.154.742	1.586.695
- Tx Rate (L1) (Bit/s)	100 M	110,55 M	525,39 M	833,01 M	321,48 M	550,05 M
- Tx Rate (Fps)	148.810	93.367	237.948	195.725	38.491	52.890
- Rx (Frames)	4.460.379	2.801.005	7.138.453	5.871.749	1.154.742	1.586.695
- Rx Rate (L1) (Bit/s)	99,91 M	110,55 M	525,39 M	833,01 M	321,48 M	550,05 M
- Rx Rate (Fps)	148.679	93.367	237.948	195.725	38.491	52.890
- Flood Count (Frames)	93	92	94	94	90	95
P-0-2-4						
- Tx (Frames)	4.464.285	2.801.005	7.138.453	5.871.749	1.154.742	1.586.695
- Tx Rate (L1) (Bit/s)	100 M	110,55 M	525,39 M	833,01 M	321,48 M	550,05 M
- Tx Rate (Fps)	148.810	93.367	237.948	195.725	38.491	52.890
- Rx (Frames)	4.460.285	2.801.005	7.138.453	5.871.749	1.154.742	1.586.695
- Rx Rate (L1) (Bit/s)	99,91 M	110,55 M	525,39 M	833,01 M	321,48 M	550,05 M

- Rx Rate (Fps)	148.676	93.367	237.948	195.725	38.491	52.890
- Flood Count (Frames)	90	90	95	92	93	91
P-0-2-5						
- Tx (Frames)	4.464.285	2.801.005	7.138.453	5.871.749	1.154.742	1.586.695
- Tx Rate (L1) (Bit/s)	100 M	110,55 M	525,39 M	833,01 M	321,48 M	550,05 M
- Tx Rate (Fps)	148.810	93.367	237.948	195.725	38.491	52.890
- Rx (Frames)	4.460.569	2.801.005	7.138.453	5.871.749	1.154.742	1.586.695
- Rx Rate (L1) (Bit/s)	99,92 M	110,55 M	525,39 M	833,01 M	321,48 M	550,05 M
- Rx Rate (Fps)	148.686	93.367	237.948	195.725	38.491	52.890
- Flood Count (Frames)	91	93	90	90	93	90
P-0-4-0						
- Tx (Frames)	4.464.285	2.801.005	7.138.453	5.871.749	1.154.742	1.586.695
- Tx Rate (L1) (Bit/s)	100 M	110,55 M	525,39 M	833,01 M	321,48 M	550,05 M
- Tx Rate (Fps)	148.810	93.367	237.948	195.725	38.491	52.890
- Rx (Frames)	4.460.798	2.801.005	7.138.453	5.871.749	1.154.742	1.586.695
- Rx Rate (L1) (Bit/s)	99,92 M	110,55 M	525,39 M	833,01 M	321,48 M	550,05 M
- Rx Rate (Fps)	148.693	93.367	237.948	195.725	38.491	52.890
- Flood Count (Frames)	97	90	90	96	94	94
P-0-4-1						
- Tx (Frames)	4.464.285	2.801.005	7.138.453	5.871.749	1.154.742	1.586.695
- Tx Rate (L1) (Bit/s)	100 M	110,55 M	525,39 M	833,01 M	321,48 M	550,05 M
- Tx Rate (Fps)	148.810	93.367	237.948	195.725	38.491	52.890
- Rx (Frames)	4.460.343	2.801.005	7.138.453	5.871.749	1.154.742	1.586.695
- Rx Rate (L1) (Bit/s)	99,91 M	110,55 M	525,39 M	833,01 M	321,48 M	550,05 M
- Rx Rate (Fps)	148.678	93.367	237.948	195.725	38.491	52.890
- Flood Count (Frames)	93	93	91	92	93	95
P-0-4-2						
- Tx (Frames)	4.464.285	2.801.005	7.138.453	5.871.749	1.154.742	1.586.695
- Tx Rate (L1) (Bit/s)	100 M	110,55 M	525,39 M	833,01 M	321,48 M	550,05 M
- Tx Rate (Fps)	148.810	93.367	237.948	195.725	38.491	52.890
- Rx (Frames)	4.460.576	2.801.005	7.138.453	5.871.749	1.154.742	1.586.695
- Rx Rate (L1) (Bit/s)	99,92 M	110,55 M	525,39 M	833,01 M	321,48 M	550,05 M
- Rx Rate (Fps)	148.686	93.367	237.948	195.725	38.491	52.890
- Flood Count (Frames)	96	91	92	93	93	93
P-0-4-3						
- Tx (Frames)	4.464.285	2.801.005	7.138.453	5.871.749	1.154.742	1.586.695
- Tx Rate (L1) (Bit/s)	100 M	110,55 M	525,39 M	833,01 M	321,48 M	550,05 M
- Tx Rate (Fps)	148.810	93.367	237.948	195.725	38.491	52.890
- Rx (Frames)	4.460.345	2.801.005	7.138.453	5.871.749	1.154.742	1.586.695
- Rx Rate (L1) (Bit/s)	99,91 M	110,55 M	525,39 M	833,01 M	321,48 M	550,05 M
- Rx Rate (Fps)	148.678	93.367	237.948	195.725	38.491	52.890
- Flood Count (Frames)	90	92	89	90	90	93
P-0-4-4						
- Tx (Frames)	4.464.285	2.801.005	7.138.453	5.871.749	1.154.742	1.586.695
- Tx Rate (L1) (Bit/s)	100 M	110,55 M	525,39 M	833,01 M	321,48 M	550,05 M
- Tx Rate (Fps)	148.810	93.367	237.948	195.725	38.491	52.890
- Rx (Frames)	4.460.440	2.801.005	7.138.453	5.871.749	1.154.742	1.586.695
- Rx Rate (L1) (Bit/s)	99,91 M	110,55 M	525,39 M	833,01 M	321,48 M	550,05 M
- Rx Rate (Fps)	148.681	93.367	237.948	195.725	38.491	52.890
- Flood Count (Frames)	95	98	92	91	92	92
P-0-4-5						
- Tx (Frames)	4.464.285	2.801.005	7.138.453	5.871.749	1.154.742	1.586.695
- Tx Rate (L1) (Bit/s)	100 M	110,55 M	525,39 M	833,01 M	321,48 M	550,05 M
- Tx Rate (Fps)	148.810	93.367	237.948	195.725	38.491	52.890
- Rx (Frames)	4.460.274	2.801.005	7.138.453	5.871.749	1.154.742	1.586.695
- Rx Rate (L1) (Bit/s)	99,91 M	110,55 M	525,39 M	833,01 M	321,48 M	550,05 M
- Rx Rate (Fps)	148.676	93.367	237.948	195.725	38.491	52.890
- Flood Count (Frames)	92	93	92	90	92	90

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	30,039 %
Tx Rate (L1) (Bit/s)	5,41 G
Tx Rate (Fps)	439.447
Rx Rate (Percent)	30,04 %
Rx Rate (L1) (Bit/s)	5,41 G
Rx Rate (Fps)	439,45 K
Loss Rate (Percent)	0 %
Loss (Frames)	0

P-0-0-0	
- Tx (Frames)	732.411
- Tx Rate (L1) (Bit/s)	300,39 M
- Tx Rate (Fps)	24.414
- Rx (Frames)	732.411
- Rx Rate (L1) (Bit/s)	300,39 M
- Rx Rate (Fps)	24.414
- Flood Count (Frames)	98
P-0-0-1	
- Tx (Frames)	732.411
- Tx Rate (L1) (Bit/s)	300,39 M
- Tx Rate (Fps)	24.414
- Rx (Frames)	732.411
- Rx Rate (L1) (Bit/s)	300,39 M
- Rx Rate (Fps)	24.414
- Flood Count (Frames)	92
P-0-0-2	
- Tx (Frames)	732.411
- Tx Rate (L1) (Bit/s)	300,39 M
- Tx Rate (Fps)	24.414
- Rx (Frames)	732.411
- Rx Rate (L1) (Bit/s)	300,39 M
- Rx Rate (Fps)	24.414
- Flood Count (Frames)	91
P-0-0-3	
- Tx (Frames)	732.411
- Tx Rate (L1) (Bit/s)	300,39 M
- Tx Rate (Fps)	24.414
- Rx (Frames)	732.411
- Rx Rate (L1) (Bit/s)	300,39 M
- Rx Rate (Fps)	24.414
- Flood Count (Frames)	92
P-0-0-4	
- Tx (Frames)	732.411
- Tx Rate (L1) (Bit/s)	300,39 M
- Tx Rate (Fps)	24.414
- Rx (Frames)	732.411
- Rx Rate (L1) (Bit/s)	300,39 M
- Rx Rate (Fps)	24.414
- Flood Count (Frames)	93
P-0-0-5	
- Tx (Frames)	732.411
- Tx Rate (L1) (Bit/s)	300,39 M
- Tx Rate (Fps)	24.414
- Rx (Frames)	732.411
- Rx Rate (L1) (Bit/s)	300,39 M
- Rx Rate (Fps)	24.414
- Flood Count (Frames)	93
P-0-2-0	
- Tx (Frames)	732.411
- Tx Rate (L1) (Bit/s)	300,39 M
- Tx Rate (Fps)	24.414
- Rx (Frames)	732.411
- Rx Rate (L1) (Bit/s)	300,39 M
- Rx Rate (Fps)	24.414
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	732.411
- Tx Rate (L1) (Bit/s)	300,39 M
- Tx Rate (Fps)	24.414
- Rx (Frames)	732.411
- Rx Rate (L1) (Bit/s)	300,39 M
- Rx Rate (Fps)	24.414
- Flood Count (Frames)	95
P-0-2-2	
- Tx (Frames)	732.411
- Tx Rate (L1) (Bit/s)	300,39 M
- Tx Rate (Fps)	24.414
- Rx (Frames)	732.411
- Rx Rate (L1) (Bit/s)	300,39 M
- Rx Rate (Fps)	24.414

- Flood Count (Frames)	93
P-0-2-3	
- Tx (Frames)	732.411
- Tx Rate (L1) (Bit/s)	300,39 M
- Tx Rate (Fps)	24.414
- Rx (Frames)	732.411
- Rx Rate (L1) (Bit/s)	300,39 M
- Rx Rate (Fps)	24.414
- Flood Count (Frames)	92
P-0-2-4	
- Tx (Frames)	732.411
- Tx Rate (L1) (Bit/s)	300,39 M
- Tx Rate (Fps)	24.414
- Rx (Frames)	732.411
- Rx Rate (L1) (Bit/s)	300,39 M
- Rx Rate (Fps)	24.414
- Flood Count (Frames)	96
P-0-2-5	
- Tx (Frames)	732.411
- Tx Rate (L1) (Bit/s)	300,39 M
- Tx Rate (Fps)	24.414
- Rx (Frames)	732.411
- Rx Rate (L1) (Bit/s)	300,39 M
- Rx Rate (Fps)	24.414
- Flood Count (Frames)	94
P-0-4-0	
- Tx (Frames)	732.411
- Tx Rate (L1) (Bit/s)	300,39 M
- Tx Rate (Fps)	24.414
- Rx (Frames)	732.411
- Rx Rate (L1) (Bit/s)	300,39 M
- Rx Rate (Fps)	24.414
- Flood Count (Frames)	93
P-0-4-1	
- Tx (Frames)	732.411
- Tx Rate (L1) (Bit/s)	300,39 M
- Tx Rate (Fps)	24.414
- Rx (Frames)	732.411
- Rx Rate (L1) (Bit/s)	300,39 M
- Rx Rate (Fps)	24.414
- Flood Count (Frames)	93
P-0-4-2	
- Tx (Frames)	732.411
- Tx Rate (L1) (Bit/s)	300,39 M
- Tx Rate (Fps)	24.414
- Rx (Frames)	732.411
- Rx Rate (L1) (Bit/s)	300,39 M
- Rx Rate (Fps)	24.414
- Flood Count (Frames)	94
P-0-4-3	
- Tx (Frames)	732.411
- Tx Rate (L1) (Bit/s)	300,39 M
- Tx Rate (Fps)	24.414
- Rx (Frames)	732.411
- Rx Rate (L1) (Bit/s)	300,39 M
- Rx Rate (Fps)	24.414
- Flood Count (Frames)	91
P-0-4-4	
- Tx (Frames)	732.411
- Tx Rate (L1) (Bit/s)	300,39 M
- Tx Rate (Fps)	24.414
- Rx (Frames)	732.411
- Rx Rate (L1) (Bit/s)	300,39 M
- Rx Rate (Fps)	24.414
- Flood Count (Frames)	93
P-0-4-5	
- Tx (Frames)	732.411
- Tx Rate (L1) (Bit/s)	300,39 M
- Tx Rate (Fps)	24.414
- Rx (Frames)	732.411
- Rx Rate (L1) (Bit/s)	300,39 M

- Rx Rate (Fps)	24.414
- Flood Count (Frames)	93

Note: One or more of the rate tests did not pass the test criteria!

Full Mesh: Throughput by Frame Size vs Theoretical Max

Forwarding Test Results

Results for 10,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Tx Rate (L1) (Bit/s)	1,8 G	1,8 G	1,8 G	1,8 G	1,8 G	1,8 G
Tx Rate (Fps)	2.678.571	1.520.269	815.215	422.923	215.516	173.074
Rx Rate (Percent)	9,99 %	10 %	10 %	10 %	10 %	10 %
Rx Rate (L1) (Bit/s)	1,8 G	1,8 G	1,8 G	1,8 G	1,8 G	1,8 G
Rx Rate (Fps)	2,68 M	1,52 M	815,21 K	422,92 K	215,52 K	173,07 K
Loss Rate (Percent)	0,08 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	64.405	0	0	0	0	0
P-0-0-0						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	4.460.229	2.533.782	1.358.691	704.871	359.193	288.456
- Rx Rate (L1) (Bit/s)	99,91 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.674	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	92	93	95	90	90	92
P-0-0-1						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	4.460.186	2.533.782	1.358.691	704.871	359.193	288.456
- Rx Rate (L1) (Bit/s)	99,91 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.673	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	93	92	91	94	93	90
P-0-0-2						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	4.459.506	2.533.782	1.358.691	704.871	359.193	288.456
- Rx Rate (L1) (Bit/s)	99,89 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.650	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	92	93	94	93	92	92

P-0-0-3						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	4.460.105	2.533.782	1.358.691	704.871	359.193	288.456
- Rx Rate (L1) (Bit/s)	99,91 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.670	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	92	94	91	91	96	90
P-0-0-4						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	4.460.842	2.533.782	1.358.691	704.871	359.193	288.456
- Rx Rate (L1) (Bit/s)	99,92 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.695	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	89	91	90	93	93	92
P-0-0-5						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	4.461.323	2.533.782	1.358.691	704.871	359.193	288.456
- Rx Rate (L1) (Bit/s)	99,93 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.711	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	95	94	91	95	96	92
P-0-2-0						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	4.461.230	2.533.782	1.358.691	704.871	359.193	288.456
- Rx Rate (L1) (Bit/s)	99,93 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.708	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	4.461.486	2.533.782	1.358.691	704.871	359.193	288.456
- Rx Rate (L1) (Bit/s)	99,94 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.716	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	92	91	92	90	92	93
P-0-2-2						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	4.460.954	2.533.782	1.358.691	704.871	359.193	288.456
- Rx Rate (L1) (Bit/s)	99,93 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.698	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	92	95	94	89	93	95
P-0-2-3						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	4.460.535	2.533.782	1.358.691	704.871	359.193	288.456
- Rx Rate (L1) (Bit/s)	99,92 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.685	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	89	93	95	93	94	94
P-0-2-4						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	4.459.932	2.533.782	1.358.691	704.871	359.193	288.456
- Rx Rate (L1) (Bit/s)	99,9 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.664	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	92	97	93	92	94	91
P-0-2-5						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	4.460.235	2.533.782	1.358.691	704.871	359.193	288.456
- Rx Rate (L1) (Bit/s)	99,91 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.675	84.459	45.290	23.496	11.973	9.615

- Flood Count (Frames)	94	93	93	93	97	95
P-0-4-0						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	4.460.645	2.533.782	1.358.691	704.871	359.193	288.456
- Rx Rate (L1) (Bit/s)	99,92 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.688	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	93	94	93	92	93	94
P-0-4-1						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	4.461.378	2.533.782	1.358.691	704.871	359.193	288.456
- Rx Rate (L1) (Bit/s)	99,93 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.713	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	92	92	93	93	92	92
P-0-4-2						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	4.461.355	2.533.782	1.358.691	704.871	359.193	288.456
- Rx Rate (L1) (Bit/s)	99,93 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.712	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	93	94	96	94	95	93
P-0-4-3						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	4.461.172	2.533.782	1.358.691	704.871	359.193	288.456
- Rx Rate (L1) (Bit/s)	99,93 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.706	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	93	90	92	93	93	93
P-0-4-4						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	4.461.229	2.533.782	1.358.691	704.871	359.193	288.456
- Rx Rate (L1) (Bit/s)	99,93 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.708	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	93	92	95	94	92	93
P-0-4-5						
- Tx (Frames)	4.464.285	2.533.782	1.358.691	704.871	359.193	288.456
- Tx Rate (L1) (Bit/s)	100 M	100 M	100 M	100 M	100 M	100 M
- Tx Rate (Fps)	148.810	84.459	45.290	23.496	11.973	9.615
- Rx (Frames)	4.460.383	2.533.782	1.358.691	704.871	359.193	288.456
- Rx Rate (L1) (Bit/s)	99,91 M	100 M	100 M	100 M	100 M	100 M
- Rx Rate (Fps)	148.679	84.459	45.290	23.496	11.973	9.615
- Flood Count (Frames)	94	91	93	95	91	93

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	10 %
Tx Rate (L1) (Bit/s)	1,8 G
Tx Rate (Fps)	146.288
Rx Rate (Percent)	10 %
Rx Rate (L1) (Bit/s)	1,8 G
Rx Rate (Fps)	146,29 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	243.814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	93
P-0-0-1	

- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	243.814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	91
P-0-0-2	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	243.814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	92
P-0-0-3	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	243.814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	94
P-0-0-4	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	243.814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	92
P-0-0-5	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	243.814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	91
P-0-2-0	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	243.814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	243.814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	94
P-0-2-2	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	243.814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	92
P-0-2-3	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	243.814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	98

P-0-2-4	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	243.814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	91
P-0-2-5	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	243.814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	94
P-0-4-0	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	243.814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	94
P-0-4-1	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	243.814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	92
P-0-4-2	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	243.814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	95
P-0-4-3	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	243.814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	92
P-0-4-4	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	243.814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	93
P-0-4-5	
- Tx (Frames)	243.814
- Tx Rate (L1) (Bit/s)	100 M
- Tx Rate (Fps)	8.127
- Rx (Frames)	243.814
- Rx Rate (L1) (Bit/s)	100 M
- Rx Rate (Fps)	8.127
- Flood Count (Frames)	95

Full Mesh: Loss by Frame Size at 10,00% Rate

Results for 20,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	20 %	20 %	20 %	20 %	20 %	20 %
Tx Rate (L1) (Bit/s)	3,6 G	3,6 G	3,6 G	3,6 G	3,6 G	3,6 G
Tx Rate (Fps)	5.357.142	3.040.538	1.630.429	845.855	431.032	346.147
Rx Rate (Percent)	0,03 %	20 %	20 %	20 %	20 %	20 %
Rx Rate (L1) (Bit/s)	5,99 M	3,6 G	3,6 G	3,6 G	3,6 G	3,6 G
Rx Rate (Fps)	8,91 K	3,04 M	1,63 M	845,86 K	431,03 K	346,15 K
Loss Rate (Percent)	99,83 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	160.447.045	586	0	0	0	0
P-0-0-0						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	14.695	5.067.537	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	329,17 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	490	168.918	90.579	46.992	23.946	19.230
- Flood Count (Frames)	92	92	95	93	90	94
P-0-0-1						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	14.793	5.067.515	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	331,36 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	493	168.917	90.579	46.992	23.946	19.230
- Flood Count (Frames)	92	93	93	92	92	92
P-0-0-2						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	14.861	5.067.522	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	332,89 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	495	168.917	90.579	46.992	23.946	19.230
- Flood Count (Frames)	95	91	95	92	92	95
P-0-0-3						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	14.862	5.067.556	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	332,91 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	495	168.919	90.579	46.992	23.946	19.230
- Flood Count (Frames)	95	92	92	89	91	95
P-0-0-4						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912

- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	14.866	5.067.527	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	333 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	496	168.918	90.579	46.992	23.946	19.230
- Flood Count (Frames)	93	95	93	92	95	95
P-0-0-5						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	14.876	5.067.554	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	333,22 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	496	168.918	90.579	46.992	23.946	19.230
- Flood Count (Frames)	94	92	92	91	93	93
P-0-2-0						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	14.872	5.067.529	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	333,13 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	496	168.918	90.579	46.992	23.946	19.230
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	14.880	5.067.530	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	333,31 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	496	168.918	90.579	46.992	23.946	19.230
- Flood Count (Frames)	91	96	93	92	91	94
P-0-2-2						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	14.873	5.067.552	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	333,16 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	496	168.918	90.579	46.992	23.946	19.230
- Flood Count (Frames)	91	92	95	95	93	93
P-0-2-3						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	14.872	5.067.535	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	333,13 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	496	168.918	90.579	46.992	23.946	19.230
- Flood Count (Frames)	92	92	94	93	91	92
P-0-2-4						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	14.874	5.067.552	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	333,18 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	496	168.918	90.579	46.992	23.946	19.230
- Flood Count (Frames)	91	93	95	90	93	92
P-0-2-5						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	14.870	5.067.546	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	333,09 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	496	168.918	90.579	46.992	23.946	19.230
- Flood Count (Frames)	92	94	93	92	91	95
P-0-4-0						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	14.869	5.067.517	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	333,07 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	496	168.917	90.579	46.992	23.946	19.230
- Flood Count (Frames)	93	97	92	92	94	96
P-0-4-1						

- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	14.869	5.067.542	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	333,07 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	496	168.918	90.579	46.992	23.946	19.230
- Flood Count (Frames)	95	97	94	90	92	95
P-0-4-2						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	14.861	5.067.513	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	332,89 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	495	168.917	90.579	46.992	23.946	19.230
- Flood Count (Frames)	93	94	96	95	94	96
P-0-4-3						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	14.863	5.067.514	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	332,93 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	495	168.917	90.579	46.992	23.946	19.230
- Flood Count (Frames)	93	92	94	96	93	92
P-0-4-4						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	14.810	5.067.518	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	331,74 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	494	168.917	90.579	46.992	23.946	19.230
- Flood Count (Frames)	91	94	92	92	94	90
P-0-4-5						
- Tx (Frames)	8.928.570	5.067.564	2.717.382	1.409.759	718.386	576.912
- Tx Rate (L1) (Bit/s)	200 M	200 M	200 M	200 M	200 M	200 M
- Tx Rate (Fps)	297.619	168.919	90.579	46.992	23.946	19.230
- Rx (Frames)	14.749	5.067.507	2.717.382	1.409.759	718.386	576.912
- Rx Rate (L1) (Bit/s)	330,38 K	200 M	200 M	200 M	200 M	200 M
- Rx Rate (Fps)	492	168.917	90.579	46.992	23.946	19.230
- Flood Count (Frames)	93	93	93	93	94	94

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	20 %
Tx Rate (L1) (Bit/s)	3,6 G
Tx Rate (Fps)	292.587
Rx Rate (Percent)	20 %
Rx Rate (L1) (Bit/s)	3,6 G
Rx Rate (Fps)	292,59 K
Loss Rate (Percent)	0 %
Loss (Frames)	0
P-0-0-0	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	92
P-0-0-1	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	93
P-0-0-2	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M

- Tx Rate (Fps)	16.255
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	95
P-0-0-3	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	94
P-0-0-4	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	93
P-0-0-5	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	94
P-0-2-0	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	91
P-0-2-2	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	92
P-0-2-3	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	93
P-0-2-4	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	86
P-0-2-5	
- Tx (Frames)	487.645

- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	95
P-0-4-0	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	93
P-0-4-1	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	94
P-0-4-2	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	92
P-0-4-3	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	92
P-0-4-4	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	90
P-0-4-5	
- Tx (Frames)	487.645
- Tx Rate (L1) (Bit/s)	200 M
- Tx Rate (Fps)	16.255
- Rx (Frames)	487.645
- Rx Rate (L1) (Bit/s)	200 M
- Rx Rate (Fps)	16.255
- Flood Count (Frames)	92

Full Mesh: Loss by Frame Size at 20,00% Rate

Results for 30,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	30 %	30 %	30 %	30 %	30 %	30 %
Tx Rate (L1) (Bit/s)	5,4 G	5,4 G	5,4 G	5,4 G	5,4 G	5,4 G
Tx Rate (Fps)	8.035.713	4.560.808	2.445.644	1.268.788	646.547	519.221
Rx Rate (Percent)	0,02 %	29,9 %	30 %	30 %	30 %	30 %
Rx Rate (L1) (Bit/s)	3,93 M	5,38 G	5,4 G	5,4 G	5,4 G	5,4 G
Rx Rate (Fps)	5,84 K	4,55 M	2,45 M	1,27 M	646,55 K	519,22 K
Loss Rate (Percent)	99,93 %	0,34 %	0 %	0 %	0 %	0 %
Loss (Frames)	240.896.155	466.772	0	0	7	1
P-0-0-0						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	9.250	7.575.804	4.076.073	2.114.647	1.077.579	865.368
- Rx Rate (L1) (Bit/s)	207,2 K	298,99 M	300 M	300 M	300 M	299,99 M
- Rx Rate (Fps)	308	252.527	135.869	70.488	35.919	28.846
- Flood Count (Frames)	95	89	95	94	92	95
P-0-0-1						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	9.395	7.574.411	4.076.073	2.114.647	1.077.578	865.368
- Rx Rate (L1) (Bit/s)	210,45 K	298,94 M	300 M	300 M	300 M	299,99 M
- Rx Rate (Fps)	313	252.480	135.869	70.488	35.919	28.846
- Flood Count (Frames)	91	90	93	92	93	93
P-0-0-2						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	9.509	7.573.587	4.076.073	2.114.647	1.077.578	865.368
- Rx Rate (L1) (Bit/s)	213 K	298,9 M	300 M	300 M	300 M	299,99 M
- Rx Rate (Fps)	317	252.453	135.869	70.488	35.919	28.846
- Flood Count (Frames)	92	93	92	90	93	92
P-0-0-3						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	9.620	7.573.685	4.076.073	2.114.647	1.077.578	865.368
- Rx Rate (L1) (Bit/s)	215,49 K	298,91 M	300 M	300 M	300 M	299,99 M
- Rx Rate (Fps)	321	252.456	135.869	70.488	35.919	28.846
- Flood Count (Frames)	96	95	91	94	92	92
P-0-0-4						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368

- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	9.729	7.574.640	4.076.073	2.114.647	1.077.579	865.368
- Rx Rate (L1) (Bit/s)	217,93 K	298,95 M	300 M	300 M	300 M	299,99 M
- Rx Rate (Fps)	324	252.488	135.869	70.488	35.919	28.846
- Flood Count (Frames)	95	92	92	92	92	93
P-0-0-5						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	9.842	7.575.968	4.076.073	2.114.647	1.077.578	865.368
- Rx Rate (L1) (Bit/s)	220,46 K	299 M	300 M	300 M	300 M	299,99 M
- Rx Rate (Fps)	328	252.532	135.869	70.488	35.919	28.846
- Flood Count (Frames)	94	93	94	92	90	90
P-0-2-0						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	9.954	7.576.745	4.076.073	2.114.647	1.077.579	865.368
- Rx Rate (L1) (Bit/s)	222,97 K	299,03 M	300 M	300 M	300 M	299,99 M
- Rx Rate (Fps)	332	252.558	135.869	70.488	35.919	28.846
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	10.041	7.577.255	4.076.073	2.114.647	1.077.579	865.368
- Rx Rate (L1) (Bit/s)	224,92 K	299,05 M	300 M	300 M	300 M	299,99 M
- Rx Rate (Fps)	335	252.575	135.869	70.488	35.919	28.846
- Flood Count (Frames)	93	92	92	94	93	92
P-0-2-2						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	10.042	7.576.603	4.076.073	2.114.647	1.077.579	865.368
- Rx Rate (L1) (Bit/s)	224,94 K	299,02 M	300 M	300 M	300 M	299,99 M
- Rx Rate (Fps)	335	252.553	135.869	70.488	35.919	28.846
- Flood Count (Frames)	93	96	95	99	95	95
P-0-2-3						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	10.042	7.576.129	4.076.073	2.114.647	1.077.579	865.368
- Rx Rate (L1) (Bit/s)	224,94 K	299 M	300 M	300 M	300 M	299,99 M
- Rx Rate (Fps)	335	252.538	135.869	70.488	35.919	28.846
- Flood Count (Frames)	93	92	94	93	95	95
P-0-2-4						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	10.044	7.576.968	4.076.073	2.114.647	1.077.579	865.368
- Rx Rate (L1) (Bit/s)	224,99 K	299,04 M	300 M	300 M	300 M	299,99 M
- Rx Rate (Fps)	335	252.566	135.869	70.488	35.919	28.846
- Flood Count (Frames)	93	93	93	95	93	92
P-0-2-5						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	9.953	7.574.670	4.076.073	2.114.647	1.077.579	865.368
- Rx Rate (L1) (Bit/s)	222,95 K	298,95 M	300 M	300 M	300 M	299,99 M
- Rx Rate (Fps)	332	252.489	135.869	70.488	35.919	28.846
- Flood Count (Frames)	93	92	92	92	89	87
P-0-4-0						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	9.862	7.575.312	4.076.073	2.114.647	1.077.578	865.368
- Rx Rate (L1) (Bit/s)	220,91 K	298,97 M	300 M	300 M	300 M	299,99 M
- Rx Rate (Fps)	329	252.510	135.869	70.488	35.919	28.846
- Flood Count (Frames)	94	92	93	94	91	97
P-0-4-1						

- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	9.771	7.576.558	4.076.073	2.114.647	1.077.579	865.368
- Rx Rate (L1) (Bit/s)	218,87 K	299,02 M	300 M	300 M	300 M	299,99 M
- Rx Rate (Fps)	326	252.552	135.869	70.488	35.919	28.846
- Flood Count (Frames)	93	96	92	91	94	92
P-0-4-2						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	9.681	7.575.090	4.076.073	2.114.647	1.077.578	865.368
- Rx Rate (L1) (Bit/s)	216,85 K	298,96 M	300 M	300 M	300 M	299,99 M
- Rx Rate (Fps)	323	252.503	135.869	70.488	35.919	28.846
- Flood Count (Frames)	94	94	92	95	93	92
P-0-4-3						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	9.588	7.573.943	4.076.073	2.114.647	1.077.579	865.368
- Rx Rate (L1) (Bit/s)	214,77 K	298,92 M	300 M	300 M	300 M	299,99 M
- Rx Rate (Fps)	320	252.465	135.869	70.488	35.919	28.846
- Flood Count (Frames)	93	93	95	93	90	92
P-0-4-4						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	9.502	7.575.216	4.076.073	2.114.647	1.077.579	865.368
- Rx Rate (L1) (Bit/s)	212,84 K	298,97 M	300 M	300 M	300 M	299,99 M
- Rx Rate (Fps)	317	252.507	135.869	70.488	35.919	28.846
- Flood Count (Frames)	94	96	94	92	93	92
P-0-4-5						
- Tx (Frames)	13.392.855	7.601.346	4.076.073	2.114.647	1.077.579	865.368
- Tx Rate (L1) (Bit/s)	300 M	300 M	300 M	300 M	300 M	299,99 M
- Tx Rate (Fps)	446.429	253.378	135.869	70.488	35.919	28.846
- Rx (Frames)	9.410	7.574.872	4.076.073	2.114.647	1.077.578	865.367
- Rx Rate (L1) (Bit/s)	210,78 K	298,95 M	300 M	300 M	300 M	299,99 M
- Rx Rate (Fps)	314	252.496	135.869	70.488	35.919	28.846
- Flood Count (Frames)	92	91	90	90	92	92

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	30 %
Tx Rate (L1) (Bit/s)	5,4 G
Tx Rate (Fps)	438.875
Rx Rate (Percent)	30 %
Rx Rate (L1) (Bit/s)	5,4 G
Rx Rate (Fps)	438,88 K
Loss Rate (Percent)	0 %
Loss (Frames)	8
P-0-0-0	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	731.459
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	93
P-0-0-1	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	731.459
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	95
P-0-0-2	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M

- Tx Rate (Fps)	24.382
- Rx (Frames)	731.457
- Rx Rate (L1) (Bit/s)	299,99 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	94
P-0-0-3	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	731.459
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	92
P-0-0-4	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	731.458
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	92
P-0-0-5	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	731.457
- Rx Rate (L1) (Bit/s)	299,99 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	91
P-0-2-0	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	731.459
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	731.459
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	93
P-0-2-2	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	731.459
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	94
P-0-2-3	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	731.458
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	93
P-0-2-4	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	731.459
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	93
P-0-2-5	
- Tx (Frames)	731.459

- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	731.458
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	92
P-0-4-0	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	731.459
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	92
P-0-4-1	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	731.459
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	91
P-0-4-2	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	731.458
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	92
P-0-4-3	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	731.459
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	94
P-0-4-4	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	731.459
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	93
P-0-4-5	
- Tx (Frames)	731.459
- Tx Rate (L1) (Bit/s)	300 M
- Tx Rate (Fps)	24.382
- Rx (Frames)	731.459
- Rx Rate (L1) (Bit/s)	300 M
- Rx Rate (Fps)	24.382
- Flood Count (Frames)	91

Full Mesh: Loss by Frame Size at 30,00% Rate

Results for 40,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	40 %	40 %	40 %	40 %	40 %	40 %
Tx Rate (L1) (Bit/s)	7,2 G	7,2 G	7,2 G	7,2 G	7,2 G	7,2 G
Tx Rate (Fps)	10.714.284	6.081.077	3.260.869	1.691.721	862.063	692.305
Rx Rate (Percent)	0,02 %	0,05 %	40 %	40 %	40 %	40 %
Rx Rate (L1) (Bit/s)	3,34 M	9,27 M	7,2 G	7,2 G	7,2 G	7,2 G
Rx Rate (Fps)	4,96 K	7,83 K	3,26 M	1,69 M	862,06 K	692,3 K
Loss Rate (Percent)	99,95 %	99,87 %	0 %	0 %	0 %	0 %
Loss (Frames)	321.279.627	182.197.506	0	0	2	135
P-0-0-0						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	7.375	12.684	5.434.781	2.819.535	1.436.772	1.153.828
- Rx Rate (L1) (Bit/s)	165,2 K	500,6 K	400 M	400 M	400 M	399,99 M
- Rx Rate (Fps)	246	423	181.159	93.985	47.892	38.461
- Flood Count (Frames)	95	95	91	91	93	93
P-0-0-1						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	7.678	12.881	5.434.781	2.819.535	1.436.772	1.153.836
- Rx Rate (L1) (Bit/s)	171,99 K	508,37 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	256	429	181.159	93.985	47.892	38.461
- Flood Count (Frames)	95	94	90	95	92	94
P-0-0-2						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	7.881	12.958	5.434.781	2.819.535	1.436.772	1.153.834
- Rx Rate (L1) (Bit/s)	176,53 K	511,41 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	263	432	181.159	93.985	47.892	38.461
- Flood Count (Frames)	95	94	91	94	95	94
P-0-0-3						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	8.039	13.049	5.434.781	2.819.535	1.436.772	1.153.834
- Rx Rate (L1) (Bit/s)	180,07 K	515 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	268	435	181.159	93.985	47.892	38.461
- Flood Count (Frames)	95	95	91	91	93	92
P-0-0-4						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841

- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	8.195	13.135	5.434.781	2.819.535	1.436.772	1.153.835
- Rx Rate (L1) (Bit/s)	183,57 K	518,39 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	273	438	181.159	93.985	47.892	38.461
- Flood Count (Frames)	95	91	90	90	99	90
P-0-0-5						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	8.401	13.134	5.434.781	2.819.535	1.436.772	1.153.837
- Rx Rate (L1) (Bit/s)	188,18 K	518,36 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	280	438	181.159	93.985	47.892	38.461
- Flood Count (Frames)	92	95	91	93	92	95
P-0-2-0						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	8.505	13.132	5.434.781	2.819.535	1.436.772	1.153.841
- Rx Rate (L1) (Bit/s)	190,51 K	518,28 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	284	438	181.159	93.985	47.892	38.461
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	8.690	13.133	5.434.781	2.819.535	1.436.772	1.153.834
- Rx Rate (L1) (Bit/s)	194,66 K	518,32 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	290	438	181.159	93.985	47.892	38.461
- Flood Count (Frames)	92	93	90	92	93	93
P-0-2-2						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	8.788	13.137	5.434.781	2.819.535	1.436.772	1.153.830
- Rx Rate (L1) (Bit/s)	196,85 K	518,47 K	400 M	400 M	400 M	399,99 M
- Rx Rate (Fps)	293	438	181.159	93.985	47.892	38.461
- Flood Count (Frames)	93	93	92	92	95	94
P-0-2-3						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	8.795	13.140	5.434.781	2.819.535	1.436.772	1.153.838
- Rx Rate (L1) (Bit/s)	197,01 K	518,59 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	293	438	181.159	93.985	47.892	38.461
- Flood Count (Frames)	88	89	95	95	91	90
P-0-2-4						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	8.801	13.144	5.434.781	2.819.535	1.436.772	1.153.834
- Rx Rate (L1) (Bit/s)	197,14 K	518,75 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	293	438	181.159	93.985	47.892	38.461
- Flood Count (Frames)	94	93	91	95	92	93
P-0-2-5						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	8.689	13.139	5.434.781	2.819.535	1.436.772	1.153.827
- Rx Rate (L1) (Bit/s)	194,63 K	518,55 K	400 M	400 M	400 M	399,99 M
- Rx Rate (Fps)	290	438	181.159	93.985	47.892	38.461
- Flood Count (Frames)	91	93	91	90	93	92
P-0-4-0						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	8.537	13.142	5.434.781	2.819.535	1.436.772	1.153.824
- Rx Rate (L1) (Bit/s)	191,23 K	518,67 K	400 M	400 M	400 M	399,99 M
- Rx Rate (Fps)	285	438	181.159	93.985	47.892	38.461
- Flood Count (Frames)	93	94	90	96	94	94
P-0-4-1						

- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	8.382	13.131	5.434.781	2.819.535	1.436.772	1.153.834
- Rx Rate (L1) (Bit/s)	187,76 K	518,24 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	279	438	181.159	93.985	47.892	38.461
- Flood Count (Frames)	95	93	93	97	93	93
P-0-4-2						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	8.229	13.068	5.434.781	2.819.535	1.436.772	1.153.835
- Rx Rate (L1) (Bit/s)	184,33 K	515,75 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	274	436	181.159	93.985	47.892	38.461
- Flood Count (Frames)	91	95	97	92	96	95
P-0-4-3						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	8.098	13.000	5.434.781	2.819.535	1.436.772	1.153.836
- Rx Rate (L1) (Bit/s)	181,4 K	513,07 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	270	433	181.159	93.985	47.892	38.461
- Flood Count (Frames)	93	92	93	95	92	98
P-0-4-4						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	7.972	12.930	5.434.781	2.819.535	1.436.771	1.153.836
- Rx Rate (L1) (Bit/s)	178,57 K	510,3 K	400 M	400 M	400 M	400 M
- Rx Rate (Fps)	266	431	181.159	93.985	47.892	38.461
- Flood Count (Frames)	91	90	94	92	96	93
P-0-4-5						
- Tx (Frames)	17.857.140	10.135.128	5.434.781	2.819.535	1.436.772	1.153.841
- Tx Rate (L1) (Bit/s)	400 M	400 M	400 M	400 M	400 M	400 M
- Tx Rate (Fps)	595.238	337.838	181.159	93.985	47.892	38.461
- Rx (Frames)	7.838	12.861	5.434.781	2.819.535	1.436.771	1.153.830
- Rx Rate (L1) (Bit/s)	175,57 K	507,58 K	400 M	400 M	400 M	399,99 M
- Rx Rate (Fps)	261	429	181.159	93.985	47.892	38.461
- Flood Count (Frames)	95	93	92	95	96	95

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	40 %
Tx Rate (L1) (Bit/s)	7,2 G
Tx Rate (Fps)	585.174
Rx Rate (Percent)	40 %
Rx Rate (L1) (Bit/s)	7,2 G
Rx Rate (Fps)	585,17 K
Loss Rate (Percent)	0 %
Loss (Frames)	29
P-0-0-0	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	975.288
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	91
P-0-0-1	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	93
P-0-0-2	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M

- Tx Rate (Fps)	32.510
- Rx (Frames)	975.288
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	94
P-0-0-3	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	975.286
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	93
P-0-0-4	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	92
P-0-0-5	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	975.289
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	92
P-0-2-0	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	975.289
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	92
P-0-2-2	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	975.287
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	92
P-0-2-3	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	975.289
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	92
P-0-2-4	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	975.287
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	91
P-0-2-5	
- Tx (Frames)	975.290

- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	975.287
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	94
P-0-4-0	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	975.287
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	92
P-0-4-1	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	975.287
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	95
P-0-4-2	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	94
P-0-4-3	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	975.289
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	90
P-0-4-4	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	975.288
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	93
P-0-4-5	
- Tx (Frames)	975.290
- Tx Rate (L1) (Bit/s)	400 M
- Tx Rate (Fps)	32.510
- Rx (Frames)	975.290
- Rx Rate (L1) (Bit/s)	400 M
- Rx Rate (Fps)	32.510
- Flood Count (Frames)	90

Full Mesh: Loss by Frame Size at 40,00% Rate

Results for 50,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	50 %	50 %	50 %	50 %	50 %	50 %
Tx Rate (L1) (Bit/s)	9 G	9 G	9 G	9 G	9 G	9 G
Tx Rate (Fps)	13.392.855	7.601.346	4.076.083	2.114.654	1.077.579	865.378
Rx Rate (Percent)	0,01 %	0,04 %	50 %	50 %	50 %	50 %
Rx Rate (L1) (Bit/s)	2,57 M	7,2 M	9 G	9 G	9 G	9 G
Rx Rate (Fps)	3,83 K	6,08 K	4,08 M	2,11 M	1,08 M	865,37 K
Loss Rate (Percent)	99,97 %	99,92 %	0 %	0 %	0 %	0 %
Loss (Frames)	401.670.763	227.857.992	0	0	913	159
P-0-0-0						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	5.498	9.543	6.793.472	3.524.423	1.795.946	1.442.285
- Rx Rate (L1) (Bit/s)	123,16 K	376,63 K	500 M	500 M	499,99 M	499,99 M
- Rx Rate (Fps)	183	318	226.449	117.481	59.865	48.076
- Flood Count (Frames)	95	95	91	96	92	94
P-0-0-1						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	5.784	9.790	6.793.472	3.524.423	1.795.956	1.442.291
- Rx Rate (L1) (Bit/s)	129,56 K	386,38 K	500 M	500 M	499,99 M	499,99 M
- Rx Rate (Fps)	193	326	226.449	117.481	59.865	48.076
- Flood Count (Frames)	94	92	92	94	95	94
P-0-0-2						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	5.984	9.896	6.793.472	3.524.423	1.795.918	1.442.288
- Rx Rate (L1) (Bit/s)	134,04 K	390,56 K	500 M	500 M	499,98 M	499,99 M
- Rx Rate (Fps)	199	330	226.449	117.481	59.864	48.076
- Flood Count (Frames)	90	95	93	95	97	93
P-0-0-3						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	6.178	10.005	6.793.472	3.524.423	1.795.931	1.442.285
- Rx Rate (L1) (Bit/s)	138,39 K	394,86 K	500 M	500 M	499,99 M	499,99 M
- Rx Rate (Fps)	206	334	226.449	117.481	59.864	48.076
- Flood Count (Frames)	89	91	93	95	91	90
P-0-0-4						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297

- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	6.370	10.114	6.793.472	3.524.423	1.795.890	1.442.277
- Rx Rate (L1) (Bit/s)	142,69 K	399,17 K	500 M	500 M	499,98 M	499,99 M
- Rx Rate (Fps)	212	337	226.449	117.481	59.863	48.076
- Flood Count (Frames)	92	96	93	92	93	94
P-0-0-5						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	6.565	10.216	6.793.472	3.524.423	1.795.902	1.442.279
- Rx Rate (L1) (Bit/s)	147,06 K	403,19 K	500 M	500 M	499,98 M	499,99 M
- Rx Rate (Fps)	219	341	226.449	117.481	59.863	48.076
- Flood Count (Frames)	94	93	90	94	93	95
P-0-2-0						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	6.780	10.307	6.793.472	3.524.423	1.795.965	1.442.297
- Rx Rate (L1) (Bit/s)	151,87 K	406,78 K	500 M	500 M	500 M	500 M
- Rx Rate (Fps)	226	344	226.449	117.481	59.866	48.077
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	6.780	10.393	6.793.472	3.524.423	1.795.838	1.442.297
- Rx Rate (L1) (Bit/s)	151,87 K	410,18 K	500 M	500 M	499,96 M	500 M
- Rx Rate (Fps)	226	346	226.449	117.481	59.861	48.077
- Flood Count (Frames)	92	95	96	93	91	94
P-0-2-2						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	6.789	10.394	6.793.472	3.524.423	1.795.868	1.442.297
- Rx Rate (L1) (Bit/s)	152,07 K	410,22 K	500 M	500 M	499,97 M	500 M
- Rx Rate (Fps)	226	346	226.449	117.481	59.862	48.077
- Flood Count (Frames)	90	94	93	93	93	92
P-0-2-3						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	6.796	10.394	6.793.472	3.524.423	1.795.886	1.442.297
- Rx Rate (L1) (Bit/s)	152,23 K	410,22 K	500 M	500 M	499,97 M	500 M
- Rx Rate (Fps)	227	346	226.449	117.481	59.863	48.077
- Flood Count (Frames)	93	93	90	93	94	90
P-0-2-4						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	6.794	10.394	6.793.472	3.524.423	1.795.827	1.442.296
- Rx Rate (L1) (Bit/s)	152,19 K	410,22 K	500 M	500 M	499,96 M	500 M
- Rx Rate (Fps)	226	346	226.449	117.481	59.861	48.077
- Flood Count (Frames)	93	93	91	92	93	90
P-0-2-5						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	6.798	10.394	6.793.472	3.524.423	1.795.837	1.442.285
- Rx Rate (L1) (Bit/s)	152,28 K	410,22 K	500 M	500 M	499,96 M	499,99 M
- Rx Rate (Fps)	227	346	226.449	117.481	59.861	48.076
- Flood Count (Frames)	90	92	95	97	94	88
P-0-4-0						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	6.738	10.306	6.793.472	3.524.423	1.795.947	1.442.297
- Rx Rate (L1) (Bit/s)	150,93 K	406,74 K	500 M	500 M	499,99 M	500 M
- Rx Rate (Fps)	225	344	226.449	117.481	59.865	48.077
- Flood Count (Frames)	93	95	95	93	91	95
P-0-4-1						

- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	6.547	10.223	6.793.472	3.524.423	1.795.931	1.442.274
- Rx Rate (L1) (Bit/s)	146,65 K	403,47 K	500 M	500 M	499,99 M	499,99 M
- Rx Rate (Fps)	218	341	226.449	117.481	59.864	48.076
- Flood Count (Frames)	90	92	93	95	91	93
P-0-4-2						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	6.366	10.133	6.793.472	3.524.423	1.795.955	1.442.286
- Rx Rate (L1) (Bit/s)	142,6 K	399,92 K	500 M	500 M	499,99 M	499,99 M
- Rx Rate (Fps)	212	338	226.449	117.481	59.865	48.076
- Flood Count (Frames)	90	92	93	92	93	95
P-0-4-3						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	6.204	10.049	6.793.472	3.524.423	1.795.943	1.442.284
- Rx Rate (L1) (Bit/s)	138,97 K	396,6 K	500 M	500 M	499,99 M	499,99 M
- Rx Rate (Fps)	207	335	226.449	117.481	59.865	48.076
- Flood Count (Frames)	96	90	94	90	93	93
P-0-4-4						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	6.048	9.961	6.793.472	3.524.423	1.795.955	1.442.282
- Rx Rate (L1) (Bit/s)	135,48 K	393,13 K	500 M	500 M	499,99 M	499,99 M
- Rx Rate (Fps)	202	332	226.449	117.481	59.865	48.076
- Flood Count (Frames)	91	91	95	94	92	93
P-0-4-5						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	5.868	9.876	6.793.472	3.524.423	1.795.962	1.442.290
- Rx Rate (L1) (Bit/s)	131,44 K	389,77 K	500 M	500 M	500 M	499,99 M
- Rx Rate (Fps)	196	329	226.449	117.481	59.865	48.076
- Flood Count (Frames)	90	93	90	94	92	95

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	50 %
Tx Rate (L1) (Bit/s)	9 G
Tx Rate (Fps)	731.462
Rx Rate (Percent)	50 %
Rx Rate (L1) (Bit/s)	9 G
Rx Rate (Fps)	731,46 K
Loss Rate (Percent)	0 %
Loss (Frames)	103
P-0-0-0	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	1.219.100
- Rx Rate (L1) (Bit/s)	499,99 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	95
P-0-0-1	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	1.219.101
- Rx Rate (L1) (Bit/s)	499,99 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	93
P-0-0-2	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M

- Tx Rate (Fps)	40.637
- Rx (Frames)	1.219.098
- Rx Rate (L1) (Bit/s)	499,99 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	90
P-0-0-3	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	1.219.098
- Rx Rate (L1) (Bit/s)	499,99 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	95
P-0-0-4	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	1.219.095
- Rx Rate (L1) (Bit/s)	499,99 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	91
P-0-0-5	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	1.219.098
- Rx Rate (L1) (Bit/s)	499,99 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	94
P-0-2-0	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	1.219.104
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	1.219.102
- Rx Rate (L1) (Bit/s)	499,99 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	92
P-0-2-2	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	1.219.102
- Rx Rate (L1) (Bit/s)	499,99 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	92
P-0-2-3	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	1.219.094
- Rx Rate (L1) (Bit/s)	499,99 M
- Rx Rate (Fps)	40.636
- Flood Count (Frames)	93
P-0-2-4	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	1.219.099
- Rx Rate (L1) (Bit/s)	499,99 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	94
P-0-2-5	
- Tx (Frames)	1.219.104

- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	1.219.093
- Rx Rate (L1) (Bit/s)	499,99 M
- Rx Rate (Fps)	40.636
- Flood Count (Frames)	93
P-0-4-0	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	1.219.091
- Rx Rate (L1) (Bit/s)	499,99 M
- Rx Rate (Fps)	40.636
- Flood Count (Frames)	95
P-0-4-1	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	1.219.104
- Rx Rate (L1) (Bit/s)	500 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	90
P-0-4-2	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	1.219.097
- Rx Rate (L1) (Bit/s)	499,99 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	93
P-0-4-3	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	1.219.100
- Rx Rate (L1) (Bit/s)	499,99 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	92
P-0-4-4	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	1.219.101
- Rx Rate (L1) (Bit/s)	499,99 M
- Rx Rate (Fps)	40.637
- Flood Count (Frames)	94
P-0-4-5	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	1.219.092
- Rx Rate (L1) (Bit/s)	499,99 M
- Rx Rate (Fps)	40.636
- Flood Count (Frames)	93

Full Mesh: Loss by Frame Size at 50,00% Rate

Results for 60,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	60 %	60 %	60 %	60 %	60 %	60 %
Tx Rate (L1) (Bit/s)	10,8 G	10,8 G	10,8 G	10,8 G	10,8 G	10,8 G
Tx Rate (Fps)	16.071.426	9.121.615	4.891.298	2.537.587	1.293.095	1.038.452
Rx Rate (Percent)	0,01 %	0,04 %	0,12 %	60 %	60 %	60 %
Rx Rate (L1) (Bit/s)	2,38 M	6,55 M	22,26 M	10,8 G	10,8 G	10,8 G
Rx Rate (Fps)	3,53 K	5,54 K	10,08 K	2,54 M	1,29 M	1,04 M
Loss Rate (Percent)	99,98 %	99,94 %	99,79 %	0 %	0 %	0 %
Loss (Frames)	482.036.737	273.482.389	146.436.494	0	140	316
P-0-0-0						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	4.734	8.574	16.784	4.229.311	2.155.155	1.730.746
- Rx Rate (L1) (Bit/s)	106,04 K	338,39 K	1,24 M	600 M	600 M	599,99 M
- Rx Rate (Fps)	158	286	559	140.977	71.839	57.692
- Flood Count (Frames)	93	95	94	93	91	93
P-0-0-1						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	5.319	8.750	16.792	4.229.311	2.155.156	1.730.745
- Rx Rate (L1) (Bit/s)	119,15 K	345,33 K	1,24 M	600 M	600 M	599,99 M
- Rx Rate (Fps)	177	292	560	140.977	71.839	57.692
- Flood Count (Frames)	92	93	95	92	94	94
P-0-0-2						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	5.579	8.884	16.779	4.229.311	2.155.150	1.730.736
- Rx Rate (L1) (Bit/s)	124,97 K	350,62 K	1,23 M	600 M	599,99 M	599,99 M
- Rx Rate (Fps)	186	296	559	140.977	71.838	57.691
- Flood Count (Frames)	90	93	93	94	93	93
P-0-0-3						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	5.809	9.020	16.771	4.229.311	2.155.150	1.730.747
- Rx Rate (L1) (Bit/s)	130,12 K	355,99 K	1,23 M	600 M	599,99 M	599,99 M
- Rx Rate (Fps)	194	301	559	140.977	71.838	57.692
- Flood Count (Frames)	90	94	90	90	94	94
P-0-0-4						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753

- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	6.037	9.154	16.736	4.229.311	2.155.158	1.730.744
- Rx Rate (L1) (Bit/s)	135,23 K	361,28 K	1,23 M	600 M	600 M	599,99 M
- Rx Rate (Fps)	201	305	558	140.977	71.839	57.691
- Flood Count (Frames)	93	95	96	91	94	90
P-0-0-5						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	6.270	9.291	16.760	4.229.311	2.155.145	1.730.746
- Rx Rate (L1) (Bit/s)	140,45 K	366,68 K	1,23 M	600 M	599,99 M	599,99 M
- Rx Rate (Fps)	209	310	559	140.977	71.838	57.692
- Flood Count (Frames)	90	94	91	89	96	91
P-0-2-0						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	6.278	9.428	16.770	4.229.311	2.155.149	1.730.753
- Rx Rate (L1) (Bit/s)	140,63 K	372,09 K	1,23 M	600 M	599,99 M	599,99 M
- Rx Rate (Fps)	209	314	559	140.977	71.838	57.692
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	6.266	9.551	16.795	4.229.311	2.155.140	1.730.753
- Rx Rate (L1) (Bit/s)	140,36 K	376,95 K	1,24 M	600 M	599,99 M	599,99 M
- Rx Rate (Fps)	209	318	560	140.977	71.838	57.692
- Flood Count (Frames)	94	95	92	93	94	94
P-0-2-2						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	6.268	9.676	16.814	4.229.311	2.155.142	1.730.732
- Rx Rate (L1) (Bit/s)	140,4 K	381,88 K	1,24 M	600 M	599,99 M	599,99 M
- Rx Rate (Fps)	209	323	560	140.977	71.838	57.691
- Flood Count (Frames)	96	94	90	94	91	92
P-0-2-3						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	6.260	9.745	16.832	4.229.311	2.155.146	1.730.747
- Rx Rate (L1) (Bit/s)	140,22 K	384,6 K	1,24 M	600 M	599,99 M	599,99 M
- Rx Rate (Fps)	209	325	561	140.977	71.838	57.692
- Flood Count (Frames)	90	94	96	93	95	94
P-0-2-4						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	6.233	9.640	16.860	4.229.311	2.155.143	1.730.735
- Rx Rate (L1) (Bit/s)	139,62 K	380,46 K	1,24 M	600 M	599,99 M	599,99 M
- Rx Rate (Fps)	208	321	562	140.977	71.838	57.691
- Flood Count (Frames)	92	93	95	93	94	96
P-0-2-5						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	6.230	9.529	16.835	4.229.311	2.155.132	1.730.726
- Rx Rate (L1) (Bit/s)	139,55 K	376,08 K	1,24 M	600 M	599,99 M	599,99 M
- Rx Rate (Fps)	208	318	561	140.977	71.838	57.691
- Flood Count (Frames)	92	91	89	92	95	95
P-0-4-0						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	6.228	9.414	16.845	4.229.311	2.155.155	1.730.725
- Rx Rate (L1) (Bit/s)	139,51 K	371,54 K	1,24 M	600 M	600 M	599,98 M
- Rx Rate (Fps)	208	314	562	140.977	71.839	57.691
- Flood Count (Frames)	93	96	92	95	93	93
P-0-4-1						

- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	6.080	9.300	16.797	4.229.311	2.155.156	1.730.730
- Rx Rate (L1) (Bit/s)	136,19 K	367,04 K	1,24 M	600 M	600 M	599,99 M
- Rx Rate (Fps)	203	310	560	140.977	71.839	57.691
- Flood Count (Frames)	93	91	95	95	93	92
P-0-4-2						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	5.909	9.196	16.824	4.229.311	2.155.157	1.730.715
- Rx Rate (L1) (Bit/s)	132,36 K	362,94 K	1,24 M	600 M	600 M	599,98 M
- Rx Rate (Fps)	197	307	561	140.977	71.839	57.691
- Flood Count (Frames)	94	95	93	96	93	92
P-0-4-3						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	5.712	9.087	16.831	4.229.311	2.155.156	1.730.710
- Rx Rate (L1) (Bit/s)	127,95 K	358,63 K	1,24 M	600 M	600 M	599,98 M
- Rx Rate (Fps)	190	303	561	140.977	71.839	57.690
- Flood Count (Frames)	92	94	94	91	91	93
P-0-4-4						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	5.517	8.959	16.811	4.229.311	2.155.157	1.730.726
- Rx Rate (L1) (Bit/s)	123,58 K	353,58 K	1,24 M	600 M	600 M	599,99 M
- Rx Rate (Fps)	184	299	560	140.977	71.839	57.691
- Flood Count (Frames)	90	95	93	91	95	94
P-0-4-5						
- Tx (Frames)	26.785.710	15.202.692	8.152.163	4.229.311	2.155.158	1.730.753
- Tx Rate (L1) (Bit/s)	600 M	600 M	600 M	600 M	600 M	599,99 M
- Tx Rate (Fps)	892.857	506.756	271.739	140.977	71.839	57.692
- Rx (Frames)	5.314	8.869	16.804	4.229.311	2.155.157	1.730.722
- Rx Rate (L1) (Bit/s)	119,03 K	350,03 K	1,24 M	600 M	600 M	599,98 M
- Rx Rate (Fps)	177	296	560	140.977	71.839	57.691
- Flood Count (Frames)	93	92	92	96	95	94

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	60 %
Tx Rate (L1) (Bit/s)	10,8 G
Tx Rate (Fps)	877.761
Rx Rate (Percent)	60 %
Rx Rate (L1) (Bit/s)	10,8 G
Rx Rate (Fps)	877,76 K
Loss Rate (Percent)	0 %
Loss (Frames)	8
P-0-0-0	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	1.462.934
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.764
- Flood Count (Frames)	91
P-0-0-1	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	1.462.934
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.764
- Flood Count (Frames)	92
P-0-0-2	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M

- Tx Rate (Fps)	48.765
- Rx (Frames)	1.462.935
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.765
- Flood Count (Frames)	93
P-0-0-3	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	1.462.933
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.764
- Flood Count (Frames)	92
P-0-0-4	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	1.462.935
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.765
- Flood Count (Frames)	90
P-0-0-5	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	1.462.935
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.765
- Flood Count (Frames)	93
P-0-2-0	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	1.462.935
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.765
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	1.462.935
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.765
- Flood Count (Frames)	92
P-0-2-2	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	1.462.934
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.764
- Flood Count (Frames)	92
P-0-2-3	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	1.462.935
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.765
- Flood Count (Frames)	91
P-0-2-4	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	1.462.935
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.765
- Flood Count (Frames)	93
P-0-2-5	
- Tx (Frames)	1.462.935

- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	1.462.935
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.765
- Flood Count (Frames)	92
P-0-4-0	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	1.462.935
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.765
- Flood Count (Frames)	94
P-0-4-1	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	1.462.934
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.764
- Flood Count (Frames)	95
P-0-4-2	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	1.462.935
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.765
- Flood Count (Frames)	93
P-0-4-3	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	1.462.935
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.765
- Flood Count (Frames)	92
P-0-4-4	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	1.462.934
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.764
- Flood Count (Frames)	93
P-0-4-5	
- Tx (Frames)	1.462.935
- Tx Rate (L1) (Bit/s)	600 M
- Tx Rate (Fps)	48.765
- Rx (Frames)	1.462.934
- Rx Rate (L1) (Bit/s)	600 M
- Rx Rate (Fps)	48.764
- Flood Count (Frames)	92

Full Mesh: Loss by Frame Size at 60,00% Rate

Results for 70,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	70 %	70 %	70 %	70 %	70 %	70 %
Tx Rate (L1) (Bit/s)	12,6 G	12,6 G	12,6 G	12,6 G	12,6 G	12,6 G
Tx Rate (Fps)	18.749.997	10.641.884	5.706.512	2.960.519	1.508.611	1.211.536
Rx Rate (Percent)	0,01 %	0,03 %	0,1 %	70 %	70 %	70 %
Rx Rate (L1) (Bit/s)	1,87 M	5,54 M	18,85 M	12,6 G	12,6 G	12,6 G
Rx Rate (Fps)	2,78 K	4,68 K	8,54 K	2,96 M	1,51 M	1,21 M
Loss Rate (Percent)	99,99 %	99,96 %	99,85 %	0 %	0 %	0 %
Loss (Frames)	562.416.532	319.116.195	170.939.209	1	10	21
P-0-0-0						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	3.747	7.032	14.011	4.934.199	2.514.351	2.019.226
- Rx Rate (L1) (Bit/s)	83,93 K	277,53 K	1,03 M	700 M	700 M	700 M
- Rx Rate (Fps)	125	234	467	164.473	83.812	67.308
- Flood Count (Frames)	92	91	90	89	95	95
P-0-0-1						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	4.094	7.270	14.116	4.934.199	2.514.351	2.019.224
- Rx Rate (L1) (Bit/s)	91,71 K	286,92 K	1,04 M	700 M	700 M	700 M
- Rx Rate (Fps)	136	242	471	164.473	83.812	67.307
- Flood Count (Frames)	92	91	94	94	92	92
P-0-0-2						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	4.367	7.410	14.199	4.934.199	2.514.351	2.019.226
- Rx Rate (L1) (Bit/s)	97,82 K	292,45 K	1,05 M	700 M	700 M	700 M
- Rx Rate (Fps)	146	247	473	164.473	83.812	67.308
- Flood Count (Frames)	92	93	91	92	90	93
P-0-0-3						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	4.640	7.601	14.281	4.934.199	2.514.351	2.019.225
- Rx Rate (L1) (Bit/s)	103,94 K	299,99 K	1,05 M	700 M	700 M	700 M
- Rx Rate (Fps)	155	253	476	164.473	83.812	67.308
- Flood Count (Frames)	89	90	93	91	90	90
P-0-0-4						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226

- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	4.906	7.757	14.285	4.934.199	2.514.351	2.019.223
- Rx Rate (L1) (Bit/s)	109,89 K	306,14 K	1,05 M	700 M	700 M	700 M
- Rx Rate (Fps)	164	259	476	164.473	83.812	67.307
- Flood Count (Frames)	93	93	93	94	93	89
P-0-0-5						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	4.907	7.914	14.281	4.934.199	2.514.351	2.019.226
- Rx Rate (L1) (Bit/s)	109,92 K	312,34 K	1,05 M	700 M	700 M	700 M
- Rx Rate (Fps)	164	264	476	164.473	83.812	67.308
- Flood Count (Frames)	91	94	93	94	91	91
P-0-2-0						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	4.909	8.028	14.282	4.934.199	2.514.351	2.019.226
- Rx Rate (L1) (Bit/s)	109,96 K	316,84 K	1,05 M	700 M	700 M	700 M
- Rx Rate (Fps)	164	268	476	164.473	83.812	67.308
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	4.908	8.158	14.283	4.934.199	2.514.351	2.019.226
- Rx Rate (L1) (Bit/s)	109,94 K	321,97 K	1,05 M	700 M	700 M	700 M
- Rx Rate (Fps)	164	272	476	164.473	83.812	67.308
- Flood Count (Frames)	96	93	93	95	91	90
P-0-2-2						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	4.910	8.269	14.281	4.934.199	2.514.349	2.019.226
- Rx Rate (L1) (Bit/s)	109,98 K	326,35 K	1,05 M	700 M	699,99 M	700 M
- Rx Rate (Fps)	164	276	476	164.473	83.812	67.308
- Flood Count (Frames)	90	92	94	92	92	93
P-0-2-3						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	4.907	8.269	14.284	4.934.199	2.514.350	2.019.226
- Rx Rate (L1) (Bit/s)	109,92 K	326,35 K	1,05 M	700 M	700 M	700 M
- Rx Rate (Fps)	164	276	476	164.473	83.812	67.308
- Flood Count (Frames)	92	91	95	92	94	93
P-0-2-4						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	4.906	8.279	14.281	4.934.199	2.514.351	2.019.226
- Rx Rate (L1) (Bit/s)	109,89 K	326,74 K	1,05 M	700 M	700 M	700 M
- Rx Rate (Fps)	164	276	476	164.473	83.812	67.308
- Flood Count (Frames)	88	95	95	90	89	91
P-0-2-5						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	4.903	8.173	14.279	4.934.199	2.514.351	2.019.222
- Rx Rate (L1) (Bit/s)	109,83 K	322,56 K	1,05 M	700 M	700 M	700 M
- Rx Rate (Fps)	163	272	476	164.473	83.812	67.307
- Flood Count (Frames)	92	92	92	91	93	93
P-0-4-0						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	4.904	8.046	14.279	4.934.199	2.514.349	2.019.222
- Rx Rate (L1) (Bit/s)	109,85 K	317,55 K	1,05 M	700 M	699,99 M	700 M
- Rx Rate (Fps)	163	268	476	164.473	83.812	67.307
- Flood Count (Frames)	93	92	93	97	92	93
P-0-4-1						

- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	4.904	7.914	14.278	4.934.199	2.514.349	2.019.226
- Rx Rate (L1) (Bit/s)	109,85 K	312,34 K	1,05 M	700 M	699,99 M	700 M
- Rx Rate (Fps)	163	264	476	164.473	83.812	67.308
- Flood Count (Frames)	94	93	95	93	91	93
P-0-4-2						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	4.686	7.777	14.282	4.934.199	2.514.349	2.019.226
- Rx Rate (L1) (Bit/s)	104,97 K	306,93 K	1,05 M	700 M	699,99 M	700 M
- Rx Rate (Fps)	156	259	476	164.473	83.812	67.308
- Flood Count (Frames)	91	93	95	92	94	95
P-0-4-3						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	4.474	7.630	14.219	4.934.198	2.514.351	2.019.223
- Rx Rate (L1) (Bit/s)	100,22 K	301,13 K	1,05 M	700 M	700 M	700 M
- Rx Rate (Fps)	149	254	474	164.473	83.812	67.307
- Flood Count (Frames)	92	93	92	93	97	92
P-0-4-4						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	4.261	7.474	14.154	4.934.199	2.514.351	2.019.224
- Rx Rate (L1) (Bit/s)	95,45 K	294,97 K	1,04 M	700 M	700 M	700 M
- Rx Rate (Fps)	142	249	472	164.473	83.812	67.307
- Flood Count (Frames)	90	91	92	90	95	93
P-0-4-5						
- Tx (Frames)	31.249.995	17.736.474	9.510.854	4.934.199	2.514.351	2.019.226
- Tx Rate (L1) (Bit/s)	700 M	700 M	700 M	700 M	700 M	700 M
- Tx Rate (Fps)	1.041.667	591.216	317.028	164.473	83.812	67.308
- Rx (Frames)	4.045	7.336	14.088	4.934.199	2.514.350	2.019.224
- Rx Rate (L1) (Bit/s)	90,61 K	289,53 K	1,04 M	700 M	700 M	700 M
- Rx Rate (Fps)	135	245	470	164.473	83.812	67.307
- Flood Count (Frames)	93	93	93	93	92	92

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	70 %
Tx Rate (L1) (Bit/s)	12,6 G
Tx Rate (Fps)	1.024.049
Rx Rate (Percent)	70 %
Rx Rate (L1) (Bit/s)	12,6 G
Rx Rate (Fps)	1,02 M
Loss Rate (Percent)	0 %
Loss (Frames)	8
P-0-0-0	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	1.706.749
- Rx Rate (L1) (Bit/s)	699,99 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	93
P-0-0-1	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	1.706.749
- Rx Rate (L1) (Bit/s)	699,99 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	92
P-0-0-2	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M

- Tx Rate (Fps)	56.892
- Rx (Frames)	1.706.748
- Rx Rate (L1) (Bit/s)	699,99 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	90
P-0-0-3	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	1.706.749
- Rx Rate (L1) (Bit/s)	699,99 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	97
P-0-0-4	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	1.706.749
- Rx Rate (L1) (Bit/s)	699,99 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	93
P-0-0-5	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	1.706.748
- Rx Rate (L1) (Bit/s)	699,99 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	90
P-0-2-0	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	1.706.749
- Rx Rate (L1) (Bit/s)	699,99 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	1.706.748
- Rx Rate (L1) (Bit/s)	699,99 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	95
P-0-2-2	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	1.706.748
- Rx Rate (L1) (Bit/s)	699,99 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	95
P-0-2-3	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	1.706.748
- Rx Rate (L1) (Bit/s)	699,99 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	93
P-0-2-4	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	1.706.749
- Rx Rate (L1) (Bit/s)	699,99 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	93
P-0-2-5	
- Tx (Frames)	1.706.749

- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	1.706.748
- Rx Rate (L1) (Bit/s)	699,99 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	91
P-0-4-0	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	1.706.749
- Rx Rate (L1) (Bit/s)	699,99 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	94
P-0-4-1	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	1.706.749
- Rx Rate (L1) (Bit/s)	699,99 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	95
P-0-4-2	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	1.706.749
- Rx Rate (L1) (Bit/s)	699,99 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	95
P-0-4-3	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	1.706.748
- Rx Rate (L1) (Bit/s)	699,99 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	93
P-0-4-4	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	1.706.748
- Rx Rate (L1) (Bit/s)	699,99 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	95
P-0-4-5	
- Tx (Frames)	1.706.749
- Tx Rate (L1) (Bit/s)	699,99 M
- Tx Rate (Fps)	56.892
- Rx (Frames)	1.706.749
- Rx Rate (L1) (Bit/s)	699,99 M
- Rx Rate (Fps)	56.892
- Flood Count (Frames)	93

Full Mesh: Loss by Frame Size at 70,00% Rate

Results for 80,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	80 %	80 %	80 %	80 %	80 %	80 %
Tx Rate (L1) (Bit/s)	14,4 G	14,4 G	14,4 G	14,4 G	14,4 G	14,4 G
Tx Rate (Fps)	21.428.568	12.162.154	6.521.737	3.383.452	1.724.137	1.384.609
Rx Rate (Percent)	0,01 %	0,03 %	0,09 %	80 %	80 %	80 %
Rx Rate (L1) (Bit/s)	1,61 M	5,1 M	16,09 M	14,4 G	14,4 G	14,4 G
Rx Rate (Fps)	2,4 K	4,3 K	7,29 K	3,38 M	1,72 M	1,38 M
Loss Rate (Percent)	99,99 %	99,96 %	99,89 %	0 %	0 %	0 %
Loss (Frames)	642.785.033	364.735.494	195.433.469	0	23	35
P-0-0-0						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	3.003	6.359	11.678	5.639.087	2.873.558	2.307.680
- Rx Rate (L1) (Bit/s)	67,27 K	250,97 K	859,5 K	800 M	800 M	800 M
- Rx Rate (Fps)	100	212	389	187.970	95.785	76.923
- Flood Count (Frames)	93	90	94	90	93	90
P-0-0-1						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	3.409	6.596	11.913	5.639.087	2.873.561	2.307.682
- Rx Rate (L1) (Bit/s)	76,36 K	260,32 K	876,8 K	800 M	800 M	800 M
- Rx Rate (Fps)	114	220	397	187.970	95.785	76.923
- Flood Count (Frames)	94	90	95	92	93	95
P-0-0-2						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	3.746	6.752	12.001	5.639.087	2.873.561	2.307.682
- Rx Rate (L1) (Bit/s)	83,91 K	266,48 K	883,27 K	800 M	800 M	800 M
- Rx Rate (Fps)	125	225	400	187.970	95.785	76.923
- Flood Count (Frames)	93	93	90	94	94	94
P-0-0-3						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	4.042	6.930	12.111	5.639.087	2.873.561	2.307.681
- Rx Rate (L1) (Bit/s)	90,54 K	273,5 K	891,37 K	800 M	800 M	800 M
- Rx Rate (Fps)	135	231	404	187.970	95.785	76.923
- Flood Count (Frames)	93	96	95	96	91	95
P-0-0-4						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682

- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	4.267	7.117	12.199	5.639.087	2.873.561	2.307.682
- Rx Rate (L1) (Bit/s)	95,58 K	280,88 K	897,85 K	800 M	800 M	800 M
- Rx Rate (Fps)	142	237	407	187.970	95.785	76.923
- Flood Count (Frames)	94	91	96	94	95	92
P-0-0-5						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	4.288	7.295	12.302	5.639.087	2.873.560	2.307.682
- Rx Rate (L1) (Bit/s)	96,05 K	287,91 K	905,43 K	800 M	800 M	800 M
- Rx Rate (Fps)	143	243	410	187.970	95.785	76.923
- Flood Count (Frames)	95	92	94	91	93	91
P-0-2-0						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	4.266	7.535	12.300	5.639.087	2.873.561	2.307.682
- Rx Rate (L1) (Bit/s)	95,56 K	297,38 K	905,28 K	800 M	800 M	800 M
- Rx Rate (Fps)	142	251	410	187.970	95.785	76.923
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	4.268	7.627	12.294	5.639.087	2.873.560	2.307.681
- Rx Rate (L1) (Bit/s)	95,6 K	301,01 K	904,84 K	800 M	800 M	800 M
- Rx Rate (Fps)	142	254	410	187.970	95.785	76.923
- Flood Count (Frames)	91	95	92	94	95	96
P-0-2-2						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	4.268	7.616	12.287	5.639.087	2.873.561	2.307.681
- Rx Rate (L1) (Bit/s)	95,6 K	300,58 K	904,32 K	800 M	800 M	800 M
- Rx Rate (Fps)	142	254	410	187.970	95.785	76.923
- Flood Count (Frames)	93	92	92	92	91	92
P-0-2-3						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	4.282	7.620	12.301	5.639.087	2.873.561	2.307.680
- Rx Rate (L1) (Bit/s)	95,92 K	300,74 K	905,35 K	800 M	800 M	800 M
- Rx Rate (Fps)	143	254	410	187.970	95.785	76.923
- Flood Count (Frames)	93	95	95	93	91	92
P-0-2-4						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	4.296	7.620	12.280	5.639.087	2.873.559	2.307.682
- Rx Rate (L1) (Bit/s)	96,23 K	300,74 K	903,81 K	800 M	800 M	800 M
- Rx Rate (Fps)	143	254	409	187.970	95.785	76.923
- Flood Count (Frames)	92	93	93	94	93	93
P-0-2-5						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	4.291	7.609	12.294	5.639.087	2.873.559	2.307.682
- Rx Rate (L1) (Bit/s)	96,12 K	300,3 K	904,84 K	800 M	800 M	800 M
- Rx Rate (Fps)	143	254	410	187.970	95.785	76.923
- Flood Count (Frames)	92	92	94	95	90	92
P-0-4-0						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	4.231	7.463	12.256	5.639.087	2.873.560	2.307.673
- Rx Rate (L1) (Bit/s)	94,77 K	294,54 K	902,04 K	800 M	800 M	799,99 M
- Rx Rate (Fps)	141	249	409	187.970	95.785	76.922
- Flood Count (Frames)	94	93	95	93	94	93
P-0-4-1						

- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	4.194	7.337	12.236	5.639.087	2.873.559	2.307.678
- Rx Rate (L1) (Bit/s)	93,95 K	289,57 K	900,57 K	800 M	800 M	800 M
- Rx Rate (Fps)	140	245	408	187.970	95.785	76.923
- Flood Count (Frames)	92	93	95	93	93	91
P-0-4-2						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	4.231	7.082	12.159	5.639.087	2.873.556	2.307.676
- Rx Rate (L1) (Bit/s)	94,77 K	279,5 K	894,9 K	800 M	800 M	799,99 M
- Rx Rate (Fps)	141	236	405	187.970	95.785	76.923
- Flood Count (Frames)	93	97	93	95	95	93
P-0-4-3						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	3.923	6.915	12.083	5.639.087	2.873.560	2.307.678
- Rx Rate (L1) (Bit/s)	87,88 K	272,91 K	889,31 K	800 M	800 M	800 M
- Rx Rate (Fps)	131	231	403	187.970	95.785	76.923
- Flood Count (Frames)	90	93	93	95	92	94
P-0-4-4						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	3.615	6.884	12.007	5.639.087	2.873.558	2.307.680
- Rx Rate (L1) (Bit/s)	80,98 K	271,69 K	883,72 K	800 M	800 M	800 M
- Rx Rate (Fps)	121	229	400	187.970	95.785	76.923
- Flood Count (Frames)	92	93	93	93	91	93
P-0-4-5						
- Tx (Frames)	35.714.280	20.270.256	10.869.562	5.639.087	2.873.561	2.307.682
- Tx Rate (L1) (Bit/s)	800 M	800 M	800 M	800 M	800 M	800 M
- Tx Rate (Fps)	1.190.476	675.675	362.319	187.970	95.785	76.923
- Rx (Frames)	3.387	6.757	11.946	5.639.087	2.873.559	2.307.679
- Rx Rate (L1) (Bit/s)	75,87 K	266,68 K	879,23 K	800 M	800 M	800 M
- Rx Rate (Fps)	113	225	398	187.970	95.785	76.923
- Flood Count (Frames)	93	91	94	90	92	94

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	80 %
Tx Rate (L1) (Bit/s)	14,4 G
Tx Rate (Fps)	1.170.348
Rx Rate (Percent)	78,86 %
Rx Rate (L1) (Bit/s)	14,19 G
Rx Rate (Fps)	1,15 M
Loss Rate (Percent)	1,42 %
Loss (Frames)	499.934
P-0-0-0	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	1.924.337
- Rx Rate (L1) (Bit/s)	789,23 M
- Rx Rate (Fps)	64.145
- Flood Count (Frames)	88
P-0-0-1	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	1.922.760
- Rx Rate (L1) (Bit/s)	788,59 M
- Rx Rate (Fps)	64.092
- Flood Count (Frames)	89
P-0-0-2	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M

- Tx Rate (Fps)	65.019
- Rx (Frames)	1.924.123
- Rx Rate (L1) (Bit/s)	789,15 M
- Rx Rate (Fps)	64.137
- Flood Count (Frames)	88
P-0-0-3	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	1.927.082
- Rx Rate (L1) (Bit/s)	790,36 M
- Rx Rate (Fps)	64.236
- Flood Count (Frames)	92
P-0-0-4	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	1.927.814
- Rx Rate (L1) (Bit/s)	790,66 M
- Rx Rate (Fps)	64.260
- Flood Count (Frames)	89
P-0-0-5	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	1.923.999
- Rx Rate (L1) (Bit/s)	789,1 M
- Rx Rate (Fps)	64.133
- Flood Count (Frames)	90
P-0-2-0	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	1.919.515
- Rx Rate (L1) (Bit/s)	787,26 M
- Rx Rate (Fps)	63.984
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	1.921.477
- Rx Rate (L1) (Bit/s)	788,06 M
- Rx Rate (Fps)	64.049
- Flood Count (Frames)	90
P-0-2-2	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	1.913.851
- Rx Rate (L1) (Bit/s)	784,93 M
- Rx Rate (Fps)	63.795
- Flood Count (Frames)	93
P-0-2-3	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	1.910.351
- Rx Rate (L1) (Bit/s)	783,5 M
- Rx Rate (Fps)	63.678
- Flood Count (Frames)	92
P-0-2-4	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	1.913.197
- Rx Rate (L1) (Bit/s)	784,67 M
- Rx Rate (Fps)	63.773
- Flood Count (Frames)	92
P-0-2-5	
- Tx (Frames)	1.950.580

- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	1.921.338
- Rx Rate (L1) (Bit/s)	788 M
- Rx Rate (Fps)	64.045
- Flood Count (Frames)	92
P-0-4-0	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	1.925.291
- Rx Rate (L1) (Bit/s)	789,63 M
- Rx Rate (Fps)	64.176
- Flood Count (Frames)	91
P-0-4-1	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	1.929.932
- Rx Rate (L1) (Bit/s)	791,53 M
- Rx Rate (Fps)	64.331
- Flood Count (Frames)	97
P-0-4-2	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	1.929.992
- Rx Rate (L1) (Bit/s)	791,55 M
- Rx Rate (Fps)	64.333
- Flood Count (Frames)	92
P-0-4-3	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	1.928.541
- Rx Rate (L1) (Bit/s)	790,96 M
- Rx Rate (Fps)	64.285
- Flood Count (Frames)	92
P-0-4-4	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	1.923.723
- Rx Rate (L1) (Bit/s)	788,98 M
- Rx Rate (Fps)	64.124
- Flood Count (Frames)	93
P-0-4-5	
- Tx (Frames)	1.950.580
- Tx Rate (L1) (Bit/s)	800 M
- Tx Rate (Fps)	65.019
- Rx (Frames)	1.923.183
- Rx Rate (L1) (Bit/s)	788,76 M
- Rx Rate (Fps)	64.106
- Flood Count (Frames)	92

Full Mesh: Loss by Frame Size at 80,00% Rate

Results for 90,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	90 %	90 %	90 %	90 %	90 %	90 %
Tx Rate (L1) (Bit/s)	16,2 G	16,2 G	16,2 G	16,2 G	16,2 G	16,2 G
Tx Rate (Fps)	24.107.139	13.682.423	7.336.952	3.806.385	1.939.652	1.557.683
Rx Rate (Percent)	0,01 %	0,02 %	0,08 %	90 %	90 %	90 %
Rx Rate (L1) (Bit/s)	1,59 M	4,36 M	14,82 M	16,2 G	16,2 G	16,2 G
Rx Rate (Fps)	2,36 K	3,68 K	6,71 K	3,81 M	1,94 M	1,56 M
Loss Rate (Percent)	99,99 %	99,97 %	99,91 %	0 %	0 %	0 %
Loss (Frames)	723.143.305	410.362.277	219.907.182	0	204	2
P-0-0-0						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	2.682	5.259	10.742	6.343.975	3.232.743	2.596.138
- Rx Rate (L1) (Bit/s)	60,08 K	207,56 K	790,61 K	900 M	900 M	899,99 M
- Rx Rate (Fps)	89	175	358	211.466	107.758	86.538
- Flood Count (Frames)	92	93	90	93	91	93
P-0-0-1						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	3.474	5.511	10.877	6.343.975	3.232.748	2.596.138
- Rx Rate (L1) (Bit/s)	77,82 K	217,5 K	800,55 K	900 M	900 M	899,99 M
- Rx Rate (Fps)	116	184	363	211.466	107.758	86.538
- Flood Count (Frames)	90	97	91	95	92	93
P-0-0-2						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	3.822	5.713	10.985	6.343.975	3.232.753	2.596.138
- Rx Rate (L1) (Bit/s)	85,61 K	225,47 K	808,5 K	900 M	900 M	899,99 M
- Rx Rate (Fps)	127	190	366	211.466	107.758	86.538
- Flood Count (Frames)	92	90	92	92	94	95
P-0-0-3						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	4.169	5.912	11.092	6.343.975	3.232.752	2.596.138
- Rx Rate (L1) (Bit/s)	93,39 K	233,33 K	816,37 K	900 M	900 M	899,99 M
- Rx Rate (Fps)	139	197	370	211.466	107.758	86.538
- Flood Count (Frames)	93	91	91	92	93	92
P-0-0-4						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138

- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	4.171	6.109	11.197	6.343.975	3.232.747	2.596.138
- Rx Rate (L1) (Bit/s)	93,43 K	241,1 K	824,1 K	900 M	900 M	899,99 M
- Rx Rate (Fps)	139	204	373	211.466	107.758	86.538
- Flood Count (Frames)	90	94	97	95	93	94
P-0-0-5						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	4.170	6.307	11.304	6.343.975	3.232.747	2.596.138
- Rx Rate (L1) (Bit/s)	93,41 K	248,92 K	831,97 K	900 M	900 M	899,99 M
- Rx Rate (Fps)	139	210	377	211.466	107.758	86.538
- Flood Count (Frames)	96	93	91	92	97	96
P-0-2-0						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	4.170	6.497	11.407	6.343.975	3.232.754	2.596.138
- Rx Rate (L1) (Bit/s)	93,41 K	256,41 K	839,56 K	900 M	900 M	899,99 M
- Rx Rate (Fps)	139	217	380	211.466	107.758	86.538
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	4.170	6.501	11.411	6.343.975	3.232.722	2.596.138
- Rx Rate (L1) (Bit/s)	93,41 K	256,57 K	839,85 K	900 M	899,99 M	899,99 M
- Rx Rate (Fps)	139	217	380	211.466	107.757	86.538
- Flood Count (Frames)	91	91	92	92	92	93
P-0-2-2						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	4.170	6.499	11.414	6.343.975	3.232.743	2.596.138
- Rx Rate (L1) (Bit/s)	93,41 K	256,49 K	840,07 K	900 M	900 M	899,99 M
- Rx Rate (Fps)	139	217	380	211.466	107.758	86.538
- Flood Count (Frames)	95	93	93	96	93	93
P-0-2-3						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	4.169	6.498	11.417	6.343.975	3.232.749	2.596.138
- Rx Rate (L1) (Bit/s)	93,39 K	256,45 K	840,29 K	900 M	900 M	899,99 M
- Rx Rate (Fps)	139	217	381	211.466	107.758	86.538
- Flood Count (Frames)	94	92	91	93	90	92
P-0-2-4						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	4.168	6.497	11.411	6.343.975	3.232.743	2.596.138
- Rx Rate (L1) (Bit/s)	93,36 K	256,41 K	839,85 K	900 M	900 M	899,99 M
- Rx Rate (Fps)	139	217	380	211.466	107.758	86.538
- Flood Count (Frames)	93	90	93	93	90	93
P-0-2-5						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	4.168	6.495	11.414	6.343.975	3.232.739	2.596.138
- Rx Rate (L1) (Bit/s)	93,36 K	256,34 K	840,07 K	900 M	899,99 M	899,99 M
- Rx Rate (Fps)	139	217	380	211.466	107.758	86.538
- Flood Count (Frames)	92	92	90	89	92	92
P-0-4-0						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	4.168	6.494	11.331	6.343.975	3.232.731	2.596.137
- Rx Rate (L1) (Bit/s)	93,36 K	256,3 K	833,96 K	900 M	899,99 M	899,99 M
- Rx Rate (Fps)	139	216	378	211.466	107.758	86.538
- Flood Count (Frames)	91	92	95	90	93	93
P-0-4-1						

- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	4.168	6.338	11.246	6.343.975	3.232.701	2.596.138
- Rx Rate (L1) (Bit/s)	93,36 K	250,14 K	827,71 K	900 M	899,98 M	899,99 M
- Rx Rate (Fps)	139	211	375	211.466	107.757	86.538
- Flood Count (Frames)	93	94	93	95	92	95
P-0-4-2						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	4.167	6.180	11.159	6.343.975	3.232.750	2.596.138
- Rx Rate (L1) (Bit/s)	93,34 K	243,9 K	821,3 K	900 M	900 M	899,99 M
- Rx Rate (Fps)	139	206	372	211.466	107.758	86.538
- Flood Count (Frames)	93	93	94	90	96	94
P-0-4-3						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	3.895	6.025	11.073	6.343.975	3.232.750	2.596.138
- Rx Rate (L1) (Bit/s)	87,25 K	237,79 K	814,97 K	900 M	900 M	899,99 M
- Rx Rate (Fps)	130	201	369	211.466	107.758	86.538
- Flood Count (Frames)	91	90	93	95	95	89
P-0-4-4						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	3.618	5.865	10.990	6.343.975	3.232.748	2.596.137
- Rx Rate (L1) (Bit/s)	81,04 K	231,47 K	808,86 K	900 M	900 M	899,99 M
- Rx Rate (Fps)	121	196	366	211.466	107.758	86.538
- Flood Count (Frames)	93	92	90	92	92	92
P-0-4-5						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	3.346	5.707	10.902	6.343.975	3.232.748	2.596.138
- Rx Rate (L1) (Bit/s)	74,95 K	225,24 K	802,39 K	900 M	900 M	899,99 M
- Rx Rate (Fps)	112	190	363	211.466	107.758	86.538
- Flood Count (Frames)	92	95	94	91	92	90

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	90 %
Tx Rate (L1) (Bit/s)	16,2 G
Tx Rate (Fps)	1.316.636
Rx Rate (Percent)	90 %
Rx Rate (L1) (Bit/s)	16,2 G
Rx Rate (Fps)	1,32 M
Loss Rate (Percent)	0 %
Loss (Frames)	1
P-0-0-0	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	2.194.394
- Rx Rate (L1) (Bit/s)	899,99 M
- Rx Rate (Fps)	73.146
- Flood Count (Frames)	92
P-0-0-1	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	2.194.393
- Rx Rate (L1) (Bit/s)	899,99 M
- Rx Rate (Fps)	73.146
- Flood Count (Frames)	95
P-0-0-2	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M

- Tx Rate (Fps)	73.146
- Rx (Frames)	2.194.394
- Rx Rate (L1) (Bit/s)	899,99 M
- Rx Rate (Fps)	73.146
- Flood Count (Frames)	92
P-0-0-3	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	2.194.394
- Rx Rate (L1) (Bit/s)	899,99 M
- Rx Rate (Fps)	73.146
- Flood Count (Frames)	94
P-0-0-4	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	2.194.394
- Rx Rate (L1) (Bit/s)	899,99 M
- Rx Rate (Fps)	73.146
- Flood Count (Frames)	92
P-0-0-5	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	2.194.394
- Rx Rate (L1) (Bit/s)	899,99 M
- Rx Rate (Fps)	73.146
- Flood Count (Frames)	91
P-0-2-0	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	2.194.394
- Rx Rate (L1) (Bit/s)	899,99 M
- Rx Rate (Fps)	73.146
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	2.194.394
- Rx Rate (L1) (Bit/s)	899,99 M
- Rx Rate (Fps)	73.146
- Flood Count (Frames)	90
P-0-2-2	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	2.194.394
- Rx Rate (L1) (Bit/s)	899,99 M
- Rx Rate (Fps)	73.146
- Flood Count (Frames)	90
P-0-2-3	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	2.194.394
- Rx Rate (L1) (Bit/s)	899,99 M
- Rx Rate (Fps)	73.146
- Flood Count (Frames)	95
P-0-2-4	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	2.194.394
- Rx Rate (L1) (Bit/s)	899,99 M
- Rx Rate (Fps)	73.146
- Flood Count (Frames)	97
P-0-2-5	
- Tx (Frames)	2.194.394

- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	2.194.394
- Rx Rate (L1) (Bit/s)	899,99 M
- Rx Rate (Fps)	73.146
- Flood Count (Frames)	92
P-0-4-0	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	2.194.394
- Rx Rate (L1) (Bit/s)	899,99 M
- Rx Rate (Fps)	73.146
- Flood Count (Frames)	93
P-0-4-1	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	2.194.394
- Rx Rate (L1) (Bit/s)	899,99 M
- Rx Rate (Fps)	73.146
- Flood Count (Frames)	92
P-0-4-2	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	2.194.394
- Rx Rate (L1) (Bit/s)	899,99 M
- Rx Rate (Fps)	73.146
- Flood Count (Frames)	95
P-0-4-3	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	2.194.394
- Rx Rate (L1) (Bit/s)	899,99 M
- Rx Rate (Fps)	73.146
- Flood Count (Frames)	95
P-0-4-4	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	2.194.394
- Rx Rate (L1) (Bit/s)	899,99 M
- Rx Rate (Fps)	73.146
- Flood Count (Frames)	95
P-0-4-5	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	2.194.394
- Rx Rate (L1) (Bit/s)	899,99 M
- Rx Rate (Fps)	73.146
- Flood Count (Frames)	90

Full Mesh: Loss by Frame Size at 90,00% Rate

Results for 100,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	100 %	100 %	100 %	100 %	100 %	100 %
Tx Rate (L1) (Bit/s)	18 G	18 G	18 G	18 G	18 G	18 G
Tx Rate (Fps)	26.785.710	15.202.702	8.152.166	4.229.318	2.155.168	1.730.767
Rx Rate (Percent)	0,01 %	0,02 %	0,07 %	99,13 %	99,49 %	99,52 %
Rx Rate (L1) (Bit/s)	1,49 M	3,95 M	12,5 M	17,84 G	17,91 G	17,91 G
Rx Rate (Fps)	2,22 K	3,34 K	5,66 K	4,19 M	2,14 M	1,72 M
Loss Rate (Percent)	99,99 %	99,98 %	99,93 %	0,87 %	0,51 %	0,48 %
Loss (Frames)	803.504.712	455.980.907	244.395.184	1.108.110	331.254	247.729
P-0-0-0						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	2.623	4.572	8.764	6.982.078	3.570.374	2.869.770
- Rx Rate (L1) (Bit/s)	58,76 K	180,44 K	645,03 K	990,52 M	993,99 M	994,85 M
- Rx Rate (Fps)	87	152	292	232.736	119.012	95.659
- Flood Count (Frames)	90	93	95	90	89	92
P-0-0-1						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	3.109	5.066	9.049	6.988.093	3.573.457	2.870.408
- Rx Rate (L1) (Bit/s)	69,64 K	199,94 K	666,01 K	991,38 M	994,85 M	995,07 M
- Rx Rate (Fps)	104	169	302	232.936	119.115	95.680
- Flood Count (Frames)	93	92	92	90	91	92
P-0-0-2						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	3.489	5.283	9.164	6.989.951	3.573.852	2.870.851
- Rx Rate (L1) (Bit/s)	78,15 K	208,5 K	674,47 K	991,64 M	994,96 M	995,23 M
- Rx Rate (Fps)	116	176	305	232.998	119.128	95.695
- Flood Count (Frames)	92	93	91	92	89	91
P-0-0-3						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	3.868	5.500	9.316	6.988.270	3.573.581	2.870.884
- Rx Rate (L1) (Bit/s)	86,64 K	217,07 K	685,66 K	991,4 M	994,88 M	995,24 M
- Rx Rate (Fps)	129	183	311	232.942	119.119	95.696
- Flood Count (Frames)	94	95	92	90	91	93
P-0-0-4						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611

- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	3.869	5.715	9.413	6.986.289	3.573.836	2.870.745
- Rx Rate (L1) (Bit/s)	86,67 K	225,55 K	692,8 K	991,12 M	994,96 M	995,19 M
- Rx Rate (Fps)	129	191	314	232.876	119.128	95.692
- Flood Count (Frames)	94	95	90	92	95	93
P-0-0-5						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	3.868	5.894	9.528	6.987.921	3.573.226	2.870.899
- Rx Rate (L1) (Bit/s)	86,64 K	232,62 K	701,26 K	991,35 M	994,79 M	995,24 M
- Rx Rate (Fps)	129	196	318	232.931	119.108	95.697
- Flood Count (Frames)	92	92	92	90	93	92
P-0-2-0						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	3.868	5.895	9.640	6.987.014	3.577.229	2.875.209
- Rx Rate (L1) (Bit/s)	86,64 K	232,66 K	709,5 K	991,22 M	995,9 M	996,74 M
- Rx Rate (Fps)	129	197	321	232.900	119.241	95.840
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	3.868	5.895	9.719	6.989.927	3.573.477	2.871.210
- Rx Rate (L1) (Bit/s)	86,64 K	232,66 K	715,32 K	991,64 M	994,86 M	995,35 M
- Rx Rate (Fps)	129	197	324	232.998	119.116	95.707
- Flood Count (Frames)	94	92	93	90	93	94
P-0-2-2						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	3.867	5.895	9.810	6.987.910	3.573.243	2.870.058
- Rx Rate (L1) (Bit/s)	86,62 K	232,66 K	722,02 K	991,35 M	994,79 M	994,95 M
- Rx Rate (Fps)	129	197	327	232.930	119.108	95.669
- Flood Count (Frames)	91	94	93	94	94	90
P-0-2-3						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	3.866	5.895	9.827	6.985.885	3.573.222	2.870.224
- Rx Rate (L1) (Bit/s)	86,6 K	232,66 K	723,27 K	991,06 M	994,79 M	995,01 M
- Rx Rate (Fps)	129	197	328	232.863	119.107	95.674
- Flood Count (Frames)	92	91	96	91	92	93
P-0-2-4						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	3.865	5.894	9.825	6.987.746	3.572.779	2.870.080
- Rx Rate (L1) (Bit/s)	86,58 K	232,62 K	723,12 K	991,33 M	994,66 M	994,96 M
- Rx Rate (Fps)	129	196	328	232.925	119.093	95.669
- Flood Count (Frames)	92	91	91	92	92	93
P-0-2-5						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	4.150	5.894	9.627	6.990.937	3.573.093	2.870.657
- Rx Rate (L1) (Bit/s)	92,96 K	232,62 K	708,55 K	991,78 M	994,75 M	995,16 M
- Rx Rate (Fps)	138	196	321	233.031	119.103	95.689
- Flood Count (Frames)	90	93	95	93	94	95
P-0-4-0						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	4.150	5.893	9.534	6.985.453	3.574.700	2.870.811
- Rx Rate (L1) (Bit/s)	92,96 K	232,58 K	701,7 K	991 M	995,2 M	995,21 M
- Rx Rate (Fps)	138	196	318	232.848	119.157	95.694
- Flood Count (Frames)	93	92	91	91	90	90
P-0-4-1						

- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	4.152	5.719	9.530	6.987.784	3.574.276	2.870.861
- Rx Rate (L1) (Bit/s)	93 K	225,71 K	701,41 K	991,33 M	995,08 M	995,23 M
- Rx Rate (Fps)	138	191	318	232.926	119.143	95.695
- Flood Count (Frames)	94	92	93	90	93	92
P-0-4-2						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	3.867	5.546	9.418	6.985.177	3.573.611	2.870.132
- Rx Rate (L1) (Bit/s)	86,62 K	218,88 K	693,16 K	990,96 M	994,89 M	994,98 M
- Rx Rate (Fps)	129	185	314	232.839	119.120	95.671
- Flood Count (Frames)	92	92	93	94	93	92
P-0-4-3						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	3.578	5.374	9.342	6.985.646	3.573.380	2.870.768
- Rx Rate (L1) (Bit/s)	80,15 K	212,09 K	687,57 K	991,03 M	994,83 M	995,2 M
- Rx Rate (Fps)	119	179	311	232.855	119.113	95.692
- Flood Count (Frames)	93	93	93	93	90	92
P-0-4-4						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	3.558	5.201	9.160	6.986.915	3.572.540	2.870.622
- Rx Rate (L1) (Bit/s)	79,7 K	205,27 K	674,18 K	991,21 M	994,6 M	995,15 M
- Rx Rate (Fps)	119	173	305	232.897	119.085	95.687
- Flood Count (Frames)	92	90	93	93	91	90
P-0-4-5						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	2.973	5.028	9.142	6.988.428	3.573.916	2.871.080
- Rx Rate (L1) (Bit/s)	66,6 K	198,44 K	672,85 K	991,42 M	994,98 M	995,31 M
- Rx Rate (Fps)	99	168	305	232.948	119.131	95.703
- Flood Count (Frames)	90	88	97	88	93	89

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	100 %
Tx Rate (L1) (Bit/s)	18 G
Tx Rate (Fps)	1.462.935
Rx Rate (Percent)	99,58 %
Rx Rate (L1) (Bit/s)	17,92 G
Rx Rate (Fps)	1,46 M
Loss Rate (Percent)	0,42 %
Loss (Frames)	184.333
P-0-0-0	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	2.427.672
- Rx Rate (L1) (Bit/s)	995,67 M
- Rx Rate (Fps)	80.922
- Flood Count (Frames)	91
P-0-0-1	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	2.427.808
- Rx Rate (L1) (Bit/s)	995,72 M
- Rx Rate (Fps)	80.927
- Flood Count (Frames)	91
P-0-0-2	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M

- Tx Rate (Fps)	81.274
- Rx (Frames)	2.427.995
- Rx Rate (L1) (Bit/s)	995,8 M
- Rx Rate (Fps)	80.933
- Flood Count (Frames)	96
P-0-0-3	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	2.428.042
- Rx Rate (L1) (Bit/s)	995,82 M
- Rx Rate (Fps)	80.935
- Flood Count (Frames)	94
P-0-0-4	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	2.428.406
- Rx Rate (L1) (Bit/s)	995,97 M
- Rx Rate (Fps)	80.947
- Flood Count (Frames)	90
P-0-0-5	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	2.428.055
- Rx Rate (L1) (Bit/s)	995,83 M
- Rx Rate (Fps)	80.935
- Flood Count (Frames)	91
P-0-2-0	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	2.431.682
- Rx Rate (L1) (Bit/s)	997,31 M
- Rx Rate (Fps)	81.056
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	2.427.827
- Rx Rate (L1) (Bit/s)	995,73 M
- Rx Rate (Fps)	80.928
- Flood Count (Frames)	92
P-0-2-2	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	2.427.868
- Rx Rate (L1) (Bit/s)	995,75 M
- Rx Rate (Fps)	80.929
- Flood Count (Frames)	92
P-0-2-3	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	2.427.601
- Rx Rate (L1) (Bit/s)	995,64 M
- Rx Rate (Fps)	80.920
- Flood Count (Frames)	94
P-0-2-4	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	2.427.513
- Rx Rate (L1) (Bit/s)	995,6 M
- Rx Rate (Fps)	80.917
- Flood Count (Frames)	94
P-0-2-5	
- Tx (Frames)	2.438.225

- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	2.427.828
- Rx Rate (L1) (Bit/s)	995,73 M
- Rx Rate (Fps)	80.928
- Flood Count (Frames)	93
P-0-4-0	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	2.427.131
- Rx Rate (L1) (Bit/s)	995,45 M
- Rx Rate (Fps)	80.904
- Flood Count (Frames)	92
P-0-4-1	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	2.427.512
- Rx Rate (L1) (Bit/s)	995,6 M
- Rx Rate (Fps)	80.917
- Flood Count (Frames)	88
P-0-4-2	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	2.427.587
- Rx Rate (L1) (Bit/s)	995,63 M
- Rx Rate (Fps)	80.920
- Flood Count (Frames)	95
P-0-4-3	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	2.427.681
- Rx Rate (L1) (Bit/s)	995,67 M
- Rx Rate (Fps)	80.923
- Flood Count (Frames)	93
P-0-4-4	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	2.428.012
- Rx Rate (L1) (Bit/s)	995,81 M
- Rx Rate (Fps)	80.934
- Flood Count (Frames)	92
P-0-4-5	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	2.427.497
- Rx Rate (L1) (Bit/s)	995,6 M
- Rx Rate (Fps)	80.917
- Flood Count (Frames)	92

Full Mesh: Loss by Frame Size at 100,00% Rate