

# Xena2544 Test Report

## Test Summary

Test company: Xena Networks  
Customer: Xena Networks  
Test Date and Time: 2016-04-15, 04:24  
Test Duration: 00:09:33 (h:m:s)  
Generated By: Xena2544 v2.33 on Windows

## Test Setup

### Test Configuration

#### Main Test Options

Topology: Blocks  
Direction: Bidirectional  
Frame Size Type: IEEE Default  
Frame Sizes Used: 64,128,256,512,1024,1280,1518  
Toggle Port Sync: Yes  
Sync Off Duration: 1 seconds  
Sync On Delay: 1 seconds  
Flow Creation Type: Stream-based  
Enable Multi-Stream: No

#### Test Type Selection

Throughput Test: Enabled  
Latency and Jitter Test: Enabled  
Frame Loss Rate Test: Enabled  
Back-to-Back Test: Enabled

## Port Configuration

### Used Chassis Summary

Chassis ID	Chassis Name	Address and Port
C-0	New chassis	172.16.255.200:22606

### Used Ports Summary

Port ID	Interface Type	Port Group	Port Peer	Port Speed	Port Rate
P-0-0-1	SFP-O LR 1310 nm	East	N/A	AUTO	77 M
P-0-0-2	SFP-O LR 1310 nm	West	N/A	AUTO	77 M
P-0-2-0	SFP-O LR 1310 nm	East	N/A	AUTO	77 M
P-0-2-1	SFP-O LR 1310 nm	East	N/A	AUTO	77 M
P-0-2-2	SFP-O LR 1310 nm	West	N/A	AUTO	77 M
P-0-2-3	SFP-O LR 1310 nm	West	N/A	AUTO	77 M
P-0-2-4	SFP-O LR 1310 nm	East	N/A	AUTO	77 M
P-0-2-5	SFP-O LR 1310 nm	West	N/A	AUTO	77 M
P-0-4-1	SFP-O LR 1310 nm	East	N/A	AUTO	77 M
P-0-4-2	SFP-O LR 1310 nm	West	N/A	AUTO	77 M
P-0-4-3	SFP-O LR 1310 nm	East	N/A	AUTO	77 M
P-0-4-4	SFP-O LR 1310 nm	West	N/A	AUTO	77 M
P-0-4-5	SFP-O LR 1310 nm	East	N/A	AUTO	77 M

### Port Traffic Setup

Port ID	IP Address & Gateway	Protocol Segment Profile
P-0-0-1	No address specified	2: Ethernet / VLAN (5)
P-0-0-2	No address specified	2: Ethernet / VLAN (5)

Image not found.

P-0-2-0	No address specified	2: Ethernet / VLAN (5)
P-0-2-1	No address specified	7: Ethernet / VLAN (6)
P-0-2-2	No address specified	7: Ethernet / VLAN (6)
P-0-2-3	No address specified	7: Ethernet / VLAN (6)
P-0-2-4	No address specified	7: Ethernet / VLAN (6)
P-0-2-5	No address specified	7: Ethernet / VLAN (6)
P-0-4-1	No address specified	2: Ethernet / VLAN (5)
P-0-4-2	No address specified	2: Ethernet / VLAN (5)
P-0-4-3	No address specified	7: Ethernet / VLAN (6)
P-0-4-4	No address specified	7: Ethernet / VLAN (6)
P-0-4-5	No address specified	2: Ethernet / VLAN (5)

## Throughput Test Results

### Test Setup

Duration: 1 seconds  
 Iteration: 1  
 Initial Rate: 100.000 %  
 Maximum Rate: 100.000 %  
 Minimum Rate: 0.100 %  
 Resolution: 0.500 %  
 Use Pass Threshold: No  
 Pass Threshold: 0.000 %  
 Acceptable Loss: 0.000 %  
 Rate Result Scope: Common Result  
 Use Fast Binary Search: No

### Test Results

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Tx Rate (Percent)	98.439 %	100 %	100 %	100 %	100 %	100 %
Tx (Frames)	1,466,304	845,376	453,306	235,158	119,826	96,180
Tx Rate (L1) (Bit/s)	985.36 M	1 G	1 G	1 G	1 G	1 G
Tx Rate (L2) (Bit/s)	750.75 M	865.67 M	928.37 M	963.21 M	981.61 M	984.88 M
Tx Rate (Fps)	1,466,304	845,376	453,306	235,158	119,826	96,180
Rx (Frames)	1,466,304	845,376	453,306	235,158	119,826	96,180
Loss (Frames)	0	0	0	0	0	0
Loss Rate (Percent)	0 %	0 %	0 %	0 %	0 %	0 %
P-0-0-1						
- Tx (Frames)	112,794	65,028	34,872	18,090	9,216	7,398
- Tx Rate (L1) (Bit/s)	75.8 M	76.99 M	77 M	76.99 M	76.97 M	76.94 M
- Tx Rate (L2) (Bit/s)	57.75 M	66.59 M	71.42 M	74.1 M	75.5 M	75.76 M
- Tx Rate (Fps)	112,794	65,028	34,872	18,090	9,216	7,398
- Rx (Frames)	96,678	55,740	29,886	15,504	7,902	6,342
- Rx Rate (L1) (Bit/s)	64.97 M	66 M	65.99 M	65.99 M	66 M	65.96 M
- Rx Rate (L2) (Bit/s)	49.5 M	57.08 M	61.21 M	63.5 M	64.73 M	64.94 M
- Rx Rate (Fps)	96,678	55,740	29,886	15,504	7,902	6,342
P-0-0-2						
- Tx (Frames)	112,791	65,030	34,867	18,088	9,219	7,399
- Tx Rate (L1) (Bit/s)	75.8 M	77 M	76.99 M	76.98 M	77 M	76.95 M
- Tx Rate (L2) (Bit/s)	57.75 M	66.59 M	71.41 M	74.09 M	75.52 M	75.77 M
- Tx Rate (Fps)	112,791	65,030	34,867	18,088	9,219	7,399
- Rx (Frames)	131,593	75,866	40,684	21,105	10,752	8,631
- Rx Rate (L1) (Bit/s)	88.43 M	89.83 M	89.83 M	89.82 M	89.8 M	89.76 M
- Rx Rate (L2) (Bit/s)	67.38 M	77.69 M	83.32 M	86.45 M	88.08 M	88.38 M
- Rx Rate (Fps)	131,593	75,866	40,684	21,105	10,752	8,631
P-0-2-0						
- Tx (Frames)	112,794	65,028	34,872	18,090	9,216	7,398
- Tx Rate (L1) (Bit/s)	75.8 M	76.99 M	77 M	76.99 M	76.97 M	76.94 M
- Tx Rate (L2) (Bit/s)	57.75 M	66.59 M	71.42 M	74.1 M	75.5 M	75.76 M
- Tx Rate (Fps)	112,794	65,028	34,872	18,090	9,216	7,398
- Rx (Frames)	96,678	55,740	29,886	15,504	7,902	6,342
- Rx Rate (L1) (Bit/s)	64.97 M	66 M	65.99 M	65.99 M	66 M	65.96 M
- Rx Rate (L2) (Bit/s)	49.5 M	57.08 M	61.21 M	63.5 M	64.73 M	64.94 M
- Rx Rate (Fps)	96,678	55,740	29,886	15,504	7,902	6,342
P-0-2-1						
- Tx (Frames)	112,794	65,028	34,872	18,090	9,216	7,398
- Tx Rate (L1) (Bit/s)	75.8 M	76.99 M	77 M	76.99 M	76.97 M	76.94 M
- Tx Rate (L2) (Bit/s)	57.75 M	66.59 M	71.42 M	74.1 M	75.5 M	75.76 M
- Tx Rate (Fps)	112,794	65,028	34,872	18,090	9,216	7,398
- Rx (Frames)	96,678	55,740	29,886	15,504	7,902	6,342
- Rx Rate (L1) (Bit/s)	64.97 M	66 M	65.99 M	65.99 M	66 M	65.96 M
- Rx Rate (L2) (Bit/s)	49.5 M	57.08 M	61.21 M	63.5 M	64.73 M	64.94 M
- Rx Rate (Fps)	96,678	55,740	29,886	15,504	7,902	6,342
P-0-2-2						
- Tx (Frames)	112,791	65,030	34,867	18,088	9,219	7,399

Image not found.


- Tx Rate (L1) (Bit/s)	75.8 M	77 M	76.99 M	76.98 M	77 M	76.95 M
- Tx Rate (L2) (Bit/s)	57.75 M	66.59 M	71.41 M	74.09 M	75.52 M	75.77 M
- Tx Rate (Fps)	112,791	65,030	34,867	18,088	9,219	7,399
- Rx (Frames)	131,593	75,866	40,684	21,105	10,752	8,631
- Rx Rate (L1) (Bit/s)	88.43 M	89.83 M	89.83 M	89.82 M	89.8 M	89.76 M
- Rx Rate (L2) (Bit/s)	67.38 M	77.69 M	83.32 M	86.45 M	88.08 M	88.38 M
- Rx Rate (Fps)	131,593	75,866	40,684	21,105	10,752	8,631
P-0-2-3						
- Tx (Frames)	112,791	65,030	34,867	18,088	9,219	7,399
- Tx Rate (L1) (Bit/s)	75.8 M	77 M	76.99 M	76.98 M	77 M	76.95 M
- Tx Rate (L2) (Bit/s)	57.75 M	66.59 M	71.41 M	74.09 M	75.52 M	75.77 M
- Tx Rate (Fps)	112,791	65,030	34,867	18,088	9,219	7,399
- Rx (Frames)	131,593	75,866	40,684	21,105	10,752	8,631
- Rx Rate (L1) (Bit/s)	88.43 M	89.83 M	89.83 M	89.82 M	89.8 M	89.76 M
- Rx Rate (L2) (Bit/s)	67.38 M	77.69 M	83.32 M	86.45 M	88.08 M	88.38 M
- Rx Rate (Fps)	131,593	75,866	40,684	21,105	10,752	8,631
P-0-2-4						
- Tx (Frames)	112,794	65,028	34,872	18,090	9,216	7,398
- Tx Rate (L1) (Bit/s)	75.8 M	76.99 M	77 M	76.99 M	76.97 M	76.94 M
- Tx Rate (L2) (Bit/s)	57.75 M	66.59 M	71.42 M	74.1 M	75.5 M	75.76 M
- Tx Rate (Fps)	112,794	65,028	34,872	18,090	9,216	7,398
- Rx (Frames)	96,678	55,740	29,886	15,504	7,902	6,342
- Rx Rate (L1) (Bit/s)	64.97 M	66 M	65.99 M	65.99 M	66 M	65.96 M
- Rx Rate (L2) (Bit/s)	49.5 M	57.08 M	61.21 M	63.5 M	64.73 M	64.94 M
- Rx Rate (Fps)	96,678	55,740	29,886	15,504	7,902	6,342
P-0-2-5						
- Tx (Frames)	112,791	65,030	34,867	18,088	9,219	7,399
- Tx Rate (L1) (Bit/s)	75.8 M	77 M	76.99 M	76.98 M	77 M	76.95 M
- Tx Rate (L2) (Bit/s)	57.75 M	66.59 M	71.41 M	74.09 M	75.52 M	75.77 M
- Tx Rate (Fps)	112,791	65,030	34,867	18,088	9,219	7,399
- Rx (Frames)	131,593	75,866	40,684	21,105	10,752	8,631
- Rx Rate (L1) (Bit/s)	88.43 M	89.83 M	89.83 M	89.82 M	89.8 M	89.76 M
- Rx Rate (L2) (Bit/s)	67.38 M	77.69 M	83.32 M	86.45 M	88.08 M	88.38 M
- Rx Rate (Fps)	131,593	75,866	40,684	21,105	10,752	8,631
P-0-4-1						
- Tx (Frames)	112,794	65,028	34,872	18,090	9,216	7,398
- Tx Rate (L1) (Bit/s)	75.8 M	76.99 M	77 M	76.99 M	76.97 M	76.94 M
- Tx Rate (L2) (Bit/s)	57.75 M	66.59 M	71.42 M	74.1 M	75.5 M	75.76 M
- Tx Rate (Fps)	112,794	65,028	34,872	18,090	9,216	7,398
- Rx (Frames)	96,678	55,740	29,886	15,504	7,902	6,342
- Rx Rate (L1) (Bit/s)	64.97 M	66 M	65.99 M	65.99 M	66 M	65.96 M
- Rx Rate (L2) (Bit/s)	49.5 M	57.08 M	61.21 M	63.5 M	64.73 M	64.94 M
- Rx Rate (Fps)	96,678	55,740	29,886	15,504	7,902	6,342
P-0-4-2						
- Tx (Frames)	112,791	65,030	34,867	18,088	9,219	7,399
- Tx Rate (L1) (Bit/s)	75.8 M	77 M	76.99 M	76.98 M	77 M	76.95 M
- Tx Rate (L2) (Bit/s)	57.75 M	66.59 M	71.41 M	74.09 M	75.52 M	75.77 M
- Tx Rate (Fps)	112,791	65,030	34,867	18,088	9,219	7,399
- Rx (Frames)	131,593	75,866	40,684	21,105	10,752	8,631
- Rx Rate (L1) (Bit/s)	88.43 M	89.83 M	89.83 M	89.82 M	89.8 M	89.76 M
- Rx Rate (L2) (Bit/s)	67.38 M	77.69 M	83.32 M	86.45 M	88.08 M	88.38 M
- Rx Rate (Fps)	131,593	75,866	40,684	21,105	10,752	8,631
P-0-4-3						
- Tx (Frames)	112,794	65,028	34,872	18,090	9,216	7,398
- Tx Rate (L1) (Bit/s)	75.8 M	76.99 M	77 M	76.99 M	76.97 M	76.94 M
- Tx Rate (L2) (Bit/s)	57.75 M	66.59 M	71.42 M	74.1 M	75.5 M	75.76 M
- Tx Rate (Fps)	112,794	65,028	34,872	18,090	9,216	7,398
- Rx (Frames)	96,678	55,740	29,886	15,504	7,902	6,342
- Rx Rate (L1) (Bit/s)	64.97 M	66 M	65.99 M	65.99 M	66 M	65.96 M
- Rx Rate (L2) (Bit/s)	49.5 M	57.08 M	61.21 M	63.5 M	64.73 M	64.94 M
- Rx Rate (Fps)	96,678	55,740	29,886	15,504	7,902	6,342
P-0-4-4						
- Tx (Frames)	112,791	65,030	34,867	18,088	9,219	7,399
- Tx Rate (L1) (Bit/s)	75.8 M	77 M	76.99 M	76.98 M	77 M	76.95 M
- Tx Rate (L2) (Bit/s)	57.75 M	66.59 M	71.41 M	74.09 M	75.52 M	75.77 M
- Tx Rate (Fps)	112,791	65,030	34,867	18,088	9,219	7,399
- Rx (Frames)	131,593	75,866	40,684	21,105	10,752	8,631
- Rx Rate (L1) (Bit/s)	88.43 M	89.83 M	89.83 M	89.82 M	89.8 M	89.76 M
- Rx Rate (L2) (Bit/s)	67.38 M	77.69 M	83.32 M	86.45 M	88.08 M	88.38 M
- Rx Rate (Fps)	131,593	75,866	40,684	21,105	10,752	8,631
P-0-4-5						

Image not found.

- Tx (Frames)	112,794	65,028	34,872	18,090	9,216	7,398
- Tx Rate (L1) (Bit/s)	75.8 M	76.99 M	77 M	76.99 M	76.97 M	76.94 M
- Tx Rate (L2) (Bit/s)	57.75 M	66.59 M	71.42 M	74.1 M	75.5 M	75.76 M
- Tx Rate (Fps)	112,794	65,028	34,872	18,090	9,216	7,398
- Rx (Frames)	96,678	55,740	29,886	15,504	7,902	6,342
- Rx Rate (L1) (Bit/s)	64.97 M	66 M	65.99 M	65.99 M	66 M	65.96 M
- Rx Rate (L2) (Bit/s)	49.5 M	57.08 M	61.21 M	63.5 M	64.73 M	64.94 M
- Rx Rate (Fps)	96,678	55,740	29,886	15,504	7,902	6,342

<b>Frame Size</b>	<b>1518</b>
Result State	PASS
Tx Rate (Percent)	100 %
Tx (Frames)	81,354
Tx Rate (L1) (Bit/s)	1 G
Tx Rate (L2) (Bit/s)	987.96 M
Tx Rate (Fps)	81,354
Rx (Frames)	81,354
Loss (Frames)	0
Loss Rate (Percent)	0 %
P-0-0-1	
- Tx (Frames)	6,258
- Tx Rate (L1) (Bit/s)	77 M
- Tx Rate (L2) (Bit/s)	76 M
- Tx Rate (Fps)	6,258
- Rx (Frames)	5,364
- Rx Rate (L1) (Bit/s)	66 M
- Rx Rate (L2) (Bit/s)	65.14 M
- Rx Rate (Fps)	5,364
P-0-0-2	
- Tx (Frames)	6,258
- Tx Rate (L1) (Bit/s)	77 M
- Tx Rate (L2) (Bit/s)	76 M
- Tx Rate (Fps)	6,258
- Rx (Frames)	7,301
- Rx Rate (L1) (Bit/s)	89.83 M
- Rx Rate (L2) (Bit/s)	88.66 M
- Rx Rate (Fps)	7,301
P-0-2-0	
- Tx (Frames)	6,258
- Tx Rate (L1) (Bit/s)	77 M
- Tx Rate (L2) (Bit/s)	76 M
- Tx Rate (Fps)	6,258
- Rx (Frames)	5,364
- Rx Rate (L1) (Bit/s)	66 M
- Rx Rate (L2) (Bit/s)	65.14 M
- Rx Rate (Fps)	5,364
P-0-2-1	
- Tx (Frames)	6,258
- Tx Rate (L1) (Bit/s)	77 M
- Tx Rate (L2) (Bit/s)	76 M
- Tx Rate (Fps)	6,258
- Rx (Frames)	5,364
- Rx Rate (L1) (Bit/s)	66 M
- Rx Rate (L2) (Bit/s)	65.14 M
- Rx Rate (Fps)	5,364
P-0-2-2	
- Tx (Frames)	6,258
- Tx Rate (L1) (Bit/s)	77 M
- Tx Rate (L2) (Bit/s)	76 M
- Tx Rate (Fps)	6,258
- Rx (Frames)	7,301
- Rx Rate (L1) (Bit/s)	89.83 M
- Rx Rate (L2) (Bit/s)	88.66 M
- Rx Rate (Fps)	7,301
P-0-2-3	
- Tx (Frames)	6,258
- Tx Rate (L1) (Bit/s)	77 M
- Tx Rate (L2) (Bit/s)	76 M
- Tx Rate (Fps)	6,258
- Rx (Frames)	7,301

- Rx Rate (L1) (Bit/s)	89.83 M
- Rx Rate (L2) (Bit/s)	88.66 M
- Rx Rate (Fps)	7,301
P-0-2-4	
- Tx (Frames)	6,258
- Tx Rate (L1) (Bit/s)	77 M
- Tx Rate (L2) (Bit/s)	76 M
- Tx Rate (Fps)	6,258
- Rx (Frames)	5,364
- Rx Rate (L1) (Bit/s)	66 M
- Rx Rate (L2) (Bit/s)	65.14 M
- Rx Rate (Fps)	5,364
P-0-2-5	
- Tx (Frames)	6,258
- Tx Rate (L1) (Bit/s)	77 M
- Tx Rate (L2) (Bit/s)	76 M
- Tx Rate (Fps)	6,258
- Rx (Frames)	7,301
- Rx Rate (L1) (Bit/s)	89.83 M
- Rx Rate (L2) (Bit/s)	88.66 M
- Rx Rate (Fps)	7,301
P-0-4-1	
- Tx (Frames)	6,258
- Tx Rate (L1) (Bit/s)	77 M
- Tx Rate (L2) (Bit/s)	76 M
- Tx Rate (Fps)	6,258
- Rx (Frames)	5,364
- Rx Rate (L1) (Bit/s)	66 M
- Rx Rate (L2) (Bit/s)	65.14 M
- Rx Rate (Fps)	5,364
P-0-4-2	
- Tx (Frames)	6,258
- Tx Rate (L1) (Bit/s)	77 M
- Tx Rate (L2) (Bit/s)	76 M
- Tx Rate (Fps)	6,258
- Rx (Frames)	7,301
- Rx Rate (L1) (Bit/s)	89.83 M
- Rx Rate (L2) (Bit/s)	88.66 M
- Rx Rate (Fps)	7,301
P-0-4-3	
- Tx (Frames)	6,258
- Tx Rate (L1) (Bit/s)	77 M
- Tx Rate (L2) (Bit/s)	76 M
- Tx Rate (Fps)	6,258
- Rx (Frames)	5,364
- Rx Rate (L1) (Bit/s)	66 M
- Rx Rate (L2) (Bit/s)	65.14 M
- Rx Rate (Fps)	5,364
P-0-4-4	
- Tx (Frames)	6,258
- Tx Rate (L1) (Bit/s)	77 M
- Tx Rate (L2) (Bit/s)	76 M
- Tx Rate (Fps)	6,258
- Rx (Frames)	7,301
- Rx Rate (L1) (Bit/s)	89.83 M
- Rx Rate (L2) (Bit/s)	88.66 M
- Rx Rate (Fps)	7,301
P-0-4-5	
- Tx (Frames)	6,258
- Tx Rate (L1) (Bit/s)	77 M
- Tx Rate (L2) (Bit/s)	76 M
- Tx Rate (Fps)	6,258
- Rx (Frames)	5,364
- Rx Rate (L1) (Bit/s)	66 M
- Rx Rate (L2) (Bit/s)	65.14 M
- Rx Rate (Fps)	5,364



## Latency and Jitter Test Results

### Test Setup

Duration: 1 seconds  
 Iteration: 1  
 Latency Mode: Last-To-Last  
 Relative to Throughput: Yes

### Test Results

#### Results for 50.00% Rate (Nominal)

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Tx Rate (Percent)	49.22 %	50 %	50 %	50 %	50 %	50 %
Tx Rate (L1) (Bit/s)	492.65 M	500.46 M	500.4 M	500.33 M	500.22 M	499.7 M
Tx Rate (Fps)	733,110	422,688	226,632	117,558	59,892	48,048
Tx (Frames)	733,110	422,688	226,632	117,558	59,892	48,048
Rx (Frames)	733,110	422,688	226,632	117,558	59,892	48,048
P-0-0-1						
- Tx (Frames)	56,394	32,514	17,436	9,042	4,608	3,696
- Rx (Frames)	48,336	27,870	14,940	7,752	3,948	3,168
- Avg Latency (micsec)	3.509	4.407	5.010	5.514	6.604	6.442
- Min Latency (micsec)	2.214	2.703	2.743	2.751	2.743	2.751
- Max Latency (micsec)	8.212	15.244	22.572	53.730	66.952	95.513
- Avg Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	4.738	6.975	18.425	46.208	24.607	52.534
P-0-0-2						
- Tx (Frames)	56,392	32,515	17,430	9,044	4,606	3,696
- Rx (Frames)	65,793	37,933	20,342	10,549	5,376	4,312
- Avg Latency (micsec)	3.658	4.239	5.052	5.034	9.691	8.518
- Min Latency (micsec)	2.238	2.727	2.719	2.727	2.743	2.727
- Max Latency (micsec)	12.397	17.120	27.094	54.428	77.079	55.294
- Avg Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	5.532	11.738	13.999	45.871	29.947	43.273
P-0-2-0						
- Tx (Frames)	56,394	32,514	17,436	9,042	4,608	3,696
- Rx (Frames)	48,336	27,870	14,940	7,752	3,948	3,168
- Avg Latency (micsec)	2.331	3.221	3.963	4.332	4.475	5.603
- Min Latency (micsec)	1.027	1.517	1.533	1.541	1.557	1.541
- Max Latency (micsec)	7.699	14.586	21.554	36.668	70.961	56.513
- Avg Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	5.051	10.078	18.738	28.720	54.675	22.322
P-0-2-1						
- Tx (Frames)	56,394	32,514	17,436	9,042	4,608	3,696
- Rx (Frames)	48,336	27,870	14,940	7,752	3,948	3,168
- Avg Latency (micsec)	2.305	3.220	3.962	3.943	4.912	5.431
- Min Latency (micsec)	1.027	1.517	1.533	1.517	1.533	1.565
- Max Latency (micsec)	8.035	13.744	25.643	46.001	61.893	101.663
- Avg Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	4.931	8.924	21.023	31.270	51.307	26.291
P-0-2-2						
- Tx (Frames)	56,392	32,515	17,430	9,044	4,606	3,696
- Rx (Frames)	65,793	37,933	20,342	10,549	5,376	4,312
- Avg Latency (micsec)	2.478	3.066	3.910	3.861	8.787	7.419
- Min Latency (micsec)	1.052	1.541	1.533	1.541	1.581	1.613
- Max Latency (micsec)	12.485	14.634	24.176	57.595	76.422	107.123
- Avg Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	9.236	10.704	17.222	26.291	73.389	63.166
P-0-2-3						
- Tx (Frames)	56,392	32,515	17,430	9,044	4,606	3,696



Image not found.



- Rx (Frames)	65,793	37,933	20,342	10,549	5,376	4,312
- Avg Latency (micsec)	2.458	3.054	3.922	3.811	8.676	7.408
- Min Latency (micsec)	1.052	1.541	1.533	1.565	1.557	1.589
- Max Latency (micsec)	11.499	15.548	23.815	29.187	88.232	113.738
- Avg Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	8.034	8.996	17.270	9.260	72.908	104.299
P-0-2-4						
- Tx (Frames)	56,394	32,514	17,436	9,042	4,608	3,696
- Rx (Frames)	48,336	27,870	14,940	7,752	3,948	3,168
- Avg Latency (micsec)	2.324	3.324	3.852	4.385	5.406	5.420
- Min Latency (micsec)	1.052	1.541	1.533	1.541	1.533	1.565
- Max Latency (micsec)	8.180	14.346	21.891	56.801	66.535	89.660
- Avg Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	5.724	8.779	18.954	36.346	51.187	76.228
P-0-2-5						
- Tx (Frames)	56,392	32,515	17,430	9,044	4,606	3,696
- Rx (Frames)	65,793	37,933	20,342	10,549	5,376	4,312
- Avg Latency (micsec)	2.483	3.087	3.867	3.943	8.624	7.374
- Min Latency (micsec)	1.052	1.541	1.533	1.541	1.557	1.541
- Max Latency (micsec)	11.499	16.751	24.609	36.716	52.512	94.350
- Avg Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	7.937	12.796	18.353	33.676	37.260	16.886
P-0-4-1						
- Tx (Frames)	56,394	32,514	17,436	9,042	4,608	3,696
- Rx (Frames)	48,336	27,870	14,940	7,752	3,948	3,168
- Avg Latency (micsec)	2.460	3.344	3.902	4.008	5.409	5.879
- Min Latency (micsec)	1.124	1.613	1.629	1.637	1.653	1.661
- Max Latency (micsec)	8.540	12.421	21.963	43.163	54.532	76.454
- Avg Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.188	6.638	18.954	18.040	28.817	43.730
P-0-4-2						
- Tx (Frames)	56,392	32,515	17,430	9,044	4,606	3,696
- Rx (Frames)	65,793	37,933	20,342	10,549	5,376	4,312
- Avg Latency (micsec)	2.566	3.175	3.958	3.952	8.615	7.325
- Min Latency (micsec)	1.148	1.637	1.629	1.661	1.677	1.637
- Max Latency (micsec)	10.657	16.462	23.262	39.145	45.488	98.103
- Avg Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	7.384	13.013	12.965	34.950	18.930	80.822
P-0-4-3						
- Tx (Frames)	56,394	32,514	17,436	9,042	4,608	3,696
- Rx (Frames)	48,336	27,870	14,940	7,752	3,948	3,168
- Avg Latency (micsec)	2.418	3.306	4.007	3.957	4.448	6.082
- Min Latency (micsec)	1.124	1.637	1.629	1.637	1.653	1.685
- Max Latency (micsec)	8.733	15.620	27.158	26.252	67.185	104.742
- Avg Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.549	8.443	16.380	23.212	17.198	30.765
P-0-4-4						
- Tx (Frames)	56,392	32,515	17,430	9,044	4,606	3,696
- Rx (Frames)	65,793	37,933	20,342	10,549	5,376	4,312
- Avg Latency (micsec)	2.551	3.123	4.062	3.994	8.638	7.361
- Min Latency (micsec)	1.124	1.613	1.629	1.637	1.629	1.685
- Max Latency (micsec)	11.884	14.706	24.344	50.186	53.931	90.477
- Avg Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	8.779	10.391	19.628	30.452	33.459	80.942
P-0-4-5						
- Tx (Frames)	56,394	32,514	17,436	9,042	4,608	3,696
- Rx (Frames)	48,336	27,870	14,940	7,752	3,948	3,168
- Avg Latency (micsec)	2.433	3.261	3.964	4.197	4.418	6.025
- Min Latency (micsec)	1.124	1.613	1.629	1.613	1.653	1.661
- Max Latency (micsec)	8.757	13.744	24.464	37.462	41.326	76.526
- Avg Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	2.742	5.075	16.116	28.263	25.401	34.421

Image not found.

Frame Size	1518
Result State	PASS
Tx Rate (Percent)	50 %
Tx Rate (L1) (Bit/s)	500.23 M
Tx Rate (Fps)	40,656
Tx (Frames)	40,656
Rx (Frames)	40,656
P-0-0-1	
- Tx (Frames)	3,126
- Rx (Frames)	2,682
- Avg Latency (micsec)	6.691
- Min Latency (micsec)	2.735
- Max Latency (micsec)	78.635
- Avg Jitter (micsec)	0.000
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	74.544
P-0-0-2	
- Tx (Frames)	3,129
- Rx (Frames)	3,647
- Avg Latency (micsec)	9.291
- Min Latency (micsec)	2.759
- Max Latency (micsec)	38.608
- Avg Jitter (micsec)	0.000
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	12.628
P-0-2-0	
- Tx (Frames)	3,126
- Rx (Frames)	2,682
- Avg Latency (micsec)	5.760
- Min Latency (micsec)	1.549
- Max Latency (micsec)	65.228
- Avg Jitter (micsec)	0.000
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	62.276
P-0-2-1	
- Tx (Frames)	3,126
- Rx (Frames)	2,682
- Avg Latency (micsec)	6.046
- Min Latency (micsec)	1.573
- Max Latency (micsec)	65.228
- Avg Jitter (micsec)	0.000
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	62.372
P-0-2-2	
- Tx (Frames)	3,129
- Rx (Frames)	3,647
- Avg Latency (micsec)	8.173
- Min Latency (micsec)	1.621
- Max Latency (micsec)	36.989
- Avg Jitter (micsec)	0.000
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	26.988
P-0-2-3	
- Tx (Frames)	3,129
- Rx (Frames)	3,647
- Avg Latency (micsec)	8.283
- Min Latency (micsec)	1.597
- Max Latency (micsec)	37.422
- Avg Jitter (micsec)	0.000
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	12.532
P-0-2-4	
- Tx (Frames)	3,126
- Rx (Frames)	2,682
- Avg Latency (micsec)	5.502
- Min Latency (micsec)	1.549
- Max Latency (micsec)	78.097
- Avg Jitter (micsec)	0.000
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	74.688
P-0-2-5	

Image not found.

- Tx (Frames)	3,129
- Rx (Frames)	3,647
- Avg Latency (micsec)	8.274
- Min Latency (micsec)	1.573
- Max Latency (micsec)	37.470
- Avg Jitter (micsec)	0.000
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	14.095
P-0-4-1	
- Tx (Frames)	3,126
- Rx (Frames)	2,682
- Avg Latency (micsec)	6.109
- Min Latency (micsec)	1.645
- Max Latency (micsec)	52.889
- Avg Jitter (micsec)	0.000
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	27.133
P-0-4-2	
- Tx (Frames)	3,129
- Rx (Frames)	3,647
- Avg Latency (micsec)	8.170
- Min Latency (micsec)	1.669
- Max Latency (micsec)	36.219
- Avg Jitter (micsec)	0.000
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	12.532
P-0-4-3	
- Tx (Frames)	3,126
- Rx (Frames)	2,682
- Avg Latency (micsec)	5.929
- Min Latency (micsec)	1.645
- Max Latency (micsec)	76.293
- Avg Jitter (micsec)	0.000
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	62.228
P-0-4-4	
- Tx (Frames)	3,129
- Rx (Frames)	3,647
- Avg Latency (micsec)	8.307
- Min Latency (micsec)	1.717
- Max Latency (micsec)	37.518
- Avg Jitter (micsec)	0.000
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	12.412
P-0-4-5	
- Tx (Frames)	3,126
- Rx (Frames)	2,682
- Avg Latency (micsec)	5.833
- Min Latency (micsec)	1.645
- Max Latency (micsec)	52.768
- Avg Jitter (micsec)	0.000
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	49.912



### Results for 100.00% Rate (Nominal)

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Tx Rate (Percent)	98.439 %	100 %	100 %	100 %	100 %	100 %
Tx Rate (L1) (Bit/s)	985.36 M	1 G	1 G	1 G	1 G	1 G
Tx Rate (Fps)	1,466,304	845,376	453,306	235,158	119,826	96,180
Tx (Frames)	1,466,304	845,376	453,306	235,158	119,826	96,180
Rx (Frames)	1,466,304	845,376	453,306	235,158	119,826	96,180
P-0-0-1						
- Tx (Frames)	112,794	65,028	34,872	18,090	9,216	7,398
- Rx (Frames)	96,678	55,740	29,886	15,504	7,902	6,342

Image not found.

- Avg Latency (micsec)	6.074	6.868	7.455	9.886	12.077	21.005
- Min Latency (micsec)	2.214	2.727	2.719	2.727	2.767	2.751
- Max Latency (micsec)	25.843	36.291	37.005	63.376	116.215	150.934
- Avg Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	10.343	27.590	24.270	43.730	87.870	115.388
P-0-0-2						
- Tx (Frames)	112,791	65,030	34,867	18,088	9,219	7,399
- Rx (Frames)	131,593	75,866	40,684	21,105	10,752	8,631
- Avg Latency (micsec)	5.135	5.787	6.558	7.540	11.540	19.811
- Min Latency (micsec)	2.238	2.703	2.719	2.727	2.767	2.751
- Max Latency (micsec)	18.916	36.628	45.592	64.964	114.051	136.886
- Avg Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	10.968	24.126	26.748	44.235	101.340	103.072
P-0-2-0						
- Tx (Frames)	112,794	65,028	34,872	18,090	9,216	7,398
- Rx (Frames)	96,678	55,740	29,886	15,504	7,902	6,342
- Avg Latency (micsec)	4.907	5.732	6.174	7.964	10.799	18.331
- Min Latency (micsec)	1.052	1.517	1.509	1.541	1.557	1.565
- Max Latency (micsec)	24.488	33.132	36.828	64.835	116.737	152.970
- Avg Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	11.257	26.219	23.380	47.531	97.660	84.117
P-0-2-1						
- Tx (Frames)	112,794	65,028	34,872	18,090	9,216	7,398
- Rx (Frames)	96,678	55,740	29,886	15,504	7,902	6,342
- Avg Latency (micsec)	5.199	6.112	6.763	8.566	13.257	20.105
- Min Latency (micsec)	1.052	1.517	1.533	1.541	1.533	1.541
- Max Latency (micsec)	27.399	40.420	46.594	69.743	142.715	166.296
- Avg Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	12.869	28.360	30.284	60.063	103.481	129.123
P-0-2-2						
- Tx (Frames)	112,791	65,030	34,867	18,088	9,219	7,399
- Rx (Frames)	131,593	75,866	40,684	21,105	10,752	8,631
- Avg Latency (micsec)	4.130	4.926	5.554	7.262	10.874	19.628
- Min Latency (micsec)	1.052	1.541	1.581	1.541	1.605	1.589
- Max Latency (micsec)	18.234	39.266	44.405	76.670	122.630	150.565
- Avg Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	11.762	26.483	29.731	52.871	106.175	106.103
P-0-2-3						
- Tx (Frames)	112,791	65,030	34,867	18,088	9,219	7,399
- Rx (Frames)	131,593	75,866	40,684	21,105	10,752	8,631
- Avg Latency (micsec)	4.517	4.835	5.682	7.058	11.237	19.916
- Min Latency (micsec)	1.052	1.517	1.557	1.541	1.581	1.565
- Max Latency (micsec)	29.251	41.022	45.536	73.134	116.135	195.643
- Avg Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	13.061	32.978	30.164	55.252	109.086	128.762
P-0-2-4						
- Tx (Frames)	112,794	65,028	34,872	18,090	9,216	7,398
- Rx (Frames)	96,678	55,740	29,886	15,504	7,902	6,342
- Avg Latency (micsec)	5.150	6.032	6.758	9.371	11.917	20.774
- Min Latency (micsec)	1.052	1.541	1.533	1.541	1.557	1.589
- Max Latency (micsec)	27.447	37.149	44.165	69.286	126.190	190.158
- Avg Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	13.662	22.635	37.187	61.146	107.955	134.319
P-0-2-5						
- Tx (Frames)	112,791	65,030	34,867	18,088	9,219	7,399
- Rx (Frames)	131,593	75,866	40,684	21,105	10,752	8,631
- Avg Latency (micsec)	4.418	4.905	5.750	6.855	10.966	20.080
- Min Latency (micsec)	1.052	1.541	1.557	1.565	1.581	1.565
- Max Latency (micsec)	25.715	38.737	40.653	74.000	131.025	186.021
- Avg Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	11.690	30.284	29.779	53.761	104.996	110.216
P-0-4-1						
- Tx (Frames)	112,794	65,028	34,872	18,090	9,216	7,398

Image not found.

- Rx (Frames)	96,678	55,740	29,886	15,504	7,902	6,342
- Avg Latency (micsec)	4.925	5.727	6.827	8.590	10.891	19.031
- Min Latency (micsec)	1.148	1.637	1.629	1.637	1.653	1.661
- Max Latency (micsec)	24.585	34.792	39.667	66.880	102.521	170.987
- Avg Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	11.401	28.335	30.957	48.493	89.722	125.803
P-0-4-2						
- Tx (Frames)	112,791	65,030	34,867	18,088	9,219	7,399
- Rx (Frames)	131,593	75,866	40,684	21,105	10,752	8,631
- Avg Latency (micsec)	4.374	4.681	5.645	6.737	10.929	18.441
- Min Latency (micsec)	1.148	1.637	1.629	1.637	1.677	1.685
- Max Latency (micsec)	25.066	35.585	42.361	64.186	129.101	148.785
- Avg Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	9.381	24.848	26.339	44.163	85.657	100.378
P-0-4-3						
- Tx (Frames)	112,794	65,028	34,872	18,090	9,216	7,398
- Rx (Frames)	96,678	55,740	29,886	15,504	7,902	6,342
- Avg Latency (micsec)	5.238	6.171	7.029	9.497	13.337	22.376
- Min Latency (micsec)	1.148	1.637	1.629	1.661	1.629	1.709
- Max Latency (micsec)	27.399	39.170	46.763	81.505	154.430	175.365
- Avg Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	12.267	30.597	33.218	51.812	107.113	123.109
P-0-4-4						
- Tx (Frames)	112,791	65,030	34,867	18,088	9,219	7,399
- Rx (Frames)	131,593	75,866	40,684	21,105	10,752	8,631
- Avg Latency (micsec)	4.470	4.894	5.687	7.049	11.172	19.766
- Min Latency (micsec)	1.124	1.613	1.629	1.637	1.653	1.661
- Max Latency (micsec)	30.117	35.706	42.289	72.605	138.073	196.364
- Avg Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	11.594	19.748	30.091	49.407	87.004	133.862
P-0-4-5						
- Tx (Frames)	112,794	65,028	34,872	18,090	9,216	7,398
- Rx (Frames)	96,678	55,740	29,886	15,504	7,902	6,342
- Avg Latency (micsec)	5.075	5.797	6.496	8.617	10.998	19.533
- Min Latency (micsec)	1.148	1.613	1.629	1.613	1.629	1.661
- Max Latency (micsec)	24.921	33.685	38.055	62.454	112.359	150.373
- Avg Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Min Jitter (micsec)	0.000	0.000	0.000	0.000	0.000	0.000
- Max Jitter (micsec)	11.449	26.652	24.824	46.665	92.753	95.134

<b>Frame Size</b>	<b>1518</b>
Result State	PASS
Tx Rate (Percent)	100 %
Tx Rate (L1) (Bit/s)	1 G
Tx Rate (Fps)	81,354
Tx (Frames)	81,354
Rx (Frames)	81,354
P-0-0-1	
- Tx (Frames)	6,258
- Rx (Frames)	5,364
- Avg Latency (micsec)	18.151
- Min Latency (micsec)	2.759
- Max Latency (micsec)	200.085
- Avg Jitter (micsec)	0.000
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	126.621
P-0-0-2	
- Tx (Frames)	6,258
- Rx (Frames)	7,301
- Avg Latency (micsec)	22.719
- Min Latency (micsec)	2.832
- Max Latency (micsec)	200.590
- Avg Jitter (micsec)	0.000
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	136.051
P-0-2-0	

- Tx (Frames)	6,258
- Rx (Frames)	5,364
- Avg Latency (micsec)	16.242
- Min Latency (micsec)	1.549
- Max Latency (micsec)	174.555
- Avg Jitter (micsec)	0.000
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	134.776
P-0-2-1	
- Tx (Frames)	6,258
- Rx (Frames)	5,364
- Avg Latency (micsec)	21.228
- Min Latency (micsec)	1.525
- Max Latency (micsec)	188.483
- Avg Jitter (micsec)	0.000
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	145.287
P-0-2-2	
- Tx (Frames)	6,258
- Rx (Frames)	7,301
- Avg Latency (micsec)	23.788
- Min Latency (micsec)	1.693
- Max Latency (micsec)	218.911
- Avg Jitter (micsec)	0.000
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	173.575
P-0-2-3	
- Tx (Frames)	6,258
- Rx (Frames)	7,301
- Avg Latency (micsec)	22.291
- Min Latency (micsec)	1.645
- Max Latency (micsec)	184.586
- Avg Jitter (micsec)	0.000
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	130.446
P-0-2-4	
- Tx (Frames)	6,258
- Rx (Frames)	5,364
- Avg Latency (micsec)	21.647
- Min Latency (micsec)	1.573
- Max Latency (micsec)	192.836
- Avg Jitter (micsec)	0.000
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	150.988
P-0-2-5	
- Tx (Frames)	6,258
- Rx (Frames)	7,301
- Avg Latency (micsec)	23.231
- Min Latency (micsec)	1.573
- Max Latency (micsec)	199.523
- Avg Jitter (micsec)	0.000
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	148.872
P-0-4-1	
- Tx (Frames)	6,258
- Rx (Frames)	5,364
- Avg Latency (micsec)	19.509
- Min Latency (micsec)	1.645
- Max Latency (micsec)	179.077
- Avg Jitter (micsec)	0.000
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	126.573
P-0-4-2	
- Tx (Frames)	6,258
- Rx (Frames)	7,301
- Avg Latency (micsec)	22.276
- Min Latency (micsec)	1.669
- Max Latency (micsec)	176.215
- Avg Jitter (micsec)	0.000
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	136.387

P-0-4-3	
- Tx (Frames)	6,258
- Rx (Frames)	5,364
- Avg Latency (micsec)	18.852
- Min Latency (micsec)	1.669
- Max Latency (micsec)	199.596
- Avg Jitter (micsec)	0.000
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	150.916
P-0-4-4	
- Tx (Frames)	6,258
- Rx (Frames)	7,301
- Avg Latency (micsec)	23.674
- Min Latency (micsec)	1.645
- Max Latency (micsec)	211.815
- Avg Jitter (micsec)	0.000
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	148.703
P-0-4-5	
- Tx (Frames)	6,258
- Rx (Frames)	5,364
- Avg Latency (micsec)	18.539
- Min Latency (micsec)	1.621
- Max Latency (micsec)	175.974
- Avg Jitter (micsec)	0.000
- Min Jitter (micsec)	0.000
- Max Jitter (micsec)	136.604







Image not found.



## Frame Loss Rate Test Results

### Test Setup

Duration: 1 seconds  
Iteration: 1

### Test Results

#### Results for 50.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Tx (Frames)	744,744	422,688	226,632	117,558	59,892	48,048
Tx Rate (Fps)	744,744	422,688	226,632	117,558	59,892	48,048
Tx Rate (L1) (Bit/s)	500.47 M	500.46 M	500.4 M	500.33 M	500.22 M	499.7 M
Rx (Frames)	744,744	422,688	226,632	117,558	59,892	48,048
Rx Rate (Fps)	744.74 K	422.69 K	226.63 K	117.56 K	59.89 K	48.05 K
Rx Rate (L1) (Bit/s)	500.47 M	500.46 M	500.4 M	500.33 M	500.22 M	499.7 M
Loss (Frames)	0	0	0	0	0	0
Loss Rate (Percent)	0 %	0 %	0 %	0 %	0 %	0 %
P-0-0-1						
- Tx (Frames)	57,288	32,514	17,436	9,042	4,608	3,696
- Tx Rate (L1) (Bit/s)	38.5 M	38.5 M	38.5 M	38.48 M	38.49 M	38.44 M
- Tx Rate (Fps)	57,288	32,514	17,436	9,042	4,608	3,696
- Rx (Frames)	49,104	27,870	14,940	7,752	3,948	3,168
- Rx Rate (L1) (Bit/s)	33 M	33 M	32.99 M	32.99 M	32.97 M	32.95 M
- Rx Rate (Fps)	49,104	27,870	14,940	7,752	3,948	3,168
P-0-0-2						
- Tx (Frames)	57,288	32,515	17,430	9,044	4,606	3,696
- Tx Rate (L1) (Bit/s)	38.5 M	38.5 M	38.49 M	38.49 M	38.47 M	38.44 M
- Tx Rate (Fps)	57,288	32,515	17,430	9,044	4,606	3,696
- Rx (Frames)	66,836	37,933	20,342	10,549	5,376	4,312
- Rx Rate (L1) (Bit/s)	44.91 M	44.91 M	44.92 M	44.9 M	44.9 M	44.84 M
- Rx Rate (Fps)	66,836	37,933	20,342	10,549	5,376	4,312
P-0-2-0						
- Tx (Frames)	57,288	32,514	17,436	9,042	4,608	3,696
- Tx Rate (L1) (Bit/s)	38.5 M	38.5 M	38.5 M	38.48 M	38.49 M	38.44 M
- Tx Rate (Fps)	57,288	32,514	17,436	9,042	4,608	3,696
- Rx (Frames)	49,104	27,870	14,940	7,752	3,948	3,168
- Rx Rate (L1) (Bit/s)	33 M	33 M	32.99 M	32.99 M	32.97 M	32.95 M
- Rx Rate (Fps)	49,104	27,870	14,940	7,752	3,948	3,168
P-0-2-1						
- Tx (Frames)	57,288	32,514	17,436	9,042	4,608	3,696
- Tx Rate (L1) (Bit/s)	38.5 M	38.5 M	38.5 M	38.48 M	38.49 M	38.44 M
- Tx Rate (Fps)	57,288	32,514	17,436	9,042	4,608	3,696
- Rx (Frames)	49,104	27,870	14,940	7,752	3,948	3,168
- Rx Rate (L1) (Bit/s)	33 M	33 M	32.99 M	32.99 M	32.97 M	32.95 M
- Rx Rate (Fps)	49,104	27,870	14,940	7,752	3,948	3,168
P-0-2-2						
- Tx (Frames)	57,288	32,515	17,430	9,044	4,606	3,696
- Tx Rate (L1) (Bit/s)	38.5 M	38.5 M	38.49 M	38.49 M	38.47 M	38.44 M
- Tx Rate (Fps)	57,288	32,515	17,430	9,044	4,606	3,696
- Rx (Frames)	66,836	37,933	20,342	10,549	5,376	4,312
- Rx Rate (L1) (Bit/s)	44.91 M	44.91 M	44.92 M	44.9 M	44.9 M	44.84 M
- Rx Rate (Fps)	66,836	37,933	20,342	10,549	5,376	4,312
P-0-2-3						
- Tx (Frames)	57,288	32,515	17,430	9,044	4,606	3,696
- Tx Rate (L1) (Bit/s)	38.5 M	38.5 M	38.49 M	38.49 M	38.47 M	38.44 M
- Tx Rate (Fps)	57,288	32,515	17,430	9,044	4,606	3,696
- Rx (Frames)	66,836	37,933	20,342	10,549	5,376	4,312
- Rx Rate (L1) (Bit/s)	44.91 M	44.91 M	44.92 M	44.9 M	44.9 M	44.84 M
- Rx Rate (Fps)	66,836	37,933	20,342	10,549	5,376	4,312
P-0-2-4						
- Tx (Frames)	57,288	32,514	17,436	9,042	4,608	3,696
- Tx Rate (L1) (Bit/s)	38.5 M	38.5 M	38.5 M	38.48 M	38.49 M	38.44 M
- Tx Rate (Fps)	57,288	32,514	17,436	9,042	4,608	3,696

Image not found.


- Rx (Frames)	49,104	27,870	14,940	7,752	3,948	3,168
- Rx Rate (L1) (Bit/s)	33 M	33 M	32.99 M	32.99 M	32.97 M	32.95 M
- Rx Rate (Fps)	49,104	27,870	14,940	7,752	3,948	3,168
P-0-2-5						
- Tx (Frames)	57,288	32,515	17,430	9,044	4,606	3,696
- Tx Rate (L1) (Bit/s)	38.5 M	38.5 M	38.49 M	38.49 M	38.47 M	38.44 M
- Tx Rate (Fps)	57,288	32,515	17,430	9,044	4,606	3,696
- Rx (Frames)	66,836	37,933	20,342	10,549	5,376	4,312
- Rx Rate (L1) (Bit/s)	44.91 M	44.91 M	44.92 M	44.9 M	44.9 M	44.84 M
- Rx Rate (Fps)	66,836	37,933	20,342	10,549	5,376	4,312
P-0-4-1						
- Tx (Frames)	57,288	32,514	17,436	9,042	4,608	3,696
- Tx Rate (L1) (Bit/s)	38.5 M	38.5 M	38.5 M	38.48 M	38.49 M	38.44 M
- Tx Rate (Fps)	57,288	32,514	17,436	9,042	4,608	3,696
- Rx (Frames)	49,104	27,870	14,940	7,752	3,948	3,168
- Rx Rate (L1) (Bit/s)	33 M	33 M	32.99 M	32.99 M	32.97 M	32.95 M
- Rx Rate (Fps)	49,104	27,870	14,940	7,752	3,948	3,168
P-0-4-2						
- Tx (Frames)	57,288	32,515	17,430	9,044	4,606	3,696
- Tx Rate (L1) (Bit/s)	38.5 M	38.5 M	38.49 M	38.49 M	38.47 M	38.44 M
- Tx Rate (Fps)	57,288	32,515	17,430	9,044	4,606	3,696
- Rx (Frames)	66,836	37,933	20,342	10,549	5,376	4,312
- Rx Rate (L1) (Bit/s)	44.91 M	44.91 M	44.92 M	44.9 M	44.9 M	44.84 M
- Rx Rate (Fps)	66,836	37,933	20,342	10,549	5,376	4,312
P-0-4-3						
- Tx (Frames)	57,288	32,514	17,436	9,042	4,608	3,696
- Tx Rate (L1) (Bit/s)	38.5 M	38.5 M	38.5 M	38.48 M	38.49 M	38.44 M
- Tx Rate (Fps)	57,288	32,514	17,436	9,042	4,608	3,696
- Rx (Frames)	49,104	27,870	14,940	7,752	3,948	3,168
- Rx Rate (L1) (Bit/s)	33 M	33 M	32.99 M	32.99 M	32.97 M	32.95 M
- Rx Rate (Fps)	49,104	27,870	14,940	7,752	3,948	3,168
P-0-4-4						
- Tx (Frames)	57,288	32,515	17,430	9,044	4,606	3,696
- Tx Rate (L1) (Bit/s)	38.5 M	38.5 M	38.49 M	38.49 M	38.47 M	38.44 M
- Tx Rate (Fps)	57,288	32,515	17,430	9,044	4,606	3,696
- Rx (Frames)	66,836	37,933	20,342	10,549	5,376	4,312
- Rx Rate (L1) (Bit/s)	44.91 M	44.91 M	44.92 M	44.9 M	44.9 M	44.84 M
- Rx Rate (Fps)	66,836	37,933	20,342	10,549	5,376	4,312
P-0-4-5						
- Tx (Frames)	57,288	32,514	17,436	9,042	4,608	3,696
- Tx Rate (L1) (Bit/s)	38.5 M	38.5 M	38.5 M	38.48 M	38.49 M	38.44 M
- Tx Rate (Fps)	57,288	32,514	17,436	9,042	4,608	3,696
- Rx (Frames)	49,104	27,870	14,940	7,752	3,948	3,168
- Rx Rate (L1) (Bit/s)	33 M	33 M	32.99 M	32.99 M	32.97 M	32.95 M
- Rx Rate (Fps)	49,104	27,870	14,940	7,752	3,948	3,168

<b>Frame Size</b>	<b>1518</b>
Result State	PASS
Tx (Frames)	40,656
Tx Rate (Fps)	40,656
Tx Rate (L1) (Bit/s)	500.23 M
Rx (Frames)	40,656
Rx Rate (Fps)	40.66 K
Rx Rate (L1) (Bit/s)	500.23 M
Loss (Frames)	0
Loss Rate (Percent)	0 %
P-0-0-1	
- Tx (Frames)	3,126
- Tx Rate (L1) (Bit/s)	38.46 M
- Tx Rate (Fps)	3,126
- Rx (Frames)	2,682
- Rx Rate (L1) (Bit/s)	33 M
- Rx Rate (Fps)	2,682
P-0-0-2	
- Tx (Frames)	3,129
- Tx Rate (L1) (Bit/s)	38.5 M
- Tx Rate (Fps)	3,129
- Rx (Frames)	3,647
- Rx Rate (L1) (Bit/s)	44.87 M
- Rx Rate (Fps)	3,647

P-0-2-0	
- Tx (Frames)	3,126
- Tx Rate (L1) (Bit/s)	38.46 M
- Tx Rate (Fps)	3,126
- Rx (Frames)	2,682
- Rx Rate (L1) (Bit/s)	33 M
- Rx Rate (Fps)	2,682
P-0-2-1	
- Tx (Frames)	3,126
- Tx Rate (L1) (Bit/s)	38.46 M
- Tx Rate (Fps)	3,126
- Rx (Frames)	2,682
- Rx Rate (L1) (Bit/s)	33 M
- Rx Rate (Fps)	2,682
P-0-2-2	
- Tx (Frames)	3,129
- Tx Rate (L1) (Bit/s)	38.5 M
- Tx Rate (Fps)	3,129
- Rx (Frames)	3,647
- Rx Rate (L1) (Bit/s)	44.87 M
- Rx Rate (Fps)	3,647
P-0-2-3	
- Tx (Frames)	3,129
- Tx Rate (L1) (Bit/s)	38.5 M
- Tx Rate (Fps)	3,129
- Rx (Frames)	3,647
- Rx Rate (L1) (Bit/s)	44.87 M
- Rx Rate (Fps)	3,647
P-0-2-4	
- Tx (Frames)	3,126
- Tx Rate (L1) (Bit/s)	38.46 M
- Tx Rate (Fps)	3,126
- Rx (Frames)	2,682
- Rx Rate (L1) (Bit/s)	33 M
- Rx Rate (Fps)	2,682
P-0-2-5	
- Tx (Frames)	3,129
- Tx Rate (L1) (Bit/s)	38.5 M
- Tx Rate (Fps)	3,129
- Rx (Frames)	3,647
- Rx Rate (L1) (Bit/s)	44.87 M
- Rx Rate (Fps)	3,647
P-0-4-1	
- Tx (Frames)	3,126
- Tx Rate (L1) (Bit/s)	38.46 M
- Tx Rate (Fps)	3,126
- Rx (Frames)	2,682
- Rx Rate (L1) (Bit/s)	33 M
- Rx Rate (Fps)	2,682
P-0-4-2	
- Tx (Frames)	3,129
- Tx Rate (L1) (Bit/s)	38.5 M
- Tx Rate (Fps)	3,129
- Rx (Frames)	3,647
- Rx Rate (L1) (Bit/s)	44.87 M
- Rx Rate (Fps)	3,647
P-0-4-3	
- Tx (Frames)	3,126
- Tx Rate (L1) (Bit/s)	38.46 M
- Tx Rate (Fps)	3,126
- Rx (Frames)	2,682
- Rx Rate (L1) (Bit/s)	33 M
- Rx Rate (Fps)	2,682
P-0-4-4	
- Tx (Frames)	3,129
- Tx Rate (L1) (Bit/s)	38.5 M
- Tx Rate (Fps)	3,129
- Rx (Frames)	3,647
- Rx Rate (L1) (Bit/s)	44.87 M
- Rx Rate (Fps)	3,647
P-0-4-5	

Image not found.

- Tx (Frames)	3,126
- Tx Rate (L1) (Bit/s)	38.46 M
- Tx Rate (Fps)	3,126
- Rx (Frames)	2,682
- Rx Rate (L1) (Bit/s)	33 M
- Rx Rate (Fps)	2,682



## Results for 100.00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Tx (Frames)	1,489,572	845,376	453,306	235,158	119,826	96,180
Tx Rate (Fps)	1,489,572	845,376	453,306	235,158	119,826	96,180
Tx Rate (L1) (Bit/s)	1 G	1 G	1 G	1 G	1 G	1 G
Rx (Frames)	1,473,811	845,376	453,306	235,158	119,826	96,180
Rx Rate (Fps)	1.47 M	845.38 K	453.31 K	235.16 K	119.83 K	96.18 K
Rx Rate (L1) (Bit/s)	990.4 M	1 G	1 G	1 G	1 G	1 G
Loss (Frames)	15,761	0	0	0	0	0
Loss Rate (Percent)	1.06 %	0 %	0 %	0 %	0 %	0 %
P-0-0-1						
- Tx (Frames)	114,582	65,028	34,872	18,090	9,216	7,398
- Tx Rate (L1) (Bit/s)	77 M	76.99 M	77 M	76.99 M	76.97 M	76.94 M
- Tx Rate (Fps)	114,582	65,028	34,872	18,090	9,216	7,398
- Rx (Frames)	97,039	55,740	29,886	15,504	7,902	6,342
- Rx Rate (L1) (Bit/s)	65.21 M	66 M	65.99 M	65.99 M	66 M	65.96 M
- Rx Rate (Fps)	97,039	55,740	29,886	15,504	7,902	6,342
P-0-0-2						
- Tx (Frames)	114,583	65,030	34,867	18,088	9,219	7,399
- Tx Rate (L1) (Bit/s)	77 M	77 M	76.99 M	76.98 M	77 M	76.95 M
- Tx Rate (Fps)	114,583	65,030	34,867	18,088	9,219	7,399
- Rx (Frames)	132,136	75,866	40,684	21,105	10,752	8,631
- Rx Rate (L1) (Bit/s)	88.8 M	89.83 M	89.83 M	89.82 M	89.8 M	89.76 M
- Rx Rate (Fps)	132,136	75,866	40,684	21,105	10,752	8,631
P-0-2-0						
- Tx (Frames)	114,582	65,028	34,872	18,090	9,216	7,398
- Tx Rate (L1) (Bit/s)	77 M	76.99 M	77 M	76.99 M	76.97 M	76.94 M
- Tx Rate (Fps)	114,582	65,028	34,872	18,090	9,216	7,398
- Rx (Frames)	97,256	55,740	29,886	15,504	7,902	6,342
- Rx Rate (L1) (Bit/s)	65.36 M	66 M	65.99 M	65.99 M	66 M	65.96 M
- Rx Rate (Fps)	97,256	55,740	29,886	15,504	7,902	6,342
P-0-2-1						

Image not found.

- Tx (Frames)	114,582	65,028	34,872	18,090	9,216	7,398
- Tx Rate (L1) (Bit/s)	77 M	76.99 M	77 M	76.99 M	76.97 M	76.94 M
- Tx Rate (Fps)	114,582	65,028	34,872	18,090	9,216	7,398
- Rx (Frames)	96,833	55,740	29,886	15,504	7,902	6,342
- Rx Rate (L1) (Bit/s)	65.07 M	66 M	65.99 M	65.99 M	66 M	65.96 M
- Rx Rate (Fps)	96,833	55,740	29,886	15,504	7,902	6,342
P-0-2-2						
- Tx (Frames)	114,583	65,030	34,867	18,088	9,219	7,399
- Tx Rate (L1) (Bit/s)	77 M	77 M	76.99 M	76.98 M	77 M	76.95 M
- Tx Rate (Fps)	114,583	65,030	34,867	18,088	9,219	7,399
- Rx (Frames)	132,532	75,866	40,684	21,105	10,752	8,631
- Rx Rate (L1) (Bit/s)	89.06 M	89.83 M	89.83 M	89.82 M	89.8 M	89.76 M
- Rx Rate (Fps)	132,532	75,866	40,684	21,105	10,752	8,631
P-0-2-3						
- Tx (Frames)	114,583	65,030	34,867	18,088	9,219	7,399
- Tx Rate (L1) (Bit/s)	77 M	77 M	76.99 M	76.98 M	77 M	76.95 M
- Tx Rate (Fps)	114,583	65,030	34,867	18,088	9,219	7,399
- Rx (Frames)	132,559	75,866	40,684	21,105	10,752	8,631
- Rx Rate (L1) (Bit/s)	89.08 M	89.83 M	89.83 M	89.82 M	89.8 M	89.76 M
- Rx Rate (Fps)	132,559	75,866	40,684	21,105	10,752	8,631
P-0-2-4						
- Tx (Frames)	114,582	65,028	34,872	18,090	9,216	7,398
- Tx Rate (L1) (Bit/s)	77 M	76.99 M	77 M	76.99 M	76.97 M	76.94 M
- Tx Rate (Fps)	114,582	65,028	34,872	18,090	9,216	7,398
- Rx (Frames)	96,512	55,740	29,886	15,504	7,902	6,342
- Rx Rate (L1) (Bit/s)	64.86 M	66 M	65.99 M	65.99 M	66 M	65.96 M
- Rx Rate (Fps)	96,512	55,740	29,886	15,504	7,902	6,342
P-0-2-5						
- Tx (Frames)	114,583	65,030	34,867	18,088	9,219	7,399
- Tx Rate (L1) (Bit/s)	77 M	77 M	76.99 M	76.98 M	77 M	76.95 M
- Tx Rate (Fps)	114,583	65,030	34,867	18,088	9,219	7,399
- Rx (Frames)	133,022	75,866	40,684	21,105	10,752	8,631
- Rx Rate (L1) (Bit/s)	89.39 M	89.83 M	89.83 M	89.82 M	89.8 M	89.76 M
- Rx Rate (Fps)	133,022	75,866	40,684	21,105	10,752	8,631
P-0-4-1						
- Tx (Frames)	114,582	65,028	34,872	18,090	9,216	7,398
- Tx Rate (L1) (Bit/s)	77 M	76.99 M	77 M	76.99 M	76.97 M	76.94 M
- Tx Rate (Fps)	114,582	65,028	34,872	18,090	9,216	7,398
- Rx (Frames)	97,148	55,740	29,886	15,504	7,902	6,342
- Rx Rate (L1) (Bit/s)	65.28 M	66 M	65.99 M	65.99 M	66 M	65.96 M
- Rx Rate (Fps)	97,148	55,740	29,886	15,504	7,902	6,342
P-0-4-2						
- Tx (Frames)	114,583	65,030	34,867	18,088	9,219	7,399
- Tx Rate (L1) (Bit/s)	77 M	77 M	76.99 M	76.98 M	77 M	76.95 M
- Tx Rate (Fps)	114,583	65,030	34,867	18,088	9,219	7,399
- Rx (Frames)	132,108	75,866	40,684	21,105	10,752	8,631
- Rx Rate (L1) (Bit/s)	88.78 M	89.83 M	89.83 M	89.82 M	89.8 M	89.76 M
- Rx Rate (Fps)	132,108	75,866	40,684	21,105	10,752	8,631
P-0-4-3						
- Tx (Frames)	114,582	65,028	34,872	18,090	9,216	7,398
- Tx Rate (L1) (Bit/s)	77 M	76.99 M	77 M	76.99 M	76.97 M	76.94 M
- Tx Rate (Fps)	114,582	65,028	34,872	18,090	9,216	7,398
- Rx (Frames)	96,648	55,740	29,886	15,504	7,902	6,342
- Rx Rate (L1) (Bit/s)	64.95 M	66 M	65.99 M	65.99 M	66 M	65.96 M
- Rx Rate (Fps)	96,648	55,740	29,886	15,504	7,902	6,342
P-0-4-4						
- Tx (Frames)	114,583	65,030	34,867	18,088	9,219	7,399
- Tx Rate (L1) (Bit/s)	77 M	77 M	76.99 M	76.98 M	77 M	76.95 M
- Tx Rate (Fps)	114,583	65,030	34,867	18,088	9,219	7,399
- Rx (Frames)	132,753	75,866	40,684	21,105	10,752	8,631
- Rx Rate (L1) (Bit/s)	89.21 M	89.83 M	89.83 M	89.82 M	89.8 M	89.76 M
- Rx Rate (Fps)	132,753	75,866	40,684	21,105	10,752	8,631
P-0-4-5						
- Tx (Frames)	114,582	65,028	34,872	18,090	9,216	7,398
- Tx Rate (L1) (Bit/s)	77 M	76.99 M	77 M	76.99 M	76.97 M	76.94 M
- Tx Rate (Fps)	114,582	65,028	34,872	18,090	9,216	7,398
- Rx (Frames)	97,265	55,740	29,886	15,504	7,902	6,342
- Rx Rate (L1) (Bit/s)	65.36 M	66 M	65.99 M	65.99 M	66 M	65.96 M
- Rx Rate (Fps)	97,265	55,740	29,886	15,504	7,902	6,342

Image not found.

<b>Frame Size</b>	<b>1518</b>
<b>Result State</b>	<b>PASS</b>
Tx (Frames)	81,354
Tx Rate (Fps)	81,354
Tx Rate (L1) (Bit/s)	1 G
Rx (Frames)	81,354
Rx Rate (Fps)	81.35 K
Rx Rate (L1) (Bit/s)	1 G
Loss (Frames)	0
Loss Rate (Percent)	0 %
P-0-0-1	
- Tx (Frames)	6,258
- Tx Rate (L1) (Bit/s)	77 M
- Tx Rate (Fps)	6,258
- Rx (Frames)	5,364
- Rx Rate (L1) (Bit/s)	66 M
- Rx Rate (Fps)	5,364
P-0-0-2	
- Tx (Frames)	6,258
- Tx Rate (L1) (Bit/s)	77 M
- Tx Rate (Fps)	6,258
- Rx (Frames)	7,301
- Rx Rate (L1) (Bit/s)	89.83 M
- Rx Rate (Fps)	7,301
P-0-2-0	
- Tx (Frames)	6,258
- Tx Rate (L1) (Bit/s)	77 M
- Tx Rate (Fps)	6,258
- Rx (Frames)	5,364
- Rx Rate (L1) (Bit/s)	66 M
- Rx Rate (Fps)	5,364
P-0-2-1	
- Tx (Frames)	6,258
- Tx Rate (L1) (Bit/s)	77 M
- Tx Rate (Fps)	6,258
- Rx (Frames)	5,364
- Rx Rate (L1) (Bit/s)	66 M
- Rx Rate (Fps)	5,364
P-0-2-2	
- Tx (Frames)	6,258
- Tx Rate (L1) (Bit/s)	77 M
- Tx Rate (Fps)	6,258
- Rx (Frames)	7,301
- Rx Rate (L1) (Bit/s)	89.83 M
- Rx Rate (Fps)	7,301
P-0-2-3	
- Tx (Frames)	6,258
- Tx Rate (L1) (Bit/s)	77 M
- Tx Rate (Fps)	6,258
- Rx (Frames)	7,301
- Rx Rate (L1) (Bit/s)	89.83 M
- Rx Rate (Fps)	7,301
P-0-2-4	
- Tx (Frames)	6,258
- Tx Rate (L1) (Bit/s)	77 M
- Tx Rate (Fps)	6,258
- Rx (Frames)	5,364
- Rx Rate (L1) (Bit/s)	66 M
- Rx Rate (Fps)	5,364
P-0-2-5	
- Tx (Frames)	6,258
- Tx Rate (L1) (Bit/s)	77 M
- Tx Rate (Fps)	6,258
- Rx (Frames)	7,301
- Rx Rate (L1) (Bit/s)	89.83 M
- Rx Rate (Fps)	7,301
P-0-4-1	
- Tx (Frames)	6,258
- Tx Rate (L1) (Bit/s)	77 M
- Tx Rate (Fps)	6,258
- Rx (Frames)	5,364

Image not found.

- Rx Rate (L1) (Bit/s)	66 M
- Rx Rate (Fps)	5,364
P-0-4-2	
- Tx (Frames)	6,258
- Tx Rate (L1) (Bit/s)	77 M
- Tx Rate (Fps)	6,258
- Rx (Frames)	7,301
- Rx Rate (L1) (Bit/s)	89.83 M
- Rx Rate (Fps)	7,301
P-0-4-3	
- Tx (Frames)	6,258
- Tx Rate (L1) (Bit/s)	77 M
- Tx Rate (Fps)	6,258
- Rx (Frames)	5,364
- Rx Rate (L1) (Bit/s)	66 M
- Rx Rate (Fps)	5,364
P-0-4-4	
- Tx (Frames)	6,258
- Tx Rate (L1) (Bit/s)	77 M
- Tx Rate (Fps)	6,258
- Rx (Frames)	7,301
- Rx Rate (L1) (Bit/s)	89.83 M
- Rx Rate (Fps)	7,301
P-0-4-5	
- Tx (Frames)	6,258
- Tx Rate (L1) (Bit/s)	77 M
- Tx Rate (Fps)	6,258
- Rx (Frames)	5,364
- Rx Rate (L1) (Bit/s)	66 M
- Rx Rate (Fps)	5,364






Image not found.

## Back-to-Back Test Results

### Test Setup

Duration:	1 seconds
Iteration:	1
Rate Result Scope:	Common Result

### Test Results

No test results available!