

ICPSR 37166

**Generations: A Study of the Life  
and Health of LGB People in a  
Changing Society, United States,  
2016-2019**

Ilan H. Meyer

*Williams Institute (University of California, Los  
Angeles. School of Law)*

ICPSR Codebook for Generations Wave 1  
Public-Use Data

Inter-university Consortium for  
Political and Social Research  
P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)

# Terms of Use

The terms of use for this study can be found at:  
<http://www.icpsr.umich.edu/web/ICPSR/studies/37166/terms>

## Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

### NOTICE

#### WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

## ICPSR PROCESSING NOTES FOR #37166

*Generations: A Study of the Life and Health of LGB People in a Changing Society, United States, 2016-2019*

*DS 1: Generations Wave 1 Public-Use Data*

1. **Confidentiality/Disclosure Risk:** In order to protect respondent anonymity and prevent disclosure risk, ICPSR masked responses for variables **GMSANAME**, **GZIPCODE**, **GZIPSTATE**, **W1Q20\_T\_VERB**, **W1Q39\_T\_VERB**, **W1Q64\_T\_VERB**, and **W1Q66\_T\_VERB** in the public version of the data. Confidential information has been replaced by “MASKED BY ICPSR.”
2. **Undocumented Code:** The variables **W1CUMULATIVE\_WT\_NR1**, **W1CUMULATIVE\_WT\_NR2**, **W1CUMULATIVE\_WT\_NR3**, **W1CUMULATIVE\_WT\_SAMPLING**, **W1WEIGHTING\_CELL\_NR1**, **W1WEIGHTING\_CELL\_NR2AND3**, and **W1FRAME\_WT** appear in the data but not in the P.I. documentation. No additional information was provided.
3. **Truncated Variable Labels:** Due to the limits of the statistical packages, some variable labels are truncated in the data files. Please refer to the documentation for complete variable labels.
4. **Truncated Value Labels:** Due to the limits of the statistical packages, some value labels are truncated. Please refer to the documentation for complete value labels.
5. **Additional Information:** For additional information on “Generations: A Study of the Life and Health of LGB People in a Changing Society, United States, 2016-2019,” please visit the [Generations](#) study website.

# **ICPSR 37166**

## **Generations: A Study of the Life and Health of LGB People in a Changing Society, United States, 2016-2019**

### **Variable Description and Frequencies**

**Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.**

**Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.**

# Generations Wave 1 Public-Use Data

**STUDYID: Study ID**

Value	Label	Unweighted Frequency	%
151339842	-	1	0.1 %
151351600	-	1	0.1 %
151396232	-	1	0.1 %
151397386	-	1	0.1 %
151427290	-	1	0.1 %
151431818	-	1	0.1 %
151482528	-	1	0.1 %
151483851	-	1	0.1 %
151499953	-	1	0.1 %
151553159	-	1	0.1 %
151554689	-	1	0.1 %
151557770	-	1	0.1 %
151559573	-	1	0.1 %
151631809	-	1	0.1 %
151633654	-	1	0.1 %
151634527	-	1	0.1 %
151658506	-	1	0.1 %
151663267	-	1	0.1 %
151663300	-	1	0.1 %
151663420	-	1	0.1 %
151671767	-	1	0.1 %
151672491	-	1	0.1 %
151672650	-	1	0.1 %
151675642	-	1	0.1 %
151682015	-	1	0.1 %
151682692	-	1	0.1 %
151707328	-	1	0.1 %
151736414	-	1	0.1 %
151768519	-	1	0.1 %
151769081	-	1	0.1 %
151796070	-	1	0.1 %
151798032	-	1	0.1 %
151828421	-	1	0.1 %
151852842	-	1	0.1 %
151855320	-	1	0.1 %

Value	Label	Unweighted Frequency	%
151856016	-	1	0.1 %
151857122	-	1	0.1 %
151858749	-	1	0.1 %
151858763	-	1	0.1 %
151876818	-	1	0.1 %
151902601	-	1	0.1 %
151906567	-	1	0.1 %
152060465	-	1	0.1 %
152250313	-	1	0.1 %
152252376	-	1	0.1 %
152262690	-	1	0.1 %
152263409	-	1	0.1 %
152263745	-	1	0.1 %
152296675	-	1	0.1 %
152297183	-	1	0.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,518 valid cases out of 1,518 total cases.

- Mean: 159009559.18
- Minimum: 151339842.00
- Maximum: 176620010.00
- Standard Deviation: 5728393.43

*Location:* 1-9 (width: 9; decimal: 0)

*Variable Type:* numeric

---

## W1WEIGHT\_FULL: Survey weight full w1 sample

Value	Label	Unweighted Frequency	%
0.2740224074163	-	45	3.0 %
0.2749853126953	-	11	0.7 %
0.2749853127365	-	1	0.1 %
0.2749964999605	-	1	0.1 %
0.2752529210080	-	1	0.1 %
0.2753433400941	-	11	0.7 %
0.2754186689852	-	12	0.8 %
0.2760076558079	-	1	0.1 %
0.2761252256006	-	1	0.1 %
0.2769822192857	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0.2770050492138	-	1	0.1 %
0.2783935623652	-	1	0.1 %
0.2804898802648	-	1	0.1 %
0.2808386380426	-	3	0.2 %
0.2821924285517	-	1	0.1 %
0.2822686978591	-	1	0.1 %
0.2822696312279	-	3	0.2 %
0.2830831762454	-	1	0.1 %
0.2857773913606	-	2	0.1 %
0.2867521356551	-	1	0.1 %
0.2874873139273	-	1	0.1 %
0.2883110230460	-	1	0.1 %
0.2893240863001	-	2	0.1 %
0.2928326569096	-	1	0.1 %
0.2928866068352	-	1	0.1 %
0.2935745994480	-	1	0.1 %
0.2947395477120	-	1	0.1 %
0.2957808726852	-	1	0.1 %
0.2960026325464	-	1	0.1 %
0.2968191084079	-	1	0.1 %
0.2974380502682	-	1	0.1 %
0.2975927754949	-	1	0.1 %
0.2983218430495	-	1	0.1 %
0.2984770280192	-	1	0.1 %
0.3008641427636	-	1	0.1 %
0.3026066674083	-	1	0.1 %
0.3026777610211	-	1	0.1 %
0.3037352438441	-	1	0.1 %
0.3066099907967	-	1	0.1 %
0.3073771159249	-	1	0.1 %
0.3078841730963	-	1	0.1 %
0.3080667534453	-	1	0.1 %
0.3089813305745	-	1	0.1 %
0.3090031551223	-	3	0.2 %
0.3092253485939	-	1	0.1 %
0.3095025794815	-	1	0.1 %
0.3113097740906	-	1	0.1 %
0.3123248684931	-	1	0.1 %
0.3125451916684	-	6	0.4 %

Value	Label	Unweighted Frequency	%
0.3136014031968	-	1	0.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,518 valid cases out of 1,518 total cases.

- Mean: 0.9972988170827
- Minimum: 0.2740224074163
- Maximum: 3.3329373753085
- Standard Deviation: 0.7449181140358

*Location:* 10-24 (width: 15; decimal: 13)

*Variable Type:* numeric

---

## W1WEIGHT\_ORIG: Survey weight original w1 sample

Value	Label	Unweighted Frequency	%
0.2561798419089	-	66	4.3 %
0.2561798419473	-	1	0.1 %
0.2562061677925	-	2	0.1 %
0.2567979222100	-	1	0.1 %
0.2613264443966	-	1	0.1 %
0.2631995329416	-	1	0.1 %
0.2644440901447	-	1	0.1 %
0.2698914644256	-	1	0.1 %
0.2699462650797	-	1	0.1 %
0.2700866892690	-	1	0.1 %
0.2704075447968	-	1	0.1 %
0.2728595807215	-	1	0.1 %
0.2738183509130	-	2	0.1 %
0.2802888917004	-	1	0.1 %
0.2823338912074	-	1	0.1 %
0.2824240690606	-	1	0.1 %
0.2824807593546	-	1	0.1 %
0.2825575450781	-	3	0.2 %
0.2830142268903	-	1	0.1 %
0.2833287462366	-	1	0.1 %
0.2860659005231	-	1	0.1 %
0.2861685446494	-	6	0.4 %
0.2865473589202	-	1	0.1 %
0.2870770331007	-	1	0.1 %



Value	Label	Unweighted Frequency	%
0.2881482608840	-	1	0.1 %
0.2897053243600	-	1	0.1 %
0.2909038651681	-	1	0.1 %
0.2909931655735	-	2	0.1 %
0.2913644422850	-	1	0.1 %
0.2924813252404	-	2	0.1 %
0.2946257605257	-	1	0.1 %
0.2951897920586	-	1	0.1 %
0.2952042164645	-	1	0.1 %
0.2970537464168	-	1	0.1 %
0.2971402999435	-	1	0.1 %
0.2977505962708	-	1	0.1 %
0.2995494394472	-	1	0.1 %
0.3002033893997	-	1	0.1 %
0.3030263973858	-	2	0.1 %
0.3053889845283	-	3	0.2 %
0.3058314297474	-	1	0.1 %
0.3067870263761	-	1	0.1 %
0.3080213887958	-	1	0.1 %
0.3141816366426	-	1	0.1 %
0.3155362525602	-	1	0.1 %
0.3162705851845	-	1	0.1 %
0.3171657360205	-	1	0.1 %
0.3172843796136	-	1	0.1 %
0.3185398201488	-	1	0.1 %
0.3196444862662	-	1	0.1 %
	<b>Missing Data</b>		
.	-	187	12.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,331 valid cases out of 1,518 total cases.

- Mean: 0.9968409945501
- Minimum: 0.2561798419089
- Maximum: 2.9135388777143
- Standard Deviation: 0.7431086359150

*Location:* 25-39 (width: 15; decimal: 13)

*Variable Type:* numeric

## W1CUMULATIVE\_WT\_NR1: W1CUMULATIVE\_WT\_NR1

Value	Label	Unweighted Frequency	%
280.1978854488	-	5	0.3 %
280.5057289808	-	3	0.2 %
281.5121209580	-	3	0.2 %
281.5716289095	-	2	0.1 %
281.9671131102	-	1	0.1 %
282.0638068337	-	12	0.8 %
282.1186367858	-	1	0.1 %
282.2049355200	-	5	0.3 %
285.1034174202	-	6	0.4 %
285.9988039999	-	1	0.1 %
287.1149477832	-	1	0.1 %
287.4194774584	-	5	0.3 %
288.6270331390	-	1	0.1 %
290.2864338545	-	1	0.1 %
292.3348773153	-	1	0.1 %
293.6851320185	-	1	0.1 %
294.0976303592	-	1	0.1 %
294.1176825276	-	2	0.1 %
294.6046788604	-	1	0.1 %
295.0185632409	-	1	0.1 %
295.2307216419	-	1	0.1 %
295.8721449042	-	1	0.1 %
296.0409216327	-	1	0.1 %
297.5631470742	-	1	0.1 %
297.8294542812	-	1	0.1 %
300.4766985070	-	2	0.1 %
301.4627225927	-	1	0.1 %
302.4692157698	-	1	0.1 %
304.0160237567	-	1	0.1 %
306.2583185210	-	1	0.1 %
311.3054804451	-	1	0.1 %
312.8912485358	-	1	0.1 %
317.8794964804	-	1	0.1 %
318.4547606575	-	1	0.1 %
319.6892405066	-	1	0.1 %
329.0066528552	-	1	0.1 %
331.2534689489	-	1	0.1 %

Value	Label	Unweighted Frequency	%
333.8189722736	-	1	0.1 %
334.9012693987	-	1	0.1 %
337.5642348897	-	1	0.1 %
346.2055337837	-	1	0.1 %
346.3930314011	-	1	0.1 %
346.9647027908	-	1	0.1 %
351.9117951768	-	1	0.1 %
354.0127833233	-	1	0.1 %
354.2045091824	-	1	0.1 %
354.6137253535	-	1	0.1 %
355.8643458728	-	1	0.1 %
356.3459641127	-	1	0.1 %
358.4489588417	-	1	0.1 %
	Missing Data		
.	-	187	12.3 %
	Total	1,518	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,331 valid cases out of 1,518 total cases.

- Mean: 1094.8816046936
- Minimum: 280.1978854488
- Maximum: 3762.9931884059
- Standard Deviation: 670.4335134153

*Location:* 40-54 (width: 15; decimal: 10)

*Variable Type:* numeric

## W1CUMULATIVE\_WT\_NR2: W1CUMULATIVE\_WT\_NR2

Value	Label	Unweighted Frequency	%
329.2141413953	-	5	0.3 %
332.0387486306	-	3	0.2 %
341.1363337928	-	1	0.1 %
342.1512163314	-	5	0.3 %
342.4676582350	-	1	0.1 %
343.4624342413	-	1	0.1 %
344.5644892534	-	12	0.8 %
347.2220120599	-	1	0.1 %
347.2812581617	-	1	0.1 %
351.8950067527	-	1	0.1 %

Value	Label	Unweighted Frequency	%
352.8540100998	-	1	0.1 %
354.6584826628	-	1	0.1 %
355.0580806635	-	6	0.4 %
357.1114593673	-	1	0.1 %
359.4462716064	-	1	0.1 %
359.5815315386	-	1	0.1 %
363.4982273805	-	1	0.1 %
368.5962990801	-	3	0.2 %
369.1920404743	-	1	0.1 %
370.3739634794	-	1	0.1 %
370.5857018696	-	1	0.1 %
370.8313084891	-	1	0.1 %
380.0848959107	-	1	0.1 %
385.0750644403	-	1	0.1 %
387.6195018486	-	1	0.1 %
389.2499587333	-	5	0.3 %
391.1583585220	-	2	0.1 %
391.6576129459	-	1	0.1 %
391.9182600214	-	1	0.1 %
393.7950962842	-	1	0.1 %
393.8628675000	-	2	0.1 %
395.1464172429	-	1	0.1 %
396.5927070265	-	1	0.1 %
397.0970971791	-	1	0.1 %
399.4666747812	-	1	0.1 %
406.3602992905	-	1	0.1 %
407.9863962417	-	1	0.1 %
408.3991488963	-	1	0.1 %
408.5872939520	-	2	0.1 %
411.4614265456	-	1	0.1 %
411.7740640585	-	1	0.1 %
413.4234859963	-	1	0.1 %
415.5240934819	-	1	0.1 %
417.8947613162	-	1	0.1 %
422.9547151485	-	3	0.2 %
425.2236705235	-	1	0.1 %
425.4530245833	-	1	0.1 %
428.2469679133	-	1	0.1 %
431.3772120099	-	1	0.1 %

Value	Label	Unweighted Frequency	%
431.3860773658	-	1	0.1 %
	<b>Missing Data</b>		
.	-	187	12.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,331 valid cases out of 1,518 total cases.

- Mean: 1334.1082024738
- Minimum: 329.2141413953
- Maximum: 4458.5684324512
- Standard Deviation: 817.4321290962

*Location:* 55-69 (width: 15; decimal: 10)

*Variable Type:* numeric

## W1CUMULATIVE\_WT\_NR3: W1CUMULATIVE\_WT\_NR3

Value	Label	Unweighted Frequency	%
451.115006537	-	5	0.3 %
480.829690230	-	5	0.3 %
481.170668310	-	1	0.1 %
483.048493121	-	1	0.1 %
483.508206537	-	1	0.1 %
485.980836202	-	1	0.1 %
496.345709328	-	1	0.1 %
507.187504534	-	1	0.1 %
508.142109097	-	1	0.1 %
520.789053870	-	1	0.1 %
539.608890072	-	1	0.1 %
550.401692937	-	1	0.1 %
551.836682278	-	1	0.1 %
553.140184344	-	12	0.8 %
557.877147678	-	1	0.1 %
563.445249982	-	1	0.1 %
573.282229093	-	1	0.1 %
582.674784549	-	1	0.1 %
583.535108152	-	1	0.1 %
586.817543471	-	1	0.1 %
587.195578884	-	5	0.3 %
590.074458878	-	2	0.1 %

Value	Label	Unweighted Frequency	%
591.106849150	-	1	0.1 %
591.220793748	-	1	0.1 %
592.737807266	-	1	0.1 %
594.198211737	-	1	0.1 %
611.452446788	-	2	0.1 %
615.460073259	-	1	0.1 %
616.366546005	-	2	0.1 %
617.082861653	-	1	0.1 %
628.597504988	-	1	0.1 %
633.292285205	-	3	0.2 %
637.694131290	-	1	0.1 %
640.930944193	-	1	0.1 %
641.809021307	-	1	0.1 %
646.463486480	-	1	0.1 %
647.787101033	-	3	0.2 %
659.611403717	-	3	0.2 %
660.677496399	-	1	0.1 %
663.331922362	-	1	0.1 %
664.242205678	-	1	0.1 %
668.736636031	-	6	0.4 %
671.426146313	-	1	0.1 %
673.635472192	-	1	0.1 %
676.703185196	-	1	0.1 %
677.001605086	-	1	0.1 %
680.170507270	-	1	0.1 %
688.164802138	-	2	0.1 %
689.100526581	-	1	0.1 %
692.418730488	-	1	0.1 %
	<b>Missing Data</b>		
.	-	187	12.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,331 valid cases out of 1,518 total cases.

- Mean: 2915.328200461
- Minimum: 451.115006537
- Maximum: 12665.010784615
- Standard Deviation: 2362.933945511

Location: 70-84 (width: 15; decimal: 9)

Variable Type: numeric

## W1CUMULATIVE\_WT\_SAMPLING: W1CUMULATIVE\_WT\_SAMPLING

Value	Label	Unweighted Frequency	%
329.2141413953	-	5	0.3 %
332.0387486306	-	3	0.2 %
341.1363337928	-	1	0.1 %
342.1512163314	-	5	0.3 %
342.4676582350	-	1	0.1 %
343.4624342413	-	1	0.1 %
344.5644892534	-	12	0.8 %
347.2220120599	-	1	0.1 %
347.2812581617	-	1	0.1 %
351.8950067527	-	1	0.1 %
352.8540100998	-	1	0.1 %
354.6584826628	-	1	0.1 %
355.0580806635	-	6	0.4 %
357.1114593673	-	1	0.1 %
359.4462716064	-	1	0.1 %
359.5815315386	-	1	0.1 %
363.4982273805	-	1	0.1 %
368.5962990801	-	3	0.2 %
369.1920404743	-	1	0.1 %
370.3739634794	-	1	0.1 %
370.5857018696	-	1	0.1 %
370.8313084891	-	1	0.1 %
380.0848959107	-	1	0.1 %
385.0750644403	-	1	0.1 %
387.6195018486	-	1	0.1 %
389.2499587333	-	5	0.3 %
391.1583585220	-	2	0.1 %
391.6576129459	-	1	0.1 %
391.9182600214	-	1	0.1 %
393.7950962842	-	1	0.1 %
393.8628675000	-	2	0.1 %
395.1464172429	-	1	0.1 %
396.5927070265	-	1	0.1 %
397.0970971791	-	1	0.1 %
399.4666747812	-	1	0.1 %

Value	Label	Unweighted Frequency	%
406.3602992905	-	1	0.1 %
407.9863962417	-	1	0.1 %
408.3991488963	-	1	0.1 %
408.5872939520	-	2	0.1 %
411.4614265456	-	1	0.1 %
411.7740640585	-	1	0.1 %
413.4234859963	-	1	0.1 %
415.5240934819	-	1	0.1 %
417.8947613162	-	1	0.1 %
422.9547151485	-	3	0.2 %
425.2236705235	-	1	0.1 %
425.4530245833	-	1	0.1 %
428.2469679133	-	1	0.1 %
431.3772120099	-	1	0.1 %
431.3860773658	-	1	0.1 %
	Missing Data		
.	-	187	12.3 %
	Total	1,518	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,331 valid cases out of 1,518 total cases.

- Mean: 1334.1082024738
- Minimum: 329.2141413953
- Maximum: 4458.5684324512
- Standard Deviation: 817.4321290962

Location: 85-99 (width: 15; decimal: 10)

Variable Type: numeric

## W1WEIGHTING\_CELL\_NR1: W1WEIGHTING\_CELL\_NR1

Value	Label	Unweighted Frequency	%
11111	-	3	0.2 %
11112	-	2	0.1 %
11113	-	4	0.3 %
11121	-	2	0.1 %
11122	-	3	0.2 %
11123	-	5	0.3 %
11211	-	1	0.1 %
11213	-	4	0.3 %



Value	Label	Unweighted Frequency	%
11311	-	1	0.1 %
11313	-	2	0.1 %
11321	-	1	0.1 %
12111	-	2	0.1 %
12112	-	3	0.2 %
12113	-	1	0.1 %
12121	-	2	0.1 %
12122	-	1	0.1 %
12123	-	1	0.1 %
12213	-	3	0.2 %
12222	-	1	0.1 %
12223	-	1	0.1 %
12313	-	1	0.1 %
12322	-	1	0.1 %
13111	-	5	0.3 %
13112	-	10	0.7 %
13113	-	8	0.5 %
13121	-	6	0.4 %
13122	-	16	1.1 %
13123	-	4	0.3 %
13211	-	1	0.1 %
13212	-	5	0.3 %
13213	-	3	0.2 %
13223	-	3	0.2 %
13312	-	2	0.1 %
13313	-	4	0.3 %
13322	-	3	0.2 %
13323	-	2	0.1 %
14111	-	7	0.5 %
14112	-	9	0.6 %
14113	-	9	0.6 %
14121	-	10	0.7 %
14122	-	12	0.8 %
14123	-	3	0.2 %
14212	-	4	0.3 %
14213	-	6	0.4 %
14221	-	2	0.1 %
14222	-	1	0.1 %
14223	-	3	0.2 %

Value	Label	Unweighted Frequency	%
14311	-	2	0.1 %
14312	-	2	0.1 %
14321	-	2	0.1 %
	<b>Missing Data</b>		
.	-	187	12.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,331 valid cases out of 1,518 total cases.

- Mean: 21378.68
- Median: 22322.00
- Mode: 23313.00
- Minimum: 11111.00
- Maximum: 24323.00
- Standard Deviation: 3578.65

*Location:* 100-104 (width: 5; decimal: 0)

*Variable Type:* numeric

---

## W1WEIGHTING\_CELL\_NR2AND3: W1WEIGHTING\_CELL\_NR2AND3

Value	Label	Unweighted Frequency	%
1111	-	32	2.1 %
1112	-	20	1.3 %
1121	-	39	2.6 %
1122	-	7	0.5 %
1131	-	53	3.5 %
1132	-	25	1.6 %
1141	-	38	2.5 %
1142	-	22	1.4 %
1211	-	42	2.8 %
1212	-	19	1.3 %
1221	-	48	3.2 %
1222	-	28	1.8 %
1231	-	80	5.3 %
1232	-	28	1.8 %
1241	-	69	4.5 %
1242	-	18	1.2 %
2111	-	8	0.5 %
2112	-	29	1.9 %
2121	-	7	0.5 %

Value	Label	Unweighted Frequency	%
2122	-	16	1.1 %
2131	-	18	1.2 %
2132	-	27	1.8 %
2141	-	16	1.1 %
2142	-	25	1.6 %
2211	-	18	1.2 %
2212	-	27	1.8 %
2221	-	14	0.9 %
2222	-	20	1.3 %
2231	-	18	1.2 %
2232	-	31	2.0 %
2241	-	12	0.8 %
2242	-	35	2.3 %
3111	-	16	1.1 %
3112	-	29	1.9 %
3121	-	24	1.6 %
3122	-	19	1.3 %
3131	-	33	2.2 %
3132	-	56	3.7 %
3141	-	28	1.8 %
3142	-	38	2.5 %
3211	-	13	0.9 %
3212	-	31	2.0 %
3221	-	18	1.2 %
3222	-	17	1.1 %
3231	-	19	1.3 %
3232	-	42	2.8 %
3241	-	20	1.3 %
3242	-	39	2.6 %
	<b>Missing Data</b>		
.	-	187	12.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,331 valid cases out of 1,518 total cases.

- Mean: 2086.37
- Median: 2132.00
- Mode: 1231.00
- Minimum: 1111.00
- Maximum: 3242.00
- Standard Deviation: 862.39

Location: 105-108 (width: 4; decimal: 0)

Variable Type: numeric

## W1FRAME\_WT: W1FRAME\_WT

Value	Label	Unweighted Frequency	%
230.9499899993	-	47	3.1 %
231.3232614330	-	1	0.1 %
231.8512993473	-	1	0.1 %
232.0822827645	-	2	0.1 %
232.5331479212	-	1	0.1 %
233.4779941507	-	1	0.1 %
233.8043192191	-	1	0.1 %
238.1483566941	-	1	0.1 %
238.2336334179	-	1	0.1 %
239.3598021323	-	1	0.1 %
241.2750277293	-	1	0.1 %
242.0667029445	-	1	0.1 %
242.4232278897	-	2	0.1 %
242.8692862594	-	1	0.1 %
243.4374262906	-	1	0.1 %
248.7996799803	-	1	0.1 %
250.1430947940	-	1	0.1 %
251.2520792400	-	1	0.1 %
252.4300120478	-	1	0.1 %
255.5334889790	-	1	0.1 %
257.6140993012	-	1	0.1 %
257.9664756550	-	1	0.1 %
260.1452253053	-	1	0.1 %
264.3665066074	-	1	0.1 %
264.7769894375	-	1	0.1 %
270.2389053588	-	1	0.1 %
270.4397491760	-	1	0.1 %
273.4744624456	-	1	0.1 %
276.2547597839	-	1	0.1 %
276.3330383623	-	1	0.1 %
276.9731242980	-	1	0.1 %
277.9929926463	-	1	0.1 %
280.5980645963	-	1	0.1 %
280.9995543178	-	1	0.1 %
284.6466943126	-	1	0.1 %

Value	Label	Unweighted Frequency	%
286.9258060587	-	1	0.1 %
288.2703682197	-	1	0.1 %
288.6128830792	-	1	0.1 %
291.7712051466	-	1	0.1 %
292.2331624651	-	1	0.1 %
292.4388132796	-	1	0.1 %
292.5598146017	-	1	0.1 %
293.4144248074	-	1	0.1 %
293.6619045007	-	1	0.1 %
296.3945106204	-	1	0.1 %
298.3025031630	-	1	0.1 %
300.4086462949	-	3	0.2 %
300.4234038599	-	1	0.1 %
300.6630209075	-	1	0.1 %
301.5618611165	-	1	0.1 %
	<b>Missing Data</b>		
.	-	187	12.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,331 valid cases out of 1,518 total cases.

- Mean: 797.7923795943
- Minimum: 230.9499899993
- Maximum: 2309.8568480348
- Standard Deviation: 444.1562446760

*Location:* 109-123 (width: 15; decimal: 10)

*Variable Type:* numeric

## W1SURVEY\_YR: Year in which w1 survey was completed

Value	Label	Unweighted Frequency	%
2016	-	1120	73.8 %
2017	-	369	24.3 %
2018	-	29	1.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Mean: 2016.28
- Median: 2016.00

- Mode: 2016.00
- Minimum: 2016.00
- Maximum: 2018.00
- Standard Deviation: 0.49

*Location:* 124-127 (width: 4; decimal: 0)

*Variable Type:* numeric

## COHORT: Cohort

Value	Label	Unweighted Frequency	%
1	Younger	670	44.1 %
2	Middle	372	24.5 %
3	Older	476	31.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 128-128 (width: 1; decimal: 0)

*Variable Type:* numeric

## GEDUC1: Education

Value	Label	Unweighted Frequency	%
1	High school less	309	20.4 %
2	Some college	492	32.4 %
3	College	429	28.3 %
4	More than college	288	19.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 129-129 (width: 1; decimal: 0)

*Variable Type:* numeric

## GEDUC2: High school or less

Value	Label	Unweighted Frequency	%
1	High school less	309	20.4 %
2	More than high school	1209	79.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 130-130 (width: 1; decimal: 0)

*Variable Type:* numeric

## GEDUCATION: Education (official)

Value	Label	Unweighted Frequency	%
1	Less than high school diploma	32	2.1 %
2	High school degree or diploma	277	18.2 %
3	Technical/vocational school	28	1.8 %
4	Some college	464	30.6 %
5	College graduate	429	28.3 %
6	Post graduate work or degree	288	19.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 6.00

*Location:* 131-131 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8

## EMPLOYMENT2010: Employment 2010

Value	Label	Unweighted Frequency	%
1	Employed full-time (employer)	800	52.7 %
2	Employed full-time (self)	74	4.9 %
3	Employed part-time, do not want full-time	100	6.6 %
4	Unemployed	80	5.3 %
5	Employed part-time, want full time	162	10.7 %
6	Not in work force	238	15.7 %
	<b>Missing Data</b>		
.	-	64	4.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,454 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 6.00

*Location:* 132-132 (width: 1; decimal: 0)

*Variable Type:* numeric

## GMETHOD\_TYPE: Survey completed by mail (scan) or web

Value	Label	Unweighted Frequency	%
SCAN	-	317	20.9 %
WEB	-	1201	79.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

Location: 133-140 (width: 8; decimal: 0)

Variable Type: character

## GMSANAME: MSA city

Value	Label	Unweighted Frequency	%
MASKED BY ICPSR	-	1518	100.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

Location: 141-155 (width: 15; decimal: 0)

Variable Type: character

## GP1: Party affiliation

Value	Label	Unweighted Frequency	%
1	Republican	66	4.3 %
2	Democrat	863	56.9 %
3	Independent	456	30.0 %
4	Other party (volunteered)	16	1.1 %
	<b>Missing Data</b>		
8	Don't know	10	0.7 %
9	Refused	9	0.6 %
.	-	98	6.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,401 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 156-156 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

## GRUCA: Rural-urban commuting area (RUCA) urbanicity score

Value	Label	Unweighted Frequency	%
1.0	-	1205	79.4 %



Value	Label	Unweighted Frequency	%
1.1	-	16	1.1 %
2.0	-	84	5.5 %
2.1	-	7	0.5 %
3.0	-	2	0.1 %
4.0	-	56	3.7 %
4.1	-	6	0.4 %
4.2	-	18	1.2 %
5.0	-	17	1.1 %
5.1	-	1	0.1 %
5.2	-	1	0.1 %
6.0	-	4	0.3 %
6.1	-	1	0.1 %
7.0	-	15	1.0 %
7.1	-	3	0.2 %
7.3	-	7	0.5 %
7.4	-	10	0.7 %
8.0	-	3	0.2 %
9.0	-	3	0.2 %
9.1	-	2	0.1 %
9.2	-	1	0.1 %
10.0	-	9	0.6 %
10.1	-	2	0.1 %
10.3	-	1	0.1 %
10.4	-	10	0.7 %
10.5	-	5	0.3 %
10.6	-	7	0.5 %
	<b>Missing Data</b>		
.	-	22	1.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,496 valid cases out of 1,518 total cases.

- Mean: 1.70
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.60
- Standard Deviation: 1.90

*Location:* 157-160 (width: 4; decimal: 1)

*Variable Type:* numeric

## GRUCA\_I: Rural-urban commuting area (RUCA) urbanicity score, missing imputed

Value	Label	Unweighted Frequency	%
1.000000000000	-	1227	80.8 %
1.100000023842	-	16	1.1 %
2.000000000000	-	84	5.5 %
2.099999904633	-	7	0.5 %
3.000000000000	-	2	0.1 %
4.000000000000	-	56	3.7 %
4.099999904633	-	6	0.4 %
4.199999809265	-	18	1.2 %
5.000000000000	-	17	1.1 %
5.099999904633	-	1	0.1 %
5.199999809265	-	1	0.1 %
6.000000000000	-	4	0.3 %
6.099999904633	-	1	0.1 %
7.000000000000	-	15	1.0 %
7.099999904633	-	3	0.2 %
7.300000190735	-	7	0.5 %
7.400000095367	-	10	0.7 %
8.000000000000	-	3	0.2 %
9.000000000000	-	3	0.2 %
9.100000381470	-	2	0.1 %
9.199999809265	-	1	0.1 %
10.000000000000	-	9	0.6 %
10.100000381470	-	2	0.1 %
10.300000190735	-	1	0.1 %
10.399999618530	-	10	0.7 %
10.500000000000	-	5	0.3 %
10.600000381470	-	7	0.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Mean: 1.688998680969
- Median: 1.000000000000
- Mode: 1.000000000000
- Minimum: 1.000000000000
- Maximum: 10.600000381470
- Standard Deviation: 1.886014566325

*Location:* 161-175 (width: 15; decimal: 12)

*Variable Type:* numeric

---

## GURBAN: Urbanicity

Value	Label	Unweighted Frequency	%
0	Non-urban	182	12.0 %
1	Urban	1314	86.6 %
	<b>Missing Data</b>		
.	-	22	1.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,496 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 176-176 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## GURBAN\_I: Urbanicity with imputation

Value	Label	Unweighted Frequency	%
0	Non-urban	182	12.0 %
1	Urban	1336	88.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 177-177 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## GZIPCODE: Zip code (official)

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
99999	MASKED BY ICPSR	1518	100.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 0 valid cases out of 1,518 total cases.

*Location:* 178-182 (width: 5; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 99999

---

## GZIPSTATE: State code based on zip code (official)

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
99	MASKED BY ICPSR	1518	100.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 0 valid cases out of 1,518 total cases.

*Location:* 183-184 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 99

---

## GCENDIV: Census division

Value	Label	Unweighted Frequency	%
1	New England	91	6.0 %
2	Middle Atlantic	212	14.0 %
3	East North Central	176	11.6 %
4	West North Central	95	6.3 %
5	South Atlantic	300	19.8 %
6	East South Central	65	4.3 %
7	West South Central	151	9.9 %
8	Mountain	141	9.3 %
9	Pacific	287	18.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 9.00

*Location:* 185-185 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## GCENREG: Census region

Value	Label	Unweighted Frequency	%
1	Northeast	303	20.0 %
2	Midwest	271	17.9 %
3	South	516	34.0 %
4	West	428	28.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 186-186 (width: 1; decimal: 0)

Variable Type: numeric

## GMILESAWAY: Miles away from nearest LGBT health clinic

Value	Label	Unweighted Frequency	%
0.1053089525	-	1	0.1 %
0.1759413012	-	1	0.1 %
0.1920239621	-	1	0.1 %
0.1932421150	-	1	0.1 %
0.2752465306	-	1	0.1 %
0.2983603172	-	1	0.1 %
0.3046815755	-	3	0.2 %
0.3246384876	-	2	0.1 %
0.3324214274	-	1	0.1 %
0.3466554954	-	1	0.1 %
0.3891826634	-	1	0.1 %
0.4115750904	-	2	0.1 %
0.4212634289	-	2	0.1 %
0.4434946624	-	1	0.1 %
0.4528298805	-	2	0.1 %
0.4616935319	-	1	0.1 %
0.4738300889	-	1	0.1 %
0.4744522486	-	1	0.1 %
0.4889297342	-	1	0.1 %
0.5201298580	-	2	0.1 %
0.5327570159	-	1	0.1 %
0.5754128288	-	1	0.1 %
0.6240966452	-	1	0.1 %
0.6307211600	-	1	0.1 %
0.6766057976	-	1	0.1 %
0.6793623220	-	1	0.1 %
0.7007487979	-	1	0.1 %
0.7166700899	-	2	0.1 %
0.7309748833	-	1	0.1 %
0.7346292228	-	1	0.1 %
0.7480900391	-	3	0.2 %
0.7538153035	-	2	0.1 %
0.7908319424	-	1	0.1 %
0.8161705902	-	2	0.1 %
0.8642023435	-	1	0.1 %

Value	Label	Unweighted Frequency	%
0.8853692491	-	1	0.1 %
0.9199723206	-	1	0.1 %
0.9260892548	-	1	0.1 %
0.9266511018	-	1	0.1 %
0.9315949787	-	1	0.1 %
0.9363088135	-	2	0.1 %
0.9592544988	-	2	0.1 %
0.9744147365	-	1	0.1 %
0.9809668070	-	4	0.3 %
0.9953544642	-	1	0.1 %
1.0683423742	-	1	0.1 %
1.0718313578	-	1	0.1 %
1.0728281468	-	1	0.1 %
1.0756064870	-	1	0.1 %
1.0815355780	-	1	0.1 %
	<b>Missing Data</b>		
.	-	18	1.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,500 valid cases out of 1,518 total cases.

- Mean: 55.5084438299
- Minimum: 0.1053089525
- Maximum: 2711.9285146936
- Standard Deviation: 188.9406400384

*Location:* 187-201 (width: 15; decimal: 10)

*Variable Type:* numeric

## GMILESAWAY2: 60 or more miles from nearest LGBT health center

Value	Label	Unweighted Frequency	%
0	Less than 60 miles away	1115	73.5 %
1	60 or more miles away	385	25.4 %
	<b>Missing Data</b>		
.	-	18	1.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,500 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 202-202 (width: 1; decimal: 0)

Variable Type: numeric

---

**W1Q01: Please imagine a ladder with steps numbered from zero at the bottom to ten at the top. The top of the ladder represents the best possible life for you and the bottom of the ladder represents the worst possible life for you. On which step of the ladder would**

The following are some questions about your overall life.

Value	Label	Unweighted Frequency	%
0	Worst possible	4	0.3 %
1	-	9	0.6 %
2	-	13	0.9 %
3	-	50	3.3 %
4	-	150	9.9 %
5	-	212	14.0 %
6	-	311	20.5 %
7	-	359	23.6 %
8	-	265	17.5 %
9	-	85	5.6 %
10	Best possible	44	2.9 %
	<b>Missing Data</b>		
98	Don't know	2	0.1 %
.	-	14	0.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,502 valid cases out of 1,518 total cases.

- Mean: 6.36
- Median: 7.00
- Mode: 7.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 1.74

Location: 203-204 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , .

---

**W1Q02: On which step do you think you will stand about five years from now?**

The following are some questions about your overall life.

Value	Label	Unweighted Frequency	%
0	Worst possible	2	0.1 %
1	-	6	0.4 %
2	-	7	0.5 %
3	-	19	1.3 %
4	-	22	1.4 %
5	-	51	3.4 %
6	-	109	7.2 %
7	-	266	17.5 %
8	-	426	28.1 %
9	-	340	22.4 %
10	Best possible	210	13.8 %
	<b>Missing Data</b>		
98	Don't know	48	3.2 %
.	-	12	0.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,458 valid cases out of 1,518 total cases.

- Mean: 7.89
- Median: 8.00
- Mode: 8.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 1.62

*Location:* 205-206 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 98 , .

---

### W1Q03: Generally, how would you say things are these days in your life? Would you say that you are...

The following are some questions about your overall life.

Value	Label	Unweighted Frequency	%
1	Very happy	246	16.2 %
2	Pretty happy	930	61.3 %
3	Not too happy	294	19.4 %
	<b>Missing Data</b>		
.	-	48	3.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,470 valid cases out of 1,518 total cases.



- Minimum: 1.00
- Maximum: 3.00

*Location:* 207-207 (width: 1; decimal: 0)

*Variable Type:* numeric

### W1Q04: I don't feel I belong to anything I'd call a community.

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	271	17.9 %
2	Moderately disagree	318	20.9 %
3	Slightly disagree	254	16.7 %
4	Neither agree nor disagree	159	10.5 %
5	Slightly agree	220	14.5 %
6	Moderately agree	184	12.1 %
7	Strongly agree	99	6.5 %
	<b>Missing Data</b>		
.	-	13	0.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,505 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 208-208 (width: 1; decimal: 0)

*Variable Type:* numeric

### W1Q05: I feel close to other people in my community.

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	122	8.0 %
2	Moderately disagree	178	11.7 %
3	Slightly disagree	183	12.1 %
4	Neither agree nor disagree	177	11.7 %
5	Slightly agree	314	20.7 %
6	Moderately agree	349	23.0 %
7	Strongly agree	182	12.0 %
	<b>Missing Data</b>		
.	-	13	0.9 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,505 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 209-209 (width: 1; decimal: 0)

Variable Type: numeric

## W1Q06: My community is a source of comfort.

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	130	8.6 %
2	Moderately disagree	158	10.4 %
3	Slightly disagree	133	8.8 %
4	Neither agree nor disagree	273	18.0 %
5	Slightly agree	295	19.4 %
6	Moderately agree	300	19.8 %
7	Strongly agree	215	14.2 %
	<b>Missing Data</b>		
.	-	14	0.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,504 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 210-210 (width: 1; decimal: 0)

Variable Type: numeric

## W1Q07: People who do a favor expect nothing in return.

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	132	8.7 %
2	Moderately disagree	209	13.8 %
3	Slightly disagree	320	21.1 %
4	Neither agree nor disagree	250	16.5 %
5	Slightly agree	236	15.5 %

Value	Label	Unweighted Frequency	%
6	Moderately agree	258	17.0 %
7	Strongly agree	98	6.5 %
	<b>Missing Data</b>		
.	-	15	1.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,503 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 211-211 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## W1Q08: People do not care about other people's problems.

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	159	10.5 %
2	Moderately disagree	373	24.6 %
3	Slightly disagree	331	21.8 %
4	Neither agree nor disagree	136	9.0 %
5	Slightly agree	262	17.3 %
6	Moderately agree	164	10.8 %
7	Strongly agree	74	4.9 %
	<b>Missing Data</b>		
.	-	19	1.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,499 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 212-212 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## W1Q09: I believe that people are kind.

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	30	2.0 %

Value	Label	Unweighted Frequency	%
2	Moderately disagree	60	4.0 %
3	Slightly disagree	89	5.9 %
4	Neither agree nor disagree	174	11.5 %
5	Slightly agree	421	27.7 %
6	Moderately agree	576	37.9 %
7	Strongly agree	151	9.9 %
	<b>Missing Data</b>		
.	-	17	1.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,501 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 213-213 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### W1Q10: I have something valuable to give to the world.

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	32	2.1 %
2	Moderately disagree	29	1.9 %
3	Slightly disagree	38	2.5 %
4	Neither agree nor disagree	101	6.7 %
5	Slightly agree	196	12.9 %
6	Moderately agree	473	31.2 %
7	Strongly agree	632	41.6 %
	<b>Missing Data</b>		
.	-	17	1.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,501 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 214-214 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### W1Q11: My daily activities do not produce anything worthwhile for my community.

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	344	22.7 %
2	Moderately disagree	298	19.6 %
3	Slightly disagree	246	16.2 %
4	Neither agree nor disagree	233	15.3 %
5	Slightly agree	172	11.3 %
6	Moderately agree	123	8.1 %
7	Strongly agree	88	5.8 %
	<b>Missing Data</b>		
.	-	14	0.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,504 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 215-215 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## W1Q12: I have nothing important to contribute to society.

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	732	48.2 %
2	Moderately disagree	352	23.2 %
3	Slightly disagree	180	11.9 %
4	Neither agree nor disagree	92	6.1 %
5	Slightly agree	80	5.3 %
6	Moderately agree	34	2.2 %
7	Strongly agree	31	2.0 %
	<b>Missing Data</b>		
.	-	17	1.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,501 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 216-216 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### W1Q13: The world is becoming a better place for everyone.

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	210	13.8 %
2	Moderately disagree	257	16.9 %
3	Slightly disagree	246	16.2 %
4	Neither agree nor disagree	250	16.5 %
5	Slightly agree	277	18.2 %
6	Moderately agree	197	13.0 %
7	Strongly agree	64	4.2 %
	<b>Missing Data</b>		
.	-	17	1.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,501 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 217-217 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### W1Q14: Society has stopped making progress.

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	219	14.4 %
2	Moderately disagree	320	21.1 %
3	Slightly disagree	306	20.2 %
4	Neither agree nor disagree	178	11.7 %
5	Slightly agree	229	15.1 %
6	Moderately agree	153	10.1 %
7	Strongly agree	92	6.1 %
	<b>Missing Data</b>		
.	-	21	1.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,497 valid cases out of 1,518 total cases.

- Minimum: 1.00

- Maximum: 7.00

*Location:* 218-218 (width: 1; decimal: 0)

*Variable Type:* numeric

## W1Q15: Society isn't improving for people like me.

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	257	16.9 %
2	Moderately disagree	336	22.1 %
3	Slightly disagree	300	19.8 %
4	Neither agree nor disagree	161	10.6 %
5	Slightly agree	204	13.4 %
6	Moderately agree	148	9.7 %
7	Strongly agree	94	6.2 %
	<b>Missing Data</b>		
.	-	18	1.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,500 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 219-219 (width: 1; decimal: 0)

*Variable Type:* numeric

## W1Q16: The world is too complex for me.

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	467	30.8 %
2	Moderately disagree	320	21.1 %
3	Slightly disagree	169	11.1 %
4	Neither agree nor disagree	220	14.5 %
5	Slightly agree	194	12.8 %
6	Moderately agree	78	5.1 %
7	Strongly agree	54	3.6 %
	<b>Missing Data</b>		
.	-	16	1.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,502 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 220-220 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### W1Q17: I cannot make sense of what's going on in the world.

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	339	22.3 %
2	Moderately disagree	346	22.8 %
3	Slightly disagree	177	11.7 %
4	Neither agree nor disagree	157	10.3 %
5	Slightly agree	249	16.4 %
6	Moderately agree	140	9.2 %
7	Strongly agree	92	6.1 %
	<b>Missing Data</b>		
.	-	18	1.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,500 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 221-221 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### W1Q18: I find it easy to predict what will happen next in society.

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	205	13.5 %
2	Moderately disagree	264	17.4 %
3	Slightly disagree	247	16.3 %
4	Neither agree nor disagree	306	20.2 %
5	Slightly agree	270	17.8 %
6	Moderately agree	146	9.6 %
7	Strongly agree	58	3.8 %
	<b>Missing Data</b>		



Value	Label	Unweighted Frequency	%
.	-	22	1.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,496 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 222-222 (width: 1; decimal: 0)

Variable Type: numeric

### W1Q19A: Is the city or area where you live a good place or not a good place to live for... racial and ethnic minorities

Value	Label	Unweighted Frequency	%
1	Good place	1036	68.2 %
2	Not a good place	464	30.6 %
	<b>Missing Data</b>		
.	-	18	1.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,500 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 223-223 (width: 1; decimal: 0)

Variable Type: numeric

### W1Q19B: Is the city or area where you live a good place or not a good place to live for... gay, lesbian, or bisexual people

Value	Label	Unweighted Frequency	%
1	Good place	1084	71.4 %
2	Not a good place	415	27.3 %
	<b>Missing Data</b>		
.	-	19	1.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,499 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 224-224 (width: 1; decimal: 0)

Variable Type: numeric

### W1Q19C: Is the city or area where you live a good place or not a good place to live for... transgender people

Value	Label	Unweighted Frequency	%
1	Good place	835	55.0 %
2	Not a good place	653	43.0 %
	<b>Missing Data</b>		
.	-	30	2.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,488 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 225-225 (width: 1; decimal: 0)

Variable Type: numeric

### W1Q19D: Is the city or area where you live a good place or not a good place to live for... immigrants from other countries

Value	Label	Unweighted Frequency	%
1	Good place	1006	66.3 %
2	Not a good place	488	32.1 %
	<b>Missing Data</b>		
.	-	24	1.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,494 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 226-226 (width: 1; decimal: 0)

Variable Type: numeric

### W1Q20\_1: Which of the following describes your race/ethnicity? Please mark all that apply. Asian/Asian American

Value	Label	Unweighted Frequency	%
1	Asian/Asian American	36	2.4 %
2	Black/African American	0	0.0 %
3	Hispanic, Latino or Spanish origin	0	0.0 %
4	Middle Eastern/North African	0	0.0 %
5	Native Hawaiian/Pacific Islander	0	0.0 %
6	White	0	0.0 %

Value	Label	Unweighted Frequency	%
7	American Indian or Alaskan Native (enter name of enrolled or principal tribe):	0	0.0 %
	<b>Missing Data</b>		
.	-	1482	97.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 36 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 227-227 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q20\_2: Which of the following describes your race/ethnicity? Please mark all that apply. Black/African American

Value	Label	Unweighted Frequency	%
1	Asian/Asian American	0	0.0 %
2	Black/African American	256	16.9 %
3	Hispanic, Latino or Spanish origin	0	0.0 %
4	Middle Eastern/North African	0	0.0 %
5	Native Hawaiian/Pacific Islander	0	0.0 %
6	White	0	0.0 %
7	American Indian or Alaskan Native (enter name of enrolled or principal tribe):	0	0.0 %
	<b>Missing Data</b>		
.	-	1262	83.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 256 valid cases out of 1,518 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 228-228 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q20\_3: Which of the following describes your race/ethnicity? Please mark all that apply. Hispanic, Latino, or Spanish origin

Value	Label	Unweighted Frequency	%
1	Asian/Asian American	0	0.0 %
2	Black/African American	0	0.0 %
3	Hispanic, Latino or Spanish origin	280	18.4 %
4	Middle Eastern/North African	0	0.0 %
5	Native Hawaiian/Pacific Islander	0	0.0 %

Value	Label	Unweighted Frequency	%
6	White	0	0.0 %
7	American Indian or Alaskan Native (enter name of enrolled or principal tribe):	0	0.0 %
	<b>Missing Data</b>		
.	-	1238	81.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 280 valid cases out of 1,518 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 229-229 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q20\_4: Which of the following describes your race/ethnicity? Please mark all that apply. Middle Eastern/North African

Value	Label	Unweighted Frequency	%
1	Asian/Asian American	0	0.0 %
2	Black/African American	0	0.0 %
3	Hispanic, Latino or Spanish origin	0	0.0 %
4	Middle Eastern/North African	14	0.9 %
5	Native Hawaiian/Pacific Islander	0	0.0 %
6	White	0	0.0 %
7	American Indian or Alaskan Native (enter name of enrolled or principal tribe):	0	0.0 %
	<b>Missing Data</b>		
.	-	1504	99.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 14 valid cases out of 1,518 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 230-230 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q20\_5: Which of the following describes your race/ethnicity? Please mark all that apply. Native Hawaiian/Pacific Islander

Value	Label	Unweighted Frequency	%
1	Asian/Asian American	0	0.0 %
2	Black/African American	0	0.0 %
3	Hispanic, Latino or Spanish origin	0	0.0 %
4	Middle Eastern/North African	0	0.0 %

Value	Label	Unweighted Frequency	%
5	Native Hawaiian/Pacific Islander	9	0.6 %
6	White	0	0.0 %
7	American Indian or Alaskan Native (enter name of enrolled or principal tribe):	0	0.0 %
	<b>Missing Data</b>		
.	-	1509	99.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 9 valid cases out of 1,518 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 231-231 (width: 1; decimal: 0)

Variable Type: numeric

### W1Q20\_6: Which of the following describes your race/ethnicity? Please mark all that apply. White

Value	Label	Unweighted Frequency	%
1	Asian/Asian American	0	0.0 %
2	Black/African American	0	0.0 %
3	Hispanic, Latino or Spanish origin	0	0.0 %
4	Middle Eastern/North African	0	0.0 %
5	Native Hawaiian/Pacific Islander	0	0.0 %
6	White	1125	74.1 %
7	American Indian or Alaskan Native (enter name of enrolled or principal tribe):	0	0.0 %
	<b>Missing Data</b>		
.	-	393	25.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,125 valid cases out of 1,518 total cases.

- Minimum: 6.00
- Maximum: 6.00

Location: 232-232 (width: 1; decimal: 0)

Variable Type: numeric

### W1Q20\_7: Which of the following describes your race/ethnicity? Please mark all that apply. American Indian or Alaskan Native

(Write name of enrolled or principal tribe)

Value	Label	Unweighted Frequency	%
1	Asian/Asian American	0	0.0 %

Value	Label	Unweighted Frequency	%
2	Black/African American	0	0.0 %
3	Hispanic, Latino or Spanish origin	0	0.0 %
4	Middle Eastern/North African	0	0.0 %
5	Native Hawaiian/Pacific Islander	0	0.0 %
6	White	0	0.0 %
7	American Indian or Alaskan Native (enter name of enrolled or principal tribe):	52	3.4 %
	<b>Missing Data</b>		
.	-	1466	96.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 52 valid cases out of 1,518 total cases.

- Minimum: 7.00
- Maximum: 7.00

*Location:* 233-233 (width: 1; decimal: 0)

*Variable Type:* numeric

## W1Q20\_T\_VERB: Write in response for W1Q20

American Indian or Alaskan Native (write name of enrolled or principal tribe)

Value	Label	Unweighted Frequency	%
	-	1480	97.5 %
BLACK AFRICAN (NIGERIAN)	-	1	0.1 %
Blackfoot	-	1	0.1 %
Blackfoot, Cherokee, Crow	-	1	0.1 %
CHEROKEE	-	3	0.2 %
CHEROKEE - 4 GENERATIONS BACK	-	1	0.1 %
Cherokee	-	13	0.9 %
Chikasaw	-	1	0.1 %
Choctaw	-	1	0.1 %
Crea	-	1	0.1 %
DON'T REMEMBER	-	1	0.1 %
HUMAN RACE	-	1	0.1 %
Irish and French	-	1	0.1 %
Iroquois	-	1	0.1 %
Lakota	-	1	0.1 %
MASKED BY ICPSR	-	1	0.1 %
MICMAK	-	1	0.1 %
Metis	-	1	0.1 %
Pomo	-	1	0.1 %

Value	Label	Unweighted Frequency	%
SCOTT IRISH	-	1	0.1 %
SHASTA	-	1	0.1 %
YAANI	-	1	0.1 %
aztec	-	1	0.1 %
cherokee	-	1	0.1 %
choctaw	-	1	0.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

Location: 234-265 (width: 32; decimal: 0)

Variable Type: character

---

### W1Q21: I have spent time trying to find out more about my race/ethnic group, such as its history, traditions, and customs.

Thinking about your race and ethnicity group(s), please rate your level of agreement with the following items.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	146	9.6 %
2	Disagree	264	17.4 %
3	Neither agree nor disagree	276	18.2 %
4	Agree	545	35.9 %
5	Strongly agree	272	17.9 %
	<b>Missing Data</b>		
.	-	15	1.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,503 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 266-266 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q22: I have a strong sense of belonging to my own race/ethnic group.

Thinking about your race and ethnicity group(s), please rate your level of agreement with the following items.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	120	7.9 %
2	Disagree	296	19.5 %
3	Neither agree nor disagree	448	29.5 %

Value	Label	Unweighted Frequency	%
4	Agree	427	28.1 %
5	Strongly agree	208	13.7 %
	<b>Missing Data</b>		
.	-	19	1.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,499 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 267-267 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q23: I understand pretty well what my race/ethnic group membership means to me.

Thinking about your race and ethnicity group(s), please rate your level of agreement with the following items.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	44	2.9 %
2	Disagree	119	7.8 %
3	Neither agree nor disagree	346	22.8 %
4	Agree	691	45.5 %
5	Strongly agree	299	19.7 %
	<b>Missing Data</b>		
.	-	19	1.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,499 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 268-268 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q24: I have often done things that will help me understand my race/ethnic background better.

Thinking about your race and ethnicity group(s), please rate your level of agreement with the following items.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	113	7.4 %
2	Disagree	264	17.4 %
3	Neither agree nor disagree	450	29.6 %



Value	Label	Unweighted Frequency	%
4	Agree	470	31.0 %
5	Strongly agree	199	13.1 %
	<b>Missing Data</b>		
.	-	22	1.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,496 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 269-269 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## W1Q25: I have often talked to other people in order to learn more about my race/ethnic group.

Thinking about your race and ethnicity group(s), please rate your level of agreement with the following items.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	142	9.4 %
2	Disagree	343	22.6 %
3	Neither agree nor disagree	329	21.7 %
4	Agree	476	31.4 %
5	Strongly agree	210	13.8 %
	<b>Missing Data</b>		
.	-	18	1.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,500 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 270-270 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## W1Q26: I feel a strong attachment towards my own race/ethnic group.

Thinking about your race and ethnicity group(s), please rate your level of agreement with the following items.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	172	11.3 %
2	Disagree	284	18.7 %
3	Neither agree nor disagree	485	31.9 %
4	Agree	344	22.7 %

Value	Label	Unweighted Frequency	%
5	Strongly agree	215	14.2 %
	<b>Missing Data</b>		
.	-	18	1.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,500 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 271-271 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## W1Q27: What sex were you assigned at birth, on your original birth certificate?

The following questions are about your sexual identity, gender identity, and gender expression.

Value	Label	Unweighted Frequency	%
1	Female	805	53.0 %
2	Male	691	45.5 %
	<b>Missing Data</b>		
.	-	22	1.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,496 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 272-272 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## W1Q28: If you had to choose only one of the following terms, which best describes your current gender identity?

The following questions are about your sexual identity, gender identity, and gender expression.

Value	Label	Unweighted Frequency	%
1	Woman	744	49.0 %
2	Man	665	43.8 %
3	Transgender woman/male-to-female (MTF)	0	0.0 %
4	Transgender man/female-to-male (FTM)	0	0.0 %
5	Non-binary/genderqueer	94	6.2 %
	<b>Missing Data</b>		
.	-	15	1.0 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,503 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 273-273 (width: 1; decimal: 0)

Variable Type: numeric

## W1Q29: Which of the following best describes your current sexual orientation?

Value	Label	Unweighted Frequency	%
1	Straight/heterosexual	11	0.7 %
2	Lesbian	288	19.0 %
3	Gay	533	35.1 %
4	Bisexual	490	32.3 %
5	Queer	88	5.8 %
6	Same-gender loving	25	1.6 %
7	Other (list) (allow 250 characters)	70	4.6 %
	<b>Missing Data</b>		
.	-	13	0.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,505 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 274-274 (width: 1; decimal: 0)

Variable Type: numeric

## W1Q29\_T\_VERB: Write in response for W1Q29

Value	Label	Unweighted Frequency	%
	-	1451	95.6 %
ASEXUAL	-	1	0.1 %
Asexual	-	6	0.4 %
Asexual, Pan-romantic.	-	1	0.1 %
Asexual; panromantic (No sexual attraction, close romantic emotional attachment to any gender)	-	1	0.1 %
Bi-romantic Asexual	-	1	0.1 %
DON'T LIKE LABELS ORIENTATION	-	1	0.1 %
DYKE	-	1	0.1 %
Demisexual	-	2	0.1 %

Value	Label	Unweighted Frequency	%
Demisexual towards women but likes men	-	1	0.1 %
Fluid	-	1	0.1 %
GAY/BICURIOS	-	1	0.1 %
Lesbian and Same Gender Loving	-	1	0.1 %
Lover of All	-	1	0.1 %
NON-SEXUAL	-	1	0.1 %
Neutral	-	1	0.1 %
PANSEXUAL	-	2	0.1 %
PANSEXUAL; DEMISEXUAL	-	1	0.1 %
Panromantic asexual	-	1	0.1 %
Pansexaul	-	1	0.1 %
Pansexual	-	30	2.0 %
Pansexual (loving without gender bias)	-	1	0.1 %
SIN SEXUAL	-	1	0.1 %
asexual	-	2	0.1 %
demi sexual	-	1	0.1 %
demisexual	-	1	0.1 %
just me	-	1	0.1 %
pansexual	-	4	0.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

Location: 275-370 (width: 96; decimal: 0)

Variable Type: character

### W1Q30\_1: In the last 5 years, who did you have sex with? By sex we mean any activity you personally define as sexual activity. Please mark all that apply. Women, non-transgender

Value	Label	Unweighted Frequency	%
1	Women, non-transgender	670	44.1 %
2	Men, non-transgender	0	0.0 %
3	Transgender women/male-to-female (MTF)	0	0.0 %
4	Transgender men/female-to-male (FTM)	0	0.0 %
5	I have not had sex with anyone in the last 5 years	0	0.0 %
	<b>Missing Data</b>		
.	-	848	55.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 670 valid cases out of 1,518 total cases.

- Minimum: 1.00

- Maximum: 1.00

Location: 371-371 (width: 1; decimal: 0)

Variable Type: numeric

---

**W1Q30\_2: In the last 5 years, who did you have sex with? By sex we mean any activity you personally define as sexual activity. Please mark all that apply. Men, non-transgender**

Value	Label	Unweighted Frequency	%
1	Women, non-transgender	0	0.0 %
2	Men, non-transgender	1010	66.5 %
3	Transgender women/male-to-female (MTF)	0	0.0 %
4	Transgender men/female-to-male (FTM)	0	0.0 %
5	I have not had sex with anyone in the last 5 years	0	0.0 %
	<b>Missing Data</b>		
.	-	508	33.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,010 valid cases out of 1,518 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 372-372 (width: 1; decimal: 0)

Variable Type: numeric

---

**W1Q30\_3: In the last 5 years, who did you have sex with? By sex we mean any activity you personally define as sexual activity. Please mark all that apply. Transgender women/male-to-female (MTF)**

Value	Label	Unweighted Frequency	%
1	Women, non-transgender	0	0.0 %
2	Men, non-transgender	0	0.0 %
3	Transgender women/male-to-female (MTF)	44	2.9 %
4	Transgender men/female-to-male (FTM)	0	0.0 %
5	I have not had sex with anyone in the last 5 years	0	0.0 %
	<b>Missing Data</b>		
.	-	1474	97.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 44 valid cases out of 1,518 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 373-373 (width: 1; decimal: 0)

Variable Type: numeric

**W1Q30\_4: In the last 5 years, who did you have sex with? By sex we mean any activity you personally define as sexual activity. Please mark all that apply. Transgender men/female-to-male (FTM)**

Value	Label	Unweighted Frequency	%
1	Women, non-transgender	0	0.0 %
2	Men, non-transgender	0	0.0 %
3	Transgender women/male-to-female (MTF)	0	0.0 %
4	Transgender men/female-to-male (FTM)	49	3.2 %
5	I have not had sex with anyone in the last 5 years	0	0.0 %
	<b>Missing Data</b>		
.	-	1469	96.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 49 valid cases out of 1,518 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 374-374 (width: 1; decimal: 0)

Variable Type: numeric

**W1Q30\_5: In the last 5 years, who did you have sex with? By sex we mean any activity you personally define as sexual activity. Please mark all that apply. I have not had sex with anyone in the last 5 years**

Value	Label	Unweighted Frequency	%
1	Women, non-transgender	0	0.0 %
2	Men, non-transgender	0	0.0 %
3	Transgender women/male-to-female (MTF)	0	0.0 %
4	Transgender men/female-to-male (FTM)	0	0.0 %
5	I have not had sex with anyone in the last 5 years	157	10.3 %
	<b>Missing Data</b>		
.	-	1361	89.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 157 valid cases out of 1,518 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 375-375 (width: 1; decimal: 0)

Variable Type: numeric

**W1Q31A: Please indicate how sexually attracted you are to the following types of people: women, non-transgender**

Value	Label	Unweighted Frequency	%
1	Not at all	374	24.6 %
2	Not very	124	8.2 %
3	Somewhat	226	14.9 %
4	Very	758	49.9 %
5	Not sure	8	0.5 %
	<b>Missing Data</b>		
.	-	28	1.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,490 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 376-376 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q31B: Please indicate how sexually attracted you are to the following types of people: men, non-transgender

Value	Label	Unweighted Frequency	%
1	Not at all	193	12.7 %
2	Not very	129	8.5 %
3	Somewhat	245	16.1 %
4	Very	923	60.8 %
5	Not sure	5	0.3 %
	<b>Missing Data</b>		
.	-	23	1.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,495 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 377-377 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q31C: Please indicate how sexually attracted you are to the following types of people: transgender women/male-to-female (MTF)

Value	Label	Unweighted Frequency	%
1	Not at all	694	45.7 %
2	Not very	223	14.7 %
3	Somewhat	256	16.9 %

Value	Label	Unweighted Frequency	%
4	Very	119	7.8 %
5	Not sure	179	11.8 %
	<b>Missing Data</b>		
.	-	47	3.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,471 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 378-378 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q31D: Please indicate how sexually attracted you are to the following types of people: transgender men/female-to-male (FTM)

Value	Label	Unweighted Frequency	%
1	Not at all	590	38.9 %
2	Not very	217	14.3 %
3	Somewhat	339	22.3 %
4	Very	130	8.6 %
5	Not sure	199	13.1 %
	<b>Missing Data</b>		
.	-	43	2.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,475 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 379-379 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q32: Are you currently in a relationship or feel a special commitment to someone?

Yes - Continue to Question 33, No - Skip to the text before Question 37

Value	Label	Unweighted Frequency	%
1	Yes	924	60.9 %
2	No	575	37.9 %
	<b>Missing Data</b>		
.	-	19	1.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>



Based upon 1,499 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 380-380 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 3 , 4 , .

### W1Q33: For how many years have you been in your relationship with your current partner?

Please answer the following questions about your relationship with your current partner/boyfriend/girlfriend/spouse. If you are romantically and/or sexually involved with more than one partner, answer the questions as they pertain to your primary partner, for example, your closest relationship or the partner you spend the most time with. If less than 1 year, enter 01.

Value	Label	Unweighted Frequency	%
1	-	276	18.2 %
2	-	82	5.4 %
3	-	86	5.7 %
4	-	53	3.5 %
5	-	38	2.5 %
6	-	29	1.9 %
7	-	32	2.1 %
8	-	23	1.5 %
9	-	28	1.8 %
10	-	24	1.6 %
11	-	11	0.7 %
12	-	19	1.3 %
13	-	14	0.9 %
14	-	17	1.1 %
15	-	16	1.1 %
16	-	20	1.3 %
17	-	18	1.2 %
18	-	11	0.7 %
19	-	14	0.9 %
20	-	18	1.2 %
21	-	11	0.7 %
22	-	9	0.6 %
23	-	11	0.7 %
24	-	3	0.2 %
25	-	5	0.3 %
26	-	6	0.4 %
27	-	7	0.5 %
28	-	5	0.3 %

Value	Label	Unweighted Frequency	%
29	-	4	0.3 %
30	-	4	0.3 %
31	-	6	0.4 %
32	-	6	0.4 %
33	-	1	0.1 %
34	-	5	0.3 %
35	-	3	0.2 %
39	-	1	0.1 %
71	-	1	0.1 %
<b>Missing Data</b>			
97	Planned missing	594	39.1 %
.	-	7	0.5 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 917 valid cases out of 1,518 total cases.

- Mean: 7.67
- Median: 4.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 71.00
- Standard Deviation: 8.52

*Location:* 381-382 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , .

---

## W1Q34: What is your current partner's gender?

Please answer the following questions about your relationship with your current partner/boyfriend/girlfriend/spouse. If you are romantically and/or sexually involved with more than one partner, answer the questions as they pertain to your primary partner, for example, your closest relationship or the partner you spend the most time with.

Value	Label	Unweighted Frequency	%
1	Woman, non-transgender	323	21.3 %
2	Man, non-transgender	569	37.5 %
3	Transgender woman/male-to-female (MTF)	4	0.3 %
4	Transgender man/female-To-male (FTM)	12	0.8 %
5	Non-binary/genderqueer	15	1.0 %
<b>Missing Data</b>			
7	Planned missing	594	39.1 %
.	-	1	0.1 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 923 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 383-383 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , .

---

## W1Q35: Do you live with your current partner?

Please answer the following questions about your relationship with your current partner/boyfriend/girlfriend/spouse. If you are romantically and/or sexually involved with more than one partner, answer the questions as they pertain to your primary partner, for example, your closest relationship or the partner you spend the most time with.

Value	Label	Unweighted Frequency	%
1	Yes	612	40.3 %
2	No	309	20.4 %
	<b>Missing Data</b>		
7	Planned missing	594	39.1 %
.	-	3	0.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 921 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 384-384 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , .

---

## W1Q36: Which of the following best describes the legal status of your relationship with your current partner?

Please answer the following questions about your relationship with your current partner/boyfriend/girlfriend/spouse. If you are romantically and/or sexually involved with more than one partner, answer the questions as they pertain to your primary partner, for example, your closest relationship or the partner you spend the most time with.

Value	Label	Unweighted Frequency	%
1	Legally married	294	19.4 %
2	Legally recognized civil union	6	0.4 %
3	Registered domestic partners	22	1.4 %
4	Not married	600	39.5 %
	<b>Missing Data</b>		
7	Planned missing	594	39.1 %
.	-	2	0.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 922 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 385-385 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , .

---

### W1Q37: A person's appearance, style, or dress may affect the way people think of them. On average, how do you think people would describe your appearance, style, or dress?

The next questions are about your thoughts on gender expression and labels.

Value	Label	Unweighted Frequency	%
1	Very feminine	83	5.5 %
2	Mostly feminine	212	14.0 %
3	Somewhat feminine	220	14.5 %
4	Equally feminine and masculine	213	14.0 %
5	Somewhat masculine	224	14.8 %
6	Mostly masculine	431	28.4 %
7	Very masculine	122	8.0 %
	<b>Missing Data</b>		
.	-	13	0.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,505 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 386-386 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### W1Q38: A person's mannerisms, such as the way they walk or talk, may affect the way people think of them. On average, how do you think people would describe your mannerisms?

The next questions are about your thoughts on gender expression and labels.

Value	Label	Unweighted Frequency	%
1	Very feminine	75	4.9 %
2	Mostly feminine	214	14.1 %
3	Somewhat feminine	241	15.9 %
4	Equally feminine and masculine	329	21.7 %
5	Somewhat masculine	240	15.8 %
6	Mostly masculine	346	22.8 %
7	Very masculine	62	4.1 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	11	0.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,507 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 387-387 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q39\_1: Do you identify with any of these labels related to sexual and gender communities or roles? Please mark all that apply. Androgynous (neither masculine or feminine)

The next questions are about your thoughts on gender expression and labels.

Value	Label	Unweighted Frequency	%
1	Androgynous (neither masculine or feminine)	151	9.9 %
2	Butch/soft butch/stud/aggressive	0	0.0 %
3	Femme/hard femme/lipstick	0	0.0 %
4	Bear/cub/wolf/otter	0	0.0 %
5	Leather/fetish/kink	0	0.0 %
6	Jock/muscle/gym	0	0.0 %
7	Twink	0	0.0 %
8	Top	0	0.0 %
9	Bottom	0	0.0 %
10	Versatile (or vers)	0	0.0 %
11	I don't use any of these kinds of labels (Programmer: If this option...)	0	0.0 %
12	Other (list) (allow 250 characters)	0	0.0 %
	<b>Missing Data</b>		
.	-	1367	90.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 151 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 388-389 (width: 2; decimal: 0)

Variable Type: numeric

---

### W1Q39\_2: Do you identify with any of these labels related to sexual and gender communities or roles? Please mark all that apply. Butch/soft butch/stud/aggressive

The next questions are about your thoughts on gender expression and labels.

Value	Label	Unweighted Frequency	%
1	Androgynous (neither masculine or feminine)	0	0.0 %
2	Butch/soft butch/stud/aggressive	130	8.6 %
3	Femme/hard femme/lipstick	0	0.0 %
4	Bear/cub/wolf/otter	0	0.0 %
5	Leather/fetish/kink	0	0.0 %
6	Jock/muscle/gym	0	0.0 %
7	Twink	0	0.0 %
8	Top	0	0.0 %
9	Bottom	0	0.0 %
10	Versatile (or vers)	0	0.0 %
11	I don't use any of these kinds of labels (Programmer: If this option...)	0	0.0 %
12	Other (list) (allow 250 characters)	0	0.0 %
	<b>Missing Data</b>		
.	-	1388	91.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 130 valid cases out of 1,518 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 390-391 (width: 2; decimal: 0)

*Variable Type:* numeric

---

### W1Q39\_3: Do you identify with any of these labels related to sexual and gender communities or roles? Please mark all that apply. Femme/hard femme/lipstick

The next questions are about your thoughts on gender expression and labels.

Value	Label	Unweighted Frequency	%
1	Androgynous (neither masculine or feminine)	0	0.0 %
2	Butch/soft butch/stud/aggressive	0	0.0 %
3	Femme/hard femme/lipstick	144	9.5 %
4	Bear/cub/wolf/otter	0	0.0 %
5	Leather/fetish/kink	0	0.0 %
6	Jock/muscle/gym	0	0.0 %
7	Twink	0	0.0 %
8	Top	0	0.0 %
9	Bottom	0	0.0 %
10	Versatile (or vers)	0	0.0 %
11	I don't use any of these kinds of labels (Programmer: If this option...)	0	0.0 %

Value	Label	Unweighted Frequency	%
12	Other (list) (allow 250 characters)	0	0.0 %
	<b>Missing Data</b>		
.	-	1374	90.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 144 valid cases out of 1,518 total cases.

- Minimum: 3.00
- Maximum: 3.00

*Location:* 392-393 (width: 2; decimal: 0)

*Variable Type:* numeric

---

### W1Q39\_4: Do you identify with any of these labels related to sexual and gender communities or roles? Please mark all that apply. Bear/cub/wolf/otter

The next questions are about your thoughts on gender expression and labels.

Value	Label	Unweighted Frequency	%
1	Androgynous (neither masculine or feminine)	0	0.0 %
2	Butch/soft butch/stud/aggressive	0	0.0 %
3	Femme/hard femme/lipstick	0	0.0 %
4	Bear/cub/wolf/otter	148	9.7 %
5	Leather/fetish/kink	0	0.0 %
6	Jock/muscle/gym	0	0.0 %
7	Twink	0	0.0 %
8	Top	0	0.0 %
9	Bottom	0	0.0 %
10	Versatile (or vers)	0	0.0 %
11	I don't use any of these kinds of labels (Programmer: If this option...)	0	0.0 %
12	Other (list) (allow 250 characters)	0	0.0 %
	<b>Missing Data</b>		
.	-	1370	90.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 148 valid cases out of 1,518 total cases.

- Minimum: 4.00
- Maximum: 4.00

*Location:* 394-395 (width: 2; decimal: 0)

*Variable Type:* numeric

---

### W1Q39\_5: Do you identify with any of these labels related to sexual and gender communities or roles? Please mark all that apply. Leather/fetish/kink

The next questions are about your thoughts on gender expression and labels.

Value	Label	Unweighted Frequency	%
1	Androgynous (neither masculine or feminine)	0	0.0 %
2	Butch/soft butch/stud/aggressive	0	0.0 %
3	Femme/hard femme/lipstick	0	0.0 %
4	Bear/cub/wolf/otter	0	0.0 %
5	Leather/fetish/kink	116	7.6 %
6	Jock/muscle/gym	0	0.0 %
7	Twink	0	0.0 %
8	Top	0	0.0 %
9	Bottom	0	0.0 %
10	Versatile (or vers)	0	0.0 %
11	I don't use any of these kinds of labels (Programmer: If this option...)	0	0.0 %
12	Other (list) (allow 250 characters)	0	0.0 %
	<b>Missing Data</b>		
.	-	1402	92.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 116 valid cases out of 1,518 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 396-397 (width: 2; decimal: 0)

Variable Type: numeric

## W1Q39\_6: Do you identify with any of these labels related to sexual and gender communities or roles? Please mark all that apply. Jock/muscle/gym

The next questions are about your thoughts on gender expression and labels.

Value	Label	Unweighted Frequency	%
1	Androgynous (neither masculine or feminine)	0	0.0 %
2	Butch/soft butch/stud/aggressive	0	0.0 %
3	Femme/hard femme/lipstick	0	0.0 %
4	Bear/cub/wolf/otter	0	0.0 %
5	Leather/fetish/kink	0	0.0 %
6	Jock/muscle/gym	78	5.1 %
7	Twink	0	0.0 %
8	Top	0	0.0 %
9	Bottom	0	0.0 %
10	Versatile (or vers)	0	0.0 %



Value	Label	Unweighted Frequency	%
11	I don't use any of these kinds of labels (Programmer: If this option...)	0	0.0 %
12	Other (list) (allow 250 characters)	0	0.0 %
	<b>Missing Data</b>		
.	-	1440	94.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 78 valid cases out of 1,518 total cases.

- Minimum: 6.00
- Maximum: 6.00

*Location:* 398-399 (width: 2; decimal: 0)

*Variable Type:* numeric

---

## W1Q39\_7: Do you identify with any of these labels related to sexual and gender communities or roles? Please mark all that apply. Twink

The next questions are about your thoughts on gender expression and labels.

Value	Label	Unweighted Frequency	%
1	Androgynous (neither masculine or feminine)	0	0.0 %
2	Butch/soft butch/stud/aggressive	0	0.0 %
3	Femme/hard femme/lipstick	0	0.0 %
4	Bear/cub/wolf/otter	0	0.0 %
5	Leather/fetish/kink	0	0.0 %
6	Jock/muscle/gym	0	0.0 %
7	Twink	56	3.7 %
8	Top	0	0.0 %
9	Bottom	0	0.0 %
10	Versatile (or vers)	0	0.0 %
11	I don't use any of these kinds of labels (Programmer: If this option...)	0	0.0 %
12	Other (list) (allow 250 characters)	0	0.0 %
	<b>Missing Data</b>		
.	-	1462	96.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 56 valid cases out of 1,518 total cases.

- Minimum: 7.00
- Maximum: 7.00

*Location:* 400-401 (width: 2; decimal: 0)

*Variable Type:* numeric

## W1Q39\_8: Do you identify with any of these labels related to sexual and gender communities or roles? Please mark all that apply. Top

The next questions are about your thoughts on gender expression and labels.

Value	Label	Unweighted Frequency	%
1	Androgynous (neither masculine or feminine)	0	0.0 %
2	Butch/soft butch/stud/aggressive	0	0.0 %
3	Femme/hard femme/lipstick	0	0.0 %
4	Bear/cub/wolf/otter	0	0.0 %
5	Leather/fetish/kink	0	0.0 %
6	Jock/muscle/gym	0	0.0 %
7	Twink	0	0.0 %
8	Top	218	14.4 %
9	Bottom	0	0.0 %
10	Versatile (or vers)	0	0.0 %
11	I don't use any of these kinds of labels (Programmer: If this option...)	0	0.0 %
12	Other (list) (allow 250 characters)	0	0.0 %
	<b>Missing Data</b>		
.	-	1300	85.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 218 valid cases out of 1,518 total cases.

- Minimum: 8.00
- Maximum: 8.00

Location: 402-403 (width: 2; decimal: 0)

Variable Type: numeric

## W1Q39\_9: Do you identify with any of these labels related to sexual and gender communities or roles? Please mark all that apply. Bottom

The next questions are about your thoughts on gender expression and labels.

Value	Label	Unweighted Frequency	%
1	Androgynous (neither masculine or feminine)	0	0.0 %
2	Butch/soft butch/stud/aggressive	0	0.0 %
3	Femme/hard femme/lipstick	0	0.0 %
4	Bear/cub/wolf/otter	0	0.0 %
5	Leather/fetish/kink	0	0.0 %
6	Jock/muscle/gym	0	0.0 %
7	Twink	0	0.0 %
8	Top	0	0.0 %

Value	Label	Unweighted Frequency	%
9	Bottom	211	13.9 %
10	Versatile (or vers)	0	0.0 %
11	I don't use any of these kinds of labels (Programmer: If this option...)	0	0.0 %
12	Other (list) (allow 250 characters)	0	0.0 %
	<b>Missing Data</b>		
.	-	1307	86.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 211 valid cases out of 1,518 total cases.

- Minimum: 9.00
- Maximum: 9.00

Location: 404-405 (width: 2; decimal: 0)

Variable Type: numeric

### W1Q39\_10: Do you identify with any of these labels related to sexual and gender communities or roles? Please mark all that apply. Versatile (or Vers)

The next questions are about your thoughts on gender expression and labels.

Value	Label	Unweighted Frequency	%
1	Androgynous (neither masculine or feminine)	0	0.0 %
2	Butch/soft butch/stud/aggressive	0	0.0 %
3	Femme/hard femme/lipstick	0	0.0 %
4	Bear/cub/wolf/otter	0	0.0 %
5	Leather/fetish/kink	0	0.0 %
6	Jock/muscle/gym	0	0.0 %
7	Twink	0	0.0 %
8	Top	0	0.0 %
9	Bottom	0	0.0 %
10	Versatile (or vers)	369	24.3 %
11	I don't use any of these kinds of labels (Programmer: If this option...)	0	0.0 %
12	Other (list) (allow 250 characters)	0	0.0 %
	<b>Missing Data</b>		
.	-	1149	75.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 369 valid cases out of 1,518 total cases.

- Minimum: 10.00
- Maximum: 10.00

Location: 406-407 (width: 2; decimal: 0)

Variable Type: numeric

## W1Q39\_11: Do you identify with any of these labels related to sexual and gender communities or roles? Please mark all that apply. I don't use any of these kinds of labels

The next questions are about your thoughts on gender expression and labels.

Value	Label	Unweighted Frequency	%
1	Androgynous (neither masculine or feminine)	0	0.0 %
2	Butch/soft butch/stud/aggressive	0	0.0 %
3	Femme/hard femme/lipstick	0	0.0 %
4	Bear/cub/wolf/otter	0	0.0 %
5	Leather/fetish/kink	0	0.0 %
6	Jock/muscle/gym	0	0.0 %
7	Twink	0	0.0 %
8	Top	0	0.0 %
9	Bottom	0	0.0 %
10	Versatile (or vers)	0	0.0 %
11	I don't use any of these kinds of labels (Programmer: If this option...)	539	35.5 %
12	Other (list) (allow 250 characters)	0	0.0 %
	<b>Missing Data</b>		
.	-	979	64.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 539 valid cases out of 1,518 total cases.

- Minimum: 11.00
- Maximum: 11.00

Location: 408-409 (width: 2; decimal: 0)

Variable Type: numeric

## W1Q39\_12: Do you identify with any of these labels related to sexual and gender communities or roles? Please mark all that apply. Other

The next questions are about your thoughts on gender expression and labels.

Value	Label	Unweighted Frequency	%
1	Androgynous (neither masculine or feminine)	0	0.0 %
2	Butch/soft butch/stud/aggressive	0	0.0 %
3	Femme/hard femme/lipstick	0	0.0 %
4	Bear/cub/wolf/otter	0	0.0 %
5	Leather/fetish/kink	0	0.0 %
6	Jock/muscle/gym	0	0.0 %
7	Twink	0	0.0 %
8	Top	0	0.0 %

Value	Label	Unweighted Frequency	%
9	Bottom	0	0.0 %
10	Versatile (or vers)	0	0.0 %
11	I don't use any of these kinds of labels (Programmer: If this option...)	0	0.0 %
12	Other (list) (allow 250 characters)	62	4.1 %
	<b>Missing Data</b>		
.	-	1456	95.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 62 valid cases out of 1,518 total cases.

- Minimum: 12.00
- Maximum: 12.00

*Location:* 410-411 (width: 2; decimal: 0)

*Variable Type:* numeric

## W1Q39\_T\_VERB: Write in response for W1Q39

The next questions are about your thoughts on gender expression and labels.

Value	Label	Unweighted Frequency	%
	-	1455	95.8 %
(in order of importance) Genderfluid, Switch, Bigender	-	1	0.1 %
Agender	-	1	0.1 %
Anon	-	1	0.1 %
Chapstick	-	2	0.1 %
Country/cowgirl	-	1	0.1 %
Cuddle whore	-	1	0.1 %
DADDY	-	1	0.1 %
DOMINANT	-	1	0.1 %
DYKE	-	1	0.1 %
Daddy	-	1	0.1 %
Daddy type	-	1	0.1 %
Dom (Dominant)	-	1	0.1 %
For Gender: Genderqueer, Genderfluid. For Sexual Communities: Ace, Sex Averse Asexual, Ace of Hearts.	-	1	0.1 %
Furry	-	1	0.1 %
Gay	-	1	0.1 %
Genderfluid	-	1	0.1 %
Guy next door	-	1	0.1 %
Human, Person, Gay, Homosexual, Fag. Nothing offends.	-	1	0.1 %
I ACKNOWLEDGE BUTCH/FEM BUT DON'T IDENTIFY W/EITHER	-	1	0.1 %

Value	Label	Unweighted Frequency	%
I don't identify with any of these labels but have been called them	-	1	0.1 %
I'm a man an alpha male	-	1	0.1 %
I'm like Skylar Diggins. Naturally athletic, sometimes tomboyish, other times very feminine. Just depends, but I'd never be butch or stud. I don't want to be mistaken for a guy ever.	-	1	0.1 %
MASCULINE	-	1	0.1 %
MINOR SUB	-	1	0.1 %
Masculine of Center, Boi, gender queer	-	1	0.1 %
Non-Binary	-	1	0.1 %
None of these categories feels right	-	1	0.1 %
PET, FREAK	-	1	0.1 %
Poly	-	1	0.1 %
Poly, Cis, Sex-Positive	-	1	0.1 %
Poly, switch	-	1	0.1 %
Polyamorous	-	1	0.1 %
Power bottom	-	1	0.1 %
Pup	-	1	0.1 %
Queer	-	1	0.1 %
Retrosexual	-	1	0.1 %
Stem	-	1	0.1 %
Stem (between stud and femme or both)	-	1	0.1 %
Stemme	-	1	0.1 %
Straight-presenting/passing	-	1	0.1 %
Stud	-	1	0.1 %
Submissive	-	1	0.1 %
Switch	-	1	0.1 %
TOM BOY	-	1	0.1 %
TOMBOY	-	1	0.1 %
TOY'S SEX	-	1	0.1 %
Thin to skinny men	-	1	0.1 %
Vaper, CatKin, Memer	-	1	0.1 %
[MASKED BY ICPSR] 2017, Service girl	-	1	0.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,518 valid cases out of 1,518 total cases.

*Location:* 412-595 (width: 184; decimal: 0)

*Variable Type:* character

---

### W1Q40: My sexual orientation is an insignificant part of who I am.

For each of the following questions, please mark the response that best indicates your current experience as a lesbian, gay, or bisexual (LGB) person. We use LGB generically to mean a sexual minority identity that you identify with, including queer, same-gender loving, etc.

Value	Label	Unweighted Frequency	%
1	Disagree strongly	309	20.4 %
2	Disagree	356	23.5 %
3	Disagree somewhat	220	14.5 %
4	Agree somewhat	249	16.4 %
5	Agree	197	13.0 %
6	Agree strongly	172	11.3 %
	Missing Data		
.	-	15	1.0 %
	Total	1,518	100%

Based upon 1,503 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 596-596 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q41: My sexual orientation is a central part of my identity.

For each of the following questions, please mark the response that best indicates your current experience as a lesbian, gay, or bisexual (LGB) person. We use LGB generically to mean a sexual minority identity that you identify with, including queer, same-gender loving, etc.

Value	Label	Unweighted Frequency	%
1	Disagree strongly	97	6.4 %
2	Disagree	224	14.8 %
3	Disagree somewhat	206	13.6 %
4	Agree somewhat	394	26.0 %
5	Agree	346	22.8 %
6	Agree strongly	236	15.5 %
	Missing Data		
.	-	15	1.0 %
	Total	1,518	100%

Based upon 1,503 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 597-597 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q42: To understand who I am as a person, you have to know that I'm LGB.

For each of the following questions, please mark the response that best indicates your current experience as a lesbian, gay, or bisexual (LGB) person. We use LGB generically to mean a sexual minority identity that you identify with, including queer, same-gender loving, etc.

Value	Label	Unweighted Frequency	%
1	Disagree strongly	222	14.6 %
2	Disagree	327	21.5 %
3	Disagree somewhat	236	15.5 %
4	Agree somewhat	288	19.0 %
5	Agree	257	16.9 %
6	Agree strongly	176	11.6 %
	<b>Missing Data</b>		
.	-	12	0.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,506 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 598-598 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q43: Being an LGB person is a very important aspect of my life.

For each of the following questions, please mark the response that best indicates your current experience as a lesbian, gay, or bisexual (LGB) person. We use LGB generically to mean a sexual minority identity that you identify with, including queer, same-gender loving, etc.

Value	Label	Unweighted Frequency	%
1	Disagree strongly	74	4.9 %
2	Disagree	155	10.2 %
3	Disagree somewhat	213	14.0 %
4	Agree somewhat	421	27.7 %
5	Agree	395	26.0 %
6	Agree strongly	243	16.0 %
	<b>Missing Data</b>		
.	-	17	1.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,501 valid cases out of 1,518 total cases.



- Minimum: 1.00
- Maximum: 6.00

Location: 599-599 (width: 1; decimal: 0)

Variable Type: numeric

### W1Q44: I believe being LGB is an important part of me.

For each of the following questions, please mark the response that best indicates your current experience as a lesbian, gay, or bisexual (LGB) person. We use LGB generically to mean a sexual minority identity that you identify with, including queer, same-gender loving, etc.

Value	Label	Unweighted Frequency	%
1	Disagree strongly	52	3.4 %
2	Disagree	89	5.9 %
3	Disagree somewhat	122	8.0 %
4	Agree somewhat	398	26.2 %
5	Agree	510	33.6 %
6	Agree strongly	333	21.9 %
	<b>Missing Data</b>		
.	-	14	0.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,504 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 600-600 (width: 1; decimal: 0)

Variable Type: numeric

### W1Q45: At what age were you first sexually attracted to someone of the same sex as you?

Below are some questions about growing up and your sexual feelings when you were younger. Again, by LGB we mean a sexual minority identity that you identify with.

Value	Label	Unweighted Frequency	%
1	-	2	0.1 %
3	-	12	0.8 %
4	-	37	2.4 %
5	-	101	6.7 %
6	-	95	6.3 %
7	-	82	5.4 %
8	-	69	4.5 %
9	-	68	4.5 %
10	-	123	8.1 %

Value	Label	Unweighted Frequency	%
11	-	85	5.6 %
12	-	182	12.0 %
13	-	144	9.5 %
14	-	133	8.8 %
15	-	82	5.4 %
16	-	67	4.4 %
17	-	41	2.7 %
18	-	44	2.9 %
19	-	15	1.0 %
20	-	17	1.1 %
21	-	10	0.7 %
22	-	6	0.4 %
23	-	1	0.1 %
24	-	6	0.4 %
25	-	3	0.2 %
26	-	2	0.1 %
27	-	3	0.2 %
28	-	2	0.1 %
29	-	2	0.1 %
30	-	2	0.1 %
31	-	1	0.1 %
32	-	1	0.1 %
33	-	2	0.1 %
34	-	1	0.1 %
36	-	2	0.1 %
39	-	1	0.1 %
40	-	1	0.1 %
41	-	1	0.1 %
45	-	1	0.1 %
	<b>Missing Data</b>		
98	Don't know/cannot recall	39	2.6 %
99	Never	11	0.7 %
.	-	21	1.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,447 valid cases out of 1,518 total cases.

- Mean: 11.60
- Median: 12.00
- Mode: 12.00

- Minimum: 1.00
- Maximum: 45.00
- Standard Deviation: 4.95

*Location:* 601-602 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 98 , 99 , .

## W1Q46: At what age were you the first time you had sex with someone of the same sex?

Below are some questions about growing up and your sexual feelings when you were younger. Again, by LGB we mean a sexual minority identity that you identify with.

Value	Label	Unweighted Frequency	%
2	-	2	0.1 %
3	-	1	0.1 %
4	-	1	0.1 %
5	-	9	0.6 %
6	-	11	0.7 %
7	-	9	0.6 %
8	-	14	0.9 %
9	-	9	0.6 %
10	-	20	1.3 %
11	-	33	2.2 %
12	-	60	4.0 %
13	-	70	4.6 %
14	-	73	4.8 %
15	-	99	6.5 %
16	-	138	9.1 %
17	-	115	7.6 %
18	-	167	11.0 %
19	-	118	7.8 %
20	-	67	4.4 %
21	-	67	4.4 %
22	-	38	2.5 %
23	-	38	2.5 %
24	-	17	1.1 %
25	-	18	1.2 %
26	-	11	0.7 %
27	-	14	0.9 %
28	-	11	0.7 %
29	-	5	0.3 %
30	-	14	0.9 %

Value	Label	Unweighted Frequency	%
31	-	8	0.5 %
32	-	8	0.5 %
33	-	5	0.3 %
34	-	5	0.3 %
35	-	8	0.5 %
36	-	5	0.3 %
38	-	3	0.2 %
39	-	1	0.1 %
40	-	5	0.3 %
41	-	1	0.1 %
42	-	5	0.3 %
43	-	2	0.1 %
45	-	2	0.1 %
46	-	1	0.1 %
48	-	2	0.1 %
50	-	2	0.1 %
	<b>Missing Data</b>		
98	Don't know/cannot recall	7	0.5 %
99	Never	177	11.7 %
.	-	22	1.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,312 valid cases out of 1,518 total cases.

- Mean: 18.04
- Median: 17.00
- Mode: 18.00
- Minimum: 2.00
- Maximum: 50.00
- Standard Deviation: 6.20

*Location:* 603-604 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 98 , 99 , .

---

### W1Q47: At what age did you have your first intimate relationship with someone of the same sex, where you both felt like you were in love or romantically involved?

Below are some questions about growing up and your sexual feelings when you were younger. Again, by LGB we mean a sexual minority identity that you identify with.

Value	Label	Unweighted Frequency	%
4	-	1	0.1 %
7	-	3	0.2 %

Value	Label	Unweighted Frequency	%
9	-	1	0.1 %
11	-	4	0.3 %
12	-	12	0.8 %
13	-	30	2.0 %
14	-	49	3.2 %
15	-	53	3.5 %
16	-	102	6.7 %
17	-	121	8.0 %
18	-	134	8.8 %
19	-	118	7.8 %
20	-	96	6.3 %
21	-	87	5.7 %
22	-	50	3.3 %
23	-	41	2.7 %
24	-	43	2.8 %
25	-	30	2.0 %
26	-	24	1.6 %
27	-	16	1.1 %
28	-	26	1.7 %
29	-	16	1.1 %
30	-	16	1.1 %
31	-	11	0.7 %
32	-	16	1.1 %
33	-	6	0.4 %
34	-	7	0.5 %
35	-	8	0.5 %
36	-	5	0.3 %
37	-	2	0.1 %
38	-	6	0.4 %
39	-	5	0.3 %
40	-	7	0.5 %
41	-	2	0.1 %
42	-	3	0.2 %
43	-	3	0.2 %
45	-	2	0.1 %
46	-	3	0.2 %
48	-	3	0.2 %
50	-	6	0.4 %
51	-	3	0.2 %

Value	Label	Unweighted Frequency	%
55	-	1	0.1 %
	<b>Missing Data</b>		
98	Don't know/cannot recall	13	0.9 %
99	Never	304	20.0 %
.	-	29	1.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,172 valid cases out of 1,518 total cases.

- Mean: 20.89
- Median: 19.00
- Mode: 18.00
- Minimum: 4.00
- Maximum: 55.00
- Standard Deviation: 6.70

*Location:* 605-606 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 98 , 99 , .

## W1Q48: At what age did you first realize that you were LGB?

Below are some questions about growing up and your sexual feelings when you were younger. Again, by LGB we mean a sexual minority identity that you identify with.

Value	Label	Unweighted Frequency	%
1	-	1	0.1 %
2	-	1	0.1 %
4	-	12	0.8 %
5	-	25	1.6 %
6	-	18	1.2 %
7	-	15	1.0 %
8	-	30	2.0 %
9	-	23	1.5 %
10	-	61	4.0 %
11	-	62	4.1 %
12	-	117	7.7 %
13	-	143	9.4 %
14	-	151	9.9 %
15	-	134	8.8 %
16	-	121	8.0 %
17	-	86	5.7 %
18	-	111	7.3 %
19	-	74	4.9 %

Value	Label	Unweighted Frequency	%
20	-	57	3.8 %
21	-	49	3.2 %
22	-	14	0.9 %
23	-	14	0.9 %
24	-	9	0.6 %
25	-	20	1.3 %
26	-	6	0.4 %
27	-	9	0.6 %
28	-	10	0.7 %
29	-	4	0.3 %
30	-	19	1.3 %
31	-	2	0.1 %
32	-	6	0.4 %
33	-	4	0.3 %
34	-	5	0.3 %
35	-	6	0.4 %
36	-	3	0.2 %
37	-	1	0.1 %
38	-	3	0.2 %
39	-	3	0.2 %
40	-	3	0.2 %
41	-	2	0.1 %
42	-	2	0.1 %
45	-	6	0.4 %
46	-	1	0.1 %
50	-	3	0.2 %
56	-	1	0.1 %
	<b>Missing Data</b>		
98	Don't know/cannot recall	28	1.8 %
99	Never	6	0.4 %
.	-	37	2.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,447 valid cases out of 1,518 total cases.

- Mean: 16.00
- Median: 15.00
- Mode: 14.00
- Minimum: 1.00
- Maximum: 56.00
- Standard Deviation: 6.45

Location: 607-608 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99 , .

## W1Q49: At what age did you first tell a straight friend that you were LGB?

Below are some questions about growing up and your sexual feelings when you were younger. Again, by LGB we mean a sexual minority identity that you identify with.

Value	Label	Unweighted Frequency	%
4	-	1	0.1 %
5	-	1	0.1 %
7	-	2	0.1 %
8	-	3	0.2 %
9	-	3	0.2 %
10	-	6	0.4 %
11	-	17	1.1 %
12	-	34	2.2 %
13	-	61	4.0 %
14	-	102	6.7 %
15	-	115	7.6 %
16	-	124	8.2 %
17	-	131	8.6 %
18	-	170	11.2 %
19	-	113	7.4 %
20	-	99	6.5 %
21	-	66	4.3 %
22	-	52	3.4 %
23	-	32	2.1 %
24	-	26	1.7 %
25	-	38	2.5 %
26	-	16	1.1 %
27	-	23	1.5 %
28	-	13	0.9 %
29	-	7	0.5 %
30	-	30	2.0 %
31	-	10	0.7 %
32	-	12	0.8 %
33	-	7	0.5 %
34	-	11	0.7 %
35	-	16	1.1 %
36	-	4	0.3 %



Value	Label	Unweighted Frequency	%
37	-	4	0.3 %
38	-	9	0.6 %
39	-	3	0.2 %
40	-	6	0.4 %
41	-	4	0.3 %
42	-	1	0.1 %
43	-	4	0.3 %
44	-	3	0.2 %
45	-	7	0.5 %
46	-	2	0.1 %
48	-	3	0.2 %
50	-	4	0.3 %
51	-	1	0.1 %
52	-	2	0.1 %
55	-	1	0.1 %
	<b>Missing Data</b>		
98	Don't know/cannot recall	29	1.9 %
99	Never	60	4.0 %
.	-	30	2.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,399 valid cases out of 1,518 total cases.

- Mean: 19.83
- Median: 18.00
- Mode: 18.00
- Minimum: 4.00
- Maximum: 55.00
- Standard Deviation: 6.96

*Location:* 609-610 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 98 , 99 , .

---

## W1Q50: At what age did you first tell a family member that you were LGB?

Below are some questions about growing up and your sexual feelings when you were younger. Again, by LGB we mean a sexual minority identity that you identify with.

Value	Label	Unweighted Frequency	%
3	-	1	0.1 %
7	-	2	0.1 %
8	-	2	0.1 %
9	-	3	0.2 %

Value	Label	Unweighted Frequency	%
10	-	3	0.2 %
11	-	3	0.2 %
12	-	18	1.2 %
13	-	33	2.2 %
14	-	37	2.4 %
15	-	67	4.4 %
16	-	110	7.2 %
17	-	111	7.3 %
18	-	151	9.9 %
19	-	103	6.8 %
20	-	95	6.3 %
21	-	80	5.3 %
22	-	58	3.8 %
23	-	46	3.0 %
24	-	34	2.2 %
25	-	39	2.6 %
26	-	20	1.3 %
27	-	22	1.4 %
28	-	18	1.2 %
29	-	13	0.9 %
30	-	33	2.2 %
31	-	10	0.7 %
32	-	13	0.9 %
33	-	10	0.7 %
34	-	11	0.7 %
35	-	25	1.6 %
36	-	7	0.5 %
37	-	4	0.3 %
38	-	6	0.4 %
39	-	6	0.4 %
40	-	7	0.5 %
41	-	3	0.2 %
42	-	3	0.2 %
43	-	4	0.3 %
44	-	2	0.1 %
45	-	7	0.5 %
46	-	1	0.1 %
47	-	1	0.1 %
48	-	2	0.1 %

Value	Label	Unweighted Frequency	%
49	-	1	0.1 %
50	-	5	0.3 %
51	-	1	0.1 %
52	-	4	0.3 %
53	-	1	0.1 %
54	-	1	0.1 %
55	-	1	0.1 %
	<b>Missing Data</b>		
98	Don't know/cannot recall	19	1.3 %
99	Never	218	14.4 %
.	-	40	2.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,241 valid cases out of 1,518 total cases.

- Mean: 21.48
- Median: 19.00
- Mode: 18.00
- Minimum: 3.00
- Maximum: 57.00
- Standard Deviation: 7.60

*Location:* 611-612 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 98 , 99 , .

## W1Q51: How old were you when it was clear to you that someone in your family had found out that you were LGB before you told them?

Below are some questions about growing up and your sexual feelings when you were younger. Again, by LGB we mean a sexual minority identity that you identify with.

Value	Label	Unweighted Frequency	%
2	-	1	0.1 %
3	-	2	0.1 %
4	-	4	0.3 %
5	-	6	0.4 %
6	-	6	0.4 %
7	-	5	0.3 %
8	-	8	0.5 %
9	-	4	0.3 %
10	-	23	1.5 %

Value	Label	Unweighted Frequency	%
11	-	4	0.3 %
12	-	21	1.4 %
13	-	32	2.1 %
14	-	48	3.2 %
15	-	49	3.2 %
16	-	77	5.1 %
17	-	57	3.8 %
18	-	81	5.3 %
19	-	70	4.6 %
20	-	57	3.8 %
21	-	45	3.0 %
22	-	29	1.9 %
23	-	15	1.0 %
24	-	19	1.3 %
25	-	21	1.4 %
26	-	15	1.0 %
27	-	13	0.9 %
28	-	7	0.5 %
29	-	5	0.3 %
30	-	20	1.3 %
31	-	3	0.2 %
32	-	6	0.4 %
33	-	5	0.3 %
34	-	6	0.4 %
35	-	11	0.7 %
36	-	3	0.2 %
37	-	1	0.1 %
38	-	1	0.1 %
39	-	1	0.1 %
40	-	6	0.4 %
41	-	1	0.1 %
42	-	1	0.1 %
43	-	2	0.1 %
44	-	1	0.1 %
45	-	5	0.3 %
46	-	1	0.1 %
47	-	1	0.1 %
50	-	1	0.1 %
51	-	2	0.1 %

Value	Label	Unweighted Frequency	%
53	-	3	0.2 %
54	-	1	0.1 %
	<b>Missing Data</b>		
98	Don't know/cannot recall	54	3.6 %
99	Never	623	41.0 %
.	-	34	2.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 807 valid cases out of 1,518 total cases.

- Mean: 19.51
- Median: 18.00
- Mode: 18.00
- Minimum: 2.00
- Maximum: 56.00
- Standard Deviation: 7.72

*Location:* 613-614 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 98 , 99 , .

## W1Q52: Now thinking back to when you were in high school, how "out" were you at school?

Below are some questions about growing up and your sexual feelings when you were younger. Again, by LGB we mean a sexual minority identity that you identify with.

Value	Label	Unweighted Frequency	%
1	Out to everyone at school	164	10.8 %
2	Out to most people at school	95	6.3 %
3	Out to some people at school	93	6.1 %
4	Out to a few people at school	233	15.3 %
5	Out to no one at school	910	59.9 %
	<b>Missing Data</b>		
.	-	23	1.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,495 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 615-615 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### W1Q53: You feel you're a part of the LGBT community.

The next questions are about how you feel about the LGBT community. Please rate your level of agreement with the following items.

Value	Label	Unweighted Frequency	%
1	Agree strongly	255	16.8 %
2	Agree	704	46.4 %
3	Disagree	435	28.7 %
4	Disagree strongly	110	7.2 %
	Missing Data		
.	-	14	0.9 %
	Total	1,518	100%

Based upon 1,504 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 616-616 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q54: Participating in the LGBT community is a positive thing for you.

The next questions are about how you feel about the LGBT community. Please rate your level of agreement with the following items.

Value	Label	Unweighted Frequency	%
1	Agree strongly	294	19.4 %
2	Agree	849	55.9 %
3	Disagree	284	18.7 %
4	Disagree strongly	61	4.0 %
	Missing Data		
.	-	30	2.0 %
	Total	1,518	100%

Based upon 1,488 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 617-617 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q55: You feel a bond with the LGBT community.

The next questions are about how you feel about the LGBT community. Please rate your level of agreement with the following items.

Value	Label	Unweighted Frequency	%
1	Agree strongly	263	17.3 %
2	Agree	714	47.0 %
3	Disagree	430	28.3 %
4	Disagree strongly	91	6.0 %
	<b>Missing Data</b>		
.	-	20	1.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,498 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 618-618 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### W1Q56: You are proud of the LGBT community.

The next questions are about how you feel about the LGBT community. Please rate your level of agreement with the following items.

Value	Label	Unweighted Frequency	%
1	Agree strongly	493	32.5 %
2	Agree	827	54.5 %
3	Disagree	146	9.6 %
4	Disagree strongly	32	2.1 %
	<b>Missing Data</b>		
.	-	20	1.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,498 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 619-619 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### W1Q57: It is important for you to be politically active in the LGBT community.

The next questions are about how you feel about the LGBT community. Please rate your level of agreement with the following items.

Value	Label	Unweighted Frequency	%
1	Agree strongly	305	20.1 %
2	Agree	630	41.5 %
3	Disagree	468	30.8 %
4	Disagree strongly	93	6.1 %
	<b>Missing Data</b>		
.	-	22	1.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,496 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 620-620 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q58: If we work together, lesbian, gay, bisexual, and transgender people can solve problems in the LGBT community.

The next questions are about how you feel about the LGBT community. Please rate your level of agreement with the following items.

Value	Label	Unweighted Frequency	%
1	Agree strongly	662	43.6 %
2	Agree	771	50.8 %
3	Disagree	50	3.3 %
4	Disagree strongly	17	1.1 %
	<b>Missing Data</b>		
.	-	18	1.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,500 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 621-621 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q59: You really feel that any problems faced by the LGBT community are also your own problems.

The next questions are about how you feel about the LGBT community. Please rate your level of agreement with the following items.



Value	Label	Unweighted Frequency	%
1	Agree strongly	388	25.6 %
2	Agree	733	48.3 %
3	Disagree	323	21.3 %
4	Disagree strongly	59	3.9 %
	<b>Missing Data</b>		
.	-	15	1.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,503 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 622-622 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q60: When seeking healthcare... I worry about being negatively judged because of my sexual orientation or gender identity.

The following questions are about your experiences with healthcare. Please rate your level of agreement with the following items.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	294	19.4 %
2	Disagree	434	28.6 %
3	Neither agree nor disagree	268	17.7 %
4	Agree	378	24.9 %
5	Strongly agree	129	8.5 %
	<b>Missing Data</b>		
.	-	15	1.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,503 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 623-623 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q61: When seeking healthcare... I worry that evaluations of me may be negatively affected by my sexual orientation or gender identity.

The following questions are about your experiences with healthcare. Please rate your level of agreement with the following items.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	287	18.9 %
2	Disagree	492	32.4 %
3	Neither agree nor disagree	266	17.5 %
4	Agree	344	22.7 %
5	Strongly agree	108	7.1 %
	<b>Missing Data</b>		
.	-	21	1.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,497 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 624-624 (width: 1; decimal: 0)

Variable Type: numeric

### W1Q62: When seeking healthcare... I worry that diagnoses of me/my health may be negatively affected by my sexual orientation or gender identity.

The following questions are about your experiences with healthcare. Please rate your level of agreement with the following items.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	312	20.6 %
2	Disagree	518	34.1 %
3	Neither agree nor disagree	292	19.2 %
4	Agree	279	18.4 %
5	Strongly agree	97	6.4 %
	<b>Missing Data</b>		
.	-	20	1.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,498 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 625-625 (width: 1; decimal: 0)

Variable Type: numeric

### W1Q63: When seeking healthcare... I worry that I might confirm negative stereotypes about LGBT people.

The following questions are about your experiences with healthcare. Please rate your level of agreement with the following items.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	425	28.0 %
2	Disagree	511	33.7 %
3	Neither agree nor disagree	253	16.7 %
4	Agree	241	15.9 %
5	Strongly agree	69	4.5 %
	<b>Missing Data</b>		
.	-	19	1.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,499 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 626-626 (width: 1; decimal: 0)

Variable Type: numeric

### W1Q64\_1: Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. I currently do not have health insurance

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	121	8.0 %
2	Insurance through my current or former employer or union	0	0.0 %
3	Insurance through my spouse/partner	0	0.0 %
4	Insurance through my parent	0	0.0 %
5	Insurance through someone other than my spouse/partner or parent	0	0.0 %
6	Insurance I purchased through Healthcare.Gov or a Health Insurance Marketplace (sometimes called "Obamacare")	0	0.0 %
7	Insurance I purchased directly from an insurance company	0	0.0 %
8	Medicare (for people 65 and older, or people with certain disabilities)	0	0.0 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	0	0.0 %
10	TRICARE or other military healthcare	0	0.0 %
11	VA (including if you ever used or enrolled for VA healthcare)	0	0.0 %
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	0	0.0 %
	<b>Missing Data</b>		
.	-	1397	92.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 121 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 627-628 (width: 2; decimal: 0)

Variable Type: numeric

**W1Q64\_2: Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. Insurance through my current or former employer or union**

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	0	0.0 %
2	Insurance through my current or former employer or union	536	35.3 %
3	Insurance through my spouse/partner	0	0.0 %
4	Insurance through my parent	0	0.0 %
5	Insurance through someone other than my spouse/partner or parent	0	0.0 %
6	Insurance I purchased through Healthcare.Gov or a Health Insurance Marketplace (sometimes called "Obamacare")	0	0.0 %
7	Insurance I purchased directly from an insurance company	0	0.0 %
8	Medicare (for people 65 and older, or people with certain disabilities)	0	0.0 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	0	0.0 %
10	TRICARE or other military healthcare	0	0.0 %
11	VA (including if you ever used or enrolled for VA healthcare)	0	0.0 %
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	0	0.0 %
	<b>Missing Data</b>		
.	-	982	64.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 536 valid cases out of 1,518 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 629-630 (width: 2; decimal: 0)

Variable Type: numeric

**W1Q64\_3: Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. Insurance through my spouse/partner**

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	0	0.0 %
2	Insurance through my current or former employer or union	0	0.0 %
3	Insurance through my spouse/partner	101	6.7 %
4	Insurance through my parent	0	0.0 %
5	Insurance through someone other than my spouse/partner or parent	0	0.0 %
6	Insurance I purchased through Healthcare.Gov or a Health Insurance Marketplace (sometimes called "Obamacare")	0	0.0 %

Value	Label	Unweighted Frequency	%
7	Insurance I purchased directly from an insurance company	0	0.0 %
8	Medicare (for people 65 and older, or people with certain disabilities)	0	0.0 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	0	0.0 %
10	TRICARE or other military healthcare	0	0.0 %
11	VA (including if you ever used or enrolled for VA healthcare)	0	0.0 %
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	0	0.0 %
	<b>Missing Data</b>		
.	-	1417	93.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 101 valid cases out of 1,518 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 631-632 (width: 2; decimal: 0)

Variable Type: numeric

---

#### W1Q64\_4: Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. Insurance through my parent

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	0	0.0 %
2	Insurance through my current or former employer or union	0	0.0 %
3	Insurance through my spouse/partner	0	0.0 %
4	Insurance through my parent	387	25.5 %
5	Insurance through someone other than my spouse/partner or parent	0	0.0 %
6	Insurance I purchased through Healthcare.Gov or a Health Insurance Marketplace (sometimes called "Obamacare")	0	0.0 %
7	Insurance I purchased directly from an insurance company	0	0.0 %
8	Medicare (for people 65 and older, or people with certain disabilities)	0	0.0 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	0	0.0 %
10	TRICARE or other military healthcare	0	0.0 %
11	VA (including if you ever used or enrolled for VA healthcare)	0	0.0 %
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	0	0.0 %
	<b>Missing Data</b>		
.	-	1131	74.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 387 valid cases out of 1,518 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 633-634 (width: 2; decimal: 0)

Variable Type: numeric

**W1Q64\_5: Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. Insurance through someone other than my spouse/partner or parent**

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	0	0.0 %
2	Insurance through my current or former employer or union	0	0.0 %
3	Insurance through my spouse/partner	0	0.0 %
4	Insurance through my parent	0	0.0 %
5	Insurance through someone other than my spouse/partner or parent	11	0.7 %
6	Insurance I purchased through Healthcare.Gov or a Health Insurance Marketplace (sometimes called "Obamacare")	0	0.0 %
7	Insurance I purchased directly from an insurance company	0	0.0 %
8	Medicare (for people 65 and older, or people with certain disabilities)	0	0.0 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	0	0.0 %
10	TRICARE or other military healthcare	0	0.0 %
11	VA (including if you ever used or enrolled for VA healthcare)	0	0.0 %
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	0	0.0 %
	<b>Missing Data</b>		
.	-	1507	99.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 11 valid cases out of 1,518 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 635-636 (width: 2; decimal: 0)

Variable Type: numeric

**W1Q64\_6: Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. Insurance I purchased through healthcare.gov or a health insurance marketplace (sometimes called "Obamacare")**

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	0	0.0 %
2	Insurance through my current or former employer or union	0	0.0 %
3	Insurance through my spouse/partner	0	0.0 %
4	Insurance through my parent	0	0.0 %

Value	Label	Unweighted Frequency	%
5	Insurance through someone other than my spouse/partner or parent	0	0.0 %
6	Insurance I purchased through Healthcare.Gov or a Health Insurance Marketplace (sometimes called "Obamacare")	89	5.9 %
7	Insurance I purchased directly from an insurance company	0	0.0 %
8	Medicare (for people 65 and older, or people with certain disabilities)	0	0.0 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	0	0.0 %
10	TRICARE or other military healthcare	0	0.0 %
11	VA (including if you ever used or enrolled for VA healthcare)	0	0.0 %
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	0	0.0 %
	<b>Missing Data</b>		
.	-	1429	94.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 89 valid cases out of 1,518 total cases.

- Minimum: 6.00
- Maximum: 6.00

Location: 637-638 (width: 2; decimal: 0)

Variable Type: numeric

---

**W1Q64\_7: Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. Insurance I purchased directly from an insurance company**

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	0	0.0 %
2	Insurance through my current or former employer or union	0	0.0 %
3	Insurance through my spouse/partner	0	0.0 %
4	Insurance through my parent	0	0.0 %
5	Insurance through someone other than my spouse/partner or parent	0	0.0 %
6	Insurance I purchased through Healthcare.Gov or a Health Insurance Marketplace (sometimes called "Obamacare")	0	0.0 %
7	Insurance I purchased directly from an insurance company	47	3.1 %
8	Medicare (for people 65 and older, or people with certain disabilities)	0	0.0 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	0	0.0 %
10	TRICARE or other military healthcare	0	0.0 %
11	VA (including if you ever used or enrolled for VA healthcare)	0	0.0 %
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	0	0.0 %
	<b>Missing Data</b>		
.	-	1471	96.9 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 47 valid cases out of 1,518 total cases.

- Minimum: 7.00
- Maximum: 7.00

Location: 639-640 (width: 2; decimal: 0)

Variable Type: numeric

---

**W1Q64\_8: Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. Medicare (for people 65 and older, or people with certain disabilities)**

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	0	0.0 %
2	Insurance through my current or former employer or union	0	0.0 %
3	Insurance through my spouse/partner	0	0.0 %
4	Insurance through my parent	0	0.0 %
5	Insurance through someone other than my spouse/partner or parent	0	0.0 %
6	Insurance I purchased through Healthcare.Gov or a Health Insurance Marketplace (sometimes called "Obamacare")	0	0.0 %
7	Insurance I purchased directly from an insurance company	0	0.0 %
8	Medicare (for people 65 and older, or people with certain disabilities)	71	4.7 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	0	0.0 %
10	TRICARE or other military healthcare	0	0.0 %
11	VA (including if you ever used or enrolled for VA healthcare)	0	0.0 %
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	0	0.0 %
	<b>Missing Data</b>		
.	-	1447	95.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 71 valid cases out of 1,518 total cases.

- Minimum: 8.00
- Maximum: 8.00

Location: 641-642 (width: 2; decimal: 0)

Variable Type: numeric

---

**W1Q64\_9: Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. Medicaid (government-assistance plan for those with low incomes or a disability)**



Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	0	0.0 %
2	Insurance through my current or former employer or union	0	0.0 %
3	Insurance through my spouse/partner	0	0.0 %
4	Insurance through my parent	0	0.0 %
5	Insurance through someone other than my spouse/partner or parent	0	0.0 %
6	Insurance I purchased through Healthcare.Gov or a Health Insurance Marketplace (sometimes called "Obamacare")	0	0.0 %
7	Insurance I purchased directly from an insurance company	0	0.0 %
8	Medicare (for people 65 and older, or people with certain disabilities)	0	0.0 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	192	12.6 %
10	TRICARE or other military healthcare	0	0.0 %
11	VA (including if you ever used or enrolled for VA healthcare)	0	0.0 %
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	0	0.0 %
	<b>Missing Data</b>		
.	-	1326	87.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 192 valid cases out of 1,518 total cases.

- Minimum: 9.00
- Maximum: 9.00

Location: 643-644 (width: 2; decimal: 0)

Variable Type: numeric

### W1Q64\_10: Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. TRICARE or other military healthcare

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	0	0.0 %
2	Insurance through my current or former employer or union	0	0.0 %
3	Insurance through my spouse/partner	0	0.0 %
4	Insurance through my parent	0	0.0 %
5	Insurance through someone other than my spouse/partner or parent	0	0.0 %
6	Insurance I purchased through Healthcare.Gov or a Health Insurance Marketplace (sometimes called "Obamacare")	0	0.0 %
7	Insurance I purchased directly from an insurance company	0	0.0 %
8	Medicare (for people 65 and older, or people with certain disabilities)	0	0.0 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	0	0.0 %
10	TRICARE or other military healthcare	24	1.6 %
11	VA (including if you ever used or enrolled for VA healthcare)	0	0.0 %

Value	Label	Unweighted Frequency	%
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	0	0.0 %
	<b>Missing Data</b>		
.	-	1494	98.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 24 valid cases out of 1,518 total cases.

- Minimum: 10.00
- Maximum: 10.00

Location: 645-646 (width: 2; decimal: 0)

Variable Type: numeric

---

**W1Q64\_11: Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. VA (including if you ever used or enrolled for VA healthcare)**

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	0	0.0 %
2	Insurance through my current or former employer or union	0	0.0 %
3	Insurance through my spouse/partner	0	0.0 %
4	Insurance through my parent	0	0.0 %
5	Insurance through someone other than my spouse/partner or parent	0	0.0 %
6	Insurance I purchased through Healthcare.Gov or a Health Insurance Marketplace (sometimes called "Obamacare")	0	0.0 %
7	Insurance I purchased directly from an insurance company	0	0.0 %
8	Medicare (for people 65 and older, or people with certain disabilities)	0	0.0 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	0	0.0 %
10	TRICARE or other military healthcare	0	0.0 %
11	VA (including if you ever used or enrolled for VA healthcare)	20	1.3 %
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	0	0.0 %
	<b>Missing Data</b>		
.	-	1498	98.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 20 valid cases out of 1,518 total cases.

- Minimum: 11.00
- Maximum: 11.00

Location: 647-648 (width: 2; decimal: 0)

Variable Type: numeric

**W1Q64\_12: Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. Indian Health Service**

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: Exclusive response)	0	0.0 %
2	Insurance through my current or former employer or union	0	0.0 %
3	Insurance through my spouse/partner	0	0.0 %
4	Insurance through my parent	0	0.0 %
5	Insurance through someone other than my spouse/partner or parent	0	0.0 %
6	Insurance I purchased through Healthcare.Gov or a Health Insurance Marketplace (sometimes called "Obamacare")	0	0.0 %
7	Insurance I purchased directly from an insurance company	0	0.0 %
8	Medicare (for people 65 and older, or people with certain disabilities)	0	0.0 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	0	0.0 %
10	TRICARE or other military healthcare	0	0.0 %
11	VA (including if you ever used or enrolled for VA healthcare)	0	0.0 %
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (Allow 250 characters)	0	0.0 %
	<b>Missing Data</b>		
.	-	1518	100.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 0 valid cases out of 1,518 total cases.

Location: 649-650 (width: 2; decimal: 0)

Variable Type: numeric

**W1Q64\_13: Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. Another type of health insurance or health coverage plan**

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	0	0.0 %
2	Insurance through my current or former employer or union	0	0.0 %
3	Insurance through my spouse/partner	0	0.0 %
4	Insurance through my parent	0	0.0 %
5	Insurance through someone other than my spouse/partner or parent	0	0.0 %
6	Insurance I purchased through Healthcare.Gov or a Health Insurance Marketplace (sometimes called "Obamacare")	0	0.0 %
7	Insurance I purchased directly from an insurance company	0	0.0 %
8	Medicare (for people 65 and older, or people with certain disabilities)	0	0.0 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	0	0.0 %
10	TRICARE or other military healthcare	0	0.0 %
11	VA (including if you ever used or enrolled for VA healthcare)	0	0.0 %

Value	Label	Unweighted Frequency	%
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	45	3.0 %
	<b>Missing Data</b>		
	-	1473	97.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 45 valid cases out of 1,518 total cases.

- Minimum: 13.00
- Maximum: 13.00

Location: 651-652 (width: 2; decimal: 0)

Variable Type: numeric

## W1Q64\_T\_VERB: Write in response for W1Q64

Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply.  
Write in response for W1Q64 'Another type of health insurance or health coverage plan'

Value	Label	Unweighted Frequency	%
	-	1471	96.9 %
ADAP (AIDS Drug Assistance Program) pays my premiums for insurance through "Obamacare."	-	1	0.1 %
AFLAC	-	1	0.1 %
AHF	-	1	0.1 %
ASR work provided	-	1	0.1 %
BLUE CROSS BLUE SHIELD	-	1	0.1 %
BLUE CROSS/BLUE SHIELD	-	1	0.1 %
COUNTY CARE	-	1	0.1 %
College Plan	-	1	0.1 %
DISABILITY & LONG TERM	-	1	0.1 %
Fee schedule/discount plan (not exactly insurance) through the Health Insurance Marketplace	-	1	0.1 %
Health Coverage through my college	-	1	0.1 %
Insurance provided by my university	-	1	0.1 %
Insurance through School	-	1	0.1 %
Insurance through grad school	-	1	0.1 %
Insurance through my school	-	1	0.1 %
Insurance through my university	-	1	0.1 %
It is temporary; usually I don't have insurance	-	1	0.1 %
MASKED BY ICPSR	-	9	0.6 %
MEDICAID PREGNANCY	-	1	0.1 %
MEDICARE ADVANTAGE	-	1	0.1 %

Value	Label	Unweighted Frequency	%
MVP	-	1	0.1 %
Medicaid	-	1	0.1 %
Medical	-	1	0.1 %
Medicare Advantage Percritption Drug	-	1	0.1 %
PURCHASED THROUGH SMALL BUSINESS OWNERS GROUP	-	1	0.1 %
RYAN WHITE PAYS FOR MEDICAL INS	-	1	0.1 %
Ryan White	-	1	0.1 %
SOCIAL SECURITY DISABILITY	-	1	0.1 %
STATE ADAP PROGRAM	-	1	0.1 %
Samaritan Ministries	-	1	0.1 %
School	-	1	0.1 %
School coverage (PhD studnet)	-	1	0.1 %
School health plan	-	1	0.1 %
Student health insurance through my college	-	1	0.1 %
Through my school	-	1	0.1 %
Travelers insurance	-	1	0.1 %
United Way	-	1	0.1 %
insurance in another country	-	1	0.1 %
student health insurance through my university	-	1	0.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

Location: 653-748 (width: 96; decimal: 0)

Variable Type: character

## W1Q65: Is there a place that you usually go to when you are sick or need advice about your health?

There is NO place - Skip to Question 67

Value	Label	Unweighted Frequency	%
1	There is NO place	229	15.1 %
2	Yes, there are one or more places	1265	83.3 %
	<b>Missing Data</b>		
.	-	24	1.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,494 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 749-749 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q66\_1: What kind of place is it? Please select all that apply. Clinic or health center

Is there a place that you usually go to when you are sick or need advice about your health?

Value	Label	Unweighted Frequency	%
1	Clinic or health center	497	32.7 %
2	Doctor's office or HMO	0	0.0 %
3	Hospital emergency room	0	0.0 %
4	Hospital outpatient department	0	0.0 %
5	Some other place	0	0.0 %
	Missing Data		
.	-	1021	67.3 %
	Total	1,518	100%

Based upon 497 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 750-750 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q66\_2: What kind of place is it? Please select all that apply. Doctor's office or HMO

Is there a place that you usually go to when you are sick or need advice about your health?

Value	Label	Unweighted Frequency	%
1	Clinic or health center	0	0.0 %
2	Doctor's office or HMO	836	55.1 %
3	Hospital emergency room	0	0.0 %
4	Hospital outpatient department	0	0.0 %
5	Some other place	0	0.0 %
	Missing Data		
.	-	682	44.9 %
	Total	1,518	100%

Based upon 836 valid cases out of 1,518 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 751-751 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q66\_3: What kind of place is it? Please select all that apply. Hospital emergency room

Is there a place that you usually go to when you are sick or need advice about your health?

Value	Label	Unweighted Frequency	%
1	Clinic or health center	0	0.0 %
2	Doctor's office or HMO	0	0.0 %
3	Hospital emergency room	185	12.2 %
4	Hospital outpatient department	0	0.0 %
5	Some other place	0	0.0 %
	<b>Missing Data</b>		
.	-	1333	87.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 185 valid cases out of 1,518 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 752-752 (width: 1; decimal: 0)

Variable Type: numeric

---

#### W1Q66\_4: What kind of place is it? Please select all that apply. Hospital outpatient department

Is there a place that you usually go to when you are sick or need advice about your health?

Value	Label	Unweighted Frequency	%
1	Clinic or health center	0	0.0 %
2	Doctor's office or HMO	0	0.0 %
3	Hospital emergency room	0	0.0 %
4	Hospital outpatient department	92	6.1 %
5	Some other place	0	0.0 %
	<b>Missing Data</b>		
.	-	1426	93.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 92 valid cases out of 1,518 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 753-753 (width: 1; decimal: 0)

Variable Type: numeric

---

#### W1Q66\_5: What kind of place is it? Please select all that apply. Some other place

Is there a place that you usually go to when you are sick or need advice about your health?

Value	Label	Unweighted Frequency	%
1	Clinic or health center	0	0.0 %
2	Doctor's office or HMO	0	0.0 %
3	Hospital emergency room	0	0.0 %
4	Hospital outpatient department	0	0.0 %
5	Some other place	66	4.3 %
	<b>Missing Data</b>		
.	-	1452	95.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 66 valid cases out of 1,518 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 754-754 (width: 1; decimal: 0)

Variable Type: numeric

## W1Q66\_T\_VERB: Write in response for W1Q66

Is there a place that you usually go to when you are sick or need advice about your health? What kind of place is it? Please mark all that apply.

Value	Label	Unweighted Frequency	%
	-	1446	95.3 %
24 hour emergency walk-in dr.	-	1	0.1 %
A personal friend	-	1	0.1 %
AHF	-	1	0.1 %
Both parents are doctors	-	1	0.1 %
Campus Health Center	-	1	0.1 %
DOCTORS OFFICE AT HOSPITAL	-	1	0.1 %
Father - doctor	-	1	0.1 %
Father is MD	-	1	0.1 %
Friends and family	-	1	0.1 %
Health Care workers in the family.	-	1	0.1 %
I work at a hospital, and my parents are in healthcare	-	1	0.1 %
Instacare	-	1	0.1 %
Internet	-	2	0.1 %
Internet research on sytoms	-	1	0.1 %
Internet, Spouse for general look-over	-	1	0.1 %
LARGE UNIVERSITY NETWORK	-	1	0.1 %
MASKED BY ICPSR	-	3	0.2 %
Medical center at school	-	1	0.1 %



Value	Label	Unweighted Frequency	%
Mental health nurse practitioner	-	1	0.1 %
Mom's House	-	1	0.1 %
My Dr or 24 hr Nurse line provided by my insurance: Aetna	-	1	0.1 %
My counselor	-	1	0.1 %
My grandmother	-	1	0.1 %
Mychart	-	1	0.1 %
NATROPATH	-	1	0.1 %
Nurse Line	-	1	0.1 %
Online provider services	-	1	0.1 %
PLANNED PARENTHOOD	-	1	0.1 %
Parents	-	1	0.1 %
Physician immediate care local walk in treatment	-	1	0.1 %
Planned Parenthood	-	5	0.3 %
Psychologist, Psychiatrist	-	1	0.1 %
School health center	-	1	0.1 %
Self research	-	1	0.1 %
Student health center on college campus	-	1	0.1 %
The internet	-	1	0.1 %
Therapy	-	1	0.1 %
URGENT CARE	-	1	0.1 %
URGENT CARE CENTER	-	1	0.1 %
University health clinic	-	1	0.1 %
Urgent Care	-	4	0.3 %
Urgent Care Facility	-	1	0.1 %
Urgent care	-	3	0.2 %
Urgent care center	-	1	0.1 %
VA	-	1	0.1 %
VA Doctor	-	1	0.1 %
VA HOSPITAL	-	1	0.1 %
WEB MD	-	1	0.1 %
Walk-in Clinic, OBGYN	-	1	0.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,518 valid cases out of 1,518 total cases.

*Location:* 755-818 (width: 64; decimal: 0)

*Variable Type:* character

### W1Q67: In the past 5 years, how often have you been to a LGBT-specific clinic or provider for your healthcare?

Value	Label	Unweighted Frequency	%
1	Often	85	5.6 %
2	Sometimes	124	8.2 %
3	Never	1280	84.3 %
	<b>Missing Data</b>		
.	-	29	1.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,489 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 819-819 (width: 1; decimal: 0)

Variable Type: numeric

### W1Q68\_1: During the past 12 months, have you looked for information ONLINE about certain health or medical issues? If yes, please mark all that apply. No

Value	Label	Unweighted Frequency	%
1	No (Programmer: if this option is selected, uncheck all other boxes)	393	25.9 %
2	Yes, a LGBT-specific website	0	0.0 %
3	Yes, a general website	0	0.0 %
	<b>Missing Data</b>		
.	-	1125	74.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 393 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 820-820 (width: 1; decimal: 0)

Variable Type: numeric

### W1Q68\_2: During the past 12 months, have you looked for information ONLINE about certain health or medical issues? If yes, please mark all that apply. Yes, an LGBT-specific website

Value	Label	Unweighted Frequency	%
1	No (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Yes, a LGBT-specific website	170	11.2 %
3	Yes, a general website	0	0.0 %
	<b>Missing Data</b>		

Value	Label	Unweighted Frequency	%
.	-	1348	88.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 170 valid cases out of 1,518 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 821-821 (width: 1; decimal: 0)

Variable Type: numeric

---

**W1Q68\_3: During the past 12 months, have you looked for information ONLINE about certain health or medical issues? If yes, please mark all that apply. Yes, a general website**

Value	Label	Unweighted Frequency	%
1	No (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Yes, a LGBT-specific website	0	0.0 %
3	Yes, a general website	1074	70.8 %
	<b>Missing Data</b>		
.	-	444	29.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,074 valid cases out of 1,518 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 822-822 (width: 1; decimal: 0)

Variable Type: numeric

---

**W1Q69: In the next year, if it were possible for you to do so, how important would it be for you to go for healthcare at an LGBT-specific clinic or provider?**

Value	Label	Unweighted Frequency	%
1	Very important	247	16.3 %
2	Somewhat important	485	31.9 %
3	Not important	765	50.4 %
	<b>Missing Data</b>		
.	-	21	1.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,497 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 823-823 (width: 1; decimal: 0)

Variable Type: numeric

## W1Q70: Would you say that in general your health is...

The following questions are about your health.

Value	Label	Unweighted Frequency	%
1	Poor	56	3.7 %
2	Fair	206	13.6 %
3	Good	480	31.6 %
4	Very good	569	37.5 %
5	Excellent	187	12.3 %
	Missing Data		
.	-	20	1.3 %
	Total	1,518	100%

Based upon 1,498 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 824-824 (width: 1; decimal: 0)

Variable Type: numeric

## W1Q71: Now thinking about your physical health, which includes physical illness and injury, for how many days during the past 30 days was your physical health not good?

The following questions are about your health.

Value	Label	Unweighted Frequency	%
0	None	145	9.6 %
1	-	506	33.3 %
2	-	103	6.8 %
3	-	142	9.4 %
4	-	110	7.2 %
5	-	58	3.8 %
6	-	67	4.4 %
7	-	34	2.2 %
8	-	46	3.0 %
9	-	17	1.1 %
10	-	23	1.5 %
11	-	36	2.4 %
12	-	6	0.4 %
13	-	7	0.5 %
14	-	5	0.3 %

Value	Label	Unweighted Frequency	%
15	-	17	1.1 %
16	-	21	1.4 %
17	-	6	0.4 %
18	-	4	0.3 %
19	-	5	0.3 %
20	-	13	0.9 %
21	-	16	1.1 %
22	-	1	0.1 %
23	-	2	0.1 %
24	-	2	0.1 %
25	-	7	0.5 %
26	-	5	0.3 %
27	-	3	0.2 %
28	-	3	0.2 %
29	-	1	0.1 %
30	-	26	1.7 %
31	-	41	2.7 %
	<b>Missing Data</b>		
.	-	40	2.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,478 valid cases out of 1,518 total cases.

- Mean: 5.42
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 31.00
- Standard Deviation: 7.59

*Location:* 825-826 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### W1Q72: Now thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?

The following questions are about your health.

Value	Label	Unweighted Frequency	%
0	None	92	6.1 %
1	-	289	19.0 %
2	-	63	4.2 %

Value	Label	Unweighted Frequency	%
3	-	97	6.4 %
4	-	82	5.4 %
5	-	51	3.4 %
6	-	94	6.2 %
7	-	29	1.9 %
8	-	52	3.4 %
9	-	16	1.1 %
10	-	47	3.1 %
11	-	90	5.9 %
12	-	5	0.3 %
13	-	8	0.5 %
14	-	15	1.0 %
15	-	30	2.0 %
16	-	86	5.7 %
17	-	8	0.5 %
18	-	7	0.5 %
19	-	11	0.7 %
20	-	26	1.7 %
21	-	61	4.0 %
22	-	3	0.2 %
23	-	4	0.3 %
24	-	3	0.2 %
25	-	15	1.0 %
26	-	33	2.2 %
27	-	3	0.2 %
28	-	11	0.7 %
29	-	12	0.8 %
30	-	46	3.0 %
31	-	98	6.5 %
	<b>Missing Data</b>		
.	-	31	2.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,487 valid cases out of 1,518 total cases.

- Mean: 10.20
- Median: 6.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 31.00
- Standard Deviation: 9.96

Location: 827-828 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

## W1Q73: During the past 30 days, for about how many days did poor physical or mental health keep you from doing your usual activities, such as self-care, work, or recreation?

The following questions are about your health.

Value	Label	Unweighted Frequency	%
0	None	135	8.9 %
1	-	488	32.1 %
2	-	102	6.7 %
3	-	99	6.5 %
4	-	97	6.4 %
5	-	64	4.2 %
6	-	77	5.1 %
7	-	29	1.9 %
8	-	35	2.3 %
9	-	16	1.1 %
10	-	38	2.5 %
11	-	62	4.1 %
12	-	6	0.4 %
13	-	16	1.1 %
14	-	9	0.6 %
15	-	22	1.4 %
16	-	29	1.9 %
17	-	3	0.2 %
18	-	4	0.3 %
19	-	5	0.3 %
20	-	9	0.6 %
21	-	36	2.4 %
22	-	4	0.3 %
23	-	1	0.1 %
24	-	2	0.1 %
25	-	11	0.7 %
26	-	17	1.1 %
27	-	2	0.1 %
28	-	3	0.2 %
29	-	3	0.2 %
30	-	29	1.9 %
31	-	29	1.9 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	36	2.4 %
	Total	1,518	100%

Based upon 1,482 valid cases out of 1,518 total cases.

- Mean: 6.12
- Median: 3.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 31.00
- Standard Deviation: 7.88

Location: 829-830 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: .

### W1Q74\_1: Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. Hypertension (high blood pressure)

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	334	22.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %



Value	Label	Unweighted Frequency	%
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
	<b>Missing Data</b>		
.	-	1184	78.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 334 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 1.00

*Location:* 831-832 (width: 2; decimal: 0)

*Variable Type:* numeric

### W1Q74\_2: Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. High cholesterol

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	299	19.7 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
	<b>Missing Data</b>		

Value	Label	Unweighted Frequency	%
.	-	1219	80.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 299 valid cases out of 1,518 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 833-834 (width: 2; decimal: 0)

Variable Type: numeric

### W1Q74\_3: Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. Heart condition or heart disease

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	70	4.6 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
	<b>Missing Data</b>		
.	-	1448	95.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 70 valid cases out of 1,518 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 835-836 (width: 2; decimal: 0)

Variable Type: numeric

#### W1Q74\_4: Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. Angina

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	7	0.5 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
	<b>Missing Data</b>		
.	-	1511	99.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 7 valid cases out of 1,518 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 837-838 (width: 2; decimal: 0)

Variable Type: numeric

**W1Q74\_5: Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. A heart attack**

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	14	0.9 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
	<b>Missing Data</b>		
.	-	1504	99.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 14 valid cases out of 1,518 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 839-840 (width: 2; decimal: 0)

Variable Type: numeric

**W1Q74\_6: Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. A stroke**

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	14	0.9 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
	<b>Missing Data</b>		
.	-	1504	99.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 14 valid cases out of 1,518 total cases.

- Minimum: 6.00
- Maximum: 6.00

Location: 841-842 (width: 2; decimal: 0)

Variable Type: numeric

**W1Q74\_7: Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. Emphysema**

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %

Value	Label	Unweighted Frequency	%
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	9	0.6 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
	<b>Missing Data</b>		
.	-	1509	99.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 9 valid cases out of 1,518 total cases.

- Minimum: 7.00
- Maximum: 7.00

Location: 843-844 (width: 2; decimal: 0)

Variable Type: numeric

### W1Q74\_8: Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. Asthma

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %

Value	Label	Unweighted Frequency	%
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	261	17.2 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
	<b>Missing Data</b>		
.	-	1257	82.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 261 valid cases out of 1,518 total cases.

- Minimum: 8.00
- Maximum: 8.00

Location: 845-846 (width: 2; decimal: 0)

Variable Type: numeric

### W1Q74\_9: Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. An ulcer

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %

Value	Label	Unweighted Frequency	%
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	81	5.3 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
	<b>Missing Data</b>		
.	-	1437	94.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 81 valid cases out of 1,518 total cases.

- Minimum: 9.00
- Maximum: 9.00

*Location:* 847-848 (width: 2; decimal: 0)

*Variable Type:* numeric

### W1Q74\_10: Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. Cancer or a malignancy of any kind

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %



Value	Label	Unweighted Frequency	%
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	75	4.9 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
	<b>Missing Data</b>		
.	-	1443	95.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 75 valid cases out of 1,518 total cases.

- Minimum: 10.00
- Maximum: 10.00

Location: 849-850 (width: 2; decimal: 0)

Variable Type: numeric

### W1Q74\_11: Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. Diabetes

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %

Value	Label	Unweighted Frequency	%
11	Diabetes	89	5.9 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
	<b>Missing Data</b>		
.	-	1429	94.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 89 valid cases out of 1,518 total cases.

- Minimum: 11.00
- Maximum: 11.00

Location: 851-852 (width: 2; decimal: 0)

Variable Type: numeric

### W1Q74\_12: Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %

Value	Label	Unweighted Frequency	%
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	118	7.8 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
	<b>Missing Data</b>		
.	-	1400	92.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 118 valid cases out of 1,518 total cases.

- Minimum: 12.00
- Maximum: 12.00

Location: 853-854 (width: 2; decimal: 0)

Variable Type: numeric

### W1Q74\_13: Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %

Value	Label	Unweighted Frequency	%
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	196	12.9 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
	<b>Missing Data</b>		
.	-	1322	87.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 196 valid cases out of 1,518 total cases.

- Minimum: 13.00
- Maximum: 13.00

Location: 855-856 (width: 2; decimal: 0)

Variable Type: numeric

### W1Q74\_14: Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. Blood clots in legs or lungs

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	32	2.1 %

Value	Label	Unweighted Frequency	%
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
	<b>Missing Data</b>		
.	-	1486	97.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 32 valid cases out of 1,518 total cases.

- Minimum: 14.00
- Maximum: 14.00

Location: 857-858 (width: 2; decimal: 0)

Variable Type: numeric

### W1Q74\_15: Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. Osteoporosis or loss of bone density

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	35	2.3 %
16	Thyroid problems	0	0.0 %

Value	Label	Unweighted Frequency	%
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
	<b>Missing Data</b>		
.	-	1483	97.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 35 valid cases out of 1,518 total cases.

- Minimum: 15.00
- Maximum: 15.00

Location: 859-860 (width: 2; decimal: 0)

Variable Type: numeric

### W1Q74\_16: Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. Thyroid problems

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	130	8.6 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %

Value	Label	Unweighted Frequency	%
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
	<b>Missing Data</b>		
.	-	1388	91.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 130 valid cases out of 1,518 total cases.

- Minimum: 16.00
- Maximum: 16.00

Location: 861-862 (width: 2; decimal: 0)

Variable Type: numeric

### W1Q74\_17: Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. Liver disease

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	34	2.2 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %

Value	Label	Unweighted Frequency	%
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
	<b>Missing Data</b>		
.	-	1484	97.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 34 valid cases out of 1,518 total cases.

- Minimum: 17.00
- Maximum: 17.00

Location: 863-864 (width: 2; decimal: 0)

Variable Type: numeric

### W1Q74\_18: Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. Chronic obstructive pulmonary disease (COPD)

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	28	1.8 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %



Value	Label	Unweighted Frequency	%
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
	<b>Missing Data</b>		
.	-	1490	98.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 28 valid cases out of 1,518 total cases.

- Minimum: 18.00
- Maximum: 18.00

*Location:* 865-866 (width: 2; decimal: 0)

*Variable Type:* numeric

---

**W1Q74\_19: Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. Crohn's disease or ulcerative colitis**

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	18	1.2 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
	<b>Missing Data</b>		

Value	Label	Unweighted Frequency	%
.	-	1500	98.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 18 valid cases out of 1,518 total cases.

- Minimum: 19.00
- Maximum: 19.00

Location: 867-868 (width: 2; decimal: 0)

Variable Type: numeric

### W1Q74\_20: Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. Kidney disease

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	19	1.3 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
	<b>Missing Data</b>		
.	-	1499	98.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 19 valid cases out of 1,518 total cases.

- Minimum: 20.00
- Maximum: 20.00

Location: 869-870 (width: 2; decimal: 0)

Variable Type: numeric

### W1Q74\_21: Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. HIV/AIDS

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	77	5.1 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
	<b>Missing Data</b>		
.	-	1441	94.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 77 valid cases out of 1,518 total cases.

- Minimum: 21.00
- Maximum: 21.00

Location: 871-872 (width: 2; decimal: 0)

Variable Type: numeric

**W1Q74\_22: Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. Other sexually transmitted infection (not including HIV/AIDS)**

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	185	12.2 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
	<b>Missing Data</b>		
.	-	1333	87.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 185 valid cases out of 1,518 total cases.

- Minimum: 22.00
- Maximum: 22.00

Location: 873-874 (width: 2; decimal: 0)

Variable Type: numeric

**W1Q74\_23: Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. Sleep disorder (e.g., insomnia or sleep apnea)**

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	342	22.5 %
	<b>Missing Data</b>		
.	-	1176	77.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 342 valid cases out of 1,518 total cases.

- Minimum: 23.00
- Maximum: 23.00

Location: 875-876 (width: 2; decimal: 0)

Variable Type: numeric

**W1Q75: Are you limited in any way in any activities because of physical, mental, or emotional problems?**

Value	Label	Unweighted Frequency	%
1	Yes	540	35.6 %
2	No	955	62.9 %
	<b>Missing Data</b>		
.	-	23	1.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,495 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 877-877 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 3 , 4 , .

---

**W1Q76: Do you now have any health problem that requires you to use special equipment, such as a cane, a wheelchair, a special bed, or a special telephone? Please include occasional use or use in certain circumstances.**

Value	Label	Unweighted Frequency	%
1	Yes	140	9.2 %
2	No	1360	89.6 %
	<b>Missing Data</b>		
.	-	18	1.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,500 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 878-878 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 3 , 4 , .

---

**W1Q77A: During the past 30 days, about how often did you feel... nervous**

The following questions ask about how you have been feeling during the past 30 days. For each question, please choose how often you had this feeling.

Value	Label	Unweighted Frequency	%
1	All of the time	83	5.5 %
2	Most of the time	242	15.9 %
3	Some of the time	499	32.9 %
4	A little of the time	438	28.9 %
5	None of the time	246	16.2 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	10	0.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,508 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 879-879 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q77B: During the past 30 days, about how often did you feel... hopeless

The following questions ask about how you have been feeling during the past 30 days. For each question, please choose how often you had this feeling.

Value	Label	Unweighted Frequency	%
1	All of the time	42	2.8 %
2	Most of the time	150	9.9 %
3	Some of the time	328	21.6 %
4	A little of the time	420	27.7 %
5	None of the time	559	36.8 %
	<b>Missing Data</b>		
.	-	19	1.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,499 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 880-880 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q77C: During the past 30 days, about how often did you feel... restless or fidgety

The following questions ask about how you have been feeling during the past 30 days. For each question, please choose how often you had this feeling.

Value	Label	Unweighted Frequency	%
1	All of the time	93	6.1 %
2	Most of the time	237	15.6 %
3	Some of the time	452	29.8 %
4	A little of the time	432	28.5 %
5	None of the time	290	19.1 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	14	0.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,504 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 881-881 (width: 1; decimal: 0)

*Variable Type:* numeric

## W1Q77D: During the past 30 days, about how often did you feel... so depressed that nothing could cheer you up

The following questions ask about how you have been feeling during the past 30 days. For each question, please choose how often you had this feeling.

Value	Label	Unweighted Frequency	%
1	All of the time	30	2.0 %
2	Most of the time	99	6.5 %
3	Some of the time	261	17.2 %
4	A little of the time	366	24.1 %
5	None of the time	749	49.3 %
	<b>Missing Data</b>		
.	-	13	0.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,505 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 882-882 (width: 1; decimal: 0)

*Variable Type:* numeric

## W1Q77E: During the past 30 days, about how often did you feel... that everything was an effort

The following questions ask about how you have been feeling during the past 30 days. For each question, please choose how often you had this feeling.

Value	Label	Unweighted Frequency	%
1	All of the time	116	7.6 %
2	Most of the time	235	15.5 %
3	Some of the time	343	22.6 %
4	A little of the time	394	26.0 %



Value	Label	Unweighted Frequency	%
5	None of the time	413	27.2 %
	<b>Missing Data</b>		
.	-	17	1.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,501 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 883-883 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## W1Q77F: During the past 30 days, about how often did you feel... worthless

The following questions ask about how you have been feeling during the past 30 days. For each question, please choose how often you had this feeling.

Value	Label	Unweighted Frequency	%
1	All of the time	65	4.3 %
2	Most of the time	117	7.7 %
3	Some of the time	235	15.5 %
4	A little of the time	302	19.9 %
5	None of the time	786	51.8 %
	<b>Missing Data</b>		
.	-	13	0.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,505 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 884-884 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## W1Q78: About how often do you get tested for sexually transmitted infections (STIs) other than HIV?

The following questions are about HIV and Truvada or PrEP.

Value	Label	Unweighted Frequency	%
1	About once every 6 months	231	15.2 %
2	About once a year	358	23.6 %
3	About once every 2-3 years	182	12.0 %

Value	Label	Unweighted Frequency	%
4	About once every 4-5 years	65	4.3 %
5	About once every 6 years or less often	237	15.6 %
6	I've never been tested for sexually transmitted infections (STIs)	423	27.9 %
7	I'm HIV positive	0	0.0 %
	<b>Missing Data</b>		
.	-	22	1.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,496 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 885-885 (width: 1; decimal: 0)

Variable Type: numeric

---

## W1Q79: About how often do you get tested for HIV?

The following questions are about HIV and Truvada or PrEP.

Value	Label	Unweighted Frequency	%
1	About once every 1-3 months	86	5.7 %
2	About once every 6 months	117	7.7 %
3	About once a year	289	19.0 %
4	About once every 2 years or less often	191	12.6 %
5	I would only get tested if I felt I was at risk	397	26.2 %
6	I've never been tested for HIV	351	23.1 %
7	I'm HIV positive	68	4.5 %
	<b>Missing Data</b>		
.	-	19	1.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,499 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 886-886 (width: 1; decimal: 0)

Variable Type: numeric

---

## W1Q80: How often do you worry that you might get HIV?

The following questions are about HIV and Truvada or PrEP.

Value	Label	Unweighted Frequency	%
1	Never	811	53.4 %
2	Sometimes	440	29.0 %
3	Often	46	3.0 %
4	Always	37	2.4 %
	<b>Missing Data</b>		
7	Planned missing	68	4.5 %
8	Does not apply to me	92	6.1 %
.	-	24	1.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,334 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 887-887 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , .

---

## W1Q81: How likely is it that you will become HIV positive in your lifetime?

The following questions are about HIV and Truvada or PrEP.

Value	Label	Unweighted Frequency	%
1	Very unlikely	780	51.4 %
2	Unlikely	381	25.1 %
3	Somewhat unlikely	162	10.7 %
4	Likely	18	1.2 %
5	Very likely	11	0.7 %
	<b>Missing Data</b>		
7	Planned missing	68	4.5 %
8	Does not apply to me	78	5.1 %
.	-	20	1.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,352 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 888-888 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , .

---

## W1Q82: Are you currently taking Truvada as PrEP?

The following questions are about HIV and Truvada or PrEP.

Value	Label	Unweighted Frequency	%
1	Yes	33	2.2 %
2	No	1400	92.2 %
	<b>Missing Data</b>		
7	Planned missing	68	4.5 %
.	-	17	1.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,433 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 889-889 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , .

---

### W1Q83: Truvada is a pill that HIV-negative people can take to prevent HIV infection. This is called PrEP (or Pre-Exposure Prophylaxis). How familiar are you with Truvada as PrEP?

The following questions are about HIV and Truvada or PrEP.

Value	Label	Unweighted Frequency	%
1	Not at all familiar	854	56.3 %
2	Somewhat familiar	417	27.5 %
3	Very familiar	230	15.2 %
	<b>Missing Data</b>		
.	-	17	1.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,501 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 890-890 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### W1Q84: Are you for or against HIV-negative people taking Truvada as Pre-Exposure Prophylaxis (PrEP) to prevent the transmission of HIV?

The following questions are about HIV and Truvada or PrEP.

Value	Label	Unweighted Frequency	%
1	I am against it	21	1.4 %

Value	Label	Unweighted Frequency	%
2	I have mixed feelings about it	123	8.1 %
3	I am for it	642	42.3 %
4	I don't have an opinion	154	10.1 %
5	I don't know enough about it	563	37.1 %
	<b>Missing Data</b>		
.	-	15	1.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,503 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 891-891 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q85: How often do you have a drink containing alcohol?

These next questions are about alcohol and drugs.

Value	Label	Unweighted Frequency	%
1	Never	248	16.3 %
2	Monthly or less	400	26.4 %
3	2-4 times a month	375	24.7 %
4	2-3 times a week	267	17.6 %
5	4 or more times a week	214	14.1 %
	<b>Missing Data</b>		
.	-	14	0.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,504 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 892-892 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q86: How many standard drinks containing alcohol do you have on a typical day?

These next questions are about alcohol and drugs.

Value	Label	Unweighted Frequency	%
0	None	933	61.5 %
1	1 or 2	409	26.9 %

Value	Label	Unweighted Frequency	%
2	3 or 4	124	8.2 %
3	5 or 6	20	1.3 %
4	7 to 9	15	1.0 %
5	10 or more	6	0.4 %
	<b>Missing Data</b>		
.	-	11	0.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,507 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 5.00

*Location:* 893-893 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### W1Q87: How often do you have six or more drinks on one occasion?

These next questions are about alcohol and drugs.

Value	Label	Unweighted Frequency	%
1	Never	765	50.4 %
2	Less than monthly	459	30.2 %
3	Monthly	172	11.3 %
4	Weekly	92	6.1 %
5	Daily or almost daily	18	1.2 %
	<b>Missing Data</b>		
.	-	12	0.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,506 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 894-894 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### W1Q88: Have you smoked at least 100 cigarettes in your entire life? Five packs of cigarettes are equal to 100 cigarettes. Please do not include electronic cigarettes (e-cigarettes, NJOY, Bluetip), herbal cigarettes, cigars, cigarillos, little cigars, pipes, bidis

Value	Label	Unweighted Frequency	%
1	Yes	671	44.2 %
2	No	831	54.7 %

Value	Label	Unweighted Frequency	%
.	Missing Data		
.	-	16	1.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,502 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 895-895 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 3 , 4 , .

### W1Q89: Do you now smoke cigarettes every day, some days, or not at all?

Value	Label	Unweighted Frequency	%
1	Every day	233	15.3 %
2	Some days	100	6.6 %
3	Not at all	336	22.1 %
	<b>Missing Data</b>		
7	Planned missing	847	55.8 %
.	-	2	0.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 669 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 896-896 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , .

### W1Q90: How often do you use drugs other than alcohol?

Next, we have a few questions about drugs. Please answer as correctly and honestly as possible by indicating which answer is right for you. For the next 11 questions, we refer to drugs such as marijuana, methamphetamine, crack, heroin, ecstasy, GHB, and pills such as sleeping pills and painkillers. Do not count as drugs if they have been prescribed by a doctor and you take them in the prescribed dosage.

Value	Label	Unweighted Frequency	%
1	Never	907	59.7 %
2	Once a month or less often	254	16.7 %
3	2-4 times a month	93	6.1 %
4	2-3 times a week	74	4.9 %
5	4 times a week or more often	171	11.3 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	19	1.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,499 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 897-897 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## W1Q91: Do you use more than one type of drug on the same occasion?

Next, we have a few questions about drugs. Please answer as correctly and honestly as possible by indicating which answer is right for you. For the next 11 questions, we refer to drugs such as marijuana, methamphetamine, crack, heroin, ecstasy, GHB, and pills such as sleeping pills and painkillers. Do not count as drugs if they have been prescribed by a doctor and you take them in the prescribed dosage.

Value	Label	Unweighted Frequency	%
1	Never	1289	84.9 %
2	Once a month or less often	155	10.2 %
3	2-4 times a month	30	2.0 %
4	2-3 times a week	9	0.6 %
5	4 times a week or more often	15	1.0 %
	<b>Missing Data</b>		
.	-	20	1.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,498 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 898-898 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## W1Q92: How many times do you take drugs on a typical day when you use drugs?

Next, we have a few questions about drugs. Please answer as correctly and honestly as possible by indicating which answer is right for you. For the next 11 questions, we refer to drugs such as marijuana, methamphetamine, crack, heroin, ecstasy, GHB, and pills such as sleeping pills and painkillers. Do not count as drugs if they have been prescribed by a doctor and you take them in the prescribed dosage.

Value	Label	Unweighted Frequency	%
1	0	954	62.8 %
2	1-2	431	28.4 %



Value	Label	Unweighted Frequency	%
3	3-4	69	4.5 %
4	5-6	24	1.6 %
5	7 or more	17	1.1 %
	<b>Missing Data</b>		
.	-	23	1.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,495 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 899-899 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q93: How often are you influenced heavily by drugs?

Next, we have a few questions about drugs. Please answer as correctly and honestly as possible by indicating which answer is right for you. For the next 11 questions, we refer to drugs such as marijuana, methamphetamine, crack, heroin, ecstasy, GHB, and pills such as sleeping pills and painkillers. Do not count as drugs if they have been prescribed by a doctor and you take them in the prescribed dosage.

Value	Label	Unweighted Frequency	%
1	Never	1192	78.5 %
2	Less often than once a month	188	12.4 %
3	Every month	37	2.4 %
4	Every week	37	2.4 %
5	Daily or almost every day	40	2.6 %
	<b>Missing Data</b>		
.	-	24	1.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,494 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 900-900 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q94: Over the past year, have you felt that your longing for drugs was so strong that you could not resist it?

Next, we have a few questions about drugs. Please answer as correctly and honestly as possible by indicating which answer is right for you. For the next 11 questions, we refer to drugs such as marijuana, methamphetamine, crack, heroin, ecstasy, GHB, and pills such as sleeping pills and painkillers. Do not count as drugs if they have been prescribed by a doctor and you take them in the prescribed dosage.

Value	Label	Unweighted Frequency	%
1	Never	1377	90.7 %
2	Less often than once a month	70	4.6 %
3	Every month	20	1.3 %
4	Every week	14	0.9 %
5	Daily or almost every day	22	1.4 %
	<b>Missing Data</b>		
.	-	15	1.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,503 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 901-901 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q95: Has it happened, over the past year, that you have not been able to stop taking drugs once you started?

Next, we have a few questions about drugs. Please answer as correctly and honestly as possible by indicating which answer is right for you. For the next 11 questions, we refer to drugs such as marijuana, methamphetamine, crack, heroin, ecstasy, GHB, and pills such as sleeping pills and painkillers. Do not count as drugs if they have been prescribed by a doctor and you take them in the prescribed dosage.

Value	Label	Unweighted Frequency	%
1	Never	1435	94.5 %
2	Less often than once a month	39	2.6 %
3	Every month	4	0.3 %
4	Every week	8	0.5 %
5	Daily or almost every day	15	1.0 %
	<b>Missing Data</b>		
.	-	17	1.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,501 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 902-902 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q96: How often over the past year have you taken drugs and then neglected to do something you should have done?

Next, we have a few questions about drugs. Please answer as correctly and honestly as possible by indicating which answer is right for you. For the next 11 questions, we refer to drugs such as marijuana, methamphetamine, crack, heroin, ecstasy, GHB, and pills such as sleeping pills and painkillers. Do not count as drugs if they have been prescribed by a doctor and you take them in the prescribed dosage.

Value	Label	Unweighted Frequency	%
1	Never	1268	83.5 %
2	Less often than once a month	156	10.3 %
3	Every month	33	2.2 %
4	Every week	27	1.8 %
5	Daily or almost every day	10	0.7 %
	<b>Missing Data</b>		
.	-	24	1.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,494 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 903-903 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### W1Q97: How often over the past year have you needed to take a drug the morning after heavy drug use the day before?

Next, we have a few questions about drugs. Please answer as correctly and honestly as possible by indicating which answer is right for you. For the next 11 questions, we refer to drugs such as marijuana, methamphetamine, crack, heroin, ecstasy, GHB, and pills such as sleeping pills and painkillers. Do not count as drugs if they have been prescribed by a doctor and you take them in the prescribed dosage.

Value	Label	Unweighted Frequency	%
1	Never	1422	93.7 %
2	Less often than once a month	41	2.7 %
3	Every month	13	0.9 %
4	Every week	8	0.5 %
5	Daily or almost every day	13	0.9 %
	<b>Missing Data</b>		
.	-	21	1.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,497 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 904-904 (width: 1; decimal: 0)

*Variable Type:* numeric

## W1Q98: How often over the past year have you had guilt feelings or a bad conscience because you used drugs?

Next, we have a few questions about drugs. Please answer as correctly and honestly as possible by indicating which answer is right for you. For the next 11 questions, we refer to drugs such as marijuana, methamphetamine, crack, heroin, ecstasy, GHB, and pills such as sleeping pills and painkillers. Do not count as drugs if they have been prescribed by a doctor and you take them in the prescribed dosage.

Value	Label	Unweighted Frequency	%
1	Never	1289	84.9 %
2	Less often than once a month	136	9.0 %
3	Every month	35	2.3 %
4	Every week	20	1.3 %
5	Daily or almost every day	16	1.1 %
	Missing Data		
.	-	22	1.4 %
	Total	1,518	100%

Based upon 1,496 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 905-905 (width: 1; decimal: 0)

Variable Type: numeric

## W1Q99: Have you or anyone else been hurt (mentally or physically) because you used drugs?

Next, we have a few questions about drugs. Please answer as correctly and honestly as possible by indicating which answer is right for you. For the next 11 questions, we refer to drugs such as marijuana, methamphetamine, crack, heroin, ecstasy, GHB, and pills such as sleeping pills and painkillers. Do not count as drugs if they have been prescribed by a doctor and you take them in the prescribed dosage.

Value	Label	Unweighted Frequency	%
1	No	1331	87.7 %
2	Yes, but not over the past year	121	8.0 %
3	Yes, over the past year	44	2.9 %
	Missing Data		
.	-	22	1.4 %
	Total	1,518	100%

Based upon 1,496 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 906-906 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q100: Has a relative or a friend, a doctor or a nurse, or anyone else, been worried about your drug use or said to you that you should stop using drugs?

Next, we have a few questions about drugs. Please answer as correctly and honestly as possible by indicating which answer is right for you. For the next 11 questions, we refer to drugs such as marijuana, methamphetamine, crack, heroin, ecstasy, GHB, and pills such as sleeping pills and painkillers. Do not count as drugs if they have been prescribed by a doctor and you take them in the prescribed dosage.

Value	Label	Unweighted Frequency	%
1	No	1324	87.2 %
2	Yes, but not over the past year	121	8.0 %
3	Yes, over the past year	54	3.6 %
	<b>Missing Data</b>		
.	-	19	1.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,499 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 907-907 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q101: Did you ever in your life have thoughts of killing yourself?

The next questions are about thoughts you may have had of hurting yourself.

Value	Label	Unweighted Frequency	%
1	No	443	29.2 %
2	Yes, once	298	19.6 %
3	Yes, more than once	759	50.0 %
	<b>Missing Data</b>		
.	-	18	1.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,500 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 908-908 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q102: (W1Q102) About how old were you? Your best estimate is fine.

The next questions are about thoughts you may have had of hurting yourself.

Value	Label	Unweighted Frequency	%
8	-	1	0.1 %
9	-	1	0.1 %
10	-	3	0.2 %
11	-	3	0.2 %
12	-	9	0.6 %
13	-	17	1.1 %
14	-	21	1.4 %
15	-	33	2.2 %
16	-	30	2.0 %
17	-	17	1.1 %
18	-	21	1.4 %
19	-	16	1.1 %
20	-	11	0.7 %
21	-	12	0.8 %
22	-	7	0.5 %
23	-	6	0.4 %
24	-	10	0.7 %
25	-	9	0.6 %
26	-	2	0.1 %
27	-	5	0.3 %
28	-	3	0.2 %
30	-	7	0.5 %
31	-	2	0.1 %
32	-	3	0.2 %
33	-	5	0.3 %
34	-	1	0.1 %
35	-	4	0.3 %
36	-	1	0.1 %
37	-	4	0.3 %
38	-	1	0.1 %
39	-	2	0.1 %
40	-	4	0.3 %
41	-	2	0.1 %
42	-	3	0.2 %
44	-	1	0.1 %
45	-	5	0.3 %
46	-	1	0.1 %
47	-	1	0.1 %
48	-	3	0.2 %

Value	Label	Unweighted Frequency	%
50	-	2	0.1 %
51	-	1	0.1 %
52	-	1	0.1 %
54	-	2	0.1 %
57	-	4	0.3 %
58	-	1	0.1 %
	<b>Missing Data</b>		
97	Planned missing	1220	80.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 298 valid cases out of 1,518 total cases.

- Mean: 22.24
- Median: 18.00
- Mode: 15.00
- Minimum: 8.00
- Maximum: 58.00
- Standard Deviation: 10.73

*Location:* 909-910 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97

---

### W1Q103: (W1Q103) About how old were you the very first time? Your best estimate is fine.

The next questions are about thoughts you may have had of hurting yourself.

Value	Label	Unweighted Frequency	%
5	-	5	0.3 %
6	-	13	0.9 %
7	-	10	0.7 %
8	-	20	1.3 %
9	-	15	1.0 %
10	-	47	3.1 %
11	-	26	1.7 %
12	-	97	6.4 %
13	-	84	5.5 %
14	-	98	6.5 %
15	-	71	4.7 %
16	-	71	4.7 %
17	-	44	2.9 %
18	-	25	1.6 %
19	-	24	1.6 %

Value	Label	Unweighted Frequency	%
20	-	21	1.4 %
21	-	9	0.6 %
22	-	11	0.7 %
23	-	3	0.2 %
24	-	6	0.4 %
25	-	8	0.5 %
26	-	2	0.1 %
27	-	2	0.1 %
28	-	4	0.3 %
29	-	3	0.2 %
30	-	7	0.5 %
31	-	4	0.3 %
32	-	2	0.1 %
33	-	1	0.1 %
35	-	5	0.3 %
37	-	1	0.1 %
39	-	2	0.1 %
40	-	3	0.2 %
42	-	1	0.1 %
45	-	2	0.1 %
46	-	3	0.2 %
48	-	2	0.1 %
54	-	1	0.1 %
	<b>Missing Data</b>		
97	Planned missing	759	50.0 %
.	-	6	0.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 753 valid cases out of 1,518 total cases.

- Mean: 15.32
- Median: 14.00
- Mode: 14.00
- Minimum: 5.00
- Maximum: 54.00
- Standard Deviation: 6.33

*Location:* 911-912 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , .

---

**W1Q104: (W1Q104) About how old were you the most recent time? Your best estimate is fine.**



The next questions are about thoughts you may have had of hurting yourself.

Value	Label	Unweighted Frequency	%
11	-	1	0.1 %
14	-	4	0.3 %
15	-	2	0.1 %
16	-	19	1.3 %
17	-	29	1.9 %
18	-	46	3.0 %
19	-	59	3.9 %
20	-	54	3.6 %
21	-	54	3.6 %
22	-	61	4.0 %
23	-	51	3.4 %
24	-	33	2.2 %
25	-	38	2.5 %
26	-	4	0.3 %
27	-	2	0.1 %
28	-	6	0.4 %
29	-	5	0.3 %
30	-	18	1.2 %
31	-	2	0.1 %
32	-	13	0.9 %
33	-	8	0.5 %
34	-	25	1.6 %
35	-	21	1.4 %
36	-	13	0.9 %
37	-	16	1.1 %
38	-	8	0.5 %
39	-	15	1.0 %
40	-	17	1.1 %
41	-	3	0.2 %
42	-	2	0.1 %
44	-	1	0.1 %
45	-	13	0.9 %
46	-	1	0.1 %
48	-	4	0.3 %
49	-	3	0.2 %
50	-	11	0.7 %
51	-	6	0.4 %
52	-	13	0.9 %

Value	Label	Unweighted Frequency	%
53	-	13	0.9 %
54	-	7	0.5 %
55	-	10	0.7 %
56	-	16	1.1 %
57	-	12	0.8 %
58	-	6	0.4 %
59	-	8	0.5 %
	<b>Missing Data</b>		
97	Planned missing	759	50.0 %
.	-	6	0.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 753 valid cases out of 1,518 total cases.

- Mean: 29.28
- Median: 23.00
- Mode: 22.00
- Minimum: 11.00
- Maximum: 59.00
- Standard Deviation: 12.41

*Location:* 913-914 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , .

---

## W1Q105: Did you ever have any intention to act on thoughts of wishing you were dead or trying to kill yourself?

The next questions are about thoughts you may have had of hurting yourself.

Value	Label	Unweighted Frequency	%
1	No	913	60.1 %
2	Yes, once	285	18.8 %
3	Yes, more than once	300	19.8 %
	<b>Missing Data</b>		
.	-	20	1.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,498 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 915-915 (width: 1; decimal: 0)

*Variable Type:* numeric

---

**W1Q106: (W1Q106) About how old were you? Your best estimate is fine.**

The next questions are about thoughts you may have had of hurting yourself.

Value	Label	Unweighted Frequency	%
6	-	1	0.1 %
9	-	1	0.1 %
10	-	2	0.1 %
11	-	2	0.1 %
12	-	9	0.6 %
13	-	16	1.1 %
14	-	28	1.8 %
15	-	38	2.5 %
16	-	28	1.8 %
17	-	23	1.5 %
18	-	8	0.5 %
19	-	26	1.7 %
20	-	5	0.3 %
21	-	12	0.8 %
22	-	11	0.7 %
23	-	6	0.4 %
24	-	8	0.5 %
25	-	8	0.5 %
26	-	4	0.3 %
27	-	2	0.1 %
28	-	4	0.3 %
29	-	1	0.1 %
30	-	5	0.3 %
31	-	4	0.3 %
32	-	1	0.1 %
33	-	2	0.1 %
34	-	4	0.3 %
35	-	2	0.1 %
36	-	1	0.1 %
37	-	2	0.1 %
39	-	2	0.1 %
40	-	3	0.2 %
42	-	2	0.1 %
43	-	1	0.1 %
44	-	1	0.1 %
45	-	3	0.2 %

Value	Label	Unweighted Frequency	%
46	-	1	0.1 %
48	-	1	0.1 %
49	-	1	0.1 %
50	-	1	0.1 %
52	-	1	0.1 %
54	-	1	0.1 %
56	-	1	0.1 %
58	-	1	0.1 %
	<b>Missing Data</b>		
97	Planned missing	1233	81.2 %
.	-	1	0.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 284 valid cases out of 1,518 total cases.

- Mean: 20.56
- Median: 17.00
- Mode: 15.00
- Minimum: 6.00
- Maximum: 58.00
- Standard Deviation: 9.05

*Location:* 916-917 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , .

---

### W1Q107: (W1Q107) About how old were you the very first time? Your best estimate is fine.

The next questions are about thoughts you may have had of hurting yourself.

Value	Label	Unweighted Frequency	%
4	-	1	0.1 %
5	-	2	0.1 %
6	-	3	0.2 %
7	-	4	0.3 %
8	-	5	0.3 %
9	-	3	0.2 %
10	-	10	0.7 %
11	-	11	0.7 %
12	-	21	1.4 %
13	-	37	2.4 %
14	-	38	2.5 %
15	-	40	2.6 %

Value	Label	Unweighted Frequency	%
16	-	31	2.0 %
17	-	19	1.3 %
18	-	9	0.6 %
19	-	9	0.6 %
20	-	12	0.8 %
21	-	9	0.6 %
22	-	2	0.1 %
23	-	3	0.2 %
24	-	4	0.3 %
25	-	3	0.2 %
26	-	2	0.1 %
28	-	2	0.1 %
29	-	5	0.3 %
30	-	1	0.1 %
31	-	1	0.1 %
33	-	1	0.1 %
35	-	2	0.1 %
38	-	1	0.1 %
40	-	2	0.1 %
42	-	1	0.1 %
46	-	2	0.1 %
48	-	1	0.1 %
52	-	1	0.1 %
	<b>Missing Data</b>		
97	Planned missing	1218	80.2 %
.	-	2	0.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 298 valid cases out of 1,518 total cases.

- Mean: 16.27
- Median: 15.00
- Mode: 15.00
- Minimum: 4.00
- Maximum: 52.00
- Standard Deviation: 6.72

*Location:* 918-919 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , .

---

**W1Q108: (W1Q108) About how old were you the most recent time? Your best estimate is fine.**

The next questions are about thoughts you may have had of hurting yourself.

Value	Label	Unweighted Frequency	%
5	-	1	0.1 %
10	-	1	0.1 %
12	-	1	0.1 %
13	-	1	0.1 %
14	-	4	0.3 %
15	-	6	0.4 %
16	-	19	1.3 %
17	-	23	1.5 %
18	-	24	1.6 %
19	-	28	1.8 %
20	-	21	1.4 %
21	-	26	1.7 %
22	-	17	1.1 %
23	-	9	0.6 %
24	-	8	0.5 %
25	-	14	0.9 %
26	-	1	0.1 %
27	-	2	0.1 %
28	-	1	0.1 %
29	-	1	0.1 %
30	-	5	0.3 %
31	-	1	0.1 %
32	-	2	0.1 %
33	-	2	0.1 %
34	-	5	0.3 %
35	-	6	0.4 %
36	-	3	0.2 %
37	-	3	0.2 %
38	-	1	0.1 %
39	-	5	0.3 %
40	-	8	0.5 %
41	-	1	0.1 %
42	-	2	0.1 %
43	-	2	0.1 %
45	-	5	0.3 %
46	-	1	0.1 %
48	-	3	0.2 %
50	-	5	0.3 %

Value	Label	Unweighted Frequency	%
51	-	4	0.3 %
52	-	8	0.5 %
53	-	3	0.2 %
54	-	1	0.1 %
55	-	2	0.1 %
56	-	1	0.1 %
57	-	1	0.1 %
58	-	3	0.2 %
59	-	2	0.1 %
	<b>Missing Data</b>		
97	Planned missing	1218	80.2 %
.	-	7	0.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 293 valid cases out of 1,518 total cases.

- Mean: 26.48
- Median: 21.00
- Mode: 19.00
- Minimum: 5.00
- Maximum: 59.00
- Standard Deviation: 12.08

*Location:* 920-921 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , .

---

### W1Q109: Did you ever think about how you might kill yourself (e.g., taking pills, shooting yourself) or work out a plan of how to kill yourself?

The next questions are about thoughts you may have had of hurting yourself.

Value	Label	Unweighted Frequency	%
1	No	654	43.1 %
2	Yes, once	326	21.5 %
3	Yes, more than once	511	33.7 %
	<b>Missing Data</b>		
.	-	27	1.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,491 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 922-922 (width: 1; decimal: 0)

**W1Q110: (W1Q110) About how old were you? Your best estimate is fine.**

The next questions are about thoughts you may have had of hurting yourself.

Value	Label	Unweighted Frequency	%
9	-	1	0.1 %
10	-	3	0.2 %
11	-	2	0.1 %
12	-	8	0.5 %
13	-	16	1.1 %
14	-	26	1.7 %
15	-	40	2.6 %
16	-	34	2.2 %
17	-	24	1.6 %
18	-	14	0.9 %
19	-	19	1.3 %
20	-	20	1.3 %
21	-	16	1.1 %
22	-	12	0.8 %
23	-	11	0.7 %
24	-	10	0.7 %
25	-	10	0.7 %
26	-	3	0.2 %
27	-	3	0.2 %
28	-	5	0.3 %
29	-	1	0.1 %
30	-	5	0.3 %
31	-	4	0.3 %
32	-	2	0.1 %
33	-	2	0.1 %
34	-	3	0.2 %
35	-	4	0.3 %
37	-	3	0.2 %
38	-	1	0.1 %
39	-	2	0.1 %
40	-	8	0.5 %
42	-	2	0.1 %
45	-	4	0.3 %
46	-	2	0.1 %



Value	Label	Unweighted Frequency	%
47	-	1	0.1 %
48	-	1	0.1 %
49	-	1	0.1 %
50	-	1	0.1 %
57	-	1	0.1 %
58	-	1	0.1 %
	<b>Missing Data</b>		
97	Planned missing	1192	78.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 326 valid cases out of 1,518 total cases.

- Mean: 20.93
- Median: 18.00
- Mode: 15.00
- Minimum: 9.00
- Maximum: 58.00
- Standard Deviation: 8.72

*Location:* 923-924 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97

---

## W1Q111: (W1Q111) About how old were you the very first time? Your best estimate is fine.

The next questions are about thoughts you may have had of hurting yourself.

Value	Label	Unweighted Frequency	%
0	-	1	0.1 %
2	-	1	0.1 %
5	-	3	0.2 %
6	-	6	0.4 %
7	-	4	0.3 %
8	-	6	0.4 %
9	-	6	0.4 %
10	-	18	1.2 %
11	-	15	1.0 %
12	-	34	2.2 %
13	-	56	3.7 %
14	-	64	4.2 %
15	-	77	5.1 %
16	-	44	2.9 %
17	-	31	2.0 %

Value	Label	Unweighted Frequency	%
18	-	23	1.5 %
19	-	17	1.1 %
20	-	16	1.1 %
21	-	12	0.8 %
22	-	7	0.5 %
23	-	6	0.4 %
24	-	5	0.3 %
25	-	3	0.2 %
26	-	5	0.3 %
28	-	1	0.1 %
29	-	5	0.3 %
30	-	8	0.5 %
31	-	3	0.2 %
32	-	2	0.1 %
34	-	2	0.1 %
35	-	5	0.3 %
37	-	2	0.1 %
38	-	2	0.1 %
40	-	3	0.2 %
42	-	1	0.1 %
45	-	1	0.1 %
46	-	2	0.1 %
47	-	2	0.1 %
50	-	1	0.1 %
52	-	2	0.1 %
55	-	1	0.1 %
58	-	2	0.1 %
59	-	1	0.1 %
	<b>Missing Data</b>		
97	Planned missing	1007	66.3 %
.	-	5	0.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 506 valid cases out of 1,518 total cases.

- Mean: 17.02
- Median: 15.00
- Mode: 15.00
- Minimum: 0.00
- Maximum: 59.00
- Standard Deviation: 8.01

Location: 925-926 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , .

---

## W1Q112: (W1Q112) About how old were you the most recent time? Your best estimate is fine.

The next questions are about thoughts you may have had of hurting yourself.

Value	Label	Unweighted Frequency	%
4	-	1	0.1 %
11	-	2	0.1 %
14	-	3	0.2 %
15	-	3	0.2 %
16	-	19	1.3 %
17	-	27	1.8 %
18	-	33	2.2 %
19	-	42	2.8 %
20	-	27	1.8 %
21	-	34	2.2 %
22	-	34	2.2 %
23	-	29	1.9 %
24	-	23	1.5 %
25	-	24	1.6 %
26	-	6	0.4 %
27	-	5	0.3 %
28	-	3	0.2 %
29	-	6	0.4 %
30	-	8	0.5 %
31	-	2	0.1 %
32	-	5	0.3 %
33	-	3	0.2 %
34	-	15	1.0 %
35	-	11	0.7 %
36	-	3	0.2 %
37	-	6	0.4 %
38	-	7	0.5 %
39	-	11	0.7 %
40	-	9	0.6 %
41	-	2	0.1 %
42	-	2	0.1 %
43	-	1	0.1 %
44	-	2	0.1 %

Value	Label	Unweighted Frequency	%
45	-	10	0.7 %
47	-	1	0.1 %
48	-	1	0.1 %
50	-	7	0.5 %
51	-	6	0.4 %
52	-	5	0.3 %
53	-	9	0.6 %
54	-	5	0.3 %
55	-	8	0.5 %
56	-	7	0.5 %
57	-	5	0.3 %
58	-	3	0.2 %
59	-	5	0.3 %
	<b>Missing Data</b>		
97	Planned missing	1007	66.3 %
.	-	31	2.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 480 valid cases out of 1,518 total cases.

- Mean: 28.27
- Median: 23.00
- Mode: 19.00
- Minimum: 4.00
- Maximum: 59.00
- Standard Deviation: 12.33

Location: 927-928 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , .

### W1Q113: Did you ever make a suicide attempt (i.e., purposefully hurt yourself with at least some intention to die)?

The next questions are about thoughts you may have had of hurting yourself.

Value	Label	Unweighted Frequency	%
1	No	1133	74.6 %
2	Yes, once	254	16.7 %
3	Yes, more than once	112	7.4 %
	<b>Missing Data</b>		
.	-	19	1.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,499 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 929-929 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### W1Q114: If yes, how many different suicide attempts did you ever make?

The next questions are about thoughts you may have had of hurting yourself.

Value	Label	Unweighted Frequency	%
1	1	254	16.7 %
2	2	30	2.0 %
3	3	32	2.1 %
4	4	14	0.9 %
5	5	9	0.6 %
6	6-10	17	1.1 %
7	11-15	6	0.4 %
8	16-20	1	0.1 %
9	21 or more	1	0.1 %
	<b>Missing Data</b>		
97	Planned missing	1152	75.9 %
.	-	2	0.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 364 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 9.00

*Location:* 930-931 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , .

---

### W1Q115: (W1Q115) About how old were you? Your best estimate is fine.

The next questions are about thoughts you may have had of hurting yourself.

Value	Label	Unweighted Frequency	%
8	-	1	0.1 %
9	-	1	0.1 %
10	-	1	0.1 %
11	-	2	0.1 %
12	-	8	0.5 %

Value	Label	Unweighted Frequency	%
13	-	17	1.1 %
14	-	28	1.8 %
15	-	29	1.9 %
16	-	22	1.4 %
17	-	23	1.5 %
18	-	10	0.7 %
19	-	22	1.4 %
20	-	7	0.5 %
21	-	12	0.8 %
22	-	8	0.5 %
23	-	5	0.3 %
24	-	7	0.5 %
25	-	6	0.4 %
26	-	3	0.2 %
27	-	1	0.1 %
28	-	2	0.1 %
29	-	2	0.1 %
30	-	4	0.3 %
31	-	1	0.1 %
32	-	6	0.4 %
33	-	1	0.1 %
34	-	5	0.3 %
37	-	1	0.1 %
39	-	1	0.1 %
40	-	3	0.2 %
42	-	2	0.1 %
44	-	1	0.1 %
45	-	4	0.3 %
46	-	1	0.1 %
50	-	1	0.1 %
53	-	2	0.1 %
	<b>Missing Data</b>		
97	Planned missing	1264	83.3 %
.	-	4	0.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 250 valid cases out of 1,518 total cases.

- Mean: 20.02
- Median: 17.00

- Mode: 15.00
- Minimum: 8.00
- Maximum: 53.00
- Standard Deviation: 8.31

Location: 932-933 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , .

## W1Q116: About how old were you the very first time you made a suicide attempt? Your best estimate is fine.

The next questions are about thoughts you may have had of hurting yourself.

Value	Label	Unweighted Frequency	%
5	-	2	0.1 %
6	-	4	0.3 %
7	-	2	0.1 %
8	-	1	0.1 %
9	-	2	0.1 %
10	-	3	0.2 %
11	-	4	0.3 %
12	-	10	0.7 %
13	-	9	0.6 %
14	-	14	0.9 %
15	-	10	0.7 %
16	-	16	1.1 %
17	-	7	0.5 %
18	-	4	0.3 %
19	-	5	0.3 %
20	-	4	0.3 %
21	-	2	0.1 %
22	-	1	0.1 %
23	-	2	0.1 %
24	-	1	0.1 %
25	-	1	0.1 %
26	-	1	0.1 %
29	-	2	0.1 %
34	-	1	0.1 %
40	-	1	0.1 %
42	-	1	0.1 %
52	-	1	0.1 %
	<b>Missing Data</b>		
97	Planned missing	1406	92.6 %

Value	Label	Unweighted Frequency	%
.	-	1	0.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 111 valid cases out of 1,518 total cases.

- Mean: 15.89
- Median: 15.00
- Mode: 16.00
- Minimum: 5.00
- Maximum: 52.00
- Standard Deviation: 6.91

*Location:* 934-935 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , .

---

### W1Q117: About how old were you the last time you made a suicide attempt? Your best estimate is fine.

The next questions are about thoughts you may have had of hurting yourself.

Value	Label	Unweighted Frequency	%
10	-	1	0.1 %
13	-	1	0.1 %
14	-	2	0.1 %
15	-	3	0.2 %
16	-	5	0.3 %
17	-	8	0.5 %
18	-	15	1.0 %
19	-	10	0.7 %
20	-	4	0.3 %
21	-	6	0.4 %
22	-	5	0.3 %
23	-	7	0.5 %
24	-	3	0.2 %
25	-	4	0.3 %
27	-	4	0.3 %
28	-	3	0.2 %
29	-	1	0.1 %
30	-	2	0.1 %
32	-	2	0.1 %
33	-	2	0.1 %
34	-	1	0.1 %
35	-	2	0.1 %



Value	Label	Unweighted Frequency	%
36	-	3	0.2 %
37	-	1	0.1 %
39	-	1	0.1 %
40	-	2	0.1 %
43	-	2	0.1 %
45	-	2	0.1 %
48	-	1	0.1 %
50	-	1	0.1 %
51	-	1	0.1 %
52	-	3	0.2 %
54	-	1	0.1 %
55	-	1	0.1 %
59	-	1	0.1 %
	<b>Missing Data</b>		
97	Planned missing	1406	92.6 %
.	-	1	0.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 111 valid cases out of 1,518 total cases.

- Mean: 25.67
- Median: 22.00
- Mode: 18.00
- Minimum: 10.00
- Maximum: 59.00
- Standard Deviation: 10.99

Location: 936-937 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , .

## W1Q118: If yes, what were the most serious injuries you ever received from a suicide attempt?

The next questions are about thoughts you may have had of hurting yourself.

Value	Label	Unweighted Frequency	%
1	No injury	78	5.1 %
2	Very minor injury (e.g., surface scratches, mild nausea)	117	7.7 %
3	Minor injury (e.g., sprain, first degree burns, flesh wound)	67	4.4 %
4	Moderate injury not requiring overnight hospitalization (e.g., broken bones, second degree burns, stitches, bullet lodge)	53	3.5 %
5	Moderate injury requiring overnight hospitalization (e.g., major fracture, third degree burns, coma, bullet lodged in ab	33	2.2 %

Value	Label	Unweighted Frequency	%
6	Severe injuries requiring treatment in an intensive care unit to save life (e.g., major fracture of skull or spine, severe)	18	1.2 %
	<b>Missing Data</b>		
7	Planned missing	1152	75.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 366 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 6.00

*Location:* 938-938 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7

---

### W1Q119: Did you ever do something to hurt yourself on purpose, but without wanting to die (e.g., cutting yourself, hitting yourself, or burning yourself)?

The next questions are about thoughts you may have had of hurting yourself.

Value	Label	Unweighted Frequency	%
1	No	922	60.7 %
2	Yes, once	147	9.7 %
3	Yes, more than once	423	27.9 %
	<b>Missing Data</b>		
.	-	26	1.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,492 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 939-939 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### W1Q120: (W1Q120) About how old were you? Your best estimate is fine.

The next questions are about thoughts you may have had of hurting yourself.

Value	Label	Unweighted Frequency	%
8	-	3	0.2 %
9	-	2	0.1 %
10	-	1	0.1 %
11	-	2	0.1 %
12	-	5	0.3 %

Value	Label	Unweighted Frequency	%
13	-	9	0.6 %
14	-	13	0.9 %
15	-	24	1.6 %
16	-	16	1.1 %
17	-	8	0.5 %
18	-	9	0.6 %
19	-	12	0.8 %
20	-	7	0.5 %
21	-	8	0.5 %
22	-	6	0.4 %
23	-	1	0.1 %
24	-	2	0.1 %
25	-	6	0.4 %
26	-	1	0.1 %
27	-	3	0.2 %
28	-	1	0.1 %
31	-	1	0.1 %
32	-	1	0.1 %
40	-	1	0.1 %
45	-	1	0.1 %
47	-	2	0.1 %
48	-	1	0.1 %
50	-	1	0.1 %
	<b>Missing Data</b>		
97	Planned missing	1371	90.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 147 valid cases out of 1,518 total cases.

- Mean: 18.44
- Median: 16.00
- Mode: 15.00
- Minimum: 8.00
- Maximum: 50.00
- Standard Deviation: 7.26

Location: 940-941 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97

---

**W1Q121: About how old were you the very first time you hurt yourself on purpose, but without wanting to die? Your best estimate is fine.**

The next questions are about thoughts you may have had of hurting yourself.

Value	Label	Unweighted Frequency	%
1	-	1	0.1 %
2	-	1	0.1 %
4	-	1	0.1 %
5	-	2	0.1 %
6	-	6	0.4 %
7	-	5	0.3 %
8	-	4	0.3 %
9	-	8	0.5 %
10	-	23	1.5 %
11	-	19	1.3 %
12	-	56	3.7 %
13	-	79	5.2 %
14	-	64	4.2 %
15	-	43	2.8 %
16	-	28	1.8 %
17	-	19	1.3 %
18	-	15	1.0 %
19	-	10	0.7 %
20	-	5	0.3 %
21	-	1	0.1 %
22	-	3	0.2 %
23	-	4	0.3 %
24	-	2	0.1 %
25	-	3	0.2 %
26	-	1	0.1 %
27	-	3	0.2 %
29	-	1	0.1 %
30	-	2	0.1 %
32	-	1	0.1 %
35	-	1	0.1 %
37	-	1	0.1 %
40	-	1	0.1 %
41	-	1	0.1 %
46	-	1	0.1 %
54	-	1	0.1 %
	<b>Missing Data</b>		
97	Planned missing	1095	72.1 %
.	-	7	0.5 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 416 valid cases out of 1,518 total cases.

- Mean: 14.39
- Median: 14.00
- Mode: 13.00
- Minimum: 1.00
- Maximum: 54.00
- Standard Deviation: 5.19

Location: 942-943 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , .

---

## W1Q122: About how old were you the most recent time you hurt yourself on purpose, but without wanting to die? Your best estimate is fine.

The next questions are about thoughts you may have had of hurting yourself.

Value	Label	Unweighted Frequency	%
10	-	1	0.1 %
12	-	2	0.1 %
14	-	8	0.5 %
15	-	9	0.6 %
16	-	34	2.2 %
17	-	36	2.4 %
18	-	35	2.3 %
19	-	40	2.6 %
20	-	34	2.2 %
21	-	35	2.3 %
22	-	37	2.4 %
23	-	25	1.6 %
24	-	16	1.1 %
25	-	16	1.1 %
26	-	2	0.1 %
27	-	3	0.2 %
28	-	5	0.3 %
30	-	4	0.3 %
31	-	1	0.1 %
32	-	7	0.5 %
33	-	5	0.3 %
34	-	9	0.6 %
35	-	8	0.5 %

Value	Label	Unweighted Frequency	%
36	-	3	0.2 %
37	-	4	0.3 %
38	-	2	0.1 %
39	-	5	0.3 %
40	-	4	0.3 %
41	-	3	0.2 %
42	-	1	0.1 %
43	-	2	0.1 %
48	-	2	0.1 %
50	-	3	0.2 %
51	-	3	0.2 %
52	-	2	0.1 %
54	-	1	0.1 %
55	-	5	0.3 %
56	-	1	0.1 %
57	-	2	0.1 %
58	-	1	0.1 %
59	-	1	0.1 %
	<b>Missing Data</b>		
97	Planned missing	1095	72.1 %
.	-	6	0.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 417 valid cases out of 1,518 total cases.

- Mean: 23.67
- Median: 21.00
- Mode: 19.00
- Minimum: 10.00
- Maximum: 59.00
- Standard Deviation: 9.31

*Location:* 944-945 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , .

---

## W1Q123A: Are you out to all, most, some, or out to none of your... family

The next section is about experiences that may have happened to you over your lifetime. The first questions are about how much you are out of the closet to the following groups of people in your life. We use "LGB" generically to mean a sexual minority identity that you identify with, including queer, same-gender loving, etc.

Value	Label	Unweighted Frequency	%
1	All	629	41.4 %

Value	Label	Unweighted Frequency	%
2	Most	293	19.3 %
3	Some	382	25.2 %
4	None	175	11.5 %
	<b>Missing Data</b>		
5	Don't know/does not apply	24	1.6 %
.	-	15	1.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,479 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 946-946 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 5 , .

---

### W1Q123B: Are you out to all, most, some, or out to none of your... straight friends

The next section is about experiences that may have happened to you over your lifetime. The first questions are about how much you are out of the closet to the following groups of people in your life. We use "LGB" generically to mean a sexual minority identity that you identify with, including queer, same-gender loving, etc.

Value	Label	Unweighted Frequency	%
1	All	810	53.4 %
2	Most	292	19.2 %
3	Some	314	20.7 %
4	None	67	4.4 %
	<b>Missing Data</b>		
5	Don't know/does not apply	21	1.4 %
.	-	14	0.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,483 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 947-947 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 5 , .

---

### W1Q123C: Are you out to all, most, some, or out to none of your... co-workers

The next section is about experiences that may have happened to you over your lifetime. The first questions are about how much you are out of the closet to the following groups of people in your life. We use "LGB" generically to mean a sexual minority identity that you identify with, including queer, same-gender loving, etc.

Value	Label	Unweighted Frequency	%
1	All	515	33.9 %
2	Most	195	12.8 %
3	Some	282	18.6 %
4	None	296	19.5 %
	<b>Missing Data</b>		
5	Don't know/does not apply	212	14.0 %
.	-	18	1.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,288 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 948-948 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 5 , .

---

## W1Q123D: Are you out to all, most, some, or out to none of your... healthcare providers

The next section is about experiences that may have happened to you over your lifetime. The first questions are about how much you are out of the closet to the following groups of people in your life. We use "LGB" generically to mean a sexual minority identity that you identify with, including queer, same-gender loving, etc.

Value	Label	Unweighted Frequency	%
1	All	684	45.1 %
2	Most	157	10.3 %
3	Some	183	12.1 %
4	None	314	20.7 %
	<b>Missing Data</b>		
5	Don't know/does not apply	161	10.6 %
.	-	19	1.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,338 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 949-949 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 5 , .



---

## W1Q124: How often, if ever, can people tell you are LGB even if you don't tell them?

The next section is about experiences that may have happened to you over your lifetime. The first questions are about how much you are out of the closet to the following groups of people in your life. We use "LGB" generically to mean a sexual minority identity that you identify with, including queer, same-gender loving, etc.

Value	Label	Unweighted Frequency	%
1	Always	84	5.5 %
2	Most of the time	231	15.2 %
3	Sometimes	374	24.6 %
4	Occasionally	485	31.9 %
5	Never	330	21.7 %
	<b>Missing Data</b>		
.	-	14	0.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,504 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 950-950 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## W1Q125: Most people where I live think less of a person who is LGB.

The following include statements that represent how you think non-LGBT people may think of LGB people. Please rate your level of agreement with the following items.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	288	19.0 %
2	Somewhat disagree	378	24.9 %
3	Neither agree nor disagree	319	21.0 %
4	Somewhat agree	383	25.2 %
5	Strongly agree	136	9.0 %
	<b>Missing Data</b>		
.	-	14	0.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,504 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 951-951 (width: 1; decimal: 0)

*Variable Type:* numeric

## W1Q126: Most employers where I live will hire openly LGB people if they are qualified for the job.

The following include statements that represent how you think non-LGBT people may think of LGB people. Please rate your level of agreement with the following items.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	75	4.9 %
2	Somewhat disagree	150	9.9 %
3	Neither agree nor disagree	290	19.1 %
4	Somewhat agree	523	34.5 %
5	Strongly agree	466	30.7 %
	Missing Data		
.	-	14	0.9 %
	Total	1,518	100%

Based upon 1,504 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 952-952 (width: 1; decimal: 0)

Variable Type: numeric

## W1Q127: Most people where I live would not want someone who is openly LGB to take care of their children.

The following include statements that represent how you think non-LGBT people may think of LGB people. Please rate your level of agreement with the following items.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	188	12.4 %
2	Somewhat disagree	343	22.6 %
3	Neither agree nor disagree	480	31.6 %
4	Somewhat agree	334	22.0 %
5	Strongly agree	158	10.4 %
	Missing Data		
.	-	15	1.0 %
	Total	1,518	100%

Based upon 1,503 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 953-953 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q128: I have tried to stop being attracted to people who are the same sex as me.

The next questions are about the ways you feel about being LGB. Please rate your level of agreement with the following statements. Again, by "LGB" we mean a sexual minority identity that you identify with.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	824	54.3 %
2	Somewhat disagree	172	11.3 %
3	Neither agree nor disagree	94	6.2 %
4	Somewhat agree	280	18.4 %
5	Strongly agree	133	8.8 %
	<b>Missing Data</b>		
.	-	15	1.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,503 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 954-954 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q129: If someone offered me the chance to be completely heterosexual, I would accept the chance.

The next questions are about the ways you feel about being LGB. Please rate your level of agreement with the following statements. Again, by "LGB" we mean a sexual minority identity that you identify with.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	999	65.8 %
2	Somewhat disagree	183	12.1 %
3	Neither agree nor disagree	152	10.0 %
4	Somewhat agree	106	7.0 %
5	Strongly agree	63	4.2 %
	<b>Missing Data</b>		
.	-	15	1.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,503 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 955-955 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q130: I wish I weren't LGB.

The next questions are about the ways you feel about being LGB. Please rate your level of agreement with the following statements. Again, by "LGB" we mean a sexual minority identity that you identify with.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	1015	66.9 %
2	Somewhat disagree	184	12.1 %
3	Neither agree nor disagree	154	10.1 %
4	Somewhat agree	122	8.0 %
5	Strongly agree	27	1.8 %
	<b>Missing Data</b>		
.	-	16	1.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,502 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 956-956 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### W1Q131: I feel that being LGB is a personal shortcoming for me.

The next questions are about the ways you feel about being LGB. Please rate your level of agreement with the following statements. Again, by "LGB" we mean a sexual minority identity that you identify with.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	1085	71.5 %
2	Somewhat disagree	165	10.9 %
3	Neither agree nor disagree	142	9.4 %
4	Somewhat agree	93	6.1 %
5	Strongly agree	16	1.1 %
	<b>Missing Data</b>		
.	-	17	1.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,501 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 957-957 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### W1Q132: I would like to get professional help in order to change my sexual orientation from LGB to straight.

The next questions are about the ways you feel about being LGB. Please rate your level of agreement with the following statements. Again, by "LGB" we mean a sexual minority identity that you identify with.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	1415	93.2 %
2	Somewhat disagree	44	2.9 %
3	Neither agree nor disagree	33	2.2 %
4	Somewhat agree	6	0.4 %
5	Strongly agree	6	0.4 %
	Missing Data		
.	-	14	0.9 %
	Total	1,518	100%

Based upon 1,504 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 958-958 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q133: Did you ever receive treatment from someone who tried to change your sexual orientation (such as try to make you straight/heterosexual) If yes, please mark all that apply.

The next questions are about the ways you feel about being LGB. Please rate your level of agreement with the following statements. Again, by "LGB" we mean a sexual minority identity that you identify with. (For respondents completing the survey by mail)

Value	Label	Unweighted Frequency	%
1	No	295	19.4 %
2	Yes, from a healthcare professional	6	0.4 %
3	Yes, from a religious leader	11	0.7 %
	Missing Data		
.	-	1206	79.4 %
	Total	1,518	100%

Based upon 312 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 959-959 (width: 1; decimal: 0)

Variable Type: numeric

### W1Q133\_1: (W1Q133\_1) Did you ever receive treatment from someone who tried to change your sexual orientation (such as try to make you straight/heterosexual) If yes, please mark all that apply.

The next questions are about the ways you feel about being LGB. Please rate your level of agreement with the following statements. Again, by "LGB" we mean a sexual minority identity that you identify with. (Survey by web) No: (No: Skip to the text before Question 135)

Value	Label	Unweighted Frequency	%
1	No (Programmer: if this option is selected, uncheck all other boxes)	1098	72.3 %
2	Yes, from a healthcare professional (such as a psychologist or counselor who was not religious-focused)	0	0.0 %
3	Yes, from a religious leader (such as a pastor, religious counselor, priest)	0	0.0 %
4	Yes, from someone who was both a religious and health care professional	0	0.0 %
5	From someone who was both a religious and health care professional	0	0.0 %
<b>Missing Data</b>			
.	-	420	27.7 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,098 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 960-960 (width: 1; decimal: 0)

Variable Type: numeric

### W1Q133\_2: (W1Q133\_2) Did you ever receive treatment from someone who tried to change your sexual orientation (such as try to make you straight/heterosexual) If yes, please mark all that apply.

The next questions are about the ways you feel about being LGB. Please rate your level of agreement with the following statements. Again, by "LGB" we mean a sexual minority identity that you identify with. (Survey by web) Yes, from a healthcare professional (such as a psychologist or counselor who was not religious-focused)

Value	Label	Unweighted Frequency	%
1	No (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Yes, from a healthcare professional (such as a psychologist or counselor who was not religious-focused)	30	2.0 %
3	Yes, from a religious leader (such as a pastor, religious counselor, priest)	0	0.0 %
4	Yes, from someone who was both a religious and health care professional	0	0.0 %
5	From someone who was both a religious and health care professional	0	0.0 %
<b>Missing Data</b>			
.	-	1488	98.0 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 30 valid cases out of 1,518 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 961-961 (width: 1; decimal: 0)

*Variable Type:* numeric

### W1Q133\_3: (W1Q133\_3) Did you ever receive treatment from someone who tried to change your sexual orientation (such as try to make you straight/heterosexual) If yes, please mark all that apply.

The next questions are about the ways you feel about being LGB. Please rate your level of agreement with the following statements. Again, by "LGB" we mean a sexual minority identity that you identify with. (Survey by web) Yes, from a religious leader (such as a pastor, religious counselor, priest)

Value	Label	Unweighted Frequency	%
1	No (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Yes, from a healthcare professional (such as a psychologist or counselor who was not religious-focused)	0	0.0 %
3	Yes, from a religious leader (such as a pastor, religious counselor, priest)	73	4.8 %
4	Yes, from someone who was both a religious and health care professional	0	0.0 %
5	From someone who was both a religious and health care professional	0	0.0 %
	<b>Missing Data</b>		
.	-	1445	95.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 73 valid cases out of 1,518 total cases.

- Minimum: 3.00
- Maximum: 3.00

*Location:* 962-962 (width: 1; decimal: 0)

*Variable Type:* numeric

### W1Q134: About how old were you the last time you received treatment to change your sexual orientation?

Your best estimate is fine.

Value	Label	Unweighted Frequency	%
4	-	1	0.1 %
8	-	1	0.1 %
9	-	1	0.1 %
11	-	1	0.1 %
12	-	3	0.2 %
13	-	3	0.2 %
14	-	7	0.5 %

Value	Label	Unweighted Frequency	%
15	-	10	0.7 %
16	-	8	0.5 %
17	-	8	0.5 %
18	-	14	0.9 %
19	-	14	0.9 %
20	-	4	0.3 %
21	-	8	0.5 %
22	-	4	0.3 %
23	-	1	0.1 %
24	-	2	0.1 %
25	-	5	0.3 %
26	-	1	0.1 %
27	-	2	0.1 %
28	-	1	0.1 %
30	-	3	0.2 %
32	-	2	0.1 %
35	-	1	0.1 %
45	-	1	0.1 %
	<b>Missing Data</b>		
97	Planned missing	1410	92.9 %
.	-	2	0.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 106 valid cases out of 1,518 total cases.

- Mean: 18.97
- Median: 18.00
- Minimum: 4.00
- Maximum: 45.00
- Standard Deviation: 5.71

*Location:* 963-964 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , .

### W1Q135A: Since the age of 18, how often have any of the following happened to you? You were hit, beaten, physically attacked, or sexually assaulted.

The following statements are about your life experiences and things that may have happened to you. This is a sensitive topic and some people may feel uncomfortable with these questions. If none of these experiences happened, go to Question 137.

Value	Label	Unweighted Frequency	%
1	Never	895	59.0 %
2	Once	232	15.3 %



Value	Label	Unweighted Frequency	%
3	Twice	140	9.2 %
4	Three or more times	236	15.5 %
	<b>Missing Data</b>		
.	-	15	1.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,503 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 965-965 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q135B: Since the age of 18, how often have any of the following happened to you? You were robbed, or your property was stolen, vandalized, or purposely damaged.

The following statements are about your life experiences and things that may have happened to you. This is a sensitive topic and some people may feel uncomfortable with these questions. If none of these experiences happened, go to Question 137.

Value	Label	Unweighted Frequency	%
1	Never	797	52.5 %
2	Once	349	23.0 %
3	Twice	169	11.1 %
4	Three or more times	185	12.2 %
	<b>Missing Data</b>		
.	-	18	1.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,500 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 966-966 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q135C: Since the age of 18, how often have any of the following happened to you? Someone tried to attack you, rob you, or damage your property, but they didn't succeed.

The following statements are about your life experiences and things that may have happened to you. This is a sensitive topic and some people may feel uncomfortable with these questions. If none of these experiences happened, go to Question 137.

Value	Label	Unweighted Frequency	%
1	Never	1159	76.4 %
2	Once	211	13.9 %

Value	Label	Unweighted Frequency	%
3	Twice	71	4.7 %
4	Three or more times	59	3.9 %
	<b>Missing Data</b>		
.	-	18	1.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,500 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 967-967 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q135D: Since the age of 18, how often have any of the following happened to you? Someone threatened you with violence.

The following statements are about your life experiences and things that may have happened to you. This is a sensitive topic and some people may feel uncomfortable with these questions. If none of these experiences happened, go to Question 137.

Value	Label	Unweighted Frequency	%
1	Never	743	48.9 %
2	Once	245	16.1 %
3	Twice	160	10.5 %
4	Three or more times	350	23.1 %
	<b>Missing Data</b>		
.	-	20	1.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,498 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 968-968 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q135E: Since the age of 18, how often have any of the following happened to you? Someone verbally insulted or abused you.

The following statements are about your life experiences and things that may have happened to you. This is a sensitive topic and some people may feel uncomfortable with these questions. If none of these experiences happened, go to Question 137.

Value	Label	Unweighted Frequency	%
1	Never	376	24.8 %
2	Once	157	10.3 %

Value	Label	Unweighted Frequency	%
3	Twice	161	10.6 %
4	Three or more times	806	53.1 %
	<b>Missing Data</b>		
.	-	18	1.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,500 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 969-969 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q135F: Since the age of 18, how often have any of the following happened to you? Someone threw an object at you.

The following statements are about your life experiences and things that may have happened to you. This is a sensitive topic and some people may feel uncomfortable with these questions. If none of these experiences happened, go to Question 137.

Value	Label	Unweighted Frequency	%
1	Never	925	60.9 %
2	Once	208	13.7 %
3	Twice	119	7.8 %
4	Three or more times	250	16.5 %
	<b>Missing Data</b>		
.	-	16	1.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,502 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 970-970 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q136\_1: If you said you had any of these experiences (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... age

Value	Label	Unweighted Frequency	%
1	Age	204	13.4 %
	<b>Missing Data</b>		
7	Planned missing	245	16.1 %
.	-	1069	70.4 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 204 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 971-971 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

### W1Q136\_2: If you said you had any of these experiences (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... sex (being male or female)

Value	Label	Unweighted Frequency	%
2	Sex (being female or male)	396	26.1 %
	<b>Missing Data</b>		
7	Planned missing	245	16.1 %
.	-	877	57.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 396 valid cases out of 1,518 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 972-972 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

### W1Q136\_3: If you said you had any of these experiences (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... being transgender

Value	Label	Unweighted Frequency	%
3	Being transgender	5	0.3 %
	<b>Missing Data</b>		
7	Planned missing	245	16.1 %
.	-	1268	83.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 5 valid cases out of 1,518 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 973-973 (width: 1; decimal: 0)

Variable Type: numeric  
(Range of) Missing Values: 7 , .

#### W1Q136\_4: If you said you had any of these experiences (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... gender expression or appearance

Value	Label	Unweighted Frequency	%
4	Gender expression or appearance	191	12.6 %
	<b>Missing Data</b>		
7	Planned missing	245	16.1 %
.	-	1082	71.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 191 valid cases out of 1,518 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 974-974 (width: 1; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: 7 , .

#### W1Q136\_5: If you said you had any of these experiences (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... race/ethnicity

Value	Label	Unweighted Frequency	%
5	Race/ethnicity	170	11.2 %
	<b>Missing Data</b>		
7	Planned missing	245	16.1 %
.	-	1103	72.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 170 valid cases out of 1,518 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 975-975 (width: 1; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: 7 , .

#### W1Q136\_6: If you said you had any of these experiences (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... income level or education

Value	Label	Unweighted Frequency	%
6	Income level or education	131	8.6 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
7	Planned missing	245	16.1 %
.	-	1142	75.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 131 valid cases out of 1,518 total cases.

- Minimum: 6.00
- Maximum: 6.00

*Location:* 976-976 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , .

### W1Q136\_7: If you said you had any of these experiences (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... sexual orientation

Value	Label	Unweighted Frequency	%
7	Sexual orientation	511	33.7 %
	<b>Missing Data</b>		
97	Planned missing	245	16.1 %
.	-	762	50.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 511 valid cases out of 1,518 total cases.

- Minimum: 7.00
- Maximum: 7.00

*Location:* 977-978 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , .

### W1Q136\_8: If you said you had any of these experiences (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... physical appearance (e.g., weight, height)

Value	Label	Unweighted Frequency	%
8	Physical appearance (e.g., weight, height)	337	22.2 %
	<b>Missing Data</b>		
97	Planned missing	245	16.1 %
.	-	936	61.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 337 valid cases out of 1,518 total cases.

- Minimum: 8.00
- Maximum: 8.00

Location: 979-980 (width: 2; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: 97 , .

### W1Q136\_9: If you said you had any of these experiences (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... religion/spirituality

Value	Label	Unweighted Frequency	%
9	Religion/spirituality	63	4.2 %
	<b>Missing Data</b>		
97	Planned missing	245	16.1 %
.	-	1210	79.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 63 valid cases out of 1,518 total cases.

- Minimum: 9.00
- Maximum: 9.00

Location: 981-982 (width: 2; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: 97 , .

### W1Q136\_10: If you said you had any of these experiences (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... disability

Value	Label	Unweighted Frequency	%
10	Disability	54	3.6 %
	<b>Missing Data</b>		
97	Planned missing	245	16.1 %
.	-	1219	80.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 54 valid cases out of 1,518 total cases.

- Minimum: 10.00
- Maximum: 10.00

Location: 983-984 (width: 2; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: 97 , .

### W1Q137: Since the age of 18, how often were you fired from your job or denied a job?

If none of these experiences in question 137 or 138 happened, go to Question 140.

Value	Label	Unweighted Frequency	%
1	Never	889	58.6 %
2	Once	311	20.5 %
3	Twice	149	9.8 %
4	Three or more times	152	10.0 %
	<b>Missing Data</b>		
.	-	17	1.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,501 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 985-985 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### W1Q138: Since the age of 18, how often were you denied a promotion or received a negative evaluation?

If none of these experiences in question 137 or 138 happened, go to Question 140.

Value	Label	Unweighted Frequency	%
1	Never	1026	67.6 %
2	Once	269	17.7 %
3	Twice	112	7.4 %
4	Three or more times	94	6.2 %
	<b>Missing Data</b>		
.	-	17	1.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,501 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 986-986 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### W1Q139\_1: If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your... age

Please mark all that apply.



Value	Label	Unweighted Frequency	%
1	Age	141	9.3 %
	<b>Missing Data</b>		
7	Planned missing	753	49.6 %
.	-	624	41.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 141 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 1.00

*Location:* 987-987 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , .

---

### W1Q139\_2: If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your... sex (being male or female)

Please mark all that apply.

Value	Label	Unweighted Frequency	%
2	Sex (being female or male)	135	8.9 %
	<b>Missing Data</b>		
7	Planned missing	753	49.6 %
.	-	630	41.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 135 valid cases out of 1,518 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 988-988 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , .

---

### W1Q139\_3: If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your... being transgender

Please mark all that apply.

Value	Label	Unweighted Frequency	%
3	Being transgender	2	0.1 %
	<b>Missing Data</b>		
7	Planned missing	753	49.6 %
.	-	763	50.3 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 2 valid cases out of 1,518 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 989-989 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

---

#### W1Q139\_4: If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your... gender expression or appearance

Please mark all that apply.

Value	Label	Unweighted Frequency	%
4	Gender expression or appearance	71	4.7 %
	<b>Missing Data</b>		
7	Planned missing	753	49.6 %
.	-	694	45.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 71 valid cases out of 1,518 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 990-990 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

---

#### W1Q139\_5: If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your... race/ethnicity

Please mark all that apply.

Value	Label	Unweighted Frequency	%
5	Race/ethnicity	69	4.5 %
	<b>Missing Data</b>		
7	Planned missing	753	49.6 %
.	-	696	45.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 69 valid cases out of 1,518 total cases.

- Minimum: 5.00

- Maximum: 5.00

Location: 991-991 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

### W1Q139\_6: If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your... income level or education

Please mark all that apply.

Value	Label	Unweighted Frequency	%
6	Income level or education	95	6.3 %
	<b>Missing Data</b>		
7	Planned missing	753	49.6 %
.	-	670	44.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 95 valid cases out of 1,518 total cases.

- Minimum: 6.00
- Maximum: 6.00

Location: 992-992 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

### W1Q139\_7: If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your... sexual orientation

Please mark all that apply.

Value	Label	Unweighted Frequency	%
7	Sexual orientation	173	11.4 %
	<b>Missing Data</b>		
97	Planned missing	753	49.6 %
.	-	592	39.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 173 valid cases out of 1,518 total cases.

- Minimum: 7.00
- Maximum: 7.00

Location: 993-994 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , .

---

**W1Q139\_8: If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your... physical appearance (e.g., weight, height)**

Please mark all that apply.

Value	Label	Unweighted Frequency	%
8	Physical appearance (e.g., weight, height)	94	6.2 %
	<b>Missing Data</b>		
97	Planned missing	753	49.6 %
.	-	671	44.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 94 valid cases out of 1,518 total cases.

- Minimum: 8.00
- Maximum: 8.00

*Location:* 995-996 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , .

---

**W1Q139\_9: If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your... religion/spirituality**

Please mark all that apply.

Value	Label	Unweighted Frequency	%
9	Religion/spirituality	24	1.6 %
	<b>Missing Data</b>		
97	Planned missing	753	49.6 %
.	-	741	48.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 24 valid cases out of 1,518 total cases.

- Minimum: 9.00
- Maximum: 9.00

*Location:* 997-998 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , .

---

**W1Q139\_10: If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your... disability**

Please mark all that apply.

Value	Label	Unweighted Frequency	%
10	Disability	67	4.4 %
	<b>Missing Data</b>		
97	Planned missing	753	49.6 %
.	-	698	46.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 67 valid cases out of 1,518 total cases.

- Minimum: 10.00
- Maximum: 10.00

*Location:* 999-1000 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , .

---

### W1Q140: Since the age of 18, how often were you prevented from moving into or buying a house or apartment by a landlord or realtor?

Value	Label	Unweighted Frequency	%
1	Never	1375	90.6 %
2	Once	67	4.4 %
3	Twice	33	2.2 %
4	Three or more times	25	1.6 %
	<b>Missing Data</b>		
.	-	18	1.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,500 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 1001-1001 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### W1Q141\_1: If you were prevented from moving into or buying a home or apartment by a landlord or realtor, would you say this happened because of your... age

Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Age	6	0.4 %
	<b>Missing Data</b>		
7	Planned missing	1393	91.8 %
.	-	119	7.8 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 6 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1002-1002 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

---

### W1Q141\_2: If you were prevented from moving into or buying a home or apartment by a landlord or realtor, would you say this happened because of your... sex (being male or female)

Please mark all that apply.

Value	Label	Unweighted Frequency	%
2	Sex (being female or male)	7	0.5 %
	<b>Missing Data</b>		
7	Planned missing	1393	91.8 %
.	-	118	7.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 7 valid cases out of 1,518 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 1003-1003 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

---

### W1Q141\_3: If you were prevented from moving into or buying a home or apartment by a landlord or realtor, would you say this happened because of your... being transgender

Please mark all that apply.

Value	Label	Unweighted Frequency	%
3	Being transgender	1	0.1 %
	<b>Missing Data</b>		
7	Planned missing	1393	91.8 %
.	-	124	8.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1 valid cases out of 1,518 total cases.

- Minimum: 3.00

- Maximum: 3.00

Location: 1004-1004 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

#### W1Q141\_4: If you were prevented from moving into or buying a home or apartment by a landlord or realtor, would you say this happened because of your... gender expression or appearance

Please mark all that apply.

Value	Label	Unweighted Frequency	%
4	Gender expression or appearance	4	0.3 %
	<b>Missing Data</b>		
7	Planned missing	1393	91.8 %
.	-	121	8.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 4 valid cases out of 1,518 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 1005-1005 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

#### W1Q141\_5: If you were prevented from moving into or buying a home or apartment by a landlord or realtor, would you say this happened because of your... race/ethnicity

Please mark all that apply.

Value	Label	Unweighted Frequency	%
5	Race/ethnicity	6	0.4 %
	<b>Missing Data</b>		
7	Planned missing	1393	91.8 %
.	-	119	7.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 6 valid cases out of 1,518 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 1006-1006 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

---

### W1Q141\_6: If you were prevented from moving into or buying a home or apartment by a landlord or realtor, would you say this happened because of your... income level or education

Please mark all that apply.

Value	Label	Unweighted Frequency	%
6	Income level or education	14	0.9 %
	<b>Missing Data</b>		
7	Planned missing	1393	91.8 %
.	-	111	7.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 14 valid cases out of 1,518 total cases.

- Minimum: 6.00
- Maximum: 6.00

Location: 1007-1007 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

---

### W1Q141\_7: If you were prevented from moving into or buying a home or apartment by a landlord or realtor, would you say this happened because of your... sexual orientation

Please mark all that apply.

Value	Label	Unweighted Frequency	%
7	Sexual orientation	10	0.7 %
	<b>Missing Data</b>		
97	Planned missing	1393	91.8 %
.	-	115	7.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 10 valid cases out of 1,518 total cases.

- Minimum: 7.00
- Maximum: 7.00

Location: 1008-1009 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , .

---

### W1Q141\_8: If you were prevented from moving into or buying a home or apartment by a landlord or realtor, would you say this happened because of your... physical appearance (e.g., weight, height

Please mark all that apply.



Value	Label	Unweighted Frequency	%
8	Physical appearance (e.g., weight, height)	3	0.2 %
	<b>Missing Data</b>		
97	Planned missing	1393	91.8 %
.	-	122	8.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 3 valid cases out of 1,518 total cases.

- Minimum: 8.00
- Maximum: 8.00

Location: 1010-1011 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , .

---

### W1Q141\_9: If you were prevented from moving into or buying a home or apartment by a landlord or realtor, would you say this happened because of your... religion/spirituality

Please mark all that apply.

Value	Label	Unweighted Frequency	%
9	Religion/spirituality	1	0.1 %
	<b>Missing Data</b>		
97	Planned missing	1393	91.8 %
.	-	124	8.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1 valid cases out of 1,518 total cases.

- Minimum: 9.00
- Maximum: 9.00

Location: 1012-1013 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , .

---

### W1Q141\_10: If you were prevented from moving into or buying a home or apartment by a landlord or realtor, would you say this happened because of your... disability

Please mark all that apply.

Value	Label	Unweighted Frequency	%
10	Disability	3	0.2 %
	<b>Missing Data</b>		
97	Planned missing	1393	91.8 %
.	-	122	8.0 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 3 valid cases out of 1,518 total cases.

- Minimum: 10.00
- Maximum: 10.00

*Location:* 1014-1015 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , .

---

## W1Q142A: During the last 12 months... did you move or have anyone new come to live with you?

If none of these experiences happened, go to Question 144.

Value	Label	Unweighted Frequency	%
1	Yes	573	37.7 %
2	No	928	61.1 %
	<b>Missing Data</b>		
.	-	17	1.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,501 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1016-1016 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 3 , 4 , .

---

## W1Q142B: During the last 12 months... were you fired or laid off from a job?

If none of these experiences happened, go to Question 144.

Value	Label	Unweighted Frequency	%
1	Yes	174	11.5 %
2	No	1326	87.4 %
	<b>Missing Data</b>		
.	-	18	1.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,500 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1017-1017 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 3 , 4 , .

---

### W1Q142C: During the last 12 months... were you unemployed and looking for a job for more than a month?

If none of these experiences happened, go to Question 144.

Value	Label	Unweighted Frequency	%
1	Yes	383	25.2 %
2	No	1120	73.8 %
	Missing Data		
.	-	15	1.0 %
	Total	1,518	100%

Based upon 1,503 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1018-1018 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 3 , 4 , .

---

### W1Q142D: During the last 12 months... have you had trouble with your boss or a coworker?

If none of these experiences happened, go to Question 144.

Value	Label	Unweighted Frequency	%
1	Yes	432	28.5 %
2	No	1062	70.0 %
	Missing Data		
.	-	24	1.6 %
	Total	1,518	100%

Based upon 1,494 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1019-1019 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 3 , 4 , .

---

### W1Q142E: During the last 12 months... did you change jobs, job responsibilities or work hours?

If none of these experiences happened, go to Question 144.

Value	Label	Unweighted Frequency	%
1	Yes	674	44.4 %
2	No	826	54.4 %
	<b>Missing Data</b>		
.	-	18	1.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,500 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1020-1020 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 3 , 4 , .

---

### W1Q142F: During the last 12 months... did you get separated or divorced or break off a steady relationship?

If none of these experiences happened, go to Question 144.

Value	Label	Unweighted Frequency	%
1	Yes	236	15.5 %
2	No	1264	83.3 %
	<b>Missing Data</b>		
.	-	18	1.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,500 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1021-1021 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 3 , 4 , .

---

### W1Q142G: During the last 12 months... have you had serious problems with a neighbor, friend, or relative?

If none of these experiences happened, go to Question 144.

Value	Label	Unweighted Frequency	%
1	Yes	378	24.9 %
2	No	1119	73.7 %
	<b>Missing Data</b>		
.	-	21	1.4 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,497 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1022-1022 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 3 , 4 , .

### W1Q142H: During the last 12 months... have you experienced a major financial crisis, declared bankruptcy or more than once been unable to pay your bills on time?

If none of these experiences happened, go to Question 144.

Value	Label	Unweighted Frequency	%
1	Yes	390	25.7 %
2	No	1109	73.1 %
	<b>Missing Data</b>		
.	-	19	1.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,499 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1023-1023 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 3 , 4 , .

### W1Q142I: During the last 12 months... did you have serious trouble with the police or the law?

If none of these experiences happened, go to Question 144.

Value	Label	Unweighted Frequency	%
1	Yes	53	3.5 %
2	No	1443	95.1 %
	<b>Missing Data</b>		
.	-	22	1.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,496 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1024-1024 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 3 , 4 , .

---

### W1Q142J: During the last 12 months... was something stolen from you, including things that you carry like a wallet, or something inside or outside your home?

If none of these experiences happened, go to Question 144.

Value	Label	Unweighted Frequency	%
1	Yes	235	15.5 %
2	No	1265	83.3 %
	Missing Data		
.	-	18	1.2 %
	Total	1,518	100%

Based upon 1,500 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1025-1025 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 3 , 4 , .

---

### W1Q142K: During the last 12 months... has anyone intentionally damaged or destroyed property owned by you or someone else in your house?

If none of these experiences happened, go to Question 144.

Value	Label	Unweighted Frequency	%
1	Yes	164	10.8 %
2	No	1337	88.1 %
	Missing Data		
.	-	17	1.1 %
	Total	1,518	100%

Based upon 1,501 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1026-1026 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 3 , 4 , .

---

### W1Q143\_1: Would you say these experiences listed in question 142 happened because of your... age

Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Age	197	13.0 %
	<b>Missing Data</b>		
7	Planned missing	292	19.2 %
.	-	1029	67.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 197 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 1.00

*Location:* 1027-1027 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , .

---

### W1Q143\_2: Would you say these experiences listed in question 142 happened because of your... sex (being male or female)

Please mark all that apply.

Value	Label	Unweighted Frequency	%
2	Sex (being female or male)	186	12.3 %
	<b>Missing Data</b>		
7	Planned missing	292	19.2 %
.	-	1040	68.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 186 valid cases out of 1,518 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 1028-1028 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , .

---

### W1Q143\_3: Would you say these experiences listed in question 142 happened because of your... being transgender

Please mark all that apply.

Value	Label	Unweighted Frequency	%
3	Being transgender	4	0.3 %
	<b>Missing Data</b>		
7	Planned missing	292	19.2 %

Value	Label	Unweighted Frequency	%
.	-	1222	80.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 4 valid cases out of 1,518 total cases.

- Minimum: 3.00
- Maximum: 3.00

*Location:* 1029-1029 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , .

---

### W1Q143\_4: Would you say these experiences listed in question 142 happened because of your... gender expression or appearance

Please mark all that apply.

Value	Label	Unweighted Frequency	%
4	Gender expression or appearance	67	4.4 %
	<b>Missing Data</b>		
7	Planned missing	292	19.2 %
.	-	1159	76.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 67 valid cases out of 1,518 total cases.

- Minimum: 4.00
- Maximum: 4.00

*Location:* 1030-1030 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , .

---

### W1Q143\_5: Would you say these experiences listed in question 142 happened because of your... race/ethnicity

Please mark all that apply.

Value	Label	Unweighted Frequency	%
5	Race/ethnicity	95	6.3 %
	<b>Missing Data</b>		
7	Planned missing	292	19.2 %
.	-	1131	74.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 95 valid cases out of 1,518 total cases.



- Minimum: 5.00
- Maximum: 5.00

Location: 1031-1031 (width: 1; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: 7 , .

### W1Q143\_6: Would you say these experiences listed in question 142 happened because of your... income level or education

Please mark all that apply.

Value	Label	Unweighted Frequency	%
6	Income level or education	210	13.8 %
	<b>Missing Data</b>		
7	Planned missing	292	19.2 %
.	-	1016	66.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 210 valid cases out of 1,518 total cases.

- Minimum: 6.00
- Maximum: 6.00

Location: 1032-1032 (width: 1; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: 7 , .

### W1Q143\_7: Would you say these experiences listed in question 142 happened because of your... sexual orientation

Please mark all that apply.

Value	Label	Unweighted Frequency	%
7	Sexual orientation	177	11.7 %
	<b>Missing Data</b>		
97	Planned missing	292	19.2 %
.	-	1049	69.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 177 valid cases out of 1,518 total cases.

- Minimum: 7.00
- Maximum: 7.00

Location: 1033-1034 (width: 2; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: 97 , .

---

### W1Q143\_8: Would you say these experiences listed in question 142 happened because of your... physical appearance (e.g., weight, height)

Please mark all that apply.

Value	Label	Unweighted Frequency	%
8	Physical appearance (e.g., weight, height)	124	8.2 %
	<b>Missing Data</b>		
97	Planned missing	292	19.2 %
.	-	1102	72.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 124 valid cases out of 1,518 total cases.

- Minimum: 8.00
- Maximum: 8.00

*Location:* 1035-1036 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , .

---

### W1Q143\_9: Would you say these experiences listed in question 142 happened because of your... religion/spirituality

Please mark all that apply.

Value	Label	Unweighted Frequency	%
9	Religion/spirituality	37	2.4 %
	<b>Missing Data</b>		
97	Planned missing	292	19.2 %
.	-	1189	78.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 37 valid cases out of 1,518 total cases.

- Minimum: 9.00
- Maximum: 9.00

*Location:* 1037-1038 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , .

---

### W1Q143\_10: Would you say these experiences listed in question 142 happened because of your... disability

Please mark all that apply.

Value	Label	Unweighted Frequency	%
10	Disability	85	5.6 %
	<b>Missing Data</b>		
97	Planned missing	292	19.2 %
.	-	1141	75.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 85 valid cases out of 1,518 total cases.

- Minimum: 10.00
- Maximum: 10.00

*Location:* 1039-1040 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , .

---

### W1Q144A: In your day-to-day life over the past year, how often did any of the following things happen to you? You were treated with less courtesy than other people.

If none of these experiences happened, go to Question 146.

Value	Label	Unweighted Frequency	%
1	Often	81	5.3 %
2	Sometimes	471	31.0 %
3	Rarely	552	36.4 %
4	Never	400	26.4 %
	<b>Missing Data</b>		
.	-	14	0.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,504 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 1041-1041 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### W1Q144B: In your day-to-day life over the past year, how often did any of the following things happen to you? You were treated with less respect than other people.

If none of these experiences happened, go to Question 146.

Value	Label	Unweighted Frequency	%
1	Often	102	6.7 %
2	Sometimes	440	29.0 %
3	Rarely	556	36.6 %

Value	Label	Unweighted Frequency	%
4	Never	406	26.7 %
	<b>Missing Data</b>		
.	-	14	0.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,504 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 1042-1042 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W1Q144C: In your day-to-day life over the past year, how often did any of the following things happen to you? You received poorer service than other people at restaurants or stores.**

If none of these experiences happened, go to Question 146.

Value	Label	Unweighted Frequency	%
1	Often	44	2.9 %
2	Sometimes	260	17.1 %
3	Rarely	459	30.2 %
4	Never	738	48.6 %
	<b>Missing Data</b>		
.	-	17	1.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,501 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 1043-1043 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W1Q144D: In your day-to-day life over the past year, how often did any of the following things happen to you? People acted as if they thought you were not smart.**

If none of these experiences happened, go to Question 146.

Value	Label	Unweighted Frequency	%
1	Often	139	9.2 %
2	Sometimes	344	22.7 %
3	Rarely	377	24.8 %
4	Never	637	42.0 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	21	1.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,497 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 1044-1044 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### W1Q144E: In your day-to-day life over the past year, how often did any of the following things happen to you? People acted as if they were afraid of you.

If none of these experiences happened, go to Question 146.

Value	Label	Unweighted Frequency	%
1	Often	63	4.2 %
2	Sometimes	245	16.1 %
3	Rarely	329	21.7 %
4	Never	865	57.0 %
	<b>Missing Data</b>		
.	-	16	1.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,502 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 1045-1045 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### W1Q144F: In your day-to-day life over the past year, how often did any of the following things happen to you? People acted as if they thought you were dishonest.

If none of these experiences happened, go to Question 146.

Value	Label	Unweighted Frequency	%
1	Often	58	3.8 %
2	Sometimes	219	14.4 %
3	Rarely	346	22.8 %
4	Never	875	57.6 %
	<b>Missing Data</b>		

Value	Label	Unweighted Frequency	%
.	-	20	1.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,498 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 1046-1046 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### W1Q144G: In your day-to-day life over the past year, how often did any of the following things happen to you? People acted as if they were better than you.

If none of these experiences happened, go to Question 146.

Value	Label	Unweighted Frequency	%
1	Often	234	15.4 %
2	Sometimes	521	34.3 %
3	Rarely	392	25.8 %
4	Never	354	23.3 %
	<b>Missing Data</b>		
.	-	17	1.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,501 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 1047-1047 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### W1Q144H: In your day-to-day life over the past year, how often did any of the following things happen to you? You were called names or insulted.

If none of these experiences happened, go to Question 146.

Value	Label	Unweighted Frequency	%
1	Often	89	5.9 %
2	Sometimes	274	18.1 %
3	Rarely	378	24.9 %
4	Never	759	50.0 %
	<b>Missing Data</b>		
.	-	18	1.2 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,500 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1048-1048 (width: 1; decimal: 0)

Variable Type: numeric

### W1Q144I: In your day-to-day life over the past year, how often did any of the following things happen to you? You were threatened or harassed.

If none of these experiences happened, go to Question 146.

Value	Label	Unweighted Frequency	%
1	Often	53	3.5 %
2	Sometimes	190	12.5 %
3	Rarely	319	21.0 %
4	Never	942	62.1 %
	<b>Missing Data</b>		
.	-	14	0.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,504 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1049-1049 (width: 1; decimal: 0)

Variable Type: numeric

### W1Q145\_1: Would you say these experiences happened because of your... age

Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Age	396	26.1 %
	<b>Missing Data</b>		
7	Planned missing	202	13.3 %
.	-	920	60.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 396 valid cases out of 1,518 total cases.

- Minimum: 1.00

- Maximum: 1.00

Location: 1050-1050 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

### W1Q145\_2: Would you say these experiences happened because of your... sex (being female or male)

Please mark all that apply.

Value	Label	Unweighted Frequency	%
2	Sex (being female or male)	464	30.6 %
	<b>Missing Data</b>		
7	Planned missing	202	13.3 %
.	-	852	56.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 464 valid cases out of 1,518 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 1051-1051 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

### W1Q145\_3: Would you say these experiences happened because of your... being transgender

Please mark all that apply.

Value	Label	Unweighted Frequency	%
3	Being transgender	8	0.5 %
	<b>Missing Data</b>		
7	Planned missing	202	13.3 %
.	-	1308	86.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 8 valid cases out of 1,518 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 1052-1052 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

### W1Q145\_4: Would you say these experiences happened because of your... gender appearance or expression



Please mark all that apply.

Value	Label	Unweighted Frequency	%
4	Gender expression or appearance	209	13.8 %
	<b>Missing Data</b>		
7	Planned missing	202	13.3 %
.	-	1107	72.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 209 valid cases out of 1,518 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 1053-1053 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

---

## W1Q145\_5: Would you say these experiences happened because of your... ethnicity/race

Please mark all that apply.

Value	Label	Unweighted Frequency	%
5	Race/ethnicity	293	19.3 %
	<b>Missing Data</b>		
7	Planned missing	202	13.3 %
.	-	1023	67.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 293 valid cases out of 1,518 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 1054-1054 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

---

## W1Q145\_6: Would you say these experiences happened because of your... education or income level

Please mark all that apply.

Value	Label	Unweighted Frequency	%
6	Income level or education	245	16.1 %
	<b>Missing Data</b>		
7	Planned missing	202	13.3 %

Value	Label	Unweighted Frequency	%
.	-	1071	70.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 245 valid cases out of 1,518 total cases.

- Minimum: 6.00
- Maximum: 6.00

*Location:* 1055-1055 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , .

---

## W1Q145\_7: Would you say these experiences happened because of your... sexual orientation

Please mark all that apply.

Value	Label	Unweighted Frequency	%
7	Sexual orientation	422	27.8 %
	<b>Missing Data</b>		
97	Planned missing	202	13.3 %
.	-	894	58.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 422 valid cases out of 1,518 total cases.

- Minimum: 7.00
- Maximum: 7.00

*Location:* 1056-1057 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , .

---

## W1Q145\_8: Would you say these experiences happened because of your... physical appearance (e.g., height, weight)

Please mark all that apply.

Value	Label	Unweighted Frequency	%
8	Physical appearance (e.g., weight, height)	383	25.2 %
	<b>Missing Data</b>		
97	Planned missing	202	13.3 %
.	-	933	61.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 383 valid cases out of 1,518 total cases.

- Minimum: 8.00
- Maximum: 8.00

Location: 1058-1059 (width: 2; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: 97 , .

---

### W1Q145\_9: Would you say these experiences happened because of your... spirituality/religion

Please mark all that apply.

Value	Label	Unweighted Frequency	%
9	Religion/spirituality	77	5.1 %
	<b>Missing Data</b>		
97	Planned missing	202	13.3 %
.	-	1239	81.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 77 valid cases out of 1,518 total cases.

- Minimum: 9.00
- Maximum: 9.00

Location: 1060-1061 (width: 2; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: 97 , .

---

### W1Q145\_10: Would you say these experiences happened because of your... disability

Please mark all that apply.

Value	Label	Unweighted Frequency	%
10	Disability	100	6.6 %
	<b>Missing Data</b>		
97	Planned missing	202	13.3 %
.	-	1216	80.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 100 valid cases out of 1,518 total cases.

- Minimum: 10.00
- Maximum: 10.00

Location: 1062-1063 (width: 2; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: 97 , .

---

### W1Q146A: Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: you're trying to take on too many things at once.

Value	Label	Unweighted Frequency	%
0	Not true	414	27.3 %
1	Somewhat true	718	47.3 %
2	Very true	370	24.4 %
	<b>Missing Data</b>		
.	-	16	1.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,502 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 1064-1064 (width: 1; decimal: 0)

Variable Type: numeric

---

**W1Q146B: Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: you don't have enough money to make ends meet.**

Value	Label	Unweighted Frequency	%
0	Not true	719	47.4 %
1	Somewhat true	444	29.2 %
2	Very true	340	22.4 %
	<b>Missing Data</b>		
.	-	15	1.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,503 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 1065-1065 (width: 1; decimal: 0)

Variable Type: numeric

---

**W1Q146C: Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: your job often leaves you feeling both mentally and physically tired.**

Value	Label	Unweighted Frequency	%
0	Not true	556	36.6 %
1	Somewhat true	501	33.0 %
2	Very true	442	29.1 %
	<b>Missing Data</b>		
.	-	19	1.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,499 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 2.00

*Location:* 1066-1066 (width: 1; decimal: 0)

*Variable Type:* numeric

---

**W1Q146D: Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: you are looking for a job and can't find the one you want.**

Value	Label	Unweighted Frequency	%
0	Not true	954	62.8 %
1	Somewhat true	264	17.4 %
2	Very true	276	18.2 %
	<b>Missing Data</b>		
.	-	24	1.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,494 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 2.00

*Location:* 1067-1067 (width: 1; decimal: 0)

*Variable Type:* numeric

---

**W1Q146E: Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: you have a lot of conflict with your partner/boyfriend/girlfriend.**

Value	Label	Unweighted Frequency	%
0	Not true	1187	78.2 %
1	Somewhat true	220	14.5 %
2	Very true	94	6.2 %
	<b>Missing Data</b>		
.	-	17	1.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,501 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 2.00

*Location:* 1068-1068 (width: 1; decimal: 0)

*Variable Type:* numeric

---

**W1Q146F: Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: your parents do not approve of your partner/boyfriend/girlfriend.**

Value	Label	Unweighted Frequency	%
0	Not true	1265	83.3 %
1	Somewhat true	137	9.0 %
2	Very true	98	6.5 %
	<b>Missing Data</b>		
.	-	18	1.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,500 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 1069-1069 (width: 1; decimal: 0)

Variable Type: numeric

---

**W1Q146G: Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: you are alone too much.**

Value	Label	Unweighted Frequency	%
0	Not true	769	50.7 %
1	Somewhat true	428	28.2 %
2	Very true	303	20.0 %
	<b>Missing Data</b>		
.	-	18	1.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,500 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 1070-1070 (width: 1; decimal: 0)

Variable Type: numeric

---

**W1Q146H: Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: you wonder whether you will ever find a partner or spouse.**

Value	Label	Unweighted Frequency	%
0	Not true	861	56.7 %
1	Somewhat true	269	17.7 %
2	Very true	373	24.6 %
	<b>Missing Data</b>		
.	-	15	1.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,503 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 2.00

*Location:* 1071-1071 (width: 1; decimal: 0)

*Variable Type:* numeric

---

**W1Q146I: Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: your relationship with your parents is strained or conflicted.**

Value	Label	Unweighted Frequency	%
0	Not true	892	58.8 %
1	Somewhat true	384	25.3 %
2	Very true	226	14.9 %
	<b>Missing Data</b>		
.	-	16	1.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,502 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 2.00

*Location:* 1072-1072 (width: 1; decimal: 0)

*Variable Type:* numeric

---

**W1Q146J: Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: you have a parent, child, or a spouse or partner who is in very bad mental, emotional or physical health.**

Value	Label	Unweighted Frequency	%
0	Not true	962	63.4 %
1	Somewhat true	294	19.4 %
2	Very true	246	16.2 %
	<b>Missing Data</b>		
.	-	16	1.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,502 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 2.00

*Location:* 1073-1073 (width: 1; decimal: 0)

*Variable Type:* numeric

---

**W1Q146K: Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: you wish you could have children but you cannot.**

Value	Label	Unweighted Frequency	%
0	Not true	1230	81.0 %
1	Somewhat true	167	11.0 %
2	Very true	105	6.9 %
	<b>Missing Data</b>		
.	-	16	1.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,502 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 1074-1074 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q146L: Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: a child's behavior or mood is a source of serious concern to you.

Value	Label	Unweighted Frequency	%
0	Not true	987	65.0 %
1	Somewhat true	304	20.0 %
2	Very true	210	13.8 %
	<b>Missing Data</b>		
.	-	17	1.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,501 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 1075-1075 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q147: As a child, my favorite toys and games were...

The following questions are about your childhood experiences.

Value	Label	Unweighted Frequency	%
1	Always "masculine"	140	9.2 %
2	Usually "masculine"	436	28.7 %
3	Equally "masculine" and "feminine"	602	39.7 %
4	Usually "feminine"	190	12.5 %
5	Always "feminine"	51	3.4 %
6	Neither "masculine" or "feminine"	0	0.0 %



Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	99	6.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,419 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 1076-1076 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## W1Q148: As a child, the characters on TV or in the movies that I imitated or admired were...

The following questions are about your childhood experiences.

Value	Label	Unweighted Frequency	%
1	Always boys or men	155	10.2 %
2	Usually boys or men	349	23.0 %
3	Girls/women and boys/men equally	522	34.4 %
4	Usually girls or women	281	18.5 %
5	Always girls or women	62	4.1 %
6	I did not imitate or admire characters on TV or in the movies	0	0.0 %
	<b>Missing Data</b>		
.	-	149	9.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,369 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 1077-1077 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## W1Q149: In fantasy or pretend play, I took the role...

The following questions are about your childhood experiences.

Value	Label	Unweighted Frequency	%
1	Only of boys or men	223	14.7 %
2	Usually of boys or men	382	25.2 %
3	Boys/men and girls/women equally	403	26.5 %
4	Usually of girls or women	307	20.2 %
5	Only of girls or women	76	5.0 %

Value	Label	Unweighted Frequency	%
6	I did not do this type of pretend play	0	0.0 %
	<b>Missing Data</b>		
.	-	127	8.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,391 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 1078-1078 (width: 1; decimal: 0)

*Variable Type:* numeric

## W1Q150: As a child, I felt...

The following questions are about your childhood experiences.

Value	Label	Unweighted Frequency	%
1	Very masculine	111	7.3 %
2	Somewhat masculine	464	30.6 %
3	Masculine and feminine equally	359	23.6 %
4	Somewhat feminine	258	17.0 %
5	Very feminine	126	8.3 %
6	I did not feel masculine or feminine	0	0.0 %
	<b>Missing Data</b>		
.	-	200	13.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,318 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 1079-1079 (width: 1; decimal: 0)

*Variable Type:* numeric

## W1Q151: Now, looking back before you were 18 years of age... did you live with anyone who was depressed, mentally ill, or suicidal?

Below are some questions about events that happened during your childhood. This is a sensitive topic and some people may feel uncomfortable with these questions. Remember, on the cover letter of this survey, you will find a list of organizations that can provide information and referral for these issues. Also, please keep in mind that you can skip any question you do not want to answer. All questions refer to the time period before you were 18 years of age.

Value	Label	Unweighted Frequency	%
1	Yes	672	44.3 %

Value	Label	Unweighted Frequency	%
2	No	826	54.4 %
	<b>Missing Data</b>		
.	-	20	1.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,498 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1080-1080 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 3 , 4 , .

---

### W1Q152: Now, looking back before you were 18 years of age... did you live with anyone who was a problem drinker or alcoholic?

Below are some questions about events that happened during your childhood. This is a sensitive topic and some people may feel uncomfortable with these questions. Remember, on the cover letter of this survey, you will find a list of organizations that can provide information and referral for these issues. Also, please keep in mind that you can skip any question you do not want to answer. All questions refer to the time period before you were 18 years of age.

Value	Label	Unweighted Frequency	%
1	Yes	575	37.9 %
2	No	924	60.9 %
	<b>Missing Data</b>		
.	-	19	1.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,499 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1081-1081 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 3 , 4 , .

---

### W1Q153: Now, looking back before you were 18 years of age... did you live with anyone who used illegal street drugs or who abused prescription medications?

Below are some questions about events that happened during your childhood. This is a sensitive topic and some people may feel uncomfortable with these questions. Remember, on the cover letter of this survey, you will find a list of organizations that can provide information and referral for these issues. Also, please keep in mind that you can skip any question you do not want to answer. All questions refer to the time period before you were 18 years of age.

Value	Label	Unweighted Frequency	%
1	Yes	351	23.1 %

Value	Label	Unweighted Frequency	%
2	No	1146	75.5 %
	<b>Missing Data</b>		
.	-	21	1.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,497 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1082-1082 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 3 , 4 , .

---

### W1Q154: Now, looking back before you were 18 years of age... did you live with anyone who served time or was sentenced to serve time in a prison, jail, or other correctional facility?

Below are some questions about events that happened during your childhood. This is a sensitive topic and some people may feel uncomfortable with these questions. Remember, on the cover letter of this survey, you will find a list of organizations that can provide information and referral for these issues. Also, please keep in mind that you can skip any question you do not want to answer. All questions refer to the time period before you were 18 years of age.

Value	Label	Unweighted Frequency	%
1	Yes	209	13.8 %
2	No	1287	84.8 %
	<b>Missing Data</b>		
.	-	22	1.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,496 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1083-1083 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 3 , 4 , .

---

### W1Q155: (Before 18 years of age) Were your parents separated or divorced?

Below are some questions about events that happened during your childhood. This is a sensitive topic and some people may feel uncomfortable with these questions. Remember, on the cover letter of this survey, you will find a list of organizations that can provide information and referral for these issues. Also, please keep in mind that you can skip any question you do not want to answer. All questions refer to the time period before you were 18 years of age.

Value	Label	Unweighted Frequency	%
1	Yes	514	33.9 %
2	No	858	56.5 %

Value	Label	Unweighted Frequency	%
4	Parents were never married	130	8.6 %
	<b>Missing Data</b>		
.	-	16	1.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,502 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 1084-1084 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 3 , 5 , .

---

### W1Q156: (Before 18 years of age) How often did your parents or adults in your home ever slap, hit, kick, punch or beat each other up?

Below are some questions about events that happened during your childhood. This is a sensitive topic and some people may feel uncomfortable with these questions. Remember, on the cover letter of this survey, you will find a list of organizations that can provide information and referral for these issues. Also, please keep in mind that you can skip any question you do not want to answer. All questions refer to the time period before you were 18 years of age.

Value	Label	Unweighted Frequency	%
1	Never	950	62.6 %
2	Once	109	7.2 %
3	More than once	320	21.1 %
	<b>Missing Data</b>		
8	Don't know/not sure	111	7.3 %
.	-	28	1.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,379 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 1085-1085 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 8 , .

---

### W1Q157: Before age 18, how often did a parent or adult in your home ever hit, beat, kick, or physically hurt you in any way? Do not include spanking.

Below are some questions about events that happened during your childhood. This is a sensitive topic and some people may feel uncomfortable with these questions. Remember, on the cover letter of this survey, you will find a list of organizations that can provide information and referral for these issues. Also, please keep in mind that you can skip any question you do not want to answer. All questions refer to the time period before you were 18 years of age.

Value	Label	Unweighted Frequency	%
1	Never	893	58.8 %
2	Once	141	9.3 %
3	More than once	423	27.9 %
	<b>Missing Data</b>		
8	Don't know/not sure	33	2.2 %
.	-	28	1.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,457 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 1086-1086 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 8 , .

---

### W1Q158: (Before 18 years of age) How often did a parent or adult in your home ever swear at you, insult you, or put you down?

Below are some questions about events that happened during your childhood. This is a sensitive topic and some people may feel uncomfortable with these questions. Remember, on the cover letter of this survey, you will find a list of organizations that can provide information and referral for these issues. Also, please keep in mind that you can skip any question you do not want to answer. All questions refer to the time period before you were 18 years of age.

Value	Label	Unweighted Frequency	%
1	Never	467	30.8 %
2	Once	87	5.7 %
3	More than once	873	57.5 %
	<b>Missing Data</b>		
8	Don't know/not sure	66	4.3 %
.	-	25	1.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,427 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 1087-1087 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 8 , .

---

### W1Q159: (Before 18 years of age) How often did anyone at least 5 years older than you, or an adult ever touch you sexually?

Below are some questions about events that happened during your childhood. This is a sensitive topic and some people may feel uncomfortable with these questions. Remember, on the cover letter of this survey, you will find a list of organizations that can provide information and referral for these issues. Also, please keep in mind that you can skip any question you do not want to answer. All questions refer to the time period before you were 18 years of age.

Value	Label	Unweighted Frequency	%
1	Never	943	62.1 %
2	Once	150	9.9 %
3	More than once	349	23.0 %
	<b>Missing Data</b>		
8	Don't know/not sure	40	2.6 %
.	-	36	2.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,442 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 1088-1088 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 8 , .

---

### **W1Q160: (Before 18 years of age) How often did anyone at least 5 years older than you, or an adult, try to make you touch them sexually?**

Below are some questions about events that happened during your childhood. This is a sensitive topic and some people may feel uncomfortable with these questions. Remember, on the cover letter of this survey, you will find a list of organizations that can provide information and referral for these issues. Also, please keep in mind that you can skip any question you do not want to answer. All questions refer to the time period before you were 18 years of age.

Value	Label	Unweighted Frequency	%
1	Never	1018	67.1 %
2	Once	145	9.6 %
3	More than once	274	18.1 %
	<b>Missing Data</b>		
8	Don't know/not sure	49	3.2 %
.	-	32	2.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,437 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 1089-1089 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 8 , .

---

### W1Q161: (Before 18 years of age) How often did anyone at least 5 years older than you, or an adult, force you to have sex?

Below are some questions about events that happened during your childhood. This is a sensitive topic and some people may feel uncomfortable with these questions. Remember, on the cover letter of this survey, you will find a list of organizations that can provide information and referral for these issues. Also, please keep in mind that you can skip any question you do not want to answer. All questions refer to the time period before you were 18 years of age.

Value	Label	Unweighted Frequency	%
1	Never	1203	79.2 %
2	Once	79	5.2 %
3	More than once	159	10.5 %
	<b>Missing Data</b>		
8	Don't know/not sure	38	2.5 %
.	-	39	2.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,441 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 1090-1090 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 8 , .

---

### W1Q162: How often, if ever, were you bullied before you were 18 years old?

Value	Label	Unweighted Frequency	%
1	Often	490	32.3 %
2	Sometimes	521	34.3 %
3	Rarely	268	17.7 %
4	Never	220	14.5 %
	<b>Missing Data</b>		
.	-	19	1.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,499 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 1091-1091 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### W1Q163\_1: When you were bullied before you were 18 years old, would you say it was because of your... age



Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Age	234	15.4 %
	<b>Missing Data</b>		
7	Planned missing	239	15.7 %
.	-	1045	68.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 234 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 1.00

*Location:* 1092-1092 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , .

---

### W1Q163\_2: When you were bullied before you were 18 years old, would you say it was because of your... sex (being male or female)

Please mark all that apply.

Value	Label	Unweighted Frequency	%
2	Sex (being female or male)	301	19.8 %
	<b>Missing Data</b>		
7	Planned missing	239	15.7 %
.	-	978	64.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 301 valid cases out of 1,518 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 1093-1093 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , .

---

### W1Q163\_3: When you were bullied before you were 18 years old, would you say it was because of your... being transgender

Please mark all that apply.

Value	Label	Unweighted Frequency	%
3	Being transgender	3	0.2 %
	<b>Missing Data</b>		
7	Planned missing	239	15.7 %

Value	Label	Unweighted Frequency	%
.	-	1276	84.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 3 valid cases out of 1,518 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 1094-1094 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

---

### W1Q163\_4: When you were bullied before you were 18 years old, would you say it was because of your... gender expression or appearance

Please mark all that apply.

Value	Label	Unweighted Frequency	%
4	Gender expression or appearance	308	20.3 %
	<b>Missing Data</b>		
7	Planned missing	239	15.7 %
.	-	971	64.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 308 valid cases out of 1,518 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 1095-1095 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

---

### W1Q163\_5: When you were bullied before you were 18 years old, would you say it was because of your... race/ethnicity

Please mark all that apply.

Value	Label	Unweighted Frequency	%
5	Race/ethnicity	179	11.8 %
	<b>Missing Data</b>		
7	Planned missing	239	15.7 %
.	-	1100	72.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 179 valid cases out of 1,518 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 1096-1096 (width: 1; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: 7 , .

### W1Q163\_6: When you were bullied before you were 18 years old, would you say it was because of your... income level or education

Please mark all that apply.

Value	Label	Unweighted Frequency	%
6	Income level or education	197	13.0 %
	<b>Missing Data</b>		
7	Planned missing	239	15.7 %
.	-	1082	71.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 197 valid cases out of 1,518 total cases.

- Minimum: 6.00
- Maximum: 6.00

Location: 1097-1097 (width: 1; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: 7 , .

### W1Q163\_7: When you were bullied before you were 18 years old, would you say it was because of your... sexual orientation

Please mark all that apply.

Value	Label	Unweighted Frequency	%
7	Sexual orientation	396	26.1 %
	<b>Missing Data</b>		
97	Planned missing	239	15.7 %
.	-	883	58.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 396 valid cases out of 1,518 total cases.

- Minimum: 7.00
- Maximum: 7.00

Location: 1098-1099 (width: 2; decimal: 0)  
Variable Type: numeric  
(Range of) Missing Values: 97 , .

---

### W1Q163\_8: When you were bullied before you were 18 years old, would you say it was because of your... physical appearance (e.g., weight, height)

Please mark all that apply.

Value	Label	Unweighted Frequency	%
8	Physical appearance (e.g., weight, height)	757	49.9 %
	<b>Missing Data</b>		
97	Planned missing	239	15.7 %
.	-	522	34.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 757 valid cases out of 1,518 total cases.

- Minimum: 8.00
- Maximum: 8.00

Location: 1100-1101 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , .

---

### W1Q163\_9: When you were bullied before you were 18 years old, would you say it was because of your... religion/spirituality

Please mark all that apply.

Value	Label	Unweighted Frequency	%
9	Religion/spirituality	75	4.9 %
	<b>Missing Data</b>		
97	Planned missing	239	15.7 %
.	-	1204	79.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 75 valid cases out of 1,518 total cases.

- Minimum: 9.00
- Maximum: 9.00

Location: 1102-1103 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , .

---

### W1Q163\_10: When you were bullied before you were 18 years old, would you say it was because of your... disability

Please mark all that apply.

Value	Label	Unweighted Frequency	%
10	Disability	69	4.5 %
	<b>Missing Data</b>		
97	Planned missing	239	15.7 %
.	-	1210	79.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 69 valid cases out of 1,518 total cases.

- Minimum: 10.00
- Maximum: 10.00

*Location:* 1104-1105 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97 , .

---

### W1Q164A: There is a special person who is around when I am in need.

Please rate your level of agreement with the following items.

Value	Label	Unweighted Frequency	%
1	Very strongly disagree	92	6.1 %
2	Strongly disagree	81	5.3 %
3	Mildly disagree	71	4.7 %
4	Neutral	117	7.7 %
5	Mildly agree	225	14.8 %
6	Strongly agree	357	23.5 %
7	Very strongly agree	556	36.6 %
	<b>Missing Data</b>		
.	-	19	1.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,499 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 1106-1106 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### W1Q164B: There is a special person with whom I can share my joys and sorrows.

Please rate your level of agreement with the following items.

Value	Label	Unweighted Frequency	%
1	Very strongly disagree	91	6.0 %

Value	Label	Unweighted Frequency	%
2	Strongly disagree	68	4.5 %
3	Mildly disagree	59	3.9 %
4	Neutral	96	6.3 %
5	Mildly agree	210	13.8 %
6	Strongly agree	362	23.8 %
7	Very strongly agree	609	40.1 %
	<b>Missing Data</b>		
.	-	23	1.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,495 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 1107-1107 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### W1Q164C: My family really tries to help me.

Please rate your level of agreement with the following items.

Value	Label	Unweighted Frequency	%
1	Very strongly disagree	104	6.9 %
2	Strongly disagree	78	5.1 %
3	Mildly disagree	103	6.8 %
4	Neutral	173	11.4 %
5	Mildly agree	281	18.5 %
6	Strongly agree	408	26.9 %
7	Very strongly agree	349	23.0 %
	<b>Missing Data</b>		
.	-	22	1.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,496 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 1108-1108 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### W1Q164D: I get the emotional help and support I need from my family.

Please rate your level of agreement with the following items.

Value	Label	Unweighted Frequency	%
1	Very strongly disagree	151	9.9 %
2	Strongly disagree	151	9.9 %
3	Mildly disagree	153	10.1 %
4	Neutral	179	11.8 %
5	Mildly agree	319	21.0 %
6	Strongly agree	288	19.0 %
7	Very strongly agree	258	17.0 %
	<b>Missing Data</b>		
.	-	19	1.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,499 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 1109-1109 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q164E: I have a special person who is a real source of comfort to me.

Please rate your level of agreement with the following items.

Value	Label	Unweighted Frequency	%
1	Very strongly disagree	89	5.9 %
2	Strongly disagree	64	4.2 %
3	Mildly disagree	72	4.7 %
4	Neutral	122	8.0 %
5	Mildly agree	203	13.4 %
6	Strongly agree	354	23.3 %
7	Very strongly agree	593	39.1 %
	<b>Missing Data</b>		
.	-	21	1.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,497 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 1110-1110 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q164F: My friends really try to help me.

Please rate your level of agreement with the following items.

Value	Label	Unweighted Frequency	%
1	Very strongly disagree	47	3.1 %
2	Strongly disagree	58	3.8 %
3	Mildly disagree	63	4.2 %
4	Neutral	157	10.3 %
5	Mildly agree	318	20.9 %
6	Strongly agree	486	32.0 %
7	Very strongly agree	369	24.3 %
	<b>Missing Data</b>		
.	-	20	1.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,498 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 1111-1111 (width: 1; decimal: 0)

Variable Type: numeric

---

## W1Q164G: I can count on my friends when things go wrong.

Please rate your level of agreement with the following items.

Value	Label	Unweighted Frequency	%
1	Very strongly disagree	67	4.4 %
2	Strongly disagree	77	5.1 %
3	Mildly disagree	82	5.4 %
4	Neutral	158	10.4 %
5	Mildly agree	287	18.9 %
6	Strongly agree	446	29.4 %
7	Very strongly agree	378	24.9 %
	<b>Missing Data</b>		
.	-	23	1.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,495 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 1112-1112 (width: 1; decimal: 0)

Variable Type: numeric



---

## W1Q164H: I can talk about my problems with my family.

Please rate your level of agreement with the following items.

Value	Label	Unweighted Frequency	%
1	Very strongly disagree	165	10.9 %
2	Strongly disagree	163	10.7 %
3	Mildly disagree	185	12.2 %
4	Neutral	165	10.9 %
5	Mildly agree	325	21.4 %
6	Strongly agree	278	18.3 %
7	Very strongly agree	219	14.4 %
	<b>Missing Data</b>		
.	-	18	1.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,500 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 1113-1113 (width: 1; decimal: 0)

Variable Type: numeric

---

## W1Q164I: I have friends with whom I can share my joys and sorrows.

Please rate your level of agreement with the following items.

Value	Label	Unweighted Frequency	%
1	Very strongly disagree	59	3.9 %
2	Strongly disagree	50	3.3 %
3	Mildly disagree	56	3.7 %
4	Neutral	99	6.5 %
5	Mildly agree	316	20.8 %
6	Strongly agree	456	30.0 %
7	Very strongly agree	461	30.4 %
	<b>Missing Data</b>		
.	-	21	1.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,497 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 1114-1114 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q164J: There is a special person in my life who cares about my feelings.

Please rate your level of agreement with the following items.

Value	Label	Unweighted Frequency	%
1	Very strongly disagree	97	6.4 %
2	Strongly disagree	59	3.9 %
3	Mildly disagree	58	3.8 %
4	Neutral	119	7.8 %
5	Mildly agree	193	12.7 %
6	Strongly agree	328	21.6 %
7	Very strongly agree	643	42.4 %
	<b>Missing Data</b>		
.	-	21	1.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,497 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 1115-1115 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q164K: My family is willing to help me make decisions.

Please rate your level of agreement with the following items.

Value	Label	Unweighted Frequency	%
1	Very strongly disagree	115	7.6 %
2	Strongly disagree	98	6.5 %
3	Mildly disagree	93	6.1 %
4	Neutral	212	14.0 %
5	Mildly agree	323	21.3 %
6	Strongly agree	349	23.0 %
7	Very strongly agree	306	20.2 %
	<b>Missing Data</b>		
.	-	22	1.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,496 valid cases out of 1,518 total cases.

- Minimum: 1.00

- Maximum: 7.00

*Location:* 1116-1116 (width: 1; decimal: 0)

*Variable Type:* numeric

## W1Q164L: I can talk about my problems with my friends.

Please rate your level of agreement with the following items.

Value	Label	Unweighted Frequency	%
1	Very strongly disagree	61	4.0 %
2	Strongly disagree	61	4.0 %
3	Mildly disagree	70	4.6 %
4	Neutral	110	7.2 %
5	Mildly agree	330	21.7 %
6	Strongly agree	418	27.5 %
7	Very strongly agree	447	29.4 %
	<b>Missing Data</b>		
.	-	21	1.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,497 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 1117-1117 (width: 1; decimal: 0)

*Variable Type:* numeric

## W1Q165: In what year were you born?

Finally, we have a few additional questions about you.

Value	Label	Unweighted Frequency	%
1956	-	19	1.3 %
1957	-	52	3.4 %
1958	-	60	4.0 %
1959	-	68	4.5 %
1960	-	53	3.5 %
1961	-	44	2.9 %
1962	-	78	5.1 %
1963	-	62	4.1 %
1964	-	26	1.7 %
1965	-	5	0.3 %
1966	-	1	0.1 %

Value	Label	Unweighted Frequency	%
1974	-	11	0.7 %
1975	-	25	1.6 %
1976	-	32	2.1 %
1977	-	46	3.0 %
1978	-	31	2.0 %
1979	-	45	3.0 %
1980	-	69	4.5 %
1981	-	61	4.0 %
1982	-	36	2.4 %
1983	-	9	0.6 %
1984	-	2	0.1 %
1985	-	1	0.1 %
1990	-	31	2.0 %
1991	-	80	5.3 %
1992	-	79	5.2 %
1993	-	96	6.3 %
1994	-	83	5.5 %
1995	-	68	4.5 %
1996	-	88	5.8 %
1997	-	71	4.7 %
1998	-	56	3.7 %
1999	-	9	0.6 %
2000	-	2	0.1 %
	<b>Missing Data</b>		
.	-	19	1.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,499 valid cases out of 1,518 total cases.

- Mean: 1979.83
- Median: 1981.00
- Mode: 1993.00
- Minimum: 1956.00
- Maximum: 2000.00
- Standard Deviation: 14.74

*Location:* 1118-1121 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 9999 , .

---

## W1Q166: Were you born in the United States?

Value	Label	Unweighted Frequency	%
1	Yes	1407	92.7 %
2	No	90	5.9 %
	<b>Missing Data</b>		
.	-	21	1.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,497 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1122-1122 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 3 , 4 , .

---

### W1Q167: Did you live in the United States most of the time from age 6 to age 13?

Value	Label	Unweighted Frequency	%
1	Yes	1435	94.5 %
2	No	62	4.1 %
	<b>Missing Data</b>		
.	-	21	1.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,497 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1123-1123 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 3 , 4 , .

---

### W1Q168: Were one or both of your parents born outside the United States?

Value	Label	Unweighted Frequency	%
1	Yes, one parent was born outside of the United States	139	9.2 %
2	Yes, both parents were born outside of the United States	153	10.1 %
3	No	1203	79.2 %
	<b>Missing Data</b>		
4	Don't know	6	0.4 %
.	-	17	1.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,495 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1124-1124 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 4 , .

## W1Q169: Do you have any children?

Value	Label	Unweighted Frequency	%
1	Yes	297	19.6 %
2	No	1205	79.4 %
	<b>Missing Data</b>		
.	-	16	1.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,502 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1125-1125 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 3 , 4 , .

## W1Q170\_1: Which of the following best describe the age of your children and their current living arrangement? Please mark all that apply. Child/Children under age 18 living with you

Value	Label	Unweighted Frequency	%
1	Child/children under age 18 living with you	156	10.3 %
2	Child/children under age 18 not living with you	0	0.0 %
3	Child/children 18 years of age or older living with you	0	0.0 %
4	Child/children 18 years of age or older not living with you	0	0.0 %
	<b>Missing Data</b>		
7	Planned missing	1221	80.4 %
.	-	141	9.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 156 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1126-1126 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

## W1Q170\_2: Which of the following best describe the age of your children and their current living arrangement? Please mark all that apply. Child/Children under age 18 not living with you

Value	Label	Unweighted Frequency	%
1	Child/children under age 18 living with you	0	0.0 %
2	Child/children under age 18 not living with you	30	2.0 %
3	Child/children 18 years of age or older living with you	0	0.0 %
4	Child/children 18 years of age or older not living with you	0	0.0 %
	<b>Missing Data</b>		
7	Planned missing	1221	80.4 %
.	-	267	17.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 30 valid cases out of 1,518 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 1127-1127 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 7 , .

---

**W1Q170\_3: Which of the following best describe the age of your children and their current living arrangement? Please mark all that apply. Child/Children 18 years of age or older living with you**

Value	Label	Unweighted Frequency	%
1	Child/children under age 18 living with you	0	0.0 %
2	Child/children under age 18 not living with you	0	0.0 %
3	Child/children 18 years of age or older living with you	49	3.2 %
4	Child/children 18 years of age or older not living with you	0	0.0 %
	<b>Missing Data</b>		
7	Planned missing	1221	80.4 %
.	-	248	16.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 49 valid cases out of 1,518 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 1128-1128 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 7 , .

---

**W1Q170\_4: Which of the following best describe the age of your children and their current living arrangement? Please mark all that apply. Child/Children 18 years of age or older not living with you**

Value	Label	Unweighted Frequency	%
1	Child/children under age 18 living with you	0	0.0 %
2	Child/children under age 18 not living with you	0	0.0 %
3	Child/children 18 years of age or older living with you	0	0.0 %
4	Child/children 18 years of age or older not living with you	104	6.9 %
	<b>Missing Data</b>		
7	Planned missing	1221	80.4 %
.	-	193	12.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 104 valid cases out of 1,518 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 1129-1129 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 7 , .

---

### W1Q171\_1: Which of the following best describes your current employment status? Please mark all that apply. Employed full-time by an employer

Value	Label	Unweighted Frequency	%
1	Employed full-time by an employer	701	46.2 %
2	Employed part-time by an employer	0	0.0 %
3	Self-employed	0	0.0 %
4	Out of work, and have been for 1 year or more	0	0.0 %
5	Out of work, and have been for less than 1 year	0	0.0 %
6	A homemaker	0	0.0 %
7	A student	0	0.0 %
8	Retired	0	0.0 %
9	Unable to work due to disability	0	0.0 %
	<b>Missing Data</b>		
.	-	817	53.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 701 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1130-1130 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q171\_2: Which of the following best describes your current employment status? Please mark all that apply. Employed part-time by an employer



Value	Label	Unweighted Frequency	%
1	Employed full-time by an employer	0	0.0 %
2	Employed part-time by an employer	273	18.0 %
3	Self-employed	0	0.0 %
4	Out of work, and have been for 1 year or more	0	0.0 %
5	Out of work, and have been for less than 1 year	0	0.0 %
6	A homemaker	0	0.0 %
7	A student	0	0.0 %
8	Retired	0	0.0 %
9	Unable to work due to disability	0	0.0 %
	<b>Missing Data</b>		
.	-	1245	82.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 273 valid cases out of 1,518 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 1131-1131 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### W1Q171\_3: Which of the following best describes your current employment status? Please mark all that apply. Self-employed

Value	Label	Unweighted Frequency	%
1	Employed full-time by an employer	0	0.0 %
2	Employed part-time by an employer	0	0.0 %
3	Self-employed	176	11.6 %
4	Out of work, and have been for 1 year or more	0	0.0 %
5	Out of work, and have been for less than 1 year	0	0.0 %
6	A homemaker	0	0.0 %
7	A student	0	0.0 %
8	Retired	0	0.0 %
9	Unable to work due to disability	0	0.0 %
	<b>Missing Data</b>		
.	-	1342	88.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 176 valid cases out of 1,518 total cases.

- Minimum: 3.00
- Maximum: 3.00

*Location:* 1132-1132 (width: 1; decimal: 0)

Variable Type: numeric

**W1Q171\_4: Which of the following best describes your current employment status? Please mark all that apply. Out of work, and have been for 1 year or more**

Value	Label	Unweighted Frequency	%
1	Employed full-time by an employer	0	0.0 %
2	Employed part-time by an employer	0	0.0 %
3	Self-employed	0	0.0 %
4	Out of work, and have been for 1 year or more	55	3.6 %
5	Out of work, and have been for less than 1 year	0	0.0 %
6	A homemaker	0	0.0 %
7	A student	0	0.0 %
8	Retired	0	0.0 %
9	Unable to work due to disability	0	0.0 %
	<b>Missing Data</b>		
.	-	1463	96.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 55 valid cases out of 1,518 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 1133-1133 (width: 1; decimal: 0)

Variable Type: numeric

**W1Q171\_5: Which of the following best describes your current employment status? Please mark all that apply. Out of work, and have been for less than 1 year**

Value	Label	Unweighted Frequency	%
1	Employed full-time by an employer	0	0.0 %
2	Employed part-time by an employer	0	0.0 %
3	Self-employed	0	0.0 %
4	Out of work, and have been for 1 year or more	0	0.0 %
5	Out of work, and have been for less than 1 year	90	5.9 %
6	A homemaker	0	0.0 %
7	A student	0	0.0 %
8	Retired	0	0.0 %
9	Unable to work due to disability	0	0.0 %
	<b>Missing Data</b>		
.	-	1428	94.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 90 valid cases out of 1,518 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 1134-1134 (width: 1; decimal: 0)

Variable Type: numeric

### W1Q171\_6: Which of the following best describes your current employment status? Please mark all that apply. A homemaker

Value	Label	Unweighted Frequency	%
1	Employed full-time by an employer	0	0.0 %
2	Employed part-time by an employer	0	0.0 %
3	Self-employed	0	0.0 %
4	Out of work, and have been for 1 year or more	0	0.0 %
5	Out of work, and have been for less than 1 year	0	0.0 %
6	A homemaker	53	3.5 %
7	A student	0	0.0 %
8	Retired	0	0.0 %
9	Unable to work due to disability	0	0.0 %
	<b>Missing Data</b>		
.	-	1465	96.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 53 valid cases out of 1,518 total cases.

- Minimum: 6.00
- Maximum: 6.00

Location: 1135-1135 (width: 1; decimal: 0)

Variable Type: numeric

### W1Q171\_7: Which of the following best describes your current employment status? Please mark all that apply. A student

Value	Label	Unweighted Frequency	%
1	Employed full-time by an employer	0	0.0 %
2	Employed part-time by an employer	0	0.0 %
3	Self-employed	0	0.0 %
4	Out of work, and have been for 1 year or more	0	0.0 %
5	Out of work, and have been for less than 1 year	0	0.0 %
6	A homemaker	0	0.0 %
7	A student	331	21.8 %
8	Retired	0	0.0 %
9	Unable to work due to disability	0	0.0 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	1187	78.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 331 valid cases out of 1,518 total cases.

- Minimum: 7.00
- Maximum: 7.00

Location: 1136-1136 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q171\_8: Which of the following best describes your current employment status? Please mark all that apply. Retired

Value	Label	Unweighted Frequency	%
1	Employed full-time by an employer	0	0.0 %
2	Employed part-time by an employer	0	0.0 %
3	Self-employed	0	0.0 %
4	Out of work, and have been for 1 year or more	0	0.0 %
5	Out of work, and have been for less than 1 year	0	0.0 %
6	A homemaker	0	0.0 %
7	A student	0	0.0 %
8	Retired	43	2.8 %
9	Unable to work due to disability	0	0.0 %
	<b>Missing Data</b>		
.	-	1475	97.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 43 valid cases out of 1,518 total cases.

- Minimum: 8.00
- Maximum: 8.00

Location: 1137-1137 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q171\_9: Which of the following best describes your current employment status? Please mark all that apply. Unable to work due to disability

Value	Label	Unweighted Frequency	%
1	Employed full-time by an employer	0	0.0 %
2	Employed part-time by an employer	0	0.0 %
3	Self-employed	0	0.0 %
4	Out of work, and have been for 1 year or more	0	0.0 %

Value	Label	Unweighted Frequency	%
5	Out of work, and have been for less than 1 year	0	0.0 %
6	A homemaker	0	0.0 %
7	A student	0	0.0 %
8	Retired	0	0.0 %
9	Unable to work due to disability	134	8.8 %
	<b>Missing Data</b>		
.	-	1384	91.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 134 valid cases out of 1,518 total cases.

- Minimum: 9.00
- Maximum: 9.00

*Location:* 1138-1138 (width: 1; decimal: 0)

*Variable Type:* numeric

---

**W1Q172: What is your total annual household income, before taxes? Please include income from wages and salaries, money you get from family members living elsewhere, farming, and all other sources.**

Value	Label	Unweighted Frequency	%
1	Under \$720	41	2.7 %
2	\$720 to \$5,999	54	3.6 %
3	\$6,000 to \$11,999	65	4.3 %
4	\$12,000 to \$23,999	162	10.7 %
5	\$24,000 to \$35,999	189	12.5 %
6	\$36,000 to \$47,999	126	8.3 %
7	\$48,000 to \$59,999	140	9.2 %
8	\$60,000 to \$89,999	220	14.5 %
9	\$90,000 to \$119,999	174	11.5 %
10	\$120,000 to \$179,999	173	11.4 %
11	\$180,000 to \$239,999	69	4.5 %
12	\$240,000 and over	66	4.3 %
	<b>Missing Data</b>		
.	-	39	2.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,479 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 12.00

*Location:* 1139-1140 (width: 2; decimal: 0)

*Variable Type:* numeric

**W1Q173: Including yourself, how many people (including children) live on that household income?**

Value	Label	Unweighted Frequency	%
0	-	2	0.1 %
1	-	449	29.6 %
2	-	484	31.9 %
3	-	221	14.6 %
4	-	205	13.5 %
5	-	81	5.3 %
6	-	34	2.2 %
7	-	6	0.4 %
8	-	3	0.2 %
10	-	1	0.1 %
11	More than 10	0	0.0 %
	<b>Missing Data</b>		
.	-	32	2.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,486 valid cases out of 1,518 total cases.

- Mean: 2.41
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 1.38

*Location:* 1141-1142 (width: 2; decimal: 0)

*Variable Type:* numeric

**W1Q174: What is your total annual personal income, before taxes? Please include income from wages and salaries, money you get from family members living elsewhere, farming, and all other sources.**

Value	Label	Unweighted Frequency	%
1	Under \$720	160	10.5 %
2	\$720 to \$5,999	173	11.4 %
3	\$6,000 to \$11,999	161	10.6 %
4	\$12,000 to \$23,999	225	14.8 %
5	\$24,000 to \$35,999	175	11.5 %
6	\$36,000 to \$47,999	116	7.6 %
7	\$48,000 to \$59,999	120	7.9 %
8	\$60,000 to \$89,999	161	10.6 %
9	\$90,000 to \$119,999	86	5.7 %

Value	Label	Unweighted Frequency	%
10	\$120,000 to \$179,999	65	4.3 %
11	\$180,000 to \$239,999	22	1.4 %
12	\$240,000 and over	13	0.9 %
	<b>Missing Data</b>		
.	-	41	2.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,477 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 1143-1144 (width: 2; decimal: 0)

Variable Type: numeric

---

**W1Q175: Suppose you cashed in all your checking and savings accounts and any stocks and bonds, real estate, and sold your home, your vehicles, and all of your valuable possessions. Then suppose you put that money toward paying off all your loans including mortgage**

Value	Label	Unweighted Frequency	%
1	Would have money left over	855	56.3 %
2	Would still owe at least some money	620	40.8 %
	<b>Missing Data</b>		
.	-	43	2.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,475 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1145-1145 (width: 1; decimal: 0)

Variable Type: numeric

---

**W1Q176: Do you own or rent your home? "Home" is defined as the place where you live most of the time/the majority of the year. "Other arrangement" may include living in a group home or staying with friends or family without paying rent.**

Value	Label	Unweighted Frequency	%
1	Own	548	36.1 %
2	Rent	582	38.3 %
3	Other arrangement	364	24.0 %
	<b>Missing Data</b>		
.	-	24	1.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,494 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 1146-1146 (width: 1; decimal: 0)

*Variable Type:* numeric

### W1Q177\_1: Where have you lived in the last 12 months? Please mark all that apply. In a house/apartment/condo you owned (alone or with others)

Value	Label	Unweighted Frequency	%
1	In a house/apartment/condo you owned (alone or with others)	598	39.4 %
2	In a house/apartment/condo that you rented (alone or with others)	0	0.0 %
3	With a partner, spouse or other person who pays for the housing	0	0.0 %
4	With parents or family you grew up with	0	0.0 %
5	With friends or family temporarily	0	0.0 %
6	On the street, in a car, in an abandoned building, in a park, or a place that is NOT a house, apartment, shelter, or oth	0	0.0 %
7	In a shelter	0	0.0 %
8	In a group home facility	0	0.0 %
9	In a nursing/adult care facility/hospital	0	0.0 %
10	In campus/university housing	0	0.0 %
11	In military barracks	0	0.0 %
12	Other	0	0.0 %
	<b>Missing Data</b>		
.	-	920	60.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 598 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 1.00

*Location:* 1147-1148 (width: 2; decimal: 0)

*Variable Type:* numeric

### W1Q177\_2: Where have you lived in the last 12 months? Please mark all that apply. In a house/apartment/condo that you rented (alone or with others)

Value	Label	Unweighted Frequency	%
1	In a house/apartment/condo you owned (alone or with others)	0	0.0 %
2	In a house/apartment/condo that you rented (alone or with others)	581	38.3 %
3	With a partner, spouse or other person who pays for the housing	0	0.0 %
4	With parents or family you grew up with	0	0.0 %
5	With friends or family temporarily	0	0.0 %



Value	Label	Unweighted Frequency	%
6	On the street, in a car, in an abandoned building, in a park, or a place that is NOT a house, apartment, shelter, or oth	0	0.0 %
7	In a shelter	0	0.0 %
8	In a group home facility	0	0.0 %
9	In a nursing/adult care facility/hospital	0	0.0 %
10	In campus/university housing	0	0.0 %
11	In military barracks	0	0.0 %
12	Other	0	0.0 %
	<b>Missing Data</b>		
.	-	937	61.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 581 valid cases out of 1,518 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 1149-1150 (width: 2; decimal: 0)

Variable Type: numeric

### W1Q177\_3: Where have you lived in the last 12 months? Please mark all that apply. With a partner, spouse or other person who pays for the housing

Value	Label	Unweighted Frequency	%
1	In a house/apartment/condo you owned (alone or with others)	0	0.0 %
2	In a house/apartment/condo that you rented (alone or with others)	0	0.0 %
3	With a partner, spouse or other person who pays for the housing	157	10.3 %
4	With parents or family you grew up with	0	0.0 %
5	With friends or family temporarily	0	0.0 %
6	On the street, in a car, in an abandoned building, in a park, or a place that is NOT a house, apartment, shelter, or oth	0	0.0 %
7	In a shelter	0	0.0 %
8	In a group home facility	0	0.0 %
9	In a nursing/adult care facility/hospital	0	0.0 %
10	In campus/university housing	0	0.0 %
11	In military barracks	0	0.0 %
12	Other	0	0.0 %
	<b>Missing Data</b>		
.	-	1361	89.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 157 valid cases out of 1,518 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 1151-1152 (width: 2; decimal: 0)

Variable Type: numeric

#### W1Q177\_4: Where have you lived in the last 12 months? Please mark all that apply. With parents or family you grew up with

Value	Label	Unweighted Frequency	%
1	In a house/apartment/condo you owned (alone or with others)	0	0.0 %
2	In a house/apartment/condo that you rented (alone or with others)	0	0.0 %
3	With a partner, spouse or other person who pays for the housing	0	0.0 %
4	With parents or family you grew up with	400	26.4 %
5	With friends or family temporarily	0	0.0 %
6	On the street, in a car, in an abandoned building, in a park, or a place that is NOT a house, apartment, shelter, or oth	0	0.0 %
7	In a shelter	0	0.0 %
8	In a group home facility	0	0.0 %
9	In a nursing/adult care facility/hospital	0	0.0 %
10	In campus/university housing	0	0.0 %
11	In military barracks	0	0.0 %
12	Other	0	0.0 %
	<b>Missing Data</b>		
.	-	1118	73.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 400 valid cases out of 1,518 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 1153-1154 (width: 2; decimal: 0)

Variable Type: numeric

#### W1Q177\_5: Where have you lived in the last 12 months? Please mark all that apply. With friends or family temporarily

Value	Label	Unweighted Frequency	%
1	In a house/apartment/condo you owned (alone or with others)	0	0.0 %
2	In a house/apartment/condo that you rented (alone or with others)	0	0.0 %
3	With a partner, spouse or other person who pays for the housing	0	0.0 %
4	With parents or family you grew up with	0	0.0 %
5	With friends or family temporarily	106	7.0 %
6	On the street, in a car, in an abandoned building, in a park, or a place that is NOT a house, apartment, shelter, or oth	0	0.0 %

Value	Label	Unweighted Frequency	%
7	In a shelter	0	0.0 %
8	In a group home facility	0	0.0 %
9	In a nursing/adult care facility/hospital	0	0.0 %
10	In campus/university housing	0	0.0 %
11	In military barracks	0	0.0 %
12	Other	0	0.0 %
	<b>Missing Data</b>		
.	-	1412	93.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 106 valid cases out of 1,518 total cases.

- Minimum: 5.00
- Maximum: 5.00

*Location:* 1155-1156 (width: 2; decimal: 0)

*Variable Type:* numeric

---

**W1Q177\_6: Where have you lived in the last 12 months? Please mark all that apply. On the street, in a car, in an abandoned building, in a park, or a place that is NOT a house, apartment, shelter, or other housing**

Value	Label	Unweighted Frequency	%
1	In a house/apartment/condo you owned (alone or with others)	0	0.0 %
2	In a house/apartment/condo that you rented (alone or with others)	0	0.0 %
3	With a partner, spouse or other person who pays for the housing	0	0.0 %
4	With parents or family you grew up with	0	0.0 %
5	With friends or family temporarily	0	0.0 %
6	On the street, in a car, in an abandoned building, in a park, or a place that is NOT a house, apartment, shelter, or oth	21	1.4 %
7	In a shelter	0	0.0 %
8	In a group home facility	0	0.0 %
9	In a nursing/adult care facility/hospital	0	0.0 %
10	In campus/university housing	0	0.0 %
11	In military barracks	0	0.0 %
12	Other	0	0.0 %
	<b>Missing Data</b>		
.	-	1497	98.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 21 valid cases out of 1,518 total cases.

- Minimum: 6.00

- Maximum: 6.00

Location: 1157-1158 (width: 2; decimal: 0)

Variable Type: numeric

### W1Q177\_7: Where have you lived in the last 12 months? Please mark all that apply. In a shelter

Value	Label	Unweighted Frequency	%
1	In a house/apartment/condo you owned (alone or with others)	0	0.0 %
2	In a house/apartment/condo that you rented (alone or with others)	0	0.0 %
3	With a partner, spouse or other person who pays for the housing	0	0.0 %
4	With parents or family you grew up with	0	0.0 %
5	With friends or family temporarily	0	0.0 %
6	On the street, in a car, in an abandoned building, in a park, or a place that is NOT a house, apartment, shelter, or oth	0	0.0 %
7	In a shelter	5	0.3 %
8	In a group home facility	0	0.0 %
9	In a nursing/adult care facility/hospital	0	0.0 %
10	In campus/university housing	0	0.0 %
11	In military barracks	0	0.0 %
12	Other	0	0.0 %
	<b>Missing Data</b>		
.	-	1513	99.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 5 valid cases out of 1,518 total cases.

- Minimum: 7.00
- Maximum: 7.00

Location: 1159-1160 (width: 2; decimal: 0)

Variable Type: numeric

### W1Q177\_8: Where have you lived in the last 12 months? Please mark all that apply. In a group home facility

Value	Label	Unweighted Frequency	%
1	In a house/apartment/condo you owned (alone or with others)	0	0.0 %
2	In a house/apartment/condo that you rented (alone or with others)	0	0.0 %
3	With a partner, spouse or other person who pays for the housing	0	0.0 %
4	With parents or family you grew up with	0	0.0 %
5	With friends or family temporarily	0	0.0 %
6	On the street, in a car, in an abandoned building, in a park, or a place that is NOT a house, apartment, shelter, or oth	0	0.0 %
7	In a shelter	0	0.0 %
8	In a group home facility	1	0.1 %

Value	Label	Unweighted Frequency	%
9	In a nursing/adult care facility/hospital	0	0.0 %
10	In campus/university housing	0	0.0 %
11	In military barracks	0	0.0 %
12	Other	0	0.0 %
	<b>Missing Data</b>		
.	-	1517	99.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1 valid cases out of 1,518 total cases.

- Minimum: 8.00
- Maximum: 8.00

Location: 1161-1162 (width: 2; decimal: 0)

Variable Type: numeric

### W1Q177\_9: Where have you lived in the last 12 months? Please mark all that apply. In a nursing/adult care facility/hospital

Value	Label	Unweighted Frequency	%
1	In a house/apartment/condo you owned (alone or with others)	0	0.0 %
2	In a house/apartment/condo that you rented (alone or with others)	0	0.0 %
3	With a partner, spouse or other person who pays for the housing	0	0.0 %
4	With parents or family you grew up with	0	0.0 %
5	With friends or family temporarily	0	0.0 %
6	On the street, in a car, in an abandoned building, in a park, or a place that is NOT a house, apartment, shelter, or oth	0	0.0 %
7	In a shelter	0	0.0 %
8	In a group home facility	0	0.0 %
9	In a nursing/adult care facility/hospital	2	0.1 %
10	In campus/university housing	0	0.0 %
11	In military barracks	0	0.0 %
12	Other	0	0.0 %
	<b>Missing Data</b>		
.	-	1516	99.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 2 valid cases out of 1,518 total cases.

- Minimum: 9.00
- Maximum: 9.00

Location: 1163-1164 (width: 2; decimal: 0)

Variable Type: numeric

**W1Q177\_10: Where have you lived in the last 12 months? Please mark all that apply. In campus/university housing.**

Value	Label	Unweighted Frequency	%
1	In a house/apartment/condo you owned (alone or with others)	0	0.0 %
2	In a house/apartment/condo that you rented (alone or with others)	0	0.0 %
3	With a partner, spouse or other person who pays for the housing	0	0.0 %
4	With parents or family you grew up with	0	0.0 %
5	With friends or family temporarily	0	0.0 %
6	On the street, in a car, in an abandoned building, in a park, or a place that is NOT a house, apartment, shelter, or oth	0	0.0 %
7	In a shelter	0	0.0 %
8	In a group home facility	0	0.0 %
9	In a nursing/adult care facility/hospital	0	0.0 %
10	In campus/university housing	101	6.7 %
11	In military barracks	0	0.0 %
12	Other	0	0.0 %
	<b>Missing Data</b>		
.	-	1417	93.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 101 valid cases out of 1,518 total cases.

- Minimum: 10.00
- Maximum: 10.00

*Location:* 1165-1166 (width: 2; decimal: 0)

*Variable Type:* numeric

**W1Q177\_11: Where have you lived in the last 12 months? Please mark all that apply. In military barracks**

Value	Label	Unweighted Frequency	%
1	In a house/apartment/condo you owned (alone or with others)	0	0.0 %
2	In a house/apartment/condo that you rented (alone or with others)	0	0.0 %
3	With a partner, spouse or other person who pays for the housing	0	0.0 %
4	With parents or family you grew up with	0	0.0 %
5	With friends or family temporarily	0	0.0 %
6	On the street, in a car, in an abandoned building, in a park, or a place that is NOT a house, apartment, shelter, or oth	0	0.0 %
7	In a shelter	0	0.0 %
8	In a group home facility	0	0.0 %
9	In a nursing/adult care facility/hospital	0	0.0 %
10	In campus/university housing	0	0.0 %

Value	Label	Unweighted Frequency	%
11	In military barracks	3	0.2 %
12	Other	0	0.0 %
	<b>Missing Data</b>		
.	-	1515	99.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 3 valid cases out of 1,518 total cases.

- Minimum: 11.00
- Maximum: 11.00

Location: 1167-1168 (width: 2; decimal: 0)

Variable Type: numeric

---

### W1Q177\_12: Where have you lived in the last 12 months? Please mark all that apply. Other.

Value	Label	Unweighted Frequency	%
1	In a house/apartment/condo you owned (alone or with others)	0	0.0 %
2	In a house/apartment/condo that you rented (alone or with others)	0	0.0 %
3	With a partner, spouse or other person who pays for the housing	0	0.0 %
4	With parents or family you grew up with	0	0.0 %
5	With friends or family temporarily	0	0.0 %
6	On the street, in a car, in an abandoned building, in a park, or a place that is NOT a house, apartment, shelter, or oth	0	0.0 %
7	In a shelter	0	0.0 %
8	In a group home facility	0	0.0 %
9	In a nursing/adult care facility/hospital	0	0.0 %
10	In campus/university housing	0	0.0 %
11	In military barracks	0	0.0 %
12	Other	31	2.0 %
	<b>Missing Data</b>		
.	-	1487	98.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 31 valid cases out of 1,518 total cases.

- Minimum: 12.00
- Maximum: 12.00

Location: 1169-1170 (width: 2; decimal: 0)

Variable Type: numeric

---

### W1Q178: How often have you moved in the past 2 years?

Value	Label	Unweighted Frequency	%
1	Not at all	827	54.5 %
2	Once	317	20.9 %
3	Twice	190	12.5 %
4	Three times	94	6.2 %
5	Four times	41	2.7 %
6	Five times	13	0.9 %
7	More than five times	19	1.3 %
	<b>Missing Data</b>		
.	-	17	1.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,501 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 1171-1171 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q179: What is your present religion, if any?

Value	Label	Unweighted Frequency	%
1	Protestant (for example, Baptist, Methodist, Non-denominational, Lutheran, Presbyterian, Pentecostal, Episcopalian, Refo	295	19.4 %
2	Roman Catholic	133	8.8 %
3	Mormon (Church of Jesus Christ of Latter-day Saints or LDS)	10	0.7 %
4	Orthodox (Greek, Russian, or another Orthodox church)	6	0.4 %
5	Jewish	38	2.5 %
6	Muslim	3	0.2 %
7	Buddhist	30	2.0 %
8	Hindu	1	0.1 %
9	Atheist (do not believe in God)	192	12.6 %
10	Agnostic (not sure if there is a God)	156	10.3 %
11	Spiritual	262	17.3 %
12	Something else	95	6.3 %
13	Nothing in particular	273	18.0 %
	<b>Missing Data</b>		
.	-	24	1.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,494 valid cases out of 1,518 total cases.

- Minimum: 1.00



- Maximum: 13.00

Location: 1172-1173 (width: 2; decimal: 0)

Variable Type: numeric

### W1Q180: Thinking about when you were a child, in what religion were you raised, if any?

Value	Label	Unweighted Frequency	%
1	Protestant (for example, Baptist, Methodist, Non-denominational, Lutheran, Presbyterian, Pentecostal, Episcopalian, Refo	681	44.9 %
2	Roman Catholic	439	28.9 %
3	Mormon (Church of Jesus Christ of Latter-day Saints or LDS)	29	1.9 %
4	Orthodox (Greek, Russian, or another Orthodox church)	8	0.5 %
5	Jewish	51	3.4 %
6	Muslim	3	0.2 %
7	Buddhist	3	0.2 %
8	Hindu	1	0.1 %
9	Atheist (do not believe in God)	23	1.5 %
10	Agnostic (not sure if there is a God)	16	1.1 %
11	Spiritual	26	1.7 %
12	Something else	51	3.4 %
13	Nothing in particular	166	10.9 %
	<b>Missing Data</b>		
.	-	21	1.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,497 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 13.00

Location: 1174-1175 (width: 2; decimal: 0)

Variable Type: numeric

### W1Q181: Aside from weddings and funerals, about how often do you attend religious services?

Value	Label	Unweighted Frequency	%
1	More than once a week	33	2.2 %
2	Once a week	101	6.7 %
3	Once or twice a month	103	6.8 %
4	A few times a year	216	14.2 %
5	Seldom	426	28.1 %
6	Never	620	40.8 %
	<b>Missing Data</b>		

Value	Label	Unweighted Frequency	%
.	-	19	1.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,499 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 6.00

*Location:* 1176-1176 (width: 1; decimal: 0)

*Variable Type:* numeric

### W1Q182: Have you ever served on active duty in the U.S. Armed Forces, Reserves, or National Guard?

Value	Label	Unweighted Frequency	%
1	Never served in the military	1421	93.6 %
2	Only on active duty for training in the Reserves or National Guard	10	0.7 %
3	Now on active duty	3	0.2 %
4	On active duty in the past, but not now	60	4.0 %
	<b>Missing Data</b>		
.	-	24	1.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,494 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 1177-1177 (width: 1; decimal: 0)

*Variable Type:* numeric

### W1Q183: Were you ever discharged or separated from service?

Value	Label	Unweighted Frequency	%
1	Yes	51	3.4 %
2	No	22	1.4 %
	<b>Missing Data</b>		
7	Planned missing	1445	95.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 73 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1178-1178 (width: 1; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: 7

### W1Q184: Were you ever discharged or separated for 'homosexual admission' or 'homosexual conduct' under 'Don't Ask, Don't Tell?'

Value	Label	Unweighted Frequency	%
1	Yes	4	0.3 %
2	No	47	3.1 %
	<b>Missing Data</b>		
7	Planned missing	1467	96.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 51 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1179-1179 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7

### W1Q185: Was your discharge or separation from service related to you being LGB?

Value	Label	Unweighted Frequency	%
1	No	40	2.6 %
2	Yes, partially	3	0.2 %
3	Yes, completely	8	0.5 %
	<b>Missing Data</b>		
7	Planned missing	1467	96.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 51 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1180-1180 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7

### W1Q186: In most ways, my life is close to my ideal.

In this survey we focused on some negative aspects of life and health problems because these are important to address by public health and policy makers, but highly challenging life circumstances can also lead to significant positive change. Please rate your level of agreement with the following items.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	169	11.1 %

Value	Label	Unweighted Frequency	%
2	Moderately disagree	212	14.0 %
3	Slightly disagree	210	13.8 %
4	Neither agree nor disagree	139	9.2 %
5	Slightly agree	292	19.2 %
6	Moderately agree	345	22.7 %
7	Strongly agree	137	9.0 %
	<b>Missing Data</b>		
.	-	14	0.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,504 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 1181-1181 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### W1Q187: The conditions of my life are excellent.

In this survey we focused on some negative aspects of life and health problems because these are important to address by public health and policy makers, but highly challenging life circumstances can also lead to significant positive change. Please rate your level of agreement with the following items.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	123	8.1 %
2	Moderately disagree	166	10.9 %
3	Slightly disagree	214	14.1 %
4	Neither agree nor disagree	134	8.8 %
5	Slightly agree	301	19.8 %
6	Moderately agree	376	24.8 %
7	Strongly agree	190	12.5 %
	<b>Missing Data</b>		
.	-	14	0.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,504 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 1182-1182 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### W1Q188: I am satisfied with life.

In this survey we focused on some negative aspects of life and health problems because these are important to address by public health and policy makers, but highly challenging life circumstances can also lead to significant positive change. Please rate your level of agreement with the following items.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	137	9.0 %
2	Moderately disagree	148	9.7 %
3	Slightly disagree	205	13.5 %
4	Neither agree nor disagree	115	7.6 %
5	Slightly agree	291	19.2 %
6	Moderately agree	399	26.3 %
7	Strongly agree	208	13.7 %
	<b>Missing Data</b>		
.	-	15	1.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,503 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 1183-1183 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## W1Q189: So far I have gotten the important things I want in life.

In this survey we focused on some negative aspects of life and health problems because these are important to address by public health and policy makers, but highly challenging life circumstances can also lead to significant positive change. Please rate your level of agreement with the following items.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	115	7.6 %
2	Moderately disagree	136	9.0 %
3	Slightly disagree	165	10.9 %
4	Neither agree nor disagree	125	8.2 %
5	Slightly agree	328	21.6 %
6	Moderately agree	377	24.8 %
7	Strongly agree	255	16.8 %
	<b>Missing Data</b>		
.	-	17	1.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,501 valid cases out of 1,518 total cases.

- Minimum: 1.00

- Maximum: 7.00

*Location:* 1184-1184 (width: 1; decimal: 0)

*Variable Type:* numeric

## W1Q190: If I could live my life over, I would change almost nothing.

In this survey we focused on some negative aspects of life and health problems because these are important to address by public health and policy makers, but highly challenging life circumstances can also lead to significant positive change. Please rate your level of agreement with the following items.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	287	18.9 %
2	Moderately disagree	202	13.3 %
3	Slightly disagree	313	20.6 %
4	Neither agree nor disagree	115	7.6 %
5	Slightly agree	179	11.8 %
6	Moderately agree	215	14.2 %
7	Strongly agree	192	12.6 %
	<b>Missing Data</b>		
.	-	15	1.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,503 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 1185-1185 (width: 1; decimal: 0)

*Variable Type:* numeric

## SCREEN\_RACE: Race - screener

Value	Label	Unweighted Frequency	%
1	White	981	64.6 %
2	Black/African American	239	15.7 %
3	Latino/Hispanic	298	19.6 %
7	Not eligible	0	0.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 1186-1186 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 8 , 9

---

## W1RACE: Race - survey

Value	Label	Unweighted Frequency	%
1	Asian	12	0.8 %
2	Black/African American	180	11.9 %
3	Hispanic/Latino	158	10.4 %
4	Middle Eastern	2	0.1 %
5	Native Hawaiian/Pacific Islander	1	0.1 %
6	White	931	61.3 %
7	American Indian	4	0.3 %
8	Multi-race	230	15.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 8.00

*Location:* 1187-1187 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## W1SAMPLE: Original or extended enrollment sample

Value	Label	Unweighted Frequency	%
1	Original Sample Wave 1 Data	1331	87.7 %
2	Extension Sample Wave 1 Data	187	12.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1188-1188 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## W1SEX: Sex at birth

Value	Label	Unweighted Frequency	%
1	Female	812	53.5 %
2	Male	706	46.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1189-1189 (width: 1; decimal: 0)

Variable Type: numeric

---

## W1GENDER: Gender identity

Value	Label	Unweighted Frequency	%
1	Woman	750	49.4 %
2	Man	674	44.4 %
5	Non-binary/genderqueer	94	6.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1190-1190 (width: 1; decimal: 0)

Variable Type: numeric

---

## W1SEX\_GENDER: Sex and gender categories

Value	Label	Unweighted Frequency	%
1	Women, non-transgender	750	49.4 %
2	Men, non-transgender	674	44.4 %
3	Genderqueer non-binary, female	62	4.1 %
4	Genderqueer non-binary, male	32	2.1 %
5	Transgender man/female-to-male (FTM)	0	0.0 %
6	Transgender woman/male-to-female (MTF)	0	0.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1191-1191 (width: 1; decimal: 0)

Variable Type: numeric

---

## W1AGE: Age on survey

Value	Label	Unweighted Frequency	%
18	-	39	2.6 %
19	-	75	4.9 %
20	-	96	6.3 %
21	-	64	4.2 %
22	-	84	5.5 %
23	-	87	5.7 %



Value	Label	Unweighted Frequency	%
24	-	91	6.0 %
25	-	83	5.5 %
26	-	51	3.4 %
32	-	2	0.1 %
33	-	2	0.1 %
34	-	29	1.9 %
35	-	61	4.0 %
36	-	69	4.5 %
37	-	41	2.7 %
38	-	43	2.8 %
39	-	47	3.1 %
40	-	32	2.1 %
41	-	30	2.0 %
42	-	15	1.0 %
43	-	1	0.1 %
50	-	1	0.1 %
52	-	25	1.6 %
53	-	57	3.8 %
54	-	77	5.1 %
55	-	49	3.2 %
56	-	56	3.7 %
57	-	63	4.2 %
58	-	61	4.0 %
59	-	59	3.9 %
60	-	28	1.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Mean: 36.48
- Median: 35.00
- Mode: 20.00
- Minimum: 18.00
- Maximum: 60.00
- Standard Deviation: 14.70

Location: 1192-1193 (width: 2; decimal: 0)

Variable Type: numeric

---

## W1SEXUALID: Sexual identity

Value	Label	Unweighted Frequency	%
1	Straight/heterosexual	11	0.7 %

Value	Label	Unweighted Frequency	%
2	Lesbian	292	19.2 %
3	Gay	541	35.6 %
4	Bisexual	493	32.5 %
5	Queer	88	5.8 %
6	Same-gender loving	25	1.6 %
7	Other	4	0.3 %
8	Asexual spectrum	19	1.3 %
9	Pansexual	41	2.7 %
10	Anti-label	4	0.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 10.00

*Location:* 1194-1195 (width: 2; decimal: 0)

*Variable Type:* numeric

---

## W1SEXMINID: Sexual minority identity

Value	Label	Unweighted Frequency	%
1	Lesbian/gay	833	54.9 %
2	Bisexual	493	32.5 %
3	Other sexual minority identity	181	11.9 %
	<b>Missing Data</b>		
.	-	11	0.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,507 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 1196-1196 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## W1PINC: Personal income

Value	Label	Unweighted Frequency	%
1	Under \$720	160	10.5 %
2	\$720 to \$5,999	173	11.4 %
3	\$6,000 to \$11,999	161	10.6 %
4	\$12,000 to \$23,999	225	14.8 %

Value	Label	Unweighted Frequency	%
5	\$24,000 to \$35,999	175	11.5 %
6	\$36,000 to \$47,999	116	7.6 %
7	\$48,000 to \$59,999	120	7.9 %
8	\$60,000 to \$89,999	161	10.6 %
9	\$90,000 to \$119,999	86	5.7 %
10	\$120,000 to \$179,999	65	4.3 %
11	\$180,000 to \$239,999	22	1.4 %
12	\$240,000 and over	13	0.9 %
	<b>Missing Data</b>		
.	-	41	2.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,477 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 12.00

*Location:* 1197-1198 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 98 , 99 , .

## W1PINC\_: Personal income with imputation

Value	Label	Unweighted Frequency	%
1	Under \$720	164	10.8 %
2	\$720 to \$5,999	181	11.9 %
3	\$6,000 to \$11,999	166	10.9 %
4	\$12,000 to \$23,999	231	15.2 %
5	\$24,000 to \$35,999	183	12.1 %
6	\$36,000 to \$47,999	117	7.7 %
7	\$48,000 to \$59,999	123	8.1 %
8	\$60,000 to \$89,999	163	10.7 %
9	\$90,000 to \$119,999	88	5.8 %
10	\$120,000 to \$179,999	66	4.3 %
11	\$180,000 to \$239,999	23	1.5 %
12	\$240,000 and over	13	0.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 12.00

*Location:* 1199-1200 (width: 2; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: 98 , 99

## W1HINC: Household income

Value	Label	Unweighted Frequency	%
1	Under \$720	42	2.8 %
2	\$720 to \$5,999	54	3.6 %
3	\$6,000 to \$11,999	66	4.3 %
4	\$12,000 to \$23,999	168	11.1 %
5	\$24,000 to \$35,999	196	12.9 %
6	\$36,000 to \$47,999	126	8.3 %
7	\$48,000 to \$59,999	141	9.3 %
8	\$60,000 to \$89,999	221	14.6 %
9	\$90,000 to \$119,999	176	11.6 %
10	\$120,000 to \$179,999	176	11.6 %
11	\$180,000 to \$239,999	70	4.6 %
12	\$240,000 and over	66	4.3 %
	<b>Missing Data</b>		
.	-	16	1.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,502 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 1201-1202 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99 , .

## W1HINC\_I: Household income with imputation

Value	Label	Unweighted Frequency	%
1	Under \$720	42	2.8 %
2	\$720 to \$5,999	55	3.6 %
3	\$6,000 to \$11,999	66	4.3 %
4	\$12,000 to \$23,999	168	11.1 %
5	\$24,000 to \$35,999	201	13.2 %
6	\$36,000 to \$47,999	127	8.4 %
7	\$48,000 to \$59,999	143	9.4 %
8	\$60,000 to \$89,999	223	14.7 %
9	\$90,000 to \$119,999	176	11.6 %
10	\$120,000 to \$179,999	178	11.7 %
11	\$180,000 to \$239,999	71	4.7 %

Value	Label	Unweighted Frequency	%
12	\$240,000 and over	68	4.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 12.00

*Location:* 1203-1204 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 98 , 99

---

### W1POVERTY: Census poverty

Value	Label	Unweighted Frequency	%
0	Not in poverty	1282	84.5 %
1	Yes in poverty	208	13.7 %
	<b>Missing Data</b>		
.	-	28	1.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,490 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 1205-1205 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### W1POVERTY\_I: Census poverty with imputation

Value	Label	Unweighted Frequency	%
0	Not in poverty	1282	84.5 %
1	Yes in poverty	209	13.8 %
	<b>Missing Data</b>		
.	-	27	1.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,491 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 1206-1206 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### W1POVERTYCAT: Census poverty categorical

Value	Label	Unweighted Frequency	%
1	<100%	208	13.7 %
2	100-199%	279	18.4 %
3	200-299%	191	12.6 %
4	300%+	807	53.2 %
	<b>Missing Data</b>		
.	-	33	2.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,485 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 1207-1207 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### W1POVERTYCAT\_I: Census poverty categorical with imputation

Value	Label	Unweighted Frequency	%
1	<100%	209	13.8 %
2	100-199%	280	18.4 %
3	200-299%	192	12.6 %
4	300%+	810	53.4 %
	<b>Missing Data</b>		
.	-	27	1.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,491 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 1208-1208 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### W1CONVERSION: Did you ever receive treatment from someone who tried to change your sexual orientation?

Value	Label	Unweighted Frequency	%
0	No	1410	92.9 %
1	Yes	108	7.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 1209-1209 (width: 1; decimal: 0)

*Variable Type:* numeric

## W1CONVERSIONHC: Conversion therapy from healthcare provider

Value	Label	Unweighted Frequency	%
0	No	1482	97.6 %
1	Yes	36	2.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 1210-1210 (width: 1; decimal: 0)

*Variable Type:* numeric

## W1CONVERSIONREL: Conversion therapy from religious leader

Value	Label	Unweighted Frequency	%
0	No	1434	94.5 %
1	Yes	84	5.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 1211-1211 (width: 1; decimal: 0)

*Variable Type:* numeric

## W1ACE: Adverse Childhood Experiences

Value	Label	Unweighted Frequency	%
0	-	142	9.4 %
1	-	229	15.1 %
2	-	201	13.2 %
3	-	197	13.0 %
4	-	133	8.8 %
5	-	152	10.0 %
6	-	93	6.1 %
7	-	60	4.0 %
8	-	34	2.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	277	18.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,241 valid cases out of 1,518 total cases.

- Mean: 3.03
- Median: 3.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 2.16

*Location:* 1212-1212 (width: 1; decimal: 0)

*Variable Type:* numeric

## W1ACE\_I: Adverse Childhood Experiences with imputation

Value	Label	Unweighted Frequency	%
0	-	159	10.5 %
1	-	258	17.0 %
2	-	231	15.2 %
3	-	250	16.5 %
4	-	187	12.3 %
5	-	189	12.5 %
6	-	127	8.4 %
7	-	76	5.0 %
8	-	41	2.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Mean: 3.15
- Median: 3.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 2.15

*Location:* 1213-1213 (width: 1; decimal: 0)

*Variable Type:* numeric

## W1ACE\_EMO: Adverse Childhood Experiences (ACE) emotional abuse

Value	Label	Unweighted Frequency	%
0	No, event never occurred	467	30.8 %
1	Yes, event occurred at least once	960	63.2 %



Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	91	6.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,427 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 1214-1214 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### W1ACE\_EMO\_I: Adverse Childhood Experiences (ACE) emotional abuse with imputation

Value	Label	Unweighted Frequency	%
0	No, event never occurred	492	32.4 %
1	Yes, event occurred at least once	1026	67.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 1215-1215 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### W1ACE\_INC: Adverse Childhood Experiences (ACE) incarceration household member

Value	Label	Unweighted Frequency	%
0	No, event never occurred	1287	84.8 %
1	Yes, event occurred at least once	209	13.8 %
	<b>Missing Data</b>		
.	-	22	1.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,496 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 1216-1216 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### W1ACE\_INC\_I: Adverse Childhood Experiences (ACE) incarceration household member with imputation

Value	Label	Unweighted Frequency	%
0	No, event never occurred	1303	85.8 %
1	Yes, event occurred at least once	215	14.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 1217-1217 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### W1ACE\_IPV: Adverse Childhood Experiences (ACE) household intimate partner violence

Value	Label	Unweighted Frequency	%
0	No, event never occurred	950	62.6 %
1	Yes, event occurred at least once	429	28.3 %
	<b>Missing Data</b>		
.	-	139	9.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,379 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 1218-1218 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### W1ACE\_IPV\_I: Adverse Childhood Experiences (ACE) household intimate partner violence with imputation

Value	Label	Unweighted Frequency	%
0	No, event never occurred	1024	67.5 %
1	Yes, event occurred at least once	494	32.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 1219-1219 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### W1ACE\_MEN: Adverse Childhood Experiences (ACE) household mental illness

Value	Label	Unweighted Frequency	%
0	No, event never occurred	826	54.4 %
1	Yes, event occurred at least once	672	44.3 %
	<b>Missing Data</b>		
.	-	20	1.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,498 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 1220-1220 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### W1ACE\_MEN\_I: Adverse Childhood Experiences (ACE) household mental illness with imputation

Value	Label	Unweighted Frequency	%
0	No, event never occurred	839	55.3 %
1	Yes, event occurred at least once	679	44.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 1221-1221 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### W1ACE\_PHY: Adverse Childhood Experiences (ACE) physical abuse

Value	Label	Unweighted Frequency	%
0	No, event never occurred	893	58.8 %
1	Yes, event occurred at least once	564	37.2 %
	<b>Missing Data</b>		
.	-	61	4.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,457 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 1222-1222 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### W1ACE\_PHY\_I: Adverse Childhood Experiences (ACE) physical abuse with imputation

Value	Label	Unweighted Frequency	%
0	No, event never occurred	930	61.3 %
1	Yes, event occurred at least once	588	38.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1223-1223 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1ACE\_SEP: Adverse Childhood Experiences (ACE) parental separation or divorce

Value	Label	Unweighted Frequency	%
0	No, event never occurred	988	65.1 %
1	Yes, event occurred at least once	514	33.9 %
	<b>Missing Data</b>		
.	-	16	1.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,502 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1224-1224 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1ACE\_SEP\_I: Adverse Childhood Experiences (ACE) parental separation or divorce with imputation

Value	Label	Unweighted Frequency	%
0	No, event never occurred	1000	65.9 %
1	Yes, event occurred at least once	518	34.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1225-1225 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1ACE\_SEX: Adverse Childhood Experiences (ACE) sexual abuse

Value	Label	Unweighted Frequency	%
0	No, event never occurred	902	59.4 %
1	Yes, event occurred at least once	541	35.6 %
	<b>Missing Data</b>		
.	-	75	4.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,443 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1226-1226 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1ACE\_SEX\_I: Adverse Childhood Experiences (ACE) sexual abuse with imputation

Value	Label	Unweighted Frequency	%
0	No, event never occurred	953	62.8 %
1	Yes, event occurred at least once	565	37.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1227-1227 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1ACE\_SUB: Adverse Childhood Experiences (ACE) household substance abuse

Value	Label	Unweighted Frequency	%
0	No, event never occurred	804	53.0 %
1	Yes, event occurred at least once	693	45.7 %
	<b>Missing Data</b>		
.	-	21	1.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,497 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1228-1228 (width: 1; decimal: 0)

Variable Type: numeric

## W1ACE\_SUB\_I: Adverse Childhood Experiences (ACE) household substance abuse with imputation

Value	Label	Unweighted Frequency	%
0	No, event never occurred	818	53.9 %
1	Yes, event occurred at least once	700	46.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 1229-1229 (width: 1; decimal: 0)

*Variable Type:* numeric

## W1AUDITC: Audit-C

Value	Label	Unweighted Frequency	%
0	-	246	16.2 %
1	-	256	16.9 %
2	-	283	18.6 %
3	-	221	14.6 %
4	-	176	11.6 %
5	-	134	8.8 %
6	-	91	6.0 %
7	-	44	2.9 %
8	-	23	1.5 %
9	-	11	0.7 %
10	-	5	0.3 %
11	-	11	0.7 %
12	-	2	0.1 %
	<b>Missing Data</b>		
.	-	15	1.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,503 valid cases out of 1,518 total cases.

- Mean: 2.79
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 2.27

*Location:* 1230-1231 (width: 2; decimal: 0)

*Variable Type:* numeric

---

## W1AUDITC\_I: Audit-C with imputation

Value	Label	Unweighted Frequency	%
0	-	251	16.5 %
1	-	260	17.1 %
2	-	285	18.8 %
3	-	222	14.6 %
4	-	176	11.6 %
5	-	135	8.9 %
6	-	91	6.0 %
7	-	45	3.0 %
8	-	23	1.5 %
9	-	11	0.7 %
10	-	5	0.3 %
11	-	12	0.8 %
12	-	2	0.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Mean: 2.78
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 2.28

*Location:* 1232-1233 (width: 2; decimal: 0)

*Variable Type:* numeric

---

## W1CHILDGNC: Childhood gender nonconformity

Value	Label	Unweighted Frequency	%
1	Top decile (most gender nonconformity)	189	12.5 %
2	Median-top decile	598	39.4 %
3	< Median (least gender nonconformity)	731	48.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 1234-1234 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## W1CHILDGNC\_I: Childhood gender nonconformity with imputation

Value	Label	Unweighted Frequency	%
1	Top decile (most gender nonconformity)	180	11.9 %
2	Median-top decile	609	40.1 %
3	< Median (least gender nonconformity)	729	48.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 1235-1235 (width: 1; decimal: 0)

*Variable Type:* numeric

## W1CONNECTEDNESS: Community connectedness

Value	Label	Unweighted Frequency	%
1.00000000000000	-	7	0.5 %
1.1428570747375	-	5	0.3 %
1.2857143878937	-	3	0.2 %
1.4285714626312	-	3	0.2 %
1.5714285373688	-	12	0.8 %
1.7142856121063	-	15	1.0 %
1.8571429252625	-	15	1.0 %
2.00000000000000	-	20	1.3 %
2.1428570747375	-	40	2.6 %
2.2857143878937	-	59	3.9 %
2.4285714626312	-	89	5.9 %
2.5714285373688	-	107	7.0 %
2.7142856121063	-	131	8.6 %
2.8571429252625	-	151	9.9 %
3.00000000000000	-	243	16.0 %
3.1428570747375	-	114	7.5 %
3.2857141494751	-	105	6.9 %
3.4285714626312	-	93	6.1 %
3.5714285373688	-	67	4.4 %
3.7142858505249	-	54	3.6 %
3.8571429252625	-	56	3.7 %
4.00000000000000	-	78	5.1 %
	<b>Missing Data</b>		
.	-	51	3.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>



Based upon 1,467 valid cases out of 1,518 total cases.

- Mean: 2.9660142098630
- Median: 3.0000000000000
- Mode: 3.0000000000000
- Minimum: 1.0000000000000
- Maximum: 4.0000000000000
- Standard Deviation: 0.5645164334331

*Location:* 1236-1250 (width: 15; decimal: 13)

*Variable Type:* numeric

## W1CONNECTEDNESS\_I: Community connectedness with imputation

Value	Label	Unweighted Frequency	%
1.0000000000000	-	7	0.5 %
1.1428570747375	-	5	0.3 %
1.2857143878937	-	3	0.2 %
1.4285714626312	-	4	0.3 %
1.5714285373688	-	12	0.8 %
1.7142856121063	-	15	1.0 %
1.8571429252625	-	15	1.0 %
2.0000000000000	-	22	1.4 %
2.1428570747375	-	43	2.8 %
2.2857143878937	-	61	4.0 %
2.4285714626312	-	92	6.1 %
2.5714285373688	-	112	7.4 %
2.7142856121063	-	139	9.2 %
2.8571429252625	-	159	10.5 %
3.0000000000000	-	246	16.2 %
3.1428570747375	-	118	7.8 %
3.2857141494751	-	108	7.1 %
3.4285714626312	-	99	6.5 %
3.5714285373688	-	67	4.4 %
3.7142858505249	-	54	3.6 %
3.8571429252625	-	57	3.8 %
4.0000000000000	-	80	5.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Mean: 2.9618859322489
- Median: 3.0000000000000
- Mode: 3.0000000000000
- Minimum: 1.0000000000000
- Maximum: 4.0000000000000

• Standard Deviation: 0.5632352036780

Location: 1251-1265 (width: 15; decimal: 13)

Variable Type: numeric

## W1DUDIT: Drug Use Disorders Identification Test (DUDIT)

Value	Label	Unweighted Frequency	%
0	-	774	51.0 %
1	-	41	2.7 %
2	-	105	6.9 %
3	-	79	5.2 %
4	-	89	5.9 %
5	-	50	3.3 %
6	-	37	2.4 %
7	-	30	2.0 %
8	-	51	3.4 %
9	-	25	1.6 %
10	-	31	2.0 %
11	-	21	1.4 %
12	-	19	1.3 %
13	-	13	0.9 %
14	-	9	0.6 %
15	-	10	0.7 %
16	-	14	0.9 %
17	-	6	0.4 %
18	-	5	0.3 %
19	-	8	0.5 %
20	-	5	0.3 %
21	-	3	0.2 %
22	-	4	0.3 %
23	-	2	0.1 %
24	-	3	0.2 %
25	-	4	0.3 %
26	-	1	0.1 %
28	-	1	0.1 %
29	-	1	0.1 %
30	-	3	0.2 %
31	-	3	0.2 %
32	-	3	0.2 %
33	-	1	0.1 %
35	-	1	0.1 %

Value	Label	Unweighted Frequency	%
.	Missing Data		
.	-	66	4.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,452 valid cases out of 1,518 total cases.

- Mean: 3.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 35.00
- Standard Deviation: 5.51

*Location:* 1266-1267 (width: 2; decimal: 0)

*Variable Type:* numeric

## W1DUDIT\_I: Drug Use Disorders Identification Test (DUDIT) with imputation

Value	Label	Unweighted Frequency	%
0	-	814	53.6 %
1	-	46	3.0 %
2	-	112	7.4 %
3	-	81	5.3 %
4	-	89	5.9 %
5	-	52	3.4 %
6	-	38	2.5 %
7	-	31	2.0 %
8	-	51	3.4 %
9	-	25	1.6 %
10	-	32	2.1 %
11	-	21	1.4 %
12	-	20	1.3 %
13	-	13	0.9 %
14	-	10	0.7 %
15	-	11	0.7 %
16	-	15	1.0 %
17	-	6	0.4 %
18	-	6	0.4 %
19	-	8	0.5 %
20	-	5	0.3 %
21	-	3	0.2 %
22	-	4	0.3 %
23	-	2	0.1 %

Value	Label	Unweighted Frequency	%
24	-	3	0.2 %
25	-	4	0.3 %
26	-	1	0.1 %
28	-	1	0.1 %
29	-	2	0.1 %
30	-	3	0.2 %
31	-	3	0.2 %
32	-	3	0.2 %
33	-	1	0.1 %
35	-	1	0.1 %
36	-	1	0.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Mean: 3.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 36.00
- Standard Deviation: 5.57

*Location:* 1268-1269 (width: 2; decimal: 0)

*Variable Type:* numeric

## W1EVERYDAY: Everyday discrimination

Value	Label	Unweighted Frequency	%
1.00000000000000	-	190	12.5 %
1.1111111640930	-	62	4.1 %
1.2222223281860	-	77	5.1 %
1.3333332538605	-	80	5.3 %
1.4444444179535	-	100	6.6 %
1.5555555820465	-	81	5.3 %
1.6666667461395	-	79	5.2 %
1.7777776718140	-	78	5.1 %
1.8888888359070	-	76	5.0 %
2.00000000000000	-	79	5.2 %
2.1111111640930	-	74	4.9 %
2.2222223281860	-	76	5.0 %
2.3333332538605	-	55	3.6 %
2.4444444179535	-	71	4.7 %
2.5555555820465	-	50	3.3 %

Value	Label	Unweighted Frequency	%
2.6666667461395	-	44	2.9 %
2.7777776718140	-	41	2.7 %
2.888888359070	-	30	2.0 %
3.0000000000000	-	35	2.3 %
3.111111640930	-	17	1.1 %
3.2222223281860	-	28	1.8 %
3.3333334922791	-	21	1.4 %
3.4444444179535	-	11	0.7 %
3.5555555820465	-	5	0.3 %
3.6666665077209	-	3	0.2 %
3.7777776718140	-	4	0.3 %
3.888888359070	-	4	0.3 %
4.0000000000000	-	7	0.5 %
	Missing Data		
.	-	40	2.6 %
	Total	1,518	100%

Based upon 1,478 valid cases out of 1,518 total cases.

- Mean: 1.9067057646982
- Median: 1.7777776718140
- Mode: 1.0000000000000
- Minimum: 1.0000000000000
- Maximum: 4.0000000000000
- Standard Deviation: 0.6935392242629

Location: 1270-1284 (width: 15; decimal: 13)

Variable Type: numeric

## W1EVERYDAY\_I: Everyday discrimination with imputation

Value	Label	Unweighted Frequency	%
1.0000000000000	-	197	13.0 %
1.111111640930	-	65	4.3 %
1.2222223281860	-	79	5.2 %
1.3333332538605	-	81	5.3 %
1.4444444179535	-	102	6.7 %
1.5555555820465	-	83	5.5 %
1.6666667461395	-	82	5.4 %
1.7777776718140	-	82	5.4 %
1.888888359070	-	78	5.1 %
2.0000000000000	-	81	5.3 %

Value	Label	Unweighted Frequency	%
2.111111640930	-	74	4.9 %
2.222223281860	-	78	5.1 %
2.333332538605	-	55	3.6 %
2.444444179535	-	72	4.7 %
2.555555820465	-	50	3.3 %
2.666667461395	-	49	3.2 %
2.777776718140	-	41	2.7 %
2.888888359070	-	31	2.0 %
3.000000000000	-	37	2.4 %
3.111111640930	-	17	1.1 %
3.222223281860	-	29	1.9 %
3.333334922791	-	21	1.4 %
3.444444179535	-	11	0.7 %
3.555555820465	-	5	0.3 %
3.666665077209	-	3	0.2 %
3.777776718140	-	4	0.3 %
3.888888359070	-	4	0.3 %
4.000000000000	-	7	0.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Mean: 1.9041136061878
- Median: 1.777776718140
- Mode: 1.000000000000
- Minimum: 1.000000000000
- Maximum: 4.000000000000
- Standard Deviation: 0.6930936083103

*Location:* 1285-1299 (width: 15; decimal: 13)

*Variable Type:* numeric

## W1FELTSTIGMA: Felt stigma

Value	Label	Unweighted Frequency	%
1.000000000000	-	98	6.5 %
1.333333730698	-	88	5.8 %
1.666666269302	-	131	8.6 %
2.000000000000	-	153	10.1 %
2.333332538605	-	176	11.6 %
2.666667461395	-	216	14.2 %
3.000000000000	-	204	13.4 %
3.333332538605	-	148	9.7 %

Value	Label	Unweighted Frequency	%
3.6666667461395	-	105	6.9 %
4.0000000000000	-	86	5.7 %
4.3333334922791	-	52	3.4 %
4.6666665077209	-	29	1.9 %
5.0000000000000	-	15	1.0 %
	Missing Data		
.	-	17	1.1 %
	Total	1,518	100%

Based upon 1,501 valid cases out of 1,518 total cases.

- Mean: 2.6624472585223
- Median: 2.6666667461395
- Mode: 2.6666667461395
- Minimum: 1.0000000000000
- Maximum: 5.0000000000000
- Standard Deviation: 0.9436242063753

Location: 1300-1314 (width: 15; decimal: 13)

Variable Type: numeric

## W1FELTSTIGMA\_I: Felt stigma with imputation

Value	Label	Unweighted Frequency	%
1.0000000000000	-	100	6.6 %
1.3333333730698	-	88	5.8 %
1.6666666269302	-	133	8.8 %
2.0000000000000	-	155	10.2 %
2.3333332538605	-	178	11.7 %
2.6666667461395	-	221	14.6 %
3.0000000000000	-	204	13.4 %
3.3333332538605	-	150	9.9 %
3.6666667461395	-	106	7.0 %
4.0000000000000	-	87	5.7 %
4.3333334922791	-	52	3.4 %
4.6666665077209	-	29	1.9 %
5.0000000000000	-	15	1.0 %
	Total	1,518	100%

Based upon 1,518 valid cases out of 1,518 total cases.

- Mean: 2.6600790525614
- Median: 2.6666667461395

- Mode: 2.6666667461395
- Minimum: 1.00000000000000
- Maximum: 5.00000000000000
- Standard Deviation: 0.9426306282914

*Location:* 1315-1329 (width: 15; decimal: 13)

*Variable Type:* numeric

## W1HCTHREAT: Healthcare stereotype threat

Value	Label	Unweighted Frequency	%
1.00	-	220	14.5 %
1.25	-	27	1.8 %
1.50	-	35	2.3 %
1.75	-	77	5.1 %
2.00	-	284	18.7 %
2.25	-	74	4.9 %
2.50	-	87	5.7 %
2.75	-	63	4.2 %
3.00	-	159	10.5 %
3.25	-	83	5.5 %
3.50	-	99	6.5 %
3.75	-	54	3.6 %
4.00	-	125	8.2 %
4.25	-	41	2.7 %
4.50	-	16	1.1 %
4.75	-	13	0.9 %
5.00	-	34	2.2 %
	<b>Missing Data</b>		
.	-	27	1.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,491 valid cases out of 1,518 total cases.

- Mean: 2.58
- Median: 2.50
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.07

*Location:* 1330-1333 (width: 4; decimal: 2)

*Variable Type:* numeric

## W1HCTHREAT\_I: Healthcare stereotype threat with imputation



Value	Label	Unweighted Frequency	%
1.00	-	222	14.6 %
1.25	-	30	2.0 %
1.50	-	37	2.4 %
1.75	-	78	5.1 %
2.00	-	286	18.8 %
2.25	-	76	5.0 %
2.50	-	91	6.0 %
2.75	-	63	4.2 %
3.00	-	160	10.5 %
3.25	-	88	5.8 %
3.50	-	101	6.7 %
3.75	-	56	3.7 %
4.00	-	125	8.2 %
4.25	-	42	2.8 %
4.50	-	16	1.1 %
4.75	-	13	0.9 %
5.00	-	34	2.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Mean: 2.57
- Median: 2.50
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.07

*Location:* 1334-1337 (width: 4; decimal: 2)

*Variable Type:* numeric

## W1IDCENTRAL: Identity centrality

Value	Label	Unweighted Frequency	%
1.00000000000000	-	14	0.9 %
1.2000000476837	-	5	0.3 %
1.3999999761581	-	9	0.6 %
1.6000000238419	-	11	0.7 %
1.7999999523163	-	22	1.4 %
2.00000000000000	-	37	2.4 %
2.2000000476837	-	22	1.4 %
2.4000000953674	-	43	2.8 %
2.5999999046326	-	44	2.9 %

Value	Label	Unweighted Frequency	%
2.7999999523163	-	63	4.2 %
3.0000000000000	-	75	4.9 %
3.2000000476837	-	74	4.9 %
3.4000000953674	-	91	6.0 %
3.5999999046326	-	105	6.9 %
3.7999999523163	-	97	6.4 %
4.0000000000000	-	96	6.3 %
4.1999998092651	-	89	5.9 %
4.4000000953674	-	108	7.1 %
4.5999999046326	-	70	4.6 %
4.8000001907349	-	87	5.7 %
5.0000000000000	-	114	7.5 %
5.1999998092651	-	51	3.4 %
5.4000000953674	-	35	2.3 %
5.5999999046326	-	36	2.4 %
5.8000001907349	-	29	1.9 %
6.0000000000000	-	68	4.5 %
	Missing Data		
.	-	23	1.5 %
	Total	1,518	100%

Based upon 1,495 valid cases out of 1,518 total cases.

- Mean: 3.9455518352547
- Median: 4.0000000000000
- Mode: 5.0000000000000
- Minimum: 1.0000000000000
- Maximum: 6.0000000000000
- Standard Deviation: 1.1245846869757

*Location:* 1338-1352 (width: 15; decimal: 13)

*Variable Type:* numeric

## W1IDCENTRAL\_I: Identity centrality with imputation

Value	Label	Unweighted Frequency	%
1.0000000000000	-	14	0.9 %
1.2000000476837	-	5	0.3 %
1.2500000000000	-	1	0.1 %
1.3999999761581	-	9	0.6 %
1.6000000238419	-	11	0.7 %
1.7999999523163	-	22	1.4 %

Value	Label	Unweighted Frequency	%
2.00000000000000	-	38	2.5 %
2.2000000476837	-	22	1.4 %
2.4000000953674	-	43	2.8 %
2.50000000000000	-	1	0.1 %
2.5999999046326	-	44	2.9 %
2.75000000000000	-	1	0.1 %
2.7999999523163	-	64	4.2 %
3.00000000000000	-	75	4.9 %
3.2000000476837	-	74	4.9 %
3.25000000000000	-	1	0.1 %
3.4000000953674	-	92	6.1 %
3.50000000000000	-	1	0.1 %
3.5999999046326	-	105	6.9 %
3.75000000000000	-	2	0.1 %
3.7999999523163	-	98	6.5 %
4.00000000000000	-	96	6.3 %
4.1999998092651	-	92	6.1 %
4.25000000000000	-	2	0.1 %
4.4000000953674	-	109	7.2 %
4.50000000000000	-	3	0.2 %
4.5999999046326	-	70	4.6 %
4.8000001907349	-	87	5.7 %
5.00000000000000	-	114	7.5 %
5.1999998092651	-	51	3.4 %
5.4000000953674	-	35	2.3 %
5.50000000000000	-	2	0.1 %
5.5999999046326	-	36	2.4 %
5.8000001907349	-	30	2.0 %
6.00000000000000	-	68	4.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Mean: 3.9441040799866
- Median: 4.00000000000000
- Mode: 5.00000000000000
- Minimum: 1.00000000000000
- Maximum: 6.00000000000000
- Standard Deviation: 1.1238954132796

*Location:* 1353-1367 (width: 15; decimal: 13)

*Variable Type:* numeric

## W1INTERNALIZED: Internalized homophobia

Value	Label	Unweighted Frequency	%
1.00000000000000	-	606	39.9 %
1.2000000476837	-	109	7.2 %
1.3999999761581	-	97	6.4 %
1.6000000238419	-	139	9.2 %
1.7999999523163	-	126	8.3 %
2.00000000000000	-	85	5.6 %
2.2000000476837	-	59	3.9 %
2.4000000953674	-	55	3.6 %
2.5999999046326	-	43	2.8 %
2.7999999523163	-	39	2.6 %
3.00000000000000	-	41	2.7 %
3.2000000476837	-	26	1.7 %
3.4000000953674	-	23	1.5 %
3.5999999046326	-	19	1.3 %
3.7999999523163	-	9	0.6 %
4.00000000000000	-	7	0.5 %
4.1999998092651	-	3	0.2 %
4.8000001907349	-	2	0.1 %
5.00000000000000	-	1	0.1 %
	Missing Data		
.	-	29	1.9 %
	Total	1,518	100%

Based upon 1,489 valid cases out of 1,518 total cases.

- Mean: 1.6231027557355
- Median: 1.3999999761581
- Mode: 1.00000000000000
- Minimum: 1.00000000000000
- Maximum: 5.00000000000000
- Standard Deviation: 0.7542733368337

Location: 1368-1382 (width: 15; decimal: 13)

Variable Type: numeric

## W1INTERNALIZED\_I: Internalized homophobia with imputation

Value	Label	Unweighted Frequency	%
1.00000000000000	-	613	40.4 %
1.2000000476837	-	111	7.3 %
1.3999999761581	-	102	6.7 %

Value	Label	Unweighted Frequency	%
1.6000000238419	-	142	9.4 %
1.7999999523163	-	128	8.4 %
2.0000000000000	-	87	5.7 %
2.2000000476837	-	61	4.0 %
2.4000000953674	-	55	3.6 %
2.5999999046326	-	44	2.9 %
2.7999999523163	-	40	2.6 %
3.0000000000000	-	42	2.8 %
3.2000000476837	-	27	1.8 %
3.4000000953674	-	24	1.6 %
3.5999999046326	-	19	1.3 %
3.7999999523163	-	9	0.6 %
4.0000000000000	-	7	0.5 %
4.1999998092651	-	3	0.2 %
4.4000000953674	-	1	0.1 %
4.8000001907349	-	2	0.1 %
5.0000000000000	-	1	0.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Mean: 1.6267457203117
- Median: 1.3999999761581
- Mode: 1.0000000000000
- Minimum: 1.0000000000000
- Maximum: 5.0000000000000
- Standard Deviation: 0.7566336471524

*Location:* 1383-1397 (width: 15; decimal: 13)

*Variable Type:* numeric

## W1KESSLER6: Kessler 6

Value	Label	Unweighted Frequency	%
0	-	92	6.1 %
1	-	91	6.0 %
2	-	115	7.6 %
3	-	118	7.8 %
4	-	95	6.3 %
5	-	122	8.0 %
6	-	95	6.3 %
7	-	83	5.5 %
8	-	94	6.2 %

Value	Label	Unweighted Frequency	%
9	-	76	5.0 %
10	-	62	4.1 %
11	-	68	4.5 %
12	-	88	5.8 %
13	-	57	3.8 %
14	-	35	2.3 %
15	-	37	2.4 %
16	-	39	2.6 %
17	-	34	2.2 %
18	-	31	2.0 %
19	-	20	1.3 %
20	-	18	1.2 %
21	-	11	0.7 %
22	-	1	0.1 %
23	-	1	0.1 %
24	-	8	0.5 %
	<b>Missing Data</b>		
.	-	27	1.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,491 valid cases out of 1,518 total cases.

- Mean: 7.67
- Median: 7.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 5.49

*Location:* 1398-1399 (width: 2; decimal: 0)

*Variable Type:* numeric

---

## W1KESSLER6\_I: Kessler 6 with imputation

Value	Label	Unweighted Frequency	%
0	-	94	6.2 %
1	-	92	6.1 %
2	-	116	7.6 %
3	-	119	7.8 %
4	-	98	6.5 %
5	-	124	8.2 %
6	-	97	6.4 %
7	-	85	5.6 %

Value	Label	Unweighted Frequency	%
8	-	96	6.3 %
9	-	79	5.2 %
10	-	62	4.1 %
11	-	68	4.5 %
12	-	90	5.9 %
13	-	57	3.8 %
14	-	35	2.3 %
15	-	39	2.6 %
16	-	42	2.8 %
17	-	34	2.2 %
18	-	31	2.0 %
19	-	20	1.3 %
20	-	19	1.3 %
21	-	11	0.7 %
22	-	1	0.1 %
23	-	1	0.1 %
24	-	8	0.5 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Mean: 7.67
- Median: 7.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 5.49

*Location:* 1400-1401 (width: 2; decimal: 0)

*Variable Type:* numeric

---

## W1LIFESAT: Satisfaction with life

Value	Label	Unweighted Frequency	%
1.00000000000000	-	41	2.7 %
1.2000000476837	-	19	1.3 %
1.3999999761581	-	25	1.6 %
1.6000000238419	-	14	0.9 %
1.7999999523163	-	35	2.3 %
2.00000000000000	-	37	2.4 %
2.2000000476837	-	40	2.6 %
2.4000000953674	-	43	2.8 %
2.5999999046326	-	35	2.3 %

Value	Label	Unweighted Frequency	%
2.7999999523163	-	34	2.2 %
3.0000000000000	-	44	2.9 %
3.2000000476837	-	60	4.0 %
3.4000000953674	-	59	3.9 %
3.5999999046326	-	50	3.3 %
3.7999999523163	-	59	3.9 %
4.0000000000000	-	55	3.6 %
4.199998092651	-	55	3.6 %
4.4000000953674	-	46	3.0 %
4.5999999046326	-	54	3.6 %
4.8000001907349	-	57	3.8 %
5.0000000000000	-	60	4.0 %
5.199998092651	-	76	5.0 %
5.4000000953674	-	72	4.7 %
5.5999999046326	-	56	3.7 %
5.8000001907349	-	66	4.3 %
6.0000000000000	-	80	5.3 %
6.199998092651	-	48	3.2 %
6.4000000953674	-	47	3.1 %
6.5999999046326	-	43	2.8 %
6.8000001907349	-	41	2.7 %
7.0000000000000	-	43	2.8 %
	Missing Data		
.	-	24	1.6 %
	Total	1,518	100%

Based upon 1,494 valid cases out of 1,518 total cases.

- Mean: 4.3254350731012
- Median: 4.4000000953674
- Mode: 6.0000000000000
- Minimum: 1.0000000000000
- Maximum: 7.0000000000000
- Standard Deviation: 1.6272572524327

Location: 1402-1416 (width: 15; decimal: 13)

Variable Type: numeric

## W1LIFESAT\_I: Satisfaction with life with imputation

Value	Label	Unweighted Frequency	%
1.0000000000000	-	41	2.7 %



Value	Label	Unweighted Frequency	%
1.2000000476837	-	20	1.3 %
1.3999999761581	-	25	1.6 %
1.6000000238419	-	16	1.1 %
1.7999999523163	-	35	2.3 %
2.0000000000000	-	37	2.4 %
2.2000000476837	-	40	2.6 %
2.4000000953674	-	45	3.0 %
2.5999999046326	-	36	2.4 %
2.7999999523163	-	36	2.4 %
3.0000000000000	-	45	3.0 %
3.2000000476837	-	60	4.0 %
3.4000000953674	-	60	4.0 %
3.5999999046326	-	51	3.4 %
3.7999999523163	-	62	4.1 %
4.0000000000000	-	57	3.8 %
4.199998092651	-	55	3.6 %
4.4000000953674	-	46	3.0 %
4.5999999046326	-	54	3.6 %
4.8000001907349	-	59	3.9 %
5.0000000000000	-	62	4.1 %
5.199998092651	-	76	5.0 %
5.4000000953674	-	73	4.8 %
5.5999999046326	-	56	3.7 %
5.8000001907349	-	67	4.4 %
6.0000000000000	-	80	5.3 %
6.199998092651	-	48	3.2 %
6.4000000953674	-	47	3.1 %
6.5999999046326	-	44	2.9 %
6.8000001907349	-	41	2.7 %
7.0000000000000	-	44	2.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Mean: 4.3171277995637
- Median: 4.4000000953674
- Mode: 6.0000000000000
- Minimum: 1.0000000000000
- Maximum: 7.0000000000000
- Standard Deviation: 1.6266920495208

*Location:* 1417-1431 (width: 15; decimal: 13)

*Variable Type:* numeric

## W1MEIM: Multigroup Ethnic Identity Measure (MEIM\_R)

Value	Label	Unweighted Frequency	%
1.0000000000000	-	12	0.8 %
1.1666666269302	-	6	0.4 %
1.3333333730698	-	15	1.0 %
1.5000000000000	-	13	0.9 %
1.6666666269302	-	21	1.4 %
1.8333333730698	-	28	1.8 %
2.0000000000000	-	35	2.3 %
2.1666667461395	-	40	2.6 %
2.3333332538605	-	65	4.3 %
2.5000000000000	-	67	4.4 %
2.6666667461395	-	75	4.9 %
2.8333332538605	-	91	6.0 %
3.0000000000000	-	148	9.7 %
3.1666667461395	-	97	6.4 %
3.3333332538605	-	120	7.9 %
3.5000000000000	-	91	6.0 %
3.6666667461395	-	108	7.1 %
3.8333332538605	-	81	5.3 %
4.0000000000000	-	112	7.4 %
4.1666665077209	-	47	3.1 %
4.3333334922791	-	55	3.6 %
4.5000000000000	-	29	1.9 %
4.6666665077209	-	36	2.4 %
4.8333334922791	-	33	2.2 %
5.0000000000000	-	62	4.1 %
	<b>Missing Data</b>		
.	-	31	2.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,487 valid cases out of 1,518 total cases.

- Mean: 3.2984756770836
- Median: 3.3333332538605
- Mode: 3.0000000000000
- Minimum: 1.0000000000000
- Maximum: 5.0000000000000
- Standard Deviation: 0.8767509100835

*Location:* 1432-1446 (width: 15; decimal: 13)

*Variable Type:* numeric

## W1MEIM\_I: Multigroup Ethnic Identity Measure (MEIM\_R) with imputation

Value	Label	Unweighted Frequency	%
1.0000000000000	-	12	0.8 %
1.1666666269302	-	6	0.4 %
1.3333333730698	-	16	1.1 %
1.5000000000000	-	13	0.9 %
1.6666666269302	-	21	1.4 %
1.8333333730698	-	28	1.8 %
2.0000000000000	-	35	2.3 %
2.1666667461395	-	40	2.6 %
2.3333332538605	-	66	4.3 %
2.5000000000000	-	68	4.5 %
2.6666667461395	-	77	5.1 %
2.8333332538605	-	92	6.1 %
3.0000000000000	-	151	9.9 %
3.1666667461395	-	99	6.5 %
3.3333332538605	-	122	8.0 %
3.5000000000000	-	97	6.4 %
3.6666667461395	-	111	7.3 %
3.8333332538605	-	83	5.5 %
4.0000000000000	-	113	7.4 %
4.1666665077209	-	48	3.2 %
4.3333334922791	-	57	3.8 %
4.5000000000000	-	30	2.0 %
4.6666665077209	-	36	2.4 %
4.8333334922791	-	33	2.2 %
5.0000000000000	-	64	4.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Mean: 3.3018225727502
- Median: 3.3333332538605
- Mode: 3.0000000000000
- Minimum: 1.0000000000000
- Maximum: 5.0000000000000
- Standard Deviation: 0.8747742336332

*Location:* 1447-1461 (width: 15; decimal: 13)

*Variable Type:* numeric

## W1SOCIALWB: Social well-being scale

Value	Label	Unweighted Frequency	%
1.7333333492279	-	2	0.1 %
1.7999999523163	-	1	0.1 %
2.0000000000000	-	3	0.2 %
2.1333334445953	-	2	0.1 %
2.2000000476837	-	1	0.1 %
2.2666666507721	-	1	0.1 %
2.4000000953674	-	3	0.2 %
2.4666666984558	-	3	0.2 %
2.5333333015442	-	7	0.5 %
2.5999999046326	-	3	0.2 %
2.6666667461395	-	6	0.4 %
2.7333333492279	-	7	0.5 %
2.7999999523163	-	8	0.5 %
2.8666665554047	-	9	0.6 %
2.9333333969116	-	4	0.3 %
3.0000000000000	-	10	0.7 %
3.0666666030884	-	10	0.7 %
3.1333334445953	-	14	0.9 %
3.2000000476837	-	7	0.5 %
3.2666666507721	-	12	0.8 %
3.3333332538605	-	13	0.9 %
3.4000000953674	-	9	0.6 %
3.4666666984558	-	21	1.4 %
3.5333333015442	-	15	1.0 %
3.5999999046326	-	20	1.3 %
3.6666667461395	-	21	1.4 %
3.7333333492279	-	27	1.8 %
3.7999999523163	-	28	1.8 %
3.8666665554047	-	27	1.8 %
3.9333333969116	-	23	1.5 %
4.0000000000000	-	35	2.3 %
4.0666666030884	-	41	2.7 %
4.1333332061768	-	38	2.5 %
4.1999998092651	-	35	2.3 %
4.2666668891907	-	34	2.2 %
4.3333334922791	-	46	3.0 %
4.4000000953674	-	36	2.4 %
4.4666666984558	-	35	2.3 %
4.5333333015442	-	36	2.4 %

Value	Label	Unweighted Frequency	%
4.5999999046326	-	43	2.8 %
4.6666665077209	-	32	2.1 %
4.7333331108093	-	41	2.7 %
4.8000001907349	-	46	3.0 %
4.8666667938232	-	44	2.9 %
4.9333333969116	-	38	2.5 %
5.0000000000000	-	42	2.8 %
5.0666666030884	-	38	2.5 %
5.1333332061768	-	35	2.3 %
5.1999998092651	-	32	2.1 %
5.2666668891907	-	42	2.8 %
	Missing Data		
.	-	59	3.9 %
	Total	1,518	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,459 valid cases out of 1,518 total cases.

- Mean: 4.6525474107780
- Median: 4.7333331108093
- Minimum: 1.7333333492279
- Maximum: 6.8666667938232
- Standard Deviation: 0.9067068135269

Location: 1462-1476 (width: 15; decimal: 13)

Variable Type: numeric

## W1SOCIALWB\_I: Social well-being scale with imputations

Value	Label	Unweighted Frequency	%
1.7333333492279	-	2	0.1 %
1.7999999523163	-	1	0.1 %
2.0000000000000	-	3	0.2 %
2.1333334445953	-	2	0.1 %
2.2000000476837	-	1	0.1 %
2.2666666507721	-	1	0.1 %
2.4000000953674	-	3	0.2 %
2.4666666984558	-	3	0.2 %
2.5333333015442	-	7	0.5 %
2.5999999046326	-	3	0.2 %
2.6666667461395	-	6	0.4 %

Value	Label	Unweighted Frequency	%
2.7333333492279	-	7	0.5 %
2.7999999523163	-	9	0.6 %
2.8666665554047	-	10	0.7 %
2.9333333969116	-	4	0.3 %
3.0000000000000	-	10	0.7 %
3.0666666030884	-	10	0.7 %
3.1333334445953	-	14	0.9 %
3.2000000476837	-	7	0.5 %
3.2666666507721	-	13	0.9 %
3.3333332538605	-	14	0.9 %
3.4000000953674	-	9	0.6 %
3.4666666984558	-	22	1.4 %
3.5333333015442	-	15	1.0 %
3.5999999046326	-	20	1.3 %
3.6666667461395	-	21	1.4 %
3.7333333492279	-	29	1.9 %
3.7999999523163	-	28	1.8 %
3.8666665554047	-	28	1.8 %
3.9333333969116	-	26	1.7 %
4.0000000000000	-	38	2.5 %
4.0666666030884	-	41	2.7 %
4.1333332061768	-	39	2.6 %
4.1999998092651	-	36	2.4 %
4.2666668891907	-	38	2.5 %
4.3333334922791	-	47	3.1 %
4.4000000953674	-	40	2.6 %
4.4666666984558	-	37	2.4 %
4.5333333015442	-	38	2.5 %
4.5999999046326	-	46	3.0 %
4.6666665077209	-	32	2.1 %
4.7333331108093	-	41	2.7 %
4.8000001907349	-	47	3.1 %
4.8666667938232	-	44	2.9 %
4.9333333969116	-	39	2.6 %
5.0000000000000	-	45	3.0 %
5.0666666030884	-	38	2.5 %
5.1333332061768	-	37	2.4 %
5.1999998092651	-	33	2.2 %
5.2666668891907	-	43	2.8 %

Value	Label	Unweighted Frequency	%
	Total	1,518	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,518 valid cases out of 1,518 total cases.

- Mean: 4.6555555597124
- Median: 4.6666665077209
- Minimum: 1.7333333492279
- Maximum: 6.8666667938232
- Standard Deviation: 0.9050018293863

Location: 1477-1491 (width: 15; decimal: 13)

Variable Type: numeric

## W1SOCSUPPORT: Social support - full scale

Value	Label	Unweighted Frequency	%
1.0000000000000	-	11	0.7 %
1.0833333730698	-	5	0.3 %
1.1666666269302	-	1	0.1 %
1.2500000000000	-	3	0.2 %
1.3333333730698	-	2	0.1 %
1.4166666269302	-	2	0.1 %
1.5000000000000	-	4	0.3 %
1.5833333730698	-	3	0.2 %
1.6666666269302	-	4	0.3 %
1.7500000000000	-	3	0.2 %
1.8333333730698	-	3	0.2 %
1.9166666269302	-	1	0.1 %
2.0000000000000	-	8	0.5 %
2.0833332538605	-	3	0.2 %
2.1666667461395	-	3	0.2 %
2.2500000000000	-	1	0.1 %
2.3333332538605	-	5	0.3 %
2.4166667461395	-	4	0.3 %
2.5000000000000	-	2	0.1 %
2.5833332538605	-	4	0.3 %
2.6666667461395	-	2	0.1 %
2.7500000000000	-	4	0.3 %
2.8333332538605	-	11	0.7 %
2.9166667461395	-	8	0.5 %
3.0000000000000	-	11	0.7 %

Value	Label	Unweighted Frequency	%
3.0833332538605	-	2	0.1 %
3.1666667461395	-	9	0.6 %
3.2500000000000	-	8	0.5 %
3.3333332538605	-	3	0.2 %
3.4166667461395	-	8	0.5 %
3.5000000000000	-	12	0.8 %
3.5833332538605	-	13	0.9 %
3.6666667461395	-	14	0.9 %
3.7500000000000	-	9	0.6 %
3.8333332538605	-	15	1.0 %
3.9166667461395	-	20	1.3 %
4.0000000000000	-	24	1.6 %
4.0833334922791	-	18	1.2 %
4.1666665077209	-	26	1.7 %
4.2500000000000	-	26	1.7 %
4.3333334922791	-	25	1.6 %
4.4166665077209	-	28	1.8 %
4.5000000000000	-	23	1.5 %
4.5833334922791	-	24	1.6 %
4.6666665077209	-	26	1.7 %
4.7500000000000	-	23	1.5 %
4.8333334922791	-	31	2.0 %
4.9166665077209	-	37	2.4 %
5.0000000000000	-	46	3.0 %
5.0833334922791	-	30	2.0 %
	Missing Data		
.	-	46	3.0 %
	Total	1,518	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,472 valid cases out of 1,518 total cases.

- Mean: 5.1971240933661
- Median: 5.4166665077209
- Mode: 7.0000000000000
- Minimum: 1.0000000000000
- Maximum: 7.0000000000000
- Standard Deviation: 1.2954469001021

Location: 1492-1506 (width: 15; decimal: 13)

Variable Type: numeric



## W1SOCSUPPORT\_FAM: Social support - family

Value	Label	Unweighted Frequency	%
1.00	-	56	3.7 %
1.25	-	16	1.1 %
1.50	-	18	1.2 %
1.75	-	24	1.6 %
2.00	-	42	2.8 %
2.25	-	20	1.3 %
2.50	-	32	2.1 %
2.75	-	34	2.2 %
3.00	-	39	2.6 %
3.25	-	41	2.7 %
3.50	-	51	3.4 %
3.75	-	46	3.0 %
4.00	-	95	6.3 %
4.25	-	58	3.8 %
4.50	-	71	4.7 %
4.75	-	69	4.5 %
5.00	-	85	5.6 %
5.25	-	81	5.3 %
5.50	-	98	6.5 %
5.75	-	97	6.4 %
6.00	-	102	6.7 %
6.25	-	67	4.4 %
6.50	-	49	3.2 %
6.75	-	56	3.7 %
7.00	-	143	9.4 %
	<b>Missing Data</b>		
.	-	28	1.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,490 valid cases out of 1,518 total cases.

- Mean: 4.70
- Median: 5.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.66

*Location:* 1507-1510 (width: 4; decimal: 2)

*Variable Type:* numeric

---

## W1SOCSUPPORT\_FAM\_I: Social support - family with imputation

Value	Label	Unweighted Frequency	%
1.00	-	57	3.8 %
1.25	-	18	1.2 %
1.50	-	18	1.2 %
1.75	-	24	1.6 %
2.00	-	42	2.8 %
2.25	-	21	1.4 %
2.50	-	33	2.2 %
2.75	-	35	2.3 %
3.00	-	40	2.6 %
3.25	-	43	2.8 %
3.50	-	51	3.4 %
3.75	-	46	3.0 %
4.00	-	97	6.4 %
4.25	-	58	3.8 %
4.50	-	75	4.9 %
4.75	-	71	4.7 %
5.00	-	86	5.7 %
5.25	-	81	5.3 %
5.50	-	102	6.7 %
5.75	-	99	6.5 %
6.00	-	102	6.7 %
6.25	-	69	4.5 %
6.50	-	50	3.3 %
6.75	-	57	3.8 %
7.00	-	143	9.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Mean: 4.69
- Median: 5.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.66

*Location:* 1511-1514 (width: 4; decimal: 2)

*Variable Type:* numeric

---

## W1SOCSUPPORT\_FR: Social support - friends

Value	Label	Unweighted Frequency	%
1.00	-	34	2.2 %
1.25	-	4	0.3 %
1.50	-	6	0.4 %
1.75	-	6	0.4 %
2.00	-	22	1.4 %
2.25	-	9	0.6 %
2.50	-	15	1.0 %
2.75	-	13	0.9 %
3.00	-	23	1.5 %
3.25	-	20	1.3 %
3.50	-	23	1.5 %
3.75	-	17	1.1 %
4.00	-	64	4.2 %
4.25	-	44	2.9 %
4.50	-	58	3.8 %
4.75	-	62	4.1 %
5.00	-	108	7.1 %
5.25	-	70	4.6 %
5.50	-	82	5.4 %
5.75	-	89	5.9 %
6.00	-	220	14.5 %
6.25	-	97	6.4 %
6.50	-	67	4.4 %
6.75	-	61	4.0 %
7.00	-	274	18.1 %
	<b>Missing Data</b>		
.	-	30	2.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,488 valid cases out of 1,518 total cases.

- Mean: 5.40
- Median: 5.75
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.45

*Location:* 1515-1518 (width: 4; decimal: 2)

*Variable Type:* numeric

---

## W1SOCSUPPORT\_FR\_I: Social support - friends with imputation

Value	Label	Unweighted Frequency	%
1.00	-	34	2.2 %
1.25	-	4	0.3 %
1.50	-	6	0.4 %
1.75	-	6	0.4 %
2.00	-	23	1.5 %
2.25	-	9	0.6 %
2.50	-	16	1.1 %
2.75	-	13	0.9 %
3.00	-	23	1.5 %
3.25	-	20	1.3 %
3.50	-	23	1.5 %
3.75	-	18	1.2 %
4.00	-	65	4.3 %
4.25	-	46	3.0 %
4.50	-	60	4.0 %
4.75	-	63	4.2 %
5.00	-	110	7.2 %
5.25	-	72	4.7 %
5.50	-	87	5.7 %
5.75	-	90	5.9 %
6.00	-	223	14.7 %
6.25	-	99	6.5 %
6.50	-	70	4.6 %
6.75	-	62	4.1 %
7.00	-	276	18.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Mean: 5.40
- Median: 5.75
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.45

Location: 1519-1522 (width: 4; decimal: 2)

Variable Type: numeric

## W1SOCSUPPORT\_I: Social support - full scale with imputation

Value	Label	Unweighted Frequency	%
1.00000000000000	-	11	0.7 %

Value	Label	Unweighted Frequency	%
1.0833333730698	-	5	0.3 %
1.1666666269302	-	1	0.1 %
1.2500000000000	-	3	0.2 %
1.3333333730698	-	2	0.1 %
1.4166666269302	-	2	0.1 %
1.5000000000000	-	4	0.3 %
1.5833333730698	-	3	0.2 %
1.6666666269302	-	4	0.3 %
1.7500000000000	-	3	0.2 %
1.8333333730698	-	3	0.2 %
1.9166666269302	-	1	0.1 %
2.0000000000000	-	9	0.6 %
2.0833332538605	-	3	0.2 %
2.1666667461395	-	3	0.2 %
2.2500000000000	-	2	0.1 %
2.3333332538605	-	6	0.4 %
2.4166667461395	-	4	0.3 %
2.5000000000000	-	2	0.1 %
2.5833332538605	-	5	0.3 %
2.6666667461395	-	2	0.1 %
2.7500000000000	-	4	0.3 %
2.8333332538605	-	12	0.8 %
2.9166667461395	-	9	0.6 %
3.0000000000000	-	11	0.7 %
3.0833332538605	-	2	0.1 %
3.1666667461395	-	9	0.6 %
3.2500000000000	-	9	0.6 %
3.3333332538605	-	3	0.2 %
3.4166667461395	-	9	0.6 %
3.5000000000000	-	12	0.8 %
3.5833332538605	-	13	0.9 %
3.6666667461395	-	14	0.9 %
3.7500000000000	-	10	0.7 %
3.8333332538605	-	15	1.0 %
3.9166667461395	-	20	1.3 %
4.0000000000000	-	26	1.7 %
4.0833334922791	-	20	1.3 %
4.1666665077209	-	26	1.7 %
4.2500000000000	-	28	1.8 %

Value	Label	Unweighted Frequency	%
4.3333334922791	-	26	1.7 %
4.4166665077209	-	28	1.8 %
4.5000000000000	-	24	1.6 %
4.5833334922791	-	24	1.6 %
4.6666665077209	-	26	1.7 %
4.7500000000000	-	23	1.5 %
4.8333334922791	-	31	2.0 %
4.9166665077209	-	38	2.5 %
5.0000000000000	-	48	3.2 %
5.0833334922791	-	30	2.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,518 valid cases out of 1,518 total cases.

- Mean: 5.1921387784409
- Median: 5.4166665077209
- Mode: 7.0000000000000
- Minimum: 1.0000000000000
- Maximum: 7.0000000000000
- Standard Deviation: 1.2988181404917

*Location:* 1523-1537 (width: 15; decimal: 13)

*Variable Type:* numeric

## W1SOCSUPPORT\_SO: Social support - significant others

Value	Label	Unweighted Frequency	%
1.00	-	63	4.2 %
1.25	-	3	0.2 %
1.50	-	9	0.6 %
1.75	-	10	0.7 %
2.00	-	26	1.7 %
2.25	-	8	0.5 %
2.50	-	16	1.1 %
2.75	-	10	0.7 %
3.00	-	22	1.4 %
3.25	-	18	1.2 %
3.50	-	26	1.7 %
3.75	-	26	1.7 %
4.00	-	61	4.0 %
4.25	-	28	1.8 %

Value	Label	Unweighted Frequency	%
4.50	-	41	2.7 %
4.75	-	48	3.2 %
5.00	-	71	4.7 %
5.25	-	47	3.1 %
5.50	-	55	3.6 %
5.75	-	58	3.8 %
6.00	-	177	11.7 %
6.25	-	77	5.1 %
6.50	-	59	3.9 %
6.75	-	87	5.7 %
7.00	-	444	29.2 %
	<b>Missing Data</b>		
.	-	28	1.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,490 valid cases out of 1,518 total cases.

- Mean: 5.49
- Median: 6.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.68

*Location:* 1538-1541 (width: 4; decimal: 2)

*Variable Type:* numeric

---

## W1SOCSUPPORT\_SO\_I: Social support - significant others with imputation

Value	Label	Unweighted Frequency	%
1.00	-	63	4.2 %
1.25	-	4	0.3 %
1.50	-	9	0.6 %
1.75	-	11	0.7 %
2.00	-	27	1.8 %
2.25	-	8	0.5 %
2.50	-	17	1.1 %
2.75	-	11	0.7 %
3.00	-	22	1.4 %
3.25	-	18	1.2 %
3.50	-	26	1.7 %
3.75	-	26	1.7 %
4.00	-	63	4.2 %

Value	Label	Unweighted Frequency	%
4.25	-	29	1.9 %
4.50	-	41	2.7 %
4.75	-	50	3.3 %
5.00	-	72	4.7 %
5.25	-	48	3.2 %
5.50	-	55	3.6 %
5.75	-	58	3.8 %
6.00	-	178	11.7 %
6.25	-	78	5.1 %
6.50	-	62	4.1 %
6.75	-	91	6.0 %
7.00	-	451	29.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Mean: 5.49
- Median: 6.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.68

*Location:* 1542-1545 (width: 4; decimal: 2)

*Variable Type:* numeric