Exploring a database with SQL

Matthew Bain

2024-03-22

Table of contents

nports 1
1ports
Q15
Q25
Q3
Q46
Q5
Q6
Q7
Q8
~ rapping up9

Imports

```
import sqlite3
import pandas as pd
from IPython.display import Markdown, display
```

SQL

Let us imagine we have the following tables in our database:

1. Sales

- sales_id (INT)
- customer_id (INT)
- product_id (INT)
- sale_date (DATE)
- quantity (INT)
- total_amount (DECIMAL)

2. Customers

- customer_id (INT)
- customer_name (VARCHAR)
- sales_region (VARCHAR)

```
• sign_up_date (DATE)
```

3. Products

- product_id (INT)
- product_name (VARCHAR)
- category (VARCHAR)
- price (DECIMAL)

We can simulate this problem by creating a test database in Python and adding tables to it that match this description.

```
# Create a database and cursor to query it
conn = sqlite3.connect("testdatabase.db", timeout=10.0)
cursor = conn.cursor()
```

```
# Create `Sales` table
cursor.execute(
   0.00
   CREATE TABLE IF NOT EXISTS Sales
       sales id INTEGER PRIMARY KEY AUTOINCREMENT,
       customer_id INTEGER,
       product_id INTEGER,
       sales date DATE,
       quantity INTEGER,
       total_amount DECIMAL(10, 2),
       FOREIGN KEY (customer_id) REFERENCES Customers(customer_id),
       FOREIGN KEY (product id) REFERENCES Products (product id)
   )
    0.00
)
# Create `Customers` table
cursor.execute(
    CREATE TABLE IF NOT EXISTS Customers
       customer_id INTEGER PRIMARY KEY AUTOINCREMENT,
       customer_name VARCHAR(255) NOT NULL,
       sales_region VARCHAR(255),
       sign up date DATE
    )
    0.00
)
# Create `Products` table
cursor.execute(
```

```
CREATE TABLE IF NOT EXISTS Products

(
    product_id INTEGER PRIMARY KEY AUTOINCREMENT,
    product_name VARCHAR(255) NOT NULL,
    category VARCHAR(255),
    price DECIMAL(10, 2)
)
"""
)
```

<sqlite3.Cursor at 0x127d3b3c0>

```
# Insert record into `Customers` table
query = """
   INSERT INTO Customers
    (customer name, sales region, sign up date)
    VALUES (?, ?, ?)
0.00
values = [
    ("John Doe", "West", "2023-09-25"),
    ("Jane Young", "South", "2024-09-25"),
    ("Chris Nguyen", "West", "2024-09-25"),
1
cursor.executemany(query, values)
# Insert record into `Products` table
query = """
    INSERT INTO Products
    (product name, category, price)
    VALUES (?, ?, ?)
0.00
values = [
    ("Washing machine", "Appliances", 1500.00),
    ("Laptop", "Electronics", 1000.00),
    ("Phone", "Electronics", 800.00),
cursor.executemany(query, values)
# Insert record into `Sales` table
query = """
    INSERT INTO Sales
    (customer_id, product_id, sales_date, quantity, total_amount)
   VALUES (?, ?, ?, ?, ?)
values = [
    (1, 1, "2023-09-26", 2, values[0][2] * 2),
```

```
(2, 1, "2023-01-15", 4, values[0][2] * 4),
  (2, 2, "2024-09-20", 3, values[1][2] * 3),
  (3, 3, "2024-09-22", 9, values[2][2] * 9),
  (1, 2, "2023-09-26", 5, values[1][2] * 5),
]
cursor.executemany(query, values)
```

<sqlite3.Cursor at 0x127d3b3c0>

```
# Query `Sales`
query = """
   SELECT *
   FROM Sales
   LIMIT 5;
display(Markdown("**`Sales`**:"), pd.read_sql(query, conn))
# Query `Customers`
query = """
   SELECT *
   FROM Customers
   LIMIT 5;
display(Markdown("**`Customers`**:"), pd.read_sql(query, conn))
# Query `Products`
query = """
   SELECT *
   FROM Products
   LIMIT 5;
display(Markdown("**`Products`**:"), pd.read_sql(query, conn))
```

Sales:

	sales_id	customer_id	product_id	sales_date	quantity	total_amount
0	1	1	1	2023-09-26	2	3000
1	2	2	1	2023-01-15	4	6000
2	3	2	2	2024-09-20	3	3000
3	4	3	3	2024-09-22	9	7200
4	5	1	2	2023-09-26	5	5000

Customers:

	customer_id	customer_name	sales_region	sign_up_date
0	1	John Doe	West	2023-09-25
1	2	Jane Young	South	2024-09-25
2	3	Chris Nguyen	West	2024-09-25

Products:

	product_id	product_name	category	price
0	1	Washing machine	Appliances	1500
1	2	Laptop	Electronics	1000
2	3	Phone	Electronics	800

Q1

Write a query to return the customer_name, product_name, and total_amount for each sale in the last 30 days.

_		customer_name	product_name	total_amount
	0	Jane Young	Laptop	3000
	1	Chris Nguyen	Phone	7200

Q2

Write a query to find the total revenue generated by each product category in the last year. The output should include the product category and the total revenue for that category.

	category	total_revenue
0	Electronics	10200

Q3

Write a query to return all customers who made purchases in 2023 and are located in the "West" region.

customer_name

0 John Doe

Q4

Write a query to display the total number of sales, total quantity sold, and total revenue for each customer. The result should include the customer_name, total sales, total quantity, and total revenue.

	customer_name	total_sales	total_quantity	total_revenue
0	John Doe	2	7	8000
1	Jane Young	2	7	9000
2	Chris Nguyen	1	9	7200

Q5Write a query to find the top 3 customers (by total revenue) in the year 2023.

```
query = """
    SELECT
        Customers.customer_name,
        SUM(Sales.total_amount) AS total_revenue
FROM
        Customers
LEFT JOIN Sales
        ON Customers.customer_id = Sales.customer_id
        AND strftime('%Y', Sales.sales_date) = '2023'
GROUP BY
        Customers.customer_name
ORDER BY
        total_revenue DESC;
"""
pd.read_sql(query, conn)
```

	customer_name	total_revenue
0	John Doe	8000.0
1	Jane Young	6000.0
2	Chris Nguyen	NaN

Q6

Write a query to rank products by their total sales quantity in 2023. The result should include the product_name, total quantity sold, and rank.

```
query = """
    SELECT
          Products.product_name,
          SUM(Sales.quantity) AS total_quantity,
          RANK() OVER
                (ORDER BY SUM(Sales.quantity) DESC) AS quantity_rank
FROM
          Products
    LEFT JOIN Sales
          ON Products.product_id = Sales.product_id
          AND strftime('%Y', Sales.sales_date) = '2023'
    GROUP BY
          Products.product_name;
"""
pd.read_sql(query, conn)
```

	product_name	total_quantity	quantity_rank
0	Washing machine	6.0	1
1	Laptop	5.0	2
2	Phone	NaN	3

Q7

Write a query that categorizes customers into "New" (if they signed up in the last 6 months) or "Existing" based on their sign_up_date. Include the customer_name, region, and category in the result.

```
query = """
    SELECT DISTINCT
        Customers.customer_name,
        Customers.sales_region,

CASE
     WHEN
        Customers.sign_up_date >= DATE('now', '-6 months')
        THEN
```

```
'New'

ELSE

'Existing'

END AS customer_status

FROM

Customers

LEFT JOIN Sales

ON Customers.customer_id = Sales.customer_id

pd.read_sql(query, conn)
```

	customer_name	sales_region	customer_status
0	John Doe	West	Existing
1	Jane Young	South	New
2	Chris Nguyen	West	New

Q8

Write a query to return the month and year along with the total sales for each month for the last 12 months.

Wrapping up

```
cursor.close()
conn.close()
```