

A Large Scale Study of Programming Languages and Code Quality in Github



Baishakhi Ray



Daryl Posnett



Vladimir Filkov



University of California,
Davis.



Quality!!



C

Java

Haskell

Python

Erlang

What is the right programming language for my job?



No Mysterious
Annoying Errors!

Static Typing

CATCH BUGS EARLY!!

Dynamic Typing

Errors as
They happen!

What is the effect of programming languages
on software quality?

Ideally, we do controlled studies

Hanenberg, Prechelt, Kleinschmager, Robbes...

In this paper, we use Github.

Lot of data...use regression for control.

Study Subjects

- 729 popular GitHub projects.
 - Linux, Git, Php-src, Jquery, Mongodb etc.
 - 80M SLOC, 29K authors, 1.5M commits
- 17 languages:
 - C, C++, C#, Objective-C, Go, Java, JavaScript, CoffeeScript, TypeScript, Ruby, Php, Python, Perl, Clojure, Erlang, Haskell, Scala

Punch Line

Yeah, a bit.

Static Typing, Strong Typing, Memory management and functional programming matter, but...

Not much effect observed.



Set Up Your Own Cloud Foundry PaaS in Minutes

The Leading Open-Source PaaS, Engineered for the Enterprise.

[Get Started >](#)

Free up to 20GB RAM



Set Up Your Own Cloud Foundry PaaS in Minutes

[Get Started >](#)

Free up to 20GB RAM

SOFTWARE > DEVELOPER

Languages don't breed bugs, PEOPLE breed bugs, say boffins

You say C++, I say Python, you say JavaScript, I say Erlang ...

By Richard Chirgwin, 6 Nov 2014



2,686 followers

52

[Beginner's guide to SSL certificates](#)

If you want to spark a religious war, express an unshakeable preference for a programming language, and by preference, make your favourite something relatively obscure, like Erlang. It turns out, according to a study by a bunch of UC Davis boffins, the differences in code quality between languages are pretty small.

To be presented at the ACM's Foundations of Software Engineering (FSE) symposium in Hong Kong in mid-November, the paper, *A Large Scale Study of Programming Languages and Code Quality in Github*, even analysing 729 projects, 80 million lines of code, 1.5 million commits from 29,000 or so authors in 17 languages only found "modest" effects coming from the language software's written in.

While strong typing is a little better than weak typing, and in functional languages static typing is a little better than dynamic typing, and managed memory is better than unmanaged, the authors (Baishakhi Ray, Daryl Posnett, Vladimir Filkov, and Premkumar Devanbu of the UC Davis department of comp. sci) find that "modest effects arising from language design are overwhelmingly dominated by the process factors such as project size, team size, and commit size".

RELATED STORIES

MoD releases code to GitHub: Our Ideaworks... sort of

Super-villains of C sought for WORLD CONQUEST plan

UK consumers particularly prone to piss-poor patching

Something for the Weekend, Sir? Sign off my IT project or I'll PHONE your MUM

Poodle Admins! Never mind POODLE, there're NEW OpenSSL bugs to splat



Set Up Your Own Cloud Foundry PaaS in Minutes

[Get Started >](#)

MOST READ MOST COMMENTED

[Facebook's plain English data policy: WE'LL SELL YOU LIKE A PIG at a fair](#)

[SLURP! Get your TONGUE around our LOLLIPOP - Google](#)

[Could YOU identify these 10 cool vintage mobile phones?](#)

[Rosetta probot drilling DENIED: Philae has its 'LEG in the AIR'](#)

[VINYL is BACK and you can thank Sonos for that](#)

SPOTLIGHT



[HA HA! 70](#)

[Microsoft .NET 38](#)



[Microsoft: It's TIME at LAST. Yes - .NET is going OPEN and X-PLATFORM](#)

[Groupon flees from army of angry GNOMES: Trademark bid for 'Gnome' tab scrapped](#)



[110](#)

[34](#)

**..meanwhile, in the
American Media...**

www.infoworld.com/article/2844268/application-development/functional-languages-rack-up-best-scores-for-software-quality

If your cloud can't integrate apps using open standards,
it isn't truly open.

Made with IBM Discover the truly open IBM Cloud →

App Dev • Cloud • Data Center • Mobile • Open Source • Security • Deep Dives • Reviews • Resources/White Papers

InfoWorld

Home > Application Development



INFOWORLD TECH WATCH

By Paul Krill | Follow

About |

Informed news analysis every weekday

Functional languages rack up best scores for software quality



Credit: iStockphoto

A study of GitHub projects and the languages used to build them finds that certain language characteristics are more likely to result in better software

InfoWorld | Nov 7, 2014

Language design makes a difference in software quality, and **functional languages** offer an edge when it comes to building quality software, a study of programming languages and code quality in GitHub reveals.

Researchers at the University of California, Davis, recently published their findings,

which showed that functional languages like Clojure and Erlang have better

MORE LIKE THIS

10 things you should know about Apple's Swift

Scala founder: Language due for 'fundamental rethink'

 New NSA-funded programming language could close long-standing security holes

DEMO Delivers

Deliver Yourself to DEMO

Register Today

REGISTER TO ATTEND

DEMO Fall 2014 | Nov. 18-20


Yeah, by a bit.

Methodology: Mining GitHub




(1) Select most popular languages
(with the most projects)

Methodology: Mining GitHub



Methodology: Mining GitHub



Methodology: Mining Repository

(1) Retrieve change log for each file commit

(2) Identify language, developer, change size, project age etc.

(3) Identify bug-fix commits

(4) Categorize bugs

Methodology: Triangulation

- Regression analysis
 - Effect of language on bugs while controlling for *code size, project age, contributors* etc.
- Visualization
- Text Analysis

Results

RQ1. Are some languages more defect prone than others?

Clojure,
Haskell, Ruby,
Scala

C, C++,
Objective-C,
Php, Python

Less bug-prone than average

More bug-prone than average

Some languages have a greater association with defects than other languages, although **the effect is small.**


RQ2. Which language properties relate to defects?

- Procedural / Scripting / Functional ?
- Static / Dynamic ?
- Strong / Weak ?
- Managed / Unmanaged ?

RQ2. Which language properties relate to defects?




RQ2. Which language properties relate to defects?




Strong typing is a bit better than weak typing

RQ2. Which language properties relate to defects?




Functional Languages > Procedural Languages

RQ2. Which language properties relate to defects?




(For Functional) Static Typing > Dynamic Typing

RQ2. Which language properties relate to defects?



RQ3. Does language defect proneness depend on domain?




There is no general relationship between domain and language defect proneness.

Threats to Validity

- The personality of programmers choosing the language may matter more.
- Type of languages are classified based on file extensions.
- Focus on development time bugs.
- Bugs are categorized by the choice of keywords.
- External tools may increase bug detection in certain languages.

Summary



“Language Features matter, but, not much.”


Thanks to NSF CCF-1247280 and CCF-1446683
AFOSR FA955-11-1-0246



RQ4. What is the relation between language & bug category?

Bug Type	Count (%)
Algorithm	0.11
Concurrency	1.99
Memory	5.44
Security	2.01
Performance	1.55
Failure	3.77
Unknown	1.04
Programming	88.53

RQ4. What is the relation between language & bug category?



Language matters more for specific categories than it does for defects overall.