

# mybatis

NEW HOME OF THE WORLD'S MOST  
POPULAR SQL MAPPING FRAMEWORK.

---

## **MyBatis** v. 3.1.1 User Guide

---



## Table of Contents

1	<b>Table of Contents</b>	<b>i</b>
2	<b>Introduction</b>	<b>1</b>
3	<b>Getting Started</b>	<b>2</b>
4	<b>Configuration XML</b>	<b>7</b>
5	<b>Mapper XML Files</b>	<b>21</b>
6	<b>Dynamic SQL</b>	<b>47</b>
7	<b>Java API</b>	<b>52</b>
8	<b>Statement Builders</b>	<b>68</b>
9	<b>Logging</b>	<b>73</b>



# 1 Introduction

---

## 1.1 Introduction

### 1.1.1 What is MyBatis?

MyBatis is a first class persistence framework with support for custom SQL, stored procedures and advanced mappings. MyBatis eliminates almost all of the JDBC code and manual setting of parameters and retrieval of results. MyBatis can use simple XML or Annotations for configuration and map primitives, Map interfaces and Java POJOs (Plain Old Java Objects) to database records.

### 1.1.2 Help make this documentation better...

If you find this documentation lacking in any way, or missing documentation for a feature, then the best thing to do is learn about it and then write the documentation yourself!

Sources of this manual are available in xdoc format at [project's SVN](#) . Check them out, update them and send your patch to the [tracker](#) .

You're the best author of this documentation, people like you have to read it!

### 1.1.3 Translations

Users can read about MyBatis in following translations:

- [English](#)
- [Español](#)
- [###](#)
- [###](#)
- [####](#)

Do you want to read about MyBatis in your own native language? Fill an issue providing patches with your mother tongue documentation!

## 2 Getting Started

---

### 2.1 Getting started

Every MyBatis application centers around an instance of `SqlSessionFactory`. A `SqlSessionFactory` instance can be acquired by using the `SqlSessionFactoryBuilder`. `SqlSessionFactoryBuilder` can build a `SqlSessionFactory` instance from an XML configuration file, or from a custom prepared instance of the `Configuration` class.

#### 2.1.1 Building `SqlSessionFactory` from XML

Building a `SqlSessionFactory` instance from an XML file is very simple. It is recommended that you use a classpath resource for this configuration, but you could use any `InputStream` instance, including one created from a literal file path or a `file://` URL. MyBatis includes a utility class, called `Resources`, that contains a number of methods that make it simpler to load resources from the classpath and other locations.

```
String resource = "org/mybatis/example/mybatis-config.xml";
InputStream inputStream = Resources.getResourceAsStream(resource);
sqlSessionFactory = new SqlSessionFactoryBuilder().build(inputStream);
```

The configuration XML file contains settings for the core of the MyBatis system, including a `DataSource` for acquiring database `Connection` instances, as well as a `TransactionManager` for determining how transactions should be scoped and controlled. The full details of the XML configuration file can be found later in this document, but here is a simple example:

```
<?xml version="1.0" encoding="UTF-8" ?>
<!DOCTYPE configuration
  PUBLIC "-//mybatis.org//DTD Config 3.0//EN"
  "http://mybatis.org/dtd/mybatis-3-config.dtd">
<configuration>
  <environments default="development">
    <environment id="development">
      <transactionManager type="JDBC"/>
      <dataSource type="POOLED">
        <property name="driver" value="${driver}"/>
        <property name="url" value="${url}"/>
        <property name="username" value="${username}"/>
        <property name="password" value="${password}"/>
      </dataSource>
    </environment>
  </environments>
  <mappers>
    <mapper resource="org/mybatis/example/BlogMapper.xml"/>
  </mappers>
</configuration>
```

While there is a lot more to the XML configuration file, the above example points out the most critical parts. Notice the XML header, required to validate the XML document. The body of the `environment` element contains the environment configuration for transaction management and connection pooling. The `mappers` element contains a list of mappers – the XML files that contain the SQL code and mapping definitions.

### 2.1.2 Building SqlSessionFactory without XML

If you prefer to directly build the configuration from Java, rather than XML, or create your own configuration builder, MyBatis provides a complete Configuration class that provides all of the same configuration options as the XML file.

```
DataSource dataSource = BlogDataSourceFactory.getBlogDataSource();
TransactionFactory transactionFactory = new JdbcTransactionFactory();
Environment environment = new Environment("development", transactionFactory, dataSource);
Configuration configuration = new Configuration(environment);
configuration.addMapper(BlogMapper.class);
SqlSessionFactory sqlSessionFactory = new SqlSessionFactoryBuilder().build(configuration);
```

Notice in this case the configuration is adding a mapper class. Mapper classes are Java classes that contain SQL Mapping Annotations that avoid the need for XML. However, due to some limitations of Java Annotations and the complexity of some MyBatis mappings, XML mapping is still required for the most advanced mappings (e.g. Nested Join Mapping). For this reason, MyBatis will automatically look for and load a peer XML file if it exists (in this case, BlogMapper.xml would be loaded based on the classpath and name of BlogMapper.class). More on this later.

### 2.1.3 Acquiring a SqlSession from SqlSessionFactory

Now that you have a SqlSessionFactory, as the name suggests, you can acquire an instance of SqlSession. The SqlSession contains absolutely every method needed to execute SQL commands against the database. You can execute mapped SQL statements directly against the SqlSession instance. For example:

```
SqlSession session = sqlSessionFactory.openSession();
try {
    Blog blog = session.selectOne("org.mybatis.example.BlogMapper.selectBlog", 101);
} finally {
    session.close();
}
```

While this approach works, and is familiar to users of previous versions of MyBatis, there is now a cleaner approach. Using an interface (e.g. BlogMapper.class) that properly describes the parameter and return value for a given statement, you can now execute cleaner and more type safe code, without error prone string literals and casting.

For example:

```
SqlSession session = sqlSessionFactory.openSession();
try {
    BlogMapper mapper = session.getMapper(BlogMapper.class);
    Blog blog = mapper.selectBlog(101);
} finally {
    session.close();
}
```

Now let's explore what exactly is being executed here.

### 2.1.4 Exploring Mapped SQL Statements

At this point you may be wondering what exactly is being executed by the SqlSession or Mapper class. The topic of Mapped SQL Statements is a big one, and that topic will likely dominate the

majority of this documentation. But to give you an idea of what exactly is being run, here are a couple of examples.

In either of the examples above, the statements could have been defined by either XML or Annotations. Let's take a look at XML first. The full set of features provided by MyBatis can be realized by using the XML based mapping language that has made MyBatis popular over the years. If you've used MyBatis before, the concept will be familiar to you, but there have been numerous improvements to the XML mapping documents that will become clear later. Here is an example of an XML based mapped statement that would satisfy the above `SqlSession` calls.

```
<?xml version="1.0" encoding="UTF-8" ?>
<!DOCTYPE mapper
  PUBLIC "-//mybatis.org//DTD Mapper 3.0//EN"
  "http://mybatis.org/dtd/mybatis-3-mapper.dtd">
<mapper namespace="org.mybatis.example.BlogMapper">
  <select id="selectBlog" parameterType="int" resultType="Blog">
    select * from Blog where id = #{id}
  </select>
</mapper>
```

While this looks like a lot of overhead for this simple example, it is actually very light. You can define as many mapped statements in a single mapper XML file as you like, so you get a lot of mileage out of the XML header and doctype declaration. The rest of the file is pretty self explanatory. It defines a name for the mapped statement “selectBlog”, in the namespace “org.mybatis.example.BlogMapper”, which would allow you to call it by specifying the fully qualified name of “org.mybatis.example.BlogMapper.selectBlog”, as we did above in the following example:

```
Blog blog = (Blog) session.selectOne("org.mybatis.example.BlogMapper.selectBlog", 1
```

Notice how similar this is to calling a method on a fully qualified Java class, and there's a reason for that. This name can be directly mapped to a Mapper class of the same name as the namespace, with a method that matches the name, parameter, and return type as the mapped select statement. This allows you to very simply call the method against the Mapper interface as you saw above, but here it is again in the following example:

```
BlogMapper mapper = session.getMapper(BlogMapper.class);
Blog blog = mapper.selectBlog(101);
```

The second approach has a lot of advantages. First, it doesn't depend on a string literal, so it's much safer. Second, if your IDE has code completion, you can leverage that when navigating your mapped SQL statements.

---

#### NOTE A note about namespaces.

**Namespaces** were optional in previous versions of MyBatis, which was confusing and unhelpful. Namespaces are now required and have a purpose beyond simply isolating statements with longer, fully-qualified names.

Namespaces enable the interface bindings as you see here, and even if you don't think you'll use them today, you should follow these practices laid out here in case you change your mind. Using the namespace once, and putting it in a proper Java package namespace will clean up your code and improve the usability of MyBatis in the long term.



**Name Resolution:** To reduce the amount of typing, MyBatis uses the following name resolution rules for all named configuration elements, including statements, result maps, caches, etc.

- Fully qualified names (e.g. “com.mypackage.MyMapper.selectAllThings”) are looked up directly and used if found.
- Short names (e.g. “selectAllThings”) can be used to reference any unambiguous entry. However if there are two or more (e.g. “com.foo.selectAllThings and com.bar.selectAllThings”), then you will receive an error reporting that the short name is ambiguous and therefore must be fully qualified.

---

There's one more trick to Mapper classes like BlogMapper. Their mapped statements don't need to be mapped with XML at all. Instead they can use Java Annotations. For example, the XML above could be eliminated and replaced with:

```
package org.mybatis.example;
public interface BlogMapper {
    @Select("SELECT * FROM blog WHERE id = #{id}")
    Blog selectBlog(int id);
}
```

The annotations are a lot cleaner for simple statements, however, Java Annotations are both limited and messier for more complicated statements. Therefore, if you have to do anything complicated, you're better off with XML mapped statements.

It will be up to you and your project team to determine which is right for you, and how important it is to you that your mapped statements be defined in a consistent way. That said, you're never locked into a single approach. You can very easily migrate Annotation based Mapped Statements to XML and vice versa.

### 2.1.5 Scope and Lifecycle

It's very important to understand the various scopes and lifecycles classes we've discussed so far. Using them incorrectly can cause severe concurrency problems.

#### 2.1.5.1 SqlSessionFactoryBuilder

This class can be instantiated, used and thrown away. There is no need to keep it around once you've created your SqlSessionFactory. Therefore the best scope for instances of SqlSessionFactoryBuilder is method scope (i.e. a local method variable). You can reuse the SqlSessionFactoryBuilder to build multiple SqlSessionFactory instances, but it's still best not to keep it around to ensure that all of the XML parsing resources are freed up for more important things.

#### 2.1.5.2 SqlSessionFactory

Once created, the SqlSessionFactory should exist for the duration of your application execution. There should be little or no reason to ever dispose of it or recreate it. It's a best practice to not rebuild the SqlSessionFactory multiple times in an application run. Doing so should be considered a “bad smell”. Therefore the best scope of SqlSessionFactory is application scope. This can be achieved a number of ways. The simplest is to use a Singleton pattern or Static Singleton pattern.

#### 2.1.5.3 SqlSession

Each thread should have its own instance of SqlSession. Instances of SqlSession are not to be shared and are not thread safe. Therefore the best scope is request or method scope. Never keep references to a SqlSession instance in a static field or even an instance field of a class. Never keep references to a SqlSession in any sort of managed scope, such as HttpSession of the Servlet framework. If

you're using a web framework of any sort, consider the `SqlSession` to follow a similar scope to that of an HTTP request. In other words, upon receiving an HTTP request, you can open a `SqlSession`, then upon returning the response, you can close it. Closing the session is very important. You should always ensure that it's closed within a finally block. The following is the standard pattern for ensuring that `SqlSessions` are closed:

```
SqlSession session = sqlSessionFactory.openSession();
try {
    // do work
} finally {
    session.close();
}
```

Using this pattern consistently throughout your code will ensure that all database resources are properly closed.

#### 2.1.5.4 Mapper Instances

Mappers are interfaces that you create to bind to your mapped statements. Instances of the mapper interfaces are acquired from the `SqlSession`. As such, technically the broadest scope of any mapper instance is the same as the `SqlSession` from which they were requested. However, the best scope for mapper instances is method scope. That is, they should be requested within the method that they are used, and then be discarded. They do not need to be closed explicitly. While it's not a problem to keep them around throughout a request, similar to the `SqlSession`, you might find that managing too many resources at this level will quickly get out of hand. Keep it simple, keep Mappers in the method scope. The following example demonstrates this practice.

```
SqlSession session = sqlSessionFactory.openSession();
try {
    BlogMapper mapper = session.getMapper(BlogMapper.class);
    // do work
} finally {
    session.close();
}
```

---

#### NOTE Object lifecycle and Dependency Injection Frameworks

Dependency Injection frameworks can create thread safe, transactional `SqlSessions` and mappers and inject them directly into your beans so you can just forget about their lifecycle. You may want to have a look at `MyBatis-Spring` or `MyBatis-Guice` sub-projects to know more about using `MyBatis` with DI frameworks.

---

## 3 Configuration XML

---

### 3.1 Configuration

The MyBatis configuration contains settings and properties that have a dramatic effect on how MyBatis behaves. The high level structure of the document is as follows:

- configuration
  - [properties](#)
  - [settings](#)
  - [typeAliases](#)
  - [typeHandlers](#)
  - [objectFactory](#)
  - [plugins](#)
  - [environments](#)
    - environment
      - [transactionManager](#)
      - [dataSource](#)
  - [databaseIdProvider](#)
  - [mappers](#)

#### 3.1.1 properties

These are externalizable, substitutable properties that can be configured in a typical Java Properties file instance, or passed in through sub-elements of the properties element. For example:

```
<properties resource="org/mybatis/example/config.properties">
  <property name="username" value="dev_user"/>
  <property name="password" value="F2Fa3!33TYyg"/>
</properties>
```

The properties can then be used throughout the configuration files to substitute values that need to be dynamically configured. For example:

```
<dataSource type="POOLED">
  <property name="driver" value="${driver}"/>
  <property name="url" value="${url}"/>
  <property name="username" value="${username}"/>
  <property name="password" value="${password}"/>
</dataSource>
```

The username and password in this example will be replaced by the values set in the properties elements. The driver and url properties would be replaced with values contained from the config.properties file. This provides a lot of options for configuration.

Properties can also be passed into the `SqlSessionFactoryBuilder.build()` methods. For example:

```
SqlSessionFactory factory = sqlSessionFactoryBuilder.build(reader, props);
// ... or ...
SqlSessionFactory factory = sqlSessionFactoryBuilder.build(reader, environment, props);
```

If a property exists in more than one of these places, MyBatis loads them in the following order:

- Properties specified in the body of the properties element are read first,
- Properties loaded from the classpath resource or url attributes of the properties element are read second, and override any duplicate properties already specified,
- Properties passed as a method parameter are read last, and override any duplicate properties that may have been loaded from the properties body and the resource/url attributes.

Thus, the highest priority properties are those passed in as a method parameter, followed by resource/url attributes and finally the properties specified in the body of the properties element.

### 3.1.2 settings

These are extremely important tweaks that modify the way that MyBatis behaves at runtime. The following table describes the settings, their meanings and their default values.

Setting	Description	Valid Values	Default
cacheEnabled	Globally enables or disables any caches configured in any mapper under this configuration.	true   false	true
lazyLoadingEnabled	Globally enables or disables lazy loading. When disabled, all associations will be eagerly loaded.	true   false	true
aggressiveLazyLoading	When enabled, an object with lazy loaded properties will be loaded entirely upon a call to any of the lazy properties. Otherwise, each property is loaded on demand.	true   false	true
multipleResultSetsEnabled	Allows or disallows multiple ResultSets to be returned from a single statement (compatible driver required).	true   false	true
useColumnLabel	Uses the column label instead of the column name. Different drivers behave differently in this respect. Refer to the driver documentation, or test out both modes to determine how your driver behaves.	true   false	true

useGeneratedKeys	Allows JDBC support for generated keys. A compatible driver is required. This setting forces generated keys to be used if set to true, as some drivers deny compatibility but still work (e.g. Derby).	true   false	False
autoMappingBehavior	Specifies if and how MyBatis should automatically map columns to fields/properties. NONE disables auto-mapping. PARTIAL will only auto-map results with no nested result mappings defined inside. FULL will auto-map result mappings of any complexity (containing nested or otherwise).	NONE, PARTIAL, FULL	PARTIAL
defaultExecutorType	Configures the default executor. SIMPLE executor does nothing special. REUSE executor reuses prepared statements. BATCH executor reuses statements and batches updates.	SIMPLE REUSE BATCH	SIMPLE
defaultStatementTimeout	Sets the number of seconds the driver will wait for a response from the database.	Any positive integer	Not Set (null)
safeRowBoundsEnabled	Allows using RowBounds on nested statements.	true   false	False
mapUnderscoreToCamelCase	Enables automatic mapping from classic database column names A_COLUMN to camel case classic Java property names aColumn.	true   false	False

localCacheScope	MyBatis uses local cache to prevent circular references and speed up repeated nested queries. By default (SESSION) all queries executed during a session are cached. If localCacheScope=STATEMENT local session will be used just for statement execution, no data will be shared between two different calls to the same SqlSession.	SESSION   STATEMENT	SESSION
jdbcTypeForNull	Specifies the JDBC type for null values when no specific JDBC type was provided for the parameter. Some drivers require specifying the column JDBC type but others work with generic values like NULL, VARCHAR or OTHER.	JdbcType enumeration. Most common are: NULL, VARCHAR and OTHER	OTHER
lazyLoadTriggerMethods	Specifies which Object's methods trigger a lazy load	A method name list separated by commas	equals,clone,hashCode,toString

An example of the settings element fully configured is as follows:

```
<settings>
  <setting name="cacheEnabled" value="true"/>
  <setting name="lazyLoadingEnabled" value="true"/>
  <setting name="multipleResultSetsEnabled" value="true"/>
  <setting name="useColumnLabel" value="true"/>
  <setting name="useGeneratedKeys" value="false"/>
  <setting name="autoMappingBehavior" value="PARTIAL"/>
  <setting name="defaultExecutorType" value="SIMPLE"/>
  <setting name="defaultStatementTimeout" value="25000"/>
  <setting name="safeRowBoundsEnabled" value="false"/>
  <setting name="mapUnderscoreToCamelCase" value="false"/>
  <setting name="localCacheScope" value="SESSION"/>
  <setting name="jdbcTypeForNull" value="OTHER"/>
  <setting name="lazyLoadTriggerMethods" value="equals,clone,hashCode,toString"/>
</settings>
```

### 3.1.3 typeAliases

A type alias is simply a shorter name for a Java type. It's only relevant to the XML configuration and simply exists to reduce redundant typing of fully qualified classnames. For example:

```

<typeAliases>
  <typeAlias alias="Author" type="domain.blog.Author"/>
  <typeAlias alias="Blog" type="domain.blog.Blog"/>
  <typeAlias alias="Comment" type="domain.blog.Comment"/>
  <typeAlias alias="Post" type="domain.blog.Post"/>
  <typeAlias alias="Section" type="domain.blog.Section"/>
  <typeAlias alias="Tag" type="domain.blog.Tag"/>
</typeAliases>

```

With this configuration, Blog can now be used anywhere that domain.blog.Blog could be.

You can also specify a package where MyBatis will search for beans. For example:

```

<typeAliases>
  <package name="domain.blog"/>
</typeAliases>

```

Each bean found in domain.blog, if no annotation is found, will be registered as an alias using uncapitalized non-qualified class name of the bean. Thus domain.blog.Author will be registered as author. If the @Alias annotation is found its value will be used as an alias. See the example below:

```

@Alias("author")
public class Author {
    ...
}

```

There are many built-in type aliases for common Java types. They are all case insensitive, note the special handling of primitives due to the overloaded names.

Alias	Mapped Type
_byte	byte
_long	long
_short	short
_int	int
_integer	int
_double	double
_float	float
_boolean	boolean
string	String
byte	Byte
long	Long
short	Short
int	Integer
integer	Integer
double	Double

float	Float
boolean	Boolean
date	Date
decimal	BigDecimal
bigdecimal	BigDecimal
object	Object
map	Map
hashmap	HashMap
list	List
arraylist	ArrayList
collection	Collection
iterator	Iterator

### 3.1.4 typeHandlers

Whenever MyBatis sets a parameter on a PreparedStatement or retrieves a value from a ResultSet, a TypeHandler is used to retrieve the value in a means appropriate to the Java type. The following table describes the default TypeHandlers.

Type Handler	Java Types	JDBC Types
BooleanTypeHandler	java.lang.Boolean, boolean	Any compatible BOOLEAN
ByteTypeHandler	java.lang.Byte, byte	Any compatible NUMERIC or BYTE
ShortTypeHandler	java.lang.Short, short	Any compatible NUMERIC or SHORT INTEGER
IntegerTypeHandler	java.lang.Integer, int	Any compatible NUMERIC or INTEGER
LongTypeHandler	java.lang.Long, long	Any compatible NUMERIC or LONG INTEGER
FloatTypeHandler	java.lang.Float, float	Any compatible NUMERIC or FLOAT
DoubleTypeHandler	java.lang.Double, double	Any compatible NUMERIC or DOUBLE
BigDecimalTypeHandler	java.math.BigDecimal	Any compatible NUMERIC or DECIMAL
StringTypeHandler	java.lang.String	CHAR, VARCHAR
ClobTypeHandler	java.lang.String	CLOB, LONGVARCHAR
NStringTypeHandler	java.lang.String	NVARCHAR, NCHAR
NClobTypeHandler	java.lang.String	NCLOB
ByteArrayTypeHandler	byte[]	Any compatible byte stream type
BlobTypeHandler	byte[]	BLOB, LONGVARBINARY



DateTypeHandler	java.util.Date	TIMESTAMP
DateOnlyTypeHandler	java.util.Date	DATE
TimeOnlyTypeHandler	java.util.Date	TIME
SqlTimestampTypeHandler	java.sql.Timestamp	TIMESTAMP
SqlDateTypeHandler	java.sql.Date	DATE
SqlTimeTypeHandler	java.sql.Time	TIME
ObjectTypeHandler	Any	OTHER, or unspecified
EnumTypeHandler	Enumeration Type	VARCHAR any string compatible type, as the code is stored (not the index).
EnumOrdinalTypeHandler	Enumeration Type	Any compatible NUMERIC or DOUBLE, as the position is stored (not the code itself).

You can override the type handlers or create your own to deal with unsupported or non-standard types. To do so, simply extend the `org.apache.ibatis.type.BaseTypeHandler` class and optionally map your new `TypeHandler` class to a JDBC type. For example:

```
// ExampleTypeHandler.java
@MappedJdbcTypes(JdbcType.VARCHAR)
public class ExampleTypeHandler extends BaseTypeHandler<String> {
    @Override
    public void setNonNullParameter(PreparedStatement ps, int i, String parameter, JdbcType jdbcType) throws SQLException {
        ps.setString(i, parameter);
    }
    @Override
    public String getNullableResult(ResultSet rs, String columnName) throws SQLException {
        return rs.getString(columnName);
    }
    @Override
    public String getNullableResult(ResultSet rs, int columnIndex) throws SQLException {
        return rs.getString(columnIndex);
    }
    @Override
    public String getNullableResult(CallableStatement cs, int columnIndex) throws SQLException {
        return cs.getString(columnIndex);
    }
}
```

```
<!-- mybatis-config.xml -->
<typeHandlers>
  <typeHandler handler="org.mybatis.example.ExampleTypeHandler"/>
</typeHandlers>
```

Using such a `TypeHandler` would override the existing type handler for Java String properties and VARCHAR parameters and results. Note that MyBatis does not introspect upon the database metadata to determine the type, so you must specify that it's a VARCHAR field in the parameter and result mappings to hook in the correct type handler. This is due to the fact that MyBatis is unaware of the data type until the statement is executed.

MyBatis will know the the Java type that you want to handle with this TypeHandler by introspecting its generic type, but you can override this behavior by two means:

- Adding a `javaType` attribute to the `typeHandler` element (for example: `javaType="String"`)
- Adding a `@MappedTypes` annotation to your `TypeHandler` class specifying the list of java types to associate it with. This annotation will be ignored if the `javaType` attribute as also been specified.

Associated JDBC type can be specified by two means:

- Adding a `jdbcType` attribute to the `typeHandler` element (for example: `jdbcType=VARCHAR`).
- Adding a `@MappedJdbcTypes` annotation to your `TypeHandler` class specifying the list of JDBC types to associate it with. This annotation will be ignored if the `jdbcType` attribute as also been specified.

And finally you can let MyBatis search for your TypeHandlers:

```
<!-- mybatis-config.xml -->
<typeHandlers>
  <package name="org.mybatis.example"/>
</typeHandlers>
```

Note that when using the autodiscovery feature JDBC types can only be specified with annotations.

### 3.1.5 objectFactory

Each time MyBatis creates a new instance of a result object, it uses an `ObjectFactory` instance to do so. The default `ObjectFactory` does little more than instantiate the target class with a default constructor, or a parameterized constructor if parameter mappings exist. If you want to override the default behaviour of the `ObjectFactory`, you can create your own. For example:

```
// ExampleObjectFactory.java
public class ExampleObjectFactory extends DefaultObjectFactory {
    public Object create(Class type) {
        return super.create(type);
    }
    public Object create(Class type, List<Class> constructorArgTypes, List<Object> constructorArgs) {
        return super.create(type, constructorArgTypes, constructorArgs);
    }
    public void setProperties(Properties properties) {
        super.setProperties(properties);
    }
}
```

```
<!-- mybatis-config.xml -->
<objectFactory type="org.mybatis.example.ExampleObjectFactory">
  <property name="someProperty" value="100"/>
</objectFactory>
```

The `ObjectFactory` interface is very simple. It contains two `create` methods, one to deal with the default constructor, and the other to deal with parameterized constructors. Finally, the `setProperties` method can be used to configure the `ObjectFactory`. Properties defined within the body of the `objectFactory` element will be passed to the `setProperties` method after initialization of your `ObjectFactory` instance.

### 3.1.6 plugins

MyBatis allows you to intercept calls to at certain points within the execution of a mapped statement. By default, MyBatis allows plug-ins to intercept method calls of:

- Executor (update, query, flushStatements, commit, rollback, getTransaction, close, isClosed)
- ParameterHandler (getParameterObject, setParameters)
- ResultSetHandler (handleResultSets, handleOutputParameters)
- StatementHandler (prepare, parameterize, batch, update, query)

The details of these classes methods can be discovered by looking at the full method signature of each, and the source code which is available with each MyBatis release. You should understand the behaviour of the method you're overriding, assuming you're doing something more than just monitoring calls. If you attempt to modify or override the behaviour of a given method, you're likely to break the core of MyBatis. These are low level classes and methods, so use plug-ins with caution.

Using plug-ins is pretty simple given the power they provide. Simply implement the `Interceptor` interface, being sure to specify the signatures you want to intercept.

```
// ExamplePlugin.java
@Intercepts({@Signature(
    type= Executor.class,
    method = "update",
    args = {MappedStatement.class, Object.class})})
public class ExamplePlugin implements Interceptor {
    public Object intercept(Invocation invocation) throws Throwable {
        return invocation.proceed();
    }
    public Object plugin(Object target) {
        return Plugin.wrap(target, this);
    }
    public void setProperties(Properties properties) {
    }
}
```

```
<!-- mybatis-config.xml -->
<plugins>
  <plugin interceptor="org.mybatis.example.ExamplePlugin">
    <property name="someProperty" value="100"/>
  </plugin>
</plugins>
```

The plug-in above will intercept all calls to the "update" method on the `Executor` instance, which is an internal object responsible for the low level execution of mapped statements.

#### NOTE Overriding the Configuration Class

In addition to modifying core MyBatis behaviour with plugins, you can also override the Configuration class entirely. Simply extend it and override any methods inside, and pass it into the call to the `sqlSessionFactoryBuilder.build(myConfig)` method. Again though, this could have a severe impact on the behaviour of MyBatis, so use caution.

### 3.1.7 environments

MyBatis can be configured with multiple environments. This helps you to apply your SQL Maps to multiple databases for any number of reasons. For example, you might have a different configuration

for your Development, Test and Production environments. Or, you may have multiple production databases that share the same schema, and you'd like to use the same SQL maps for both. There are many use cases.

**One important thing to remember though: While you can configure multiple environments, you can only choose ONE per SqlSessionFactory instance.**

So if you want to connect to two databases, you need to create two instances of SqlSessionFactory, one for each. For three databases, you'd need three instances, and so on. It's really easy to remember:

- **One SqlSessionFactory instance per database**

To specify which environment to build, you simply pass it to the SqlSessionFactoryBuilder as an optional parameter. The two signatures that accept the environment are:

```
SqlSessionFactory factory = sqlSessionFactoryBuilder.build(reader, environment);
SqlSessionFactory factory = sqlSessionFactoryBuilder.build(reader, environment, prop
```

If the environment is omitted, then the default environment is loaded, as follows:

```
SqlSessionFactory factory = sqlSessionFactoryBuilder.build(reader);
SqlSessionFactory factory = sqlSessionFactoryBuilder.build(reader, properties);
```

The environments element defines how the environment is configured.

```
<environments default="development">
  <environment id="development">
    <transactionManager type="JDBC">
      <property name="..." value="..." />
    </transactionManager>
    <dataSource type="POOLED">
      <property name="driver" value="${driver}" />
      <property name="url" value="${url}" />
      <property name="username" value="${username}" />
      <property name="password" value="${password}" />
    </dataSource>
  </environment>
</environments>
```

Notice the key sections here:

- The default Environment ID (e.g. default="development").
- The Environment ID for each environment defined (e.g. id="development").
- The TransactionManager configuration (e.g. type="JDBC")
- The DataSource configuration (e.g. type="POOLED")

The default environment and the environment IDs are self explanatory. Name them whatever you like, just make sure the default matches one of them.

### transactionManager

There are two TransactionManager types (i.e. type="[JDBC|MANAGED]") that are included with MyBatis:

- **JDBC** – This configuration simply makes use of the JDBC commit and rollback facilities directly. It relies on the connection retrieved from the dataSource to manage the scope of the transaction.
- **MANAGED** – This configuration simply does almost nothing. It never commits, or rolls back a connection. Instead, it lets the container manage the full lifecycle of the transaction (e.g.

a JEE Application Server context). By default it does close the connection. However, some containers don't expect this, and thus if you need to stop it from closing the connection, set the "closeConnection" property to false. For example:

```
<transactionManager type="MANAGED">
  <property name="closeConnection" value="false"/>
</transactionManager>
```

**NOTE** If you are planning to use MyBatis with Spring there is no need to configure any TransactionManager because the Spring module will set its own one overriding any previously set configuration.

Neither of these TransactionManager types require any properties. However, they are both Type Aliases, so in other words, instead of using them, you could put your own fully qualified class name or Type Alias that refers to your own implementation of the TransactionFactory interface.

```
public interface TransactionFactory {
    void setProperties(Properties props);
    Transaction newTransaction(Connection conn);
    Transaction newTransaction(DataSource dataSource, TransactionIsolationLevel level);
}
```

Any properties configured in the XML will be passed to the setProperties() method after instantiation. Your implementation would also need to create a Transaction implementation, which is also a very simple interface:

```
public interface Transaction {
    Connection getConnection() throws SQLException;
    void commit() throws SQLException;
    void rollback() throws SQLException;
    void close() throws SQLException;
}
```

Using these two interfaces, you can completely customize how MyBatis deals with Transactions.

### dataSource

The dataSource element configures the source of JDBC Connection objects using the standard JDBC DataSource interface.

- Most MyBatis applications will configure a dataSource as in the example. However, it's not required. Realize though, that to facilitate Lazy Loading, this dataSource is required.

There are three build-in dataSource types (i.e. type="???"):

**UNPOOLED** – This implementation of DataSource simply opens and closes a connection each time it is requested. While it's a bit slower, this is a good choice for simple applications that do not require the performance of immediately available connections. Different databases are also different in this performance area, so for some it may be less important to pool and this configuration will be ideal.

The UNPOOLED DataSource is configured with only five properties:

- driver – This is the fully qualified Java class of the JDBC driver (NOT of the DataSource class if your driver includes one).
- url – This is the JDBC URL for your database instance.
- username – The database username to log in with.
- password – The database password to log in with.
- defaultTransactionIsolationLevel – The default transaction isolation level for connections.

Optionally, you can pass properties to the database driver as well. To do this, prefix the properties with `driver.`, for example:

- `driver.encoding=UTF8`

This will pass the property `encoding`, with the value `UTF8`, to your database driver via the `DriverManager.getConnection(url, driverProperties)` method.

**POOLED** – This implementation of `DataSource` pools JDBC Connection objects to avoid the initial connection and authentication time required to create a new Connection instance. This is a popular approach for concurrent web applications to achieve the fastest response.

In addition to the (UNPOOLED) properties above, there are many more properties that can be used to configure the POOLED datasource:

- `poolMaximumActiveConnections` – This is the number of active (i.e. in use) connections that can exist at any given time. Default: 10
- `poolMaximumIdleConnections` – The number of idle connections that can exist at any given time.
- `poolMaximumCheckoutTime` – This is the amount of time that a Connection can be "checked out" of the pool before it will be forcefully returned. Default: 20000ms (i.e. 20 seconds)
- `poolTimeToWait` – This is a low level setting that gives the pool a chance to print a log status and re-attempt the acquisition of a connection in the case that it's taking unusually long (to avoid failing silently forever if the pool is misconfigured). Default: 20000ms (i.e. 20 seconds)
- `poolPingQuery` – The Ping Query is sent to the database to validate that a connection is in good working order and is ready to accept requests. The default is "NO PING QUERY SET", which will cause most database drivers to fail with a decent error message.
- `poolPingEnabled` – This enables or disables the ping query. If enabled, you must also set the `poolPingQuery` property with a valid SQL statement (preferably a very fast one). Default: false.
- `poolPingConnectionsNotUsedFor` – This configures how often the `poolPingQuery` will be used. This can be set to match the typical timeout for a database connection, to avoid unnecessary pings. Default: 0 (i.e. all connections are pinged every time – but only if `poolPingEnabled` is true of course).

**JNDI** – This implementation of `DataSource` is intended for use with containers such as EJB or Application Servers that may configure the `DataSource` centrally or externally and place a reference to it in a JNDI context. This `DataSource` configuration only requires two properties:

- `initial_context` – This property is used for the Context lookup from the `InitialContext` (i.e. `initialContext.lookup(initial_context)`). This property is optional, and if omitted, then the `data_source` property will be looked up against the `InitialContext` directly.
- `data_source` – This is the context path where the reference to the instance of the `DataSource` can be found. It will be looked up against the context returned by the `initial_context` lookup, or against the `InitialContext` directly if no `initial_context` is supplied.

Similar to the other `DataSource` configurations, it's possible to send properties directly to the `InitialContext` by prefixing those properties with `env.`, for example:

- `env.encoding=UTF8`

This would send the property `encoding` with the value of `UTF8` to the constructor of the `InitialContext` upon instantiation.

### 3.1.8 databaseIdProvider

MyBatis is able to execute different statements depending on your database vendor. The multi-db vendor support is based on the mapped statements `databaseId` attribute. MyBatis will load all statements with no `databaseId` attribute or with a `databaseId` that matches the current one. If case the same statement is found with and without the `databaseId` the latter will be discarded. To enable the multi vendor support add a `databaseIdProvider` to `mybatis-config.xml` file as follows:

```
<databaseIdProvider type="VENDOR" />
```

The VENDOR implementation databaseIdProvider sets as a databaseId the String returned by DatabaseMetaData#getDatabaseProductName(). As usually that string is too long and also, different versions of the same product return different values, so you may want to translate it to a shorter one by adding properties like follows:

```
<databaseIdProvider type="VENDOR">
  <property name="SQL Server" value="sqlserver"/>
  <property name="DB2" value="db2"/>
  <property name="Oracle" value="oracle" />
</databaseIdProvider>
```

When properties are provided, the VENDOR databaseIdProvider will search the property value corresponding to the first key found in the returned database product name or "null" if there is not a matching property. In this case, if getDatabaseProductName() returns "Oracle (DataDirect)" the databaseId will be set to "oracle".

You can build your own DatabaseIdProvider by implementing the interface org.apache.ibatis.mapping.DatabaseIdProvider and registering it in mybatis-config.xml:

```
public interface DatabaseIdProvider {
    void setProperties(Properties p);

    String getDatabaseId(DataSource dataSource) throws SQLException;
}
```

### 3.1.9 mappers

Now that the behavior of MyBatis is configured with the above configuration elements, we're ready to define our mapped SQL statements. But first, we need to tell MyBatis where to find them. Java doesn't really provide any good means of auto-discovery in this regard, so the best way to do it is to simply tell MyBatis where to find the mapping files. You can use class path relative resource references, or literal, fully qualified url references (including file:/// URLs). For example:

```
<!-- Using classpath relative resources -->
<mappers>
  <mapper resource="org/mybatis/builder/AuthorMapper.xml"/>
  <mapper resource="org/mybatis/builder/BlogMapper.xml"/>
  <mapper resource="org/mybatis/builder/PostMapper.xml"/>
</mappers>
```

```
<!-- Using url fully qualified paths -->
<mappers>
  <mapper url="file:///var/mappers/AuthorMapper.xml"/>
  <mapper url="file:///var/mappers/BlogMapper.xml"/>
  <mapper url="file:///var/mappers/PostMapper.xml"/>
</mappers>
```

```
<!-- Using mapper interface classes -->
<mappers>
  <mapper class="org.mybatis.builder.AuthorMapper"/>
  <mapper class="org.mybatis.builder.BlogMapper"/>
  <mapper class="org.mybatis.builder.PostMapper"/>
</mappers>
```

```
<!-- Register all interfaces in a package as mappers -->
<mappers>
  <package name="org.mybatis.builder"/>
</mappers>
```

These statements simply tell MyBatis where to go from here. The rest of the details are in each of the SQL Mapping files, and that's exactly what the next section will discuss.



## 4 Mapper XML Files

---

### 4.1 Mapper XML Files

The true power of MyBatis is in the Mapped Statements. This is where the magic happens. For all of their power, the Mapper XML files are relatively simple. Certainly if you were to compare them to the equivalent JDBC code, you would immediately see a savings of 95% of the code. MyBatis was built to focus on the SQL, and does its best to stay out of your way.

The Mapper XML files have only a few first class elements (in the order that they should be defined):

- `cache` – Configuration of the cache for a given namespace.
- `cache-ref` – Reference to a cache configuration from another namespace.
- `resultMap` – The most complicated and powerful element that describes how to load your objects from the database result sets.
- `parameterMap` – Deprecated! Old-school way to map parameters. Inline parameters are preferred and this element may be removed in the future. Not documented here.
- `sql` – A reusable chunk of SQL that can be referenced by other statements.
- `insert` – A mapped INSERT statement.
- `update` – A mapped UPDATE statement.
- `delete` – A mapped DELETE statement.
- `select` – A mapped SELECT statement.

The next sections will describe each of these elements in detail, starting with the statements themselves.

#### 4.1.1 select

The select statement is one of the most popular elements that you'll use in MyBatis. Putting data in a database isn't terribly valuable until you get it back out, so most applications query far more than they modify the data. For every insert, update or delete, there is probably many selects. This is one of the founding principles of MyBatis, and is the reason so much focus and effort was placed on querying and result mapping. The select element is quite simple for simple cases. For example:

```
<select id="selectPerson" parameterType="int" resultType="hashmap">
  SELECT * FROM PERSON WHERE ID = #{id}
</select>
```

This statement is called `selectPerson`, takes a parameter of type `int` (or `Integer`), and returns a `HashMap` keyed by column names mapped to row values.

Notice the parameter notation:

```
#{id}
```

This tells MyBatis to create a `PreparedStatement` parameter. With JDBC, such a parameter would be identified by a `"?"` in SQL passed to a new `PreparedStatement`, something like this:

```
// Similar JDBC code, NOT MyBatis...
String selectPerson = "SELECT * FROM PERSON WHERE ID=?";
PreparedStatement ps = conn.prepareStatement(selectPerson);
ps.setInt(1,id);
```

Of course, there's a lot more code required by JDBC alone to extract the results and map them to an instance of an object, which is what MyBatis saves you from having to do. There's a lot more to know about parameter and result mapping. Those details warrant their own section, which follows later in this section.

The select element has more attributes that allow you to configure the details of how each statement should behave.

```
<select
  id="selectPerson"
  parameterType="int"
  parameterMap="deprecated"
  resultType="hashmap"
  resultMap="personResultMap"
  flushCache="false"
  useCache="true"
  timeout="10000"
  fetchSize="256"
  statementType="PREPARED"
  resultSetType="FORWARD_ONLY">
```

Attribute	Description
id	A unique identifier in this namespace that can be used to reference this statement.
parameterType	The fully qualified class name or alias for the parameter that will be passed into this statement.
parameterMap	This is a deprecated approach to referencing an external parameterMap. Use inline parameter mappings and the parameterType attribute.
resultType	The fully qualified class name or alias for the expected type that will be returned from this statement. Note that in the case of collections, this should be the type that the collection contains, not the type of the collection itself. Use resultType OR resultMap, not both.
resultMap	A named reference to an external resultMap. Result maps are the most powerful feature of MyBatis, and with a good understanding of them, many difficult mapping cases can be solved. Use resultMap OR resultType, not both.
flushCache	Setting this to true will cause the local and 2nd level caches to be flushed whenever this statement is called. Default: false for select statements.
useCache	Setting this to true will cause the results of this statement to be cached in 2nd level cache. Default: true for select statements.
timeout	This sets the number of seconds the driver will wait for the database to return from a request, before throwing an exception. Default is unset (driver dependent).

fetchSize	This is a driver hint that will attempt to cause the driver to return results in batches of rows numbering in size equal to this setting. Default is unset (driver dependent).
statementType	Any one of STATEMENT, PREPARED or CALLABLE. This causes MyBatis to use Statement, PreparedStatement or CallableStatement respectively. Default: PREPARED.
resultSetType	Any one of FORWARD_ONLY  SCROLL_SENSITIVE  SCROLL_INSENSITIVE. Default is unset (driver dependent).
databaseId	In case there is a configured databaseIdProvider, MyBatis will load all statements with no databaseId attribute or with a databaseId that matches the current one. If case the same statement if found with and without the databaseId the latter will be discarded.

### Select Attributes

#### 4.1.2 insert, update and delete

The data modification statements insert, update and delete are very similar in their implementation:

```
<insert
  id="insertAuthor"
  parameterType="domain.blog.Author"
  flushCache="true"
  statementType="PREPARED"
  keyProperty=""
  keyColumn=""
  useGeneratedKeys=""
  timeout="20000">
<update
  id="insertAuthor"
  parameterType="domain.blog.Author"
  flushCache="true"
  statementType="PREPARED"
  timeout="20000">
<delete
  id="insertAuthor"
  parameterType="domain.blog.Author"
  flushCache="true"
  statementType="PREPARED"
  timeout="20000">
```

Attribute	Description
id	A unique identifier in this namespace that can be used to reference this statement.
parameterType	The fully qualified class name or alias for the parameter that will be passed into this statement.

parameterMap	This is a deprecated approach to referencing an external parameterMap. Use inline parameter mappings and the parameterType attribute.
flushCache	Setting this to true will cause the 2nd level and local caches to be flushed whenever this statement is called. Default: true for insert, update and delete statements.
timeout	This sets the maximum time the driver will wait for the database to return from a request, before throwing an exception. Default is unset (driver dependent).
statementType	Any one of STATEMENT, PREPARED or CALLABLE. This causes MyBatis to use Statement, PreparedStatement or CallableStatement respectively. Default: PREPARED.
useGeneratedKeys	(insert only) This tells MyBatis to use the JDBC getGeneratedKeys method to retrieve keys generated internally by the database (e.g. auto increment fields in RDBMS like MySQL or SQL Server). Default: false
keyProperty	(insert only) Identifies a property into which MyBatis will set the key value returned by getGeneratedKeys, or by a selectKey child element of the insert statement. Default: unset.
keyColumn	(insert only) Sets the name of the column in the table with a generated key. This is only required in certain databases (like PostgreSQL) when the key column is not the first column in the table.

### Insert, Update and Delete Attributes

The following are some examples of insert, update and delete statements.

```
<insert id="insertAuthor" parameterType="domain.blog.Author">
  insert into Author (id,username,password,email,bio)
  values ({id},{username},{password},{email},{bio})
</insert>
<update id="updateAuthor" parameterType="domain.blog.Author">
  update Author set
    username = {username},
    password = {password},
    email = {email},
    bio = {bio}
  where id = {id}
</update>
<delete id="deleteAuthor" parameterType="int">
  delete from Author where id = {id}
</delete>
```

As mentioned, insert is a little bit more rich in that it has a few extra attributes and sub-elements that allow it to deal with key generation in a number of ways.

First, if your database supports auto-generated key fields (e.g. MySQL and SQL Server), then you can simply set useGeneratedKeys="true" and set the keyProperty to the target property and you're

done. For example, if the `Author` table above had used an auto-generated column type for the `id`, the statement would be modified as follows:

```
<insert id="insertAuthor" parameterType="domain.blog.Author" useGeneratedKeys="true"
  keyProperty="id">
  insert into Author (username,password,email,bio)
  values ({username},{password},{email},{bio})
</insert>
```

MyBatis has another way to deal with key generation for databases that don't support auto-generated column types, or perhaps don't yet support the JDBC driver support for auto-generated keys.

Here's a simple (silly) example that would generate a random ID (something you'd likely never do, but this demonstrates the flexibility and how MyBatis really doesn't mind):

```
<insert id="insertAuthor" parameterType="domain.blog.Author">
  <selectKey keyProperty="id" resultType="int" order="BEFORE">
    select CAST(RANDOM()*1000000 as INTEGER) a from SYSIBM.SYSDUMMY1
  </selectKey>
  insert into Author
    (id, username, password, email,bio, favourite_section)
  values
    ({id}, {username}, {password}, {email}, {bio}, {favouriteSection,jdbcType=VARCHAR})
</insert>
```

In the example above, the `selectKey` statement would be run first, the `Author id` property would be set, and then the `insert` statement would be called. This gives you a similar behavior to an auto-generated key in your database without complicating your Java code.

The `selectKey` element is described as follows:

```
<selectKey
  keyProperty="id"
  resultType="int"
  order="BEFORE"
  statementType="PREPARED">
```

Attribute	Description
<code>keyProperty</code>	The target property where the result of the <code>selectKey</code> statement should be set.
<code>resultType</code>	The type of the result. MyBatis can usually figure this out, but it doesn't hurt to add it to be sure. MyBatis allows any simple type to be used as the key, including Strings.
<code>order</code>	This can be set to <code>BEFORE</code> or <code>AFTER</code> . If set to <code>BEFORE</code> , then it will select the key first, set the <code>keyProperty</code> and then execute the <code>insert</code> statement. If set to <code>AFTER</code> , it runs the <code>insert</code> statement and then the <code>selectKey</code> statement – which is common with databases like Oracle that may have embedded sequence calls inside of <code>insert</code> statements.

statementType	Same as above, MyBatis supports STATEMENT, PREPARED and CALLABLE statement types that map to Statement, PreparedStatement and CallableStatement respectively.
---------------	---

### selectKey Attributes

#### 4.1.3 sql

This element can be used to define a reusable fragment of SQL code that can be included in other statements. For example:

```
<sql id="userColumns"> id,username,password </sql>
```

The SQL fragment can then be included in another statement, for example:

```
<select id="selectUsers" parameterType="int" resultType="hashmap">
  select <include refid="userColumns"/>
  from some_table
  where id = #{id}
</select>
```

#### 4.1.4 Parameters

In all of the past statements, you've seen examples of simple parameters. Parameters are very powerful elements in MyBatis. For simple situations, probably 90% of the cases, there's not much too them, for example:

```
<select id="selectUsers" parameterType="int" resultType="User">
  select id, username, password
  from users
  where id = #{id}
</select>
```

The example above demonstrates a very simple named parameter mapping. The parameterType is set to int, so therefore the parameter could be named anything. Primitive or simply data types such as Integer and String have no relevant properties, and thus will replace the full value of the parameter entirely. However, if you pass in a complex object, then the behavior is a little different. For example:

```
<insert id="insertUser" parameterType="User" >
  insert into users (id, username, password)
  values (#{id}, #{username}, #{password})
</insert>
```

If a parameter object of type User was passed into that statement, the id, username and password property would be looked up and their values passed to a PreparedStatement parameter.

That's nice and simple for passing parameters into statements. But there are a lot of other features of parameter maps.

First, like other parts of MyBatis, parameters can specify a more specific data type.

```
#{property, javaType=int, jdbcType=NUMERIC}
```

Like the rest of MyBatis, the `javaType` can almost always be determined from the parameter object, unless that object is a `HashMap`. Then the `javaType` should be specified to ensure the correct `TypeHandler` is used.

**NOTE** The JDBC Type is required by JDBC for all nullable columns, if `null` is passed as a value. You can investigate this yourself by reading the JavaDocs for the `PreparedStatement.setNull()` method.

To further customize type handling, you can also specify a specific `TypeHandler` class (or alias), for example:

```
# {age, javaType=int, jdbcType=NUMERIC, typeHandler=MyTypeHandler}
```

So already it seems to be getting verbose, but the truth is that you'll rarely set any of these.

For numeric types there's also a `numericScale` for determining how many decimal places are relevant.

```
# {height, javaType=double, jdbcType=NUMERIC, numericScale=2}
```

Finally, the `mode` attribute allows you to specify `IN`, `OUT` or `INOUT` parameters. If a parameter is `OUT` or `INOUT`, the actual value of the parameter object property will be changed, just as you would expect if you were calling for an output parameter. If the `mode=OUT` (or `INOUT`) and the `jdbcType=CURSOR` (i.e. Oracle `REFCURSOR`), you must specify a `resultMap` to map the `ResultSet` to the type of the parameter. Note that the `javaType` attribute is optional here, it will be automatically set to `ResultSet` if left blank with a `CURSOR` as the `jdbcType`.

```
# {department, mode=OUT, jdbcType=CURSOR, javaType=ResultSet, resultMap=departmentRe
```

MyBatis also supports more advanced data types such as structs, but you must tell the statement the type name when registering the out parameter. For example (again, don't break lines like this in practice):

```
# {middleInitial, mode=OUT, jdbcType=STRUCT, jdbcTypeName=MY_TYPE, resultMap=departm
```

Despite all of these powerful options, most of the time you'll simply specify the property name, and MyBatis will figure out the rest. At most, you'll specify the `jdbcType` for nullable columns.

```
# {firstName}
# {middleInitial, jdbcType=VARCHAR}
# {lastName}
```

#### 4.1.4.1 String Substitution

By default, using the `# { }` syntax will cause MyBatis to generate `PreparedStatement` properties and set the values safely against the `PreparedStatement` parameters (e.g. `?`). While this is safer, faster and almost always preferred, sometimes you just want to directly inject a string unmodified into the SQL Statement. For example, for `ORDER BY`, you might use something like this:

```
ORDER BY ${columnName}
```

Here MyBatis won't modify or escape the string.

**NOTE** It's not safe to accept input from a user and supply it to a statement unmodified in this way. This leads to potential SQL Injection attacks and therefore you should either disallow user input in these fields, or always perform your own escapes and checks.

#### 4.1.5 Result Maps

The `resultMap` element is the most important and powerful element in MyBatis. It's what allows you to do away with 90% of the code that JDBC requires to retrieve data from `ResultSet`s, and in some cases allows you to do things that JDBC does not even support. In fact, to write the equivalent code for something like a join mapping for a complex statement could probably span thousands of lines of code. The design of the `ResultMaps` is such that simple statements don't require explicit result mappings at all, and more complex statements require no more than is absolutely necessary to describe the relationships.

You've already seen examples of simple mapped statements that don't have an explicit `resultMap`. For example:

```
<select id="selectUsers" parameterType="int" resultType="hashmap">
  select id, username, hashedPassword
  from some_table
  where id = #{id}
</select>
```

Such a statement simply results in all columns being automatically mapped to the keys of a `HashMap`, as specified by the `resultType` attribute. While useful in many cases, a `HashMap` doesn't make a very good domain model. It's more likely that your application will use `JavaBeans` or `POJOs` (Plain Old Java Objects) for the domain model. MyBatis supports both. Consider the following `JavaBean`:

```
package com.someapp.model;
public class User {
    private int id;
    private String username;
    private String hashedPassword;

    public int getId() {
        return id;
    }
    public void setId(int id) {
        this.id = id;
    }
    public String getUsername() {
        return username;
    }
    public void setUsername(String username) {
        this.username = username;
    }
    public String getHashedPassword() {
        return hashedPassword;
    }
    public void setHashedPassword(String hashedPassword) {
        this.hashedPassword = hashedPassword;
    }
}
```

Based on the `JavaBeans` specification, the above class has 3 properties: `id`, `username`, and `hashedPassword`. These match up exactly with the column names in the `select` statement.

Such a `JavaBean` could be mapped to a `ResultSet` just as easily as the `HashMap`.



```
<select id="selectUsers" parameterType="int" resultType="com.someapp.model.User">
  select id, username, hashedPassword
  from some_table
  where id = #{id}
</select>
```

And remember that TypeAliases are your friend. Use them so that you don't have to keep typing the fully qualified path of your class out. For example:

```
<!-- In Config XML file -->
<typeAlias type="com.someapp.model.User" alias="User"/>
<!-- In SQL Mapping XML file -->
<select id="selectUsers" parameterType="int" resultType="User">
  select id, username, hashedPassword
  from some_table
  where id = #{id}
</select>
```

In these cases MyBatis is automatically creating a ResultMap behind the scenes to auto-map the columns to the JavaBean properties based on name. If the column names did not match exactly, you could employ select clause aliases (a standard SQL feature) on the column names to make the labels match. For example:

```
<select id="selectUsers" parameterType="int" resultType="User">
  select
    user_id          as "id",
    user_name        as "userName",
    hashed_password  as "hashedPassword"
  from some_table
  where id = #{id}
</select>
```

The great thing about ResultMaps is that you've already learned a lot about them, but you haven't even seen one yet! These simple cases don't require any more than you've seen here. Just for example sake, let's see what this last example would look like as an external resultMap, as that is another way to solve column name mismatches.

```
<resultMap id="userResultMap" type="User">
  <id property="id" column="user_id" />
  <result property="username" column="user_name"/>
  <result property="password" column="hashed_password"/>
</resultMap>
```

And the statement that references it uses the resultMap attribute to do so (notice we removed the resultType attribute). For example:

```
<select id="selectUsers" parameterType="int" resultMap="userResultMap">
  select user_id, user_name, hashed_password
  from some_table
  where id = #{id}
</select>
```

Now if only the world were always that simple.

#### 4.1.5.1 Advanced Result Maps

MyBatis was created with one idea in mind: Databases aren't always what you want or need them to be. While we'd love every database to be perfect 3rd normal form or BCNF, they aren't. And it would be great if it was possible to have a single database map perfectly to all of the applications that use it, it's not. Result Maps are the answer that MyBatis provides to this problem.

For example, how would we map this statement?

```
<!-- Very Complex Statement -->
<select id="selectBlogDetails" parameterType="int" resultMap="detailedBlogResultMap">
  select
    B.id as blog_id,
    B.title as blog_title,
    B.author_id as blog_author_id,
    A.id as author_id,
    A.username as author_username,
    A.password as author_password,
    A.email as author_email,
    A.bio as author_bio,
    A.favourite_section as author_favourite_section,
    P.id as post_id,
    P.blog_id as post_blog_id,
    P.author_id as post_author_id,
    P.created_on as post_created_on,
    P.section as post_section,
    P.subject as post_subject,
    P.draft as draft,
    P.body as post_body,
    C.id as comment_id,
    C.post_id as comment_post_id,
    C.name as comment_name,
    C.comment as comment_text,
    T.id as tag_id,
    T.name as tag_name
  from Blog B
    left outer join Author A on B.author_id = A.id
    left outer join Post P on B.id = P.blog_id
    left outer join Comment C on P.id = C.post_id
    left outer join Post_Tag PT on PT.post_id = P.id
    left outer join Tag T on PT.tag_id = T.id
  where B.id = #{id}
</select>
```

You'd probably want to map it to an intelligent object model consisting of a Blog that was written by an Author, and has many Posts, each of which may have zero or many Comments and Tags. The following is a complete example of a complex ResultMap (assume Author, Blog, Post, Comments and Tags are all type aliases). Have a look at it, but don't worry, we're going to go through each step. While it may look daunting at first, it's actually very simple.

```

<!-- Very Complex Result Map -->
<resultMap id="detailedBlogResultMap" type="Blog">
  <constructor>
    <idArg column="blog_id" javaType="int"/>
  </constructor>
  <result property="title" column="blog_title"/>
  <association property="author" javaType=" Author">
    <id property="id" column="author_id"/>
    <result property="username" column="author_username"/>
    <result property="password" column="author_password"/>
    <result property="email" column="author_email"/>
    <result property="bio" column="author_bio"/>
    <result property="favouriteSection" column="author_favourite_section"/>
  </association>
  <collection property="posts" ofType="Post">
    <id property="id" column="post_id"/>
    <result property="subject" column="post_subject"/>
    <association property="author" javaType="Author"/>
    <collection property="comments" ofType=" Comment">
      <id property="id" column="comment_id"/>
    </collection>
    <collection property="tags" ofType=" Tag" >
      <id property="id" column="tag_id"/>
    </collection>
    <discriminator javaType="int" column="draft">
      <case value="1" resultType="DraftPost"/>
    </discriminator>
  </collection>
</resultMap>

```

The resultMap element has a number of sub-elements and a structure worthy of some discussion. The following is a conceptual view of the resultMap element.

#### 4.1.5.2 resultMap

- constructor - used for injecting results into the constructor of a class upon instantiation
  - idArg - ID argument; flagging results as ID will help improve overall performance
  - arg - a normal result injected into the constructor
- id – an ID result; flagging results as ID will help improve overall performance
- result – a normal result injected into a field or JavaBean property
- association – a complex type association; many results will roll up into this type
  - nested result mappings – associations are resultMap themselves, or can refer to one
- collection – a collection of complex types
  - nested result mappings – collections are resultMap themselves, or can refer to one
- discriminator – uses a result value to determine which resultMap to use
  - case – a case is a result map based on some value
    - nested result mappings – a case is also a result map itself, and thus can contain many of these same elements, or it can refer to an external resultMap.

**Best Practice** Always build ResultMaps incrementally. Unit tests really help out here. If you try to build a gigantic `resultMap` like the one above all at once, it's likely you'll get it wrong and it will be hard to work with. Start simple, and evolve it a step at a time. And unit test! The downside to using frameworks is that they are sometimes a bit of a black box (open source or not). Your best bet to ensure that you're achieving the behaviour that you intend, is to write unit tests. It also helps to have them when submitting bugs.

The next sections will walk through each of the elements in more detail.

#### 4.1.5.3 id & result

```
<id property="id" column="post_id"/>
<result property="subject" column="post_subject"/>
```

These are the most basic of result mappings. Both *id*, and *result* map a single column value to a single property or field of a simple data type (String, int, double, Date, etc.).

The only difference between the two is that *id* will flag the result as an identifier property to be used when comparing object instances. This helps to improve general performance, but especially performance of caching and nested result mapping (i.e. join mapping).

Each has a number of attributes:

Attribute	Description
property	The field or property to map the column result to. If a matching JavaBeans property exists for the given name, then that will be used. Otherwise, MyBatis will look for a field of the given name. In both cases you can use complex property navigation using the usual dot notation. For example, you can map to something simple like: <code>username</code> , or to something more complicated like: <code>address.street.number</code> .
column	The column name from the database, or the aliased column label. This is the same string that would normally be passed to <code>resultSet.getString(columnName)</code> .
javaType	A fully qualified Java class name, or a type alias (see the table above for the list of built-in type aliases). MyBatis can usually figure out the type if you're mapping to a JavaBean. However, if you are mapping to a <code>HashMap</code> , then you should specify the <code>javaType</code> explicitly to ensure the desired behaviour.
jdbcType	The JDBC Type from the list of supported types that follows this table. The JDBC type is only required for nullable columns upon insert, update or delete. This is a JDBC requirement, not a MyBatis one. So even if you were coding JDBC directly, you'd need to specify this type – but only for nullable values.
typeHandler	We discussed default type handlers previously in this documentation. Using this property you can override the default type handler on a mapping-by-mapping basis. The value is either a fully qualified class name of a <code>TypeHandler</code> implementation, or a type alias.

## Id and Result Attributes

### 4.1.5.4 Supported JDBC Types

For future reference, MyBatis supports the following JDBC Types via the included `JdbcType` enumeration.

BIT	FLOAT	CHAR	TIMESTAMP	OTHER	UNDEFINED
TINYINT	REAL	VARCHAR	BINARY	BLOB	NVARCHAR
SMALLINT	DOUBLE	LONGVARCHAR	VARBINARY	CLOB	>NCHAR
INTEGER	NUMERIC	DATE	LONGVARBINAR	BOOLEAN	NCLOB
BIGINT	DECIMAL	TIME	NULL	CURSOR	ARRAY

### 4.1.5.5 constructor

```
<constructor>
  <idArg column="id" javaType="int"/>
  <arg column="username" javaType="String"/>
</constructor>
```

While properties will work for most Data Transfer Object (DTO) type classes, and likely most of your domain model, there may be some cases where you want to use immutable classes. Often tables that contain reference or lookup data that rarely or never changes is suited to immutable classes. Constructor injection allows you to set values on a class upon instantiation, without exposing public methods. MyBatis also supports private properties and private JavaBeans properties to achieve this, but some people prefer Constructor injection. The *constructor* element enables this.

Consider the following constructor:

```
public class User {
  //...
  public User(int id, String username) {
    //...
  }
  //...
}
```

In order to inject the results into the constructor, MyBatis needs to identify the constructor by the type of its parameters. Java has no way to introspect (or reflect) on parameter names. So when creating a constructor element, ensure that the arguments are in order, and that the data types are specified.

```
<constructor>
  <idArg column="id" javaType="int"/>
  <arg column="username" javaType="String"/>
</constructor>
```

The rest of the attributes and rules are the same as for the regular id and result elements.

Attribute	Description
-----------	-------------

column	The column name from the database, or the aliased column label. This is the same string that would normally be passed to <code>resultSet.getString(columnName)</code> .
javaType	A fully qualified Java class name, or a type alias (see the table above for the list of built-in type aliases). MyBatis can usually figure out the type if you're mapping to a <code>JavaBean</code> . However, if you are mapping to a <code>HashMap</code> , then you should specify the <code>javaType</code> explicitly to ensure the desired behaviour.
jdbcType	The JDBC Type from the list of supported types that follows this table. The JDBC type is only required for nullable columns upon insert, update or delete. This is a JDBC requirement, not an MyBatis one. So even if you were coding JDBC directly, you'd need to specify this type – but only for nullable values.
typeHandler	We discussed default type handlers previously in this documentation. Using this property you can override the default type handler on a mapping-by-mapping basis. The value is either a fully qualified class name of a <code>TypeHandler</code> implementation, or a type alias.
select	The ID of another mapped statement that will load the complex type required by this property mapping. The values retrieved from columns specified in the <code>column</code> attribute will be passed to the target select statement as parameters. See the <code>Association</code> element for more.
resultMap	This is the ID of a <code>ResultMap</code> that can map the nested results of this argument into an appropriate object graph. This is an alternative to using a call to another select statement. It allows you to join multiple tables together into a single <code>ResultSet</code> . Such a <code>ResultSet</code> will contain duplicated, repeating groups of data that needs to be decomposed and mapped properly to a nested object graph. To facilitate this, MyBatis lets you "chain" result maps together, to deal with the nested results. See the <code>Association</code> element below for more.

#### 4.1.5.6 association

```
<association property="author" javaType=" Author">
  <id property="id" column="author_id"/>
  <result property="username" column="author_username"/>
</association>
```

The association element deals with a "has-one" type relationship. For example, in our example, a `Blog` has one `Author`. An association mapping works mostly like any other result. You specify the target property, the `javaType` of the property (which MyBatis can figure out most of the time), the `jdbcType` if necessary and a `typeHandler` if you want to override the retrieval of the result values.

Where the association differs is that you need to tell MyBatis how to load the association. MyBatis can do so in two different ways:

- **Nested Select:** By executing another mapped SQL statement that returns the complex type desired.
- **Nested Results:** By using nested result mappings to deal with repeating subsets of joined results.

First, let's examine the properties of the element. As you'll see, it differs from a normal result mapping only by the select and resultMap attributes.

Attribute	Description
property	The field or property to map the column result to. If a matching JavaBeans property exists for the given name, then that will be used. Otherwise, MyBatis will look for a field of the given name. In both cases you can use complex property navigation using the usual dot notation. For example, you can map to something simple like: <code>username</code> , or to something more complicated like: <code>address.street.number</code> .
javaType	A fully qualified Java class name, or a type alias (see the table above for the list of built-in type aliases). MyBatis can usually figure out the type if you're mapping to a <code>JavaBean</code> . However, if you are mapping to a <code>HashMap</code> , then you should specify the <code>javaType</code> explicitly to ensure the desired behaviour.
jdbcType	The JDBC Type from the list of supported types that follows this table. The JDBC type is only required for nullable columns upon insert, update or delete. This is a JDBC requirement, not an MyBatis one. So even if you were coding JDBC directly, you'd need to specify this type – but only for nullable values.
typeHandler	We discussed default type handlers previously in this documentation. Using this property you can override the default type handler on a mapping-by-mapping basis. The value is either a fully qualified class name of a <code>TypeHandler</code> implementation, or a type alias.

#### 4.1.5.7 Nested Select for Association

Attribute	Description
column	The column name from the database, or the aliased column label that holds the value that will be passed to the nested statement as an input parameter. This is the same string that would normally be passed to <code>resultSet.getString(columnName)</code> . Note: To deal with composite keys, you can specify multiple column names to pass to the nested select statement by using the syntax <code>column="{prop1=col1,prop2=col2}"</code> . This will cause <code>prop1</code> and <code>prop2</code> to be set against the parameter object for the target nested select statement.

select	The ID of another mapped statement that will load the complex type required by this property mapping. The values retrieved from columns specified in the column attribute will be passed to the target select statement as parameters. A detailed example follows this table. Note: To deal with composite keys, you can specify multiple column names to pass to the nested select statement by using the syntax <code>column="{prop1=col1,prop2=col2}"</code> . This will cause <code>prop1</code> and <code>prop2</code> to be set against the parameter object for the target nested select statement.
--------	--

For example:

```
<resultMap id="blogResult" type="Blog">
  <association property="author" column="blog_author_id" javaType="Author" select="
</resultMap>
<select id="selectBlog" parameterType="int" resultMap="blogResult">
  SELECT * FROM BLOG WHERE ID = #{id}
</select>
<select id="selectAuthor" parameterType="int" resultType="Author">
  SELECT * FROM AUTHOR WHERE ID = #{id}
</select>
```

That's it. We have two select statements: one to load the Blog, the other to load the Author, and the Blog's resultMap describes that the `selectAuthor` statement should be used to load its author property.

All other properties will be loaded automatically assuming their column and property names match.

While this approach is simple, it will not perform well for large data sets or lists. This problem is known as the "N+1 Selects Problem". In a nutshell, the N+1 selects problem is caused like this:

- You execute a single SQL statement to retrieve a list of records (the "+1").
- For each record returned, you execute a select statement to load details for each (the "N").

This problem could result in hundreds or thousands of SQL statements to be executed. This is not always desirable.

The upside is that MyBatis can lazy load such queries, thus you might be spared the cost of these statements all at once. However, if you load such a list and then immediately iterate through it to access the nested data, you will invoke all of the lazy loads, and thus performance could be very bad.

And so, there is another way.

#### 4.1.5.8 Nested Results for Association

Attribute	Description
-----------	-------------



resultMap	This is the ID of a ResultMap that can map the nested results of this association into an appropriate object graph. This is an alternative to using a call to another select statement. It allows you to join multiple tables together into a single ResultSet. Such a ResultSet will contain duplicated, repeating groups of data that needs to be decomposed and mapped properly to a nested object graph. To facilitate this, MyBatis lets you "chain" result maps together, to deal with the nested results. An example will be far easier to follow, and one follows this table.
columnPrefix	When joining multiple tables, you would have to use column alias to avoid duplicated column names in the ResultSet. Specifying columnPrefix allows you to map such columns to an external resultMap. Please see the example explained later in this section.

You've already seen a very complicated example of nested associations above. The following is a far simpler example to demonstrate how this works. Instead of executing a separate statement, we'll join the Blog and Author tables together, like so:

```
<select id="selectBlog" parameterType="int" resultMap="blogResult">
  select
    B.id          as blog_id,
    B.title       as blog_title,
    B.author_id   as blog_author_id,
    A.id          as author_id,
    A.username    as author_username,
    A.password    as author_password,
    A.email       as author_email,
    A.bio         as author_bio
  from Blog B left outer join Author A on B.author_id = A.id
  where B.id = #{id}
</select>
```

Notice the join, as well as the care taken to ensure that all results are aliased with a unique and clear name. This makes mapping far easier. Now we can map the results:

```
<resultMap id="blogResult" type="Blog">
  <id property="id" column="blog_id" />
  <result property="title" column="blog_title"/>
  <association property="author" javaType="Author" resultMap="authorResult"/>
</resultMap>
<resultMap id="authorResult" type="Author">
  <id property="id" column="author_id"/>
  <result property="username" column="author_username"/>
  <result property="password" column="author_password"/>
  <result property="email" column="author_email"/>
  <result property="bio" column="author_bio"/>
</resultMap>
```

In the example above you can see at the Blog's "author" association delegates to the "authorResult" resultMap to load the Author instance.

Very Important: id elements play a very important role in Nested Result mapping. You should always specify one or more properties that can be used to uniquely identify the results. The truth is that MyBatis will still work if you leave it out, but at a severe performance cost. Choose as few properties as possible that can uniquely identify the result. The primary key is an obvious choice (even if composite).

Now, the above example used an external resultMap element to map the association. This makes the Author resultMap reusable. However, if you have no need to reuse it, or if you simply prefer to co-locate your result mappings into a single descriptive resultMap, you can nest the association result mappings. Here's the same example using this approach:

```
<resultMap id="blogResult" type="Blog">
  <id property="id" column="blog_id" />
  <result property="title" column="blog_title"/>
  <association property="author" javaType="Author">
    <id property="id" column="author_id"/>
    <result property="username" column="author_username"/>
    <result property="password" column="author_password"/>
    <result property="email" column="author_email"/>
    <result property="bio" column="author_bio"/>
  </association>
</resultMap>
```

What if the blog has a co-author? The select statement would look like:

```
<select id="selectBlog" parameterType="int" resultMap="blogResult">
  select
    B.id           as blog_id,
    B.title        as blog_title,
    A.id           as author_id,
    A.username     as author_username,
    A.password     as author_password,
    A.email        as author_email,
    A.bio          as author_bio,
    CA.id          as co_author_id,
    CA.username    as co_author_username,
    CA.password    as co_author_password,
    CA.email       as co_author_email,
    CA.bio         as co_author_bio
  from Blog B
  left outer join Author A on B.author_id = A.id
  left outer join Author CA on B.co_author_id = CA.id
  where B.id = #{id}
</select>
```

Recall that the resultMap for Author is defined as follows.

```
<resultMap id="authorResult" type="Author">
  <id property="id" column="author_id"/>
  <result property="username" column="author_username"/>
  <result property="password" column="author_password"/>
  <result property="email" column="author_email"/>
  <result property="bio" column="author_bio"/>
</resultMap>
```

Because the column names in the results differ from the columns defined in the resultMap, you need to specify `columnPrefix` to reuse the resultMap for mapping co-author results.

```
<resultMap id="blogResult" type="Blog">
  <id property="id" column="blog_id" />
  <result property="title" column="blog_title"/>
  <association property="author"
    resultMap="authorResult" />
  <association property="coAuthor"
    resultMap="authorResult"
    columnPrefix="co_" />
</resultMap>
```

You've seen above how to deal with a "has one" type association. But what about "has many"? That's the subject of the next section.

#### 4.1.5.9 collection

```
<collection property="posts" ofType="domain.blog.Post">
  <id property="id" column="post_id" />
  <result property="subject" column="post_subject" />
  <result property="body" column="post_body" />
</collection>
```

The collection element works almost identically to the association. In fact, it's so similar, to document the similarities would be redundant. So let's focus on the differences.

To continue with our example above, a Blog only had one Author. But a Blog has many Posts. On the blog class, this would be represented by something like:

```
private List<Post> posts;
```

To map a set of nested results to a List like this, we use the collection element. Just like the association element, we can use a nested select, or nested results from a join.

#### 4.1.5.10 Nested Select for Collection

First, let's look at using a nested select to load the Posts for the Blog.

```
<resultMap id="blogResult" type="Blog">
  <collection property="posts" javaType="ArrayList" column="blog_id" ofType="Post" />
</resultMap>
<select id="selectBlog" parameterType="int" resultMap="blogResult">
  SELECT * FROM BLOG WHERE ID = #{id}
</select>
<select id="selectPostsForBlog" parameterType="int" resultType="Post">
  SELECT * FROM POST WHERE BLOG_ID = #{id}
</select>
```

There are a number things you'll notice immediately, but for the most part it looks very similar to the association element we learned about above. First, you'll notice that we're using the collection element. Then you'll notice that there's a new `ofType` attribute. This attribute is necessary to distinguish between the JavaBean (or field) property type and the type that the collection contains. So you could read the following mapping like this:

```
<collection property="posts" javaType="ArrayList" column="blog_id" ofType="Post" select="selectPostsForBlog" />
```

Read as: "A collection of posts in an ArrayList of type Post."

The `javaType` attribute is really unnecessary, as MyBatis will figure this out for you in most cases. So you can often shorten this down to simply:

```
<collection property="posts" column="blog_id" ofType="Post" select="selectPostsForBlog" />
```

#### 4.1.5.11 Nested Results for Collection

By this point, you can probably guess how nested results for a collection will work, because it's exactly the same as an association, but with the same addition of the `ofType` attribute applied.

First, let's look at the SQL:

```
<select id="selectBlog" parameterType="int" resultMap="blogResult">
  select
    B.id as blog_id,
    B.title as blog_title,
    B.author_id as blog_author_id,
    P.id as post_id,
    P.subject as post_subject,
    P.body as post_body,
  from Blog B
  left outer join Post P on B.id = P.blog_id
  where B.id = #{id}
</select>
```

Again, we've joined the Blog and Post tables, and have taken care to ensure quality result column labels for simple mapping. Now mapping a Blog with its collection of Post mappings is as simple as:

```
<resultMap id="blogResult" type="Blog">
  <id property="id" column="blog_id" />
  <result property="title" column="blog_title" />
  <collection property="posts" ofType="Post">
    <id property="id" column="post_id" />
    <result property="subject" column="post_subject" />
    <result property="body" column="post_body" />
  </collection>
</resultMap>
```

Again, remember the importance of the `id` elements here, or read the association section above if you haven't already.

Also, if you prefer the longer form that allows for more reusability of your result maps, you can use the following alternative mapping:

```

<resultMap id="blogResult" type="Blog">
  <id property="id" column="blog_id" />
  <result property="title" column="blog_title"/>
  <collection property="posts" ofType="Post" resultMap="blogPostResult" columnPrefix="posts_" />
</resultMap>
<resultMap id="blogPostResult" type="Post">
  <id property="id" column="id"/>
  <result property="subject" column="subject"/>
  <result property="body" column="body"/>
</resultMap>

```

NOTE There's no limit to the depth, breadth or combinations of the associations and collections that you map. You should keep performance in mind when mapping them. Unit testing and performance testing of your application goes a long way toward discovering the best approach for your application. The nice thing is that MyBatis lets you change your mind later, with very little (if any) impact to your code.

Advanced association and collection mapping is a deep subject. Documentation can only get you so far. With a little practice, it will all become clear very quickly.

#### 4.1.5.12 discriminator

```

<discriminator javaType="int" column="draft">
  <case value="1" resultType="DraftPost"/>
</discriminator>

```

Sometimes a single database query might return result sets of many different (but hopefully somewhat related) data types. The discriminator element was designed to deal with this situation, and others, including class inheritance hierarchies. The discriminator is pretty simple to understand, as it behaves much like a switch statement in Java.

A discriminator definition specifies column and javaType attributes. The column is where MyBatis will look for the value to compare. The javaType is required to ensure the proper kind of equality test is performed (although String would probably work for almost any situation). For example:

```

<resultMap id="vehicleResult" type="Vehicle">
  <id property="id" column="id" />
  <result property="vin" column="vin"/>
  <result property="year" column="year"/>
  <result property="make" column="make"/>
  <result property="model" column="model"/>
  <result property="color" column="color"/>
  <discriminator javaType="int" column="vehicle_type">
    <case value="1" resultMap="carResult"/>
    <case value="2" resultMap="truckResult"/>
    <case value="3" resultMap="vanResult"/>
    <case value="4" resultMap="suvResult"/>
  </discriminator>
</resultMap>

```

In this example, MyBatis would retrieve each record from the result set and compare its vehicle type value. If it matches any of the discriminator cases, then it will use the resultMap specified by the case. This is done exclusively, so in other words, the rest of the resultMap is ignored (unless it is

extended, which we talk about in a second). If none of the cases match, then MyBatis simply uses the resultMap as defined outside of the discriminator block. So, if the carResult was declared as follows:

```
<resultMap id="carResult" type="Car">
  <result property="doorCount" column="door_count" />
</resultMap>
```

Then **ONLY** the doorCount property would be loaded. This is done to allow completely independent groups of discriminator cases, even ones that have no relationship to the parent resultMap. In this case we do of course know that there's a relationship between cars and vehicles, as a Car is-a Vehicle. Therefore, we want the rest of the properties loaded too. One simple change to the resultMap and we're set to go.

```
<resultMap id="carResult" type="Car" extends="vehicleResult">
  <result property="doorCount" column="door_count" />
</resultMap>
```

Now all of the properties from both the vehicleResult and carResult will be loaded.

Once again though, some may find this external definition of maps somewhat tedious. Therefore there's an alternative syntax for those that prefer a more concise mapping style. For example:

```
<resultMap id="vehicleResult" type="Vehicle">
  <id property="id" column="id" />
  <result property="vin" column="vin"/>
  <result property="year" column="year"/>
  <result property="make" column="make"/>
  <result property="model" column="model"/>
  <result property="color" column="color"/>
  <discriminator javaType="int" column="vehicle_type">
    <case value="1" resultType="carResult">
      <result property="doorCount" column="door_count" />
    </case>
    <case value="2" resultType="truckResult">
      <result property="boxSize" column="box_size" />
      <result property="extendedCab" column="extended_cab" />
    </case>
    <case value="3" resultType="vanResult">
      <result property="powerSlidingDoor" column="power_sliding_door" />
    </case>
    <case value="4" resultType="suvResult">
      <result property="allWheelDrive" column="all_wheel_drive" />
    </case>
  </discriminator>
</resultMap>
```

**NOTE** Remember that these are all Result Maps, and if you don't specify any results at all, then MyBatis will automatically match up columns and properties for you. So most of these examples are more verbose than they really need to be. That said, most databases are kind of complex and it's unlikely that we'll be able to depend on that for all cases.

#### 4.1.6 Auto-mapping

As you have already seen in the previous sections, in simple cases MyBatis can auto-map the results for you and in others you will need to build a result map. But as you will see in this section you can also mix both strategies. Let's have a deeper look at how auto-mapping works.

When auto-mapping results MyBatis will get the column name and look for a property with the same name ignoring case. That means that if a column named *ID* and property named *id* are found, MyBatis will set the *id* property with the *ID* column value.

Usually database columns are named using uppercase letters and underscores between words and java properties often follow the camelcase naming covention. To enable the auto-mapping between them set the setting `mapUnderscoreToCamelCase` to true.

Auto-mapping works even when there is an specific result map. When this happens, for each result map, all columns that are present in the `ResultSet` that have not a manual mapping will be auto-mapped, then manual mappings will be processed. In the following sample *id* and *userName* columns will be auto-mapped and *hashed\_password* column will be mapped.

```
<select id="selectUsers" parameterType="int" resultType="User">
  select
    user_id          as "id",
    user_name        as "userName",
    hashed_password
  from some_table
  where id = #{id}
</select>
```

```
<resultMap id="userResultMap" type="User">
  <result property="password" column="hashed_password"/>
</resultMap>
```

There are three auto-mapping levels:

- NONE - disables auto-mapping. Only manually mapped properties will be set.
- PARTIAL - will auto-map results except those that have nested result mappings defined inside (joins).
- FULL - auto-maps everything.

The default value is PARTIAL, and it is so for a reason. When FULL is used auto-mapping will be performed when processing join results and joins retrieve data of several different entities in the same row hence this may result in undesired mappings. To understand the risk have a look at the following sample:

```
<select id="selectBlog" parameterType="int" resultMap="blogResult">
  select
    B.id,
    B.title,
    A.username,
  from Blog B left outer join Author A on B.author_id = A.id
  where B.id = #{id}
</select>
```

```

<resultMap id="blogResult" type="Blog">
  <association property="author" javaType="Author" resultMap="authorResult"/>
</resultMap>
<resultMap id="authorResult" type="Author">
  <result property="username" column="author_username"/>
</resultMap>

```

With this result map both *Blog* and *Author* will be auto-mapped. But note that *Author* has an *id* property and there is a column named *id* in the *ResultSet* so *Author*'s *id* will be filled with *Blog*'s *id*, and that is not what you were expecting. So use the `FULL` option with caution.

#### 4.1.7 cache

MyBatis has includes a powerful transactional query caching feature which is very configurable and customizable. A lot of changes have been made in the MyBatis 3 cache implementation to make it both more powerful and far easier to configure.

By default, just local session caching is enabled that is used solely to cache data for the duration of a session. To enable a global second level of caching you simply need to add one line to your SQL Mapping file:

```
<cache/>
```

Literally that's it. The effect of this one simple statement is as follows:

- All results from select statements in the mapped statement file will be cached.
- All insert, update and delete statements in the mapped statement file will flush the cache.
- The cache will use a Least Recently Used (LRU) algorithm for eviction.
- The cache will not flush on any sort of time based schedule (i.e. no Flush Interval).
- The cache will store 1024 references to lists or objects (whatever the query method returns).
- The cache will be treated as a read/write cache, meaning objects retrieved are not shared and can be safely modified by the caller, without interfering with other potential modifications by other callers or threads.

All of these properties are modifiable through the attributes of the cache element. For example:

```

<cache
  eviction="FIFO"
  flushInterval="60000"
  size="512"
  readOnly="true"/>

```

This more advanced configuration creates a FIFO cache that flushes once every 60 seconds, stores up to 512 references to result objects or lists, and objects returned are considered read-only, thus modifying them could cause conflicts between callers in different threads.

The available eviction policies available are:

- **LRU** – Least Recently Used: Removes objects that haven't been used for the longest period of time.
- **FIFO** – First In First Out: Removes objects in the order that they entered the cache.
- **SOFT** – Soft Reference: Removes objects based on the garbage collector state and the rules of Soft References.
- **WEAK** – Weak Reference: More aggressively removes objects based on the garbage collector state and rules of Weak References.



The default is LRU.

The `flushInterval` can be set to any positive integer and should represent a reasonable amount of time specified in milliseconds. The default is not set, thus no flush interval is used and the cache is only flushed by calls to statements.

The size can be set to any positive integer, keep in mind the size of the objects your caching and the available memory resources of your environment. The default is 1024.

The `readOnly` attribute can be set to true or false. A read-only cache will return the same instance of the cached object to all callers. Thus such objects should not be modified. This offers a significant performance advantage though. A read-write cache will return a copy (via serialization) of the cached object. This is slower, but safer, and thus the default is false.

NOTE Second level cache is transactional. That means that it is updated when a `SqlSession` finishes with commit or when it finishes with rollback but no inserts/deletes/updates with `flushCache=true` where executed.

#### 4.1.7.1 Using a Custom Cache

In addition to customizing the cache in these ways, you can also completely override the cache behavior by implementing your own cache, or creating an adapter to other 3rd party caching solutions.

```
<cache type="com.domain.something.MyCustomCache" />
```

This example demonstrates how to use a custom cache implementation. The class specified in the `type` attribute must implement the `org.apache.ibatis.cache.Cache` interface and provide a constructor that gets a `String` id as an argument. This interface is one of the more complex in the MyBatis framework, but simple given what it does.

```
public interface Cache {  
    String getId();  
    int getSize();  
    void putObject(Object key, Object value);  
    Object getObject(Object key);  
    boolean hasKey(Object key);  
    Object removeObject(Object key);  
    void clear();  
    ReadWriteLock getReadWriteLock();  
}
```

Follows below

To configure your cache, simply add public JavaBeans properties to your Cache implementation, and pass properties via the cache Element, for example, the following would call a method called `setCacheFile(String file)` on your Cache implementation:

```
<cache type="com.domain.something.MyCustomCache">  
    <property name="cacheFile" value="/tmp/my-custom-cache.tmp" />  
</cache>
```

You can use JavaBeans properties of all simple types, MyBatis will do the conversion.

It's important to remember that a cache configuration and the cache instance are bound to the namespace of the SQL Map file. Thus, all statements in the same namespace as the cache are bound by it. Statements can modify how they interact with the cache, or exclude themselves completely by

using two simple attributes on a statement-by-statement basis. By default, statements are configured like this:

```
<select ... flushCache="false" useCache="true"/>
<insert ... flushCache="true"/>
<update ... flushCache="true"/>
<delete ... flushCache="true"/>
```

Since that's the default, you obviously should never explicitly configure a statement that way. Instead, only set the `flushCache` and `useCache` attributes if you want to change the default behavior. For example, in some cases you may want to exclude the results of a particular select statement from the cache, or you might want a select statement to flush the cache. Similarly, you may have some update statements that don't need to flush the cache upon execution.

#### 4.1.7.2 cache-ref

Recall from the previous section that only the cache for this particular namespace will be used or flushed for statements within the same namespace. There may come a time when you want to share the same cache configuration and instance between namespaces. In such cases you can reference another cache by using the `cache-ref` element.

```
<cache-ref namespace="com.someone.application.data.SomeMapper"/>
```

## 5 Dynamic SQL

---

### 5.1 Dynamic SQL

One of the most powerful features of MyBatis has always been its Dynamic SQL capabilities. If you have any experience with JDBC or any similar framework, you understand how painful it is to conditionally concatenate strings of SQL together, making sure not to forget spaces or to omit a comma at the end of a list of columns. Dynamic SQL can be downright painful to deal with.

While working with Dynamic SQL will never be a party, MyBatis certainly improves the situation with a powerful Dynamic SQL language that can be used within any mapped SQL statement.

The Dynamic SQL elements should be familiar to anyone who has used JSTL or any similar XML based text processors. In previous versions of MyBatis, there were a lot of elements to know and understand. MyBatis 3 greatly improves upon this, and now there are less than half of those elements to work with. MyBatis employs powerful OGNL based expressions to eliminate most of the other elements:

- if
- choose (when, otherwise)
- trim (where, set)
- foreach

#### 5.1.1 if

The most common thing to do in dynamic SQL is conditionally include a part of a where clause. For example:

```
<select id="findActiveBlogWithTitleLike"
      parameterType="Blog" resultType="Blog">
  SELECT * FROM BLOG
  WHERE state = 'ACTIVE'
  <if test="title != null">
    AND title like #{title}
  </if>
</select>
```

This statement would provide an optional text search type of functionality. If you passed in no title, then all active Blogs would be returned. But if you do pass in a title, it will look for a title like that (for the keen eyed, yes in this case your parameter value would need to include any masking or wildcard characters).

What if we wanted to optionally search by title and author? First, I'd change the name of the statement to make more sense. Then simply add another condition.

```
<select id="findActiveBlogLike"
  parameterType="Blog" resultType="Blog">
  SELECT * FROM BLOG WHERE state = 'ACTIVE'
  <if test="title != null">
    AND title like #{title}
  </if>
  <if test="author != null and author.name != null">
    AND author_name like #{author.name}
  </if>
</select>
```

### 5.1.2 choose, when, otherwise

Sometimes we don't want all of the conditionals to apply, instead we want to choose only one case among many options. Similar to a switch statement in Java, MyBatis offers a choose element.

Let's use the example above, but now let's search only on title if one is provided, then only by author if one is provided. If neither is provided, let's only return featured blogs (perhaps a strategically list selected by administrators, instead of returning a huge meaningless list of random blogs).

```
<select id="findActiveBlogLike"
  parameterType="Blog" resultType="Blog">
  SELECT * FROM BLOG WHERE state = 'ACTIVE'
  <choose>
    <when test="title != null">
      AND title like #{title}
    </when>
    <when test="author != null and author.name != null">
      AND author_name like #{author.name}
    </when>
    <otherwise>
      AND featured = 1
    </otherwise>
  </choose>
</select>
```

### 5.1.3 trim, where, set

The previous examples have been conveniently dancing around a notorious dynamic SQL challenge. Consider what would happen if we return to our "if" example, but this time we make "ACTIVE = 1" a dynamic condition as well.

```
<select id="findActiveBlogLike"
  parameterType="Blog" resultType="Blog">
  SELECT * FROM BLOG
  WHERE
  <if test="state != null">
    state = #{state}
  </if>
  <if test="title != null">
    AND title like #{title}
  </if>
  <if test="author != null and author.name != null">
    AND author_name like #{author.name}
  </if>
</select>
```

What happens if none of the conditions are met? You would end up with SQL that looked like this:

```
SELECT * FROM BLOG
WHERE
```

This would fail. What if only the second condition was met? You would end up with SQL that looked like this:

```
SELECT * FROM BLOG
WHERE
AND title like 'someTitle'
```

This would also fail. This problem is not easily solved with conditionals, and if you've ever had to write it, then you likely never want to do so again.

MyBatis has a simple answer that will likely work in 90% of the cases. And in cases where it doesn't, you can customize it so that it does. With one simple change, everything works fine:

```
<select id="findActiveBlogLike"
  parameterType="Blog" resultType="Blog">
  SELECT * FROM BLOG
  <where>
    <if test="state != null">
      state = #{state}
    </if>
    <if test="title != null">
      AND title like #{title}
    </if>
    <if test="author != null and author.name != null">
      AND author_name like #{author.name}
    </if>
  </where>
</select>
```

The *where* element knows to only insert "WHERE" if there is any content returned by the containing tags. Furthermore, if that content begins with "AND" or "OR", it knows to strip it off.

If the *where* element does not behave exactly as you like, you can customize it by defining your own trim element. For example, the trim equivalent to the *where* element is:

```
<trim prefix="WHERE" prefixOverrides="AND |OR ">
  ...
</trim>
```

The *prefixOverrides* attribute takes a pipe delimited list of text to override, where whitespace is relevant. The result is the removal of anything specified in the *prefixOverrides* attribute, and the insertion of anything in the *prefix* attribute.

There is a similar solution for dynamic update statements called *set*. The *set* element can be used to dynamically include columns to update, and leave out others. For example:

```
<update id="updateAuthorIfNecessary"
  parameterType="domain.blog.Author">
  update Author
    <set>
      <if test="username != null">username=#{username},</if>
      <if test="password != null">password=#{password},</if>
      <if test="email != null">email=#{email},</if>
      <if test="bio != null">bio=#{bio}</if>
    </set>
  where id=#{id}
</update>
```

Here, the *set* element will dynamically prepend the SET keyword, and also eliminate any extraneous commas that might trail the value assignments after the conditions are applied.

If you're curious about what the equivalent *trim* element would look like, here it is:

```
<trim prefix="SET" suffixOverrides=",">
  ...
</trim>
```

Notice that in this case we're overriding a suffix, while we're still appending a prefix.

#### 5.1.4 foreach

Another common necessity for dynamic SQL is the need to iterate over a collection, often to build an IN condition. For example:

```
<select id="selectPostIn" resultType="domain.blog.Post">
  SELECT *
  FROM POST P
  WHERE ID in
    <foreach item="item" index="index" collection="list"
      open="(" separator="," close=")">
      #{item}
    </foreach>
</select>
```

The *foreach* element is very powerful, and allows you to specify a collection, declare item and index variables that can be used inside the body of the element. It also allows you to specify opening and closing strings, and add a separator to place in between iterations. The element is smart in that it won't accidentally append extra separators.

**NOTE** You can pass a List instance or an Array to MyBatis as a parameter object. When you do, MyBatis will automatically wrap it in a Map, and key it by name. List instances will be keyed to the name "list" and array instances will be keyed to the name "array".

This wraps up the discussion regarding the XML configuration file and XML mapping files. The next section will discuss the Java API in detail, so that you can get the most out of the mappings that you've created.

### 5.1.5 Multi-db vendor support

If a `databaseIdProvider` was configured a `"_databaseId"` variable is available for dynamic code, so you can build different statements depending on database vendor. Have a look at the following example:

```
<insert id="insert" parameterType="org.myapp.domain.User">
  <selectKey keyProperty="id" resultType="int" order="BEFORE">
    <if test="_databaseId == 'oracle'">
      select seq_users.nextval from dual
    </if>
    <if test="_databaseId == 'db2'">
      select nextval for seq_users from sysibm.sysdummy1
    </if>
  </selectKey>
  insert into users values (#{id}, #{name})
</insert>
```

## 6 Java API

---

### 6.1 Java API

Now that you know how to configure MyBatis and create mappings, you're ready for the good stuff. The MyBatis Java API is where you get to reap the rewards of your efforts. As you'll see, compared to JDBC, MyBatis greatly simplifies your code and keeps it clean, easy to understand and maintain. MyBatis 3 has introduced a number of significant improvements to make working with SQL Maps even better.

#### 6.1.1 Directory Structure

Before we dive in to the Java API itself, it's important to understand the best practices surrounding directory structures. MyBatis is very flexible, and you can do almost anything with your files. But as with any framework, there's a preferred way.

Let's look at a typical application directory structure:

```
/my_application
  /bin
  /devlib
  /lib                <-- MyBatis *.jar files go here.
  /src
    /org/myapp/
      /action
      /data
<-- MyBatis artifacts go here, including, Mapper Classes, XML Configuration, XML Mapping
    /mybatis-config.xml
    /BlogMapper.java
    /BlogMapper.xml
    /model
    /service
    /view
    /properties
<-- Properties included in your XML Configuration go here.
  /test
    /org/myapp/
      /action
      /data
      /model
      /service
      /view
      /properties
  /web
    /WEB-INF
    /web.xml
```

Remember, these are preferences, not requirements, but others will thank you for using a common directory structure.

The rest of the examples in this section will assume you're following this directory structure.



### 6.1.2 SqlSessions

The primary Java interface for working with MyBatis is the `SqlSession`. Through this interface you can execute commands, get mappers and manage transactions. We'll talk more about `SqlSession` itself shortly, but first we have to learn how to acquire an instance of `SqlSession`. `SqlSessions` are created by a `SqlSessionFactory` instance. The `SqlSessionFactory` contains methods for creating instances of `SqlSessions` all different ways. The `SqlSessionFactory` itself is created by the `SqlSessionFactoryBuilder` that can create the `SqlSessionFactory` from XML, Annotations or hand coded Java configuration.

**NOTE** When using MyBatis with a dependency injection framework like Spring or Guice, `SqlSessions` are created and injected by the DI framework so you don't need to use the `SqlSessionFactoryBuilder` or `SqlSessionFactory` and can go directly to the `SqlSession` section. Please refer to the MyBatis-Spring or MyBatis-Guice manuals for further info.

#### 6.1.2.1 SqlSessionFactoryBuilder

The `SqlSessionFactoryBuilder` has five `build()` methods, each which allows you to build a `SqlSession` from a different source.

```
SqlSessionFactory build(InputStream inputStream)
SqlSessionFactory build(InputStream inputStream, String environment)
SqlSessionFactory build(InputStream inputStream, Properties properties)
SqlSessionFactory build(InputStream inputStream, String env, Properties props)
SqlSessionFactory build(Configuration config)
```

The first four methods are the most common, as they take an `InputStream` instance that refers to an XML document, or more specifically, the `mybatis-config.xml` file discussed above. The optional parameters are environment and properties. Environment determines which environment to load, including the datasource and transaction manager. For example:

```
<environments default="development">
  <environment id="development">
    <transactionManager type="JDBC">
      ...
    <dataSource type="POOLED">
      ...
    </environment>
  <environment id="production">
    <transactionManager type="MANAGED">
      ...
    <dataSource type="JNDI">
      ...
    </environment>
  </environments>
```

If you call a build method that takes the environment parameter, then MyBatis will use the configuration for that environment. Of course, if you specify an invalid environment, you will receive an error. If you call one of the build methods that does not take the environment parameter, then the default environment is used (which is specified as `default="development"` in the example above).

If you call a method that takes a properties instance, then MyBatis will load those properties and make them available to your configuration. Those properties can be used in place of most values in the configuration using the syntax: `${propName}`

Recall that properties can also be referenced from the `mybatis-config.xml` file, or specified directly within it. Therefore it's important to understand the priority. We mentioned it earlier in this document, but here it is again for easy reference:

---

If a property exists in more than one of these places, MyBatis loads them in the following order.

- Properties specified in the body of the properties element are read first,
- Properties loaded from the classpath resource or url attributes of the properties element are read second, and override any duplicate properties already specified,
- Properties passed as a method parameter are read last, and override any duplicate properties that may have been loaded from the properties body and the resource/url attributes.

Thus, the highest priority properties are those passed in as a method parameter, followed by resource/url attributes and finally the properties specified in the body of the properties element.

---

So to summarize, the first four methods are largely the same, but with overrides to allow you to optionally specify the environment and/or properties. Here is an example of building a `SqlSessionFactory` from an `mybatis-config.xml` file.

```
String resource = "org/mybatis/builder/mybatis-config.xml";
InputStream inputStream = Resources.getResourceAsStream(resource);
SqlSessionFactoryBuilder builder = new SqlSessionFactoryBuilder();
SqlSessionFactory factory = builder.build(inputStream);
```

Notice that we're making use of the `Resources` utility class, which lives in the `org.apache.ibatis.io` package. The `Resources` class, as its name implies, helps you load resources from the classpath, filesystem or even a web URL. A quick look at the class source code or inspection through your IDE will reveal its fairly obvious set of useful methods. Here's a quick list:

```
URL getResourceURL(String resource)
URL getResourceURL(ClassLoader loader, String resource)
InputStream getResourceAsStream(String resource)
InputStream getResourceAsStream(ClassLoader loader, String resource)
Properties getResourceAsProperties(String resource)
Properties getResourceAsProperties(ClassLoader loader, String resource)
Reader getResourceAsReader(String resource)
Reader getResourceAsReader(ClassLoader loader, String resource)
File getResourceAsFile(String resource)
File getResourceAsFile(ClassLoader loader, String resource)
InputStream getUrlAsStream(String urlString)
Reader getUrlAsReader(String urlString)
Properties getUrlAsProperties(String urlString)
Class classForName(String className)
```

The final `build` method takes an instance of `Configuration`. The `Configuration` class contains everything you could possibly need to know about a `SqlSessionFactory` instance. The `Configuration` class is useful for introspecting on the configuration, including finding and manipulating SQL maps (not recommended once the application is accepting requests). The configuration class has every configuration switch that you've learned about already, only exposed as a Java API. Here's a simple

example of how to manually a Configuration instance and pass it to the build() method to create a SqlSessionFactory.

```
DataSource dataSource = BaseDataTest.createBlogDataSource();
TransactionFactory transactionFactory = new JdbcTransactionFactory();
Environment environment = new Environment("development", transactionFactory, dataSource);
Configuration configuration = new Configuration(environment);
configuration.setLazyLoadingEnabled(true);
configuration.setEnhancementEnabled(true);
configuration.getTypeAliasRegistry().registerAlias(Blog.class);
configuration.getTypeAliasRegistry().registerAlias(Post.class);
configuration.getTypeAliasRegistry().registerAlias(Author.class);
configuration.addMapper(BoundBlogMapper.class);
configuration.addMapper(BoundAuthorMapper.class);
SqlSessionFactoryBuilder builder = new SqlSessionFactoryBuilder();
SqlSessionFactory factory = builder.build(configuration);
```

Now you have a SqlSessionFactory that can be used to create SqlSession instances.

#### 6.1.2.2 SqlSessionFactory

SqlSessionFactory has six methods that are used to create SqlSessionInstances. In general, the decisions you'll be making when selecting one of these methods are:

- **Transaction:** Do you want to use a transaction scope for the session, or use auto-commit (usually means no transaction with most databases and/or JDBC drivers)?
- **Connection:** Do you want MyBatis to acquire a Connection from the configured DataSource for you, or do you want to provide your own?
- **Execution:** Do you want MyBatis to reuse PreparedStatements and/or batch updates (including inserts and deletes)?

The set of overloaded openSession() method signatures allow you to choose any combination of these options that makes sense.

```
SqlSession openSession()
SqlSession openSession(boolean autoCommit)
SqlSession openSession(Connection connection)
SqlSession openSession(TransactionIsolationLevel level)
SqlSession openSession(ExecutorType execType, TransactionIsolationLevel level)
SqlSession openSession(ExecutorType execType)
SqlSession openSession(ExecutorType execType, boolean autoCommit)
SqlSession openSession(ExecutorType execType, Connection connection)
Configuration getConfiguration();
```

The default openSession() method that takes no parameters will create a SqlSession with the following characteristics:

- A transaction scope will be started (i.e. NOT auto-commit).
- A Connection object will be acquired from the DataSource instance configured by the active environment.
- The transaction isolation level will be the default used by the driver or data source.
- No PreparedStatements will be reused, and no updates will be batched.

Most of the methods are pretty self explanatory. To enable auto-commit, pass a value of true to the optional autoCommit parameter. To provide your own connection, pass an instance of Connection to the connection parameter. Note that there's no override to set both the Connection and

autoCommit, because MyBatis will use whatever setting the provided connection object is currently using. MyBatis uses a Java enumeration wrapper for transaction isolation levels, called `TransactionIsolationLevel`, but otherwise they work as expected and have the 5 levels supported by JDBC ( `NONE`, `READ_UNCOMMITTED`, `READ_COMMITTED`, `REPEATABLE_READ`, `SERIALIZABLE` ).

The one parameter that might be new to you is `ExecutorType`. This enumeration defines 3 values:

- `ExecutorType.SIMPLE`: This type of executor does nothing special. It creates a new `PreparedStatement` for each execution of a statement.
- `ExecutorType.REUSE`: This type of executor will reuse `PreparedStatement`s.
- `ExecutorType.BATCH`: This executor will batch all update statements and demarcate them as necessary if `SELECT`s are executed between them, to ensure an easy-to-understand behavior.

NOTE There's one more method on the `SqlSessionFactory` that we didn't mention, and that is `getConfiguration()`. This method will return an instance of `Configuration` that you can use to introspect upon the MyBatis configuration at runtime.

NOTE If you've used a previous version of MyBatis, you'll recall that sessions, transactions and batches were all something separate. This is no longer the case. All three are neatly contained within the scope of a session. You need not deal with transactions or batches separately to get the full benefit of them.

### 6.1.2.3 SqlSession

As mentioned above, the `SqlSession` instance is the most powerful class in MyBatis. It is where you'll find all of the methods to execute statements, commit or rollback transactions and acquire mapper instances.

There are over twenty methods on the `SqlSession` class, so let's break them up into more digestible groupings.

### 6.Statement Execution Methods

These methods are used to execute `SELECT`, `INSERT`, `UPDATE` and `DELETE` statements that are defined in your SQL Mapping XML files. They are pretty self explanatory, each takes the ID of the statement and the Parameter Object, which can be a primitive (auto-boxed or wrapper), a `JavaBean`, a `POJO` or a `Map`.

```
<T> T selectOne(String statement, Object parameter)
<E> List<E> selectList(String statement, Object parameter)
<K,V> Map<K,V> selectMap(String statement, Object parameter, String mapKey)
int insert(String statement, Object parameter)
int update(String statement, Object parameter)
int delete(String statement, Object parameter)
```

The difference between `selectOne` and `selectList` is only in that `selectOne` must return exactly one object or null (none). If any more than one, an exception will be thrown. If you don't know how many objects are expected, use `selectList`. If you want to check for the existence of an object, you're better off returning a count (0 or 1). The `selectMap` is a special case in that it is designed to convert a list of results into a `Map` based on one of the properties in the resulting objects. Because not all statements require a parameter, these methods are overloaded with versions that do not require the parameter object.

The value returned by the `insert`, `update` and `delete` methods indicate the number of rows affected by the statement.

```

<T> T selectOne(String statement)
<E> List<E> selectList(String statement)
<K,V> Map<K,V> selectMap(String statement, String mapKey)
int insert(String statement)
int update(String statement)
int delete(String statement)

```

Finally, there are three advanced versions of the select methods that allow you to restrict the range of rows to return, or provide custom result handling logic, usually for very large data sets.

```

<E> List<E> selectList (String statement, Object parameter, RowBounds rowBounds)
<K,V> Map<K,V> selectMap(String statement, Object parameter, String mapKey, RowBounds rowBounds)
void select (String statement, Object parameter, ResultHandler handler)
void select (String statement, Object parameter, RowBounds rowBounds, ResultHandler handler)

```

The RowBounds parameter causes MyBatis to skip the number of records specified, as well as limit the number of results returned to some number. The RowBounds class has a constructor to take both the offset and limit, and is otherwise immutable.

```

int offset = 100;
int limit = 25;
RowBounds rowBounds = new RowBounds(offset, limit);

```

Different drivers are able to achieve different levels of efficiency in this regard. For the best performance, use result set types of SCROLL\_SENSITIVE or SCROLL\_INSENSITIVE (in other words: not FORWARD\_ONLY).

The ResultHandler parameter allows you to handle each row however you like. You can add it to a List, create a Map, Set, or throw each result away and instead keep only rolled up totals of calculations. You can do pretty much anything with the ResultHandler, and it's what MyBatis uses internally itself to build result set lists.

The interface is very simple.

```

package org.apache.ibatis.session;
public interface ResultHandler {
    void handleResult(ResultContext context);
}

```

The ResultContext parameter gives you access to the result object itself, a count of the number of result objects created, and a Boolean stop() method that you can use to stop MyBatis from loading any more results.

## 6.Transaction Control Methods

There are four methods for controlling the scope of a transaction. Of course, these have no effect if you've chosen to use auto-commit or if you're using an external transaction manager. However, if you're using the JDBC transaction manager, managed by the Connection instance, then the four methods that will come in handy are:

```

void commit()
void commit(boolean force)
void rollback()
void rollback(boolean force)

```

By default MyBatis does not actually commit unless it detects that the database has been changed by a call to insert, update or delete. If you've somehow made changes without calling these methods, then you can pass true into the commit and rollback methods to guarantee that it will be committed (note, you still can't force a session in auto-commit mode, or one that is using an external transaction manager). Most of the time you won't have to call rollback(), as MyBatis will do that for you if you don't call commit. However, if you need more fine grained control over a session where multiple commits and rollbacks are possible, you have the rollback option there to make that possible.

NOTE MyBatis-Spring and MyBatis-Guice provide declarative transaction handling. So if you are using MyBatis with Spring or Guice please refer to their specific manuals.

## 6. Local Cache

MyBatis uses two caches: a local cache and a 2nd level cache.

Each time a new session is created MyBatis creates a local cache and attaches it to the session. Any query executed within the session will be stored in the local cache so further executions of the same query with the same input parameters will not hit the database. The local cache is cleared upon update, commit, rollback and close.

By default local cache data is used for the whole session duration. This cache is needed to resolve circular references and to speed up repeated nested queries, so it can never be completely disabled but you can configure the local cache to be used just for the duration of an statement execution by setting `localCacheScope=STATEMENT`.

You can clear the local cache at any time calling:

```
void clearCache()
```

## 6. Ensuring that SqlSession is Closed

```
void close()
```

The most important thing you must ensure is that you close any sessions that you open. The best way to ensure this is to use the following unit of work pattern:

```
SqlSession session = sqlSessionFactory.openSession();
try {
    // following 3 lines pseudocod for "doing some work"
    session.insert(...);
    session.update(...);
    session.delete(...);
    session.commit();
} finally {
    session.close();
}
```

NOTE Just like `SqlSessionFactory`, you can get the instance of `Configuration` that the `SqlSession` is using by calling the `getConfiguration()` method.

```
Configuration getConfiguration()
```

## 6. Using Mappers

```
<T> T getMapper(Class<T> type)
```

While the various insert, update, delete and select methods above are powerful, they are also very verbose, not type safe and not as helpful to your IDE or unit tests as they could be. We've already seen an example of using Mappers in the Getting Started section above.

Therefore, a more common way to execute mapped statements is to use Mapper classes. A mapper class is simply an interface with method definitions that match up against the SqlSession methods. The following example class demonstrates some method signatures and how they map to the SqlSession.

```
public interface AuthorMapper {
    // (Author) selectOne("selectAuthor",5);
    Author selectAuthor(int id);
    // (List<Author>) selectList("selectAuthors")
    List<Author> selectAuthors();
    // (Map<Integer,Author>) selectMap("selectAuthors", "id")
    @MapKey("id")
    Map<Integer, Author> selectAuthors();
    // insert("insertAuthor", author)
    int insertAuthor(Author author);
    // updateAuthor("updateAuthor", author)
    int updateAuthor(Author author);
    // delete("deleteAuthor",5)
    int deleteAuthor(int id);
}
```

In a nutshell, each Mapper method signature should match that of the SqlSession method that it's associated to, but without the String parameter ID. Instead, the method name must match the mapped statement ID.

In addition, the return type must match that of the expected result type for single results or an array or collection for multiple results. All of the usual types are supported, including: Primitives, Maps, POJOs and JavaBeans.

**NOTE** Mapper interfaces do not need to implement any interface or extend any class. As long as the method signature can be used to uniquely identify a corresponding mapped statement.

**NOTE** Mapper interfaces can extend other interfaces. Be sure that you have the statements in the appropriate namespace when using XML binding to Mapper interfaces. Also, the only limitation is that you cannot have the same method signature in two interfaces in a hierarchy (a bad idea anyway).

You can pass multiple parameters to a mapper method. If you do, they will be named by the literal "param" followed by their position in the parameter list by default, for example: #{param1}, #{param2} etc. If you wish to change the name of the parameters (multiple only), then you can use the @Param("paramName") annotation on the parameter.

You can also pass a RowBounds instance to the method to limit query results.

## 6.Mapper Annotations

Since the very beginning, MyBatis has been an XML driven framework. The configuration is XML based, and the Mapped Statements are defined in XML. With MyBatis 3, there are new options available. MyBatis 3 builds on top of a comprehensive and powerful Java based Configuration API. This Configuration API is the foundation for the XML based MyBatis configuration, as well as the new Annotation based configuration. Annotations offer a simple way to implement simple mapped statements without introducing a lot of overhead.

**NOTE** Java Annotations are unfortunately limited in their expressiveness and flexibility. Despite a lot of time spent in investigation, design and trials, the most powerful MyBatis mappings simply

cannot be built with Annotations – without getting ridiculous that is. C# Attributes (for example) do not suffer from these limitations, and thus MyBatis.NET will enjoy a much richer alternative to XML. That said, the Java Annotation based configuration is not without its benefits.

**The Annotations are as follows:**

Annotation	Target	XML equivalent	Description
@CacheNamespace	Class	<cache>	Configures the cache for the given namespace (i.e. class). Attributes: implementation, eviction, flushInterval, size, readWrite.
@CacheNamespaceRef	Class	<cacheRef>	References the cache of another namespace to use. Attributes: value, which should be the string value of a namespace (i.e. a fully qualified class name).
@ConstructorArgs	Method	<constructor>	Collects a group of results to be passed to a result object constructor. Attributes: value, which is an array of Args.
@Arg	Method	<ul style="list-style-type: none"> <li>• &lt;arg&gt;</li> <li>• &lt;idArg&gt;</li> </ul>	A single constructor argument that is part of a ConstructorArgs collection. Attributes: id, column, javaType, jdbcType, typeHandler, select, resultMap. The id attribute is a boolean value that identifies the property to be used for comparisons, similar to the <idArg> XML element.
@TypeDiscriminator	Method	<discriminator>	A group of value cases that can be used to determine the result mapping to perform. Attributes: column, javaType, jdbcType, typeHandler, cases. The cases attribute is an array of Cases.



@Case	Method	<case>	A single case of a value and its corresponding mappings. Attributes: value, type, results. The results attribute is an array of Results, thus this Case Annotation is similar to an actual resultMap, specified by the Results annotation below.
@Results	Method	<resultMap>	A list of Result mappings that contain details of how a particular result column is mapped to a property or field. Attributes: value, which is an array of Result annotations.
@Result	Method	<ul style="list-style-type: none"> <li>• &lt;result&gt;</li> <li>• &lt;id&gt;</li> </ul>	A single result mapping between a column and a property or field. Attributes: id, column, property, javaType, jdbcType, typeHandler, one, many. The id attribute is a boolean value that indicates that the property should be used for comparisons (similar to <id> in the XML mappings). The one attribute is for single associations, similar to <association>, and the many attribute is for collections, similar to <collection>. They are named as they are to avoid class naming conflicts.

@One	Method	<association>	A mapping to a single property value of a complex type. Attributes: <code>select</code> , which is the fully qualified name of a mapped statement (i.e. mapper method) that can load an instance of the appropriate type. NOTE You will notice that join mapping is not supported via the Annotations API. This is due to the limitation in Java Annotations that does not allow for circular references.
@Many	Method	<collection>	A mapping to a collection property of a complex type. Attributes: <code>select</code> , which is the fully qualified name of a mapped statement (i.e. mapper method) that can load a collection of instances of the appropriate types. NOTE You will notice that join mapping is not supported via the Annotations API. This is due to the limitation in Java Annotations that does not allow for circular references.
@MapKey	Method		This is used on methods which return type is a Map. It is used to convert a List of result objects as a Map based on a property of those objects. Attributes: <code>value</code> , which is a property used as the key of the map.

@Options	Method	Attributes of mapped statements.	<p>This annotation provides access to the wide range of switches and configuration options that are normally present on the mapped statement as attributes. Rather than complicate each statement annotation, the <code>Options</code> annotation provides a consistent and clear way to access these. Attributes:</p> <pre> useCache=true, flushCache=false, resultSetType=FORWARD_ONLY, statementType=PREPARED, fetchSize=-1, timeout=-1, useGeneratedKeys=false, keyProperty="id", keyColumn=" ". </pre> <p>It's important to understand that with Java Annotations, there is no way to specify <code>null</code> as a value. Therefore, once you engage the <code>Options</code> annotation, your statement is subject to all of the default values. Pay attention to what the default values are to avoid unexpected behavior.</p> <p>Note that <code>keyColumn</code> is only required in certain databases (like Oracle and PostgreSQL). See the discussion about <code>keyColumn</code> and <code>keyProperty</code> above in the discussion of the insert statement for more information about allowable values in these attributes.</p>
----------	--------	----------------------------------	---

<ul style="list-style-type: none"> <li>• @Insert</li> <li>• @Update</li> <li>• @Delete</li> <li>• @Select</li> </ul>	Method	<ul style="list-style-type: none"> <li>• &lt;insert&gt;</li> <li>• &lt;update&gt;</li> <li>• &lt;delete&gt;</li> <li>• &lt;select&gt;</li> </ul>	<p>Each of these annotations represents the actual SQL that is to be executed. They each take an array of strings (or a single string will do). If an array of strings is passed, they are concatenated with a single space between each to separate them. This helps avoid the "missing space" problem when building SQL in Java code. However, you're also welcome to concatenate together a single string if you like. Attributes: <code>value</code>, which is the array of Strings to form the single SQL statement.</p>
<ul style="list-style-type: none"> <li>• @InsertProvider</li> <li>• @UpdateProvider</li> <li>• @DeleteProvider</li> <li>• @SelectProvider</li> </ul>	Method	<ul style="list-style-type: none"> <li>• &lt;insert&gt;</li> <li>• &lt;update&gt;</li> <li>• &lt;delete&gt;</li> <li>• &lt;select&gt;</li> </ul>	<p>Allows for creation of dynamic SQL. These alternative SQL annotations allow you to specify a class name and a method that will return the SQL to run at execution time. Upon executing the mapped statement, MyBatis will instantiate the class, and execute the method, as specified by the provider. The method can optionally accept the parameter object as its sole parameter, but must only specify that parameter, or no parameters. Attributes: <code>type</code>, <code>method</code>. The <code>type</code> attribute is the fully qualified name of a class. The <code>method</code> is the name of the method on that class. NOTE Following this section is a discussion about the <code>SelectBuilder</code> class, which can help build dynamic SQL in a cleaner, easier to read way.</p>

@Param	Parameter	N/A	If your mapper method takes multiple parameters, this annotation can be applied to a mapper method parameter to give each of them a name. Otherwise, multiple parameters will be named by their position prefixed with "param" (not including any RowBounds parameters). For example <code># {param1}</code> , <code># {param2}</code> etc. is the default. With <code>@Param("person")</code> , the parameter would be named <code># {person}</code> .
--------	-----------	-----	---

@SelectKey	Method	<selectKey>	<p>This annotation duplicates the &lt;selectKey&gt; functionality for methods annotated with @Insert or @InsertProvider. It is ignored for other methods. If you specify a @SelectKey annotation, then MyBatis will ignore any generated key properties set via the @Options annotation, or configuration properties. Attributes: statement an array of strings which is the SQL statement to execute, keyProperty which is the property of the parameter object that will be updated with the new value, before which must be either true or false to denote if the SQL statement should be executed before or after the insert, resultType which is the Java type of the keyProperty, and statementType is a type of the statement that is any one of STATEMENT, PREPARED or CALLABLE that is mapped to Statement, PreparedStatement and CallableStatement respectively. The default is PREPARED.</p>
@ResultMap	Method	N/A	<p>This annotation is used to provide the id of a &lt;resultMap&gt; element in an XML mapper to a @Select or @SelectProvider annotation. This allows annotated selects to reuse resultmaps that are defined in XML. This annotation will override any @Results or @ConstructorArgs annotation if both are specified on an annotated select.</p>

### 6.Mapper Annotation Examples

This example shows using the `@SelectKey` annotation to retrieve a value from a sequence before an insert:

```
@Insert("insert into table3 (id, name) values(#{nameId}, #{name})")
@SelectKey(statement="call next value for TestSequence", keyProperty="nameId", before
int insertTable3(Name name);
```

This example shows using the `@SelectKey` annotation to retrieve an identity value after an insert:

```
@Insert("insert into table2 (name) values(#{name})")
@SelectKey(statement="call identity()", keyProperty="nameId", before= false, result
int insertTable2(Name name);
```

## 7 Statement Builders

---

### 7.1 Statement Builders

#### 7.1.1 SelectBuilder

One of the nastiest things a Java developer will ever have to do is embed SQL in Java code. Usually this is done because the SQL has to be dynamically generated – otherwise you could externalize it in a file or a stored proc. As you’ve already seen, MyBatis has a powerful answer for dynamic SQL generation in its XML mapping features. However, sometimes it becomes necessary to build a SQL statement string inside of Java code. In that case, MyBatis has one more feature to help you out, before reducing yourself to the typical mess of plus signs, quotes, newlines, formatting problems and nested conditionals to deal with extra commas or AND conjunctions... Indeed, dynamically generating SQL code in Java can be a real nightmare.

MyBatis 3 introduces a somewhat different concept to deal with the problem. We could have just created an instance of a class that lets you call methods against it to build a SQL statement one step at a time. But then our SQL ends up looking more like Java and less like SQL. Instead, we’re trying something a little different. The end result is about as close to a Domain Specific Language that Java will ever achieve in its current form...

#### The Secrets of SelectBuilder

The SelectBuilder class is not magical, nor does it do any of us any good if you don’t know how it works. So right off the bat, let’s look at what it does. SelectBuilder uses a combination of Static Imports and a ThreadLocal variable to enable a clean syntax that can be easily interlaced with conditionals and takes care of all of the SQL formatting for you. It allows us to create methods like this:

```
public String selectBlogsSql() {  
    BEGIN(); // Clears ThreadLocal variable  
    SELECT( "*" );  
    FROM( "BLOG" );  
    return SQL();  
}
```

That’s a pretty simple example that you might just choose to build statically. So here’s a more complicated example:



```
private String selectPersonSql() {
    BEGIN(); // Clears ThreadLocal variable
    SELECT("P.ID, P.USERNAME, P.PASSWORD, P.FULL_NAME");
    SELECT("P.LAST_NAME, P.CREATED_ON, P.UPDATED_ON");
    FROM("PERSON P");
    FROM("ACCOUNT A");
    INNER_JOIN("DEPARTMENT D on D.ID = P.DEPARTMENT_ID");
    INNER_JOIN("COMPANY C on D.COMPANY_ID = C.ID");
    WHERE("P.ID = A.ID");
    WHERE("P.FIRST_NAME like ?");
    OR();
    WHERE("P.LAST_NAME like ?");
    GROUP_BY("P.ID");
    HAVING("P.LAST_NAME like ?");
    OR();
    HAVING("P.FIRST_NAME like ?");
    ORDER_BY("P.ID");
    ORDER_BY("P.FULL_NAME");
    return SQL();
}
```

Building the above SQL would be a bit of a trial in String concatenation. For example:

```
"SELECT P.ID, P.USERNAME, P.PASSWORD, P.FULL_NAME, "
"P.LAST_NAME,P.CREATED_ON, P.UPDATED_ON " +
"FROM PERSON P, ACCOUNT A " +
"INNER JOIN DEPARTMENT D on D.ID = P.DEPARTMENT_ID " +
"INNER JOIN COMPANY C on D.COMPANY_ID = C.ID " +
"WHERE (P.ID = A.ID AND P.FIRST_NAME like ?) " +
"OR (P.LAST_NAME like ?) " +
"GROUP BY P.ID " +
"HAVING (P.LAST_NAME like ?) " +
"OR (P.FIRST_NAME like ?) " +
"ORDER BY P.ID, P.FULL_NAME";
```

If you prefer that syntax, then you're still welcome to use it. It is quite error prone though. Notice the careful addition of a space at the end of each line. Now even if you do prefer that syntax, the next example is inarguably far simpler than Java String concatenation:

```
private String selectPersonLike(Person p){
    BEGIN(); // Clears ThreadLocal variable
    SELECT("P.ID, P.USERNAME, P.PASSWORD, P.FIRST_NAME, P.LAST_NAME");
    FROM("PERSON P");
    if (p.id != null) {
        WHERE("P.ID like #{id}");
    }
    if (p.firstName != null) {
        WHERE("P.FIRST_NAME like #{firstName}");
    }
    if (p.lastName != null) {
        WHERE("P.LAST_NAME like #{lastName}");
    }
    ORDER_BY("P.LAST_NAME");
    return SQL();
}
```

What is so special about that example? Well, if you look closely, it doesn't have to worry about accidentally duplicating "AND" keywords, or choosing between "WHERE" and "AND" or neither!

The statement above will generate a query by example for all PERSON records, ones with ID like the parameter, or the firstName like the parameter, or the lastName like the parameter –or any combination of the three. The SelectBuilder takes care of understanding where "WHERE" needs to go, where an "AND" should be used and all of the String concatenation. Best of all, it does it almost regardless of which order you call these methods in (there's only one exception with the OR() method).

The two methods that may catch your eye are: BEGIN() and SQL(). In a nutshell, every SelectBuilder method should start with a call to BEGIN() and end with a call to SQL(). Of course you can extract methods in the middle to break up your logic, but the scope of the SQL generation should always begin with BEGIN() and end with SQL(). The BEGIN() method clears the ThreadLocal variable, to make sure you don't accidentally carry any state forward, and the SQL() method assembles your SQL statement based on the calls you made since the last call to BEGIN().

Note that BEGIN() has a synonym called RESET(), which does exactly the same thing but reads better in certain contexts.

To use the SelectBuilder as in the examples above, you simply need to import it statically as follows:

```
import static org.apache.ibatis.jdbc.SelectBuilder.*;
```

Once this is imported, the class you're working within will have all of the SelectBuilder methods available to it. The complete set of methods is as follows:

Method	Description
BEGIN( ) / RESET( )	These methods clear the ThreadLocal state of the SelectBuilder class, and prepare it for a new statement to be built. BEGIN( ) reads best when starting a new statement. RESET( ) reads best when clearing a statement in the middle of execution for some reason (perhaps if the logic demands a completely different statement under some conditions).

<code>SELECT(String)</code>	Starts or appends to a <code>SELECT</code> clause. Can be called more than once, and parameters will be appended to the <code>SELECT</code> clause. The parameters are usually a comma separated list of columns and aliases, but can be anything acceptable to the driver.
<code>SELECT_DISTINCT(String)</code>	Starts or appends to a <code>SELECT</code> clause, also adds the <code>DISTINCT</code> keyword to the generated query. Can be called more than once, and parameters will be appended to the <code>SELECT</code> clause. The parameters are usually a comma separated list of columns and aliases, but can be anything acceptable to the driver.
<code>FROM(String)</code>	Starts or appends to a <code>FROM</code> clause. Can be called more than once, and parameters will be appended to the <code>FROM</code> clause. Parameters are usually a table name and an alias, or anything acceptable to the driver.
<ul style="list-style-type: none"> <li>• <code>JOIN(String)</code></li> <li>• <code>INNER_JOIN(String)</code></li> <li>• <code>LEFT_OUTER_JOIN(String)</code></li> <li>• <code>RIGHT_OUTER_JOIN(String)</code></li> </ul>	Adds a new <code>JOIN</code> clause of the appropriate type, depending on the method called. The parameter can include a standard join consisting of the columns and the conditions to join on.
<code>WHERE(String)</code>	Appends a new <code>WHERE</code> clause condition, concatenated by <code>AND</code> . Can be called multiple times, which causes it to concatenate the new conditions each time with <code>AND</code> . Use <code>OR ( )</code> to split with an <code>OR</code> .
<code>OR ( )</code>	Splits the current <code>WHERE</code> clause conditions with an <code>OR</code> . Can be called more than once, but calling more than once in a row will generate erratic SQL.
<code>AND ( )</code>	Splits the current <code>WHERE</code> clause conditions with an <code>AND</code> . Can be called more than once, but calling more than once in a row will generate erratic SQL. Because <code>WHERE</code> and <code>HAVING</code> both automatically concatenate with <code>AND</code> , this is a very uncommon method to use and is only really included for completeness.
<code>GROUP_BY(String)</code>	Appends a new <code>GROUP BY</code> clause elements, concatenated by a comma. Can be called multiple times, which causes it to concatenate the new conditions each time with a comma.
<code>HAVING(String)</code>	Appends a new <code>HAVING</code> clause condition, concatenated by <code>AND</code> . Can be called multiple times, which causes it to concatenate the new conditions each time with <code>AND</code> . Use <code>OR ( )</code> to split with an <code>OR</code> .
<code>ORDER_BY(String)</code>	Appends a new <code>ORDER BY</code> clause elements, concatenated by a comma. Can be called multiple times, which causes it to concatenate the new conditions each time with a comma.
<code>SQL ( )</code>	This returns the generated <code>SQL ( )</code> and resets the <code>SelectBuilder</code> state (as if <code>BEGIN ( )</code> or <code>RESET ( )</code> were called). Thus, this method can only be called <b>ONCE!</b>

### 7.1.2 SqlBuilder

Similarly to SelectBuilder, MyBatis also includes a generalized SqlBuilder. It includes all the methods for SelectBuilder, as well as methods for building inserts, updates, and deletes. This class can be useful when building SQL strings in a DeleteProvider, InsertProvider, or UpdateProvider (as well as a SelectProvider).

To use the SqlBuilder as in the examples above, you simply need to import it statically as follows:

```
import static org.apache.ibatis.jdbc.SqlBuilder.*;
```

SqlBuilder contains all methods from SelectBuilder, as well as these additional methods:

Method	Description
DELETE_FROM(String)	Starts a delete statement and specifies the table to delete from. Generally this should be followed by a WHERE statement!
INSERT_INTO(String)	Starts an insert statement and specifies the table to insert into. This should be followed by one or more VALUES() calls.
SET(String)	Appends to the "set" list for an update statement.
UPDATE(String)	Starts an update statement and specifies the table to update. This should be followed by one or more SET() calls, and usually a WHERE() call.
VALUES(String, String)	Appends to an insert statement. The first parameter is the column(s) to insert, the second parameter is the value(s).

Here are some examples:

```
public String deletePersonSql() {
    BEGIN(); // Clears ThreadLocal variable
    DELETE_FROM("PERSON");
    WHERE("ID = ${id}");
    return SQL();
}

public String insertPersonSql() {
    BEGIN(); // Clears ThreadLocal variable
    INSERT_INTO("PERSON");
    VALUES("ID, FIRST_NAME", "${id}, ${firstName}");
    VALUES("LAST_NAME", "${lastName}");
    return SQL();
}

public String updatePersonSql() {
    BEGIN(); // Clears ThreadLocal variable
    UPDATE("PERSON");
    SET("FIRST_NAME = ${firstName}");
    WHERE("ID = ${id}");
    return SQL();
}
```

## 8 Logging

---

### 8.1 Logging

MyBatis provides logging information through the use of an internal log factory. The internal log factory will delegate logging information to one of the following log implementations:

- SLF4J
- Apache Commons Logging
- Log4J
- JDK logging

The logging solution chosen is based on runtime introspection by the internal MyBatis log factory. The MyBatis log factory will use the first logging implementation it finds (implementations are searched in the above order). If MyBatis finds none of the above implementations, then logging will be disabled.

Many environments ship Commons Logging as a part of the application server classpath (good examples include Tomcat and WebSphere). It is important to know that in such environments, MyBatis will use Commons Logging as the logging implementation. In an environment like WebSphere this will mean that your Log4J configuration will be ignored because WebSphere supplies its own proprietary implementation of Commons Logging. This can be very frustrating because it will appear that MyBatis is ignoring your Log4J configuration (in fact, MyBatis is ignoring your Log4J configuration because MyBatis will use Commons Logging in such environments). If your application is running in an environment where Commons Logging is included in the classpath but you would rather use one of the other logging implementations you can select a different logging implementation by calling one of the following methods:

```
org.apache.ibatis.logging.LogFactory.useSlf4jLogging();
org.apache.ibatis.logging.LogFactory.useLog4JLogging();
org.apache.ibatis.logging.LogFactory.useJdkLogging();
org.apache.ibatis.logging.LogFactory.useCommonsLogging();
org.apache.ibatis.logging.LogFactory.useStdOutLogging();
```

If you choose to call one of these methods, you should do so before calling any other MyBatis method. Also, these methods will only switch to the requested log implementation if that implementation is available on the runtime classpath. For example, if you try to select Log4J logging and Log4J is not available at runtime, then MyBatis will ignore the request to use Log4J and will use its normal algorithm for discovering logging implementations.

The specifics of SLF4J, Apache Commons Logging, Apache Log4J and the JDK Logging API are beyond the scope of this document. However the example configuration below should get you started. If you would like to know more about these frameworks, you can get more information from the following locations:

- [SLF4J](#)
- [Apache Commons Logging](#)
- [Apache Log4j](#)
- [JDK Logging API](#)

#### 8.1.1 Logging Configuration

To see MyBatis logging statements you may enable logging on a package, a mapper fully qualified class name, a namespace or a fully qualified statement name.

Again, how you do this is dependent on the logging implementation in use. We'll show how to do it with Log4J. Configuring the logging services is simply a matter of including one or more extra configuration files (e.g. `log4j.properties`) and sometimes a new JAR file (e.g. `log4j.jar`). The following example configuration will configure full logging services using Log4J as a provider. There are 2 steps.

#### 8.1.1.1 Step 1: Add the Log4J JAR file

Because we are using Log4J, we will need to ensure its JAR file is available to our application. To use Log4J, you need to add the JAR file to your application classpath. You can download Log4J from the URL above.

For web or enterprise applications you can add the `log4j.jar` to your `WEB-INF/lib` directory, or for a standalone application you can simply add it to the JVM `-classpath` startup parameter.

#### 8.1.1.2 Step 2: Configure Log4J

Configuring Log4J is simple. Suppose you want to enable the log for this mapper:

```
package org.mybatis.example;
public interface BlogMapper {
    @Select("SELECT * FROM blog WHERE id = #{id}")
    Blog selectBlog(int id);
}
```

Create a file called `log4j.properties` as shown below and place it in your classpath:

```
# Global logging configuration
log4j.rootLogger=ERROR, stdout
# MyBatis logging configuration...
log4j.logger.org.mybatis.example.BlogMapper=TRACE
# Console output...
log4j.appender.stdout=org.apache.log4j.ConsoleAppender
log4j.appender.stdout.layout=org.apache.log4j.PatternLayout
log4j.appender.stdout.layout.ConversionPattern=%5p [%t] - %m%n
```

The above file will cause log4J to report detailed logging for `org.mybatis.example.BlogMapper` and just errors for the rest of the classes of your application.

If you want to tune the logging at a finer level you can turn logging on for specific statements instead of the whole mapper file. The following line will enable logging just for the `selectBlog` statement:

```
log4j.logger.org.mybatis.example.BlogMapper.selectBlog=TRACE
```

By the contrary you may want to enable logging for a group of mappers. In that case you should add as a logger the root package where your mappers reside:

```
log4j.logger.org.mybatis.example=TRACE
```

There are queries that can return huge result sets. In that cases you may want to see the SQL statement but not the results. For that purpose SQL statements are logged with `DEBUG` level (`FINE` in JDK logging) and results with `TRACE` level (`FINER` in JDK logging), so in case you want to see the statement but not the result, set the level to `DEBUG`.

```
log4j.logger.org.mybatis.example=DEBUG
```

But what about if you are not using mapper interfaces but mapper XML files like this one?

```
<?xml version="1.0" encoding="UTF-8" ?>
<!DOCTYPE mapper
  PUBLIC "-//mybatis.org//DTD Mapper 3.0//EN"
  "http://mybatis.org/dtd/mybatis-3-mapper.dtd">
<mapper namespace="org.mybatis.example.BlogMapper">
  <select id="selectBlog" parameterType="int" resultType="Blog">
    select * from Blog where id = #{id}
  </select>
</mapper>
```

In that case you can enable logging for the whole XML file by adding a logger for the namespace as shown below:

```
log4j.logger.org.mybatis.example.BlogMapper=TRACE
```

Or for an specific statement:

```
log4j.logger.org.mybatis.example.BlogMapper.selectBlog=TRACE
```

Yes, as you may have noticed, there is no difference in configuring logging for mapper interfaces or for XML mapper files.

The remaining configuration in the `log4j.properties` file is used to configure the appenders, which is beyond the scope of this document. However, you can find more information at the Log4J website (URL above). Or, you could simply experiment with it to see what effects the different configuration options have.