
	FlowSOMmary
Total number of cells	19225
Total number of metaclusters	10
Total number of clusters	49
Markers used for FlowSOM	CD8 <Pacific Blue−A>, TCRyd <APC−A>, TCRb <APC−Cy7−A>, NK1/1 <PE−A>, CD4 <PE−Texas Red−A>, CD19 <PE−Cy5−A>, CD3 <PE−Cy7−A>


Metacluster	Number of cells	Percentage of cells	Number of clusters	Clusters
1	1766	9.19	4	1, 8, 9, 35
2	54	0.28	1	2
3	8169	42.49	19	3, 4, 5, 6, 7, 10, 11, 12, 13, 14, 17, 18, 19, 20, 21, 25, 26, 27, 28
4	1536	7.99	4	15, 22, 29, 30
5	82	0.43	1	16
6	431	2.24	2	23, 24
7	344	1.79	1	31
8	4245	22.08	10	32, 34, 39, 40, 41, 42, 46, 47, 48, 49
9	76	0.40	1	33
10	2522	13.12	6	36, 37, 38, 43, 44, 45


Cluster	Number of cells	Percentage of cells	Belongs to metacluster	Percentage in metacluster
1	879	4.572	1	49.77
2	54	0.281	2	100.00
3	481	2.502	3	5.89
4	600	3.121	3	7.34
5	80	0.416	3	0.98
6	505	2.627	3	6.18
7	377	1.961	3	4.62
8	580	3.017	1	32.84
9	67	0.349	1	3.79
10	70	0.364	3	0.86
11	571	2.970	3	6.99
12	538	2.798	3	6.59
13	716	3.724	3	8.76
14	457	2.377	3	5.59
15	90	0.468	4	5.86
16	82	0.427	5	100.00
17	75	0.390	3	0.92
18	710	3.693	3	8.69
19	649	3.376	3	7.94
20	489	2.544	3	5.99
21	403	2.096	3	4.93
22	687	3.573	4	44.73
23	104	0.541	6	24.13
24	327	1.701	6	75.87
25	52	0.270	3	0.64
26	467	2.429	3	5.72
27	337	1.753	3	4.13
28	592	3.079	3	7.25
29	584	3.038	4	38.02
30	175	0.910	4	11.39

Cluster	Number of cells	Percentage of cells	Belongs to metacluster	Percentage in metacluster
31	344	1.789	7	100.00
32	213	1.108	8	5.02
33	76	0.395	9	100.00
34	175	0.910	8	4.12
35	240	1.248	1	13.59
36	646	3.360	10	25.61
37	469	2.440	10	18.60
38	188	0.978	10	7.45
39	19	0.099	8	0.45
40	165	0.858	8	3.89
41	850	4.421	8	20.02
42	835	4.343	8	19.67
43	506	2.632	10	20.06
44	135	0.702	10	5.35
45	578	3.007	10	22.92
46	29	0.151	8	0.68
47	467	2.429	8	11.00
48	892	4.640	8	21.01
49	600	3.121	8	14.13


FlowSOM MST





CD3 <PE−Cy7−A>
CD19 <PE−Cy5−A>
CD4 <PE−Texas Red−A>
CD8 <Pacific Blue−A>
TCRyd <APC−A>
TCRb <APC−Cy7−A>
NK1/1 <PE−A>


background
1
2
3
4
5
6
7
8
9
10

FlowSOM Clusters





FlowSOM Metaclusters







FlowSOM grid








FlowSOM Clusters




FlowSOM Metaclusters







CD8




TCRyd




TCRb




NK1/1



CD4




CD19




MFI




CD3



t−SNE with markers used in FlowSOM call (perplexity = 30, cells = 5000)



t−SNE with markers used in FlowSOM call (perplexity = 30, cells = 5000)



Percentages clusters per metacluster

Percentage

100
75
50
25
0

1: 35, 9, 8, 1
2: 2
3: 28, 27, 26, 25, 21, 20, 19, 18, 17, 14, 13, 12, 11, 10, 7, 6, 5, 4, 3
4: 30, 29, 22, 15
5: 16
6: 24, 23
7: 31
8: 49, 48, 47, 46, 42, 41, 40, 39, 34, 32
9: 33
10: 45, 44, 43, 38, 37, 36

metaclusters

Median expression per metacluster

	CD8 <Pacific Blue-A>	CD4 <PE-Texas Red-A>	TCRγd <APC-A>	TCRb <APC-Cy7-A>	CD3 <PE-Cy7-A>	NK1.1 <PE-A>	CD19 <PE-Cy5-A>
6	0.65	0.65	0.87	1.79	2.47	2.93	0.99
7	0.61	0.45	0.74	0.79	0.77	3.32	1.09
10	0.72	0.85	0.92	0.97	0.83	1.11	3.42
8	1.05	0.87	0.83	0.87	0.77	1.08	0.97
9	2.3	2.9	0.82	0.8	0.88	1.08	0.93
3	0.61	3.2	0.84	2.37	2.82	1.21	0.93
1	2.89	0.8	0.8	2.14	2.59	1.06	0.97
2	2.83	3.15	0.76	2.57	2.97	1.46	1.08
4	0.65	0.79	2.82	1.2	3.02	1.09	0.95
5	1.39	1.88	2.75	3.09	2.97	2.86	2.55

