

Factors that Fit the Time Series and Cross-Section of Stock Returns[☆]

Martin Lettau

*Haas School of Business, University of California at Berkeley, Berkeley, CA 94720,
lettau@berkeley.edu, NBER, CEPR*

Markus Pelger

*Department of Management Science & Engineering, Stanford University, Stanford, CA 94305,
mpelger@stanford.edu*

Abstract

We propose a new method for estimating latent asset pricing factors that fit the time-series and cross-section of expected returns. Our estimator generalizes Principal Component Analysis (PCA) by including a penalty on the pricing error in expected returns. Our approach finds weak factors with high Sharpe-ratios that PCA cannot detect. We discover five factors with economic meaning that explain well the cross-section and time-series of characteristic-sorted portfolio returns. The out-of-sample maximum Sharpe-ratio of our factors is twice as large as with PCA with substantially smaller pricing errors. Our factors imply that a significant amount of characteristic information is redundant.

Keywords: Cross section of returns, anomalies, expected returns, high-dimensional data, latent factors, weak factors, PCA

JEL classification: C14, C52, C58, G12

This draft: January 29, 2020

[☆]We thank Svetlana Bryzgalova, John Cochrane, Jianqing Fan, Kay Giesecke, Bob Hodrick, Serhiy Kozak (discussant), Per Mykland, Serena Ng, Shrihari Santosh, Yinan Su (discussant), Viktor Todorov, Dacheng Xiu and seminar participants at Columbia, Chicago, Stanford, UC Berkeley, Harvard, MIT, Zürich, Toronto, Boston University, Humboldt University, Frankfurt, Ulm, Bonn and the conference participants at the NBER Asset Pricing Conference, SFS Cavalcade, AFA Annual Meeting, NBER-NSF Time-Series Conference, NBER-NSF SBIES, SoFiE, SITE, GEA, Western Mathematical Finance Conference and INFORMS.

1. Introduction

The fundamental insight of asset pricing theory is that the cross-section of expected returns should be explained by exposure to systematic risk factors. Finding the “right” factors has become the central question of asset pricing. Harvey et al. (2016) document that more than 300 published candidate factors have predictive power for the cross-section of expected returns. As argued by Cochrane (2011), this “factor zoo” leads to the question of which risk factors are important and which factors are subsumed by others.

This paper develops a new statistical method to find the most important factors for explaining asset returns and bringing order into the chaos of factors. Our methodology uses large financial data sets to identify factors that simultaneously explain the time series *and* cross-section of stock returns. The estimation approach is a generalization of the widely utilized Principal Component Analysis (PCA), e.g. in Connor and Korajczyk (1986, 1988). Statistical factor analysis based on PCA extracts factors that capture comovement but does not incorporate any information contained in the means of the data. Therefore, it is not surprising that PCA factors do not capture the differences in mean risk premia of assets. We propose an alternative estimator, Risk-Premium PCA (RP-PCA), that incorporates information in the first *and* second moments of the data yielding a more efficient estimator than standard PCA. The Risk-Premium PCA estimator can be interpreted as a generalized PCA with an additional penalty term that accounts for cross-sectional pricing errors, thus combining PCA factor analysis with the Arbitrage Pricing Theory (APT) of Ross (1976). The objective of finding factors that can explain comovement and the cross-section of expected returns simultaneously is based on fundamental insights of Ross’ Arbitrage Pricing Theory (APT): Systematic time-series factors also determine cross-sectional risk premia. The RP-PCA exploits this connection explicitly.¹

This paper focuses on the empirical estimation using RP-PCA, while the econometric asymptotic theory for the estimator is developed in Lettau and Pelger (2019). That paper shows that RP-PCA dominates conventional estimation based on PCA along a number of dimensions, especially when factors are “weak”. We define “weak” factors as factors that affect only a subset of the underlying assets. Weak factors are harder to detect than “strong” factors that affect all assets (such as the “market” factor). Many anomaly-based factors are more likely to be “weak” factors, and RP-PCA can find weak factors with high Sharpe-ratios, which cannot be detected with PCA, even if an infinite amount of data is available. Lettau and Pelger (2019) show theoretically that the RP-PCA estimator is (asymptotically) more efficient than standard PCA in the sense that the stochastic discount factor (SDF) and factors estimated by RP-PCA are more highly correlated with the true SDF and factors than those estimated by PCA.

Our empirical analysis uses excess returns of smaller cross-sections of double-sorted portfo-

¹Koijen et al. (2017) study the relationship of time-series factors constructed from bond yields and the cross-section of equity returns. They find that differences in the exposure to bond factors across value-growth portfolios are consistent with differences in risk premia.

lios as well as a large cross-section of single-sorted decile portfolios constructed from 37 anomaly characteristics. The empirical findings can be summarized as follows. First, PCA is not a reliable method to estimate latent asset pricing factors and is dominated by RP-PCA. We show that even for 25 double-sorted portfolios that follow a clear factor structure, PCA can fail to detect the underlying factor structure, while RP-PCA reliably finds all relevant asset-pricing factors. Second, we show that a small number of factors is sufficient to fit the first and second moments of the 370 anomaly portfolios. The RP-PCA method extracts five significant factors that together yield a high Sharpe-ratio (SR), small pricing errors, and capture most of the time-series variation in the data. The first factor is long-only in all portfolios and is highly correlated with the CRSP-VW return. Two additional factors capture time-series variation but play no role for the cross-section of returns or the Sharpe-ratio of the implied SDF. The remaining two factors are relevant for the cross-section and SR but are less critical for the time-series variation. Hence, an RP-PCA model with three factors captures the cross-sectional differences in expected returns of 37 decile portfolios, while a model with three (different) factors captures 85% to 90% of the time-series variation. All results hold in-sample as well as out-of-sample, suggesting that RP-PCA is stable and robust. These results show the importance of not only using information in second moments (as in standard PCA) but also information in the means of the data when constructing factor models. The RP-PCA estimator achieves this parsimoniously and efficiently without adding any computational burden.

An analysis of the composition of factors and the implied SDF in terms of their portfolio weights show that RP-PCA and PCA factors differ significantly. The exception is the first factors, which are long-only factors and highly correlated with the market return. Factors estimated by RP-PCA fall into two categories: Factors that capture comovement and factors with high Sharpe-ratios. The weights of portfolios in RP-PCA factors with high Sharpe-ratios are highly correlated with the mean return of the portfolios. In other words, factors that capture the cross-section are mostly composed of portfolios with either high returns (and positive weights) or low returns (with negative weights). Moreover, the SDF that is implied by RP-PCA factors shows the same tilt towards portfolios with high or low returns. In contrast, the structure of PCA factors and SDF is less clear. In particular, their portfolio weights are only weakly related to mean returns.

We also estimate RP-PCA and PCA models using a sample of 270 large individual stocks. Both models fit reasonably well in-sample, but their out-of-sample fit is poor. The reason is that the underlying factor structure is more unstable than that of portfolios suggesting that the assumption of a constant factor structure is not appropriate for individual stock data.²

Our paper contributes to an emerging literature that uses new econometric techniques in asset pricing for high-dimensional data, including machine learning methods. Kozak et al. (2019) (KNS) also exploits economic restrictions relating expected returns to the covariance to extract the factors

²Pelger (2019) estimates factor models with high-frequency data on individual stock returns and confirms that the factor loadings of individual stock returns are time-varying.

spanning the stochastic discount factor. Their estimator is based on an elastic net that shrinks the contributions of low-variance principal components of candidate factors. Their approach selects factors that explain variation and mean returns, based on a similar insight as RP-PCA. Kelly et al. (2017) introduce Instrumented-PCA (IPCA) to perform dimensionality reduction of the characteristic space. Their work is closely related to the Projected-PCA of Fan et al. (2016) that allows for time-varying factor loadings.³ Both methods first project the individual stock returns into managed portfolios based on observed characteristics and then apply PCA to the projected data.

Both methods involve a computation of factors using PCA but it is straightforward to it use RP-PCA instead to extract factors. We compare the fit of the KNS and IPCA models combined with RP-PCA to the PCA-specification in the original papers. Replacing PCA with RP-PCA yields higher Sharpe-ratios and lower pricing errors in both models. Thus, RP-PCA is not an alternative to the KNS and IPCA methods but can easily be used in combination with both estimators to further improve the fit. RP-PCA estimation can also be combined with other PCA-based methods, e.g. the 3-pass model in Giglio and Xiu (2019).

Our paper is also related to recent applications of machine learning techniques in asset pricing. For example, DeMiguel et al. (2017), Freyberger et al. (2019) and Feng et al. (2019) employ factor selection with Lasso-style L^1 -norm penalties. These papers have in common that they assume that the stochastic discount factor has a sparse exposure to the characteristics. In contrast, we only assume a low-dimensional factor structure without imposing any sparsity constraints on how the characteristics can affect the factors and hence, the stochastic discount factor. Our work is part of the emerging econometrics literature that combines latent factor extraction with a form of regularization. Bai and Ng (2019) develop the statistical theory for robust principal components. Their estimator can be understood as performing iterative ridge instead of least squares regressions, which shrinks the eigenvalues of the common components to zero. They combine their shrunk estimates with a clean-up step that sets the small eigenvalues to zero. Their estimates have less variation at the cost of a bias. Our approach also includes a penalty which in contrast is based on economic information and does not create a bias-variance trade-off. Our work is related to Daniel et al. (2019). Under the assumption of priced and unpriced systematic factors, they create characteristic efficient portfolios that are only exposed to the priced risk and line up with characteristics. Similarly, our focus is as well the estimation of the priced risk factors.

The rest of the paper is organized as follows. In Section 2 we introduce the model and provide an intuition for our estimator. The empirical results are presented in Section 3. Section 4 concludes. The Appendix includes formal statements as well as results from a small-sample simulation study and additional empirical results. The Supplementary Appendix collects a larger number of additional robustness tests.

³A related approach is Fama and French (2019) who extract factors by cross-sectional regressions on pre-specified characteristics and model time-varying loadings through time-varying characteristics.

2. The Risk-Premium PCA Estimator

2.1. Methodology

We assume that excess returns follow a standard approximate factor model and the assumptions of the arbitrage pricing theory are satisfied. This means that excess returns of an asset n , X_{nt} , have a systematic component captured by K factors and a nonsystematic, idiosyncratic component capturing asset-specific risk. The approximate factor structure allows the non-systematic risk to be weakly dependent. We observe the excess return of N assets over T time periods:

$$X_{nt} = \mathbf{F}_t \boldsymbol{\Lambda}_n^\top + e_{nt} \quad n = 1, \dots, N, \quad t = 1, \dots, T \quad (1)$$

$$\Leftrightarrow \underbrace{\mathbf{X}}_{T \times N} = \underbrace{\mathbf{F}}_{T \times K} \underbrace{\boldsymbol{\Lambda}^\top}_{K \times N} + \underbrace{\mathbf{e}}_{T \times N}, \quad (2)$$

where the unknown latent factors \mathbf{F} and loadings (or betas) $\boldsymbol{\Lambda}$ have to be estimated. $\boldsymbol{\Sigma}_X$ and $\boldsymbol{\Sigma}_F$ are the variance-covariance matrices of returns and factors, respectively, and $\boldsymbol{\Sigma}_e$ is the variance-covariance matrix of \mathbf{e} . We will work in a large dimensional panel, i.e. the number of cross-sectional observations N and the number of time-series observations T are both large and we study the asymptotics as they jointly go to infinity but N/T converges to a finite limit. Under the assumption that the factors and residuals are uncorrelated, the covariance matrix of the returns consists of a systematic and idiosyncratic part:

$$\text{Var}(\mathbf{X}) = \boldsymbol{\Lambda} \text{Var}(\mathbf{F}) \boldsymbol{\Lambda}^\top + \text{Var}(\mathbf{e}).$$

Since the largest eigenvalues of $\text{Var}(\mathbf{X})$ are driven by the factors, Principal Component Analysis (PCA) can be used to estimate the loadings and factors. Note, that standard PCA estimators of latent factors only utilize the information contained in the second moments but ignore information that is contained in the first moment.

Factor models, e.g. Connor and Korajczyk (1988, 1993), Bai (2003), Bai and Ng (2002) and Stock and Watson (2002), typically assume that the mean of the data matrix \mathbf{X} is equal to zero. As we will see below, this assumption is restrictive if the means contain information about the factor structure, as is the case in applications to financial data. The RP-PCA estimator exploits this information, so it is crucial to allow the means to be unrestricted. We therefore allow that $\bar{\mathbf{X}} = \mathbb{E}[\mathbf{X}] \neq 0$ and $\bar{\mathbf{F}} = \mathbb{E}[\mathbf{F}] \neq 0$.

If \mathbf{X} contains only excess returns, the role of means is explicitly given by Ross' Arbitrage-Pricing Theory (APT), which implies that expected excess returns are explained by the exposure to the risk factors multiplied by the risk-premium of the factors. If the factors are excess returns, the APT

implies⁴

$$E[\mathbf{X}_n] = \Lambda_n E[\mathbf{F}].$$

Factors identified by standard PCA explain as much time-variation as possible. Conventional statistical factor analysis applies PCA to the sample covariance matrix $\frac{1}{T}\mathbf{X}^\top\mathbf{X} - \bar{\mathbf{X}}\bar{\mathbf{X}}^\top$ where $\bar{\mathbf{X}}$ denotes the sample mean of excess returns. The case when the test assets are normalized by their standard deviation, so that $\text{diag}(\Sigma_X) = \mathbf{1}$, is equivalent to PCA applied to the correlation matrix.

Standard PCA analysis proceeds in two steps. First, the N test assets \mathbf{X} are rotated using an eigen-decomposition of the variance-covariance matrix Σ_X to obtain N orthogonal factors. The rotated factors are sorted according to their variances, which are equal to the corresponding eigenvalues. Second, the K factors with the K largest variances are chosen as estimates of the true factors \mathbf{F} in (2). Since factor loadings in (2) are proportional to the eigenvectors associated with the K largest eigenvalues, loadings are estimated by the $K \times N$ matrix of eigenvectors defined as $\hat{\Lambda}_{\text{PCA}}$. The $T \times K$ matrix of rotated orthogonal factors is given by $\hat{\mathbf{F}}_{\text{PCA}} = \mathbf{X} \hat{\Lambda}_{\text{PCA}} (\hat{\Lambda}_{\text{PCA}}^\top \hat{\Lambda}_{\text{PCA}})^{-1}$.

It is straightforward to express the PCA loadings and factors as solutions to the minimization of the objective function (Stock and Watson (2002)):

$$\text{PCA: } \hat{\mathbf{F}}_{\text{PCA}}, \hat{\Lambda}_{\text{PCA}} = \underset{\Lambda, \mathbf{F}}{\text{argmin}} \frac{1}{NT} \sum_{n=1}^N \sum_{t=1}^T ((X_{nt} - \bar{X}_n) - (\mathbf{F}_t - \bar{\mathbf{F}}) \Lambda_n^\top)^2. \quad (3)$$

The objective function (3) shows that PCA loadings and factors do not depend on the means of the test assets. In practice, the data matrix \mathbf{X} is usually demeaned before PCA is applied.⁵

Our Risk-Premium-PCA (RP-PCA) estimator modifies the objective function so that cross-sectional pricing errors are taken into account. The RP-PCA objective function minimizes a weighted average of the unexplained variation and cross-sectional pricing errors:

$$\text{RP - PCA: } \hat{\mathbf{F}}_{\text{RP}}, \hat{\Lambda}_{\text{RP}} = \underset{\Lambda, \mathbf{F}}{\text{argmin}} \underbrace{\frac{1}{NT} \sum_{n=1}^N \sum_{t=1}^T (X_{nt} - \mathbf{F}_t \Lambda_n^\top)^2}_{\text{unexplained TS variation}} + \gamma \underbrace{\frac{1}{N} \sum_{n=1}^N (\bar{X}_n - \bar{\mathbf{F}} \Lambda_n^\top)^2}_{\text{XS pricing error}}, \quad (4)$$

where $\gamma \geq -1$ is the weight of the average cross-sectional pricing error relative to the times-series error in standard PCA. It is straightforward to show that minimizing (4) is equivalent to applying PCA to the matrix

$$\Sigma_{\text{RP}} = \frac{1}{T} \mathbf{X}^\top \mathbf{X} + \gamma \bar{\mathbf{X}} \bar{\mathbf{X}}^\top. \quad (5)$$

⁴We assume a strong form of APT, where residual risk has a risk-premium of zero. In its more general form APT requires only the risk-premium of the idiosyncratic part of well-diversified portfolios to go to zero. As most of our analysis will be based on portfolios, there is no loss of generality by assuming the strong form.

⁵An alternative is to apply PCA to the second moment matrix $\frac{1}{T}\mathbf{X}^\top\mathbf{X}$ instead of the variance-covariance matrix, see below for more details.

Note, that Σ_{RP} is equal to the variance-covariance matrix of \mathbf{X} if $\gamma = -1$. Setting $\gamma = 0$ implies that Σ_{RP} is the second moment matrix of \mathbf{X} and corresponds to applying PCA to the second moment matrix as opposed to the covariance matrix. Thus, standard PCA using the variance-covariance matrix or the second-moment matrix are special cases of RP-PCA. RP-PCA with $\gamma > -1$ can be understood as PCA applied to a matrix that “over-weights” the means. As in standard PCA, the eigenvectors of the K largest eigenvalues of Σ_{RP} are proportional to the loadings $\hat{\Lambda}_{RP}$. In PCA, the eigenvalues are equal to factor variances, while eigenvalues in RP-PCA are equal to a more generalized notion of “signal strength” of a factor that is defined below. RP-PCA factors are estimated by a regression of the returns on the estimated loadings, i.e. $\hat{\mathbf{F}}_{RP} = \mathbf{X} \hat{\Lambda}_{RP} (\hat{\Lambda}_{RP}^\top \hat{\Lambda}_{RP})^{-1}$.⁶

For notational convenience, we use $\hat{\Lambda}$ and $\hat{\mathbf{F}}$ to denote the PCA/RP-PCA estimators of loadings and factors in the rest of the paper with the understanding that the estimates depend on the number of factors K and the choice of γ .

Given factors $\hat{\mathbf{F}}$, we can compute the maximal Sharpe-ratio from the tangency portfolio of the mean-variance frontier that is spanned by $\hat{\mathbf{F}}$ as

$$\hat{\mathbf{b}}_{MV} = \Sigma_F^{-1} \boldsymbol{\mu}_F, \quad (6)$$

where $\boldsymbol{\mu}_F$ and Σ_F are the mean and variance-covariance matrix of $\hat{\mathbf{F}}$, respectively. If Σ_F is a diagonal matrix, then

$$\hat{b}_{MV,i} = \frac{\mu_{F,i}}{\sigma_{F,i}^2}. \quad (7)$$

The implied SDF is given by

$$M_t = 1 - \hat{\mathbf{b}}_{MV}^\top (\hat{\mathbf{F}}_t - E[\hat{\mathbf{F}}_t]). \quad (8)$$

2.2. RP-PCA as OLS Estimator

The RP-PCA loadings $\hat{\Lambda}$ are related to OLS betas of time series regressions of excess returns on factors. Suppose that factors $\hat{\mathbf{F}}$ are estimated by RP-PCA and consider the time series regression

$$X_{nt} = \hat{\mathbf{F}}_t \mathbf{B}_n^\top + e_{nt}. \quad (9)$$

The factor model (2) implies that there is no intercept, so excluding a constant in the regression imposes this condition and, therefore, the mean of the regression errors e_{nt} is not necessarily zero. Alternatively, one can estimate

$$X_{nt} = \alpha_n + \hat{\mathbf{F}}_t \mathbf{B}_n^\top + e_{nt}, \quad (10)$$

⁶In latent factor models only the product $\mathbf{F}\mathbf{\Lambda}^\top$ is identified. For any full rank $K \times K$ matrix \mathbf{H} the factors $\mathbf{F}\mathbf{H}^{-1}$ and loadings $\mathbf{\Lambda}\mathbf{H}^\top$ yield the same factor model. We use the standard convention to normalize the loadings $\mathbf{\Lambda}^\top \mathbf{\Lambda}/N = \mathbf{I}_K$ and assume that the factors are uncorrelated. That means that a factor with a variance of $\sigma_F^2 = 0.5$ could be interpreted as affecting only half of the assets with an average loading of 1. Alternatively, we could normalize the covariance matrix of the factors to an identity matrix, $\Sigma_F = \mathbf{I}$, so that the norm of the loading vectors measure the strength of the factors.

and evaluate the model by the magnitude of the pricing errors α_n .

The first part of the RP-PCA objective function (4) is the same as the OLS objective function of (9), while the second part captures the difference between the mean excess returns $\bar{\mathbf{X}}$ and the fitted model-implied mean $E[\hat{\mathbf{F}}_t] \hat{\mathbf{B}}_n^\top$. Consider first the case $\gamma = 0$, so that the second part of (4) drops out and the RP-PCA objective is identical to the OLS objective function. Thus, the OLS estimate $\hat{\mathbf{B}}_n$ in (9) equal to the RP-PCA estimator $\hat{\mathbf{\Lambda}}_n$. The case $\gamma = -1$ is similar but the regression (9) is applied to demeaned \mathbf{X}_n and $\hat{\mathbf{F}}$, so that $E[e_{nt}] = 0$. However, the cross sectional pricing error $E[X_{nt}] - E[\hat{\mathbf{F}}_t] \hat{\mathbf{B}}_n^\top$ applies to data that is not demeaned and is not necessarily zero. As for $\gamma = 0$, $\hat{\mathbf{B}}_n = \hat{\mathbf{\Lambda}}_n$.

A similar argument can be applied in general for any value of γ by incorporating the cross sectional error directly into the regression (9). Define $\tilde{\gamma} = \sqrt{\gamma + 1} - 1$ and $\tilde{X}_{nt} = X_{nt} + \tilde{\gamma} \bar{X}_{nt}$, $\tilde{\mathbf{F}}_{nt} = \hat{\mathbf{F}}_t + \tilde{\gamma} \bar{\mathbf{F}}_t$ and specify the time series regression in terms of \tilde{X}_{nt} and $\tilde{\mathbf{F}}_t$:

$$\tilde{X}_{nt} = \tilde{\mathbf{F}}_t \mathbf{B}_{\gamma,n}^\top + \tilde{e}_{nt}. \quad (11)$$

The OLS objective function in terms of \tilde{X}_{nt} and $\tilde{\mathbf{F}}_{nt}$ is equal to the RP-PCA objective (4), so that $\hat{\mathbf{\Lambda}}_n = \hat{\mathbf{B}}_{\gamma,n}$. In other words, $\hat{\mathbf{\Lambda}}$ can always be interpreted as regression coefficients that are based on a specification with transformed data.⁷

To properly address the pricing implication of a factor model, pricing errors are computed based on (10) using \mathbf{X}_n and \mathbf{F}_t , without any mean adjustment. Hence, after computing RP-PCA factors $\hat{\mathbf{F}}$ (given γ), we use (10) to estimate $\hat{\alpha}_n$, $\hat{\mathbf{B}}_n$ and $\hat{\mathbf{e}}_n$ for each asset n . If $\gamma \neq -1, 0$, the estimated $\hat{\mathbf{B}}_n$ differ from the RP-PCA $\hat{\mathbf{\Lambda}}_n$, but in all data sets that we consider below, the difference is small and has no meaningful impact on the results. The overall performance of the model is evaluated by computing the root-mean-squared pricing error $\text{RMS}_\alpha = \sqrt{\hat{\boldsymbol{\alpha}}^\top \hat{\boldsymbol{\alpha}} / N}$, the magnitude of idiosyncratic variance, $\bar{\sigma}_e^2 = \text{avg}(\text{Var}(\hat{\mathbf{e}}_n) / \text{Var}(\mathbf{X}_n))$ and the maximal Sharpe-ratio implied by $\hat{\mathbf{F}}$.

To summarize, the RP-PCA estimation involves the following steps:

1. Apply PCA to the matrix $\frac{1}{T} \mathbf{X}^\top \mathbf{X} + \gamma \bar{\mathbf{X}} \bar{\mathbf{X}}^\top$ to obtain $\hat{\mathbf{\Lambda}}$.
2. Construct factors $\hat{\mathbf{F}} = \mathbf{X} \hat{\mathbf{\Lambda}} (\hat{\mathbf{\Lambda}}^\top \hat{\mathbf{\Lambda}})^{-1}$.
3. Estimate $X_{nt} = \alpha_n + \hat{\mathbf{F}}_t \mathbf{B}_n^\top + e_{nt}$, $n = 1, \dots, N$ by OLS to obtain $\hat{\boldsymbol{\alpha}}$, $\hat{\mathbf{B}}$ and $\hat{\mathbf{e}}$.
4. Compute RMS_α and $\bar{\sigma}_e^2$.
5. Compute the maximum Sharpe-ratio SR that can be obtained by estimated factors $\hat{\mathbf{F}}$.

2.3. Properties of RP-PCA

Lettau and Pelger (2019) develop a formal statistical theory for the RP-PCA model and show that the asymptotic results hold in finite samples of the size typically encountered in practice. The advantage of RP-PCA compared to PC is that RP-PCA uses additional information contained in first

⁷See Lettau and Pelger (2019) for details.

moments whereas PCA only uses information in the second moments. As we show below, the estimation of factors depends on the “signal strength” of factors relative to the variance of idiosyncratic “noise”. Adding information in the mean increases the “signal strength” of factors and therefore enhances the “signal-to-noise” ratio resulting in more efficient estimators. The rest of this section focuses on the intuition of the theoretical results. Appendix A presents a simplified version of the model in Lettau and Pelger (2019) and includes formal statements of the results described in this section.

The key question is whether given factors can be “detected” and how precisely factors and loading can be estimated. One important implication of the theory in Lettau and Pelger (2019) is that the properties of the RP-PCA (and standard PCA) estimators depend critically on the “signal strength” of the factors. “Strong” factors affect a large number of assets and/or have large variances. The market portfolio is an example of a strong factor. In contrast, “weak” factors only affect a small subset of assets or affect all assets only weakly.⁸ Under a suitable normalization, the strength of a factor depends on the structure of the loadings (i.e. betas) Λ . Formally, in a strong factor model $\Lambda^\top \Lambda / N \xrightarrow{p} \mathbf{I}_K$, while in a weak factor model $\Lambda^\top \Lambda \xrightarrow{p} \mathbf{I}_K$.⁹ Therefore, the associated eigenvalues of Λ explode in strong factor models but are finite for weak factors.¹⁰ This difference is crucial for the behavior of PCA-based estimators in factor models.

In practice, the spectrum of estimated eigenvalues can be used to discern how many factor are relevant and whether this factors are strong or weak (see Appendix A for more details). The eigenvalue spectrum in the equity return data used in this paper suggests a combination of strong and weak factors. The first eigenvalue of the sample covariance matrix is large, typically around ten times the size of the rest of the spectrum. The next eigenvalues usually stand out, but have only magnitudes around twice or three times of the average of the residual spectrum, which would be more in line with a weak factor interpretation. The first statistical factor in our data sets is always strongly correlated with an equally-weighted market factor. Hence, if we are interested in learning more about factors besides the market, the weak factor model is likely to be appropriate.

Lettau and Pelger (2019) define a measure of the “signal strength” of a factor that depends on the eigenvalues of loadings matrix Λ and the factor means $\boldsymbol{\mu}_F$, as well as the RP-PCA parameter γ , since γ affects how efficiently the information contained in the factors is used. Whether a factor can be detected and estimated by RP-PCA depends on its strength and the variance of the “noise” that is due to the idiosyncratic component \mathbf{e} in (2). If the factor strength relative to the noise variance is *below a threshold*, then the factor cannot be detected by RP-PCA (or PCA). If the factor is strong enough and above the threshold, it can be detected and the correlation of the estimated factor with the true factor is strictly positive but potentially less than one. Given moments of the factors, an

⁸Lettau and Pelger (2019) also consider models in which some factors are strong and others are weak.

⁹One example of a strong factor is $\lambda_{nk} = N(1, 1/\sqrt{N}) \forall n, k$, i.e. the loading of each asset on each factor converge to 1 as N grows, and $\lambda_{nk} = N(0, 1/\sqrt{N})$ is an example of a weak factor.

¹⁰The eigenvalues in strong factor models are finite when normalized by N .

appropriate choice of γ can increase the strength of a factor, which makes detection more likely and estimates more precise compared to standard PCA with $\gamma = -1$.

Consider first the strong factor model, in which standard methods apply. Factors and loadings are estimated consistently and loadings estimates are asymptotically normal, irrespective of the choice of γ . The optimal γ that minimizes the asymptotic variance is $\gamma = 0$ but the efficiency gain is relatively small. See Proposition 1 in Appendix A for a formal statement. In other words, strong factors can be reliably and estimated with PCA-based methods.

The case of weak factors is more interesting. First, while standard statistical theory applies to strong factors, it breaks down for weak factors. In addition, allowing for non-zero factor means introduces further complications. Lettau and Pelger (2019) generalize the spiked covariance models from random matrix theory and properties in Onatski (2012) and Benaych-Georges and Nadakuditi (2011) to analyze the asymptotic behavior of the RP-PCA estimator for weak factors. The results can be summarized as follows (see Proposition 2 in Appendix A for details):

1. Weak factors can only be estimated with a bias even as N and T grow.
2. If a factor is too weak, *i.e.* its signal strength is below a threshold (that is independent of γ), then it cannot be detected at all.
3. The signal strength is increasing in γ , so that RP-PCA is more likely to detect factors with lower signal strength than PCA with $\gamma = -1$.
4. The correlations of estimated factors with true factors depends on γ . Typically, there is a finite γ that maximizes the correlation of estimated factors with true factors.
5. In particular, RP-PCA with $\gamma > -1$ yields estimated factors that are more highly correlated with true factors than PCA with $\gamma = -1$. In this sense, the RP-PCA estimator is more efficient than the PCA estimator.

These results show that that RP-PCA dominates standard PCA in terms of detection and estimation of weak factors. How should the optimal γ be chosen? Based on our asymptotic theory, there are two possible criteria. First, a very large γ maximizes the probability of detecting a weak factor but lowers the correlation with the true factor. Alternatively, a moderately high γ maximizes this correlation. Another aspect of choosing γ is the out-of-sample performance of the RP-PCA estimator. As we will see below, RP-PCA estimation deteriorates out-of-sample if γ is chosen too high. In practice, we start with $\gamma = -1$ and then increase γ until the OOS fit is no longer improved.

Appendix B reports results from a simulation study that is designed to match the moments of the data used below. As an illustration of how γ affects the estimation, consider Figure 1. The figure shows the correlation of the estimated and true factors for parameters used in the simulation exercise described in the Appendix. The variance of the factor in the top panel is set to 0.05 and to 0.1 in the bottom panel. *Ceteris paribus*, a higher factor variance increases the signal strength of

the factor. We also consider three positive values for the Sharpe-ratio (or, equivalently, the mean) of the factor, as well as a case with mean-0 factor. The vertical lines indicate the γ that maximizes the correlation. In all cases with positive Sharpe-ratios, the correlation increases sharply with γ for small γ and then flattens out as γ increases. For a fixed factor variance, the gains in the correlation of the estimated and true factors increase with the Sharpe-ratio (and mean) of the factor. Comparing the two panel shows that the optimal γ is higher if the signal strength of the factor is lower (*i.e.* the factor variance decreases) and if the Sharpe-ratio increases. If the Sharpe-ratio (or the mean) of a factor is zero, then the correlation is decreasing in γ and the optimal γ is equal to -1 . The reason is that the factor mean does not contain any useful information, so that a higher γ increasing the weight on the uninformative cross-sectional errors. Hence, in this case RP-PCA performs strictly worse than PCA.

Finally, we note that standard tests of the null hypotheses that the pricing errors are jointly zero are invalid. The reason is that the asymptotic theory developed in Lettau and Pelger (2019) is based on $N, T \rightarrow \infty, N/T \rightarrow c$ while GRS, Wald and Fama-MacBeth-type tests are based on the assumption that N is constant and $T \rightarrow \infty$. For fixed N and $T \rightarrow \infty$ the inverse of the sample covariance matrix converges to the population matrix. This is no longer the case of $N, T \rightarrow \infty$. In fact, the inverse of the sample covariance matrix converges to a matrix that is different from the population counterpart. Hence, the test statistics are biased even in large samples.

2.4. Robust SDF estimation

Kozak et al. (2019) (KNS) suggest an alternative to the SDF weights in (6). The first step of their procedure is a rotation of the matrix of test assets. KNS apply the standard PCA rotation but a rotation based on RP-PCA can also be used. We will compare both cases in the next section. The $T \times N$ matrix $\tilde{\mathbf{F}}$ denotes the matrix of all N rotated factors with mean and variance-covariance matrix $\boldsymbol{\mu}_{\tilde{\mathbf{F}}}$ and $\boldsymbol{\Sigma}_{\tilde{\mathbf{F}}}$, respectively.

The objective of KNS is a robust estimation of the SDF and is based on two principles. First, the SDF representation should be *sparse* in the sense that only K SDF weights should be non-zero, which is equivalent to choosing the K factors with the largest eigenvalues in PCA and RP-PCA. Second, the SDF weights are *shrunked* towards zero compared to the mean-variance weights in (6). The KNS estimator can be written as

$$\hat{\mathbf{b}}_{\text{KNS}} = \arg \min_{\mathbf{b}} \left[(\boldsymbol{\mu}_{\tilde{\mathbf{F}}} - \boldsymbol{\Sigma}_{\tilde{\mathbf{F}}} \mathbf{b})^\top \boldsymbol{\Sigma}_{\tilde{\mathbf{F}}}^{-1} (\boldsymbol{\mu}_{\tilde{\mathbf{F}}} - \boldsymbol{\Sigma}_{\tilde{\mathbf{F}}} \mathbf{b}) + 2\nu_1 \sum_{i=1}^N |b_i| + \nu_2 \mathbf{b}^\top \mathbf{b} \right], \quad (12)$$

where ν_1 and ν_2 are two penalty parameters. KNS solve (12) numerically but a closed-form solution

of $\hat{\mathbf{b}}_{\text{KNS}}$ exists if $\Sigma_{\tilde{\mathbf{F}}}$ is a diagonal matrix, which is the case in KNS since $\tilde{\mathbf{F}}$ consists of PCA factors:¹¹

$$\hat{b}_{\text{KNS},i} = \begin{cases} \frac{\mu_{\tilde{\mathbf{F}},i} - \nu_1}{\sigma_{\tilde{\mathbf{F}},i}^2 + \nu_2} & \text{if } \mu_{\tilde{\mathbf{F}},i} \geq \nu_1, \\ 0 & \text{if } \mu_{\tilde{\mathbf{F}},i} < \nu_1. \end{cases} \quad (13)$$

The closed-form solution (13) illustrates the differences between KNS and PCA. First, consider the role of ν_1 . Only factors with means larger than ν_1 have a non-zero weight in the SDF. Therefore, ν_1 controls how many factors have non-zero weight and can be interpreted as a *sparsity* parameter. KNS consider models with different number of factors and choose ν_1 such that the implied SDF has $K = 1, 2, 3, \dots$ factors. Since there is a 1-to-1 mapping between K and ν_1 , sparsity in KNS is equivalent to choosing the number of factors in PCA or RP-PCA. The second difference of KNS compared to PCA is that the factors are ranked and chosen according to their *means* instead of their variances. Only factors with a mean that is larger than ν_1 are included in the SDF; others have SDF weights of zero. Hence, given factors $\tilde{\mathbf{F}}$, the set of K factors that have non-zero SDF weights differs in PCA and KNS. The K factors in a PCA model are those with the K largest variances, while the K factors in KNS are those with the highest means.

Furthermore, the KNS weights (13) are shrunk towards zero compared to the mean-variance weights (6). Given the sparsity parameter ν_1 , larger values of ν_2 lower the weights towards zero and thus has the interpretation of a *shrinkage* parameter. Since the effects of ν_1 and ν_2 can be separated, the KNS estimator can be applied sequentially in three steps:

1. Construct factors $\tilde{\mathbf{F}}$ by rotating the N test assets \mathbf{X} using PCA (normalized so that $\mu_{\tilde{\mathbf{F}},i} \geq 0 \forall i$).
2. Rank the factors \tilde{F}_i according to their means.
3. Select K factors with means that exceed ν_1 .
4. Construct the SDF M_t using weights (13).

The same procedure can be applied when $\Sigma_{\tilde{\mathbf{F}}}$ is not diagonal. The only difference is that the factor selection in step 2 and the estimation of SDF weights in step 3 are combined by numerically solving (12).¹²

¹¹The solution to (12) is an elastic net regression of $\Sigma_{\tilde{\mathbf{F}}}^{1/2}$ on $\Sigma_{\tilde{\mathbf{F}}}^{-1/2} \mu_{\tilde{\mathbf{F}}}$ with an analytical solution if $\Sigma_{\tilde{\mathbf{F}}}$ is a diagonal matrix. The proof follows the same logic as the elastic net regression with orthonormal regressors in Zou and Hastie (2005). The first-order condition on the active set, i.e. for the non-zero values of $\hat{b}_{\text{KNS},i}$ equals

$$(\sigma_{\tilde{\mathbf{F}},i}^2 + \nu_2) \hat{b}_{\text{KNS},i} = \mu_{\tilde{\mathbf{F}},i} - \nu_1 \text{sign}(\mu_{\tilde{\mathbf{F}},i}),$$

with solution (13). Without loss of generality we have normalized the means $\mu_{\tilde{\mathbf{F}},i}$ to be positive.

¹²We follow KNS and solve (12) numerically using a least angle regression (LARS) algorithm. In the PCA space the separation of (13) holds exactly and gives identical results to the numerical elastic net regression. When applying (13) in the RP-PCA space, $\Sigma_{\tilde{\mathbf{F}}}$ is close to but not exactly a diagonal matrix. However, in all cases that we consider, the KNS estimator selects the K factors with the largest means.

Note, that $\mu_{\tilde{F},i} = \sigma_{\tilde{F},i} \text{SR}_{\tilde{F},i}$, so the factor selection depends on the factor variances as well as Sharpe-ratios. Factors with a low variance but high Sharpe-ratio can be included in the KNS SDF but are excluded in the PCA SDF. In this sense, KNS has a similar motivation as RP-PCA, namely to incorporate information in the first moment. The difference is that RP-PCA changes the *construction of factors*, while KNS affects the factor selection and SDF weighting for a *given set of factors*. Both methods are therefore complementary and can be combined. In the empirical section, we compare results for the KNS estimator based on PCA factors to results for the KNS estimator based on RP-PCA factors.

Finally, we consider a case in which K factors are chosen according to their means, as in KNS, but SDF weights $\hat{b}_{\text{SMV},i}$ are not shrunk but set to their mean-variance values. We label this estimator SMV (Sparse Mean Variance) which takes the following form for PCA factors:¹³

$$\hat{b}_{\text{SMV},i} = \begin{cases} \frac{\mu_{\tilde{F},i}}{\sigma_{\tilde{F},i}^2} & \text{if } \mu_{\tilde{F},i} \geq \nu_1, \\ 0 & \text{if } \mu_{\tilde{F},i} < \nu_1. \end{cases} \quad (14)$$

To maintain consistency throughout the paper, we apply all estimators to excess returns of the test assets. KNS first regress excess returns of all assets on the excess return of the CRSP-VW index and use the residuals as test assets. Hence the empirical results are not directly comparable to those in KNS.

3. Empirical Results

We proceed with the empirical application in two steps. First, we consider double-sorted portfolios with $N = 25$ test assets. The RP-PCA methodology is designed to handle much larger cross-sections but the cases with smaller N are helpful in demonstrating the methodology. Next, we consider the larger cross-section of anomaly portfolios used in Kozak et al. (2019) that is based on single-sorts of 37 different characteristics.¹⁴ The sample span is November 1963 to December 2017 in all cases.

We compare models using three criteria: (i) the maximum Sharpe ratio that can be obtained by a linear combination of the factors, (ii) the root-mean-square pricing error RMS_α , and (iii) the average idiosyncratic variance $\overline{\sigma}_e^2$. All reported results are out-of-sample using the following procedure: Factors and loadings are estimated in rolling windows of 20 years ($T = 240$). With these estimated loadings including information up to time t we predict the $t + 1$ return and obtain the out-of-sample pricing error at $t + 1$. The mean and variance of the out-of-sample errors are used to calculate the average pricing error and the idiosyncratic variation, respectively. We use the optimal portfolio

¹³In the case of RP-PCA based factors we use (12) to select K RP-PCA factors and apply (6) to obtain the SDF weights $\hat{\mathbf{b}}_{\text{SMV}}$.

¹⁴We thank the authors for sharing their data.

weights for the maximum Sharpe-ratio portfolio estimated in the rolling window period to create an out-of-sample optimal return giving us the maximum Sharpe-ratio portfolio out-of-sample.

As mentioned in section 2, only the product of factors and loadings, $F\Lambda^\top$, is identified. For the theoretical derivations in section 2, it was convenient to normalize the loadings in terms of $\Lambda^\top\Lambda$. When presenting empirical results, it turns out to be more useful to normalize the variance-covariance matrix of the factors instead, hence we set $\Sigma_F = \mathbf{I}_K$, unless otherwise noted. The reason is that we want to compare different factor models and their composition in terms of the original portfolios. To do so, the “units” of estimated loadings must be comparable across models. Normalizing $\Sigma_F = \mathbf{I}_K$ achieves this objective. For some results, normalizing the loadings, i.e. $\Lambda^\top\Lambda = \mathbf{I}_K$, is more informative. Of course, the overall model is not affected by any normalization.

3.1. Double-Sorted Portfolios

Table 1 reports results for eight different sets of 25 portfolios sorted on size and book-to-market, accruals, investment, profitability, momentum, short-term reversal, volatility, and idiosyncratic volatility. We compare RP-PCA to PCA as well models with three Fama-French factors (the market, SMB, and HML, where SMB and HML are constructed from sorts on size and on the second characteristic). We set γ to 20 but all results are not sensitive to this choice (robustness checks are reported in the online appendix).

The RP-PCA Sharpe-ratio is larger than the PCA and FF Sharpe-ratios in six of the eight cases while the RMS alphas are smaller in RP-PCA than those for PCA. For the two volatility cases, FF model yields RMS_α that are slightly smaller than those of RP-PCA but the RP-PCA cross-sectional errors are smaller in all other cases. PCA minimizes, by construction, the in-sample idiosyncratic variance but the out-of-sample $\overline{\sigma}_e^2$ is larger for PCA than for RP-PCA in five of the eight double-sorts but both models capture more covariation than FF models in all cases.

Why does RP-PCA outperform PCA in most cases? The estimated RP-PCA model can differ from the estimated PCA model in three ways: The detection of factors, the factor compositions, and the order of factors. To illustrate the mechanism, we study two cases in more detail: Size/accruals and size/short-term reversal. The Fama-French model consists of three factors: The market, SMB, and HML (based on size and second characteristic). As we will see below, both methods extract a long-only portfolio that is almost perfectly correlated with the market portfolio and a long-short size factor. However, PCA is not able to detect the long/short accrual factor while RP-PCA does. In the size/short-term reversal case, the order of the factors changes. The second RP-PCA factor is a high/low reversal factor and the third factor is a size factor. In PCA, the second factor is related to size while the third factor is related to reversals. The reason is that the reversal factor captures average return differences and hence is given a higher weight in RP-PCA estimation.

Figure 2 plots the Sharpe ratio in the top panel, the RMS time series pricing errors α_n , and the unexplained time series variation (as a fraction of total variation) as a function of the RP-PCA weight γ for the size/accruals portfolios in the left panels and size/reversals in the right. To illustrate the

effect of each factor, we consider models with one, two and three factors. For size/accrual portfolios, γ has little effect on the Sharpe ratios, α 's and unexplained variances in models with one and two factors. Hence, RP-PCA and PCA are essentially equivalent. This is not the case when a third factor is added (solid green lines). The out-of-sample SR increases and the RMS α decreases when increasing γ to 5 then maintain this level. The out-of-sample SR is more than doubled and RMS α is cut in half compared to the PCA case of $\gamma = -1$.

What is the cause for the difference between PCA and RP-PCA when a third factor is added? Figure 3 shows a heat map of the loadings of the three factors for PCA with $\gamma = -1$ and RP-PCA with $\gamma = 20$. Positive loadings are in green and negative loadings in red. The figure shows that the loading of the first two factors are similar for PCA and RP-PCA. The first factor is a “long” factor with positive weights on all portfolios with a tilt towards small-stock portfolios. The second factor is a long-short factor with positive weights on small-stock portfolios and short in large-stock portfolios. These factors are similar to the market and SMB factors in Fama-French models. The composition of the third factor is different for PCA and RP-PCA. The PCA factor has no clear pattern and adds very little information, as shown in Figure 2. In contrast, the third RP-PCA factor has positive loadings on low-accrual stocks and negative loadings on high-accrual stocks, similar to a Fama-French-type factor. This pattern explains the higher Sharpe ratio and lower α 's in the three factor RP-PCA model shown in Figure 2.

Consider next the results for the 25 size/short-term reversal portfolios shown in the right panels in Figure 2. The SR and RMS α for models with one factors are almost unaffected by γ and change only moderately for the three factor model. In contrast, the statistics of two-factor models change substantially for different γ . The OOS-SR rises and OOS-RMSE α decreases once γ exceeds 5 and settle down at $\gamma \approx 20$. Figure 3 compares the loadings for the three factors for PCA and RP-PCA with $\gamma = 20$. As in the case of the size/accruals portfolios, the loadings of the first factor is very similar for both models. The second PCA factor has positive loadings of small-stock portfolios and negative ones of large-stock portfolios, it is hence a “small-minus-big” portfolios. The third PCA factor is long in low-reversal portfolios and short in high-reversal stocks and is therefore a “long-minus-short” reversal factor. These two factors are reversed in RP-PCA. The second RP-PCA factor is a “long-minus-short” reversal factor while the third factor is “small-minus-big” factor. The reason for this switch is that the return spread is much larger along the reversal dimension than along the size dimension since RP-PCA gives high Sharpe-ratio factors additional weight. A “small-minus-big” factor contributes more towards the common time-series variation and is this favored by PCA, whereas the “long-minus-short” reversal factor contributes more to the cross-sectional dimension and is thus favored by RP-PCA.

3.2. Large Cross-section of Single-Sorted Portfolio

Next, we apply the RP-PCA estimator to a larger cross-section of portfolios. We select all 37 characteristics from the data set used in Kozak et al. (2019) that are available as of November 1963.

Our sample ends in December 2017 ($T = 650$). As a robustness check, we also estimate the models using a broader set of 49 characteristics albeit over a shorter span of 530 months starting in 1973. The data set includes 10 single-sorted decile portfolios for each characteristic for a total of 370 test portfolios. While the RP-PCA estimator is suited for large cross-sections, the presentation of results with the full set of 370 portfolios is cumbersome. As we will see, most of the relevant information is contained in the extreme first and tenth decile portfolios. Therefore we consider a smaller cross-section with the 74 decile 1 and 10 portfolios as test assets as a benchmark. The paper also reports some results for the full panel of 370 portfolios while the online appendix includes a complete set of results. The results for both sets of portfolios are similar and all findings are robust.

Table C.1 shows the mean returns, the standard deviations, the SRs of the long-short portfolios as well as the mean return of the extreme decile 1 and 10 portfolios. The portfolios are sorted according to their Sharpe-ratios. The means of the top 22 long-short portfolios is statistically significantly different from zero while 15 are insignificant.¹⁵ The moments of the portfolio returns are described in more detail in Kozak et al. (2019).

Choice of γ and number of systematic factors

We start the analysis by investigating how many factors are “systematic”, how many are “idiosyncratic”, and how the parameter γ affects the detection of systematic factors. We use two approaches to determine the number of factors: First, we apply a diagnostic criterion based on the pattern of eigenvalues associated with the eigenvectors that define factors, as described in section 2. Second, we use cross-validation to study the effect of γ and the number of factors on the performance of the model.

Figure 4 plots the differences of consecutive eigenvalues of $\frac{1}{T}\mathbf{X}^\top\mathbf{X} + \gamma\tilde{\mathbf{X}}\tilde{\mathbf{X}}^\top$ for different values of γ for the sample with only deciles 1 and 10 in Panel A and sample with all deciles in Panel B. The red line indicates the critical values of the Onatski-criterion. For $\gamma < 10$, the fifth eigenvalue difference is below the critical value in both samples indicating that the first four factors are systematic. However, for $\gamma \geq 10$, the fifth eigenvalue difference is above the critical value indicating that there are five systematic factors. This suggests that the fifth factor is weak and below the detection threshold for PCA and RP-PCA with $\gamma < 10$. Once γ is chosen high enough, RP-PCA is able to detect this factor. Note, that the optimal number of systematic factors is the same for the sample with 74 decile-1 and decile-10 portfolios and the full sample with 370 portfolios. Adding 296 decile-2 to decile-9 portfolios does not change the number of systematic factors suggesting that most of the relevant information is contained in the decile-1 and decile-10 portfolios. Results reported below confirm this interpretation.

As a second diagnostic criterion we use a cross-validation estimation for different combinations of γ and number of factors k . We divide the sample into three sub-samples of equal length. For each

¹⁵The t -statistic is $t_\mu = \sqrt{T} \text{SR} = 25.5 \text{ SR}$.

sub-sample $v = 1, 2, 3$, we estimate the model using only data in the sub-sample v and compute the “out-of-sample” properties on the data not included in subsample v . For each γ and k , we average the results for the three sub-samples.

Figure 5 shows the heatmap for the maximum Sharpe-ratio for $k = 1, \dots, 10$ factors on the x -axis and $\gamma = -1, 0, 1, \dots, 50$ on the y -axis. We report results in the sample with the decile-1 and 10 portfolios ($N = 74$) but the results for the full sample are similar. Yellow cells indicate low Sharpe-ratios while red cell indicate high SRs. The Sharpe-ratio for models with only one factor is around 0.1 to 0.2, no matter the value of γ . For low values of γ adding additional factors gradually increases the Sharpe-ratio and even higher-order factors improve the performance of the model. For PCA with $\gamma = -1$, adding factors 2 to 5 raises the Sharpe-ratio to 0.38 while including factors 6 to 10 yields a SR of 0.47. In contrast, for $\gamma \geq 10$, the first five factors have a large incremental effect on the Sharpe-ratio while the effect of higher order factors is minor. For $\gamma = 10$, the RP-PCA model with five factors yields a SR of 0.5. Adding factors 6 to 10 only increases the SR to 0.58. Increasing γ beyond 10 does not change the performance of the model substantially. These results are consistent with the Onatski-criterion and suggest that RP-PCA is able to extract five factors. We set $\gamma = 10$ as a benchmark and show results for different values in the appendix.

Estimation Results: RP-PCA vs. PCA

Figure 6 compares the SR, RMS α and unexplained variance in-sample and out-of sample for the sample with 74 decile-1 and decile-10 portfolios. For each specification we start with one factor and successively add factors (up to a total of ten factors). The RP-PCA weight γ is set to 10. The top two panels show the Sharpe-ratios of the stochastic discount factors that are implied by the estimated factors. As expected, adding factors increases the in-sample Sharpe ratios of the SDFs for all models but the magnitudes of the incremental results differ. First, the overall SRs are significantly higher for RP-PCA than those for PCA. The in-sample SR for the RP-PCA model with five factors is 0.57, about twice as high as the in-sample SR for PCA. The second and fifth RP-PCA factors have a particularly large incremental effect on the in-sample SR while the SR pattern for PCA is more gradual. The out-of-sample SRs exhibit a similar pattern but there are some important differences. The OOS-SRs are only slightly lower than the IS-SRs suggesting that the RP-PCA model does not suffer from excessive overfitting. The out-of-sample SR increases more gradually for the first five factors but adding additional factors has only a minor effect on the OOS SR, which confirms that RP-PCA extracts five systematic factors. The out-of-sample SRs for PCA models are significantly lower than those for RP-PCA. A 10-factor PCA specification yields a OOS-SR of 0.36 while the OOS-SR of a 5-factor RP-PCA model is 0.50. These out-of-sample results are consistent with the cross-validation estimation in Figure 5.

The middle row shows the root-mean-squared cross-sectional pricing errors, RMS $_{\alpha}$. First, note that adding incremental factors in all models reduces pricing errors not only in-sample but also out-of-sample, again confirming that the factor structure is stable and the models are not overfit-

ting. Second, RP-PCA pricing errors are smaller than those for PCA in all cases but the incremental effects of the factors are different. As for Sharpe-ratios, the second and fifth RP-PCA factors have a substantial effect on the IS-RMS $_{\alpha}$ but the effects are mitigated out-of-sample. The reduction of pricing errors beyond the fifth RP-PCA factor is minimal in-sample as well as out-of-sample. Moreover, the pricing errors of the 5-factor PCA model are about 50% larger than those of the 5-factor RP-PCA model with $\gamma = 10$.

The plots for the unexplained idiosyncratic variations in the bottom row are almost identical for comparable RP-PCA and PCA models. Recall that PCA minimizes the in-sample unexplained variation $\bar{\sigma}_e^2$ but does not necessarily yield the smallest out-of-sample variation. The differences between the out-of-sample $\bar{\sigma}_e^2$ of RP-PCA and PCA with the same number of factors is negligible and negative in some cases. Hence, RP-PCA yields higher OOS-SRs and smaller OOS pricing errors than PCA, yet captures a similar amount of OOS covariation as PCA.

Panel A of Table 2 compares the Sharpe-ratios, pricing errors and idiosyncratic variance for RP-PCA and PCA models with three and five factors for our benchmark sample. We also consider the 3-factor Fama-French models (market, SMB, and HML) and the 5-factor model (market, SMB, HML, RMW, and CMA) as comparison. Consider first the 3-factor models. RP-PCA outperforms PCA and Fama-French in all criteria: Highest SR, smallest pricing errors and residual variance. The in-sample residual variance is by construction minimized by PCA (13.72%) but $\bar{\sigma}_e^2$ is only slightly higher for RP-PCA (13.85%). The results for the 3-factor Fama-French are comparable to those for PCA but are worse than those for RP-PCA. The pattern is similar for 5-factor models with the exception that out-of-sample PCA $\bar{\sigma}_e^2$ is slightly lower than that of RP-PCA. Note that the out-of-sample Sharpe-ratios for the 3 and 5 factor Fama-French models are higher than those of the corresponding PCA models but substantial lower than those of RP-PCA models. Results for the full sample with 370 portfolios are reported in Panel B and Panel C shows the results for 98 portfolios ($T = 530$) as robustness checks. The results are similar as in the benchmark sample. We conclude that a 5-factor RP-PCA model is the preferred model for all three data sets.

Figure 7 shows the mean-squared cross-sectional pricing errors (α 's) for each anomaly based on models with five factors. The anomalies are ranked by the Sharpe-ratio of the decile-10 return minus the return of decile-1 ('10-1'). The dark blue bars are RP-PCA α 's and the light blue bars are those for PCA. The IS and OOS PCA pricing errors are largest for high-SR anomalies, such as Industry Relative Reversals (Low Volatility) (*indrrevlv*), Industry Momentum-Reversal (*indmomrev*), and Industry Relative Reversals (*indrrev*). The pricing errors of the RP-PCA model for these portfolio are substantially smaller, for some anomalies by an order of magnitude (e.g. 12-month Momentum (*mom12*) and Industry Relative Reversals (*indrrev*)). The RP-PCA model improves the fit in particularly for the portfolios for which PCA performs worst. The in-sample PCA alphas of Asset Turnover (*aturnover*), Short-term Reversal (*strev*) and Momentum (*mom*) are lower than those of RP-PCA but the difference is much smaller out-of-sample. We conclude that RP-PCA factor models lower the pricing errors

of most portfolios, in particular out-of-sample, relative to PCA models, especially for the high-SR portfolios that are most mis-priced by PCA.

Time-series vs. cross-sectional factors

So far, we have studied the overall performance of various models. Next, we investigate the properties of individual factors. Table 3 reports the mean, variance and Sharpe-ratios of the first ten RP-PCA and PCA factors. The factors are normalized so that their mean returns are positive. Factors means that are significantly different from zero are starred. To make factors comparable, we normalize all factor loadings to a norm of one. As is common in factor modelling of asset returns, the variance of the first factor is a magnitude larger than the variances of the other factors. As we will see below, the first factor is highly correlated with aggregate stock indices and thus akin to the “market”. For PCA, the factors are ranked according to their variances. The variance of the second PCA factor is 102.60, which is substantially higher than the variances of higher order factors but its mean of 0.15 is lower than the means of factors three to eight suggesting that this factor captures comovement but might not be priced. Four of the first five factors have significant means and only the mean of the second factor is insignificant. Note that factors six, seven and eight also have a significant mean although they are not selected by the model selection criteria.

The ranking of RP-PCA factors depends on their variances but also on their means and thus is not necessarily monotonic in either moment. In contrast to PCA, the second RP-PCA factor has a high and significant mean but its variance is lower than that of the third factor. Therefore, this factor has a high Sharpe-ratio. The third RP-PCA factor has an insignificant mean but higher variance. Therefore, the second factor captures less comovement but is priced while the third factor captures comovement and is not priced. As we have seen above, the preferred RP-PCA model includes five factors according to the selection criteria. Among those five factors, factors 2 and 5 have high and significant means and Sharpe-ratios and are therefore likely to be priced and important for capturing the cross-section of returns while factors 3 and 4 capture comovement but are likely unpriced.

To further investigate the roles of RP-PCA factors, we compute the fit for models with subsets of factors, see Table 4. In addition to the case with all five factors as benchmark, we consider specifications with only factors [1], [1, 2, 5], [2, 5], [1, 3, 4] and [3, 4]. Recall that the first-factor is long-only in all portfolios and is highly correlated with the market return. Thus the specification with only the first factor is similar to the CAPM with only the market return. The Sharpe-ratio is only 0.11 (cf. to the 5-factor model) and the RMS pricing error and $\overline{\sigma}_e^2$ are about twice as high. However, the first factor by itself captures about 80% of the time series variation and adding factors 2 to 5 results in a marginal increase of 10 percentage points.

Next, we consider specifications that include the high mean and SR factors 2 and 5. The Sharpe-ratio of the model with factors 1, 2, and 5 is as high as as for the specification with all five factors, 0.58 vs. 0.59 in-sample and 0.51 vs. 0.50 out-of-sample. The RMS pricing errors are 0.21 (IS) and 0.18 (OOS) compared to 0.16 and 0.15, respectively and the IS and OOS idiosyncratic variances are

about 50% higher than those of the 5-factor model. Further removing the first factor increases the RMS_α and $\bar{\sigma}_e^2$ but the Sharpe-ratios are still sizeable at around 0.4. Note that the in-sample RMS_α and $\bar{\sigma}_e^2$ are order of magnitude higher than their out-of-sample counterparts. The reason for this difference in RMS_α is that factors are orthogonal when computed in-sample and hence higher-order factors only capture variation that is not captured by lower-order factors. Thus removing the first factor, which captures a large portion of variation, reduces the systematic variance drastically. In contrast, factors are not necessarily orthogonal when applied out-of-sample and thus higher order factors can also capture some of the variation that is due to the first factor. A similar effect explains the much lower IS- RMS_α than OOS- RMS_α . We conclude that the 3-factor model with factors 1, 2, and 5 produces similar Sharpe-ratios and pricing errors as the 5-factor model but captures less of the time-series variation.

The results for specifications that include factors three and four differ from those for models with the second and fifth factors. Consider first the 3-factor model [1, 3, 4]. The Sharpe-ratios and RMS_α are close to those of the model with only the first factor. In fact, the OOS SR is only 0.01 and much lower than that of the 1-factor model. Hence, the third and fourth factors play only minor marginal roles for the SR and RMS_α . On the other hand, the IS (OOS) idiosyncratic variances of the 3-factor model are 13.89% (15.80%) only about 3.5 percentage points higher than those of the model with five factors. Removing the first factors deteriorates the fit of the model along all dimensions. The OOS Sharpe-ratio of -0.09 is negative and the lowest among all specifications we consider while RMS_α and $\bar{\sigma}_e^2$ are the highest.

We conclude that the RP-PCA factors can be characterized as follows. The first factor is relevant for the time-series *and* cross-sectional fit. Factors 2 and 5 are relevant for the cross-sectional fit and SR but not for the time-series. And factors 3 and 4 are relevant for the time-series fit but play no role in the cross-section or Sharpe-ratio. Moreover, three factors [1, 2, 5] are sufficient to capture the cross-section of expected returns and yield a high Sharpe-ratio, while a different 3-factor model [1, 3, 4] captures most of the time-series variation.

Composition of SDF and factors

Next, we study the composition of the estimated SDF and individual factors. Recall that a given set of factors implies a SDF that is perfectly negatively correlated with the tangency portfolio created by the factors, which is given in (6). The SDF is a linear combination of factors, which are in turn linear combinations of the test assets \mathbf{X} . Therefore, the SDF is also a linear combination of the test assets \mathbf{X} . Next, we study the composition of the SDFs that are implied by the RP-PCA and PCA factors. Figure 8 shows the composition of the RP-PCA SDF in Panel A and PCA SDF in Panel B in terms of the 74 test portfolios. The weights of decile-10 portfolios are in dark blue bars while the weights of decile-1 portfolios are in light blue bars. The portfolios are ranked by their Sharpe-ratio. First, we note that for both SDFs the high-returns decile-10 weights are mostly positive while of the weights of the low-return decile-1 portfolios are mostly negative. Hence, the SDF is composed

of long-short portfolios but the weights do not necessarily sum to zero, as is the case for Fama-French style factors. Second, the largest loadings (in absolute value) of the RP-PCA SDF are related to anomalies with the highest Sharpe-ratio (*e.g.* *indrrev* and *indmomrev*) while the magnitudes of the PCA weights are not linked to Sharpe-ratios. In other words, the high Sharpe-ratio that is created by the RP-PCA factors reported above, is due to the fact that the RP-PCA SDF is to a large degree comprised of high SR portfolios. In contrast, the PCA-SDF weights of the three characteristics with the highest Sharpe-ratio are close to zero.

Figure 9 shows the composition of the first five RP-PCA and PCA factors. For presentation purposes, we group related anomalies into categories following Hou et al. (2015) and Freyberger et al. (2019). Table 5 lists the categories, the portfolios included in each category, the mean returns of the decile-1 and decile-10 portfolios and the average SR of the long-short portfolios in each category. The categories are listed according to their average Sharpe-ratios. On average, reversal portfolios have the highest Sharpe-ratio followed by value-interaction portfolios. The factor weights of decile-1 portfolios are shown in red while those of decile-10 portfolios are in blue. Each bar shows the total weight of a category with the contribution of each portfolio in the categories indicated by lines.

The weights of the first RP-PCA and PCA factors are in the top row. The weights are all positive, so that the both factors are long-only “level” factors. Moreover, the weights of first RP-PCA and PCA factors are similar and the factors have a correlation of 0.999, suggesting that the first factor is “strong” and relatively easy to identify by PCA-based methods. The correlations of the first RP-PCA and PCA factors with the CRSP-VW index return is 0.993 and 0.995, respectively, confirming their interpretation as “level” factors that proxy for the market return. The monthly Sharpe-ratio of the first RP-PCA and PCA factors is 0.11 (see Table 3), which is close to the SR of the CRSP-VW index of 0.12.

The second row of Figure 9 shows the composition of the second factors. In contrast to the long-only structure of the first factor, the second factors are composed of long and short positions of individual portfolios. Moreover, the decile-10 and decile-1 loadings are (mostly) of different signs, hence this factor is akin to long-short factors in which the high-return factors are of opposite signs of the low-return factors. Consider first the RP-PCA factors on the left of the figure. The second RP-PCA factor is composed of portfolios in all groups and thus appears not to be related to any particular anomaly category. In contrast, value portfolios dominate the third factor and can therefore be interpreted as a “value factor”. The composition of the fourth RP-PCA factor differs from the other figures because some decile-10 (decile-1) portfolios have positive (negative) weights while others have negative (positive) weights. Recall that this factor captures comovement but is unpriced since the mean of this factor is only 0.29 and statistically insignificant (see Table 3). Portfolios related to momentum, value-interaction and trading frictions have the largest (in absolute value) weights. The fifth RP-PCA factor is almost exclusively composed of reversal portfolios. This factor has a high and significant mean of 0.74 and its Sharpe-ratio of 0.46 is the highest among all factors. This is

due to the fact the reversal portfolios have particularly high Sharpe-ratios, in fact three individual long/short portfolios with the highest SR are all in the reversal category. We will investigate the relationship of the high Sharpe-ratio factors and returns further below.

The plots on the right of Figure 9 show the composition of PCA factors. The second factor is mostly comprised of value portfolios but the high-return decile-10 value portfolios have a negative weight while the weight of the decile-1 portfolios is positive. Recall that the mean of this factor is close to zero and insignificant, which implies that the signs of the weights are not informative. The third factor is mostly comprised of portfolios related to value, value interactions and momentum while the fourth factor is predominantly long in value and short in portfolios related to trading frictions. The pattern of the fifth factor is somewhat different in the sense that the weights decile-10 portfolios related to profitability and frictions are positive, yet the weights of the decile-10 value portfolios are negative. In other words, this factor is not a traditional factor that is long in high-return decile-10 portfolios and short in low-return decile-1 portfolios.

Portfolio weights and returns

To further investigate the differences between RP-PCA and PCA, we study the relationship between portfolio weights and returns. Figure 10 shows scatterplots of average returns of the 74 portfolios on the x -axis and SDF loadings on the y -axis. Loadings of the RP-PCA SDF are in Panel A and loadings of the PCA SDF are in Panel B. The loadings of decile-10 portfolios are displayed in blue while decile-1 loadings are in red. Panel A shows that the composition of the SDF estimated by RP-PCA is strongly linked to the returns of the individual portfolios. The portfolios with the largest weights in the SDF are those with the highest returns, while portfolios with the smallest (negative) weights are those with the lowest returns. The correlation of returns and weights is 0.88.

While loadings of the PCA-SDF, shown in Panel B, are also related to returns, the link is weaker. The weights of some portfolios with negative mean returns are positive and some portfolios with high returns have a negative weight. The correlation of 0.53 is substantially lower than that for the RP-PCA SDF. Given that SDF loadings for RP-PCA are more strongly linked to returns, it is not surprising that the implied Sharpe-ratio of the RP-PCA SDF of 0.50 is more than twice as high as the SR of the PCA-SDF of 0.24 (see Table 2).

Recall from Table 3 that the second and fifth RP-PCA factors have high returns and Sharpe-ratios. Figure 11 shows the same scatterplots for these factors as well as the second and fifth PCA factors for comparison. There is a strong link between portfolio returns and factor loadings of both factors with a correlation of 0.81 for the second factor and 0.73 for the fifth factor. In contrast, PCA factor loadings show little correlation with returns, in particular for the second factor, which has a negative correlation.

These results illustrate the difference of factors extracted by RP-PCA vs. PCA factors. First, RP-PCA factors have well-defined roles, some factors capture comovement but have low means and Sharpe-ratios and the other factors have high means and Sharpe-ratios but capture less comovement.

In contrast, this separation is less clear for PCA factors. Second, the Sharpe-ratio of SDF based on RP-PCA factors is much higher than that of the PCA SDF because the RP-PCA weights are highly correlated with portfolio returns. The correlation is much lower for the PCA SDF.

It is important to stress that RP-PCA does not create factors and SDFs that mechanically result in high Sharpe-ratios since the objective function depends on cross-sectional pricing errors rather than explicitly maximizing Sharpe-ratios or mean returns. Instead, factors that reduce cross-sectional pricing errors turn out to also have high Sharpe-ratios and means that are large and significantly different from zero.

Proxy factors and ad-hoc long-short portfolios

In order to interpret latent factor models Pelger and Xiong (2018) propose the use of proxy factors. The proxy factors use only the largest portfolio weights of the latent factors and set the smaller portfolio weights to zero. Pelger and Xiong (2018) show that the largest factor portfolio weights already contain most of the information signal even if the true factor itself is not sparse. We approximate the first latent factor by an equally weighted portfolio of all assets and use the 10 largest portfolio weights (in absolute value) to approximate the second to fifth RP-PCA and PCA factors. Table 6 shows these portfolios along with their weights. Their interpretation is in line with Figure 9.

One of the major problems when comparing two different sets of factors is that a factor model is only identified up to invertible linear transformations. Two sets of factors represent the same factor model if the factors span the same vector space. When trying to interpret estimated factors by comparing them with economic factors, we need a measure to describe how close two vector spaces are to each other. Bai and Ng (2006) propose the generalized correlation (GC) as a natural candidate measure. Intuitively, GC measures the correlation between the latent factors and candidate factors after rotating them appropriately. If the q th generalized correlation is high, then the two sets of factors have (at least) q common factors.¹⁶

Table 7 shows the generalized correlations of the original factors with the proxy factors, i.e. the correlations after rotating the latent factors. The generalized correlation of the first four proxy factors with the estimated RP-PCA and PCA factors is 0.91 and higher confirming that the proxy factors provide a good approximation to the latent factors. The fifth GC is somewhat lower; 0.81 for RP-PCA and 0.85 for PCA. The next question is how well the proxy factors price the portfolios.

¹⁶Let F be the K latent factors and G are K_G candidate factors. To what degree can a linear combination of the candidate factors G replicate some or all of the factors F ? The first generalized correlation is the highest correlation that can be achieved through a linear combination of the factors F and the candidate factors G . For the second generalized correlation we first project out the subspace that spans the linear combination for the first generalized correlation and then determine the highest possible correlation that can be achieved through linear combinations of the remaining $K - 1$ respectively $K_G - 1$ dimensional subspaces. This procedure continues until we have calculated the $\min(K, K_G)$ generalized correlation. Mathematically the generalized correlations are the square root of the $\min(K, K_G)$ largest eigenvalues of the matrix $\text{Cov}(F, G)\text{Var}(F)^{-1}\text{Cov}(F, G)\text{Var}(G)^{-1}$. If $K = K_G = 1$ it is simply the correlation.

Panel A of Table 8 shows the pricing statistics for models with proxy factors in comparison with the statistics of the original factors in Panel A. Overall, the results are very similar confirming that the proxy factors retain most of the pricing information of the the original factors.

How do the statistical RP-PCA and PCA factors relate to simple long-short factors (i.e. with weights of 1 for decile 10, -1 of decile 1 and 0 otherwise)? To answer this question, we compute generalized correlations of statistical factors with long-short portfolios. The first LS-factor is the market factor. LS-factors are added incrementally based on the largest accumulative absolute loading of the anomaly in the portfolio weights of the statistical factors. The results are shown in Figure 12. Each panel shows five lines for the five statistical factors in each model/sample. The number of incremental factors is on the x -axis and the generalized correlation is on the y -axis. Consider first the RP-PCA model shown in the left panel. The purple line corresponding to the first RP-PCA factor shows a generalized correlation of close to one with the first LS-factor (the market return) confirming the results described above that the first RP-PCA factor is essentially a market proxy. This is true for the first factors in all cases displayed in Figure 12. The generalized correlation of the second to fifth statistical factors with LS-portfolios is generally significantly lower than one. For example, five LS-portfolios are required to generate a generalized correlation with the second RP-PCA factor of 0.8 while about 10 LS-portfolios are required for factors three and four. The fifth factor is the most difficult to proxy for with LS portfolios; a combination of 18 LS-portfolios yields a generalized correlation of 0.8. These patterns are broadly similar for PCA factors. Statistical factors clearly yield more parsimonious representations of pricing factors than simple LS-factors.

Results for robust SDF estimation

Next, we present results for robust SDF estimators introduced in section 2.4, KNS in (13) and the sparse mean-variance estimator (SMV) (14). Both methods selects factors from a set of given PCA or RP-PCA factors according to their means instead of their variances. The SDF weights of the KNS estimators are shrunk towards zero while weights of chosen factors are set to their mean-variance values in the SMV estimator estimator.¹⁷ Table 3 shows the first 10 RP-PCA and PCA factors as well as their rank when sorted by their means. Lower-order factors typically have high means but there are exceptions. The 7th RP-PCA factor has a higher mean then the second factor. The second PCA has a particularly low mean while the fifth factor has the fourth largest mean. The bold numbers indicate whether a factors is selected by 5-factor KNS/SMV models and show that the factors with the highest means are selected.

Panel B in Table 8 reports the fit of 3- and 5-factor models with RP-PCA and PCA factors. In our sample, the Sharpe-ratios based sparse mean-variance estimation is higher in all cases than the KNS estimator that incorporates sparsity and shrinkage. This is in contrast to the results in KNS

¹⁷As mentioned above, KNS use residuals from CAPM regressions as test assets while we use simple excess returns.

who find that shrinkage improves Sharpe-ratios. The difference might be due to their use of market-orthogonalized returns while we use excess returns.

When compared to the standard SR estimation in Table 2, we find that selecting factors based on means, as in SMV, improves the SR. All PCA-SMV specifications significantly outperform their PCA counterparts in terms of out-of-sample Sharpe-ratios and pricing errors. The Sharpe-ratio of 3-factor PCA-SMV is more than twice as high as that of the PCA model (0.26 vs. 0.10) while the RMS pricing error is also lower. The same pattern is true for the 5-factor models. The effect of SMV for RP-PCA is not as pronounced. The 3-factor RP-PCA-SMV models outperforms the 3-factor RP-PCA model, the difference is reversed for 5-factor models. The online appendix collects additional results for KNS and SMV and confirms that these findings are robust.

The reason for the smaller effect for RP-PCA than for PCA is as follows. SMV chooses factors based on the means (and, implicitly, by their SR) rather than according to their variances. PCA ranks factors by their variance irrespective of their means and Sharpe-ratios. With PCA factors as inputs, SMV selects the highest mean factors, so that the resulting SDF has a significantly higher mean and Sharpe-ratio than the PCA-SDF for which factor means play no role. In contrast, RP-PCA factors are constructed to lower pricing errors and have higher means and SRs than PCA factors. Hence, SMV selects among factors that already have a high mean and the marginal effect is much smaller than for PCA.

Individual stocks

Next, we briefly explore the ability of RP-PCA and PCA to capture returns of individual stocks rather than returns of portfolios. Recall that both methods assume that factor loadings are constant over time and we showed that this assumption is satisfied in the case of portfolio returns. Intuitively, the assumption of constant loadings appears problematic in the case of individual stocks. For example, the turnover in sorts of some anomaly characteristics is very high. For example, a given stock might be in the highest momentum portfolio at some period but in a lower momentum portfolio in another period. If momentum is a priced factor, then the momentum loading of stocks is likely to change over time. To explore whether this is indeed the case, we estimate RP-PCA and PCA on a panel of large stocks.

Our sample consists of monthly excess returns of a balanced panel of stock returns from 5/1972 to 12/2013, which results in $N = 270$ stocks with $T = 500$ monthly returns. The data is obtained from CRSP. We include only stocks that have been constituents of the S&P 500 index at some point during the sample span and have no missing values during the time period that we consider. Extending to a longer time period would drastically reduce the number of stocks in our panel. By construction the stocks in our sample are mainly large cap stocks and the results are not driven by small stocks.

Panel D of Table 2 and Figure 13 show the in-sample and out-of-sample SR, pricing errors and idiosyncratic variance $\overline{\sigma}_e^2$ for the stock sample. Recall that the corresponding results for the sample

with decile-1 and decile-10 portfolio returns are in Figure 6. There are several important differences between the results for the stock versus portfolio samples. First, while the out-of-sample fit were close to their in-sample counterparts, the out-of-sample Sharpe-ratios and pricing errors deteriorate compared to the in-sample results, especially for RP-PCA. In-sample, the IS Sharpe-ratios for RP-PCA models with four factors or more are between 0.25 to 0.28, but are close to zero out-of-sample. The difference between IS and OOS Sharpe-ratios is significant but less extreme for PCA models. The OOS RMS_α for RP-PCA and PCA are about 50% higher than in-sample (≈ 0.25 compared to ≈ 0.41) while the difference is smaller for $\bar{\sigma}_e^2$. Lastly, the 3- and 5-factor Fama-French models yield higher OOS Sharpe-ratios than both PCA models and similar RMS_α and $\bar{\sigma}_e^2$.

Clearly, the RP-PCA and PCA models do not perform well in the sample with individual stocks. RP-PCA models, in particular, extract factors and SDFs with high Sharpe-ratios and low pricing errors in-sample *and* out-of-sample when applied to portfolio data but fits poorly out-of-sample. There are several possible reasons for this difference. First, stock returns are more volatile than portfolio returns, which makes estimation of means more imprecise. Since the RP-PCA estimator is based on means it is likely more sensitive to noisy first moments than PCA models. Second, the signal-to-noise ratio is lower for stock returns than for portfolio returns, which makes the identification of common factors more difficult. Third, the factor structure is likely to be less stable for stocks than for portfolios. For example, the loading of an individual stock on a momentum factor changes over time while loadings of rebalanced portfolios might be more stable.

To investigate the the stability of factors over time, we compute the generalized correlation of factors estimated using the whole sample with factors based on rolling sub-samples. Figures 14 traces the generalized correlations across our portfolio (Panel A) and individual stocks (Panel B) samples. The first generalized correlations of the first four RP-PCA and PCA factors are above 0.9 indicating that the factor structure is stable over time. The fifth factor is less stable over time, in particular for PCA. The fifth generalized correlation drops to 0.15 towards the end of the sample. The fifth RP-PCA generalized correlation is above 0.9 in the second half of our sample but is lower in the first half. For individual stocks in Panel B, the generalized correlations of the first three RP-PCA and PCA are also stable over time, in contrast to the correlations of the fourth and fifth factors. The generalized correlations of the fourth RP-PCA and PCA factors are between 0.5 and 0.9 but below 0.5 for the fifth factors indicating significant instability of the factor structure over time. Hence, it is not surprising that the out-of-sample fit for the sample with individual stocks is worse than that for the sample with portfolio returns. In contrast, the Fama-French factors are based on fixed weights and need not to be estimated and perform as well as the RP-PCA and PCA models out-of-sample.

4. Conclusion

We propose a new estimator, Risk Premium PCA (RP-PCA), for latent asset pricing factors that combines information in the first two moments of asset returns. The explicit objective of RP-PCA

is to extract factors that capture common time-series co-movement as well as yield small cross-sectional pricing errors. RP-PCA can be expressed as a generalization of standard PCA with an additional penalty term on the cross-sectional pricing errors that is motivated by Ross' APT. The RP-PCA estimator can be implemented using a standard eigenvalue composition of the variance-covariance matrix of asset returns after a simple transformation.

Our main conclusions are as follows. The time-series and cross-sectional moments of a sample of 370 single-sorted decile portfolios based on 37 different characteristics can be summarized by five RP-PCA factors. RP-PCA factor models yield higher Sharpe-ratios and smaller pricing errors, in-sample as well out-of-sample, than PCA models without a significant drop in the captured time-series co-movement. The five RP-PCA factors have clear economic interpretations. The first factor is a long-only and highly correlated with the CRSP-VW index with high mean and variance. Factors 2 and 5 have high means and Sharpe-ratios, a relatively low variance with weights that are highly correlated with the mean returns of the test assets. In contrast, factors 3 and 4 have low means and Sharpe-ratios but high variances and linked to value/growth portfolios (factor 3) and momentum and value/growth-interaction portfolios (factor 4). A model with the three high-mean/SR factors 1, 2, and 5 is sufficient to capture most of the cross-sectional return differences with pricing errors that are as small as those for the 5-factor model. Moreover, a 3-factor model with the three high variance RP-PCA factors 1, 3, and 4 captures most of the common time-series co-movement. The Sharpe-ratio of the RP-PCA model is significantly higher than the Sharpe-ratio of PCA factors. The reason is that the addition of the cross-sectional penalty in RP-PCA tilts the portfolio weights of the SDF towards characteristics with high return premia whereas the SDF weights of PCA models are not correlated with return premia. We find that the empirical results are robust across a variety of samples and specifications.

The RP-PCA method can be easily combined with other PCA-based methods, such as the SDF estimation proposed by Kozak et al. (2019) and the instrumented-PCA estimator in Kelly et al. (2017).¹⁸ Both methods include an estimation of factors by PCA that can be substituted by RP-PCA without affecting other parts of the estimator. Replacing PCA with RP-PCA improves the fit substantially in both cases. In other words, RP-PCA is a *complement* to these methods rather than an alternative.

The separation of RP-PCA factors that capture comovement with low means and factors with high means but capture less comovement has implications for asset pricing theory. Low-mean but high-comovement factors indicate the presence of some, potentially unobserved, variable that drives comovement in returns but is only weakly correlated with priced shocks in the SDF. In contrast, high-mean but low-comovement factors must be driven by priced shocks that are largely orthogonal to systematic factors of returns. For example, differences in the exposure to priced shocks to higher-order moments can cause differences in expected returns while at the same time play little role in the comovement of returns. A detailed investigation of the implications for asset pricing models goes

¹⁸The online appendix includes results for IPCA combined with RP-PCA.

beyond the scope of this paper but some potential ingredients of model that matches the dichotomy of factors might include (i) an aggregate priced risk factor, say consumption growth, (ii) asset-specific cash flows that depend on the aggregate risk factor, a common factor that is uncorrelated with the the priced factor, plus an idiosyncratic shock, and (iii) priced stochastic volatility. The common but unpriced common component of cash flows correspond to a low-mean factor that captures return comovement. In contrast, risk premia that are due to exposure to stochastic volatility shocks could yield high-mean factors that capture little return comovement. More generally, the investigation of the theoretical implications of the empirical results from the newly emerging literature on factor modeling presents a promising research agenda.

References

- Bai, J., 2003, Inferential theory for factor models of large dimensions, *Econometrica* 71, 135–171.
- Bai, J., and S. Ng, 2002, Determining the number of factors in approximate factor models, *Econometrica* 70, 191–221.
- Bai, J., and S. Ng, 2006, Evaluating latent and observed factors in macroeconomics and finance, *Journal of Econometrics* 507–537.
- Bai, J., and S. Ng, 2019, Rank regularized estimation of approximate factor models, *Journal of Econometrics* 212, 78–96.
- Benaych-Georges, F., and R. R. Nadakuditi, 2011, The eigenvalues and eigenvectors of finite, low rank perturbations of large random matrices, *Advances in Mathematics* 227, 494–521.
- Cochrane, J. H., 2011, Presidential address: Discount rates., *Journal of Finance* 66, 1047–1108.
- Connor, G., and R. Korajczyk, 1988, Risk and return in an equilibrium apt: Application to a new test methodology, *Journal of Financial Economics* 21, 255–289.
- Connor, G., and R. Korajczyk, 1993, A test for the number of factors in an approximate factor model, *Journal of Finance* 58, 1263–1291.
- Connor, Gregory, and Robert A. Korajczyk, 1986, Performance measurement with the arbitrage pricing theory: A new framework for analysis, *Journal of Financial Economics* 15, 373–394.
- Daniel, Kent, Lira Mota, Simon Rottke, and Tanos Santos, 2019, The cross-section of risk and return, *Working paper* .
- DeMiguel, V., L. Garlappi, F.J. Nogales, and R. Uppal, 2017, A portfolio perspective on the multitude of firm characteristics, *Working paper* .
- Fama, E. F., and K. R. French, 2019, Comparing cross-section and time-series factor models, *Working paper* .
- Fan, J., Y. Liao, and W. Wang, 2016, Projected principal component analysis in factor models, *The Annals of Statistics* 44, 219–254.
- Feng, G., S. Giglio, and D. Xiu, 2019, Taming the factor zoo, *Journal of Finance*, *forthcoming* .
- Freyberger, J., A. Neuhierl, and M. Weber, 2019, Dissecting characteristics nonparametrically, *Review of Financial Studies*, *forthcoming* .
- Giglio, S., and D. Xiu, 2019, Asset pricing with omitted factors, *Working paper* .
- Harvey, C. R., Y. Liu, and H. Zhu, 2016, ... and the cross-section of expected returns., *Review of Financial Studies* 29, 5–68.
- Hou, K., C. Xue, and L. Zhang, 2015, Digesting anomalies: An investment approach, *Review of Financial Studies* 650–705.
- Kelly, B., S. Pruitt, and Y. Su, 2017, Instrumented principal component analysis, *Working Paper* .
- Koijen, Ralph S.J., Hanno Lustig, and Stijn Van Nieuwerburgh, 2017, The cross-section and time series of stock and bond returns, *Journal of Monetary Economics* 88, 50–69.
- Kozak, S., S. Nagel, and S. Santosh, 2019, Shrinking the cross section, *Journal of Financial Economics*,

forthcoming .

Lettau, Martin, and Markus Pelger, 2019, Estimating latent asset pricing factors, *Journal of Econometrics*, *forthcoming* .

Onatski, A., 2012, Asymptotics of the principal components estimator of large factor models with weakly influential factors, *Journal of Econometrics* 244-258.

Pelger, M., 2019, Understanding systematic risk: A high-frequency approach, *Journal of Finance*, *forthcoming* .

Pelger, M., and R. Xiong, 2018, Interpretable proximate factors for large dimensions, *Working paper*

.

Ross, S. A., 1976, The arbitrage theory of capital asset pricing, *Journal of Economic Theory* 13, 341-360.

Stock, James H., and Mark W. Watson, 2002, Forecasting Using Principal Components from a Large Number of Predictors, *Journal of the American Statistical Association* 97, 1167-1179.

Zou, H., and T. Hastie, 2005, Regularization and variable selection via the elastic net, *Journal of the Royal Statistical Society. Series B (Statistical Methodology)* 67, 301-320.

Table 1: Out-of-Sample Fit of RP-PCA, PCA and FF Models – Double-sorted Portfolios

	SR			RMS_α			$\overline{\sigma}_e$		
	RP-PCA	PCA	FF	RP-PCA	PCA	FF	RP-PCA	PCA	FF
SIZE&BM	0.21	0.18	0.16	0.17	0.18	0.18	7.73%	7.69%	7.79%
SIZE&ACC	0.22	0.13	0.11	0.10	0.12	0.12	6.86%	6.52%	7.10%
SIZE&INV	0.26	0.23	0.17	0.13	0.15	0.16	6.99%	7.04%	7.95%
SIZE&OP	0.13	0.13	0.20	0.10	0.10	0.16	6.91%	7.04%	9.38%
SIZE&ST-REV	0.16	0.10	0.08	0.19	0.20	0.20	7.89%	7.87%	7.90%
SIZE&MOM	0.19	0.16	0.23	0.20	0.21	0.22	8.21%	8.31%	12.03%
SIZE&IVOL	0.30	0.24	0.28	0.17	0.18	0.16	6.21%	6.23%	6.61%
SIZE&VOL	0.28	0.22	0.27	0.18	0.20	0.17	6.22%	6.25%	6.63%

Note: OOS Maximal Sharpe-ratios, root-mean-squared pricing errors and unexplained idiosyncratic variation for panels of double-sorted portfolios with $N = 25$. Bold numbers indicate the best performing models.

Table 2: Fit of RP-PCA, PCA and Fama-French Models

Model(K)	In-sample			Out-of-sample		
	SR	RMS _{α}	$\overline{\sigma}_e$	SR	RMS _{α}	$\overline{\sigma}_e$
Panel A: 74 Portfolios						
RP-PCA(3)	0.37	0.24	13.85%	0.31	0.22	15.33%
PCA(3)	0.23	0.26	13.72%	0.10	0.26	15.82%
Fama-French(3)	0.21	0.31	17.48%	0.16	0.25	16.53%
RP-PCA(5)	0.59	0.16	10.40%	0.50	0.15	12.04%
PCA(5)	0.31	0.22	10.27%	0.24	0.19	11.95%
Fama-French(5)	0.32	0.26	15.96%	0.30	0.19	13.68%
Panel B: 370 Portfolios						
RP-PCA(3)	0.23	0.17	12.78%	0.18	0.15	14.57%
PCA(3)	0.17	0.17	12.71%	0.13	0.15	14.66%
Fama-French(3)	0.21	0.18	14.60%	0.16	0.16	14.90%
RP-PCA(5)	0.53	0.14	10.79%	0.45	0.12	12.70%
PCA(5)	0.24	0.14	10.68%	0.16	0.14	12.56%
Fama-French(5)	0.32	0.16	13.56%	0.30	0.13	13.66%
Panel C: 98 Portfolios						
RP-PCA(3)	0.34	0.23	13.58%	0.19	0.23	16.34%
PCA(3)	0.24	0.25	13.52%	0.15	0.24	16.78%
Fama-French(3)	0.21	0.31	17.02%	0.14	0.26	17.73%
RP-PCA(5)	0.54	0.17	10.39%	0.42	0.16	13.05%
PCA(5)	0.33	0.20	10.30%	0.23	0.19	12.90%
Fama-French(5)	0.34	0.23	15.15%	0.22	0.20	14.70%
Panel D: 270 Individual Stocks						
RP-PCA(3)	0.22	0.32	64.37%	0.13	0.40	68.74%
PCA(3)	0.18	0.34	64.25%	0.16	0.41	68.60%
Fama-French(3)	0.22	0.43	70.94%	0.17	0.43	70.68%
RP-PCA(5)	0.26	0.27	59.95%	0.02	0.43	65.72%
PCA(5)	0.23	0.28	59.92%	0.15	0.41	66.11%
Fama-French(5)	0.34	0.39	69.29%	0.25	0.42	68.32%

Note: Maximal Sharpe-ratios, root-mean-squared pricing errors and unexplained idiosyncratic variation. Bold numbers indicate the best performing models for a given K . The samples include 74 decile-1 and decile-10 portfolios in Panel A, all 370 decile portfolios in Panel B, 98 decile-1 and decile-10 portfolios in Panel B for a shorter sample from 11/1973 to 12/2017 ($T = 530$) and 270 individual stocks for a sample from 5/1972 to 12/2013. Unless otherwise note, the sample starts in November 1963 and ends in December 2017 ($T = 650$).

Table 3: Individual Factors

Factor	RP-PCA				PCA			
	Mean	Variance	SR	Mean Rank	Mean	Variance	SR	Mean Rank
1	5.02*	1940.89	0.11	1	4.83*	1950.76	0.11	1
2	2.33*	65.86	0.35	2	0.15	102.60	0.01	9
3	0.24	101.54	0.06	4	1.71*	69.19	0.21	2
4	0.09	65.50	0.03	6	0.94*	64.54	0.12	3
5	0.74*	26.68	0.46	3	0.79	20.16	0.18	5
6	0.04	19.52	0.05	9	0.45*	19.27	0.10	7
7	0.12*	18.05	0.14	5	0.81*	16.50	0.20	4
8	0.05	15.59	0.06	8	0.56*	15.26	0.14	6
9	0.04	13.27	0.06	10	0.15	13.22	0.04	8
10	0.08	12.04	0.12	7	0.12	11.99	0.04	10

Note: The table shows the mean, variance of original factors and the Sharpe ratio of the incremental uncorrelated factor component. Significant means are starred. The tables also shows the rank of the factor means. The five factors with the highest mean are indicated in bold.

Table 4: RP-PCA Factors

Factors	In-sample			Out-of-sample		
	SR	RMS_α	$\bar{\sigma}_e$	SR	RMS_α	$\bar{\sigma}_e$
[1, 2, 3, 4, 5]	0.59	0.16	10.40%	0.50	0.15	12.04%
[1]	0.11	0.33	20.71%	0.10	0.32	22.57%
[1, 2, 5]	0.58	0.21	17.09%	0.51	0.18	18.16%
[2, 5]	0.42	1.73	74.00%	0.38	0.34	21.67%
[1, 3, 4]	0.12	0.33	13.89%	0.01	0.31	15.80%
[3, 4]	0.03	0.66	93.10%	-0.09	0.51	55.60%

Note: Fit for RP-PCA model with subset of factors.

Table 5: Categories

Category	Portfolios	Mean Dec. 1	Mean Dec. 10	SR 10-1
reversal	<i>lrrev, strev, indmomrev, indrrev, indrrevlv</i>	0.14	1.01	0.24
value interaction	<i>valmom, valmomprof, valprof</i>	0.31	1.01	0.16
momentum	<i>mom, mom12, indmom, momrev</i>	0.24	0.84	0.10
value	<i>value, valuem, divp, ep, cfp, sp</i>	0.41	0.87	0.09
investment	<i>inv, invcap, igrowth, growth, noa</i>	0.39	0.71	0.09
other	<i>size, price, accruals, ciss, gmargins, lev, season, sgrowth</i>	0.37	0.65	0.08
profitability	<i>prof, roaa, roea</i>	0.44	0.66	0.06
trading frictions	<i>ivol, shvol, aturnover</i>	0.39	0.65	0.05

Note: Descriptive statistics of categories.

Table 6: Proxy Factors: Largest 10 Portfolio Weights of Factors 2 to 5

RP-PCA							
indmomrev10	2.78	valuem10	3.25	indmom1	1.71	indrrev10	1.48
valmomprof10	2.48	price1	2.87	mom1	1.66	invcap1	1.08
valmom10	2.31	mom121	2.19	valmom1	1.63	strev10	1.04
indrrevlv10	2.24	lrrev10	2.00	valmomprof1	1.54	valuem10	0.97
indmom10	2.00	value10	1.92	indmomrev1	1.54	indmomrev1	-1.02
mom1210	1.98	divp10	1.87	valmomprof10	-1.47	divp10	-1.04
ep10	1.87	sp10	1.74	mom10	-1.50	season1	-1.10
price1	-2.13	lev1	-1.63	price1	-1.76	strev1	-1.56
ivol1	-3.34	value1	-1.67	size10	-2.04	indrrev1	-1.63
mom121	-3.96	valuem1	-1.91	ivol1	-2.27	indrrevlv1	-1.71
PCA							
valuem1	1.89	valmom10	2.38	lev10	1.91	lrrev10	1.31
mom10	1.85	indmom10	2.09	divp10	1.88	prof10	1.25
mom1210	1.84	valmomprof10	1.89	ivol10	1.63	valprof10	1.00
value1	1.58	mom10	1.77	indmomrev1	1.57	momrev10	0.90
value10	-1.61	value10	1.51	shvol10	1.40	aturnover10	0.81
lrrev10	-1.87	valmomprof1	-1.56	roea1	-1.41	invcap10	-0.80
mom1	-1.89	indmom1	-1.85	shvol1	-1.69	valmomprof1	-0.84
mom121	-2.74	valmom1	-1.93	size10	-1.77	prof1	-0.94
price1	-3.17	mom1	-2.23	price1	-2.24	valprof1	-0.95
valuem10	-3.24	mom121	-2.25	ivol1	-2.67	aturnover1	-1.13

Note: Portfolio composition of second to fifth proxy factors based on $N = 74$ extreme deciles. The portfolio weights of the proxy factors are the 10 largest loadings of the latent factors. RP-weight $\gamma = 10$.

Table 7: Correlation of Proxy Factors and Long-short Factors with Original Factors

	Proxy factors	
	RP-PCA	PCA
1.GC	1.00	1.00
2.GC	0.99	0.99
3.GC	0.97	0.97
4.GC	0.91	0.94
5.GC	0.81	0.85

Note: The table shows the generalized correlation of the RP-PCA and PCA factors with the corresponding proxy factors.


Table 8: Alternative Models

	In-sample			Out-of-sample				
Model(K)	SR	RMS_{α}	$\overline{\sigma}_e$	SR	RMS_{α}	$\overline{\sigma}_e$		
Panel A: Proxy Models								
RP-PCA(3)	0.40	0.24	14.27%	0.34	0.22	15.47%		
PCA(3)	0.21	0.28	14.31%	0.14	0.29	16.01%		
RP-PCA(5)	0.54	0.18	11.18%	0.44	0.19	11.94%		
PCA(5)	0.29	0.22	11.04%	0.23	0.19	11.89%		
Panel B: SDF based on factors sorted by means								
Model(K)	SR_{SMV}	SR_{KNS}	RMS_{α}	$\overline{\sigma}_e$	SR_{SMV}	SR_{KNS}	RMS_{α}	$\overline{\sigma}_e$
RP-PCA SMV(3)	0.58	0.47	0.21	17.09%	0.35	0.32	0.21	16.90%
PCA SMV(3)	0.26	0.22	0.24	15.26%	0.26	0.18	0.23	18.18%
RP-PCA SMV(5)	0.66	0.51	0.16	12.65%	0.48	0.39	0.15	13.43%
PCA SMV(5)	0.37	0.18	0.20	13.77%	0.33	0.24	0.18	15.23%


Note: Panel A reports the Sharpe-ratios, root-mean-squared pricing errors and unexplained idiosyncratic variation of Proxy models. Panel B reports results for models with factors chosen according to their means instead of their variances. SR_{SMV} is the Sharpe-ratio for the case when SDF weights are set to their mean-variance values in (14) while SR_{KNS} is based on the KNS estimator in (13). Given K, pricing errors and the idiosyncratic variances are not affected by which SDF method is used. The KNS parameters are set to obtain the SR prior of 0.3 which is approximately the optimal choice in Kozak et al. (2019). The sample consists of 74 decile 1 and 10 portfolios.

Figure 1: Weak Factors – Correlation of Estimated Factor with the True Factor

Panel A: Low Factor Variance




Panel B: High Factor Variance



Note: This plot shows the correlation of the estimated factor with the true factor as a function of γ for different parameter settings implied by the theoretical results of the weak factor model ($N = 370$ and $T = 650$).


Figure 2: Out-of-sample Results as a Function of γ




Note: Out-of-sample maximal Sharpe-ratios, root-mean-squared pricing errors and unexplained idiosyncratic variation for different number of factors and γ . Left: Size/Accrual. Right: Size/Short-Term Reversal

Figure 3: Statistical Factors for Size/Accrual and Size/Short-Term Reversal Portfolios


Panel A: Size/Accrual: RP-PCA




Panel B: Size/Accrual: PCA



Panel C: Size/Short-Term Reversal: RP-PCA




Panel D: Size/Short-Term Reversal: PCA




Note: Heatmap of loadings of $K = 3$ statistical factors and RP- weight $\gamma = 20$.

Figure 4: Eigenvalue Differences for Single-sorted Portfolios

Panel A: $N = 74$




Panel B: $N = 370$




Note: Differences of consecutive eigenvalues of the matrix $\left(\frac{1}{T}\mathbf{X}^T\mathbf{X} + \gamma\tilde{\mathbf{X}}\tilde{\mathbf{X}}^T\right)$ for different RP-weights γ . The red line indicates the critical value of the Onatski-test. First and last decile of 37 single-sorted portfolios ($N = 74$).

Figure 5: Cross-Validation Estimation for decile 1 and 10 portfolios ($N = 74$)




Note: SR as a function of the number of factors k and γ for decile 1 and 10 portfolios ($N = 74$).

Figure 6: Fit for 74 Decile-1 and Decile-10 Portfolios



Note: Maximal Sharpe-ratios, root-mean-squared pricing errors and unexplained idiosyncratic variation for different number of factors. RP-weight $\gamma = 10$.


Figure 7: RMS of Time-series α 's by Characteristic




Note: First and last decile of 37 single-sorted portfolios ($N = 74$). Root-mean-squared pricing errors in- and out-of-sample for 5 RP-PCA and PCA factors.

Figure 8: Portfolio Weights in RP-PCA and PCA SDFs

Panel A: RP-PCA




Panel B: PCA



Note: Portfolio loadings of SDF estimated by RP-PCA and PCA for first and last decile of 37 single-sorted portfolios. The anomalies on the x-axis are sorted by their SR.

Figure 9: Factor Loadings RP-PCA Categories




Factor loadings of factors estimated by RP-PCA and PCA for first and last decile of 37 single-sorted portfolios. Factors are grouped into anomaly categories.

Panel A: RP-PCA




Figure 11: Portfolio Returns and Loadings of high-SR Factors

Panel A: 2nd Factor




Panel B: 5th Factor




Note: This figure shows scatter plots of loadings of the 2nd and 5th factors with portfolio returns for the first and last decile of 37 single-sorted portfolios.

Figure 12: Generalized Correlations or RP-PCA and PCA Factors with Long-short Portfolios



Note: First and last decile of 37 single-sorted portfolios ($N = 74$). Generalized correlation of $K = 5$ statistical factors ($\gamma = 10$) and an increasing number of long-short anomaly factors. The first LS-factor is the market factor and LS-factors are added incrementally based on the largest accumulative absolute loading of the anomaly in the portfolio weights of the statistical factors.


Figure 13: Fit for Individual Stocks




Note: Maximal Sharpe-ratios, root-mean-squared pricing errors and unexplained idiosyncratic variation for different number of factors. RP-weight $\gamma = 10$.

Figure 14: Generalized Correlations of Local Loading Estimates

Panel A: Portfolios



Panel B: Stocks



Note: Generalized correlations between loadings estimated on the whole sample and rolling windows with lengths of 240 months.

Appendix A. A Factor Model

In this paper we consider a simplified factor model with the purpose to make the weak and strong factor models comparable. The assumptions of the strong factor models can be relaxed considerably without affecting the results, as shown in Lettau and Pelger (2019).

Assumption 1: Factor Model

The factor model (2) holds with the following assumptions:

- (a) **Convergence rates:** $T, N \rightarrow \infty$, $N/T \rightarrow c$ with $0 < c < \infty$.
- (b) **Factors:** The factors \mathbf{F} are uncorrelated, are independent of \mathbf{e} and Λ and have bounded first two moments:

$$\hat{\boldsymbol{\mu}}_F = \frac{1}{T} \sum_{t=1}^T \mathbf{F}_t \xrightarrow{p} \boldsymbol{\mu}_F \quad \hat{\boldsymbol{\Sigma}}_F = \frac{1}{T} \mathbf{F}_t \mathbf{F}_t^\top - \hat{\boldsymbol{\mu}}_F \hat{\boldsymbol{\mu}}_F^\top \xrightarrow{p} \boldsymbol{\Sigma}_F = \begin{pmatrix} \sigma_1^2 & \cdots & 0 \\ \vdots & \ddots & \vdots \\ 0 & \cdots & \sigma_K^2 \end{pmatrix}$$

- (c) **Loadings:** The loadings Λ are independent of the factors and residuals.
- (d) **Residuals:** The matrix of residuals can be represented as $\mathbf{e} = \boldsymbol{\epsilon} \boldsymbol{\Sigma}_e$ with $\epsilon_{t,i} \sim i.i.d. N(0, 1)$.

Strong Factor Model

Traditional factor models as in Connor and Korajczyk (1988, 1993), Bai (2003), Bai and Ng (2002) and Stock and Watson (2002) are based on the assumption that factors are “strong” in the following sense. The “strengths” of systematic factors are given by their corresponding eigenvalues of the matrix $\Lambda^\top \Lambda$. The eigenvalues of strong factors diverge to infinity (while in the weak factor models considered below the eigenvalues are bounded). This is captured by the assumption that $\frac{1}{N} \Lambda^\top \Lambda \rightarrow \boldsymbol{\Sigma}_\Lambda$ where $\boldsymbol{\Sigma}_\Lambda$ is a full-rank matrix. Without loss of generality we will use the normalization $\boldsymbol{\Sigma}_\Lambda = \mathbf{I}_K$. The interpretation of the assumption $\frac{1}{N} \Lambda^\top \Lambda \rightarrow \mathbf{I}_K$ is that strong factors affect an infinite number of assets with non-vanishing loadings. One example of this factor structure is $\lambda_{nk} = N(1, 1/\sqrt{N}) \forall n, k$, i.e. the loading of each asset on each factor converge to 1 as N grows. The results below show that in a strong factor model RP-PCA and PCA provide consistent estimators for the loadings and factors but the RP-PCA estimator of the loadings is more efficient than the PCA estimator. Furthermore, the assumptions required for the strong factor model are weaker than those imposed in the weak factor model below.

Assumption 2: Simplified Strong Factor Model

Assume Assumption 1 holds and in addition:

- (a) **Loadings:** $\Lambda^\top \Lambda / N \xrightarrow{p} \mathbf{I}_K$ and all loadings are bounded.
- (b) **Residuals:** All elements and all row sums of $\boldsymbol{\Sigma}_e$ are bounded.

The following result is proven in Lettau and Pelger (2019):

Proposition 1: Simplified Strong Factor Model

Suppose that Assumption 2 holds. The RP-PCA estimator that minimizes the objective function (4) has the following properties:

- (a) The factors and loadings estimators are consistent.
- (b) The asymptotic distribution of the factor estimates is independent of γ .
- (c) The asymptotic distribution of the estimates of the loadings of factor k is given by

$$\sqrt{T} \left(\mathbf{H}^\top \hat{\Lambda}_k - \Lambda_k \right) \rightarrow N(0, \Omega_k).$$

Closed-form expressions of Ω_k and the rotation matrix \mathbf{H} are given in Lettau and Pelger (2019).

- (d) The optimal γ that minimizes the asymptotic variance is $\gamma = 0$. Choosing $\gamma = -1$, i.e. PCA with covariance matrix for factor estimation, is not efficient.

Simulations results below and Lettau and Pelger (2019) show that efficiency gains of choosing $\gamma = 0$ are relatively minor. We conclude that strong factors are relatively easy to estimate by PCA-based methods. We now turn to the more interesting case when factors “weak”.

Weak Factor Model

In contrast to strong factors, weak factors affect only a smaller fraction of the assets (or have a small variance). Formally, in a weak factor model, the matrix $\Lambda^\top \Lambda$ is bounded and converges to a fixed limit, in contrast to a strong factor model where $\frac{1}{N} \Lambda^\top \Lambda$ converges. Without loss of generality, we use the normalization $\Lambda^\top \Lambda \xrightarrow{p} \mathbf{I}_K$. Lettau and Pelger (2019) give a general characterization of weak factors. In this paper, we focus on an easily interpretable class of weak factors of the form $\Lambda_{nk} = N(0, 1/\sqrt{m})$ with probability m/N , $\Lambda_{nk} = 0$ with probability $1 - m/N$. For $m = N$, the factor k affect all assets but the loadings converge to zero. If m is small, fewer assets are affected by the factors (in expectation) but with larger weights. A weak factor can thus either be interpreted as a factor with only a weak effect on many assets or a factor with strong effects on a few assets. Moreover for $m > 1$, factors of this form have the interpretation of long-short portfolios since the mean of all Λ_{nk} is zero, so that in expectation half the loadings are positive and half are negative.

The statistical model for analyzing weak factor models is considerably more complicated than that of the strong factor model and is based on spiked covariance models from random matrix theory (see Lettau and Pelger (2019) for details).¹⁹ The distinction of strong and weak factors matters in practice since the estimation

¹⁹The intuition is as follows. Under the assumptions of random matrix theory the eigenvalues of a sample covariance matrix separate into two areas: (1) the bulk spectrum with the majority of the eigenvalues that are clustered together and (2) some spiked large eigenvalues separated from the bulk. Under appropriate assumptions the bulk spectrum converges to the generalized Marčenko-Pastur distribution. The largest eigenvalues are estimated with a bias which is characterized by the Stieltjes transform of the generalized Marčenko-Pastur distribution. If the largest population eigenvalues are below some critical threshold, a phase transition phenomena occurs. The estimated eigenvalues will vanish in the bulk spectrum and the corresponding estimated eigenvectors will be orthogonal to the population eigenvectors. Onatski (2012) studies weak factor models and shows the phase transition phenomena for weak factors estimated with PCA. Our paper provides a solution to this factor detection problem. It is important to notice that essentially all models in random matrix theory work with processes with mean zero. However, this assumption is not appropriate for factor models of asset returns. Lettau and Pelger (2019) develop new methods when this assumption is relaxed.

of weak factors is more difficult than the estimation of strong factors. Recall that strong factors and their loadings can be estimated consistently. In contrast, PCA-based estimators of weak factors are generally biased, even in the limit as T and N grow. For example, the correlation of an estimated weak factor with the “true” weak factor typically converges to a number less than one (see Proposition 2 below). Lettau and Pelger (2019) derive a set of results that show that RP-PCA dominates standard PCA in a number of dimension. The optimal choice of γ is generally larger than -1 and in most cases larger than 0 . We present some simulation evidence below and refer to Lettau and Pelger (2019) for more results. The bias reduction of choosing $\gamma > -1$ is often substantial.

Moreover, in the weak factor model RP-PCA can detect factors which are missed by conventional PCA. If a weak factor affects “too few” assets, if the loadings are “too small” or if the variance of the factor is “too low”, it cannot be detected by PCA. However, the signal of RP-PCA depends on the mean and the variance of the factors. Thus, RP-PCA can detect weak factors with a high Sharpe-ratio even if the factor is below the critical detection value for PCA. The results in Lettau and Pelger (2019) are summarized in the following proposition.

Assumption 3: Weak Factor Model

Assume Assumption 1 holds and in addition:

- (a) **Loadings:** $\Lambda^\top \Lambda \xrightarrow{p} \mathbf{I}_K$ and the column vectors of the loadings Λ are orthogonally invariant, e.g. $\Lambda_{1k} = N(0, 1/\sqrt{m})$ with prob. m/N , $\Lambda_{nk} = 0$ with prob. $1 - m/N$.²⁰
- (b) **Residuals:** The empirical eigenvalue distribution function of Σ_e converges almost surely weakly to a non-random spectral distribution function with compact support. The supremum of the support is b and the largest eigenvalues of Σ_e converge to b .

As mentioned above, factors of the form considered in Assumption 3 (a) have the interpretation of long-short portfolios that either affect many assets weakly, or few assets more strongly. Assumption 3 (b) is a standard assumption in random matrix theory. The assumption allows for non-trivial weak cross-sectional correlation in the residuals, but excludes serial-correlation.

The following proposition conveys the intuition of the results that are formally stated and proven in Lettau and Pelger (2019).

Proposition 2: Risk-Premium PCA under weak factor model

Suppose that Assumption 3 holds.

Let $\theta_1, \dots, \theta_K$ be the first K largest eigenvalues of an appropriately defined “signal matrix” given in Lettau and Pelger (2019). The eigenvalues $\theta_k = \theta_k(\gamma)$ are strictly increasing functions of γ and have the interpretation of “signal strengths” of individual factors k .

Let \hat{F}_k denote the RP-PCA estimator of factor F_k . Then the correlation of \hat{F}_k with the true factor F_k converges to

$$\text{Corr}(\hat{F}_k, F_k) \xrightarrow{p} \begin{cases} \tau_k(\gamma) > 0 & \text{if } \theta_k(\gamma) > \theta_{\text{crit}} \\ 0 & \text{otherwise.} \end{cases}$$

²⁰The normality assumption is not essential and can be relaxed to allow for a wider class of distributions (e.g. all spherical distributions).

θ_{crit} is a threshold that does not depend on γ or the factors but only on the noise distribution.

$\tau_k(\gamma)$ has the following properties:

- (a) For generic cases $\tau_k(\gamma) < 1$.
- (b) Typically, $\tau_k(\gamma)$ has a unique finite maximum $\gamma^* = \operatorname{argmax} \tau_k(\gamma)$ that yields the highest correlation of the estimated factor with the true factor.
- (c) If $\mu_F \neq 0$, then $\gamma^* > -1$ and RP-PCA yields factor estimates that are more highly correlated with the true factors than PCA with $\gamma = -1$. If $\mu_F = 0$ then $\gamma^* = -1$.

Proposition 2 states that weak factors can only be estimated with a bias even as N and K grow. If a factor is too weak, i.e. its signal strength $\theta_k(\gamma)$ is below the threshold θ_{crit} , then it cannot be detected at all. Since $\theta_k(\gamma)$ is increasing in γ , RP-PCA is more likely to detect factors with lower signal strength than PCA with $\gamma = -1$.

γ also affects the correlations of estimated factors with true factors. Typically, there is a finite γ that maximizes the correlation of detected factors with true factors. In particular, RP-PCA with $\gamma > -1$ yields estimated factors that are more highly correlated with true factors than PCA with $\gamma = -1$.²¹ The factor means μ_F play a crucial role for this result. If the factors have means of zero, $\mu_F = 0$, PCA with $\gamma = -1$ is optimal. If $\mu_F \neq 0$, then RP-PCA with $\gamma > -1$ is optimal. This distinction is important since asset pricing factors have non-zero means.

Figure 1 plots the function $\tau_k(\gamma)$ for parameters used in the simulation exercise described below.²² The variance of the factor in the top panel is set to 0.05 and to 0.1 in the bottom panel. *Ceteris paribus*, a higher factor variance increases the signal strength of the factor. We also consider three positive values for the Sharpe-ratio (or, equivalently, the mean) of the factor, as well as a case with mean-0 factor. The vertical lines indicate the γ that maximizes $\tau_k(\gamma)$.²³ In all cases with positive Sharpe-ratios, $\tau_k(\gamma)$ increases sharply with γ for small γ and then flattens out as γ increases. For fixed factor variance, the gains in the correlation of the estimated and true factors increase with the Sharpe-ratio (and mean) of the factor. Comparing the two panel shows that the optimal γ is higher if the signal strength of the factor is lower (i.e. the factor variance decreases) and if the Sharpe-ratio increases. If the Sharpe-ratio (or the mean) of a factor is zero, then $\tau_k(\gamma)$ is decreasing in γ and the optimal weight $\gamma = -1$, as stated in Proposition 2. Note that in this case $\tau_k(\gamma) = 0$ if γ is large enough. The reason is that the factor mean does not contain any useful information but more and more weight is put on the uninformative cross-sectional errors. Hence, in this case RP-PCA performs strictly worse than PCA.

How should the optimal γ be chosen? Based on our asymptotic theory, there are two possible criteria. First, a very large γ maximizes the probability of detecting a weak factor but lowers the correlation with the true factor. Alternatively, a moderately high γ maximizes this correlation. Another aspect of choosing γ is the out-of-sample performance of the RP-PCA estimator. As we will show in the next section, RP-PCA estimation

²¹Intuitively, the phase transition phenomena that hides weak factors can be avoided by putting some weight on the information captured by the risk-premium.

²²We have estimated the sparse residual correlation matrix with a thresholding approach based on $N = 370$ deciles sorted portfolios as described in the empirical Section 4. The other parameters are the same as in the simulation section.

²³We calculate the smallest value of γ such that $\tau_k(\gamma)$ is less than 0.5% from its maximum value as $\tau_k(\gamma)$ can be essentially flat for large values of γ and there is practically no gain in increasing γ .

deteriorates out-of-sample if γ is chosen too high. In practice, we start with $\gamma = -1$ and then increase γ until the OOS fit is no longer improved.

Appendix B. Simulations

We use a Monte Carlo simulation to study the behavior of the RP-PCA estimator in samples of the size typically encountered in practice. We focus on the effects of γ , the signal strength and excess returns of factors (Lettau and Pelger (2019) conduct a more comprehensive simulation study).

We consider a two factor model, where the first factor mimics a strong “market” factor that affects all assets with an average loading of one. The second factor is a weak long-short factor with an average loading of zero: $\Lambda_{n,1} = 1, \Lambda_{n,2} \sim N(0, 1)$. The mean and standard deviation of the market factor are $\mu_1 = 0.5\%$, $\sigma_1 = 4.5\%$ and the Sharpe ratio is 0.11. The signal strength of the weak second factors depends on its variance σ_2^2 and Sharpe ratio. We consider a variety of different values for σ_F^2 and SR_F to assess the RP-PCA estimation of weak factors.

The performance of RP-PCA is evaluated by the following criteria: (i) the correlation between the estimated and “true” factors, $\rho(\hat{F}_k, F_k)$, (ii) the Sharpe-ratios of the estimated factors, \widehat{SR}_k , and (iii) the root-mean-squared pricing errors of time series regressions of returns on estimated factors, $RMSE = \sqrt{1/N \sum_n \alpha_n^2}$. We normalize the RMSE of the model with estimated factors by the RMSE for the true factors. To conserve space we only report out-of-sample results where we first estimate the loading vector in-sample and then obtain the out-of-sample factor estimates by projecting the out-of-sample returns on the estimated loadings. The sample size of $N = 74$ and $T = 650$ observations is based on our empirical study below. Finally, the correlation matrix of our simulated residuals is set to the empirical correlation that we observe in the data.²⁴

We first consider estimation of the strong first factor. Figure D.1 shows the evaluation criteria as function of γ . Panel A shows that the correlation of the estimated factor and the true factor $\rho(\hat{F}_1, F_1)$ is close to one indicating that unobservable strong factor is estimated with high precision for all values of γ . Panel B shows that the estimated Sharpe ratio \widehat{SR}_1 is close to the true SR of the strong factor (0.11) for all values of γ . This confirms the theoretical results in Proposition 1 that stated that strong factors can be estimated consistently and that γ only affects the efficiency of the estimator. We conclude that strong factors are relatively easy to estimate by PCA-based methods. We next consider the more interesting case of weak factors.

Figure D.2 has the same layout as Figure D.1 but considers a range of values for the variance and Sharpe ratio of the weak factor: $\sigma_2^2 = 0.05, 0.1, 0.5$ and $SR_2 = 0.1, 0.3, 0.6$. The panel columns have different values of σ_2^2 and each panel has four lines corresponding to four different values of SR_2 . Recall that the signal strength of a factor increases in σ_2^2 and SR_2 , so a factor with a small variance but a high Sharpe ratio is detectable by RP-PCA as long as γ is sufficiently high. Consider a factor with a low variance $\sigma_2^2 = 0.05$ (left column in Figure D.2). The top panel shows that the correlation $\rho(F_2, \hat{F}_2)$ is essentially zero if the Sharpe ratio is also low ($SR_2 = 0.1$). This is an example of an undetectable factor that is below the signal threshold in Proposition 2. As the Sharpe ratio of the weak factor increases, the factor becomes detectable as long as γ is set sufficiently high. The intuition is that a non-zero Sharpe ratio contains information that can be exploiting by putting

²⁴In more detail, we have estimated the residual correlation matrix based on $N = 74$ extreme deciles sorted portfolios as described in the Section 3. In each case we have first regressed out the systematic factors and then estimated the residual covariance matrix with a hard thresholding approach setting small values to zero, see Bickel and Levina (2008) and Fan, Liao and Mincheva (2013). This provides a consistent estimator of the residual population covariance matrix. We have regressed out the first 6 PCA factors. Our results remain unchanged when we calculate residuals based on more PCA factors or using RP-PCA factors. The additional results are available upon request. The remaining correlation structure in the residuals is sparse. In particular the estimated eigenvalues of the simulated residuals coincide with the empirical estimates of the eigenvalues. The average idiosyncratic noise level is estimated from the data and set to $\sigma_e^2 = 4$.

more weight on the mean, i.e. increasing γ . Hence a factor that is missed by standard PCA with $\gamma = -1$ can be detected by RP-PCA. However, $\rho(F_2, \hat{F}_2)$ is below one in all cases showing that in contrast to strong factors, weak factors are not fully identifiable as shown theoretically in Proposition 2.

The panel below shows that the estimated Sharpe ratio \widehat{SR}_2 of the second factor increases with γ . This is intuitive since a higher γ allows for a better identification of the weak factor. Finally, the bottom panel shows that the RMSE time-series error decreases slightly with γ if $SR = 0.6$. If the Sharpe ratio is lower, coupled with a low variance of the second factor relative to the variance of the first factor (0.05 vs. 0.21), the true model is dominated by the market factor and identifying the second factor decreases the RMSE only marginally.

The middle column of Figure D.2 considers a larger σ_2^2 of 0.1. The patterns are similar as for $\sigma_2^2 = 0.05$ but the effect of a higher γ is more pronounced. The effect of a higher γ is especially pronounced if the Sharpe ratio of the weak factor is high. For $SR_2 = 0.6$, the improvements along all three evaluation criteria are substantial.

Since the signal strength of the second factor is higher, $\rho(F_2, \hat{F}_2)$ and \widehat{SR}_1 are larger than in the left column as long as γ is sufficiently high. The effect of a higher γ on the normalized RMSE is larger than in the left panel with smaller factor variance. Note that standard PCA misses to detect this factor completely and thus RP-PCA strictly dominates PCA for $\gamma \gtrsim 5$.

In the right columns σ_2^2 is increased further to 0.5. Now, the signal strength is sufficiently high that the second factor is better characterized as strong rather than weak and thus can be estimated regardless of γ . This example shows that RP-PCA is particularly powerful for factors in the intermediate range between very weak factors that are undetectable and factors that are strong enough to be detectable by standard PCA. We will argue in the empirical section below that in the data the market index is a strong factor while any additional factors are better characterized as weak, so that they might be missed by standard PCA but not too weak, so that they can be estimated by RP-PCA.

In Figure D.3, we plot sample paths of one representative simulation run. Each panel shows the paths of cumulative returns of the true factor as well as the cumulative returns of estimated RP-PCA factors for a range of γ 's. The estimated sample paths of the strong factor in the first panel are close to the sample path of the true factor, which is not surprising since the correlations of the estimated factors with the true factor is essentially equal to one, as discussed above. The pattern is different for the second (weak) factor in the second panel since the sample paths of the factor estimates diverge from the path of the true factor. As predicted by Proposition 2, the paths are closer to the path of the true factor for higher γ . In particular, the estimated PCA factor with $\gamma = -1$ has no resemblance to the path of the true factor and thus the weak factor is unidentified by PCA.

Appendix C. Tables


Table C.1: Single-sorted Portfolios

Portfolio	Abbreviation	Mean	SD	SR	Mean		RP-PCA		PCA	
					Dec1	Dec10	Dec1	Dec10	Dec1	Dec10
Ind. Rel. Rev. (L.V.)	indrrevlv	1.28	3.05	0.42	0.00	1.28	-0.29	0.20	0.07	0.09
Industry Mom. Rev.	indmomrev	1.17	3.44	0.34	0.07	1.24	-0.18	0.12	0.07	0.06
Industry Rel. Reversals	indrrev	1.01	4.12	0.24	0.08	1.09	-0.29	0.22	-0.07	-0.05
Seasonality	season	0.79	3.94	0.20	0.22	1.01	-0.19	0.15	0.04	-0.01
Value-Profitability	valprof	0.75	3.81	0.20	0.26	1.01	-0.17	0.15	-0.17	0.28
Momentum (12m)	mom12	1.25	6.88	0.18	-0.16	1.08	-0.17	0.10	-0.14	0.07
Value-Mom-Prof.	valmomprof	0.83	4.83	0.17	0.35	1.18	-0.07	0.15	-0.19	0.20
Investment/Assets	inv	0.47	3.06	0.15	0.40	0.86	-0.06	0.04	0.02	0.06
Composite Issuance	ciss	0.48	3.30	0.14	0.30	0.78	-0.12	0.00	0.02	0.07
Investment Growth	igrowth	0.38	2.71	0.14	0.33	0.71	-0.05	0.02	-0.08	0.00
Sales/Price	sp	0.52	4.28	0.12	0.41	0.93	0.04	0.06	-0.03	0.24
Earnings/Price	ep	0.57	4.69	0.12	0.33	0.90	-0.07	-0.03	-0.10	0.18
Net Operating Assets	noa	0.38	3.28	0.12	0.26	0.64	-0.12	0.10	-0.11	0.00
Accrual	accrual	0.35	3.14	0.11	0.31	0.66	-0.02	0.05	0.06	-0.08
Value (A)	value	0.48	4.56	0.11	0.45	0.93	0.09	-0.01	0.04	0.10
Gross Profitability	prof	0.36	3.38	0.11	0.38	0.75	-0.17	0.19	-0.23	0.19
Asset Turnover	aturnover	0.41	3.83	0.11	0.30	0.71	-0.20	0.12	-0.32	0.24
Value-Momentum	valmom	0.51	5.05	0.10	0.40	0.91	0.07	-0.06	-0.04	0.12
Cash Flows/Price	cfp	0.43	4.37	0.10	0.42	0.85	0.06	-0.05	0.04	0.12
Momentum-Reversals	momrev	0.46	4.84	0.10	0.42	0.88	-0.06	0.09	-0.06	0.08
Asset Growth	growth	0.29	3.46	0.08	0.41	0.70	-0.02	-0.03	-0.04	0.02
Long Run Reversals	lrrev	0.41	5.07	0.08	0.47	0.89	0.00	0.11	0.00	0.18
Industry Momentum	indmom	0.47	6.21	0.08	0.34	0.81	0.03	-0.06	-0.06	0.10
Idiosyncratic Volatility	ivol	0.54	7.16	0.08	-0.01	0.53	-0.18	-0.04	-0.19	0.07
Value (M)	valuem	0.40	5.86	0.07	0.52	0.92	0.08	0.14	0.06	-0.05
Short-Term Reversals	strev	0.36	5.27	0.07	0.26	0.62	-0.26	0.12	-0.06	-0.02
Size	size	0.29	4.80	0.06	0.46	0.75	-0.03	0.09	0.00	0.16
Momentum (6m)	mom	0.35	6.25	0.06	0.58	0.93	0.07	0.00	-0.12	0.07
Leverage	lev	0.26	4.63	0.06	0.48	0.73	0.10	-0.09	0.04	0.22
Return on Assets (A)	roaa	0.21	4.08	0.05	0.37	0.58	-0.08	0.12	-0.16	0.09
Dividend/Price	divp	0.18	5.08	0.04	0.49	0.67	0.02	-0.11	0.08	0.13
Investment/Capital	invcap	0.12	5.01	0.02	0.57	0.68	0.15	-0.09	-0.06	-0.01
Return on Book Equity (A)	roea	0.08	4.39	0.02	0.51	0.59	-0.07	0.08	-0.12	0.13
Sales Growth	sgrowth	0.05	3.64	0.01	0.58	0.53	0.03	-0.08	-0.07	-0.06
Gross Margins	gmargins	0.01	3.37	0.00	0.55	0.56	-0.10	0.10	-0.01	-0.01
Share Volume	shvol	0.02	5.96	0.00	0.49	0.47	-0.03	-0.05	-0.08	0.06
Price	price	0.01	6.80	0.00	0.50	0.49	0.07	-0.03	-0.05	0.01


Note: Long-short portfolios of extreme deciles of 37 single-sorted portfolios from 11/1963 to 12/2017: Mean, standard deviation and Sharpe-ratio, mean of low and high portfolios and contribution to the SDF based on RP-PCA and PCA with (5) applied to the extreme decile portfolios ($N = 74$).

Figure D.1: Simulation - First Factor

Panel A: Correlation with True Factor




Panel B: SR




Note: Correlations and Sharpe-ratios as a function of γ for different variances and Sharpe ratios for the first (strong) factor.

Figure D.2: Simulation - Second Factor



Note: Out-of-sample correlations, Sharpe-ratios and normalized RMSE for the second (weak) factor as a function of γ for different variances and Sharpe ratios.

Figure D.3: Simulation - Factor realizations



Note: Sample path of one representative simulation for the cumulative returns of the true factor as well as estimated factors for different values of γ .