## Advance Data Bases - Project 2

Abhinav Bajaj (ab3900), Rafica Abdul Rahim (ra2688)

#### List of Files for submission -

main.py - File with the code of the main framework of the system.

QuestionAnswer.py - Main file for Question Answering part

infoboxMain.py - Main file for Infobox part

Actor.py - File that contains the mapping for Actor and prints the actor information

Author.py - File that contains the mapping for Actor and prints the actor information

BussPerson.py - File that contains the mapping for Actor and prints the actor information

freebaseUtil.py - File that contains the mapping for Actor and prints the actor information

League.py - File that contains the mapping for Actor and prints the actor information

Person.py - File that contains the mapping for Actor and prints the actor information

SportsTeam.py - File that contains the mapping for Sports team and prints the Sports team information

printUtil.py - This file contains the methods that actually prints the output

README.pdf - This file

Makefile - File containing the steps to compile and run the code on CLIC machines

Transcript.txt - File containing the results of test cases

#### Running the program -

The project is in Python.

#### **Run Command Options -**

```
1.python mainFile.py --key <Freebase API key> -q <query> -t
<infobox|question>
```

NOTE: In case when query has multiple words then they should be in double quotes. For example,

2.python mainFile.py --key <Freebase API key> -f <file of queries> -t
<infobox|question>

NOTE: The question has multiple words so it should be in double quotes. For example,


### Freebase API Key

AIzaSyBuMq3W5wfLezCtWX9rIZXbGSXNtCCG7hY

Configured with 50 requests per second per user


### **Design Description**

The major work flow or design of the program is presented in the flow diagram below




# Design of Infobox (Part 1)

The major work flow or design of the Infobox function is presented in the flow diagram below -



## Design of Question Answering (Part 2)

The major work flow or design of the question answering function is presented in the flow diagram below -



# Entity and Property Mapping List

## Part 1

The below table show the mapping list of all the entity types used in this part of the project -

Entity Type in the Project	Freebase Entity Type
Person	/people/person
Author	/book/author
Actor	/film/actor
	/tv/tv_actor
BusinessPerson	/organization/organization_founder /business/board_member
League	/sports/sports_league
SportsTeam	/sports/sports_team /sports/professional_sports_team

The below table shows the mapping list of all the Freebase property -

Entity Type/Property of interest	Freebase Property	Comments
Person		
Name	/type/object/name	Used only the first entry from the array of values provided by freebase json, as people have single name value.
Birthday	/people/person/date_of_birth	Used only the first entry from the array of values provided by freebase json, as people have single date of birth.
Place of Birth	/people/person/place_of_birth	Used only the first entry from the array of values provided by freebase json, as people have single place of birth.
Death.Place	/people/deceased_person/plac e_of_death	Used only the first entry from the array of values provided by freebase json as people have single place of death.
Death.Date	/people/deceased_person/dat e_of_death	Used only the first entry from the array of values provided by freebase json as people have single date of death.
Death.Cause	/people/deceased_person/cau se_of_death	Used all the values provided by freebase json as people may have many reasons of death. For example "Jackson" query.
Siblings	/people/person/sibling_s:/people/sibling_relationship/sibling	Used all the values provided by freebase json for the first level property as people can have multiple siblings. Took the name from the second level property.
Spouses	/people/person/spouse_s:/people/marriage/spouse	Used all the values provided by freebase json for the first level property as people can have

		multiple spouses. Took the name from the second level property.
Spouses.from	/people/person/spouse_s:/people/marriage/from	Took the "from" the second level property.  The property information is added only if it is available.
Spouses.to	/people/person/spouse_s:/people/marriage/to	Took the "to" the second level property. The property information is added only if it's available else it's assumed as "now"
Spouses.location _of_ceremony	/people/person/spouse_s:/peo ple/marriage/location_of_cere mony	Took the location of ceremony the second level property. The property information is added only if it is available.
Description	/common/topic/description	Used only the first entry from the array of values provided by freebase json.
Author		
Books(Title)	/book/author/works_written	Used all the values provided by freebase json as author might have written multiple books.
Book About the Author(Title)	/book/book_subject/works	Used all the values provided by freebase json as there can be many books about the author.
Influenced	/influence/influence_node/infl uenced	Used all the values provided by freebase json as author might have influenced multiple persons
Influenced by	/influence/influence_node/infl uenced_by	Used all the values provided by freebase json as author might be influenced by multiple persons
Actor		
FilmsParticipated .Film Name	/film/actor/film:/film/performa nce/character	Used all the values provided by freebase json for the first level property as Actor can do multiple films. Took the film name from the second level property.
FilmsParticipated .Character	/film/actor/film:/film/performa nce/film	Used all the values provided by freebase json for the first level property as Actor can do multiple films. Took the character name from the second level property. Assumed there is only one character per film. Could not find any such example in reference implementation where an actor did multiple character in same film.
BusinessPerson		
Leadership.Organ ization	/business/board_member/lead er_of:/organization/leadership /organization	Used all the values provided by freebase json for the first level property as business person can have leadership in multiple organization. Took the name from the second level property.
Leadership.To	/business/board_member/lead er_of:/organization/leadership /to	Took the "to" the second level property. The property information is added only if it's available else it's assumed as "now"
Leadership.From	/business/board_member/lead er_of:/organization/leadership /from	Took the "from" the second level property.  The property information is added only if it is available.

Leadership.Role	/business/board_member/lead er_of:/organization/leadership /role	Took the "from" the second level property. The property information is added only if it is available.
Leadership.Title	/business/board_member/lead er_of:/organization/leadership /title	Took the "from" the second level property. The property information is added only if it is available.
BoardMember.Or ganization	/business/board_member/orga nization_board_memberships:/ organization/organization_boa rd_membership/organization	Used all the values provided by freebase json for the first level property as business person can be board member in multiple organization. Took the name from the second level property.
BoardMember.To	/business/board_member/orga nization_board_memberships:/ organization/organization_boa rd_membership/to	Took the "to" the second level property. The property information is added only if it's available else it's assumed as "now"
BoardMember.Fr om	/business/board_member/orga nization_board_memberships:/ organization/organization_boa rd_membership/from	Took the "from" the second level property. The property information is added only if it is available.
BoardMember.Ro le	/business/board_member/orga nization_board_memberships:/ organization/organization_boa rd_membership/role	Took the "from" the second level property. The property information is added only if it is available.
BoardMember.Tit le	/business/board_member/orga nization_board_memberships:/ organization/organization_boa rd_membership/title	Took the "from" the second level property. The property information is added only if it is available.
Founded	/organization/organization_fou nder/organizations_founded	Used all the values provided by freebase json as business person might have founded multiple organizations.
League		
Name	/type/object/name	Used only the first entry from the array of values provided by freebase json, as League have single name value.
Championship	/sports/sports_league/champi onship	Used only the first entry from the array of values provided by freebase json, as League have single championship value.
Sport	/sports/sports_league/sport	Used only the first entry from the array of values provided by freebase json, as League have single sport value.
Slogan	/organization/organization/slo gan	Used only the first entry from the array of values provided by freebase json, as League have single slogan value.
OfficialWebsite	/common/topic/official_websit e	Used only the first entry from the array of values provided by freebase json, as League have single official website value.
Description	/common/topic/description	Used only the first entry from the array of values provided by freebase json.

Teams	/sports/sports_league/teams:/ sports/sports_league_participa tion/team	Used all the values provided by freebase json for the first level property as League can have multiple teams. Took the film name from the second level property.
SportsTeam		
Name	/type/object/name	Used only the first entry from the array of values provided by freebase json, as team have single name value.
Description	/common/topic/description	Used only the first entry from the array of values provided by freebase json.
Sport	/sports/sports_team/sport	Used only the first entry from the array of values provided by freebase json, as team will be for single sport.
Arena	/sports/sports_team/arena_sta dium	Used only the first entry from the array of values provided by freebase json, as team will be for single main arena.
Championships	/sports/sports_team/champion ships	Used all the values provided by freebase json for the first level property as team can win multiple championships.
Coaches.Name	/sports/sports_team/coaches:/ sports/sports_team_coach_ten ure/coach	Used all the values provided by freebase json for the first level property as team can have multiple coaches. Took the name from the second level property.
Coaches. Position	/sports/sports_team/coaches:/ sports/sports_team_coach_ten ure/position	Used only the first entry from the array of values provided by freebase json, as coach will be for single position.
Coaches.From	/sports/sports_team/coaches:/ sports/sports_team_coach_ten ure/from	Took the "from" the second level property. The property information is added only if it is available.
Coaches.To	/sports/sports_team/coaches:/ sports/sports_team_coach_ten ure/to	Took the "to" the second level property. The property information is added only if it's available else it's assumed as "now"
Founded	/sports/sports_team/founded	Used only the first entry from the array of values provided by freebase json, as team have single founded value.
Leagues	/sports/sports_team/league:/s ports/sports_league_participat ion/league	Used only the first entry from the array of values provided by freebase json, as team can belong to single league value.
Locations	/sports/sports_team/location	Used only the first entry from the array of values provided by freebase json, as team have single locations value.
PlayersRoster.Na me	/sports/sports_team/roster:/sp orts/sports_team_roster/playe r	Used all the values provided by freebase json for the first level property as roster can have multiple players. Took the name from the second level property.

PlayersRoster.Pos ition	/sports/sports_team/roster:/sp orts/sports_team_roster/positi on	Used all the values provided by freebase json for the this property as player can have multiple positions to play on.
PlayersRoster.Nu mber	/sports/sports_team/roster:/sp orts/sports_team_roster/numb er	Used only the first entry from the array of values provided by freebase json, as player can have single number.
PlayersRoster.Fro m	/sports/sports_team/roster:/sp orts/sports_team_roster/from	Took the from the second level property. The property information is added only if it is available.
PlayersRoster.To	/sports/sports_team/roster:/sp orts/sports_team_roster/to	Took the "to" the second level property. The property information is added only if it's available else it's assumed as "now"

### Part 2

Creator	Creations
Author: /book/author	Books written: /book/author/works_written
Founder:/organization/organization_foun	Organizations founded:
der	/organization/organization_founder/organizations_foun
	ded

The MQL Query used to get the authors is

```
[{
    "/book/author/works_written": [{ "a:name": null, "name~=": "Lord
of the Rings" }],
    "id": null,
    "name": null,
    "type": "/book/author"
}]
```

### The MQL Query used to get the founders is

```
[{
     "/organization/organization_founder/organizations_founded": [{
"a:name": null, "name~=": "microsoft" }],
     "id": null,
     "name": null,
     "type": "/organization/organization_founder"
}]
```