Harmonized Tariff Schedule of the United States Revision 19 (2025)

Annotated for Statistical Reporting Purposes

SECTION IX

WOOD AND ARTICLES OF WOOD; WOOD CHARCOAL; CORK AND ARTICLES OF CORK; MANUFACTURES OF STRAW, OF ESPARTO OR OF OTHER PLAITING MATERIALS; BASKETWARE AND WICKERWORK

IX-1

Harmonized Tariff Schedule of the United States Revision 19 (2025)

Annotated for Statistical Reporting Purposes

CHAPTER 44

WOOD AND ARTICLES OF WOOD: WOOD CHARCOAL

IX 44-1

Notes

- 1. This chapter does not cover:
 - (a) Wood, in chips, in shavings, crushed, ground or powdered, of a kind used primarily in perfumery, in pharmacy, or for insecticidal, fungicidal or similar purposes (heading 1211);
 - (b) Bamboo or other materials of a woody nature of a kind used primarily for plaiting, in the rough, whether or not split, sawn lengthwise or cut to length (heading 1401);
 - (c) Wood, in chips, in shavings, ground or powdered, of a kind used primarily in dyeing or in tanning (heading 1404);
 - (d) Activated charcoal (heading 3802);
 - (e) Articles of heading 4202;
 - (f) Goods of chapter 46;
 - (g) Footwear or parts thereof of chapter 64;
 - (h) Goods of chapter 66 (for example, umbrellas and walking-sticks and parts thereof);
 - (ii) Goods of heading 6808;
 - (k) Imitation jewelry of heading 7117;
 - Goods of section XVI or section XVII (for example, machine parts, cases, covers, cabinets for machines and apparatus and wheelwrights' wares);
 - (m) Goods of section XVIII (for example, clock cases and musical instruments and parts thereof);
 - (n) Parts of firearms (heading 9305);
 - (o) Articles of chapter 94 (for example, furniture, luminaires and lighting fittings, prefabricated buildings);
 - (p) Articles of chapter 95 (for example, toys, games, sports equipment);
 - (q) Articles of chapter 96 (for example, smoking pipes and parts thereof, buttons, pencils, and monopods, bipods, tripods and similar articles) excluding bodies and handles, of wood, for articles of heading 9603; or
 - (r) Articles of chapter 97 (for example, works of art).
- 2. In this chapter, the expression "densified wood" means wood which has been subjected to chemical or physical treatment (being, in the case of layers bonded together, treatment in excess of that needed to insure a good bond), and which has thereby acquired increased density or hardness together with improved mechanical strength or resistance to chemical or electrical agencies.
- 3. Headings 4414 to 4421 apply to articles of the respective descriptions of particle board or similar board, fiberboard, laminated wood or densified wood as they apply to such articles of wood.
- 4. Products of heading 4410, 4411 or 4412 may be worked to form the shapes provided for in respect of the articles of heading 4409, curved, corrugated, perforated, cut or formed to shapes other than square or rectangular or submitted to any other operation provided it does not give them the character of articles of other headings.
- Heading 4417 does not apply to tools in which the blade, working edge, working surface or other working part is formed by any of the materials specified in note 1 to chapter 82.
- Subject to note 1 above and except where the context otherwise requires, any reference to "wood" in a heading of this chapter applies also to bamboo and other materials of a woody nature.

Harmonized Tariff Schedule of the United States Revision 19 (2025)

Annotated for Statistical Reporting Purposes

IX 44-2

Subheading Notes

- 1. For the purposes of subheading 4401.31, the expression "wood pellets" means by-products such as cutter shavings, sawdust or chips, of the mechanical wood processing industry, furniture-making industry or other wood transformation activities, which have been agglomerated either directly by compression or by the addition of a binder in a proportion not exceeding 3 percent by weight. Such pellets are cylindrical, with a diameter not exceeding 25 mm and a length not exceeding 100 mm.
- 2. For the purposes of subheading 4401.32, the expression "wood briquettes" means by-products such as cutter shavings, sawdust or chips, of the mechanical wood processing industry, furniture making or other wood transformation activities, which have been agglomerated either directly by compression or by the addition of a binder in a proportion not exceeding 3 percent by weight. Such briquettes are in the form of cubiform, polyhedral or cylindrical units with the minimum cross-sectional dimension greater than 25 mm.
- 3. For the purposes of subheading 4407.13, "S-P-F" refers to wood sourced from mixed stands of spruce, pine and fir where the proportion of each species varies and is unknown.
- 4. For the purposes of subheading 4407.14, "Hem-fir" refers to wood sourced from mixed stands of Western hemlock and fir where the proportion of each species varies and is unknown.

Additional U.S. Notes

- In this chapter:
 - (a) The term "wood waste" means residual material other than firewood resulting from the processing of wood, including scraps, shavings, sawdust, veneer clippings, chipper rejects and similar small wood residues, as well as larger or coarser solid types of residual wood such as slabs, edgings, cull pieces and veneer log cores;
 - (b) The term "standard wood moldings" means wood moldings worked to a pattern and having the same profile in cross section throughout their length; and
 - (c) The term "<u>surface covered</u>," as applied to the articles of headings 4411 and 4412, means that one or more exterior surfaces of a product have been treated with creosote or other wood preservatives, or with fillers, sealers, waxes, oils, stains, varnishes, paints or enamels, or have been overlaid with paper, fabric, plastics, base metal, or other material.
- 2. The effectiveness of the proviso to section 304(a)(3)(J) of the Tariff Act of 1930 (19 U.S.C. 1304(a)(3)(J)), to the extent permitted by that section and as provided for in schedule XX to the General Agreement on Tariffs and Trade, is suspended, with the result that sawed lumber and sawed timbers however provided for, telephone, trolley, electric light and telegraph poles of wood and bundles of shingles, other than red cedar shingles, shall not be required to be marked to indicate the country of origin.
- 3. Heading 4409 includes articles having a repeating design worked along any edge or face.
- 4. Heading 4418 includes--
 - (a) drilled or notched lumber studs; and
 - (b) multi-layer assembled flooring panels having a face ply 4 mm or more in thickness.

Statistical Note

 For the purposes of heading 4407, the term "<u>rough</u>" includes wood that has been edged, resawn, crosscut or trimmed to smaller sizes but it does not include wood that has been dressed or surfaced by planing on one or more edges or faces or has been edge-glued or end-glued.

		I	Χ	
1	1		3	

Heading/	Stat.	Autolo Documentos	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
1401		Fuel wood, in logs, in billets, in twigs, in faggots or in similar forms; wood in chips or particles; sawdust and wood waste and scrap, whether or not agglomerated in logs, briquettes, pellets or similar forms: Fuel wood, in logs, in billets, in twigs, in faggots or in similar			Op some	
1401.11.00	00	forms: Coniferous		Free ^{1/}		20%
1401.12.00	00	Nonconiferous	kg	Free ^{1/}		20%
1401.21.00	00	Wood in chips or particles: Coniferous				Free
401.22.00	00	Nonconiferous				Free
		Sawdust and wood waste and scrap, agglomerated in logs, briquettes, pellets or similar forms:				
1401.31.00	00	Wood pellets	_			Free ^{2/}
1401.32.00	00	Wood briquettes	kg	Free ^{1/}		Free ^{2/}
1401.39 1401.39.20	00	Other: Artificial fire logs composed of wax and sawdust, with or without added materials	le a	- 1/		20%
4 4 0 4 0 0 4 0						
4401.39.42	10	OtherSawdust		Free"		Free ^{2/}
	20	Shavings	"			
	90	Other	_			
1404 44 00		Sawdust and wood waste and scrap, not agglomerated:		1/		F
1401.41.00	00	Sawdust				Free
4401.49.00	20	Other		Free ^{1/}		Free
	20	Shavings				
4400	90	Other	кд			
1402 1402.10.00	00	Wood charcoal (including shell or nut charcoal), whether or not agglomerated: Of bamboo		- 1/		Eroo
						Free _
4402.20.00		Of shell or nut				Free
1402.90.01	00	Other	t	Free ^{1/}		Free

	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
Cabilleduling	fix	Attiolo Docomption	Quantity	General	Special	
403		Wood in the rough, whether or not stripped of bark or sap- wood, or roughly squared: Treated with paint, stain, creosote or other preservatives:		47		
403.11.00	20	Coniferous Poles, piles and posts: Telephone, telegraph and electrical power		Free ^{1/}		Free
	40	poles Fence posts				
	50 60	OtherOther	m m³			
403.12.00		Nonconiferous Poles, piles and posts:		Free ^{1/}		Free
	20	Telephone, telegraph and electrical power poles	m			
	40	Fence posts	m			
	50 60	OtherOther				
1403.21.01		Other, coniferous: Of pine (Pinus spp.), of which the smallest cross-sectional dimension is 15 cm or more		Free ^{1/}		Free
	12	Poles, piles and posts: Telephone, telegraph and electrical power poles	m			
	15	Fence posts	m			
	16	OtherLogs and timber:	m			
	20	Southern yellow pine (Loblolly pine (<u>Pinus taeda</u>)), long leaf pine (<u>Pinus palustris</u>), pitch pine (<u>Pinus rigida</u>), short leaf pine (<u>Pinus echinata</u>), slash pine (<u>Pinus elliottii</u>) and				
	25	Virginia pine (<u>Pinus virginiana</u>) Ponderosa pine (<u>Pinus ponderosa</u>)				
	30	Other	m^3			
	65	Other	m ³			

		ΙX	
1	1	-5	

Heading/	Stat.	Auticle Description	Unit			ates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1	Special	2
1403 (con.)		Wood in the rough, whether or not stripped of bark or sapwood, or roughly squared: (con.)				·	
1403.22.01		Other, coniferous: (con.)		1/			Free
1403.22.01	00	Of pine (Pinus spp.), otherPulpwood	³	Free "			Free
	80		Ш				
	12	Poles, piles and posts: Telephone, telegraph and electrical power poles	m				
	4.5						
	15	Fence posts					
	16	Other Logs and timber:	m				
	20	Southern yellow pine (Loblolly pine (<u>Pinus taeda</u>)), long leaf pine (<u>Pinus palustris</u>), pitch pine (<u>Pinus rigida</u>), short leaf pine (<u>Pinus echinata</u>), slash pine (<u>Pinus elliottii</u>) and Virginia pine (<u>Pinus virginiana</u>)	m³				
	25	Ponderosa pine (Pinus ponderosa)	m^3				
	30	Other	m^3				
	65	Other	m ³				
4403.23.01		Of fir (<u>Abies</u> spp.) and spruce (<u>Picea</u> spp.), of which the smallest cross-sectional dimension is 15 cm or more		Free ^{1/}			Free
		Poles, piles and posts:		riee			1100
	12	Telephone, telegraph and electrical power					
		poles	m				
	15	Fence posts	m				
	16	Other	m				
		Logs and timber:					
	35	Spruce (<u>Picea</u> spp.)	m ³				
	42	Other fir; balsam	m^3				
	65	Other	m³				
1403.24.01		Of fir (Abies spp.) and spruce (Picea spp.), other		Free ^{1/}			Free
	04	Pulpwood	m³				
	12	Poles, piles and posts: Telephone, telegraph and electrical power poles	m				
	15	Fence posts					
		'					
	16	Other Logs and timber:	m				
	35	Spruce (<u>Picea</u> spp.)	m ³				
	42	Other fir; balsam					
	65	Other	m ³				

Heading/	Stat.	Article Description	Unit		Rates of Duty	2
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
4403 (con.) 4403.25.01		Wood in the rough, whether or not stripped of bark or sap- wood, or roughly squared: (con.) Other, coniferous: (con.) Other, of which the smallest cross-sectional dimension is 15 cm or more		Free ^{1/}		Free
	12	Poles, piles and posts: Telephone, telegraph and electrical power poles		Tiee		
	15	Fence posts	m			
	16	OtherLogs and timber:				
	40	Douglas-fir (<u>Pseudotsuga menziesii</u>)				
	50	Western hemlock (<u>Tsuga</u> heterophylla)				
	52	Other hemlock				
	55	Western red cedar (Thuja plicata)				
	57	Other cedar				
	64 65	Other	m° m³			
4403.26.01	00	Other		Free ^{1/}		Free
	80	Pulpwood Poles, piles and posts:	m ³			
	12	Telephone, telegraph and electrical power poles	m			
	15	Fence posts	m			
	16	Other	m			
	40	Logs and timber: Douglas-fir (<u>Pseudotsuga</u> <u>menziesii</u>)				
	50	Western hemlock (Tsuga heterophylla)				
	52	Other hemlock				
	55	Western red cedar (Thuja plicata)				
	57	Other cedar				
	64	Other	m ³			
4403.41.00	65 00	OtherOther, of tropical wood: Dark Red Meranti, Light Red Meranti and Meranti Bakau	m ³	Free ^{1/}		Free
4403.42.00	00			Free ^{1/}		Free
4403.49.02				Free ^{1/}		Free

		I)	X	
1	1		٠	7	

Heading/	Stat.	Artiala Description	Unit	<u> </u>	Rates of Duty	2
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
1403 (con.)		Wood in the rough, whether or not stripped of bark or sapwood, or roughly squared: (con.)				
1403.91.00		Other: Of oak (Quercus spp.)		⊏u - 1/		Free
1403.31.00	20	Of red oak		Free**		riee
	40	Other				
1403.93.01	00	Off beech (<u>Fagus</u> spp.), of which the smallest cross-sectional dimension is 15 cm or more		. Free ^{1/}		Free
1403.94.01	00	Of beech (Fagus spp.), other	_			Free
1403.95.01		Of birch (<u>Betula</u> spp.), of which the smallest cross-sectional dimension is 15 cm or more				Free
	27	Poles, piles and posts		riee		1100
	30	Other				
1403.96.01		Of birch (Betula spp.), other		Free ^{1/}		Free
	23	Pulpwood		1.00		
	27	Poles, piles and posts				
	30	Other	m ³			
1403.97.00		Of poplar and aspen (Populus spp.)		Free ^{1/}		Free
	22	Pulpwood	m³			
	26	Poles, piles and posts				
		Other:				
	65	Of yellow poplar (<u>Liriodendron</u> tulipifera)	m³			
	67	Of other poplar; of aspen or cottonwood	m³			
1403.98.00		Of eucalyptus (<u>Eucalyptus</u> spp.)		Free ^{1/}		Free
	23	Pulpwood				
	28	Poles, piles and posts	m³			
	95	Other	m³			
4403.99.01		Other		Free ^{1/}		Free
	23	Pulpwood				
	28	Poles, piles and posts	m³			
		Other:	2			
	40	Of ash (<u>Fraxinus</u> spp.)				
	50	Of western red alder (Alnus rubra)				
	55	Of cherry (Prunus spp.)	m³			
	60	Of maple (Acer spp.)	m³			
	70	Of walnut (<u>Juglans</u> spp.)	m³			
	75	Of paulownia (Paulownia spp.)				
	95	Other				
		Other	" '"			
						I

	tat. Suf-	Article Description	Unit of		Rates of Duty 1	2
11.	fix	Attalia Description	Quantity	General	Special	
404.10.00		Hoopwood; split poles; piles, pickets and stakes of wood, pointed but not sawn lengthwise; wooden sticks, roughly trimmed but not turned, bent or otherwise worked, suitable for the manufacture of walking-sticks, umbrellas, tool handles or the like; chipwood and the like: Coniferous		Free ^{1/}		Free
	40	Fence pickets, palings and rails		riee		1100
	30	Poles, piles and posts	_			
_			_			
404.20.00	90	Other Nonconiferous		Free ^{1/}		Free ^{2/}
	40	Fence pickets, palings and rails		riee		riee
	30	Poles, piles and posts	_			
	90	Other	_			
			ľ	1/	F (A ALL DIL	00.4/00/
.405.00.00	JU	Wood wool (excelsior); wood flour	kg	3.2% ^{1/}	Free (A+, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3%
406		Railway or tramway sleepers (cross-ties) of wood:				
1406 11 00 0	20	Not impregnated:	m³	Free ^{1/}		Free
406.11.00 0	JU	Coniferous	Mo.	Free-		1166
406.12.00 0	าก	Nonconiferous	m ³	Free ^{1/}		Free
1400.12.00	50	Noncomercus	No.	1100		
		Other:		.,		_
406.91.00	00	Coniferous	m³	Free ^{1/}		Free
			No.	_ 1/		Eroo
406.92.00 0	00	Nonconiferous	m³ No.	Free ^{1/}		Free

		lλ
1	1	_C

Heading/	Stat.	A C L D L L C	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
107	IIX.	Wood sawn or chipped lengthwise, sliced or peeled, whether	Quantity	General	Оресіаі	
+07		or not planed, sanded or end-jointed, of a thickness exceeding				
		6 mm:				
		Coniferous:				
407.11.00		Of pine (Pinus spp.)		Free ^{1/}		\$1.70/m ^{32/}
	01	Finger-jointed	m^3			ľ
		Other:				
	02	Treated with paint, stain, creosote or other				
		preservative	m^3			
		Not treated:				
		Eastern white pine (Pinus strobus) and red				
		pine (Pinus resinosa):				
	42	Rough	m^3			
	43	Other				
		Lodgepole pine (Pinus contorta):				
	44	Rough	m^3			
	45	Other	m ³			
	73	Southern yellow pine (Loblolly pine (Pinus	""			
		taeda)), long leaf pine (Pinus palustris),				
		pitch pine (Pinus rigida), short leaf pine				
		(<u>Pinus echinata</u>), slash pine (<u>Pinus elliottii</u>)				
		and Virginia pine (<u>Pinus virginiana</u>):	2			
	46	Rough	m³			
	47	Other	m^3			
		Ponderosa pine (Pinus ponderosa):				
	48	Rough				
	49	Other	m^3			
		Other pine:				
	52	Rough				
	53	Other	m^3			
						1
	Ī	I .		I	I	1

	Stat.	Article Description	Unit		Rates of Duty	2
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
1407 (con.)		Wood sawn or chipped lengthwise, sliced or peeled, whether			·	
		or not planed, sanded or end-jointed, of a thickness exceeding				
		6 mm: (con.) Coniferous: (con.)				
407.12.00		Of fir (Abies spp.) and spruce (Picea spp.)		Free ^{1/}		\$1.70/m ³ 2/
	01	Finger-jointed	m ³	1.00		φ117 0/111
		Other:				
	02	Treated with paint, stain, creosote or other	2			
		preservative	m ³			
		Not treated:				
	17	Sitka spruce (<u>Picea</u> <u>sitchensis</u>): Rough	m ³			
		Other				
	18	OtherOther spruce:	m			
	19	Rough	m^3			
	20	Other				
		Fir (Abies spp.):				
	58	Rough	m ³			
	59		m ³			
1407.13.00	00	Of S-P-F (spruce (<u>Picea</u> spp.), pine (<u>Pinus</u> spp.) and fir (<u>Abies</u> spp.))	m ³	Froo 1/		\$1.70/m ³ 2/
			m	Free-		\$1.70/111
407.14.00	00	Of Hem-fir (Western hemlock (Tsuga heterophylla) and fir (Abies spp.))	m ³	Free ^{1/}		\$1.70/m ³
		απο πι (<u>ποισο</u> ορφ./)		1166		φ1.70/111

	I	Χ	
44-	1	1	

	Stat.	Article Description	Unit		Rates of Duty	2
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
407 (con.)		Wood sawn or chipped lengthwise, sliced or peeled, whether	-		·	
		or not planed, sanded or end-jointed, of a thickness exceeding				
		6 mm: (con.)				
		Coniferous: (con.)				
407.19.00		Other	۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰	Free ^{1/}		\$1.70/m ^{32/}
	01	Finger-jointed	m̃			
		Other:				
	02	Treated with paint, stain, creosote or other	2			
		preservative	m ^o			
		Not treated:				
		Douglas-fir (<u>Pseudotsuga</u> <u>menziesii</u>):				
		Rough:				
	54	Having a minimum dimension less	m ³			
	55	Having a minimum dimension 5.1				
		cm or more but less than 12.7	3			
		cm				
	56	Having a minimum dimension 12.7	3			
		cm or more	m ³			
	57	Other	m'			
	64	Hemlock (<u>Tsuga</u> spp.): Rough	m^3			
	65	Other	m°			
	66	Larch (<u>Larix</u> spp.): Rough	m^3			
	67	Other Western red cedar:	m°			
	68	Rough	m^3			
			m ³			
	69	OtherYellow cedar (<u>Chamaecyparis</u>	m			
		nootkatensis):				
	74	Rough	m^3			
	75	Other				
	75	Other cedar (<u>Thuja</u> spp., <u>Juniperus</u> spp.,	111			
		Chamaecyparis spp., Cupressus spp. and				
		Libocedrus spp.):				
	76	Rough	m^3			
	77	Other	m^3			
		Redwood (Sequoia sempervirens):	•••			
	82		m^3			
	83	Other	m^3			
		Other:				
	92	Rough	m^3			
	93	Other				
				1		
				1		
				1		
				1		
				1		
				1		

	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
Subfleading	fix	·	Quantity	General	Special	
1407 (con.)		Wood sawn or chipped lengthwise, sliced or peeled, whether				
		or not planed, sanded or end-jointed, of a thickness exceeding 6 mm: (con.)				
		Of tropical wood:				
1407.21.00	00	Mahogany (Swietenia spp.)	m ³	Free ^{1/}		\$1.27/m ³
1407.22.00		Virola, Imbuia and Balsa		Free ^{1/}		\$1.27/m ³
	06	Balsa (Ochroma lagopus)	m^3			
	91		m ³			
1407.23.01	00	Teak	m ³	Free ^{1/}		\$1.27/m ^{32/}
1407.25.00	00	Dark Red Meranti, Light Red Meranti and Meranti Bakau	m³	Free ^{1/}		\$1.27/m ³
407.26.00	00	White Lauan, White Meranti, White Seraya, Yellow Meranti and Alan	m³	Free ^{1/}		\$1.27/m ³
1407.27.00	00	Sapelli				\$1.27/m ³
1407.28.00		Iroko				\$1.27/m ³
	00					1
1407.29.02	00	Other		Free ¹⁷		\$1.27/m ^{32/}
	06	Acajou d'Afrique (<u>Khaya</u> spp.), also known as African mahogany	m ³			
	11	Anigre (Aningeria spp.), also known as Aningre,				
		Aniegre or Anegre	m^3			
	16		m ³			
	20	Ipé (Tabebuia spp. or Handroanthus spp.), also				
	20	known as Tahibo or Taheebo, LaPacho or				
		Lapacho, Brazilian walnut and Patagonian	3			
			m ³			
	40	Andiroba (Carapa guianensis and C. procera),				
		Padauk (<u>Pterocarpus</u> spp.), also known as Padouk	m ³			
	00		111			
	60	Cedro (<u>Cedrela</u> spp.), also known as Spanish Cedar	m ³			
	85	Jatoba (<u>Hymenaea</u> spp.), also known as Brazilian				
		Cherry	m^3			
	96		m^3			

		1	Χ	
1	1	1	2	

	Stat.	Autilla Description	Unit	-	Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
407 (con.)		Wood sawn or chipped lengthwise, sliced or peeled, whether or not planed, sanded or end-jointed, of a thickness exceeding 6 mm: (con.) Other:	,	0	ороли.	
407.91.00		Of oak (Quercus spp.)		Free ^{1/}		\$1.27/m ^{32/}
	22	Red oak				
	63	Other	m ³	1/		3
407.92.00	00	Of beech (Fagus spp.)		Free ^{1/}		\$1.27/m ³
407.93.00	10	Of maple (<u>Acer</u> spp.) Hard maple		Free ^{1/}		\$1.27/m ³
	20	Other				
407.94.00	-	Of cherry (Prunus spp.)	m ³	Free ^{1/}		\$1.27/m ³
407.95.00	00	Of ash (Fraxinus spp.)				\$1.27/m ³
407.96.00		Of birch (Betula spp.)				\$1.27/m ^{3<u>2/</u>}
	11	North American (Betula alleghaniensis, Betula papyrifera, Betula lenta, Betula nigra)		1166		φ1.27/111
	13	European (Betula pendula, Betula pubescens),				
		also known as Baltic, Russian or Chinese birch				
407.97.00	19	Other(Papulin app.)	m ³	E 1/		A4 27: 3
407.97.00	72	Of poplar and aspen (<u>Populus</u> spp.) Yellow poplar (<u>Liriodendron</u> <u>tulipifera</u>)		Free ^{1/}		\$1.27/m ³
	72 79	Other poplar; aspen; cottonwood				
407.99.02	19	Other popiar; aspen; cottonwood Other		Free ^{1/}		\$1.27/m ³
	42	Hickory (<u>Carya</u> spp.) and pecan (<u>Carya</u> <u>illinoensis,</u> <u>Carya pecan</u>)		1166		φ1.27/111
	61	Walnut (<u>Juglans</u> spp)				
	63	Western red alder (Alnus rubra)	m ³			
	95	Other nonconiferous				

	Stat. Suf-	Article Description	Unit of	-	Rates of Duty	2
Jubricaulily	fix	Attible Description	Quantity	General	Special	
408		Sheets for veneering (including those obtained by slicing laminated wood), for plywood or for similar laminated wood and other wood, sawn lengthwise, sliced or peeled, whether or not planed, sanded, spliced or end-jointed, of a thickness not exceeding 6 mm:				
408.10.01		Coniferous		Free ^{1/}		20% ^{2/}
	25	Douglas fir				
	45	Other	m ²			
408.31.01	00	Of tropical wood: Dark Red Meranti, Light Red Meranti and Meranti Bakau	m ²	Free ^{1/}		20%
408.39.02		Other		Free ^{1/}		20%
	10	Spliced or end-jointed Other:		Tiee		
	20	Acajou or Acajou d'Afrique (<u>Khaya</u> spp.), also known as African mahogany	m ²			
	30	Anigre (<u>Aningeria</u> spp.), also known as Aningre, Aniegre or Anegre	m ²			
	40	Ceiba (<u>Ceiba</u> spp.)	m ²			
	50	Obeche (<u>Triplochiton</u> spp.), also known as Ayous				
	60	Okoume (<u>Aucoumea</u> spp.)	m ²			
	70	Sapele (Sapelli), Sipo or Utile (<u>Entandrophragma</u> spp.)				
9-	91	Other	m^2			

	Stat.	Artiala Dagarintian	Unit		Rates of Duty	0
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
408 (con.)		Sheets for veneering (including those obtained by slicing			·	
		laminated wood), for plywood or for similar laminated wood				
		and other wood, sawn lengthwise, sliced or peeled, whether or not planed, sanded, spliced or end-jointed, of a thickness				
		not exceeding 6 mm: (con.)				
408.90.01		Other		Free ^{1/}		20% ^{2/}
		Spliced or end-jointed:				
	05	Ash (<u>Fraxinus</u> spp.)				
	10	Birch (Betula spp.)	m^2			
	15	Cherry (Prunus spp.)				
	21	Maple (<u>Acer</u> spp.)				
		Oak (Quercus spp.):				
	31	Red	m^2			
	37	Other				
	45	Walnut (<u>Juglans</u> spp.)	m ²			
	51	Other	m^2			
		Other:		1		
	56	Ash (<u>Fraxinus</u> spp.)		1		
	61	Birch (Betula spp.)	m ^c	1		
	66	Cherry (Prunus spp.)		1		
	71	Maple (<u>Acer</u> spp.)	m ²			
		Oak (Quercus spp.):				
	76	Red				
	81	Other	m ²			
	87	Walnut (<u>Juglans</u> spp.)				
	97	Other	m ²			
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
			ĺ			

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
Cubineading	fix	Artiole Description	Quantity	General	Special	†
409		Wood (including strips and friezes for parquet flooring, not assembled) continuously shaped (tongued, grooved, rebated, chamfered, V-jointed, beaded, molded, rounded or the like)				
409.10 409.10.05	00	along any of its edges, ends or faces, whether or not planed, sanded or end-jointed: Coniferous: Wood continuously shaped along any of its ends,				
		whether or not also continuously shaped along any of its edges or faces, all the foregoing whether or not planed, sanded or end-jointed		. 3.2% ^{1/}	Free (A*, AU, BH,	33 1/3%
					CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	
409.10.10		Other: Wood siding		Free ^{1/}		2.2¢/m ² 2/
	20	Resawn bevel siding: Western red cedar	m^2			,
	40	Other	m ³			
	10		m ³			
	60	Western red cedar	m² m³			
	80	Other				
409.10.20	00	Wood flooring		. Free ^{1/}		33 1/3% ^{2/}
		Wood moldings:	111			
409.10.40	10	Standard wood molding: Pine (<u>Pinus</u> spp.) End-jointed		Free ^{1/}		5% ^{2/}
100 10 15	90	Other	m			
409.10.45 409.10.50	00	Other				5% 40%
409.10.60	00	Wood dowel rods: Plain	m m³	· Free ^{1/}		5%
409.10.65	00	Sanded, grooved, or otherwise advanced in				
			m m ³	· 4.9% ^{1/}	Free (A+, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM,	33 1/3%
409.10.90		Other		Free ^{1/}	P, PA, PE, S, SG)	\$1.70/m ^{3<u>2/</u>}
	20		m³			
	40		m² m³			

		1	X	
1	1	1	7	

	Stat.	Anti-la D	Unit		Rates of Duty	
	Suf- fix	Article Description	of Quantity	General	1 Special	2
409 (con.)	117	Wood (including strips and friezes for parquet flooring, not	Quartity	General	Оресіаі	
100 (0011.)		assembled) continuously shaped (tongued, grooved, rebated,				
		chamfered, V-jointed, beaded, molded, rounded or the like)				
		along any of its edges, ends or faces, whether or not planed,				
		sanded or end-jointed: (con.)				
		Nonconiferous:				
1409.21		Of bamboo:				
1409.21.05	00	Wood continuously shaped along any of its ends,				
		whether or not also continuously shaped along any				
		of its edges or faces, all the foregoing whether or				
		not planed, sanded or end-jointed	m ³	3.2% ^{1/}	Free (A, AU, BH, CL	33 1/3%
					CO, D, E, IL, JO,	
					KR, MA, OM, P,	
					PA, PE, S, SG)	
1409.21.90	ΛΛ	Other	m ³	Eroo ^{1/}	·	\$1.70/m ³
	UU		111	riee		φ1./0/111
1409.22		Of tropical wood:				
1409.22.05		Wood continuously shaped along any of its ends,				
		whether or not also continuously shaped along any				
		of its edges or faces, all the foregoing whether or				
		not planed, sanded or end-jointed		3.2% ^{1/}	Free (A*, AU, BH,	33 1/3%
					CL, CO, D, E, IL,	
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
		Wood flooring (end-matched):			.,.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
	15	Jatoba (<u>Hymenaea</u> spp.), also known as				
	10	Brazilian Cherry	m^2			
			m ³			
	20	lpé (<u>Tabebuia</u> spp. or <u>Handroanthus</u> spp.),				
		also known as Tahibo or Taheebo,				
		LaPacho or Lapacho, Brazilian walnut,				
		and Patagonian walnut	m^2			
			m ³			
	35	Santos mahogany (Myroxylon balsamum),				
		also known as Cabreuva	m^2			
			m ³			
			m			
	45	Cumaru (Dipteryx spp.), also known as				
		Brazilian teak	m ²			
			m^3			
	60	Other	m ²			
			m^3			
	90	Other	m ²			
	00	0.1101	m ³			
			m.			

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
Cabricading	fix	Attiolo Dosoription	Quantity	General	Special	
1409 (con.)		Wood (including strips and friezes for parquet flooring, not assembled) continuously shaped (tongued, grooved, rebated, chamfered, V-jointed, beaded, molded, rounded or the like) along any of its edges, ends or faces, whether or not planed, sanded or end-jointed: (con.)				
1409.22 con.)		Nonconiferous: (con.) Of tropical wood: (con.)				
1409.22.10	00	Other: Wood siding	m ²	. Free ^{1/}		4.3¢/m ^{22/}
1409.22.25		Wood flooring				8%
1405.22.25	00		m ³	11100		
1409.22.40	00	Wood moldings: Standard wood moldings	m	· Free ^{1/}		5% ^{2/}
1409.22.50		Other		Free ^{1/}		40%
	20	Durian (<u>Durio</u> spp.)		1100		
	40	Jelutong (<u>Dyera</u> spp.)	m			
	60	Obeche (<u>Triplochiton</u> spp.), also known as Ayous				
	90	Other				
	55	Wood dowel rods:				
1409.22.60	00	Plain	m	Free ^{1/}		5%
1409.22.65	00	Sanded, grooved or otherwise advanced in condition	m	4.9% ^{1/}	Free (A+, AU, BH, CL, CO, D, E, IL,	33 1/3%
					JO, KR, MA, OM, P, PA, PE, S, SG)	
1409.22.90		Other		Free ^{1/}		\$1.70/m ³
	20	Cumaru (<u>Dipteryx</u> spp.), also known as Brazilian teak	m ³			
	30	lpé (<u>Tabebuia</u> spp. or <u>Handroanthus</u> spp.), also known as Tahibo or Taheebo, LaPacho or Lapacho, Brazilian walnut and Patagonian walnut				
	45	Keruing (<u>Dipterocarpus</u> spp.)				
	60	Padauk (Padouk) or Narra (<u>Pterocarpus</u> spp.)				
	90	Other				

	Stat.	A 0 1 15 1 1 0	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	Gonoral	1 Special	2
409 (con.)	fix	Wood (including strips and friezes for parquet flooring, not		General	Special	
		assembled) continuously shaped (tongued, grooved, rebated,				
		chamfered, V-jointed, beaded, molded, rounded or the like)				
		along any of its edges, ends or faces, whether or not planed,				
		sanded or end-jointed: (con.) Nonconiferous: (con.)				
1409.29		Other:				
4409.29.06		Wood continuously shaped along any of its ends,				
		whether or not also continuously shaped along any				
		of its edges or faces, all the foregoing whether or				
		not planed, sanded or end-jointed		3.2% ^{1/}	Free (A*, AU, BH,	33 1/3%
					CL, CO, D, E, IL,	
					JO, KR, MA, OM, P, PA, PE, S, SG)	
	55	Wood flooring (end-matched)	m ²		F, FA, FE, S, SG)	
	55		m ³			
	65	Other	m ⁻			
			m ³			
4409.29.11	00	Other: Wood siding	m^2	Free ^{1/}		4.3¢/m ²
	00	_				
4409.29.26		Wood flooring		Free ^{1/}		8% ^{2/}
	30	Maple (<u>Acer</u> spp.)	m ^c			
			m ³			
	50	Birch (<u>Betula</u> spp.) and beech (<u>Fagus</u>				
			m ²			
			m^3			
	60	Other	m ²			
			m ³			
		Wood moldings:				
4409.29.41	00	Standard wood moldings	m	· Free ^{1/}		5%
4409.29.51	00	Other				40%
++03.23.31	00	Wood dowel rods:	111	- Free-		40 /6
4409.29.61	00	Plain	m	Eroo ^{1/}		5% ^{2/}
				FIEE		3%
4409.29.66	00	Sanded, grooved or otherwise advanced		1/	Francia All Dil	00.1/00/
		in condition	m	4.9%	Free (A+, AU, BH, CL, CO, D, E, IL,	33 1/3%
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
4409.29.91	00	Other	m ³	. Free ^{1/}	.,,. =, 0, 00.	\$1.70/m ^{32/}
						·
				ī	Ī	1

	Stat. Suf-	Article Description	Unit of	ļ	Rates of Duty 1	2
Subneading	fix	Article Description	Quantity	General	1 Special	
1410		Particle board, oriented strand board (OSB) and similar board (for example, waferboard) of wood or other ligneous materials, whether or not agglomerated with resins or other organic binding substances:				
1110 11 00		Of wood:		1/		400/
1410.11.00	40	Particle board		Free ^{1/}		40%
	10		kg			
	20		m ³			
	30	Surface-covered with decorative laminates of	kg m³			
		·	kg			
	60		m³ kg			
1410.12.00	10	Oriented strand board (OSB) Unworked or not further worked than sanded	m³	Free ^{1/}		40%
	20		kg m³			
1410.19.00		Other	kg	– 1/		40%
1410.19.00	10	Unworked or not further worked than sanded	m ³ kg	Free ^{1/}		40 %
	20	Surface-covered with melamine-impregnated	m ³			
	30		kg			
	30	plastic	m³ kg			
	60	Other	m³ kg			
1410.90.00	00	Other	m ³ kg	Free ^{1/}		20%

IX

	Stat.	Anti-la Danadation	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
411		Fiberboard of wood or other ligneous materials, whether or not bonded with resins or other organic substances: Medium density fiberboard (MDF):		Johna	ороби	
411.12 411.12.10	00	Of a thickness not exceeding 5 mm: Not mechanically worked or surface covered	m³	Free ^{1/}		30%
11.12.20	00	Other: Tongued, grooved or rabbetted continuously along any of its edges and dedicated for use in the construction of walls, ceilings or other parts of buildings: Laminated boards bonded in whole or in				
		part, or impregnated, with synthetic resins	kg m³	1.9¢/kg + 1.5% ^{1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO,	33¢/kg + 25
11 10 00	00	Other	m ³	Free ^{1/}	KR, MA, OM, P, PA, PE, S, SG)	20%
11.12.30		Other: Other: Not surface covered (except for oil	m	Free-		20 70
	00	treatment)				30%
11.12.90		Other		3.9% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM,	45%
	10	Standard wood molding			P, PA, PE, S, SG)	
	90	Other	m ³			

	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
Cubileauling	fix	Attalia Description	Quantity	General	Special	
1411 (con.)		Fiberboard of wood or other ligneous materials, whether or not bonded with resins or other organic substances: (con.) Medium density fiberboard (MDF): (con.)				
1411.13		Of a thickness exceeding 5 mm but not exceeding 9 mm:				
1411.13.10	00	Not mechanically worked or surface covered Other:	m ³	Free ^{1/}		30%
1411.13.20	00	Tongued, grooved or rabbetted continuously along any of its edges and dedicated for use in the construction of walls, ceilings or other parts of buildings: Laminated boards bonded in whole or in part, or impregnated, with synthetic				
		resins	m ³	1.9¢/kg + 1.5% [#]	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33¢/kg + 25%
1411.13.30	00	OtherOther:	m³	Free ^{1/}	,, . , ,	20%
411.13.60	00	Not surface covered (except for oil treatment)	m³,	Free ^{1/}		30%
411.13.90		Other		3.9% ^{1/}	Free (A, AU, BH, CL,	45%
					CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	
	10	Standard wood molding	m ³ m ³		1 A, 1 L, 0, 0a)	
	90	Other	m°			

	Stat.		Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	Canari	1	2
411 (con)	TIX	Fiberhoord of wood or other lighten and materials whether or not	Quantity	General	Special	
411 (con.)		Fiberboard of wood or other ligneous materials, whether or not bonded with resins or other organic substances: (con.)				
		Medium density fiberboard (MDF): (con.)				
411.14		Of a thickness exceeding 9 mm:				
411.14.10	00	Not mechanically worked or surface covered	m ³	Free ^{1/}		30% ^{2/}
		Other:				
		Tongued, grooved or rabbetted continuously				
		along any of its edges and dedicated for use				
		in the construction of walls, ceilings or other				
		parts of buildings:				
411.14.20	00	Laminated boards bonded in whole or in				
		part, or impregnated, with synthetic				
		resins	kg	1.9¢/kg + 1.5% ^{1/}	Free (A, AU, BH, CL,	33¢/kg + 25
			m ³		CO, D, E, IL, JO,	
					KR, MA, OM, P, PA, PE, S, SG)	
			2	1/	PA, PE, 3, 3G)	000/
411.14.30	00		m ³	Free ^{1/}		20%
444 44 00	00	Other:				
411.14.60	00	Not surface covered (except for oil treatment)	m ³	Eroo ^{1/}		30% ^{2/}
		· ·				
411.14.90		Other		3.9% ^{1/}	Free (A, AU, BH, CL,	45%
					CO, D, E, IL, JO,	
					KR, MA, OM, P,	
	10	Standard wood molding	m ³		PA, PE, S, SG)	
	_					
	90	Other	m ³			
	1	1		1	Ī	Ī

44-24	C+c+		l Init		Potos of Duty	-
Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
	fix	·	Quantity	General	Special	
4411 (con.)		Fiberboard of wood or other ligneous materials, whether or not bonded with resins or other organic substances: (con.) Other:				
4411.92 4411.92.10	00	Of a density exceeding 0.8 g/cm³: Not mechanically worked or surface covered	m³	Free ^{1/}		30% ^{2/}
4411.92.20	00	Other: Not surface covered (except for oil treatment)	m³	Free ^{1/}		30%
4411.92.30	00	Other: Tileboard which has been continuously worked along any of its edges and is dedicated for use in the construction of walls, ceilings or other parts of buildings	m^3	Fron ^{1/}		20%
4411.92.40	00	Other			Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P,	
4411.93		Of a density exceeding 0.5 g/cm ³ but not exceeding 0.8 g/cm ³ :			PA, PE, S, SG)	
4411.93.10	00	Not mechanically worked or surface covered Other: Tongued, grooved or rabbetted continuously along any of its edges and dedicated for use in the construction of walls, ceilings or other	m ³	Free ^{1/}		30%
4411.93.20	00	parts of buildings: Laminated boards bonded in whole or in part, or impregnated, with synthetic resins	ka	4.0+// 4.50/1/	Free (A, AU, BH, CL,	33¢/kg + 25%
		103113	m ³	1.9¢/kg + 1.5%=	CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	100¢/kg + 20 /6
4411.93.30	00	OtherOther:	m³	Free ^{1/}	,	20%
4411.93.60	00	Not surface covered (except for oil treatment)	m³	Free ¹ /		30%
4411.93.90		Other		3.9% ^{1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
	10 90	Standard wood molding Other	m³ m³		FA, FE, 3, 3G)	

	1>
44	-25

	Stat.	Autilla Dannintin	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
411 (con.)		Fiberboard of wood or other ligneous materials, whether or not	-		op seiten	
` ,		bonded with resins or other organic substances: (con.)				
444 04 00		Other: (con.)				
411.94.00		Of a density not exceeding 0.5 g/cm ³		Free ^{1/}		20%
		Of a density exceeding 0.35 g/cm ³ but not				
		exceeding 0.5 g/cm ³ :				
	40	Not mechanically worked or surface covered:	3			
	10	Impregnated with bitumen				
	20	Other	m³			
	30	Other: Impregnated with bitumen	m^3			
		Others	3			
	40	OtherOther:	m°			
		Not mechanically worked or surface covered:				
	50	Impregnated with bitumen	m^3			
	60	Other				
	00	Other:	111			
	70	Impregnated with bitumen	m^3			
	80	Other	m³			
	55					
412 412.10		Plywood, veneered panels and similar laminated wood: Of bamboo:				
412.10.05	00	Plywood	m ³	8% ^{1/}	Free (A*, AU, BH,	40%
		. ,,			CL, CO, D, E, IL,	
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
412.10.90	00	Other	m ³	Free ^{1/}		40%
				I	1	I

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
Cubileaulily	fix	Attiole Description	Quantity	General	Special	
.412 (con.) .412.31		Plywood, veneered panels and similar laminated wood: (con.) Other plywood consisting solely of sheets of wood (other than bamboo), each ply not exceeding 6 mm in thickness: With at least one outer ply of tropical wood:				
		Not surface covered, or surface covered with a clear or transparent material which does not obscure the grain, texture or markings of the face ply:				
412.31.06	20	With a face ply of birch (<u>Betula</u> spp.) Panels not exceeding in any dimension 3.6		Free ^{1/}		50%
		mm in thickness, 1.2 m in width and 2.2 m				
	40	Not surface covered				
412.31.26	60	OtherWith a face ply of Spanish cedar (<u>Cedrela</u>				
		spp.) or walnut (<u>Juglans</u> spp)		8% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	40%
	10	With a face ply of Spanish cedar (<u>Cedrela</u> spp.)	m^3			
	20	With a face ply of walnut (<u>Juglans</u> spp.) Other: With at least one outer ply of the following tropical woods: Dark Red Meranti, Light	m ³			
		Red Meranti, White Lauan, Sipo, Limba, Okoumé, Obeche, Acajou d'Afrique, Sapelli, Virola, Mahogany, Palissandre de Para, Palissandre de Rio or Palissandre de Rose:				
412.31.42	00	With a face ply of mahogany (<u>Swietenia</u> spp. or <u>Khaya</u> spp.)	m ³	8% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	40%
412.31.45	00	Panels not exceeding 3.6 mm in thickness and exceeding 1.2 m in				
		width and 2.2 m in length	m ³	8% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	40%

	Stat.	Article Description	Unit		Rates of Duty	2
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
1412 (con.)		Plywood, veneered panels and similar laminated wood: (con.) Other plywood consisting solely of sheets of wood (other than bamboo), each ply not exceeding 6 mm in thickness: (con.)	,		,,,,,,	
l412.31 con.)		With at least one outer ply of tropical wood: (con.)				
·		Not surface covered, or surface covered with a clear or transparent material which does not obscure the grain, texture or markings of the face ply: (con.)				
		Other: (con.) With at least one outer ply of the following tropical woods: Dark Red Meranti, Light Red Meranti, White Lauan, Sipo, Limba,				
		Okoumé, Obeche, Acajou d'Afrique, Sapelli, Virola, Mahogany, Palissandre de Para, Palissandre de Rio or Palissandre de Rose: (con.)				
412.31.48		Other		8% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM,	40%
	50	Panels not exceeding 3.6 mm in thickness and not exceeding 1.2 m in width and 2.2 m in length Other:	m³		P, PA, PE, S, SG)	
	60	Not surface covered: Dark Red Meranti, Light Red Meranti or White Lauan (Luan) (<u>Shorea</u> spp.)	m³			
	63	Limba (<u>Terminalia</u> spp.), also known as Terminalia and Nargusta				
	66	Virola (<u>Virola</u> spp.)				
	69	Other: Other:	m ³			
	75	Wood flooring	m ³			
	80		m ³			

	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
Subneading	fix	Article Description	Of Quantity	General	Special	
1412 (con.)		Plywood, veneered panels and similar laminated wood: (con.) Other plywood consisting solely of sheets of wood (other than bamboo), each ply not exceeding 6 mm in thickness:			1,000	
412.31 con.)		(con.) With at least one outer ply of tropical wood: (con.)				
,		Not surface covered, or surface covered with a clear or transparent material which does not obscure the grain, texture or markings of the face ply: (con.)				
412.31.52		Other: (con.) Other		8% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM,	40%
	25	Wood flooring	m ³		P, PA, PE, S, SG)	
	35	11 /	m³			
	55	Other: Panels not exceeding in any dimension 3.6 mm in thickness, 1.2 m in width and 2.2 m in length	m³			
	60	Other: Not surface covered: Albizia (<u>Albizia</u> spp.), also known as Falcata, Batai and Suar wood	m³			
	62	Bintangor (<u>Calophyllum</u> spp.)				
	64	Mersawa (<u>Anisoptera</u> spp.)				
	66	Parica (<u>Schizolobium</u> spp.), also known as Pinho Cuiabano, Firetree and Guapuruvu	m³			
	68	Pencil cedar, Nyatoh (<u>Palaquium</u> spp.)				
	70 75	Other Other				

		١X
1	1	20

Subheading Suffered Article Description Quantity Quantity		Stat.	Article Description	Unit		Rates of Duty	2
Plywood, veneered panets and similar laminated wood; (con.) Other Other plywood consisting solely of sheets of wood (other than bamboo), each ply not exceeding 6 mm in thickness; (con.) With at least one outer ply of tropical wood; (con.) Other: With at least one outer ply of the following tropical woods: Dark Red Meranti, Light Red Meranti, White Lauan, Stop, Limba, Okouné, Obeche, Acajou of Afrique, Sapelli, Virola, Mahogany, Palissandre de Para, Palissandre de Rio or Palissandre de Rose	Subheading		Article Description	of Quantity	General	1 Special	2
Other: With at least one outer ply of the following tropical woods: Dark Red Meranti, Light Red Meranti, Child Launs, Rispo, Limba, Okoumé, Obeche, Acajou d'Afrique, Sapelli, Virola, Mahogany, Palissandre de Para, Palissandre de Para, Palissandre de Para, Palissandre de Rio or Palissandre de Para, Palissandre de Rose. 412.31.92 00 Other	412 (con.)		Other plywood consisting solely of sheets of wood (other than bamboo), each ply not exceeding 6 mm in thickness:	,	0	5,555	
412.31.61 00 With at least one outer ply of the following tropical woods: Dark Red Meranti, Light Red Meranti, White Lauan, Sipo, Limba, Okoumé, Obeche, Acajou d'Afrique, Sapelli, Virola, Mahogany, Palissandre de Para, Palissandre de Rose	_						
412.31.92 00 Other	412.31.61	00	With at least one outer ply of the following tropical woods: Dark Red Meranti, Light Red Meranti, White Lauan, Sipo, Limba, Okoumé, Obeche, Acajou d'Afrique, Sapelli, Virola, Mahogany, Palissandre de Para, Palissandre	m³	8% ^{1/}		40%
Other, with at least one outer ply of nonconiferous wood of the species alder (Alnus spp.), ash (Fraxinus spp.), beech (Fagus spp.), birch (Betula spp.), cherry (Prunus spp.), chestnut (Castanea spp.), elm (Ulmus spp.), evalyptus (Eucalyptus spp.), lime (Tilia spp.), maple (Acer spp.), opolar and aspen (Populus spp.), robinia (Robinia spp.), tulipwood (Liriodendron spp.) or walnut (Juglans spp.): Not surface covered, or surface covered with a clear or transparent material which does not obscure the grain, texture or markings of the face ply: With a face ply of birch (Betula spp.). Panels not exceeding in any dimension 3.6 mm in hickness, 1.2 m in width and 2.2 m in length. Other: Not surface covered. The surface covered may be a s						JO, KR, MA, OM,	
Other, with at least one outer ply of nonconiferous wood of the species alder (Alnus spp.), ash (Fraxinus spp.), beech (Fagus spp.), birch (Betula spp.), cherry (Prunus spp.), chestnut (Castanea spp.), elm (Ulmus spp.), encalyptus (Eucalyptus spp.), hickory (Carya spp.), brose chestnut (Aesculus spp.), lime (Tilia spp.), maple (Acer spp.), oak (Quercus spp.), plane tree (Platanus spp.), poplar and aspen (Populus spp.), robinia (Robinia spp.), tulipwood (Liriodendron spp.) or walnut (Juglans spp.): Not surface covered, or surface covered with a clear or transparent material which does not obscure the grain, texture or markings of the face ply: With a face ply of birch (Betula spp.)	412.31.92	00	Other	m ³	8% ^{1/}	CL, CO, D, E, IL, JO, KR, MA, OM,	40%
412.33.06 20 With a face ply of birch (<u>Betula</u> spp.)	412.33		wood of the species alder (Alnus spp.), ash (Fraxinus spp.), beech (Fagus spp.), birch (Betula spp.), cherry (Prunus spp.), chestnut (Castanea spp.), elm (Ulmus spp.), eucalyptus (Eucalyptus spp.), hickory (Carya spp.), horse chestnut (Aesculus spp.), lime (Tilia spp.), maple (Acer spp.), oak (Quercus spp.), plane tree (Platanus spp.), poplar and aspen (Populus spp.), robinia (Robinia spp.), tulipwood (Liriodendron spp.) or walnut (Juglans spp.): Not surface covered, or surface covered with a clear or transparent material which does not obscure the grain, texture or markings of the face			1,17,12,0,00)	
Other: Not surface covered	412.33.06	20	With a face ply of birch (<u>Betula</u> spp.) Panels not exceeding in any dimension 3.6 mm in thickness, 1.2 m in width and 2.2 m		Free ^{1/}		50%
Other: Wood flooring		40	Other:	m^3			
70 Other		65	Other:	m ³			
412.33.26 With a face ply of walnut (<u>Juglans spp.</u>)							
25 Wood flooring m ³	412.33.26		With a face ply of walnut (<u>Juglans</u> spp.)		5.1% ^{1/}	CL, CO, D, E, IL, JO, KR, MA, OM,	40%
30 Other		25	Wood flooring	m^3		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
		30	Other	m ³			

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
oubliteadilig	fix	Atticle Description	Quantity	General	Special	
1412 (con.)		Plywood, veneered panels and similar laminated wood: (con.) Other plywood consisting solely of sheets of wood (other than bamboo), each ply not exceeding 6 mm in thickness: (con.)				
1412.33 con.)		Other, with at least one outer ply of nonconiferous wood of the species alder (Alnus spp.), ash (Fraxinus spp.), beech (Fagus spp.), birch (Betula spp.), cherry (Prunus spp.), chestnut (Castanea spp.), elm (Ulmus spp.), eucalyptus (Eucalyptus spp.), hickory (Carya spp.), horse chestnut (Aesculus spp.), lime (Tilia spp.), maple (Acer spp.), oak (Quercus spp.), plane tree (Platanus spp.), poplar and aspen (Populus spp.), robinia (Robinia spp.), tulipwood (Liriodendron spp.) or walnut (Juglans spp.); (con.) Not surface covered, or surface covered with a clear or transparent material which does not obscure the grain, texture or markings of the face ply: (con.) Other		8% ^{1/}	Free (A*, AU, BH,	40%
412.00.02		Cirio		0%	CL, CO, D, E, IL, JO, KR, MA, OM,	40 70
	25	Wood flooring	m ³		P, PA, PE, S, SG)	
	35	Other: With a face ply of sen (<u>Kalopanax</u> spp.)	m^3			
	55	With a face ply of mahogany (<u>Swietenia</u> spp. or <u>Khaya</u> spp.)				
	65	Other: Panels not exceeding in any dimension 3.6 mm in thickness, 1.2 m in width and 2.2 m in length	m³			
	75	Other: Not surface covered				
	85	Other	m^3			
412.33.57	00	Other	m°	8%11	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	40%

IX

	Stat.	Auticle Description	Unit		Rates of Duty	1 ^
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
412 (con.)		Plywood, veneered panels and similar laminated wood: (con.) Other plywood consisting solely of sheets of wood (other than bamboo), each ply not exceeding 6 mm in thickness:	,	00.000	5,555	
412.34		(con.) Other, with at least one outer ply of nonconiferous wood not specified under subheading 4412.33: Not surface covered, or surface covered with a clear or transparent material which does not obscure the grain, texture or markings of the face ply:				
412.34.26	00	With a face ply of Spanish cedar (Cedrela	m ³	. 5.1% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	40%
1412.34.32		Other		8% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	40%
	25	Wood flooring Other:	m ³		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
	35	With a face ply of sen (Kalopanax	m^3			
	55	` <u> </u>	m ³			
	65	Other: Panels not exceeding in any dimension 3.6 mm in thickness, 1.2 m in width and 2.2 m in				
	75	length Other: Not surface covered				
		Other				
1412.34.57	85 00	OtherOther	m ³	. 8% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	40%

	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
	fix	· ·	Quantity	General	Special	<u> </u>
1412 (con.)		Plywood, veneered panels and similar laminated wood: (con.) Other plywood consisting solely of sheets of wood (other than bamboo), each ply not exceeding 6 mm in thickness: (con.)				
1412.39		Other, with both outer plies of coniferous wood: Not surface covered, or surface covered with a clear or transparent material which does not obscure the grain, texture or markings of the face ply:				
4412.39.10	00	With a face ply of Parana pine (Araucaria	m ³	Free ^{1/}		40%
1412.39.30	00	With a face ply of European red pine (<u>Pinus</u> silvestris)	m ³	3.4% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	40%
1412.39.40		Other		8% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	40%
	11	With at least one outer ply of Douglas fir (Pseudotsuga menziesii): Rough, or touch sanded for sizing purposes, but not further processed	m³			
	12	Fully sanded on at least one face, but				
	19	With at least one outer ply of long leaf pine (Pinus palustris), short leaf pine (Pinus echinata), southern yellow pine (loblolly pine)(Pinus taeda), slash pine (Pinus elliotti), pitch pine (Pinus rigida) or Virginia pine (Pinus virginiana):	m ³			
	31	Rough, or touch sanded for sizing purposes, but not further processed	m ³			
	32	Fully sanded on at least one face, but not further processed	3			
	39	OtherWith at least one outer ply of Agathis spp.:	m ³			
	51	Rough, or touch sanded for sizing purposes, but not further processed	m^3			
	52	Fully sanded on at least one face, but not further processed				
	59	Other Other:				
	61	Rough, or touch sanded for sizing purposes, but not further processed	m³			
	62	Fully sanded on at least one face, but not further processed	m ³			
	69	Other				

IX

Heading/	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
Subheading	fix	Article Description	Of Quantity	General	1 Special	
412 (con.)		Plywood, veneered panels and similar laminated wood: (con.)				
()		Other plywood consisting solely of sheets of wood (other				
		than bamboo), each ply not exceeding 6 mm in thickness:				
		(con.)				
412.39		Other, with both outer plies of coniferous wood: (con.)				
con.) 412.39.50		Other		E 40/1/	Free (A+, AU, BH,	40%
412.33.30		Ottlet		5.1%	CL, CO, D, E, IL,	40 /0
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
	10	With at least one outer ply of Douglas fir	2			
		(<u>Pseudotsuga</u> menziesii)	m³			
	30	With at least one outer ply of long leaf pine				
		(<u>Pinus palustris</u>), short leaf pine (<u>Pinus</u>				
		echinata), southern yellow pine (loblolly pine)				
		(<u>Pinus taeda</u>), slash pine (<u>Pinus elliotti</u>), pitch				
		pine (<u>Pinus rigida</u>) or Virginia pine (<u>Pinus</u> <u>virginiana</u>)	m^3			
	50	Other	m ³			
412.41.00	00	Laminated veneered lumber (LVL): With at least one outer ply of tropical wood	m³	Free ^{1/}		40%
		' ' '		Fiee		10 /0
412.42.00	00	Other, with at least one outer ply of nonconiferous	m³	Free ^{1/}		40%
412.49.00	00	Other, with both outer plies of coniferous wood	m³	Free ^{1/}		40%
1440 54		Blockboard, laminboard and battenboard:				
412.51		With at least one outer ply of tropical wood:				
		Plywood: Not surface covered, or surface covered with				
		a clear or transparent material which does not				
		obscure the grain, texture or markings of the				
		face ply:				
1412.51.10		With a face ply of birch (Betula spp.)		Free ^{1/}		50%
	30	Not surface covered	m ³			
	50	Other	m^3			
	I					

	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
Cabilloading	fix	·	Quantity	General	Special	
1412 (con.) 1412.51		Plywood, veneered panels and similar laminated wood: (con.) Blockboard, laminboard and battenboard: (con.) With at least one outer ply of tropical wood: (con.)				
con.)		Plywood: (con.) Not surface covered, or surface covered with				
		a clear or transparent material which does not obscure the grain, texture or markings of the face ply: (con.)				
1412.51.31		Other		8% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM,	40%
	05	Wood flooring	m² m³		P, PA, PE, S, SG)	
	11		m²			
	21	With a face ply of walnut (<u>Juglans</u> spp.)	m ²			
	41	With a face ply of mahogany (Swietenia spp. or Khaya spp.)				
	61	Other: Not surface covered				
	75	Other	m ³ m ² m ³			
412.51.41	00	Other	m m³	. 8% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM,	40%
1412.51.51	00	Other	m ³	Free ^{1/}	P, PA, PE, S, SG)	40%

		ľ	×
44	L-	2	F

	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
Subheading	fix	Article Description	Of Quantity	General	Special	
412 (con.)		Plywood, veneered panels and similar laminated wood: (con.)			·	
		Blockboard, laminboard and battenboard: (con.)				
412.52		Other, with at least one outer ply of nonconiferous				
		wood:				
		Plywood: Not surface covered, or surface covered with				
		a clear or transparent material which does not				
		obscure the grain, texture or markings of the				
		face ply:				
412.52.10		With a face ply of birch (Betula spp.)		Free ^{1/}		50%
	30	Not surface covered	m^3			
	50	Other	m^3			
412.52.31		Other		8% ^{1/}	Free (A*, AU, BH,	40%
					CL, CO, D, E, IL,	
					JO, KR, MA, OM,	
	٥.		2		P, PA, PE, S, SG)	
	05	Wood flooring	m ⁻			
			m ³			
		Other:				
	21	With a face ply of walnut (<u>Juglans</u>	m ²			
			m m ³			
			m			
		Other:	2			
	61		m ²			
			m ³			
	75	Other				
			m ³	47	- /A+ ALL BLI	100/
412.52.41	00	Other	m ³	8% ^{1/}	Free (A*, AU, BH,	40%
					CL, CO, D, E, IL, JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
412.52.51	00	Other	m ³	Free ^{1/}	1,174,12,0,00)	40%

44-36						-
Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
Subfleading	fix	Attoole Description	Quantity	General	Special	_
4412 (con.)		Plywood, veneered panels and similar laminated wood: (con.) Blockboard, laminboard and battenboard: (con.)				
4412.59		Other, with both outer plies of coniferous wood: Plywood:				
		Not surface covered, or surface covered with a clear or transparent material which does not obscure the grain, texture or markings of the				
		face ply:				
4412.59.60	00	With a face ply of Parana pine (<u>Araucaria</u> angustifolia)	m³	Free ^{1/}		40%
4412.59.70	00	With a face ply of European red pine	m³	2 40/1/	Free (A, AU, BH, CL,	40%
		(<u>Pinus silvestris</u>)		3.4 %	CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	10 /0
4412.59.80	00	Other	m ³	8% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL,	40%
4412.59.90	00	Other	m ³	5.1% ^{1/}	JO, KR, MA, OM, P, PA, PE, S, SG) Free (A*, AU, BH,	40%
4412.59.90	00	Other		3.1 %	CL, CO, D, E, IL, JO, KR, MA, OM,	10 /0
4412.59.95	00	OtherOther:	m ³	Free ^{1/}	P, PA, PE, S, SG)	40%
4412.91 4412.91.06	00	With at least one outer ply of tropical wood: Containing at least one layer of particle board	m³	Free ^{1/}		40%

Heading/	Stat.	Article Description	Unit		Rates of Duty	•
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
1412 (con.)		Plywood, veneered panels and similar laminated wood: (con.)			·	
1440.04		Other: (con.)				
1412.91 con.)		With at least one outer ply of tropical wood: (con.)				
0011.)		Other:				
		Plywood:				
		Not surface covered, or surface covered				
		with a clear or transparent material which does not obscure the grain, texture or				
		markings of the face ply:				
1412.91.10		With a face ply of birch (<u>Betula</u>				
		spp.)		Free ^{1/}		50%
	20	Panels not exceeding in any dimension 3.6 mm in thickness,				
		1.2 m in width and 2.2 m in				
		length	m^3			
		Other:				
	30	Not surface covered	m ³			
	40	Other	m^3			
1412.91.31		Other		8% 1/	Free (A*, AU, BH,	40%
					CL, CO, D, E, IL,	
					JO, KR, MA, OM, P, PA, PE, S, SG)	
	10	With a face ply of Spanish cedar			1,17,12,3,30)	
		(<u>Cedrela</u> spp.)	m^3			
	20	With a face ply of walnut (<u>Juglans</u>				
		spp.)	m ³			
	30	With a face ply of sen (<u>Kalopanax</u>				
		spp.)	m ³			
	40	With a face ply of mahogany	3			
		(<u>Swietenia</u> spp. or <u>Khaya</u> spp.)	m°			
		Other:				
	50	Panels not exceeding in any dimension 3.6 mm in				
		thickness, 1.2 m in width, and				
		2.2 m in length				
	60	Other, not surface covered	m^3			
	70		m^3			
1412.91.41	00	Other	m ³	. 8% 1/	Free (A*, AU, BH,	40%
					CL, CO, D, E, IL, JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
1412.91.51		Other		Free ^{1/}	, , , , , , , , , , , , , , , , , , , ,	40%
	05	Wood flooring	m ³			
	15	Other	m^3			
				I]	

	Stat.	Auticle Description	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
4412 (con.)		Plywood, veneered panels and similar laminated wood: (con.)			- GP CC:CI	
4440.00		Other: (con.)				
1412.92		Other, with at least one outer ply of nonconiferous wood:				
1412.92.07	00	Containing at least one layer of particle board	m ³	Free ^{1/}		40%
		Other:				
		Plywood:				
		Not surface covered, or surface covered				
		with a clear or transparent material which				
		does not obscure the grain, texture or markings of the face ply:				
4412.92.11		With a face ply of birch (<u>Betula</u>				
		spp.)		Free ^{1/}		50%
	20	Panels not exceeding in any				
		dimension 3.6 mm in thickness,				
		1.2 m in width and 2.2 m in length	m ³			
		-				
	30	Other: Not surface covered	m ³			
	40	Other				
4412.92.31	40	Other		8% ^{1/}	Free (A*, AU, BH,	40%
				0 78	CL, CO, D, E, IL,	
					JO, KR, MA, OM,	
	20	With a face ply of walnut (<u>Juglans</u>			P, PA, PE, S, SG)	
	20	spp.)	m ³			
		Other:				
	50	Panels not exceeding in any				
		dimension 3.6 mm in				
		thickness, 1.2 m in width, and 2.2 m in length	m ³			
	60	Other, not surface covered				
		Other				
4412.92.42	70 00		2	. 8% 1/	Free (A*, AU, BH,	40%
					CL, CO, D, E, IL,	
					JO, KR, MA, OM, P, PA, PE, S, SG)	
4412.92.52		Other		Free ^{1/}	1,1 A,1 L, 3, 30)	40%
	05	Wood flooring	m^3			
	15	Other	m ³			
				1		
				1		

	IX
44-	39

	Stat.	Article Description	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
412 (con.)		Plywood, veneered panels and similar laminated wood: (con.) Other: (con.)	,		5, 22 2	
412.99 412.99.58	00	Other, with both outer plies of coniferous wood:	m³	Free ^{1/}		40%
		Other: Plywood:				
1412.99.61	00	Not surface covered, or surface covered with a clear or transparent material which does not obscure the grain, texture or markings of the face ply: With a face ply of Parana pine (Araucaria angustifolia)	m³	Free ^{1/}		40%
1412.99.71	00	With a face ply of European red pine				
		(Pinus silvestris)		3.4% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	40%
1412.99.81	00	Other	m ³	8% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, D, RA, DE, C, SC)	40%
1412.99.91	00	Other	m ³	5.1% ^{1/}	P, PA, PE, S, SG) Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM,	40%
1412.99.97	00	Other	m³	Free ^{1/}	P, PA, PE, S, SG)	40%
1413.00.00	00	Densified wood, in blocks, plates, strips or profile shapes	kg	3.7% ^{1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	50%
1414		Wooden frames for paintings, photographs, mirrors or similar objects:				
1414.10.00	00	Of tropical wood	No	3.9% ^{3/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3% ^{2/}
1414.90.00	00	Other	No	3.9% ^{3/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3% ^{2/}

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
Subileadilig	fix	Attible Description	Quantity	General	Special	
1415		Packing cases, boxes, crates, drums and similar packings, of wood; cable-drums, of wood; pallets, box-pallets and other load boards, of wood; pallet collars of wood:				
1415.10	00	Cases, boxes, crates, drums and similar packings; cable-drums:				
1415.10.30		Packing boxes and cases with solid sides, lids and bottoms		· Free ^{1/}		15%
1415.10.60		Containers designed for use in the harvesting of fruits and vegetables	No			Free
1415.10.90	00	Other	No	· 10.7% ^{<u>1/</u>}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3% ^{2/}
1415.20 1415.20.40	00	Pallets, box-pallets and other load boards; pallet collars: Containers designed for use in the harvesting of fruits and vegetables		· Free ^{1/}		Free
1415.20.80	00	Other			Free (A, AU, BH, CL,	33 1/3%
				10.7%	CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	17070
4416.00 4416.00.30		Casks, barrels, vats, tubs and other coopers' products and parts thereof, of wood, including staves: Casks, barrels and hogsheads		Froo ^{1/}		15%
5.00.00	10	New		1166		1.070
		Used:				
	20	Assembled (set up)	No.			
1416.00.60	30	Unassembled (knocked down)Staves and hoops; tight barrelheads of softwood	No.	Free ^{1/}		Free
	10	New: Staves	No			
	20	Hoops				
	30	Tight barrelheads				
		Used:				
	40	Staves				
4416.00.90	50	OtherOther		3.2% ^{1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P,	33 1/3%
					PA, PE, S, SG)	
	20	New	ľ			
	40	Used	kg			
						1

	ΙX	
44-	41	

	Stat.		Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
4417.00 4417.00.20	00	Tools, tool bodies, tool handles, broom or brush bodies and handles, of wood; boot or shoe lasts and trees, of wood: Broom and mop handles, 1.9 cm or more in diameter and				
4417.00.20	00	97 cm or more in length		Free ^{3/}		33 1/3%
4417.00.40	00	Paint brush and paint roller handles	kg	Free ^{3/}		33 1/3%
4417.00.60	00	Brush backs	No	Free ^{1/}		33 1/3%
4417.00.80		Other		5.1% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3%
	10	Tool handles	kg		, , , , ,	
4418	90	OtherBuilders' joinery and carpentry of wood, including cellular wood panels and assembled flooring panels; shingles and shakes: Windows, French-windows and their frames:	J			
4418.11.00	00	Of tropical wood	No	3.2% ^{1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3%
4418.19.00	00	Other	No	3.2% ^{1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3%
4440.04		Doors and their frames and thresholds:			, , , ,	
4418.21 4418.21.40	00	Of tropical wood: French doors	No	4.8% 1/	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3%
4418.21.80		Other		4.8% ^{1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P,	33 1/3% ^{2/}
4410.00	30 60	Flush doors Other	No. No.		PA, PE, S, SG)	
4418.29 4418.29.40	00	Other: French doors	No	4.8% ^{1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3%
4418.29.80		Other		4.8% ^{1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P,	33 1/3% ^{2/}
4418.30.01	30 60 00	Flush doors Other Posts and beams other than products of subheadings	No. No.		PA, PE, S, SG)	
		4418.81 to 4418.89	kg	3.2% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3%

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
oublieading	fix	Atticle Description	Quantity	General	Special	
1418 (con.)		Builders' joinery and carpentry of wood, including cellular wood panels and assembled flooring panels; shingles and shakes: (con.)			-,	
1418.40.00	00	Formwork (shuttering) for concrete constructional work	kg	3.2% ^{1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3% ^{2/}
4418.50.00		Shingles and shakes		Free ^{1/}	, , ,	Free
	10		square kg			
	30	Other	square kg			
	50		square kg			
1418.73		Assembled flooring panels: Of bamboo or with at least the top layer (wear layer) of bamboo: For mosaic floors:				
1418.73.10	00	Solid Other:	m ²	Free ^{1/}		33 1/3%
1418.73.20	00	Having a face ply more than 6 mm in thickness	m²			33 1/3%
1418.73.30	00	Other Other, multilayer:	m ²	8% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	40%
1418.73.40	00	Having a face ply more than 6 mm in thickness	m²	3.2% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3%
1418.73.60	00	Other: Of unidirectional bamboo	m ²	Free ^{1/}		40%
1418.73.70		Other		5% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	40%
1418.73.90	00	Other	m ²	3.2% ^{1/}	F, FA, FE, S, SG) Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3%

	Stat. Suf. Article Description	Unit		Rates of Duty		
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
418 (con.)		Builders' joinery and carpentry of wood, including cellular wood panels and assembled flooring panels; shingles and shakes: (con.) Assembled flooring panels: (con.)		33.13.4	Cp Co.d.	
418.74 418.74.10	00	Other, for mosaic floors: Solid	m²	Free ^{1/}		33 1/3% ^{2/}
418.74.20	00	Other: Having a face ply more than 6 mm in	m ²	1 /		33 1/3%
418.74.90	00			Free ^{1/} 8% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL,	40%
418.75 418.75.40	00	Other, multilayer: Having a face ply more than 6 mm in thickness	m ²	3.2% ^{1/}	JO, KR, MA, OM, P, PA, PE, S, SG) Free (A*, AU, BH,	33 1/3%
					CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	
418.75.70	00			5% ¹¹	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	40%
418.79.01	00		m ²	3.2% ^{1/}	Free (A*, AÚ, BH, 'CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3%
418.81.00	00	Engineered structural timber products: Glue-laminated timber (glulam)	kg	3.2% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3% ^{2/}
418.82.00	00	Cross-laminated timber (CLT or X-lam)	kg	3.2% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3% ^{2/}
418.83.00	00	I-beams	kg	3.2% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3% ^{2/}
1418.89.00	00	Other	kg	3.2% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3% ^{2/}

Heading/	Stat.		Unit		Rates of Duty	-
Subheading	Suf-	Article Description	of		1	2
1418 (con.)	fix	Builders' joinery and carpentry of wood, including cellular wood panels and assembled flooring panels; shingles and shakes:	Quantity	General	Special	
1418.91		(con.) Other: Of bamboo:				
1418.91.10	00	Drilled or notched lumber studs	m³	Free ^{1/}		\$1.70/m ³
1418.91.91		Other		3.2% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3%
	05	Wood flooring	m^2 m^3		1,17,12,0,00)	
	4.0	Other:				
	10	Arches, laminated	_			
	20	Roof trusses	kg			
	40	Other fabricated structural wood members	kg			
	50	Prefabricated partitions and panels for buildings	kg			
	95	Other				
1418.92.00	00	Cellular wood panels	kg	3.2% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3% ^{2/}
1418.99 1418.99.10	00	Other: Drilled or notched lumber studs	m³	Free ^{1/}		\$1.70/m ³
1418.99.91		Other		3.2% ^{1/}	Free (A*, AU, BH,	33 1/3% ^{2/}
	05	Wood flooring		J.2 /6	CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	30 1/3/6
			m³			
	40	Other:				
	10	Arches, laminated	· ·			
	20	Roof trusses	kg			
	40	Other fabricated structural wood members	ka			
	50	Prefabricated partitions and panels for	···g			
		buildings	kg			
	95	Other	kg			

	IX
44-	45

Heading/	Stat.		Unit Rates of Duty			2	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2	
419		Tableware and kitchenware, of wood:		Contra	Opera.		
		Of bamboo:					
1419.11.00	00	Bread boards, chopping boards and similar boards	No	3.2%	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3%	
419.12.00	00	Chopsticks	kg	3.2%	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3%	
419.19		Other:					
419.19.10	00	Forks and spoons	kg	5.3%	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3%	
419.19.90	00	Other	kg	3.2%	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3%	
419.20		Of tropical wood:			·		
419.20.10	00	Forks and spoons	kg	5.3%	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3%	
419.20.90	00	Other	kg	3.2% ^{3/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3% ^{2/}	
1419.90		Other:					
1419.90.11	00	Forks and spoons	kg	5.3%	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3%	
1419.90.91	00	Other	kg	3.2% ^{3/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3% ^{2/}	

	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
Subneading	fix	Article Description	Quantity	General	Special	
420		Wood marquetry and inlaid wood; caskets and cases for jewelry or cutlery and similar articles, of wood; statuettes and other ornaments, of wood; wooden articles of furniture not falling within chapter 94:				
420.11.00		Statuettes and other ornaments: Of tropical wood		3.2%	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, D, DA, DE, C, CO)	33 1/3% ^{2/}
	10	Of mango wood (Mangifera spp.)	No.		P, PA, PE, S, SG)	
	30	Of teak (<i>Tectona spp.</i>)				
	90	Other				
420.19.00	00	Other	No	3.2%	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3%4/
.420.90		Other: Jewelry boxes, silverware chests, cigar and cigarette boxes, microscope cases, tool or utensil cases and similar boxes, cases and chests, all the foregoing of wood:				
1420.90.20	00	Cigar and cigarette boxes	No	Free ^{3/}		60%
		Other:				
1420.90.45	00	Not lined with textile fabrics	No	4.3% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3% ^{2/}
1420.90.65	00	Lined with textile fabrics	kg	Free ^{1/}		11¢/kg +
1420.90.80	00	Other	No. No	3.2% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	20% ^{2/} 33 1/3% ^{2/}

Heading/	Stat.		Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
1421	IIX	Other articles of wood:	Quantity	General	Special	
1421.10.00	00	Clothes hangers	hundreds	3.2%	Free (A+, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3%
1421.20 1421.20.10	00	Coffins: Of bamboo	No	3.3% ^{1/}	Free (A*, AU, B, BH, CL, CO, D, E, IL,	33 1/3% ^{2/}
					JO, KR, MA, OM, P, PA, PE, S, SG)	
1421.20.20	00	Other	No	3.3%1	Free (A*, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3%2
421.91		Other: Of bamboo:				
1421.31		Wood dowel pins:				
4421.91.10	00	Plain	m	Free ^{1/}		5%
4421.91.20				1.00		
4421.91.20	00	Sanded, grooved or otherwise advanced in condition	m	4 00/ 1/	Free (A+, AU, BH,	33 1/3%
		CONTINUE		4.9%	CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	170 76
1421.91.30	00	Wood blinds, shutters, screens and shades, all the foregoing with or without their hardware: Consisting of wooden frames in the center of which are fixed louver boards or slats, with or				
			No	10.7%	Free (A*, AU, BH,	33 1/3%
					CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	00 170 70
1421.91.40	00	Other	No	5.1% ^{3/}	Free (A+, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	50%
		Toothpicks, skewers, candy sticks, ice cream sticks, tongue depressors, drink mixers and similar small wares:				
4421.91.50	00	Toothpicks	kg	Free		25%
1421.91.60	00	Other	kg	5.1% ^{3/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3%
1421.91.70		Pickets, palings, posts and rails, the foregoing		_ 1/		-
		which are sawn; assembled fence sections		Free ^{1/}		Free
	20	Assembled fence sections				
	40	Other	No.			

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
	fix		Quantity	General	Special	<u> </u>
421 (con.)		Other articles of wood: (con.)				
421.91		Other: (con.)				
con.)		Of bamboo: (con.)				
0011.)		Clothespins:				
1421.91.80		Spring-type		6.5¢/gross	Free (A+, BH, CL,	20¢/gross
					CO, D, E, IL, JO,	
					KR, MA, OM, P,	
	24	Valued not over 80¢/gross	arnes		PA, PE, S, SG)	
	27	Valued over 80¢ but not over	gross			
	21	\$1.35/gross	aross			
	30	Valued over \$1.35 but not over	9.000			
	30	\$1.70/gross	aross			
	33	Valued over \$1.70/gross				
421.91.85		Other		4.8%	Free (A+, AU, BH,	35%
121.01.00	00	0.1101	gr033	14.070	CL, CO, D, E, IL,	00 70
				1	JO, KR, MA, OM,	
			.	I _	P, PA, PE, S, SG)	
1421.91.88	00	Canoe paddles	No	Free		35%
	اررا	Other:		1		
1421.91.93	00	Theatrical, ballet, and operatic scenery and	ka			22 1/20/
		properties, including sets				33 1/3%
1421.91.94	00	Edge-glued lumber				10% ^{2/}
1421.91.98		Other		3.3% ^{1/}	Free (A*, AU, B, BH,	33 1/3% ^{2/}
					CL, CO, D, E, IL,	
					JO, KR, MA, OM,	
	20	Pencil slats	aross		P, PA, PE, S, SG)	
	70	Gates for confining children or pets	_			
	80	Other	kg			
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
						I

Heading/	Stat.				Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
1421 (con.)		Other articles of wood: (con.)				
1421.99		Other: (con.) Other:				
421.33		Wood dowel pins:				
		Plain:				
1421.99.10	00	Coniferous	m	Free ^{1/}		5% ^{2/}
421.99.15	00	Other	m	Free ^{1/}		5%
1421.99.20	00	Sanded, grooved or otherwise advanced in				
		condition		4.9% ^{1/}	Free (A+, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3%
421.99.30	00	Wood blinds, shutters, screens and shades, all the foregoing with or without their hardware: Consisting of wooden frames in the center of which are fixed louver boards or slats, with or				
		without their hardware	No	10.7% ^{3/}	Free (A*, AU, BH,	33 1/3%
					CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	
421.99.40	00	Other	No	5.1%	Free (A+, AU, BH,	50%
					CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	
		Toothpicks, skewers, candy sticks, ice cream sticks, tongue depressors, drink mixers and similar small wares:				
1421.99.50	00	Toothpicks	"			25%
1421.99.60	00	Other	kg	5.1%	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	33 1/3% ^{2/}
1421.99.70		Pickets, palings, posts and rails, the foregoing which are sawn; assembled fence sections		Free ^{1/}		Free ^{2/}
	20	Assembled fence sections				
	40		No.			
421.99.80		Clothespins:		6.5¢/gross	Fron (A . DU CI	20 th / aross
1421.99.00		Spring-type		b.5¢/gross	Free (A+, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	20¢/gross
	24	Valued not over 80¢/gross	gross		,	
	27	Valued over 80¢ but not over	arooo			
	30	\$1.35/grossValued over \$1.35 but not over	gross			
		\$1.70/gross	gross			
	33	Valued over \$1.70/gross	gross			
421.99.85	00	Other	gross	4.8%	Free (A+, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	35%
1421.99.88	00	Canoe paddles	No	Free ^{3/}	1,1 A,1 L, 3, 30)	35%

Heading/	Stat. Suf-	Article Description	Unit		Rates of Duty	2
Subheading	Sut- fix	Article Description	of Quantity	General	1 Special	
421 (con.)		Other articles of wood: (con.)				
421.99		Other: (con.)				
con.)		Other: (con.)				
		Other:				
421.99.93	00	Theatrical, ballet, and operatic scenery and	le on	_ 1/		2/
		properties, including sets				33 1/3% ^{2/}
421.99.94	00	Edge-glued lumber	m³	Free ^{1/}		10% ^{2/}
421.99.98		Other		3.3% ^{1/}	Free (A*, AU, B, BH,	33 1/3% ^{2/}
					CL, CO, D, E, IL, JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
	20	Pencil slats	_			
	70	Gates for confining children or pets	No.			
	80	Other	kg			
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
			1			

Endnotes--page 44 - 51

1/ See 9903.88.03. 2/ See 9903.90.08. 3/ See 9903.88.15. 4/ See 9903.90.08