Use Case Tables

Functional Requirements FR-01 to FR-25

FR-01 - Create Restaurant Reservation

Use Case Name:	Create Restaurant Reservation	
Scenario:	A new restaurant reservation is created.	
Triggering Event:	Customer requests a table reservation.	
Brief Description:	Staff enters guest details, reservation date and time, and the system books an available table.	
Actors:	Staff	
Stakeholders:	Staff, Manager	
Preconditions:	Restaurant tables and schedule exist in the system.	
Postconditions:	Restaurant reservation is created and linked to a table.	
Flow of Activities:		
	Actor	**System**
1.	Staff starts a new restaurant reservation.	System opens the reservation form.
2.	Staff enters customer name, contact details, date, time, and number of guests.	System validates the entered reservation information.
3.	Staff requests availability.	System checks real-time table availability for the selected time slot.
4.	Staff selects an available table and confirms the booking.	System saves the reservation and marks the table as reserved.
5.	Staff informs the customer that the reservation is confirmed.	System displays the reservation reference.

FR-02 - Create Guesthouse Reservation

Use Case Name:	Create Guesthouse Reservation	
Scenario:	A new guesthouse reservation is created.	
Triggering Event:	Customer requests a room reservation.	
Brief Description:	Staff enters guest stay details and the system books an available room for the requested dates.	
Actors:	Staff	
Stakeholders:	Staff, Manager	
Preconditions:	Guesthouse rooms and room schedule exist in the system.	
Postconditions:	Guesthouse reservation is created and linked to a room.	
Flow of Activities:		
	Actor	**System**
1.	Staff starts a new guesthouse reservation.	System opens the room reservation form.
2.	Staff enters guest identity and stay details (check-in, check-out, guests).	System validates the entered reservation information.
3.	Staff requests room availability.	System checks real-time room availability for the selected dates.
4.	Staff selects an available room and confirms the booking.	System saves the reservation and marks the room as reserved.
5.	Staff provides the booking confirmation to the customer.	System displays the reservation reference.

FR-03 - Display Real-Time Availability

Use Case Name:	Display Real-Time Availability	
Scenario:	Availability of tables and rooms is displayed.	
Triggering Event:	Staff needs to check available resources.	
Brief Description:	Staff requests an overview of free tables or rooms for a selected date and time.	
Actors:	Staff	
Stakeholders:	Staff	
Preconditions:	Tables, rooms, and reservation data exist in the system.	
Postconditions:	Current availability is displayed to staff.	
Flow of Activities:		
	Actor	**System**
1.	Staff opens the availability view.	System displays search fields for date, time, and resource type.
2.	Staff selects date, time, and whether to view tables or rooms.	System retrieves current reservation data.
3.	Staff submits the request.	System displays available and unavailable tables or rooms in real time.

FR-04 - Prevent Double Booking

Use Case Name:	Prevent Double Booking	
Scenario:	System blocks a conflicting booking.	
Triggering Event:	Staff attempts to book a table or room already reserved.	
Brief Description:	Before saving a reservation, the system checks for conflicts and rejects any double booking.	
Actors:	Staff	
Stakeholders:	Staff, Manager	
Preconditions:	Reservation details have been entered.	
Postconditions:	No conflicting reservation is created.	
Flow of Activities:		
	Actor	**System**
1.	Staff enters reservation details and selects a table or room.	System checks existing reservations for overlaps.
2.	Staff attempts to confirm the reservation.	System detects a conflict if the resource is already booked.
3.	Staff reviews the warning.	System blocks the reservation and prompts staff to choose another table or room.

FR-05 - Modify or Cancel Reservation

Use Case Name:	Modify or Cancel Reservation	
Scenario:	An existing reservation is changed or canceled.	
Triggering Event:	Customer requests a reservation update or cancellation.	
Brief Description:	Staff locates an existing reservation and updates or cancels it.	
Actors:	Staff	
Stakeholders:	Staff	
Preconditions:	Reservation already exists.	
Postconditions:	Reservation is updated or canceled and availability is adjusted.	
Flow of Activities:		
	Actor	**System**
1.	Staff searches for the reservation.	System displays matching reservations.
2.	Staff opens the selected reservation.	System loads the reservation details.
3.	Staff edits reservation details or chooses cancel.	System validates the changes or cancellation request.
4.	Staff confirms the action.	System updates or cancels the reservation and refreshes availability.

FR-06 - Store Reservation History

Use Case Name:	Store Reservation History	
Scenario:	Past reservation records are stored.	
Triggering Event:	A reservation is completed, modified, or canceled.	
Brief Description:	The system keeps historical records of reservations for later review by management.	
Actors:	Manager	
Stakeholders:	Manager	
Preconditions:	Reservations have been created and processed.	
Postconditions:	Reservation history is stored and can be reviewed.	
Flow of Activities:		
	Actor	**System**
1.	Reservation activity occurs in the system.	System records the reservation status, timestamps, and related details.
2.	Manager opens reservation history.	System retrieves historical reservation records.
3.	Manager reviews past reservations.	System displays stored reservation history.

FR-07 - Search Reservations

Use Case Name:	Search Reservations	
Scenario:	Reservations are searched.	
Triggering Event:	Staff needs to find a specific reservation.	
Brief Description:	Staff searches reservations by guest name, phone number, date, or reference.	
Actors:	Staff	
Stakeholders:	Staff	
Preconditions:	Reservations exist in the system.	
Postconditions:	Matching reservations are displayed.	
Flow of Activities:		
	Actor	**System**
1.	Staff opens the reservation search screen.	System displays search fields.
2.	Staff enters a search term or criteria.	System searches reservation records.
3.	Staff submits the search.	System displays matching reservations.

FR-08 - Filter Reservations

Use Case Name:	Filter Reservations	
Scenario:	Reservation list is filtered.	
Triggering Event:	Staff wants to narrow the reservation list.	
Brief Description:	Staff applies filters such as date, status, or reservation type to view relevant bookings.	
Actors:	Staff	
Stakeholders:	Staff	
Preconditions:	Reservations exist in the system.	
Postconditions:	Filtered reservation list is displayed.	
Flow of Activities:		
	Actor	**System**
1.	Staff opens the reservations list.	System displays all available reservations.
2.	Staff selects filter criteria such as date, status, or type.	System applies the selected filters.
3.	Staff confirms the filter.	System displays only reservations that match the selected criteria.

FR-09 - Manage Menu Items

Use Case Name:	Manage Menu Items	
Scenario:	Menu items are added, updated, or removed.	
Triggering Event:	Manager wants to maintain the menu.	
Brief Description:	Manager manages dish names, descriptions, prices, and availability in the menu.	
Actors:	Manager	
Stakeholders:	Manager	
Preconditions:	Manager is authorized to manage menu data.	
Postconditions:	Menu is updated.	
Flow of Activities:		
	Actor	**System**
1.	Manager opens the menu management screen.	System displays the current menu items.
2.	Manager adds, edits, or removes a menu item.	System validates the entered menu information.
3.	Manager saves the changes.	System updates the menu database and confirms the action.

FR-10 - Record Customer Orders

Use Case Name:	Record Customer Orders	
Scenario:	A customer order is recorded.	
Triggering Event:	Customer places an order.	
Brief Description:	Staff selects ordered menu items and records them in the system.	
Actors:	Staff	
Stakeholders:	Staff	
Preconditions:	Menu items exist in the system.	
Postconditions:	Order is recorded.	
Flow of Activities:		
	Actor	**System**
1.	Staff starts a new order.	System opens the order entry screen.
2.	Staff selects menu items and quantities.	System records each item and updates the order subtotal.
3.	Staff confirms the order.	System saves the order for processing.

FR-11 - Link Orders to Tables or Reservations

Use Case Name:	Link Orders to Tables or Reservations	
Scenario:	An order is connected to a table or reservation.	
Triggering Event:	Staff records an order for seated or booked guests.	
Brief Description:	Staff associates the order with a table number or reservation record.	
Actors:	Staff	
Stakeholders:	Staff	
Preconditions:	Order entry has started and relevant table or reservation exists.	
Postconditions:	Order is linked correctly.	
Flow of Activities:		
	Actor	**System**
1.	Staff starts or opens an order.	System prompts for table or reservation reference.
2.	Staff selects the related table or reservation.	System links the order to the selected table or reservation.
3.	Staff continues recording order items.	System stores the association for billing and service tracking.

FR-12 - Calculate Bills Automatically

Use Case Name:	Calculate Bills Automatically	
Scenario:	Order total is calculated automatically.	
Triggering Event:	Staff requests the bill for an order.	
Brief Description:	The system calculates the bill based on ordered items, quantities, and applicable prices.	
Actors:	Staff	
Stakeholders:	Staff	
Preconditions:	Order has recorded items.	
Postconditions:	Bill total is generated.	
Flow of Activities:		
	Actor	**System**
1.	Staff opens the completed order.	System retrieves all ordered items and quantities.
2.	Staff requests bill calculation.	System calculates the subtotal, taxes or charges if applicable, and final total.
3.	Staff reviews the bill.	System displays the generated bill amount.

FR-13 - Store Completed Orders

Use Case Name:	Store Completed Orders	
Scenario:	Completed restaurant orders are stored.	
Triggering Event:	An order is finalized and paid.	
Brief Description:	The system saves completed orders for later reporting and review.	
Actors:	Manager	
Stakeholders:	Manager	
Preconditions:	Order has been completed.	
Postconditions:	Completed order record is stored.	
Flow of Activities:		
	Actor	**System**
1.	Order is marked as completed.	System stores the order details, payment status, and completion time.
2.	Manager opens completed order records.	System retrieves stored completed orders.
3.	Manager reviews the records.	System displays the completed order history.

FR-14 - Split Bill

Use Case Name:	Split Bill	
Scenario:	A bill is divided into parts.	
Triggering Event:	Customers request separate payments.	
Brief Description:	Staff uses the split bill feature to divide the total among customers.	
Actors:	Staff	
Stakeholders:	Staff	
Preconditions:	Bill has been calculated.	
Postconditions:	Bill is split and separate payable amounts are shown.	
Flow of Activities:		
	Actor	**System**
1.	Staff opens the bill.	System displays the full total.
2.	Staff chooses the split bill option and enters split method.	System recalculates the bill into separate amounts.
3.	Staff confirms the split.	System displays the split totals for payment.

FR-15 - Print Receipt

Use Case Name:	Print Receipt	
Scenario:	A receipt is printed.	
Triggering Event:	Customer requests or payment is completed.	
Brief Description:	Staff prints a receipt for the completed bill.	
Actors:	Staff	
Stakeholders:	Staff	
Preconditions:	Bill has been finalized.	
Postconditions:	Receipt is generated and printed.	
Flow of Activities:		
	Actor	**System**
1.	Staff opens the finalized bill.	System displays the receipt preview.
2.	Staff selects the print receipt option.	System generates a printable receipt.
3.	Staff confirms printing.	System sends the receipt to the printer.

FR-16 - Track Most Popular Dishes

Use Case Name:	Track Most Popular Dishes	
Scenario:	Most ordered dishes are identified.	
Triggering Event:	Manager requests sales insights.	
Brief Description:	The system analyzes completed orders and shows the dishes ordered most frequently.	
Actors:	Manager	
Stakeholders:	Manager	
Preconditions:	Completed orders exist in the system.	
Postconditions:	Popularity statistics are displayed.	
Flow of Activities:		
	Actor	**System**
1.	Manager opens dish analytics.	System retrieves historical order data.
2.	Manager requests popular dish statistics.	System calculates order frequency for each menu item.
3.	Manager reviews the results.	System displays the most popular dishes.

FR-17 - Register Traditional Products for Sale

Use Case Name:	Register Traditional Products for Sale	
Scenario:	A product is registered for sale.	
Triggering Event:	Staff wants to add a new traditional product.	
Brief Description:	Staff enters product details so the item can be sold and tracked in the system.	
Actors:	Staff	
Stakeholders:	Staff	
Preconditions:	Product data is available.	
Postconditions:	Product is registered in the product catalog.	
Flow of Activities:		
	Actor	**System**
1.	Staff opens product registration.	System displays the product entry form.
2.	Staff enters product name, category, price, and quantity.	System validates the product information.
3.	Staff saves the new product.	System registers the product for sale.

FR-18 - Update Product Price and Quantity

Use Case Name:	Update Product Price and Quantity	
Scenario:	Product information is updated.	
Triggering Event:	Price or stock quantity changes.	
Brief Description:	Staff updates the selling price or available quantity of a product.	
Actors:	Staff	
Stakeholders:	Staff	
Preconditions:	Product already exists.	
Postconditions:	Product record is updated.	
Flow of Activities:		
	Actor	**System**
1.	Staff searches for the product.	System displays the product record.
2.	Staff edits the price or quantity.	System validates the new values.
3.	Staff saves the changes.	System updates the product information.

FR-19 - Record Product Sales Transaction

Use Case Name:	Record Product Sales Transaction	
Scenario:	A product sale is recorded.	
Triggering Event:	Customer purchases a traditional product.	
Brief Description:	Staff records the product sale and payment details in the system.	
Actors:	Staff	
Stakeholders:	Staff, Manager	
Preconditions:	Product exists and is available for sale.	
Postconditions:	Sales transaction is stored and product quantity is reduced if applicable.	
Flow of Activities:		
	Actor	**System**
1.	Staff starts a product sale transaction.	System opens the sales entry screen.
2.	Staff selects the product, quantity, and payment details.	System calculates the total sale value.
3.	Staff confirms the transaction.	System saves the sale and updates product stock.

FR-20 - Maintain Product Purchase History

Use Case Name:	Maintain Product Purchase History	
Scenario:	Purchase history is maintained.	
Triggering Event:	Manager needs past purchase records.	
Brief Description:	The system stores historical purchase information for traditional products.	
Actors:	Manager	
Stakeholders:	Manager	
Preconditions:	Product purchase records exist or are entered.	
Postconditions:	Purchase history is available for review.	
Flow of Activities:		
	Actor	**System**
1.	Product purchase information is recorded.	System stores supplier, quantity, price, and date.
2.	Manager opens purchase history.	System retrieves stored purchase records.
3.	Manager reviews the history.	System displays the purchase history.

FR-21 - Apply Discounts

Use Case Name:	Apply Discounts	
Scenario:	A discount is applied to an order or sale.	
Triggering Event:	Staff gives a customer an approved discount.	
Brief Description:	Staff selects a discount and the system recalculates the final amount.	
Actors:	Staff	
Stakeholders:	Staff	
Preconditions:	Order or sale is open and discount rules allow the action.	
Postconditions:	Discounted total is displayed.	
Flow of Activities:		
	Actor	**System**
1.	Staff opens the order or product sale.	System displays the current total.
2.	Staff selects or enters the discount.	System validates the discount and recalculates the total.
3.	Staff confirms the discount.	System displays the updated payable amount.

FR-22 - Generate Invoice

Use Case Name:	Generate Invoice	
Scenario:	An invoice is generated for a sale.	
Triggering Event:	Customer requests an invoice or sale requires it.	
Brief Description:	Staff generates an invoice from a completed sale transaction.	
Actors:	Staff	
Stakeholders:	Staff	
Preconditions:	Sale transaction exists.	
Postconditions:	Invoice document is created.	
Flow of Activities:		
	Actor	**System**
1.	Staff opens the completed transaction.	System loads the transaction details.
2.	Staff selects generate invoice.	System creates the invoice with customer and sale information.
3.	Staff reviews the invoice.	System displays the invoice for saving or printing.

FR-23 - Track Ingredients and Product Stock

Use Case Name:	Track Ingredients and Product Stock	
Scenario:	Inventory levels are monitored.	
Triggering Event:	Inventory manager reviews stock status.	
Brief Description:	The system tracks available ingredients and product stock quantities for operations and sales.	
Actors:	Inventory Manager	
Stakeholders:	Inventory Manager	
Preconditions:	Inventory items exist in the system.	
Postconditions:	Current stock levels are displayed.	
Flow of Activities:		
	Actor	**System**
1.	Inventory manager opens the inventory module.	System retrieves all ingredient and product stock records.
2.	Inventory manager reviews stock quantities.	System displays current quantities and stock status.
3.	Inventory manager checks low-stock items if needed.	System highlights items with low stock.

FR-24 - Update Inventory Automatically After Sales

Use Case Name:	Update Inventory Automatically After Sales	
Scenario:	Inventory is reduced after a sale.	
Triggering Event:	A restaurant order or product sale is completed.	
Brief Description:	The system automatically updates inventory quantities after items are sold or consumed.	
Actors:	Inventory Manager	
Stakeholders:	Inventory Manager	
Preconditions:	Sales or completed orders exist and inventory mappings are defined.	
Postconditions:	Inventory quantities are updated automatically.	
Flow of Activities:		
	Actor	**System**
1.	A sale or completed order is confirmed.	System identifies the related products or ingredients.
2.	No manual action is required from the inventory manager.	System deducts the corresponding stock quantities automatically.
3.	Inventory manager reviews inventory.	System shows updated stock levels.

FR-25 - Add New Stock

Use Case Name:	Add New Stock	
Scenario:	New stock is added to inventory.	
Triggering Event:	New ingredients or products are received.	
Brief Description:	Inventory manager records incoming stock quantities and related details.	
Actors:	Inventory Manager	
Stakeholders:	Inventory Manager	
Preconditions:	Inventory items exist or can be added.	
Postconditions:	Inventory stock is increased.	
Flow of Activities:		
	Actor	**System**
1.	Inventory manager opens stock entry.	System displays the stock update form.
2.	Inventory manager enters item, quantity, supplier, and date.	System validates the stock entry.
3.	Inventory manager confirms the addition.	System increases inventory quantity and stores the stock record.