FR-26 - Notify Low Stock Levels

Use Case Name:	Notify Low Stock Levels	
Scenario:	A notify low stock levels process.	
Triggering Event:	User initiates the action.	
Brief Description:	The system handles notify low stock levels based on user input.	
Actors:	Inventory Manager	
Stakeholders:	Inventory Manager	
Preconditions:	System data is available.	
Postconditions:	Operation completed successfully.	
Flow of Activities:		
	Actor	System
1.	Inventory Manager starts the process.	System opens the interface.
2.	Inventory Manager enters required data.	System validates data.
3.	Inventory Manager requests action.	System processes request.
4.	Inventory Manager confirms action.	System saves data.
5.	Inventory Manager completes process.	System displays result.

FR-27 - Display Current Stock Levels

Use Case Name:	Display Current Stock Levels
Scenario:	A display current stock levels process.
Triggering Event:	User initiates the action.

Brief Description:	The system handles display current stock levels based on user input.	
Actors:	Inventory Manager	
Stakeholders:	Inventory Manager	
Preconditions:	System data is available.	
Postconditions:	Operation completed successfully.	
Flow of Activities:		
	Actor	System
1.	Inventory Manager starts the process.	System opens the interface.
2.	Inventory Manager enters required data.	System validates data.
3.	Inventory Manager requests action.	System processes request.
4.	Inventory Manager confirms action.	System saves data.
5.	Inventory Manager completes process.	System displays result.

FR-28 - Track Supplier Information

Use Case Name:	Track Supplier Information
Scenario:	A track supplier information process.
Triggering Event:	User initiates the action.
Brief Description:	The system handles track supplier information based on user input.
Actors:	Inventory Manager
Stakeholders:	Inventory Manager
Preconditions:	System data is available.

Postconditions:	Operation completed successfully.	
Flow of Activities:		
	Actor	System
1.	Inventory Manager starts the process.	System opens the interface.
2.	Inventory Manager enters required data.	System validates data.
3.	Inventory Manager requests action.	System processes request.
4.	Inventory Manager confirms action.	System saves data.
5.	Inventory Manager completes process.	System displays result.

FR-29 - Record Damaged Goods

Use Case Name:	Record Damaged Goods	
Scenario:	A record damaged goods process.	
Triggering Event:	User initiates the action.	
Brief Description:	The system handles record damaged goods based on user input.	
Actors:	Inventory Manager	
Stakeholders:	Inventory Manager	
Preconditions:	System data is available.	
Postconditions:	Operation completed successfully.	
Flow of Activities:		
	Actor	System
1.	Inventory Manager starts the process.	System opens the interface.

2.	Inventory Manager enters required data.	System validates data.
3.	Inventory Manager requests action.	System processes request.
4.	Inventory Manager confirms action.	System saves data.
5.	Inventory Manager completes process.	System displays result.

FR-30 - Track Product Expiration Dates

Use Case Name:	Track Product Expiration Dates	
Scenario:	A track product expiration dates process.	
Triggering Event:	User initiates the action.	
Brief Description:	The system handles track product expiration dates based on user input.	
Actors:	Inventory Manager	
Stakeholders:	Inventory Manager	
Preconditions:	System data is available.	
Postconditions:	Operation completed successfully.	
Flow of Activities:		
	Actor	System
1.	Inventory Manager starts the process.	System opens the interface.
2.	Inventory Manager enters required data.	System validates data.
3.	Inventory Manager requests action.	System processes request.
4.	Inventory Manager confirms action.	System saves data.

5.	Inventory Manager completes process.	System displays result.

FR-31 - Generate Restaurant Sales Reports

Use Case Name:	Generate Restaurant Sales Reports	
Scenario:	A generate restaurant sales reports process.	
Triggering Event:	User initiates the action.	
Brief Description:	The system handles generate restaurant sales reports based on user input.	
Actors:	Manager	
Stakeholders:	Manager	
Preconditions:	System data is available.	
Postconditions:	Operation completed successfully.	
Flow of Activities:		
	Actor	System
1.	Manager starts the process.	System opens the interface.
2.	Manager enters required data.	System validates data.
3.	Manager requests action.	System processes request.
4.	Manager confirms action.	System saves data.
5.	Manager completes process.	System displays result.

FR-32 - Generate Product Sales Reports

Use Case Name:	Generate Product Sales Reports
Scenario:	A generate product sales reports process.
Triggering Event:	User initiates the action.
Brief Description:	The system handles generate product sales reports based on user input.

Actors:	Manager	
Stakeholders:	Manager	
Preconditions:	System data is available.	
Postconditions:	Operation completed successfully.	
Flow of Activities:		
	Actor	System
1.	Manager starts the process.	System opens the interface.
2.	Manager enters required data.	System validates data.
3.	Manager requests action.	System processes request.
4.	Manager confirms action.	System saves data.
5.	Manager completes process.	System displays result.

FR-33 - Generate Reservation Statistics

Use Case Name:	Generate Reservation Statistics	
Scenario:	A generate reservation statistics process.	
Triggering Event:	User initiates the action.	
Brief Description:	The system handles generate reservation statistics based on user input.	
Actors:	Manager	
Stakeholders:	Manager	
Preconditions:	System data is available.	
Postconditions:	Operation completed successfully.	
Flow of Activities:		
	Actor	System
1.	Manager starts the process.	System opens the interface.

2.	Manager enters required data.	System validates data.
3.	Manager requests action.	System processes request.
4.	Manager confirms action.	System saves data.
5.	Manager completes process.	System displays result.

FR-34 - Generate Revenue Reports

Use Case Name:	Generate Revenue Reports	
Scenario:	A generate revenue reports process.	
Triggering Event:	User initiates the action.	
Brief Description:	The system handles generate revenue reports based on user input.	
Actors:	Manager	
Stakeholders:	Manager	
Preconditions:	System data is available.	
Postconditions:	Operation completed successfully.	
Flow of Activities:		
	Actor	System
1.	Manager starts the process.	System opens the interface.
2.	Manager enters required data.	System validates data.
3.	Manager requests action.	System processes request.
4.	Manager confirms action.	System saves data.
5.	Manager completes process.	System displays result.

FR-35 - Display Historical Data

Use Case Name:	Display Historical Data
Scenario:	A display historical data process.

Triggering Event:	User initiates the action.	
Brief Description:	The system handles display historical data based on user input.	
Actors:	Manager	
Stakeholders:	Manager	
Preconditions:	System data is available.	
Postconditions:	Operation completed successfully.	
Flow of Activities:		
	Actor	System
1.	Manager starts the process.	System opens the interface.
2.	Manager enters required data.	System validates data.
3.	Manager requests action.	System processes request.
4.	Manager confirms action.	System saves data.
5.	Manager completes process.	System displays result.

FR-36 - Export Reports

Use Case Name:	Export Reports
Scenario:	A export reports process.
Triggering Event:	User initiates the action.
Brief Description:	The system handles export reports based on user input.
Actors:	Manager
Stakeholders:	Manager
Preconditions:	System data is available.
Postconditions:	Operation completed successfully.
Flow of Activities:	

	Actor	System
1.	Manager starts the process.	System opens the interface.
2.	Manager enters required data.	System validates data.
3.	Manager requests action.	System processes request.
4.	Manager confirms action.	System saves data.
5.	Manager completes process.	System displays result.

FR-37 - Dashboard View

Use Case Name:	Dashboard View	
Scenario:	A dashboard view process.	
Triggering Event:	User initiates the action.	
Brief Description:	The system handles dashboard view based on user input.	
Actors:	Manager	
Stakeholders:	Manager	
Preconditions:	System data is available.	
Postconditions:	Operation completed successfully.	
Flow of Activities:		
	Actor	System
1.	Manager starts the process.	System opens the interface.
2.	Manager enters required data.	System validates data.
3.	Manager requests action.	System processes request.
4.	Manager confirms action.	System saves data.
5.	Manager completes process.	System displays result.

FR-38 - User Login

Use Case Name:	User Login	
Scenario:	A user login process.	
Triggering Event:	User initiates the action.	
Brief Description:	The system handles user login based on user input.	
Actors:	All Users	
Stakeholders:	All Users	
Preconditions:	System data is available.	
Postconditions:	Operation completed successfully.	
Flow of Activities:		
	Actor	System
1.	All Users starts the process.	System opens the interface.
2.	All Users enters required data.	System validates data.
3.	All Users requests action.	System processes request.
4.	All Users confirms action.	System saves data.
5.	All Users completes process.	System displays result.

FR-39 - User Logout

Use Case Name:	User Logout
Scenario:	A user logout process.
Triggering Event:	User initiates the action.
Brief Description:	The system handles user logout based on user input.
Actors:	All Users
Stakeholders:	All Users
Preconditions:	System data is available.

Postconditions:	Operation completed successfully.	
Flow of Activities:		
	Actor	System
1.	All Users starts the process.	System opens the interface.
2.	All Users enters required data.	System validates data.
3.	All Users requests action.	System processes request.
4.	All Users confirms action.	System saves data.
5.	All Users completes process.	System displays result.

FR-40 - Create User Accounts

Use Case Name:	Create User Accounts	
Scenario:	A create user accounts process.	
Triggering Event:	User initiates the action.	
Brief Description:	The system handles create user accounts based on user input.	
Actors:	Admin	
Stakeholders:	Admin	
Preconditions:	System data is available.	
Postconditions:	Operation completed successfully.	
Flow of Activities:		
	Actor	System
1.	Admin starts the process.	System opens the interface.
2.	Admin enters required data.	System validates data.
3.	Admin requests action.	System processes request.
4.	Admin confirms action.	System saves data.

5.	Admin completes process.	System displays result.

FR-41 - Assign Roles

Use Case Name:	Assign Roles	
Scenario:	A assign roles process.	
Triggering Event:	User initiates the action.	
Brief Description:	The system handles assign roles based on user input.	
Actors:	Admin	
Stakeholders:	Admin	
Preconditions:	System data is available.	
Postconditions:	Operation completed successfully.	
Flow of Activities:		
	Actor	System
1.	Admin starts the process.	System opens the interface.
2.	Admin enters required data.	System validates data.
3.	Admin requests action.	System processes request.
4.	Admin confirms action.	System saves data.
5.	Admin completes process.	System displays result.

FR-42 - Update User Information

Use Case Name:	Update User Information
Scenario:	A update user information process.
Triggering Event:	User initiates the action.
Brief Description:	The system handles update user information based on user input.
Actors:	Admin
Stakeholders:	Admin

Preconditions:	System data is available.	
Postconditions:	Operation completed successfully.	
Flow of Activities:		
	Actor	System
1.	Admin starts the process.	System opens the interface.
2.	Admin enters required data.	System validates data.
3.	Admin requests action.	System processes request.
4.	Admin confirms action.	System saves data.
5.	Admin completes process.	System displays result.

FR-43 - Perform Data Backups

Use Case Name:	Perform Data Backups	
Scenario:	A perform data backups process.	
Triggering Event:	User initiates the action.	
Brief Description:	The system handles perform data backups based on user input.	
Actors:	Admin	
Stakeholders:	Admin	
Preconditions:	System data is available.	
Postconditions:	Operation completed successfully.	
Flow of Activities:		
	Actor	System
1.	Admin starts the process.	System opens the interface.
2.	Admin enters required data.	System validates data.
3.	Admin requests action.	System processes request.
4.	Admin confirms action.	System saves data.

5.	Admin completes process.	System displays result.

FR-44 - Restore Data

Use Case Name:	Restore Data	
Scenario:	A restore data process.	
Triggering Event:	User initiates the action.	
Brief Description:	The system handles restore data based on user input.	
Actors:	Admin	
Stakeholders:	Admin	
Preconditions:	System data is available.	
Postconditions:	Operation completed successfully.	
Flow of Activities:		
	Actor	System
1.	Admin starts the process.	System opens the interface.
2.	Admin enters required data.	System validates data.
3.	Admin requests action.	System processes request.
4.	Admin confirms action.	System saves data.
5.	Admin completes process.	System displays result.

FR-45 - Maintain Audit Logs

Use Case Name:	Maintain Audit Logs
Scenario:	A maintain audit logs process.
Triggering Event:	User initiates the action.
Brief Description:	The system handles maintain audit logs based on user input.
Actors:	Admin
Stakeholders:	Admin

Preconditions:	System data is available.	
Postconditions:	Operation completed successfully.	
Flow of Activities:		
	Actor	System
1.	Admin starts the process.	System opens the interface.
2.	Admin enters required data.	System validates data.
3.	Admin requests action.	System processes request.
4.	Admin confirms action.	System saves data.
5.	Admin completes process.	System displays result.

FR-46 - Send Notifications

Use Case Name:	Send Notifications	
Scenario:	A send notifications process.	
Triggering Event:	User initiates the action.	
Brief Description:	The system handles send notifications based on user input.	
Actors:	All Users	
Stakeholders:	All Users	
Preconditions:	System data is available.	
Postconditions:	Operation completed successfully.	
Flow of Activities:		
	Actor	System
1.	All Users starts the process.	System opens the interface.
2.	All Users enters required data.	System validates data.
3.	All Users requests action.	System processes request.
4.	All Users confirms action.	System saves data.

5.	All Users completes process.	System displays result.

FR-47 - Send Email Confirmations

Use Case Name:	Send Email Confirmations	
Scenario:	A send email confirmations process.	
Triggering Event:	User initiates the action.	
Brief Description:	The system handles send email confirmations based on user input.	
Actors:	Customers	
Stakeholders:	Customers	
Preconditions:	System data is available.	
Postconditions:	Operation completed successfully.	
Flow of Activities:		
	Actor	System
1.	Customers starts the process.	System opens the interface.
2.	Customers enters required data.	System validates data.
3.	Customers requests action.	System processes request.
4.	Customers confirms action.	System saves data.
5.	Customers completes process.	System displays result.

FR-48 - Support Multiple Languages

Use Case Name:	Support Multiple Languages
Scenario:	A support multiple languages process.
Triggering Event:	User initiates the action.

Brief Description:	The system handles support multiple languages based on user input.	
Actors:	All Users	
Stakeholders:	All Users	
Preconditions:	System data is available.	
Postconditions:	Operation completed successfully.	
Flow of Activities:		
	Actor	System
1.	All Users starts the process.	System opens the interface.
2.	All Users enters required data.	System validates data.
3.	All Users requests action.	System processes request.
4.	All Users confirms action.	System saves data.
5.	All Users completes process.	System displays result.

FR-49 - Support Mobile Access

Use Case Name:	Support Mobile Access
Scenario:	A support mobile access process.
Triggering Event:	User initiates the action.
Brief Description:	The system handles support mobile access based on user input.
Actors:	All Users
Stakeholders:	All Users
Preconditions:	System data is available.
Postconditions:	Operation completed successfully.
Flow of Activities:	

	Actor	System
1.	All Users starts the process.	System opens the interface.
2.	All Users enters required data.	System validates data.
3.	All Users requests action.	System processes request.
4.	All Users confirms action.	System saves data.
5.	All Users completes process.	System displays result.

FR-50 - Support API Integration

Use Case Name:	Support API Integration	
Scenario:	A support api integration process.	
Triggering Event:	User initiates the action.	
Brief Description:	The system handles support api integration based on user input.	
Actors:	Developers	
Stakeholders:	Developers	
Preconditions:	System data is available.	
Postconditions:	Operation completed successfully.	
Flow of Activities:		
	Actor	System
1.	Developers starts the process.	System opens the interface.
2.	Developers enters required data.	System validates data.
3.	Developers requests action.	System processes request.
4.	Developers confirms action.	System saves data.

5.	Developers completes process.	System displays result.