



1_BP_regulated exocytosis

A




B

1_BP_regulated exocytosis




2_BP_macroautophagy

A




B


2_BP_macroautophagy



A 3_BP_cell-cell adhesion via plasma-membrane adhesion molecules




B 3_BP_cell-cell adhesion via plasma-membrane adhesion molecules




4_BP_calcium ion regulated exocytosis

A




B

4_BP_calcium ion regulated exocytosis




5_BP_R7 cell differentiation

A



B


5_BP_R7 cell differentiation




A 6_BP_positive regulation of response to external stimulus



B 6_BP_positive regulation of response to external stimulus




7_BP_sodium ion transport




8_BP_synaptic vesicle exocytosis

A




B


8_BP_synaptic vesicle exocytosis




A 9_BP_regulation of protein catabolic process




B 9_BP_regulation of protein catabolic process






A 10_BP_muscle system process




B 10_BP_muscle system process




1_CC_cell–substrate adherens junction





A 2_CC_synaptic vesicle



B 2_CC_synaptic vesicle




3_CC_cell–substrate junction




4_CC_receptor complex




A



B




5_CC_cell leading edge




A


6_CC_cilium

**B**


6_CC_cilium



A 7_CC_postsynaptic membrane




B 7_CC_postsynaptic membrane




8_CC_presynaptic active zone

A




B

8_CC_presynaptic active zone




9_CC_ciliary part


A




B



A 10_CC_plasma membrane receptor complex




B 10_CC_plasma membrane receptor complex




A

1_MF_Ras guanyl-nucleotide exchange factor activity


**B**

1_MF_Ras guanyl-nucleotide exchange factor activity




A


2_MF_motor activity

**B**


2_MF_motor activity



A 3_MF_ligand-gated ion channel activity




B 3_MF_ligand-gated ion channel activity




4_MF_ligand-gated channel activity

A




B


4_MF_ligand-gated channel activity




A 5_MF_cell adhesion molecule binding




B 5_MF_cell adhesion molecule binding




A 6_MF_unfolded protein binding




B 6_MF_unfolded protein binding




A 7_MF_phosphatidylinositol binding




B 7_MF_phosphatidylinositol binding




A 8_MF_neurotransmitter receptor activity




B 8_MF_neurotransmitter receptor activity



A 9_MF_structural constituent of cuticle




B 9_MF_structural constituent of cuticle



10_MF_peptidase regulator activity

A



B

10_MF_peptidase regulator activity

