

Practical -08

Dynamic Memory Allocation + Valgrind

```
akshitha_bushetty@LAPTOP-0FF1SH0T:~/OSLab$ nano Practical8.c
akshitha_bushetty@LAPTOP-0FF1SH0T:~/OSLab$ gcc Practical8.c -o Practical8
akshitha_bushetty@LAPTOP-0FF1SH0T:~/OSLab$ ./Practical8
Memory allocated using malloc()
Memory allocated using calloc()
Memory resized using realloc()
Memory freed successfully
akshitha_bushetty@LAPTOP-0FF1SH0T:~/OSLab$ nano|
```

Copy-on-Write After fork()

```
akshitha_bushetty@LAPTOP-0FF1SH0T:~/OSLab$ nano Practical8b.c
akshitha_bushetty@LAPTOP-0FF1SH0T:~/OSLab$ gcc Practical8b.c -o Practical8b
akshitha_bushetty@LAPTOP-0FF1SH0T:~/OSLab$ ./Practical8b
Memory allocated and initialized.
Parent PID: 675

Parent process continues.
Parent PID: 675

Child process created.
Child PID: 676
Modifying child memory...
Child memory modified.
Parent waits for child...
Child finished.
akshitha_bushetty@LAPTOP-0FF1SH0T:~/OSLab$ |
```