

FILE PERMISSION

Create a file called permission.c using gedit in ubuntu

```
akshitha_bushetty@LAPTOP-0FF1SH0T:~/OSLab$ gedit permission.c

** (gedit:614): WARNING **: 05:23:40.520: Could not load Peas repository: Typelib file for namespace 'Peas', version '1.0' not found

** (gedit:614): WARNING **: 05:23:40.520: Could not load PeasGtk repository: Typelib file for namespace 'PeasGtk', version '1.0' not found
akshitha_bushetty@LAPTOP-0FF1SH0T:~/OSLab$ gcc permission.c -o permission
akshitha_bushetty@LAPTOP-0FF1SH0T:~/OSLab$ ./permission
File created successfully.
```

Check the current permissions

```
akshitha_bushetty@LAPTOP-0FF1SH0T:~/OSLab$ ls -l sample.txt
-rw-r--r-- 1 akshitha_bushetty akshitha_bushetty 28 Aug 17 05:24 sample.txt
```

chmod u+rw sample.txt

```
akshitha_bushetty@LAPTOP-0FF1SH0T:~/OSLab$ chmod u+rw sample.txt
akshitha_bushetty@LAPTOP-0FF1SH0T:~/OSLab$ ls -l sample.txt
-rw-rw-rw- 1 akshitha_bushetty akshitha_bushetty 28 Aug 17 05:24 sample.txt
```

chmod o+rw sample.txt

```
akshitha_bushetty@LAPTOP-0FF1SH0T:~/OSLab$ ls -l sample.txt
---x---rw- 1 akshitha_bushetty akshitha_bushetty 28 Aug 17 05:24 sample.txt
akshitha_bushetty@LAPTOP-0FF1SH0T:~/OSLab$ |
```

chmod a+rw sample.txt

```
akshitha_bushetty@LAPTOP-0FF1SH0T:~/OSLab$ chmod a+rw sample.txt
akshitha_bushetty@LAPTOP-0FF1SH0T:~/OSLab$ ls -l sample.txt
-rw-rw-rw- 1 akshitha_bushetty akshitha_bushetty 28 Aug 17 05:24 sample.txt
akshitha_bushetty@LAPTOP-0FF1SH0T:~/OSLab$ chmod 600 sample.txt
```

Give Read and Write only to the owner

```
akshitha_bushetty@LAPTOP-0FF1SH0T:~/OSLab$ chmod 600 sample.txt
akshitha_bushetty@LAPTOP-0FF1SH0T:~/OSLab$ ls -l sample.txt
-rw----- 1 akshitha_bushetty akshitha_bushetty 28 Aug 17 05:24 sample.txt
```

Give Read and Write to the owner and group

```
akshitha_bushetty@LAPTOP-0FF1SH0T:~/OSLab$ chmod 660 sample.txt
akshitha_bushetty@LAPTOP-0FF1SH0T:~/OSLab$ ls -l sample.txt
-rw-rw---- 1 akshitha bushetty akshitha bushetty 28 Aug 17 05:24 sample.txt
```

Only owner can read and write

```
akshitha_bushetty@LAPTOP-0FF1SH0T:~/OSLab$ chmod 600 sample.txt
akshitha_bushetty@LAPTOP-0FF1SH0T:~/OSLab$ ls -l sample.txt
-rw----- 1 akshitha_bushetty akshitha_bushetty 28 Aug 17 05:24 sample.txt
```

Owner read/write, everyone else read-only

```
akshitha_bushetty@LAPTOP-0FF1SH0T:~/OSLab$ chmod 644 sample.txt
akshitha_bushetty@LAPTOP-0FF1SH0T:~/OSLab$ ls -l sample.txt
-rw-r--r-- 1 akshitha_bushetty akshitha_bushetty 28 Aug 17 05:24 sample.txt
```

Owner can do everything, others can only read and execute

```
akshitha_bushetty@LAPTOP-0FF1SH0T:~/OSLab$ chmod 755 sample.txt
akshitha_bushetty@LAPTOP-0FF1SH0T:~/OSLab$ ls -l sample.txt
-rwxr-xr-x 1 akshitha_bushetty akshitha_bushetty 28 Aug 17 05:24 sample.txt
```

Owner and group can read/write

```
akshitha_bushetty@LAPTOP-0FF1SH0T:~/OSLab$ chmod 660 sample.txt
akshitha_bushetty@LAPTOP-0FF1SH0T:~/OSLab$ ls -l sample.txt
-rw-rw---- 1 akshitha_bushetty akshitha_bushetty 28 Aug 17 05:24 sample.txt
```

Only owner can execute

```
akshitha_bushetty@LAPTOP-0FF1SH0T:~/OSLab$ chmod 100 sample.txt
akshitha_bushetty@LAPTOP-0FF1SH0T:~/OSLab$ ls -l sample.txt
---x----- 1 akshitha_bushetty akshitha_bushetty 28 Aug 17 05:24 sample.txt
```

FILL IN THE BLANKS

Owner: read + write; Group: nothing; Others: nothing
→ 600

Owner: read + write; Group: read; Others: read → 644

Owner: read + write + execute; Group: read + execute;
Others: read + execute 755

Owner: read + write; Group: read + write; Others:
nothing

660

Everyone: read only 444