FETCHED NOV 13, 2026 · 5:11 AM EDT

Weather Intel Clio

Jeremy Balabon · field ops brief · 43.1807N, -83.7141W

Clio, MI · Genesee County (Vienna Twp) | NWS DTX grid 40,71 | Zone MIZ061 | Obs KFNT | Radar KDTX

NOW · KFNT — OBSERVED

36 °F

Cloudy · wind NNW 8 mph · dewpt 32°F · obs 4:00 AM ET

ALERTS — CLEAR

0

Active NWS alerts for zone **MIZ061**

48H PEAK RAIN — WATCH

60 %

Fri 6 AM · Rain And Snow Likely

ACTIVE ALERTS · NWS — CLEAR

NONE

No active NWS watches, warnings or advisories — CLEAR

Checked api.weather.gov/alerts/active for point 43.1807,-83.7141 (zone MIZ061) at 5:11 AM ET.

BOTTOM LINE · OPERATIONAL IMPACTS, NEXT 48H+

RAIN	**Rain windows ≥30%: Fri 10 AM, Fri 5 AM** Peak 60% at Fri 6 AM. Amounts < 0.1 in. Protect open panels/terminations and stored gear.	WATCH
WIND	**Gusts to 23 mph (Friday)** Sustained up to 13 mph N. Secure ladders, sheet goods and roof-top work; high-profile vehicles fine below ~40 mph.	OK
HEAT	**Unseasonably warm: 44°F peak (Sat 2 PM)** Dewpoints ~32°F. Hydrate in attics/mech rooms and lifts.	NOTE
TEMP DROP	**48h low 29°F · 7-day low 27°F (Friday Night)** Frost/freeze-level lows in the 7-day. Watch freeze-sensitive equipment, outdoor startups, coil freeze stats.	PLAN
TRAVEL	**No hazardous weather expected (HWO)** Roads: wet pavement only during rain windows above.	CLEAR

HAZARDOUS WX OUTLOOK — NONE

Today/Tonight: Lake effect showers return today with some periods of snow mixing in, mainly during the morning hours. Minor slushy coating of accumulation is possible.
Days 2–7: No hazardous weather is expected at this time.

`HWO DTX · 409 AM EST Fri Nov 13 2026`

48H RANGE

High 44°F Sat 2 PM · **Low 29°F** Sat 1 AM
Max sustained wind 13 mph N (Fri 1 PM)
Max gust 23 mph (Friday)

FETCHED NOV 13, 2026 · 5:11 AM EDT

Scheduled Ops

Calendar events matched to Clio · forecast for each event window

SCHEDULED OPS · NEXT 14 DAYS

NONE

No upcoming calendar events match this location

Matched on: hurd, clio (title / location / address)

14 DAYS

Flags: precip ≥40%, thunderstorms, sustained wind ≥20 mph, gusts ≥30 mph, temp ≤35°F or ≥88°F, any active NWS alert. Only title, time and location are shown.

FETCHED NOV 13, 2026 · 5:11 AM EDT

Current Conditions

KFNT · Flint, Bishop International Airport · observed 4:00 AM ET

TEMP

36 °F

Dewpoint **32°F** · RH **87%**

WIND

8 mph

From **NNW** (330°) · gust none reported

VISIBILITY

10 mi

Cloudy · pressure 29.89 inHg

DTX KEY MESSAGES · AFD 359 AM EST Fri Nov 13 2026

KEY	**Lake effect showers return today with some periods of snow mixing in, mainly during the morning hours.**	NWS DTX
KEY	**Minor slushy coating of accumulation is possible across parts of the Thumb and St. Clair River vicinity.**	NWS DTX
KEY	**Showers steadily shift offshore tonight and Saturday, then turning drier and warm next week.**	NWS DTX

CLIMATE NOTE


NOTE

A highly amplified omega pattern has settled in over the entirety of CONUS this morning, with Southeast Michigan positioned within the eastern longwave trough axis. The primary vicinity upper low eventually centers over Pennsylvania today, but its cyclonic wind field will preserve northerly flow throughout the day. This dislodges a pocket of colder Canadian air across the broader Great Lakes region, marked by 850 mb temperatures of 5 to 10 C below zero. Latest Lake Huron water temperatures are estimated around 10C, yielding a delta of 15-20C. In combination with favorable fetch, over lake instability supports the continuation of lake effect showers through the morning hours, with an expansion in coverage likely. Forecast soundings still support a wide range of precipitation outcomes given the underlying thermodynamics. The most likely time-frame for snow to mix in or become established as the dominant precipitation type is more likely to occur between 09Z and 15Z when the boundary-layer could support a nearly frozen parcel path. The main limiting factor that could favor more persistence for rainfall is the subtle backing of 850 mb/7 kft winds toward the NNW, introducing a disruptive drying component at the top of the saturation layer and the bottom of the DGZ. As for model trends, local probabilistic guidance and the NBM have steeply declined in the spatial coverage of accumulating snow. Additionally, the areas that could see some accumulations, are now expected to be more limited, mainly downstream of The Thumb, and along the immediate southern Lake Huron shoreline. This requires more resilient convergence bands to persist, and then reorient with the subtle backing of controlling lower column flow. A survey of recent observations show a lag in cooling/drying which kept dewpoints above freezing for many locations into the early morning hours. At press time, no observing equipment were reporting snowfall. The sites to keep an eye on for today should be KCFS, KBAX, and KPHN. Should DGZ saturation, wet-bulb cooling, and supporting forcing properly align with sufficient snowfall rates materialize before temperatures diurnally rise, measurable snowfall still possible for the aforementioned locations, but this scenario is becoming less likely and primarily reserved for elevated surfaces. And snow-composed shower activity transitions to rain or melting snow by late morning, and into the afternoon period as flow orients NNW. This shifts most of the residual lake effect activity further east, favoring the eastern portions of Huron, Sanilac, and (northeastern) St. Clair Clair Counties. Temperatures should come in 5 to 10 F below normal, in the lower 40s, but with sustained winds of 10 to 15 mph, wind chills will start out in the 20s for a few locations. Some lake effect precipitation will exists along the same corridor overnight. A secondary upper low within the eastern flank of the blocking pattern will travel from north to south over the eastern half of the Great Lakes, in tandem with a similarly oriented mid-level speed max on Saturday. Lake-relevent trajectories should be more northwesterly at this time, which limits the viability of lake effect showers. The bulk of showers should again be limited to the St. Clair River vicinity. A couple degrees in thermal rebound could lift readings into the mid 40s Saturday, aided by weak warm advection. The longwave ridge begins to move eastward into the area Saturday night, with the downstream inflection point overhead Sunday. 1030 mb surface high pressure builds into southern Lower Michigan with time. The synoptic ridge then bisects the forecast area Monday as surface flow weakens and flips southwesterly as the center of the surface wave tracks into eastern Ohio. A warming trend is then forecast through next week as the ridge feature anchors over southern Appalachia with milder Gulf-modifed air lifting in. A progressive and deepening Pacific wave unblocks the configuration mid-week, but is expected to pivot over the Upper Midwest, likely keeping the local area dry through the forecast window. && .MARINE... Northerly flow will hold today before backing northwest through the weekend. This prolonged northerly flow will support efficient mixing of some stronger winds aloft down to the surface as cooler air remains in place. This will produce wind gusts around 25 knots along with elevated wave heights along the Lake Huron shoreline, where Small Craft Advisories remain in effect. Additionally, near surface convergence has supported lake effect rain bands across the central and southern Lake Huron basins, which will persist into tomorrow. Breezy conditions will start to wind down on Sunday once high pressure builds in over the southern Great Lakes. This will bring a period of lighter winds along with dry weather early next week. && .PREV DISCUSSION... Issued at 1209 AM EST Fri Nov 13 2026 AVIATION... A mix of MVFR and VFR ceilings scattered across the southeast Michigan as a robust lake effect response is getting underway. A south Lake Huron band is developing at the start of this TAF period with another dominant band forecast to develop off of Saginaw Bay later this morning. This puts FNT and DET with the higher likelihood to be most impacted downstream of these two

lake bands. It may be cold enough at FNT for a more prevailing snow p-type by this afternoon with DET warm enough for more of a mix of rain and snow. Lake clouds will maintain MVFR ceilings with pockets of IFR possible. There is potential for scattered rain/snow showers across other terminals as well. Shifting lower level winds towards the NW this evening will begin to direct lake bands east of the terminal corridor with some improvement in ceilings possible. For DTW... Lake effect response is getting underway across south Lake Huron. The more dominant band looks to set up closer towards DET. However, pieces of this activity could break off and reach DTW. This would be more focused late morning and early afternoon. Temperatures would be warm enough to support a rain-snow mix in this outcome with minimal if any accumulation. DTW THRESHOLD PROBABILITIES... * High for ceilings at or below 5,000 feet through this afternoon. * High for p-type as rain through much of tonight. Medium for rain- snow with any precip towards mid morning into the early afternoon. && .DTX WATCHES/ WARNINGS/ADVISORIES... MI...None. Lake Huron...Small Craft Advisory until 10 PM EST Saturday for LHZ421-422- 441>443. Lake St Clair...Small Craft Advisory until 4 AM EST early this morning for LCZ460. Michigan waters of Lake Erie...Small Craft Advisory until 4 AM EST early this morning for LEZ444. && $$ DISCUSSION...KGK MARINE.....AM AVIATION.....AA You can obtain your latest National Weather Service forecasts online at www.weather.gov/detroit.

RADAR **KDTX LATEST SWEEP**

NWS RIDGE



FETCHED NOV 13, 2026 · 5:11 AM EDT

Daily Outlook

Next 36 hours · NWS hourly forecast + gridpoint gusts · ET

NOW · CAUTION

36°F

Cloudy · wind 8 mph
RAIN 51%

NEXT 6H · CAUTION

38°F

Rain And Snow Likely
Range 32–38° · precip **60%** · wind 12 g21
RAIN 60% · COLD 32°

TONIGHT · CAUTION

33°F

Overnight · **Chance Rain And Snow**
Low 33–33° · precip **51%** · wind 9 g17
RAIN 51% · COLD 33°


TOMORROW · CAUTION

41°F

Friday · **Rain And Snow Likely**
Range 32–41° · precip **60%** · wind 13 g23
RAIN 60% · COLD 32°

36H TIMELINE · TEMP / PRECIP / WIND

GRID DTX 40,71



TEMP °F · PRECIP % · T-STORM % · WIND/GUST MPH (AMBER ≥20/25 · RED GUST ≥30) · NIGHT · EVENT · COLOR = GO/CAUTION/NO-

3-HOURLY DETAIL

TIME ET	TEMP	SKY	WIND	PRECIP	RH
Fri 5 AM	**33°**	Chance Rain And Snow	9 mph N	**51%**	95%
Fri 8 AM	**32°**	Chance Light Snow	10 mph N	**45%**	100%
Fri 11 AM	**39°**	Slight Chance Light Rain	12 mph N	**21%**	84%
Fri 2 PM	**41°**	Mostly Cloudy	13 mph N	**8%**	69%
Fri 5 PM	**41°**	Mostly Cloudy	10 mph NNW	**9%**	61%
Fri 8 PM	**35°**	Partly Cloudy	7 mph NNW	**2%**	74%
Fri 11 PM	**31°**	Partly Cloudy	7 mph NW	**2%**	82%
Sat 2 AM	**30°**	Mostly Cloudy	7 mph NW	**2%**	90%
Sat 5 AM	**30°**	Mostly Cloudy	8 mph NW	**2%**	90%
Sat 8 AM	**31°**	Partly Sunny	9 mph NW	**1%**	94%
Sat 11 AM	**40°**	Partly Sunny	12 mph NNW	**0%**	77%
Sat 2 PM	**44°**	Mostly Cloudy	12 mph NW	**0%**	66%

FETCHED NOV 13, 2026 · 5:11 AM EDT

7-Day Forecast


NWS DTX · Clio, MI · go / caution / no-go vs. field thresholds

WEEK AT A GLANCE

HI / LO °F · PCP % · WND/GUST MPH

TONIGHT NOV 13	FRI NOV 13	SAT NOV 14	SUN NOV 15	MON NOV 16	TUE NOV 17	WED NOV 18
—° 31°	42° 27°	44° 31°	45° 27°	48° 28°	52° 29°	54° 33°
Chance Rain And Snow	Rain And Snow Likely	Mostly Cloudy	Partly Sunny	Sunny	Sunny	Sunny
PCP **51%** · WND **9**/17	PCP **60%** · WND **13**/23	PCP **2%** · WND **12**/22	PCP **0%** · WND **7**/15	PCP **0%** · WND **7**/16	PCP **0%** · WND **9**/18	PCP **1%** · WND **8**/17
CAUTION	CAUTION	CAUTION	CAUTION	CAUTION	CAUTION	CAUTION

TEMPERATURE RANGE · THREAT BADGES



NWS PERIOD DETAIL

PERIOD	TEMP	DETAIL
Overnight	**31°F**	A chance of rain and snow. Mostly cloudy. Low around 31, with temperatures rising to around 33 overnight. North wind around 9 mph. Chance of precipitation is 50%. New snow accumulation of less than half an inch possible.
Friday	**42°F**	Rain and snow likely before 5pm. Mostly cloudy, with a high near 42. North northwest wind 9 to 13 mph, with gusts as high as 23 mph. Chance of precipitation is 60%. New snow accumulation of less than one inch possible.
Friday Night	**27°F**	Partly cloudy. Low around 27, with temperatures rising to around 30 overnight. North northwest wind 6 to 9 mph, with gusts as high as 18 mph. New rainfall amounts less than a tenth of an inch possible.
Saturday	**44°F**	Mostly cloudy, with a high near 44. Northwest wind 8 to 12 mph, with gusts as high as 22 mph.
Saturday Night	**31°F**	Mostly cloudy, with a low around 31. Northwest wind around 8 mph.
Sunday	**45°F**	Partly sunny, with a high near 45.
Sunday Night	**27°F**	Partly cloudy, with a low around 27.
Monday	**48°F**	Sunny, with a high near 48.
Monday Night	**28°F**	Clear, with a low around 28.
Tuesday	**52°F**	Sunny, with a high near 52.
Tuesday Night	**29°F**	Clear, with a low around 29.
Wednesday	**54°F**	Sunny, with a high near 54.
Wednesday Night	**33°F**	Partly cloudy, with a low around 33.
Thursday	**57°F**	Partly sunny, with a high near 57.


FETCHED NOV 13, 2026 · 5:11 AM EDT

Radar & SPC


KDTX reflectivity · SPC convective outlooks

RADAR KDTX LATEST


FETCHED 5:11 AM ET



SPC DAY 1



SPC DAY 2



FETCHED NOV 13, 2026 · 5:11 AM EDT

Forecast Discussion

NWS Detroit/Pontiac · 359 AM EST Fri Nov 13 2026

- Lake effect showers return today with some periods of snow mixing in, mainly during the morning hours.

- Minor slushy coating of accumulation is possible across parts of the Thumb and St. Clair River vicinity.

- Showers steadily shift offshore tonight and Saturday, then turning drier and warm next week.

&&

.DISCUSSION...

A highly amplified omega pattern has settled in over the entirety of CONUS this morning, with Southeast Michigan positioned within the eastern longwave trough axis. The primary vicinity upper low eventually centers over Pennsylvania today, but its cyclonic wind field will preserve northerly flow throughout the day. This dislodges a pocket of colder Canadian air across the broader Great Lakes region, marked by 850 mb temperatures of 5 to 10 C below zero. Latest Lake Huron water temperatures are estimated around 10C, yielding a delta of 15-20C. In combination with favorable fetch, over lake instability supports the continuation of lake effect showers through the morning hours, with an expansion in coverage likely. Forecast soundings still support a wide range of precipitation outcomes given the underlying thermodynamics. The most likely time-frame for snow to mix in or become established as the dominant precipitation type is more likely to occur between 09Z and 15Z when the boundary-layer could support a nearly frozen parcel path. The main limiting factor that could favor more persistence for rainfall is the subtle backing of 850 mb/7 kft winds toward the NNW, introducing a disruptive drying component at the top of the saturation layer and the bottom of the DGZ.

As for model trends, local probabilistic guidance and the NBM have steeply declined in the spatial coverage of accumulating snow. Additionally, the areas that could see some accumulations, are now expected to be more limited, mainly downstream of The Thumb, and along the immediate southern Lake Huron shoreline. This requires more resilient convergence bands to persist, and then reorient with the subtle backing of controlling lower column flow. A survey of recent observations show a lag in cooling/drying which kept dewpoints above freezing for many locations into the early morning hours. At press time, no observing equipment were reporting snowfall. The sites to keep an eye on for today should be KCFS, KBAX, and KPHN. Should DGZ saturation, wet-bulb cooling, and supporting forcing properly align with sufficient snowfall rates materialize before temperatures diurnally rise, measurable snowfall still possible for the aforementioned locations, but this scenario is becoming less likely and primarily reserved for elevated surfaces.

And snow-composed shower activity transitions to rain or melting snow by late morning, and into the afternoon period as flow orients NNW. This shifts most of the residual lake effect activity further east, favoring the eastern portions of Huron, Sanilac, and (northeastern) St. Clair Clair Counties. Temperatures should come in 5 to 10 F below normal, in the lower 40s, but with sustained winds of 10 to 15 mph, wind chills will start out in the 20s for a few locations. Some lake effect precipitation will exists along the same corridor overnight.

A secondary upper low within the eastern flank of the blocking pattern will travel from north to south over the eastern half of the Great Lakes, in tandem with a similarly oriented mid-level speed max on Saturday. Lake-relevent trajectories should be more northwesterly at this time, which limits the viability of lake effect showers. The bulk of showers should again be limited to the St. Clair River vicinity. A couple degrees in thermal rebound could lift readings into the mid 40s Saturday, aided by weak warm advection.

The longwave ridge begins to move eastward into the area Saturday night, with the downstream inflection point overhead Sunday. 1030 mb surface high pressure builds into southern Lower Michigan with time. The synoptic ridge then bisects the forecast area Monday as surface flow weakens and flips southwesterly as the center of the surface wave tracks into eastern Ohio. A warming trend is then forecast through next week as the ridge feature anchors over southern Appalachia with milder Gulf-modifed air lifting in. A progressive and deepening Pacific wave unblocks the configuration mid-week, but is expected to pivot over the Upper Midwest, likely keeping the local area dry through the forecast window.

&&

.MARINE...

Northerly flow will hold today before backing northwest through the weekend. This prolonged northerly flow will support efficient mixing of some stronger winds aloft down to the surface as cooler air remains in place. This will produce wind gusts around 25 knots along with elevated wave heights along the Lake Huron shoreline, where Small Craft Advisories remain in effect. Additionally, near surface convergence has supported lake effect rain bands across the central and southern Lake Huron basins, which will persist into tomorrow. Breezy conditions will start to wind down on Sunday once high pressure builds in over the southern Great Lakes. This will bring a period of lighter winds along with dry weather early next week.

&&