

# Cucumber Report

16-Mar-2022, 12:15:34 pm

**Start : Mar 16, 12:08:31.346 pm**

**End : Mar 16, 12:15:22.523 pm**

**Duration : 6 m 51.177 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 2**

**FAILED - 4**

**SKIPPED - 0**

**PASSED - 14**



**FAILED - 7**


**SKIPPED - 0**

**PASSED - 84**


**FAILED - 1**

**SKIPPED - 3**







#	Feature Name	T	P	F	S	Duration
1	<u>Footer section</u>	6	3	3	0	2 m 23.495 s
2	<u>contact Us feature</u>	2	0	2	0	6 m 51.165 s
3	<u>Account page feature</u>	2	2	0	0	1 m 13.704 s
4	<u>Create new user account</u>	3	2	1	0	2 m 14.665 s
5	<u>check data Tables</u>	4	4	0	0	55.563 s
6	<u>Login page feature</u>	4	3	1	0	48.791 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Footer section</u>	<u>to check footer my account section</u>	4	4	0	0	1 m 18.044 s
2	<u>Footer section</u>	<u>to check login page title</u>	4	4	0	0	1 m 14.318 s
3	<u>Footer section</u>	<u>to check footer information section</u>	4	4	0	0	1 m 12.290 s
4	<u>Footer section</u>	<u>to check the store information</u>	3	3	0	0	48.819 s
5	<u>Footer section</u>	<u>verification of Follow us links</u>	5	5	0	0	51.791 s
6	<u>Footer section</u>	<u>verify the all footer links broken or not</u>	2	2	0	0	1 m 9.724 s
7	<u>contact Us feature</u>	<u>contact scenario with different sets of data</u>	4	3	1	0	6 m 51.159 s
8	<u>contact Us feature</u>	<u>contact scenario with different sets of data</u>	4	4	0	0	1 m 27.866 s
9	<u>Account page feature</u>	<u>Accounts page title</u>	4	4	0	0	1 m 7.929 s
10	<u>Account page feature</u>	<u>Account section count</u>	4	4	0	0	1 m 13.696 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Create new user account</u>	<u>Fill the Invalid personal information form</u>	7	7	0	0	1 m 47.869 s
12	<u>Create new user account</u>	<u>Fill the Invalid personal information form</u>	7	7	0	0	2 m 14.643 s
13	<u>Create new user account</u>	<u>Fill the valid personal information form</u>	7	7	0	0	2 m 1.706 s
14	<u>check data Tables</u>	<u>: To check login</u>	5	5	0	0	32.347 s
15	<u>check data Tables</u>	<u>: To check login</u>	5	5	0	0	26.088 s
16	<u>check data Tables</u>	<u>To check dataTables</u>	3	3	0	0	28.393 s
17	<u>check data Tables</u>	<u>To check dataTables</u>	3	3	0	0	25.796 s
18	<u>Login page feature</u>	<u>Login page title</u>	3	0	0	3	23.059 s
19	<u>Login page feature</u>	<u>Forgot password link</u>	2	2	0	0	27.051 s
20	<u>Login page feature</u>	<u>Login with correct credentials</u>	6	6	0	0	39.078 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
21	Login page feature	login as manager	2	2	0	0	28.978 s

**(F)- Footer section**

<b>FAILED</b>	<b>DURATION - 2 m 23.495 s</b>	Scenarios		Steps	
/ 12:08:31.346 pm // 12:10:54.841 pm /		Total - 6		Total - 22	
		Pass - 3		Pass - 22	
		Fail - 3		Fail - 0	
		Skip - 0		Skip - 0	

**(S)- to check footer my account section**

<div>FAILED</div> <div>DURATION - 1 m 18.044 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 12:08:31.352 pm // 12:09:49.396 pm /				
Footer section				

#	Step / Hook Details	Status	Duration
1	Given user is alreday on landing page	PASSED	29.164 s
2	Given user is on landing page	PASSED	0.001 s
3	When user gets my accoun section <div><div>My orders</div><div>My credit slips</div><div>My addresses</div><div>My personal info</div></div>	PASSED	1.505 s
4	Then myaccount section should be 4	PASSED	0.218 s
	AFTER - AppHooks.ApplicationHooks.quitBrowser() <div>org.openqa.selenium.WebDriverException: Timed out waiting for driver server to stop. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [327c83ad06c671bf2a017f83ce2d0446, quit {}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 99.0.1150.39, javascriptEnabled: true, ms:edgeOptions: {debuggerAddress: localhost:61279}, msedge: {msedgedriverVersion: 99.0.1150.39 (83e7eb830583b..., userDataDir: C:\Users\BALACH~1.4\AppData..., networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61279/devtoo..., se:cdpVersion: 99.0.1150.39, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 327c83ad06c671bf2a017f83ce2d0446</div>	FAILED	25.083 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:132) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439) at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287) at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66) Caused by: java.util.concurrent.ExecutionException: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: driver.version: unknown at java.base/java.util.concurrent.CompletableFuture.reportGet(CompletableFuture.java:395) at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2086) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439) at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287) at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.TestCase.run(TestCase.java:101) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:151) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Method.invoke(Method.java:564) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:515) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1130) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:630) at java.base/java.lang.Thread.run(Thread.java:832) Caused by: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: driver.version: unknown at org.openqa.selenium.os.OsProcess.waitFor(OsProcess.java:174) at org.openqa.selenium.os.CommandLine.waitFor(CommandLine.java:127) at org.openqa.selenium.remote.service.DriverCommandExecutor.lambda\$execute\$2(DriverCommandExecutor.java:122) at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java:1764) </pre>		

**(S)- to check login page title**

<b>FAILED</b>	<b>DURATION - 1 m 14.318 s</b>		<b>Steps</b> Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 12:08:31.382 pm // 12:09:45.700 pm /				
Footer section				



#	Step / Hook Details	Status	Duration
1	Given user is already on landing page	PASSED	15.636 s
2	Given user is on landing page	PASSED	0.002 s
3	When user is gets the title of the page	PASSED	3.804 s
4	Then page title should be "Login - My Store"	PASSED	0.002 s
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	25.198 s
	org.openqa.selenium.WebDriverException: Timed out waiting for driver server to stop. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [32b871c00497562f92a7b3ef1e63b9d8, quit {}] Capabilities {acceptInsecureCerts: false,		



#	Step / Hook Details	Status	Duration
	<p>browserName: msedge, browserVersion: 99.0.1150.39, javascriptEnabled: true, ms:edgeOptions: {debuggerAddress: localhost:61434}, msedge: {msedgedriverVersion: 99.0.1150.39 (83e7eb830583b..., userDataDir: C:\Users\BALACH~1\AppData..., networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61434/devtoo..., se:cdpVersion: 99.0.1150.39, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 32b871c00497562f92a7b3ef1e63b9d8</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:132)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)  at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439)  at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287)  at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)</p> <p>Caused by: java.util.concurrent.ExecutionException: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms.  Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: driver.version: unknown</p> <p>at java.base/java.util.concurrent.CompletableFuture.reportGet(CompletableFuture.java:395)  at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2086)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)  at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439)  at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287)  at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:564)  at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)  at io.cucumber.java.Invoker.invoke(Invoker.java:24)  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)  at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59)  at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)  at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)  at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)  at io.cucumber.core.runner.TestStep.run(TestStep.java:57)  at io.cucumber.core.runner.TestCase.run(TestCase.java:101)  at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)  at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)  at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:151)  at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:515) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1130) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:630) at java.base/java.lang.Thread.run(Thread.java:832) Caused by: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: driver.version: unknown at org.openqa.selenium.os.OsProcess.waitFor(OsProcess.java:174) at org.openqa.selenium.os.CommandLine.waitFor(CommandLine.java:127) at org.openqa.selenium.remote.service.DriverCommandExecutor.lambda\$execute\$2(DriverCommandExecutor.java:122) at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java:1764) </pre>		

### (S)- to check footer information section



<b>FAILED</b>	<b>DURATION - 1 m 12.290 s</b>		<b>Steps</b> Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 12:08:31.388 pm // 12:09:43.678 pm /				
Footer section				

#	Step / Hook Details	Status	Duration
1	Given user is already on landing page	PASSED	16.322 s
2	Given user is on landing page	PASSED	0.001 s

#	Step / Hook Details	Status	Duration
3	<div>When user gets information section</div> <div><div>Specials</div><div>New products</div><div>Best sellers</div><div>Our stores</div><div>Contact us</div><div>Terms and conditions of use</div><div>About us</div><div>Sitemap</div></div>	PASSED	2.765 s
4	<div>Then information section should be 8</div>	PASSED	0.395 s
	<div>AFTER - AppHooks.ApplicationHooks.quitBrowser()</div> <div>org.openqa.selenium.WebDriverException: Timed out waiting for driver server to stop. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [b23d851dfa75b094d401c63378dd8871, quit {}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 99.0.1150.39, javascriptEnabled: true, ms:edgeOptions: {debuggerAddress: localhost:61363}, msedge: {msedgedriverVersion: 99.0.1150.39 (83e7eb830583b..., userDataDir: C:\Users\BALACH~1.4\AppData..., networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61363/devtoo..., se:cdpVersion: 99.0.1150.39, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b23d851dfa75b094d401c63378dd8871 at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:132) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439) at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287) at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66) Caused by: java.util.concurrent.ExecutionException: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: driver.version: unknown at java.base/java.util.concurrent.CompletableFuture.reportGet(CompletableFuture.java:395) at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2086) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439) at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287) at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</div>	FAILED	24.386 s



#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Method.invoke(Method.java:564) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.TestCase.run(TestCase.java:101) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:151) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:515) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1130) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:630) at java.base/java.lang.Thread.run(Thread.java:832) Caused by: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: driver.version: unknown at org.openqa.selenium.os.OsProcess.waitFor(OsProcess.java:174) at org.openqa.selenium.os.CommandLine.waitFor(CommandLine.java:127) at org.openqa.selenium.remote.service.DriverCommandExecutor.lambda\$execute\$2(DriverCommandExecutor.java:122) at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java:1764) </pre>		

**(S)- to check the store information**

<div>PASSED</div> <div>DURATION - 48.819 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 12:09:39.357 pm // 12:10:28.176 pm /				
Footer section				



#	Step / Hook Details	Status	Duration
1	Given user is already on landing page	PASSED	13.962 s
2	Given user verifies the "Store information" section heading	PASSED	1.586 s
3	Then check the total information is displaying	PASSED	2.939 s

**(S)- verification of Follow us links**

<b>PASSED</b>		<i>DURATION - 51.791 s</i>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 12:09:43.736 pm // 12:10:35.527 pm /						
Footer section						



#	Step / Hook Details	Status	Duration
1	Given user is already on landing page	PASSED	9.410 s
2	Given user checks the "Follow us" links in the footer	PASSED	0.971 s
3	When checks the each of the links	PASSED	0.470 s
4	And checks the links are broken or not	PASSED	5.451 s
5	Then user gets total followup links is 4	PASSED	0.031 s

**(S)- verify the all footer links broken or not**



<div>PASSED</div> <div>DURATION - 1 m 9.724 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:09:45.117 pm // 12:10:54.841 pm /</div>				
<div>Footer section</div>				

#	Step / Hook Details	Status	Duration
1	Given user is already on landing page	PASSED	19.468 s
2	Given user check the all footer links broken or not	PASSED	36.648 s

**(F)- contact Us feature**

<div>FAILED</div> <div>DURATION - 6 m 51.165 s</div>		<div>Scenarios</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 2</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 12:08:31.358 pm // 12:15:22.523 pm /					

**(S)- contact scenario with different sets of data**

<div>FAILED</div> <div>DURATION - 6 m 51.159 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 12:08:31.364 pm // 12:15:22.523 pm /				
contact Us feature				

#	Step / Hook Details	Status	Duration
1	Given user navigates to contact us page	PASSED	28.294 s
2	When user fills the form from given sheetname "contactUs" and rowNum 1	PASSED	10.541 s

#	Step / Hook Details	Status	Duration
3	And clicks on send button	PASSED	4 m 3.626 s
4	Then it shows successful message "Your message has been successfully sent to our team."	FAILED	20.076 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@id='center_column']/p"} (Session info: MicrosoftEdge=99.0.1150.39) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [cb128704a416b81255a634284a150840, findElement {using=xpath, value=//div[@id='center_column']/p}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 99.0.1150.39, javascriptEnabled: true, ms:edgeOptions: {debuggerAddress: localhost:61326}, msedge: {msedgedriverVersion: 99.0.1150.39 (83e7eb830583b..., userDataDir: C:\Users\BALACH~1.4\AppData...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:61326/devtoo..., se.cdpVersion: 99.0.1150.39, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: cb128704a416b81255a634284a150840</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)  at com.pageObjects.ContactUsPage.getSuccessMsg(ContactUsPage.java:58)  at stepDefinitions.ContactUsStep.it_shows_successful_message(ContactUsStep.java:79)  at ? it shows successful message "Your message has been successfully sent to our team."(file:///C:/Users/balachandra.4/eclipse-workspace/CucumberAutomation/src/test/resources/features/ContactUs.feature:8)</p> <p>* Not displayable characters are replaced by '?'.  </p>		
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	1 m 1.887 s
	<p>org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 10.000 (Session info: MicrosoftEdge=99.0.1150.39) Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [cb128704a416b81255a634284a150840, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 99.0.1150.39, javascriptEnabled: true, ms:edgeOptions: {debuggerAddress: localhost:61326}, msedge: {msedgedriverVersion: 99.0.1150.39 (83e7eb830583b..., userDataDir: C:\Users\BALACH~1.4\AppData...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:61326/devtoo..., se.cdpVersion: 99.0.1150.39, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,</p>		





#	Step / Hook Details	Status	Duration
	<p>webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: cb128704a416b81255a634284a150840</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:333)  at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:77)</p>		
	<p><b>AFTER - AppHooks.ApplicationHooks.quitBrowser()</b></p> <p>org.openqa.selenium.WebDriverException: Timed out waiting for driver server to stop. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [cb128704a416b81255a634284a150840, quit {}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 99.0.1150.39, javascriptEnabled: true, ms:edgeOptions: {debuggerAddress: localhost:61326}, msedge: {msedgedriverVersion: 99.0.1150.39 (83e7eb830583b..., userDataDir: C:\Users\BALACH~1.4\AppData..., networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61326/devtoo..., se:cdpVersion: 99.0.1150.39, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: cb128704a416b81255a634284a150840</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:132)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)  at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439)  at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287)  at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)</p> <p>Caused by: java.util.concurrent.ExecutionException: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: driver.version: unknown</p> <p>at java.base/java.util.concurrent.CompletableFuture.reportGet(CompletableFuture.java:395)  at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2086)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)</p>	FAILED	25.077 s



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439) at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287) at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66) at jdk.internal.reflect.GeneratedMethodAccessor111.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.TestCase.run(TestCase.java:101) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:151) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:515) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1130) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:630) at java.base/java.lang.Thread.run(Thread.java:832) Caused by: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: driver.version: unknown at org.openqa.selenium.os.OsProcess.waitFor(OsProcess.java:174) </pre>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.os.CommandLine.waitFor(CommandLine.java:127) at org.openqa.selenium.remote.service.DriverCommandExecutor.lambda\$execute\$2(DriverCommandExecutor.java:122) at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java:1764)		

**(S)- contact scenario with different sets of data**



<div>FAILED</div> <div>DURATION - 1 m 27.866 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:08:31.386 pm // 12:09:59.252 pm /</div>				
<div>contact Us feature</div>				

#	Step / Hook Details	Status	Duration
1	Given user navigates to contact us page	PASSED	28.554 s
2	When user fills the form from given sheetname "contactUs" and rowNum 0	PASSED	4.457 s
3	And clicks on send button	PASSED	2.589 s
4	Then it shows successful message "Your message has been successfully sent to our team."	PASSED	0.195 s
	AFTER - AppHooks.ApplicationHooks.quitBrowser()  org.openqa.selenium.WebDriverException: Timed out waiting for driver server to stop. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [2c307322883529ccb7d309e78502b3d5, quit {}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 99.0.1150.39, javascriptEnabled: true, ms:edgeOptions: {debuggerAddress: localhost:61330}, msedge: {msedgedriverVersion: 99.0.1150.39 (83e7eb830583b..., userDataDir: C:\Users\BALACH~1.4\AppData..., networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61330/devtoo..., se:cdpVersion: 99.0.1150.39, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 2c307322883529ccb7d309e78502b3d5 at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:132) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439) at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287) at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66) Caused by: java.util.concurrent.ExecutionException: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: driver.version: unknown	FAILED	25.147 s



#	Step / Hook Details	Status	Duration
	at java.base/java.util.concurrent.CompletableFuture.reportGet(CompletableFuture.java:395) at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2086) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439) at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287) at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.TestCase.run(TestCase.java:101) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:151) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:515) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1130) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:630) at java.base/java.lang.Thread.run(Thread.java:832) Caused by: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cec' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: driver.version: unknown at org.openqa.selenium.os.OsProcess.waitFor(OsProcess.java:174) at org.openqa.selenium.os.CommandLine.waitFor(CommandLine.java:127) at org.openqa.selenium.remote.service.DriverCommandExecutor.lambda\$execute\$2(DriverCommandExecutor.java:122) at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java:1764) </pre>		

**(F)- Account page feature**



<b>PASSED</b>	<b>DURATION - 1 m 13.704 s</b>	Scenarios		Steps	
/ 12:08:31.368 pm // 12:09:45.072 pm /		Total - 2	2	Total - 8	8
		Pass - 2		Pass - 8	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

**(S)- Accounts page title**

<b>PASSED</b>	<b>DURATION - 1 m 7.929 s</b>		Steps	
/ 12:08:31.368 pm // 12:09:39.297 pm /			Total - 4	
Account page feature			Pass - 4	
			Fail - 0	
			Skip - 0	

#	Step / Hook Details		Status	Duration
1	Given user already logged into application		PASSED	40.320 s
	username	password		
	balachandra.thalner@gmail.com	balachandra		
2	Given user is on Accounts page		PASSED	0.159 s
3	When user is gets the title of the page		PASSED	3.117 s
4	Then page title should be "My account - My Store"		PASSED	0.001 s


**(S)- Account section count**

<div>PASSED</div> <div>DURATION - 1 m 13.696 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:08:31.376 pm // 12:09:45.072 pm /</div>			
<div>Account page feature</div>			
<div>@smoke</div>			


#	Step / Hook Details	Status	Duration	
1	Given user already logged into application	PASSED	35.483 s	
	username			password
	balachandra.thalner@gmail.com			balachandra
2	Given user is on Accounts page	PASSED	0.093 s	
3	Then user gets Account section	PASSED	1.381 s	
	ORDER HISTORY AND DETAILS			
	MY CREDIT SLIPS			
	MY ADDRESSES			
	MY PERSONAL INFORMATION			
	MY WISHLISTS			
	Home			
4	And Accounts section count should be 6	PASSED	0.098 s	

**(F)- Create new user account**

<div>FAILED</div> <div>DURATION - 2 m 14.665 s</div>		<div>Scenarios</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div><div><div></div><div></div><div></div></div><div>3</div></div>	<div>Steps</div> <div>Total - 21</div> <div>Pass - 21</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div><div></div><div></div><div></div></div><div>21</div></div>
<div>/ 12:08:31.373 pm // 12:10:46.038 pm /</div>					

**(S)- Fill the Invalid personal information form**



#	Step / Hook Details	Status	Duration
1	Given user is allready on landing page	PASSED	12.446 s
2	When user enters email address lenth of 5 to create an account	PASSED	6.014 s
3	And click on create an account button	PASSED	8.052 s
4	Then it should be navigates to "YOUR PERSONAL INFORMATION" page	PASSED	0.490 s
5	Given user fills the invalid personal information from the given sheetname "InvalidPersonalInfo" and rownumber 1	PASSED	18.387 s
6	When user clicked on Register button	PASSED	16.446 s
7	Then getting error message	PASSED	1.245 s

**(S)- Fill the Invalid personal information form**

#	Step / Hook Details	Status	Duration
1	Given user is allready on landing page	PASSED	51.936 s
2	When user enters email address lenth of 5 to create an account	PASSED	0.389 s
3	And click on create an account button	PASSED	7.548 s
4	Then it should be navigates to "YOUR PERSONAL INFORMATION" page	PASSED	1.286 s
5	Given user fills the invalid personal information from the given sheetname "InvalidPersonalInfo" and rownumber 0	PASSED	28.999 s
6	When user clicked on Register button	PASSED	9.890 s

#	Step / Hook Details	Status	Duration
7	Then getting error message	PASSED	1.516 s

**(S)- Fill the valid personal information form**

<div>FAILED</div> <div>DURATION - 2 m 1.706 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 7</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 12:08:31.375 pm // 12:10:33.081 pm /				
Create new user account				



#	Step / Hook Details	Status	Duration
1	Given user is allready on landing page	PASSED	21.350 s
2	When user enters email address lenth of 5 to create an account	PASSED	2.547 s
3	And click on create an account button	PASSED	8.836 s
4	Then it should be navigates to "YOUR PERSONAL INFORMATION" page	PASSED	0.456 s
5	Given user fills the valid personal information from the given given sheetname "ValidPersonalInfo" and rownumber 0	PASSED	19.191 s
6	When user clicked on Register button	PASSED	21.515 s
7	Then getting Home page with contains "MY ACCOUNT"	PASSED	0.482 s
	<b>AFTER - AppHooks.ApplicationHooks.quitBrowser()</b> <pre>org.openqa.selenium.WebDriverException: Timed out waiting for driver server to stop. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [1dcccc65850f5203daee39838f7f22f0, quit {}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 99.0.1150.39, javascriptEnabled: true, ms:edgeOptions: {debuggerAddress: localhost:61274}, msedge: {msedgedriverVersion: 99.0.1150.39 (83e7eb830583b..., userDataDir: C:\Users\BALACH~1.4\AppData..., networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61274/devtoo..., se:cdpVersion: 99.0.1150.39, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 1dcccc65850f5203daee39838f7f22f0     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:132)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)     at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439)     at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287)     at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66) Caused by: java.util.concurrent.ExecutionException: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch:</pre>	<b>FAILED</b>	25.082 s

#	Step / Hook Details	Status	Duration
	'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: driver.version: unknown at java.base/java.util.concurrent.CompletableFuture.reportGet(CompletableFuture.java:395) at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2086) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439) at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287) at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.TestCase.run(TestCase.java:101) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:151) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:515)		





#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1130) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:630) at java.base/java.lang.Thread.run(Thread.java:832) Caused by: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cec' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: driver.version: unknown at org.openqa.selenium.os.OsProcess.waitFor(OsProcess.java:174) at org.openqa.selenium.os.CommandLine.waitFor(CommandLine.java:127) at org.openqa.selenium.remote.service.DriverCommandExecutor.lambda\$execute\$2(DriverCommandExecutor.java:122) at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java:1764) </pre>		

**(F)- check data Tables**



<b>PASSED</b>	<b>DURATION - 55.563 s</b>	Scenarios		Steps	
/ 12:09:45.804 pm // 12:10:41.367 pm /		Total - 4	4	Total - 16	16
		Pass - 4		Pass - 16	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

**(S)- : To check login**

<b>PASSED</b>	<b>DURATION - 32.347 s</b>		Steps	
/ 12:09:45.804 pm // 12:10:18.151 pm /			Total - 5	
check data Tables			Pass - 5	
			Fail - 0	
			Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given user is on landing page	PASSED	0.002 s
2	When user click on sign in button	PASSED	0.001 s
3	When user given username balu@gmail.com and password balu	PASSED	0.002 s
4	When click on submit button	PASSED	0.001 s
5	Then navigates to home page	PASSED	0.001 s

**(S)- : To check login**

<b>PASSED</b>	<b>DURATION - 26.088 s</b>		<b>Steps</b> Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 12:09:49.451 pm // 12:10:15.539 pm /				
check data Tables				



#	Step / Hook Details	Status	Duration
1	Given user is on landing page	PASSED	0.001 s
2	When user click on sign in button	PASSED	0.000 s
3	When user given username manu@gmail.com and password Manu	PASSED	0.001 s
4	When click on submit button	PASSED	0.000 s
5	Then navigates to home page	PASSED	0.000 s

**(S)- To check dataTables**

<b>PASSED</b>	<b>DURATION - 28.393 s</b>		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:09:59.421 pm // 12:10:27.814 pm /				
check data Tables				
@sanity				



#	Step / Hook Details	Status	Duration																
1	Given user on form page	PASSED	0.001 s																
2	When need to send data to form from below table	PASSED	0.003 s																
	<table border="1"> <tr> <td>jayalaxmi</td><td>talaner</td><td>83793987</td><td>India</td></tr> <tr> <td>sadhashiva</td><td>hulegar</td><td>87276763</td><td>sagara</td></tr> <tr> <td>suvatte</td><td>kandika</td><td>56249200</td><td>hamsagaru</td></tr> <tr> <td>pannaga</td><td>puutur</td><td>828999</td><td>mangalore</td></tr> </table>	jayalaxmi	talaner	83793987	India	sadhashiva	hulegar	87276763	sagara	suvatte	kandika	56249200	hamsagaru	pannaga	puutur	828999	mangalore		
jayalaxmi	talaner	83793987	India																
sadhashiva	hulegar	87276763	sagara																
suvatte	kandika	56249200	hamsagaru																
pannaga	puutur	828999	mangalore																
3	Then user able to submit the form	PASSED	0.001 s																

**(S)- To check dataTables**



<div>PASSED</div> <div>DURATION - 25.796 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 12:10:15.571 pm // 12:10:41.367 pm /			
check data Tables			

#	Step / Hook Details				Status	Duration
1	Given user on form page				PASSED	0.001 s
2	When need to send data to form from below tables				PASSED	0.001 s
	Name	city	number	country		
	jayalaxmi	talander	83793987	India		
	sadhashiva	hulegar	87276763	sagara		
	suvatte	kandika	56249200	hamsagaru		
	pannaga	puutur	828999	mangalore		
3	Then user able to submit the form				PASSED	0.000 s

**(F)- Login page feature**



<div>FAILED</div>	<div>DURATION - 48.791 s</div>	<div>Scenarios</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 13</div> <div>Pass - 10</div> <div>Fail - 0</div> <div>Skip - 3</div>	<div></div>
<div>/ 12:10:18.186 pm // 12:11:06.977 pm /</div>					

**(S)- Login page title**

<div>FAILED</div> <div>DURATION - 23.059 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	
<div>/ 12:10:18.187 pm // 12:10:41.246 pm /</div>				
<div>Login page feature</div>				
<div>@skip_scenario</div>				



#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.ApplicationHooks.skip_scenario(io.cucumber.java.Scenario)	<b>FAILED</b>	0.003 s
	java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:99) at org.testng.Assert.failNotEquals(Assert.java:1037) at org.testng.Assert.assertTrue(Assert.java:45) at org.testng.Assert.assertTrue(Assert.java:55) at AppHooks.ApplicationHooks.skip_scenario(ApplicationHooks.java:34)		
1	Given user is on login page	<b>SKIPPED</b>	0.001 s
2	When user is gets the title of the page	<b>SKIPPED</b>	0.000 s
3	Then page title should be "Login - My Store"	<b>SKIPPED</b>	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	<b>PASSED</b>	1.453 s
	Login-page-title		
	+		

**(S)- Forgot password link**

<div><div>PASSED</div><div>DURATION - 27.051 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 2</div><div>Pass - 2</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
/ 12:10:19.272 pm // 12:10:46.323 pm /				
Login page feature				

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	7.753 s
2	Then forgot your password link should be displayed	PASSED	0.337 s

**(S)- Login with correct credentials**

<div>PASSED</div> <div>DURATION - 39.078 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:10:27.899 pm // 12:11:06.977 pm /</div>				
<div>Login page feature</div>				
<div>@skip @sanity</div>				

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	16.355 s
2	When user enters username "balachandra.thalner@gmail.com"	PASSED	0.112 s
3	And user enters password "balachandra"	PASSED	0.089 s
4	And user clicks on login button	PASSED	7.399 s
5	Then user is gets the title of the page	PASSED	3.008 s
6	And page title should be "My account - My Store"	PASSED	0.000 s


(S)- login as manager

PASSED

DURATION - 28.978 s

/ 12:10:28.204 pm // 12:10:57.182 pm /

Login page feature



Step	Value
1	17.661
2	0.000


Steps

Total - 2

Pass - 2

Fail - 0

Skip - 0



#	Step / Hook Details	Status	Duration
1	Given user logged in as a manager	PASSED	17.661 s
2	Then get the title of the page	PASSED	0.000 s

(Step) AFTER - AppHooks.  
ApplicationHooks.tearDown(io.cucumber.  
java.Scenario)

(S) Login page title

(F) Login page feature