

Cucumber Report

25-May-2022, 2:00:16 pm

Start : May 25, 1:59:20.603 pm

End : May 25, 2:00:15.267 pm

Duration : 54.664 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 6

SKIPPED - 0

PASSED - 0




FAILED - 21


SKIPPED - 0

PASSED - 0


FAILED - 0

SKIPPED - 88







#	Feature Name	T	P	F	S	Duration
1	<u>Account page feature</u>	2	0	2	0	9.280 s
2	<u>contact Us feature</u>	2	0	2	0	4.307 s
3	<u>Create new user account</u>	3	0	3	0	7.155 s
4	<u>Footer section</u>	6	0	6	0	14.364 s
5	<u>check data Tables</u>	4	0	4	0	9.569 s
6	<u>Login page feature</u>	4	0	4	0	9.812 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Account page feature</u>	<u>Accounts page title</u>	4	0	0	4	6.874 s
2	<u>Account page feature</u>	<u>Account section count</u>	4	0	0	4	2.370 s
3	<u>contact Us feature</u>	<u>contact scenario with different sets of data</u>	4	0	0	4	2.189 s
4	<u>contact Us feature</u>	<u>contact scenario with different sets of data</u>	4	0	0	4	2.096 s
5	<u>Create new user account</u>	<u>Fill the Invalid personal information form</u>	7	0	0	7	2.224 s
6	<u>Create new user account</u>	<u>Fill the Invalid personal information form</u>	7	0	0	7	2.504 s
7	<u>Create new user account</u>	<u>Fill the valid personal information form</u>	7	0	0	7	2.360 s
8	<u>Footer section</u>	<u>to check login page title</u>	4	0	0	4	2.539 s
9	<u>Footer section</u>	<u>to check footer information section</u>	4	0	0	4	2.284 s
10	<u>Footer section</u>	<u>to check footer my account section</u>	4	0	0	4	2.490 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Footer section</u>	<u>to check the store information</u>	3	0	0	3	2.238 s
12	<u>Footer section</u>	<u>verification of Follow us links</u>	5	0	0	5	2.448 s
13	<u>Footer section</u>	<u>verifiy the all footer links broken or not</u>	2	0	0	2	2.202 s
14	<u>check data Tables</u>	<u>: To check login</u>	5	0	0	5	2.399 s
15	<u>check data Tables</u>	<u>: To check login</u>	5	0	0	5	2.436 s
16	<u>check data Tables</u>	<u>To check dataTables</u>	3	0	0	3	2.386 s
17	<u>check data Tables</u>	<u>To check dataTables</u>	3	0	0	3	2.280 s
18	<u>Login page feature</u>	<u>Login page title</u>	3	0	0	3	2.264 s
19	<u>Login page feature</u>	<u>Forgot password link</u>	2	0	0	2	2.447 s
20	<u>Login page feature</u>	<u>Login with correct credentials</u>	6	0	0	6	2.477 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
21	Login page feature	login as manager	2	0	0	2	2.533 s

(F)- Account page feature

FAILED	DURATION - 9.280 s	Scenarios		Steps	
/ 1:59:20.603 pm // 1:59:29.883 pm /		Total - 2		Total - 8	
		Pass - 0		Pass - 0	
		Fail - 2		Fail - 0	
		Skip - 0		Skip - 8	

(S)- Accounts page title

<div>FAILED</div> <div>DURATION - 6.874 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	
/ 1:59:20.612 pm // 1:59:27.486 pm /				
Account page feature				

#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.ApplicationHooks.launchBrowser() org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 101 Current browser version is 98.0.4758.102 with binary path C:\Program Files (x86)\Google\Chrome\Application\chrome.exe Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.161.42', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}, desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:104) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:91)	FAILED	6.785 s

#	Step / Hook Details	Status	Duration				
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:80) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:47) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:60)						
1	Given user already logged into application	SKIPPED	0.006 s				
	<table><tr><td>username</td><td>password</td></tr><tr><td>balachandra.thalner@gmail.com</td><td>balachandra</td></tr></table>	username	password	balachandra.thalner@gmail.com	balachandra		
username	password						
balachandra.thalner@gmail.com	balachandra						
2	Given user is on Accounts page	SKIPPED	0.000 s				
3	When user is gets the title of the page	SKIPPED	0.001 s				
4	Then page title should be "My account - My Store"	SKIPPED	0.000 s				
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.003 s				
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:77)						
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	0.001 s				
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)						



(S)- Account section count

FAILED	DURATION - 2.370 s		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
/ 1:59:27.513 pm // 1:59:29.883 pm /				
Account page feature				
@smoke				



#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.ApplicationHooks.launchBrowser()	FAILED	2.356 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 101 Current browser version is 98.0.4758.102 with binary path C:\Program Files (x86)\Google\Chrome\Application\chrome.exe Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.161.42', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}, desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126)		

#	Step / Hook Details	Status	Duration				
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:104) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:91) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:80) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:47) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:60)						
1	Given user already logged into application	SKIPPED	0.001 s				
	<table><tr><td>username</td><td>password</td></tr><tr><td>balachandra.thalner@gmail.com</td><td>balachandra</td></tr></table>			username	password	balachandra.thalner@gmail.com	balachandra
username	password						
balachandra.thalner@gmail.com	balachandra						
2	Given user is on Accounts page	SKIPPED	0.000 s				
3	Then user gets Account section	SKIPPED	0.001 s				
	<table><tr><td>ORDER HISTORY AND DETAILS</td></tr><tr><td>MY CREDIT SLIPS</td></tr><tr><td>MY ADDRESSES</td></tr><tr><td>MY PERSONAL INFORMATION</td></tr><tr><td>MY WISHLISTS</td></tr><tr><td>Home</td></tr></table>			ORDER HISTORY AND DETAILS	MY CREDIT SLIPS	MY ADDRESSES	MY PERSONAL INFORMATION
ORDER HISTORY AND DETAILS							
MY CREDIT SLIPS							
MY ADDRESSES							
MY PERSONAL INFORMATION							
MY WISHLISTS							
Home							
4	And Accounts section count should be 6	SKIPPED	0.000 s				
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.000 s				
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:77)						
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	0.000 s				
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)						

(F)- contact Us feature

FAILED	DURATION - 4.307 s	Scenarios		Steps	
/ 1:59:29.906 pm // 1:59:34.213 pm /		Total - 2		Total - 8	
		Pass - 0		Pass - 0	
		Fail - 2		Fail - 0	
		Skip - 0		Skip - 8	



(S)- contact scenario with different sets of data

<div>FAILED</div> <div>DURATION - 2.189 s</div>			Steps	
/ 1:59:29.906 pm // 1:59:32.095 pm /			Total - 4	
contact Us feature			Pass - 0	
			Fail - 0	
			Skip - 4	

#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.ApplicationHooks.launchBrowser() org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 101 Current browser version is 98.0.4758.102 with binary path C:\Program Files (x86)\Google\Chrome\Application\chrome.exe Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.161.42', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}, desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:104) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:91) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:80)	FAILED	2.176 s

#	Step / Hook Details	Status	Duration
	at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:47) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:60)		
1	Given user navigates to contact us page	SKIPPED	0.001 s
2	When user fills the form from given sheetname "contactUs" and rowNum 0	SKIPPED	0.002 s
3	And clicks on send button	SKIPPED	0.001 s
4	Then it shows successful message "Your message has been successfully sent to our team."	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:77)		
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)		



(S)- contact scenario with different sets of data

<div>FAILED</div> <div>DURATION - 2.096 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	
/ 1:59:32.117 pm // 1:59:34.213 pm /				
contact Us feature				



#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.ApplicationHooks.launchBrowser()	FAILED	2.084 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 101 Current browser version is 98.0.4758.102 with binary path C:\Program Files (x86)\Google\Chrome\Application\chrome.exe Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.161.42', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}, desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:104) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:91) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:80) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:47) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:60)		
1	Given user navigates to contact us page	SKIPPED	0.001 s
2	When user fills the form from given sheetname "contactUs" and rowNum 1	SKIPPED	0.001 s
3	And clicks on send button	SKIPPED	0.000 s
4	Then it shows successful message "Your message has been successfully sent to our team."	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:77)		
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)		

(F)- Create new user account

FAILED	DURATION - 7.155 s	Scenarios		Steps	
/ 1:59:34.247 pm // 1:59:41.402 pm /		Total - 3		Total - 21	
		Pass - 0		Pass - 0	
		Fail - 3		Fail - 0	
		Skip - 0		Skip - 21	



(S)- Fill the Invalid personal information form

<div>FAILED</div> <div>DURATION - 2.224 s</div>	<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 7</div>	<div></div>
<div>/ 1:59:34.247 pm // 1:59:36.471 pm /</div>			
<div>Create new user account</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.ApplicationHooks.launchBrowser() org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 101 Current browser version is 98.0.4758.102 with binary path C:\Program Files (x86)\Google\Chrome\Application\chrome.exe Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.161.42', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}, desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:104) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:91) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:80) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:47) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:60)	FAILED	2.198 s
1	Given user is allready on landing page	SKIPPED	0.000 s
2	When user enters email address lenth of 5 to create an account	SKIPPED	0.000 s
3	And click on create an account button	SKIPPED	0.001 s
4	Then it should be navigates to "YOUR PERSONAL INFORMATION" page	SKIPPED	0.001 s
5	Given user fills the invalid personal information from the given sheetname "InvalidPersonalInfo" and rownumber 0	SKIPPED	0.002 s
6	When user clicked on Register button	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
7	Then getting error message	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:77)		
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	0.003 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)		



(S)- Fill the Invalid personal information form

FAILED		DURATION - 2.504 s			Steps Total - 7 Pass - 0 Fail - 0 Skip - 7	
/ 1:59:36.509 pm // 1:59:39.013 pm /						
Create new user account						

#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.ApplicationHooks.launchBrowser()	FAILED	2.482 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 101 Current browser version is 98.0.4758.102 with binary path C:\Program Files (x86)\Google\Chrome\Application\chrome.exe Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.161.42', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}, desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:104)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:91) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:80) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:47) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:60)		
1	Given user is allready on landing page	SKIPPED	0.001 s
2	When user enters email address lenth of 5 to create an account	SKIPPED	0.001 s
3	And click on create an account button	SKIPPED	0.002 s
4	Then it should be navigates to "YOUR PERSONAL INFORMATION" page	SKIPPED	0.001 s
5	Given user fills the invalid personal information from the given sheetname "InvalidPersonalInfo" and rownumber 1	SKIPPED	0.002 s
6	When user clicked on Register button	SKIPPED	0.000 s
7	Then getting error message	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:77)		
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)		



(S)- Fill the valid personal information form

<div>FAILED</div> <div>DURATION - 2.360 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 7</div>	<div></div>
/ 1:59:39.042 pm // 1:59:41.402 pm /				
Create new user account				



#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.ApplicationHooks.launchBrowser()	FAILED	2.344 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 101 Current browser version is 98.0.4758.102 with binary path C:\Program Files (x86)\Google\Chrome\Application\chrome.exe Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.161.42', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}],		

#	Step / Hook Details	Status	Duration
	<pre>desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}</pre> <pre>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126)</pre> <pre>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84)</pre> <pre>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62)</pre> <pre>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156)</pre> <pre>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)</pre> <pre>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)</pre> <pre>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</pre> <pre>at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230)</pre> <pre>at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151)</pre> <pre>at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108)</pre> <pre>at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:104)</pre> <pre>at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:91)</pre> <pre>at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:80)</pre> <pre>at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:47)</pre> <pre>at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:60)</pre>		
1	Given user is allready on landing page	SKIPPED	0.001 s
2	When user enters email address lenth of 5 to create an account	SKIPPED	0.001 s
3	And click on create an account button	SKIPPED	0.001 s
4	Then it should be navigates to "YOUR PERSONAL INFORMATION" page	SKIPPED	0.000 s
5	Given user fills the valid personal information from the given given sheetname "ValidPersonalInfo" and rownumber 0	SKIPPED	0.001 s
6	When user clicked on Register button	SKIPPED	0.001 s
7	Then getting Home page with contains "MY ACCOUNT"	SKIPPED	0.000 s
	<pre>AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</pre> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)"</pre> <pre>because "this.driver" is null</pre> <pre>at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:77)</pre>	FAILED	0.003 s
	<pre>AFTER - AppHooks.ApplicationHooks.quitBrowser()</pre> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null</pre> <pre>at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)</pre>	FAILED	0.001 s

(F)- Footer section

FAILED	DURATION - 14.364 s	Scenarios		Steps	
/ 1:59:41.478 pm // 1:59:55.842 pm /		Total - 6		Total - 22	
		Pass - 0		Pass - 0	
		Fail - 6		Fail - 0	
		Skip - 0		Skip - 22	



(S)- to check login page title

<div>FAILED</div> <div>DURATION - 2.539 s</div>			Steps	
/ 1:59:41.478 pm // 1:59:44.017 pm /			Total - 4	
Footer section			Pass - 0	
			Fail - 0	
			Skip - 4	

#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.ApplicationHooks.launchBrowser() org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 101 Current browser version is 98.0.4758.102 with binary path C:\Program Files (x86)\Google\Chrome\Application\chrome.exe Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.161.42', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}, desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:104) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:91) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:80)	FAILED	2.524 s

#	Step / Hook Details	Status	Duration
	at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:47) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:60)		
1	Given user is already on landing page	SKIPPED	0.001 s
2	Given user is on landing page	SKIPPED	0.001 s
3	When user gets the title of the page	SKIPPED	0.000 s
4	Then page title should be "Login - My Store"	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:77)		
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)		



(S)- to check footer information section

<div>FAILED</div> <div>DURATION - 2.284 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	
/ 1:59:44.050 pm // 1:59:46.334 pm /				
Footer section				

#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.ApplicationHooks.launchBrowser()	FAILED	2.270 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 101 Current browser version is 98.0.4758.102 with binary path C:\Program Files (x86)\Google\Chrome\Application\chrome.exe Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.161.42', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}, desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		

#	Step / Hook Details	Status	Duration								
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:104) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:91) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:80) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:47) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:60)										
1	Given user is alreday on landing page	SKIPPED	0.000 s								
2	Given user is on landing page	SKIPPED	0.000 s								
3	When user gets information section	SKIPPED	0.003 s								
	<table><tr><td>Specials</td></tr><tr><td>New products</td></tr><tr><td>Best sellers</td></tr><tr><td>Our stores</td></tr><tr><td>Contact us</td></tr><tr><td>Terms and conditions of use</td></tr><tr><td>About us</td></tr><tr><td>Sitemap</td></tr></table>	Specials	New products	Best sellers	Our stores	Contact us	Terms and conditions of use	About us	Sitemap		
Specials											
New products											
Best sellers											
Our stores											
Contact us											
Terms and conditions of use											
About us											
Sitemap											
4	Then information section should be 8	SKIPPED	0.001 s								
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s								
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:77)										
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	0.001 s								
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)										



(S)- to check footer my account section

<div>FAILED</div> <div>DURATION - 2.490 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	
/ 1:59:46.377 pm // 1:59:48.867 pm /				
Footer section				

#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.ApplicationHooks.launchBrowser() org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 101 Current browser version is 98.0.4758.102 with binary path C:\Program Files (x86)\Google\Chrome\Application\chrome.exe Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.161.42', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}, desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:104) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:91) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:80) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:47) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:60)	FAILED	2.478 s
1	Given user is already on landing page	SKIPPED	0.000 s
2	Given user is on landing page	SKIPPED	0.000 s
3	When user gets my account section	SKIPPED	0.001 s
	<div>My orders</div> <div>My credit slips</div> <div>My addresses</div> <div>My personal info</div>		

#	Step / Hook Details	Status	Duration
4	Then myaccount section should be 4	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:77)		
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)		

(S)- to check the store information

FAILED		DURATION - 2.238 s			Steps Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 1:59:48.886 pm // 1:59:51.124 pm /						
Footer section						

#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.ApplicationHooks.launchBrowser()	FAILED	2.228 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 101 Current browser version is 98.0.4758.102 with binary path C:\Program Files (x86)\Google\Chrome\Application\chrome.exe Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.161.42', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}, desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:104)		

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:91) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:80) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:47) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:60)</pre>		
1	Given user is already on landing page	SKIPPED	0.000 s
2	Given user verifies the "Store information" section heading	SKIPPED	0.001 s
3	Then check the total information is displaying	SKIPPED	0.001 s
	<pre>AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:77)</pre>	FAILED	0.000 s
	<pre>AFTER - AppHooks.ApplicationHooks.quitBrowser() java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)</pre>	FAILED	0.002 s



(S)- verification of Follow us links

FAILED	DURATION - 2.448 s		Steps Total - 5 Pass - 0 Fail - 0 Skip - 5	
/ 1:59:51.162 pm // 1:59:53.610 pm /				
Footer section				

#	Step / Hook Details	Status	Duration
	<pre>BEFORE - AppHooks.ApplicationHooks.launchBrowser() org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 101 Current browser version is 98.0.4758.102 with binary path C:\Program Files (x86)\Google\Chrome\Application\chrome.exe Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.161.42', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}, desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156)</pre>	FAILED	2.435 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:104) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:91) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:80) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:47) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:60) </pre>		
1	Given user is already on landing page	SKIPPED	0.000 s
2	Given user checks the "Follow us" links in the footer	SKIPPED	0.000 s
3	When checks the each of the links	SKIPPED	0.000 s
4	And checks the links are broken or not	SKIPPED	0.002 s
5	Then user gets total followup links is 4	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:77) </pre>	FAILED	0.002 s
	AFTER - AppHooks.ApplicationHooks.quitBrowser() <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66) </pre>	FAILED	0.002 s



(S)- verify the all footer links broken or not

FAILED	DURATION - 2.202 s		Steps Total - 2 Pass - 0 Fail - 0 Skip - 2	
/ 1:59:53.640 pm // 1:59:55.842 pm /				
Footer section				



#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.ApplicationHooks.launchBrowser()	FAILED	2.192 s

#	Step / Hook Details	Status	Duration
	<pre>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 101 Current browser version is 98.0.4758.102 with binary path C:\Program Files (x86)\Google\Chrome\Application\chrome.exe Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.161.42', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}, desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:104) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:91) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:80) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:47) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:60)</pre>		
1	Given user is already on landing page	SKIPPED	0.000 s
2	Given user check the all footer links broken or not	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	<pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:77)</pre>		
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	0.001 s
	<pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)</pre>		

(F)- check data Tables

FAILED	DURATION - 9.569 s	Scenarios		Steps	
/ 1:59:55.875 pm // 2:00:05.444 pm /		Total - 4		Total - 16	
		Pass - 0		Pass - 0	
		Fail - 4		Fail - 0	
		Skip - 0		Skip - 16	



(S)- : To check login

<div><div>FAILED</div><div>DURATION - 2.399 s</div></div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div>	
/ 1:59:55.876 pm // 1:59:58.275 pm /				
check data Tables				

#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.ApplicationHooks.launchBrowser() org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 101 Current browser version is 98.0.4758.102 with binary path C:\Program Files (x86)\Google\Chrome\Application\chrome.exe Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.161.42', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}, desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:104) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:91) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:80) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:47) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:60)	FAILED	2.386 s
1	Given user is on landing page	SKIPPED	0.001 s
2	When user click on sign in button	SKIPPED	0.001 s
3	When user given username balu@gmail.com and password balu	SKIPPED	0.000 s
4	When click on submit button	SKIPPED	0.001 s
5	Then navigates to home page	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:77)		
	AFTER - AppHooks.ApplicationHooks.quitBrowser() java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)	FAILED	0.001 s

(S)- : To check login

FAILED	DURATION - 2.436 s		Steps Total - 5 Pass - 0 Fail - 0 Skip - 5	
/ 1:59:58.304 pm // 2:00:00.740 pm /				
check data Tables				

#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.ApplicationHooks.launchBrowser() org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 101 Current browser version is 98.0.4758.102 with binary path C:\Program Files (x86)\Google\Chrome\Application\chrome.exe Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.161.42', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}, desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:104) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:91) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:80) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:47)	FAILED	2.429 s

#	Step / Hook Details	Status	Duration
	at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:60)		
1	Given user is on landing page	SKIPPED	0.000 s
2	When user click on sign in button	SKIPPED	0.000 s
3	When user given username manu@gmail.com and password Manu	SKIPPED	0.000 s
4	When click on submit button	SKIPPED	0.001 s
5	Then navigates to home page	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:77)		
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)		



(S)- To check dataTables

<div>FAILED</div> <div>DURATION - 2.386 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	
/ 2:00:00.753 pm // 2:00:03.139 pm /				
check data Tables				
@sanity				

#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.ApplicationHooks.launchBrowser()	FAILED	2.377 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 101 Current browser version is 98.0.4758.102 with binary path C:\Program Files (x86)\Google\Chrome\Application\chrome.exe Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.161.42', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}, desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		

#	Step / Hook Details	Status	Duration																
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:104) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:91) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:80) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:47) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:60) </pre>																		
1	Given user on form page	SKIPPED	0.001 s																
2	When need to send data to form from below table <table border="1"> <tr><td>jayalaxmi</td><td>talander</td><td>83793987</td><td>India</td></tr> <tr><td>sadhashiva</td><td>hulegar</td><td>87276763</td><td>sagara</td></tr> <tr><td>suvatte</td><td>kandika</td><td>56249200</td><td>hamsagaru</td></tr> <tr><td>pannaga</td><td>puutur</td><td>828999</td><td>mangalore</td></tr> </table>	jayalaxmi	talander	83793987	India	sadhashiva	hulegar	87276763	sagara	suvatte	kandika	56249200	hamsagaru	pannaga	puutur	828999	mangalore	SKIPPED	0.001 s
jayalaxmi	talander	83793987	India																
sadhashiva	hulegar	87276763	sagara																
suvatte	kandika	56249200	hamsagaru																
pannaga	puutur	828999	mangalore																
3	Then user able to submit the form	SKIPPED	0.000 s																
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:77) </pre>	FAILED	0.002 s																
	AFTER - AppHooks.ApplicationHooks.quitBrowser() <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66) </pre>	FAILED	0.001 s																



(S)- To check dataTables

FAILED	DURATION - 2.280 s		Steps Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 2:00:03.164 pm // 2:00:05.444 pm /				
check data Tables				



#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.ApplicationHooks.launchBrowser()	FAILED	2.275 s

#	Step / Hook Details	Status	Duration																				
	<p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 101 Current browser version is 98.0.4758.102 with binary path C:\Program Files (x86)\Google\Chrome\Application\chrome.exe Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.161.42', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}, desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}]</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:104) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:91) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:80) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:47) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:60)</p>																						
1	Given user on form page	SKIPPED	0.001 s																				
2	<p>When need to send data to form from below tables</p> <table border="1"> <thead> <tr> <th>Name</th><th>city</th><th>number</th><th>country</th></tr> </thead> <tbody> <tr> <td>jayalaxmi</td><td>talaner</td><td>83793987</td><td>India</td></tr> <tr> <td>sadhashiva</td><td>hulegar</td><td>87276763</td><td>sagara</td></tr> <tr> <td>suvatte</td><td>kandika</td><td>56249200</td><td>hamsagaru</td></tr> <tr> <td>pannaga</td><td>puutur</td><td>828999</td><td>mangalore</td></tr> </tbody> </table>	Name	city	number	country	jayalaxmi	talaner	83793987	India	sadhashiva	hulegar	87276763	sagara	suvatte	kandika	56249200	hamsagaru	pannaga	puutur	828999	mangalore	SKIPPED	0.001 s
Name	city	number	country																				
jayalaxmi	talaner	83793987	India																				
sadhashiva	hulegar	87276763	sagara																				
suvatte	kandika	56249200	hamsagaru																				
pannaga	puutur	828999	mangalore																				
3	Then user able to submit the form	SKIPPED	0.000 s																				
	<p>AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <p>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:77)</p>	FAILED	0.001 s																				
	<p>AFTER - AppHooks.ApplicationHooks.quitBrowser()</p> <p>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)</p>	FAILED	0.000 s																				

(F)- Login page feature

FAILED	DURATION - 9.812 s	Scenarios		Steps	
/ 2:00:05.455 pm // 2:00:15.267 pm /		Total - 4		Total - 13	
		Pass - 0		Pass - 0	
		Fail - 4		Fail - 0	
		Skip - 0		Skip - 13	



(S)- Login page title

<div>FAILED</div> <div>DURATION - 2.264 s</div>			Steps		
/ 2:00:05.455 pm // 2:00:07.719 pm /			Total - 3		
Login page feature			Pass - 0		
@skip_scenario			Fail - 0		
			Skip - 3		

#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.ApplicationHooks.launchBrowser() org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 101 Current browser version is 98.0.4758.102 with binary path C:\Program Files (x86)\Google\Chrome\Application\chrome.exe Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.161.42', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}, desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:104) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:91) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:80)	FAILED	2.211 s

#	Step / Hook Details	Status	Duration
	at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:47) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:60)		
1	Given user is on login page	SKIPPED	0.001 s
2	When user is gets the title of the page	SKIPPED	0.000 s
3	Then page title should be "Login - My Store"	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:77)		
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)		

(S)- Forgot password link

FAILED	DURATION - 2.447 s		Steps Total - 2 Pass - 0 Fail - 0 Skip - 2	
/ 2:00:07.758 pm // 2:00:10.205 pm /				
Login page feature				

#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.ApplicationHooks.launchBrowser()	FAILED	2.441 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 101 Current browser version is 98.0.4758.102 with binary path C:\Program Files (x86)\Google\Chrome\Application\chrome.exe Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.161.42', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}, desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:104) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:91) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:80) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:47) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:60) </pre>		
1	Given user is on login page	SKIPPED	0.001 s
2	Then forgot your password link should be displayed	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	<pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:77) </pre>		
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	0.001 s
	<pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66) </pre>		



(S)- Login with correct credentials

<div>FAILED</div> <div>DURATION - 2.477 s</div>		<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 6</div>	
<div>/ 2:00:10.228 pm // 2:00:12.705 pm /</div>			
<div>Login page feature</div>			
<div>@skip @sanity</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.ApplicationHooks.launchBrowser()	FAILED	2.466 s
	<pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 101 Current browser version is 98.0.4758.102 with binary path C:\Program Files (x86)\Google\Chrome\Application\chrome.exe Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.161.42', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}, desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:104) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:91) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:80) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:47) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:60) </pre>		
1	Given user is on login page	SKIPPED	0.000 s
2	When user enters username "balachandra.thalner@gmail.com"	SKIPPED	0.001 s
3	And user enters password "balachandra"	SKIPPED	0.001 s
4	And user clicks on login button	SKIPPED	0.000 s
5	Then user is gets the title of the page	SKIPPED	0.001 s
6	And page title should be "My account - My Store"	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:77) </pre>	FAILED	0.001 s
	AFTER - AppHooks.ApplicationHooks.quitBrowser() <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66) </pre>	FAILED	0.001 s

(S)- login as manager

<div>FAILED</div> <div>DURATION - 2.533 s</div>			<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 2</div>	
/ 2:00:12.734 pm // 2:00:15.267 pm /				
Login page feature				

#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.ApplicationHooks.launchBrowser() org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 101 Current browser version is 98.0.4758.102 with binary path C:\Program Files (x86)\Google\Chrome\Application\chrome.exe Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.161.42', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}, desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:104) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:91) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:80) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:47) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:60)	FAILED	2.527 s
1	Given user logged in as a manager	SKIPPED	0.000 s
2	Then get the title of the page	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:77)	FAILED	0.001 s
	AFTER - AppHooks.ApplicationHooks.quitBrowser() java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)	FAILED	0.000 s