

Cucumber Report

28-Feb-2022, 6:19:08 pm

Start : Feb 28, 6:14:20.859 pm

End : Feb 28, 6:19:07.615 pm

Duration : 4 m 46.756 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 5

SKIPPED - 0

PASSED - 3






FAILED - 11


SKIPPED - 0

PASSED - 27


FAILED - 9

SKIPPED - 28






#	Feature Name	T	P	F	S	Duration
1	<u>contact Us feature</u>	2	0	2	0	3 m 14.644 s
2	<u>Account page feature</u>	2	0	2	0	3 m 54.013 s
3	<u>Create new user account</u>	3	0	3	0	1 m 21.130 s
4	<u>check data Tables</u>	4	3	1	0	35.805 s
5	<u>Login page feature</u>	3	0	3	0	32.455 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>contact Us feature</u>	<u>contact scenario with different sets of data</u>	4	0	1	3	3 m 14.597 s
2	<u>contact Us feature</u>	<u>contact scenario with different sets of data</u>	4	0	1	3	3 m 10.541 s
3	<u>Account page feature</u>	<u>Accounts page title</u>	4	0	1	3	3 m 14.140 s
4	<u>Account page feature</u>	<u>Account section count</u>	4	0	1	3	3 m 54.008 s
5	<u>Create new user account</u>	<u>Fill the Invalid personal information form</u>	7	4	1	2	45.111 s
6	<u>Create new user account</u>	<u>Fill the Invalid personal information form</u>	7	5	1	1	1 m 17.562 s
7	<u>Create new user account</u>	<u>Fill the valid personal information form</u>	7	5	1	1	48.080 s
8	<u>check data Tables</u>	<u>: To check login</u>	5	5	0	0	15.516 s
9	<u>check data Tables</u>	<u>: To check login</u>	5	0	0	5	18.402 s
10	<u>check data Tables</u>	<u>To check dataTables</u>	3	3	0	0	26.451 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>check data Tables</u>	<u>To check dataTables</u>	3	3	0	0	20.236 s
12	<u>Login page feature</u>	<u>Login page title</u>	3	0	0	3	19.212 s
13	<u>Login page feature</u>	<u>Forgot password link</u>	2	1	1	0	14.663 s
14	<u>Login page feature</u>	<u>Login with correct credentials</u>	6	1	1	4	16.630 s

(F)- contact Us feature

FAILED	DURATION - 3 m 14.644 s	Scenarios		Steps	
/ 6:14:20.859 pm // 6:17:35.503 pm /		Total - 2		Total - 8	
		Pass - 0		Pass - 0	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 6	

(S)- contact scenario with different sets of data



<div>FAILED</div> <div>DURATION - 3 m 14.597 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
<div>/ 6:14:20.906 pm // 6:17:35.503 pm /</div>				
<div>contact Us feature</div>				

#	Step / Hook Details	Status	Duration
1	<p>Given user navigates to contact us page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=98.0.4758.102) Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.162.41', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [0af802ea4580815685fd79ec83854dc1, findElement {using=xpath, value=//a[@title='Contact us']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.102 (273bf7ac8c90..., userDataDir: C:\Users\BALACH~1.4\AppData..., goog:chromeOptions: {debuggerAddress: localhost:62154}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62154/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0af802ea4580815685fd79ec83854dc1 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</pre>	FAILED	2 m 52.556 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at com.pageObjects.LoginPage.getContactUs(LoginPage.java:89) at stepDefinitions.ContactUsStep.user_navigates_to_contact_us_page(ContactUsStep.java:41) at ?.user navigates to contact us page(file:///C:/Users/balachandra.4/eclipse-workspace/CucumberAutomation/src/test/resources/features/ContactUs.feature:5) * Not displayable characters are replaced by '?'. </pre>		
2	When user fills the form from given sheetname "contactUs" and rowNumber 1	SKIPPED	0.001 s
3	And clicks on send button	SKIPPED	0.004 s
4	Then it shows successful message "Your message has been successfully sent to our team."	SKIPPED	0.002 s
	<p>AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=98.0.4758.102) Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.162.41', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [0af802ea4580815685fd79ec83854dc1, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.102 (273bf7ac8c90..., userDataDir: C:\Users\BALACH~1\AppData..., goog:chromeOptions: {debuggerAddress: localhost:62154}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62154/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0af802ea4580815685fd79ec83854dc1 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:333) </pre>	FAILED	0.014 s

#	Step / Hook Details	Status	Duration
	at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:75)		



(S)- contact scenario with different sets of data

<div>FAILED</div> <div>DURATION - 3 m 10.541 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 6:14:20.908 pm // 6:17:31.449 pm /				
contact Us feature				



#	Step / Hook Details	Status	Duration
1	<p>Given user navigates to contact us page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=98.0.4758.102) Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.162.41', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [0a77d4888e2a593927b12bed6f4edeea, findElement {using=xpath, value=//a[@title='Contact us']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.102 (273bf7ac8c90..., userDataDir: C:\Users\BALACH~1.4\AppData..., goog:chromeOptions: {debuggerAddress: localhost:62156}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62156/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0a77d4888e2a593927b12bed6f4edeea at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)</pre>	FAILED	2 m 51.962 s

#	Step / Hook Details	Status	Duration
	at com.pageObjects.LoginPage.getContactUs(LoginPage.java:89) at stepDefinitions.ContactUsStep.user_navigates_to_contact_us_page(ContactUsStep.java:41) at ?.user navigates to contact us page(file:///C:/Users/balachandra.4/eclipse-workspace/CucumberAutomation/src/test/resources/features/ContactUs.feature:5) * Not displayable characters are replaced by '?'.		
2	When user fills the form from given sheetname "contactUs" and rowNumber 0	SKIPPED	0.000 s
3	And clicks on send button	SKIPPED	0.000 s
4	Then it shows successful message "Your message has been successfully sent to our team."	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=98.0.4758.102) Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.162.41', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0a77d4888e2a593927b12bed6f4edeea, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.102 (273bf7ac8c90..., userDataDir: C:\Users\BALACH~1.4\AppData..., goog:chromeOptions: {debuggerAddress: localhost:62156}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62156/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0a77d4888e2a593927b12bed6f4edeea at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:333) at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:75)	FAILED	0.012 s

(F)- Account page feature

FAILED	DURATION - 3 m 54.013 s	Scenarios		Steps	
/ 6:14:20.914 pm // 6:18:14.927 pm /		Total - 2		Total - 8	
		Pass - 0		Pass - 0	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 6	

(S)- Accounts page title



<div><div>FAILED</div><div>DURATION - 3 m 14.140 s</div></div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 6:14:20.914 pm // 6:17:35.054 pm /				
Account page feature				

#	Step / Hook Details	Status	Duration				
1	Given user already logged into application	FAILED	2 m 54.613 s				
	<table><tr><td>username</td><td>password</td></tr><tr><td>balachandra.thalner@gmail.com</td><td>balachandra</td></tr></table>			username	password	balachandra.thalner@gmail.com	balachandra
	username			password			
balachandra.thalner@gmail.com	balachandra						
<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=98.0.4758.102) Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.162.41', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f819bcafa827d9ec5ed7ece5e16f6cd3, findElement {using=id, value=email}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.102 (273bf7ac8c90..., userDataDir: C:\Users\BALACH~1.4\AppData..., goog:chromeOptions: {debuggerAddress: localhost:62152}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62152/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f819bcafa827d9ec5ed7ece5e16f6cd3 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p>							

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy28.sendKeys(Unknown Source) at com.pageObjects.LoginPage.doLogin(LoginPage.java:77) at stepDefinitions.AccountsPagstepDefinition.user_already_logged_into_application(AccountsPagstepDefinition.java:41) at ?.user already logged into application(file:///C:/Users/balachandra.4/eclipse-workspace/CucumberAutomation/src/test/resources/features/AccountsPage.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given user is on Accounts page	SKIPPED	0.001 s
3	When user is gets the title of the page	SKIPPED	0.001 s
4	Then page title should be "My account - My Store"	SKIPPED	0.001 s
	<p>AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=98.0.4758.102) Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.162.41', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [f819bcafa827d9ec5ed7ece5e16f6cd3, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.102 (273bf7ac8c90..., userDataDir: C:\Users\BALACH~1.4\AppData..., goog:chromeOptions: {debuggerAddress: localhost:62152}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62152/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f819bcafa827d9ec5ed7ece5e16f6cd3 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) </pre>	FAILED	0.188 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:333) at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:75) </pre>		

(S)- Account section count

FAILED	DURATION - 3 m 54.008 s		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 6:14:20.919 pm // 6:18:14.927 pm /				
Account page feature				
@smoke				

#	Step / Hook Details	Status	Duration				
1	<div>Given user already logged into application</div> <table><tr><td>username</td><td>password</td></tr><tr><td>balachandra.thalner@gmail.com</td><td>balachandra</td></tr></table> <div>org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.162.41', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bcff9daa8673579e2aa0e981c9603125, get {url=http://automationpractice.com/index.php?controller=authentication&back=my-account}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.102 (273bf7ac8c90..., userDataDir: C:\Users\BALACH~1.4\AppData..., goog:chromeOptions: {debuggerAddress: localhost:62151}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62151/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: bcff9daa8673579e2aa0e981c9603125 at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:72) at org.openqa.selenium.remote.http.RetryRequest.lambda\$apply\$6(RetryRequest.java:83) at net.jodah.failsafe.Functions.lambda\$get\$0(Functions.java:48) at net.jodah.failsafe.RetryPolicyExecutor.lambda\$supply\$0(RetryPolicyExecutor.java:66) at net.jodah.failsafe.RetryPolicyExecutor.lambda\$supply\$0(RetryPolicyExecutor.java:66) at net.jodah.failsafe.RetryPolicyExecutor.lambda\$supply\$0(RetryPolicyExecutor.java:66) at net.jodah.failsafe.Execution.executeSync(Execution.java:128) at net.jodah.failsafe.FailsafeExecutor.call(FailsafeExecutor.java:379)</div>	username	password	balachandra.thalner@gmail.com	balachandra	FAILED	3 m 0.112 s
username	password						
balachandra.thalner@gmail.com	balachandra						



#	Step / Hook Details	Status	Duration
	<pre> at net.jodah.failsafe.FailsafeExecutor.get(FailsafeExecutor.java:68) at org.openqa.selenium.remote.http.RetryRequest.lambda\$apply\$7(RetryRequest.java:83) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:56) at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:51) at org.openqa.selenium.remote.http.RetryRequest.lambda\$apply\$6(RetryRequest.java:83) at net.jodah.failsafe.Functions.lambda\$get\$0(Functions.java:48) at net.jodah.failsafe.RetryPolicyExecutor.lambda\$supply\$0(RetryPolicyExecutor.java:66) at net.jodah.failsafe.RetryPolicyExecutor.lambda\$supply\$0(RetryPolicyExecutor.java:66) at net.jodah.failsafe.RetryPolicyExecutor.lambda\$supply\$0(RetryPolicyExecutor.java:66) at net.jodah.failsafe.Execution.executeSync(Execution.java:128) at net.jodah.failsafe.FailsafeExecutor.call(FailsafeExecutor.java:379) at net.jodah.failsafe.FailsafeExecutor.get(FailsafeExecutor.java:68) at org.openqa.selenium.remote.http.RetryRequest.lambda\$apply\$7(RetryRequest.java:83) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:56) at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:110) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:312) at stepDefinitions.AccountsPagstepDefinition.user_already_logged_into_application(AccountsPagstepDefinition.java:39) at ?.user already logged into application(file:///C:/Users/balachandra.4/eclipse-workspace/CucumberAutomation/src/test/resources/features/AccountsPage.feature:4) Caused by: java.util.concurrent.TimeoutException at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:1950) at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2085) at org.asynchttpclient.netty.NettyResponseFuture.get(NettyResponseFuture.java:206) at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:66) at org.openqa.selenium.remote.http.RetryRequest.lambda\$apply\$6(RetryRequest.java:83) at net.jodah.failsafe.Functions.lambda\$get\$0(Functions.java:48) at net.jodah.failsafe.RetryPolicyExecutor.lambda\$supply\$0(RetryPolicyExecutor.java:66) at net.jodah.failsafe.RetryPolicyExecutor.lambda\$supply\$0(RetryPolicyExecutor.java:66) at net.jodah.failsafe.RetryPolicyExecutor.lambda\$supply\$0(RetryPolicyExecutor.java:66) at net.jodah.failsafe.Execution.executeSync(Execution.java:128) at net.jodah.failsafe.FailsafeExecutor.call(FailsafeExecutor.java:379) at net.jodah.failsafe.FailsafeExecutor.get(FailsafeExecutor.java:68) at org.openqa.selenium.remote.http.RetryRequest.lambda\$apply\$7(RetryRequest.java:83) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:56) at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:51) </pre>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.http.RetryRequest.lambda\$apply\$6(RetryRequest.java:83) at net.jodah.failsafe.Functions.lambda\$get\$0(Functions.java:48) at net.jodah.failsafe.RetryPolicyExecutor.lambda\$supply\$0(RetryPolicyExecutor.java:66) at net.jodah.failsafe.RetryPolicyExecutor.lambda\$supply\$0(RetryPolicyExecutor.java:66) at net.jodah.failsafe.RetryPolicyExecutor.lambda\$supply\$0(RetryPolicyExecutor.java:66) at net.jodah.failsafe.Execution.executeSync(Execution.java:128) at net.jodah.failsafe.FailsafeExecutor.call(FailsafeExecutor.java:379) at net.jodah.failsafe.FailsafeExecutor.get(FailsafeExecutor.java:68) at org.openqa.selenium.remote.http.RetryRequest.lambda\$apply\$7(RetryRequest.java:83) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:56) at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:110) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:312) at stepDefinitions.AccountsPagstepDefinition.user_already_logged_into_application(AccountsPagstepDefinition.java:39) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:151) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64)		



#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:71) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:14) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:515) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1130) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:630) at java.base/java.lang.Thread.run(Thread.java:832) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
2	Given user is on Accounts page	SKIPPED	0.000 s
3	Then user gets Account section	SKIPPED	0.003 s
	<div> <div>ORDER HISTORY AND DETAILS</div> <div>MY CREDIT SLIPS</div> <div>MY ADDRESSES</div> <div>MY PERSONAL INFORMATION</div> <div>MY WISHLISTS</div> <div>Home</div> </div>		
4	And Accounts section count should be 6	SKIPPED	0.001 s
	<p>AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=98.0.4758.102) Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.162.41', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [bcff9daa8673579e2aa0e981c9603125, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.102 (273bf7ac8c90..., userDataDir: C:\Users\BALACH~1.4\AppData..., goog:chromeOptions: {debuggerAddress: localhost:62151}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62151/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: bcff9daa8673579e2aa0e981c9603125 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) </pre>	FAILED	29.634 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:333) at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:75) </pre>		

(F)- Create new user account

FAILED	DURATION - 1 m 21.130 s	Scenarios		Steps	
/ 6:17:31.562 pm // 6:18:52.692 pm /		Total - 3		Total - 21	
		Pass - 0		Pass - 14	
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 4	

(S)- Fill the Invalid personal information form



<div>FAILED</div> <div>DURATION - 45.111 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 6:17:31.562 pm // 6:18:16.673 pm /				
Create new user account				

#	Step / Hook Details	Status	Duration
1	Given user is allready on landing page	PASSED	17.888 s
2	When user enters email address lenth of 5 to create an account	PASSED	0.117 s
3	And click on create an account button	PASSED	7.109 s
4	Then it should be navigates to "YOUR PERSONAL INFORMATION" page	PASSED	0.198 s
5	Given user fills the invalid personal information from the given sheetname "InvalidPersonalInfo" and rownumber 0	FAILED	2.443 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=98.0.4758.102) Build info: version: '4.1.1', revision: 'e8fcc2cec' System info: host: 'LAP-HYD-0X81095', ip:		

#	Step / Hook Details	Status	Duration
	<p>'192.168.162.41', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [fa1f8cf87634c20088b8d2e7c2d9ae8f, findElement {using=id, value=company}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.102 (273bf7ac8c90..., userDataDir: C:\Users\BALACH~1.4\AppData..., goog:chromeOptions: {debuggerAddress: localhost:62414}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62414/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: fa1f8cf87634c20088b8d2e7c2d9ae8f</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at com.pageObjects.CreateAccountPage.sendPersonalInformations(CreateAccountPage.java:79) at stepDefinitions.CreateAccountStep. user_fills_the_invalid_personal_information_from_the_given_sheetname_and_rownumber(CreateAccountStep.java:95) at ?.user fills the invalid personal information from the given sheetname "InvalidPersonalInfo" and rownumber 0(file:///C:/Users/balachandra.4/eclipse-workspace/CucumberAutomation/src/test/resources/features/CreateAccount.feature:13) * Not displayable characters are replaced by '?'. </p>		
6	When user clicked on Register button	SKIPPED	0.001 s
7	Then getting error message	SKIPPED	0.000 s
	<p>AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=98.0.4758.102) Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.162.41', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [fa1f8cf87634c20088b8d2e7c2d9ae8f, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.102 (273bf7ac8c90..., userDataDir: C:\Users\BALACH~1.4\AppData..., goog:chromeOptions: {debuggerAddress: localhost:62414}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62414/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: fa1f8cf87634c20088b8d2e7c2d9ae8f</p>	FAILED	0.065 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:333) at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:75) </pre>		

(S)- Fill the Invalid personal information form



<div>FAILED</div> <div>DURATION - 1 m 17.562 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 6:17:35.130 pm // 6:18:52.692 pm /				
Create new user account				

#	Step / Hook Details	Status	Duration
1	Given user is already on landing page	PASSED	13.431 s
2	When user enters email address length of 5 to create an account	PASSED	0.104 s
3	And click on create an account button	PASSED	7.092 s
4	Then it should be navigates to "YOUR PERSONAL INFORMATION" page	PASSED	0.118 s
5	Given user fills the invalid personal information from the given sheetname "InvalidPersonalInfo" and rownumber 1	PASSED	16.748 s
6	When user clicked on Register button	FAILED	13.893 s
	<pre> org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=98.0.4758.102) Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.162.41', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f9e711bf22a8fa7697282d696f91e8cb, findElement {using=id, value=submitAccount}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: </pre>		

#	Step / Hook Details	Status	Duration
	<pre> {chromedriverVersion: 98.0.4758.102 (273bf7ac8c90..., userDataDir: C:\Users\BALACH~1.4\AppData..., goog:chromeOptions: {debuggerAddress: localhost:62432}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62432/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f9e711bf22a8fa7697282d696f91e8cb at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at com.pageObjects.CreateAccountPage.clickRegisterButton(CreateAccountPage.java:112) at stepDefinitions.CreateAccountStep.user_clicked_on_register_button(CreateAccountStep.java:129) at ?.user clicked on Register button(file:///C:/Users/balachandra.4/eclipse-workspace/CucumberAutomation/src/test/resources/features/ CreateAccount.feature:14) * Not displayable characters are replaced by '?'. </pre>		
7	Then getting error message	SKIPPED	0.000 s
	<p>AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=98.0.4758.102) Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.162.41', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java. version: '15.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f9e711bf22a8fa7697282d696f91e8cb, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.102 (273bf7ac8c90..., userDataDir: C:\Users\BALACH~1.4\AppData..., goog:chromeOptions: {debuggerAddress: localhost:62432}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62432/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f9e711bf22a8fa7697282d696f91e8cb at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) </pre>	FAILED	13.703 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:333) at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:75) </pre>		

(S)- Fill the valid personal information form



FAILED	DURATION - 48.080 s		Steps Total - 7 Pass - 5 Fail - 1 Skip - 1	
/ 6:17:35.565 pm // 6:18:23.645 pm /				
Create new user account				

#	Step / Hook Details	Status	Duration
1	Given user is allready on landing page	PASSED	11.363 s
2	When user enters email address lenth of 5 to create an account	PASSED	0.843 s
3	And click on create an account button	PASSED	7.232 s
4	Then it should be navigates to "YOUR PERSONAL INFORMATION" page	PASSED	0.069 s
5	Given user fills the valid personal information from the given given sheetname "ValidPersonalInfo" and rownumber 0	PASSED	16.175 s
6	When user clicked on Register button	FAILED	0.018 s
	<pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=98.0.4758.102) Build info: version: '4.1.1', revision: 'e8fcc2cec' System info: host: 'LAP-HYD-0X81095', ip: '192.168.162.41', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [25461f55b96629300f8a95ed9b7f997e, findElement {using=id, value=submitAccount}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.102 (273bf7ac8c90..., userDataDir: C:\Users\BALACH~1\AppData..., goog:chromeOptions: {debuggerAddress: localhost:62431}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62431/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 25461f55b96629300f8a95ed9b7f997e </pre>		



#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at com.pageObjects.CreateAccountPage.clickRegisterButton(CreateAccountPage.java:112) at stepDefinitions.CreateAccountStep.user_clicked_on_register_button(CreateAccountStep.java:129) at ?.user clicked on Register button(file:///C:/Users/balachandra.4/eclipse-workspace/CucumberAutomation/src/test/resources/features/ CreateAccount.feature:27) * Not displayable characters are replaced by '?'. </pre>		
7	Then getting Home page with contains "MY ACCOUNT"	SKIPPED	0.000 s
	<p>AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=98.0.4758.102) Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.162.41', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [25461f55b96629300f8a95ed9b7f997e, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.102 (273bf7ac8c90..., userDataDir: C:\Users\BALACH~1.4\AppData..., goog:chromeOptions: {debuggerAddress: localhost:62431}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62431/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 25461f55b96629300f8a95ed9b7f997e at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) </pre>	FAILED	0.034 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:333) at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:75)		

(F)- check data Tables



FAILED	DURATION - 35.805 s	Scenarios		Steps	
/ 6:18:14.978 pm // 6:18:50.783 pm /		Total - 4		Total - 16	
		Pass - 3		Pass - 11	
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 5	

(S)- : To check login

PASSED	DURATION - 15.516 s		Steps	
/ 6:18:14.978 pm // 6:18:30.494 pm /			Total - 5	
check data Tables			Pass - 5	
			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given user is on landing page	PASSED	0.001 s
2	When user click on sign in button	PASSED	0.000 s
3	When user given username balu@gmail.com and password balu	PASSED	0.000 s
4	When click on submit button	PASSED	0.000 s
5	Then navigates to home page	PASSED	0.000 s



(S) - : To check login

<div><div>FAILED</div><div>DURATION - 18.402 s</div></div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div>	
/ 6:18:16.714 pm // 6:18:35.116 pm /				
check data Tables				

#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.ApplicationHooks.launchBrowser() org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created from chrome not reachable (Session info: chrome=98.0.4758.102) Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.162.41', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}, desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:104) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:91) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:46) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:34) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:58)	FAILED	18.383 s
1	Given user is on landing page	SKIPPED	0.000 s
2	When user click on sign in button	SKIPPED	0.000 s
3	When user given username manu@gmail.com and password Manu	SKIPPED	0.000 s
4	When click on submit button	SKIPPED	0.001 s
5	Then navigates to home page	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)"	FAILED	0.002 s



#	Step / Hook Details	Status	Duration
	because "this.driver" is null at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:75)		
	AFTER - AppHooks.ApplicationHooks.quitBrowser() java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:64)	FAILED	0.002 s

(S)- To check dataTables

PASSED	DURATION - 26.451 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 6:18:23.731 pm // 6:18:50.182 pm /				
check data Tables				
@sanity				



#	Step / Hook Details	Status	Duration																
1	Given user on form page	PASSED	0.001 s																
2	When need to send data to form from below table <table border="1"> <tr><td>jayalaxmi</td><td>talaner</td><td>83793987</td><td>India</td></tr> <tr><td>sadhashiva</td><td>hulegar</td><td>87276763</td><td>sagara</td></tr> <tr><td>suvatte</td><td>kandika</td><td>56249200</td><td>hamsagaru</td></tr> <tr><td>pannaga</td><td>puutur</td><td>828999</td><td>mangalore</td></tr> </table>	jayalaxmi	talaner	83793987	India	sadhashiva	hulegar	87276763	sagara	suvatte	kandika	56249200	hamsagaru	pannaga	puutur	828999	mangalore	PASSED	0.003 s
jayalaxmi	talaner	83793987	India																
sadhashiva	hulegar	87276763	sagara																
suvatte	kandika	56249200	hamsagaru																
pannaga	puutur	828999	mangalore																
3	Then user able to submit the form	PASSED	0.001 s																

(S)- To check dataTables



PASSED	DURATION - 20.236 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 6:18:30.547 pm // 6:18:50.783 pm /				
check data Tables				

#	Step / Hook Details	Status	Duration																				
1	Given user on form page	PASSED	0.001 s																				
2	When need to send data to form from below tables	PASSED	0.005 s																				
	<table border="1"> <thead> <tr> <th>Name</th><th>city</th><th>number</th><th>country</th></tr> </thead> <tbody> <tr> <td>jayalaxmi</td><td>talaner</td><td>83793987</td><td>India</td></tr> <tr> <td>sadhashiva</td><td>hulegar</td><td>87276763</td><td>sagara</td></tr> <tr> <td>suvatte</td><td>kandika</td><td>56249200</td><td>hamsagaru</td></tr> <tr> <td>pannaga</td><td>puutur</td><td>828999</td><td>mangalore</td></tr> </tbody> </table>	Name	city	number	country	jayalaxmi	talaner	83793987	India	sadhashiva	hulegar	87276763	sagara	suvatte	kandika	56249200	hamsagaru	pannaga	puutur	828999	mangalore		
Name	city	number	country																				
jayalaxmi	talaner	83793987	India																				
sadhashiva	hulegar	87276763	sagara																				
suvatte	kandika	56249200	hamsagaru																				
pannaga	puutur	828999	mangalore																				
3	Then user able to submit the form	PASSED	0.002 s																				

(F)- Login page feature

FAILED	DURATION - 32.455 s	Scenarios		Steps	
/ 6:18:35.160 pm // 6:19:07.615 pm /		Total - 3	3	Total - 11	11
		Pass - 0		Pass - 2	
		Fail - 3		Fail - 2	
		Skip - 0		Skip - 7	



(S)- Login page title

<div>FAILED</div> <div>DURATION - 19.212 s</div>			Steps	
/ 6:18:35.161 pm // 6:18:54.373 pm /			Total - 3	
Login page feature			Pass - 0	
@skip_scenario			Fail - 0	
			Skip - 3	

#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.ApplicationHooks.launchBrowser()	FAILED	19.138 s
	<p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created from disconnected: received Inspector.detached event (Session info: chrome=98.0.4758.102) Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.162.41', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}, desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}]</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:104) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:91) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:46) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:34) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:58) </pre>		
1	Given user is on login page	SKIPPED	0.005 s
2	When user is gets the title of the page	SKIPPED	0.005 s
3	Then page title should be "Login - My Store"	SKIPPED	0.005 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:75) </pre>	FAILED	0.006 s
	AFTER - AppHooks.ApplicationHooks.quitBrowser() <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:64) </pre>	FAILED	0.016 s

(S)- Forgot password link



FAILED	DURATION - 14.663 s		Steps Total - 2 Pass - 1 Fail - 1 Skip - 0	
/ 6:18:50.248 pm // 6:19:04.911 pm /				
Login page feature				

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	4.844 s

#	Step / Hook Details	Status	Duration
2	<p>Then forgot your password link should be displayed</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=98.0.4758.102) Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.162.41', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [c93f50a75770aaf003845caa38bcdbe9, findElement {using=link text, value=Forgot your password?123}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.102 (273bf7ac8c90..., userDataDir: C:\Users\BALACH~1.4\AppData...}, goog:chromeOptions: {debuggerAddress: localhost:62685}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62685/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c93f50a75770aaf003845caa38bcdbe9 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy28.isDisplayed(Unknown Source) at com.pageObjects.LoginPage.isForgotPWdLinkExist(LoginPage.java:54) at stepDefinitions.loginStepDefinition.forgot_your_password_link_should_be_displayed(loginStepDefinition.java:56) at ?.forgot your password link should be displayed(file:///C:/Users/balachandra.4/eclipse-workspace/CucumberAutomation/src/test/resources/ features/login.feature:14) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.021 s
	<p>AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=98.0.4758.102) Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.162.41', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [c93f50a75770aaf003845caa38bcdbe9, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.102 (273bf7ac8c90..., userDataDir: C:\Users\BALACH~1.4\AppData...}, goog:chromeOptions: {debuggerAddress: localhost:62685}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: </pre>	FAILED	0.010 s

#	Step / Hook Details	Status	Duration
	ws://localhost:62685/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c93f50a75770aaf003845caa38bcdbe9 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:333) at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:75)		

(S)- Login with correct credentials

FAILED	DURATION - 16.630 s		Steps Total - 6 Pass - 1 Fail - 1 Skip - 4	
/ 6:18:50.985 pm // 6:19:07.615 pm /				
Login page feature				
@skip @sanity				

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	6.619 s
2	When user enters username "balachandra.thalner@gmail.com"	FAILED	0.006 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=98.0.4758.102) Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.162.41', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f46581b1b8eca3d83450b90fd48fe1d5, findElement {using=id, value=email}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.102 (273bf7ac8c90..., userDataDir: C:\Users\BALACH~1.4\AppData..., goog:chromeOptions: {debuggerAddress: localhost:62691}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp:		

#	Step / Hook Details	Status	Duration
	<p>ws://localhost:62691/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f46581b1b8eca3d83450b90fd48fe1d5</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy28.sendKeys(Unknown Source) at com.pageObjects.LoginPage.enterUsername(LoginPage.java:60) at stepDefinitions.loginStepDefinition.user_enters_username_something(loginStepDefinition.java:66) at ?.user enters username "balachandra.thalner@gmail.com"(file:///C:/Users/balachandra.4/eclipse-workspace/CucumberAutomation/src/test/resources/features/login.feature:19) * Not displayable characters are replaced by '?'. </p>		
3	And user enters password "balachandra"	SKIPPED	0.001 s
4	And user clicks on login button	SKIPPED	0.001 s
5	Then user is gets the title of the page	SKIPPED	0.001 s
6	And page title should be "My account - My Store"	SKIPPED	0.001 s
	<p>AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=98.0.4758.102) Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.162.41', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f46581b1b8eca3d83450b90fd48fe1d5, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.102 (273bf7ac8c90..., userDataDir: C:\Users\BALACH~1.4\AppData..., goog:chromeOptions: {debuggerAddress: localhost:62691}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62691/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f46581b1b8eca3d83450b90fd48fe1d5</p>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:333) at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:75)</pre>		