Cucumber Report

Start : Mar 02, 6:46:00.962 pm	End : Mar 02, 6:51:27.032 pm	Duration : 5 m 26.070 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 5 SKIPPED - 0	PASSED - 5 FAILED - 11 SKIPPED - 1	PASSED - 32 FAILED - 11 SKIPPED - 33

Features: 6 — 16 %

Scenarios: 17 — 29 %

Steps: 76 — 42 %

#	Feature Name	T	P	F	S	Duration
1	Create new user account	3	0	3	0	5 m 22.153 s
2	contact Us feature	2	1	1	0	5 m 26.048 s
3	Footer section	3	0	3	0	5 m 24.257 s
4	Account page feature	2	0	2	0	2 m 5.933 s
5	check data Tables	4	4	0	0	46.277 s
6	Login page feature	3	0	2	1	1 m 7.420 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Create new user account	Fill the Invalid personal information form	7	0	1	6	5 m 22.141 s
2	Create new user account	Fill the Invalid personal information form	7	1	1	5	1 m 4.294 s
3	Create new user account	Fill the valid personal information form	7	1	1	5	1 m 12.123 s
4	contact Us feature	contact scenario with different sets of data	4	0	1	3	5 m 26.048 s
5	contact Us feature	contact scenario with different sets of data	4	4	0	0	2 m 24.320 s
6	Footer section	to check footer information section	4	2	1	1	2 m 33.476 s
7	Footer section	to check footer information section	4	3	1	0	1 m 24.284 s
8	Footer section	to check login page title	4	0	1	3	5 m 24.239 s
9	Account page feature	Account section count	4	0	1	3	1 m 12.737 s
10	Account page feature	Accounts page title	4	3	1	0	2 m 5.925 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
11	check data Tables	: To check login	5	5	0	0	21.670 s
12	check data Tables	: To check login	5	5	0	0	26.809 s
13	check data Tables	To check dataTables	3	3	0	0	29.506 s
14	check data Tables	To check dataTables	3	3	0	0	26.263 s
15	Login page feature	Login page title	3	0	0	3	28.206 s
16	Login page feature	Forgot password link	2	1	1	0	54.303 s
17	Login page feature	Login with correct credentials	6	1	1	4	42.942 s

(F)- Create new user account

FAILED	DURATION - 5 m 22.153 s	Scenarios		Steps	
		Total - 3		Total - 21	
/ 6:46:00.962 pm // 6:51:23.115 pm /		Pass - 0	3	Pass - 2	21
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 16	

(S)- Fill the Invalid personal information form

FAILED	DURATION - 5 m 22.141 s		Steps	
			Total - 7	
/ 6:46:00.974 pm // 6:51:23.115 pm /			Pass - 0	7
Create new user account			Fail - 1	
			Skip - 6	

#	Step / Hook Details	Status	Duration
1	Given user is allready on landing page	FAILED	3 m 0.015 s

	org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.176.227', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [fc022a28-3e29-4344-bc92-314b5ca73a6d, get {url=http://automationpractice.com/index.php?controller=authentication&back=my-account}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 91.6.0, javascriptEnabled: true, moz:accessibilityChecks: false, moz:buildID: 20220131231250, moz:debuggerAddress: localhost:60413, moz:geckodriverVersion: 0.30.0, moz:headless: false, moz:processID: 13088, moz:profile: C:\Users\balachandra.4\AppD..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, platformVersion: 10.0, proxy: Proxy(), se:cdp: ws://localhost:60413/devtoo..., se:cdpVersion: 85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: fc022a28-3e29-4344-bc92-314b5ca73a6d
	   at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:72)
	   at org.openqa.selenium.remote.http.RetryRequest.lambda$apply$6(RetryRequest.java:83)
	   at net.jodah.failsafe.Functions.lambdaget0(Functions.java:48)
	   at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)
	   at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)
	   at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)
	   at net.jodah.failsafe.Execution.executeSync(Execution.java:128)
	   at net.jodah.failsafe.FailsafeExecutor.call(FailsafeExecutor.java:379)		

| #	Step / Hook Details	Status	Duration
	at net.jodah.failsafe.FailsafeExecutor.get(FailsafeExecutor.java:68)		
	at org.openqa.selenium.remote.http.RetryRequest.lambda$apply$7(RetryRequest.java:83)		
	at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)		
	at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:56)		
	at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:51)		
	at org.openqa.selenium.remote.http.RetryRequest.lambda$apply$6(RetryRequest.java:83)		
	at net.jodah.failsafe.Functions.lambdaget0(Functions.java:48)		
	at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)		
	at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)		
	at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)		
	at net.jodah.failsafe.Execution.executeSync(Execution.java:128)		
	at net.jodah.failsafe.FailsafeExecutor.call(FailsafeExecutor.java:379)		
	at net.jodah.failsafe.FailsafeExecutor.get(FailsafeExecutor.java:68)		
	at org.openqa.selenium.remote.http.RetryRequest.lambda$apply$7(RetryRequest.java:83)		
	at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)		
	at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:56)		
	at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:110)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:312)		
	at stepDefinitions.CreateAccountStep.user_is_allready_on_landing_page(CreateAccountStep.java:36)		
	at ?.user is allready on landing page(file:///C:/Users/balachandra.4/eclipse-workspace/CucumberAutomation/src/test/resources/features/CreateAccount.feature:5)		
	Caused by: java.util.concurrent.TimeoutException		
	at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:1950)		
	at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2085)		
	at org.asynchttpclient.netty.NettyResponseFuture.get(NettyResponseFuture.java:206)		
	at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:66)		
	at org.openqa.selenium.remote.http.RetryRequest.lambda$apply$6(RetryRequest.java:83)		
	at net.jodah.failsafe.Functions.lambdaget0(Functions.java:48)		
	at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)		
	at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)		
	at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)		
	at net.jodah.failsafe.Execution.executeSync(Execution.java:128)		
	at net.jodah.failsafe.FailsafeExecutor.call(FailsafeExecutor.java:379)		
	at net.jodah.failsafe.FailsafeExecutor.get(FailsafeExecutor.java:68)		
	at org.openqa.selenium.remote.http.RetryRequest.lambda$apply$7(RetryRequest.java:83)		
	at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)		
	at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:56)		
	at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:51)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.http.RetryRequest.lambda$apply$6(RetryRequest.java:83)		
	at net.jodah.failsafe.Functions.lambdaget0(Functions.java:48)		
	at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)		
	at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)		
	at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)		
	at net.jodah.failsafe.Execution.executeSync(Execution.java:128)		
	at net.jodah.failsafe.FailsafeExecutor.call(FailsafeExecutor.java:379)		
	at net.jodah.failsafe.FailsafeExecutor.get(FailsafeExecutor.java:68)		
	at org.openqa.selenium.remote.http.RetryRequest.lambda$apply$7(RetryRequest.java:83)		
	at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)		
	at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:56)		
	at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:110)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:312)		
	at stepDefinitions.CreateAccountStep.user_is_allready_on_landing_page(CreateAccountStep.java:36)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:564)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:95)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:151)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:515) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1130) at java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:630) at java.base/java.lang.Thread.run(Thread.java:832) * Not displayable characters are replaced by '?'.		
2	When user enters email address lenth of 5 to create an account	SKIPPED	0.000 s
3	And click on create an account button	SKIPPED	0.001 s
4	Then it should be navigates to "YOUR PERSONAL INFORMATION" page	SKIPPED	0.000 s
5	Given user fills the invalid personal information from the given sheetname "InvalidPersonalInfo" and rownumber 0	SKIPPED	0.000 s
6	When user clicked on Register button	SKIPPED	0.000 s
7	Then getting error message	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	1 m 37.582 s
	org.openqa.selenium.NoSuchWindowException: Browsing context has been discarded Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.176.227', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [fc022a28-3e29-4344-bc92-314b5ca73a6d, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 91.6.0, javascriptEnabled: true, moz:accessibilityChecks: false, moz:buildID: 20220131231250, moz:debuggerAddress: localhost:60413, moz:geckodriverVersion: 0.30.0, moz:headless: false, moz:processID: 13088, moz:profile: C:\Users\balachandra.4\AppD..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, platformVersion: 10.0, proxy: Proxy(), se:cdp: ws://localhost:60413/devtoo..., se:cdpVersion: 85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: fc022a28-3e29-4344-bc92-314b5ca73a6d at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:333) at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:75)		

	AFTER - AppHooks.ApplicationHooks.quitBrowser()
	
	org.openqa.selenium.WebDriverException: Failed to decode response from marionette Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.176.227', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [fc022a28-3e29-4344-bc92-314b5ca73a6d, quit {}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 91.6.0, javascriptEnabled: true, moz:accessibilityChecks: false, moz:buildID: 20220131231250, moz:debuggerAddress: localhost:60413, moz:geckodriverVersion: 0.30.0, moz:headless: false, moz:processID: 13088, moz:profile: C:\Users\balachandra.4\AppD..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, platformVersion: 10.0, proxy: Proxy(), se:cdp: ws://localhost:60413/devtoo..., se:cdpVersion: 85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: fc022a28-3e29-4344-bc92-314b5ca73a6d
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.lambda$execute$1(DriverCommandExecutor.java:105)
	    at java.base/java.util.concurrent.CompletableFuture$AsyncSupply.run(CompletableFuture.java:1764)
	    at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1130)
	    at java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:630)
	    at java.base/java.lang.Thread.run(Thread.java:832)
		FAILED	1.315 s

(S)- Fill the Invalid personal information form

FAILED	DURATION - 1 m 4.294 s		Steps	
			Total - 7	
/ 6:46:00.986 pm // 6:47:05.280 pm /			Pass - 1	
			Fail - 1	
Create new user account			Skip - 5	

#	Step / Hook Details	Status	Duration
1	Given user is allready on landing page	PASSED	2.030 s
2	When user enters email address lenth of 5 to create an account	FAILED	20.059 s

	org.openqa.selenium.NoSuchElementException: Unable to locate element: #email_create For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.176.227', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.firefox. FirefoxDriver Command: [fd040959-ea51-4eb2-8f4b-6a457a9a5593, findElement {using=id, value=email_create}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 91.6.0, javascriptEnabled: true, moz:accessibilityChecks: false, moz:buildID: 20220131231250, moz:debuggerAddress: localhost:62881, moz:geckodriverVersion: 0.30.0, moz:headless: false, moz:processID: 4524, moz:profile: C:\Users\balachandra.4\AppD..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, platformVersion: 10.0, proxy: Proxy(), se:cdp: ws://localhost:62881/devtoo..., se:cdpVersion: 85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: fd040959-ea51-4eb2-8f4b-6a457a9a5593
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)
	    at com.pageObjects.LoginPage.sendCreateAccountEmailId(LoginPage.java:95)
	    at stepDefinitions.CreateAccountStep.user_enters_email_address_lenth_of_to_create_an_account(CreateAccountStep.java:48)
	    at ?.user enters email address lenth of 5 to create an account(file:///C:/Users/balachandra.4/eclipse-workspace/CucumberAutomation/src/test/resources/features/CreateAccount.feature:6)
	* Not displayable characters are replaced by '?'.		

3	And click on create an account button	SKIPPED	0.000 s
4	Then it should be navigates to "YOUR PERSONAL INFORMATION" page	SKIPPED	0.001 s
5	Given user fills the invalid personal information from the given sheetname "InvalidPersonalInfo" and rownumber 1	SKIPPED	0.000 s
6	When user clicked on Register button	SKIPPED	0.000 s
7	Then getting error message	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.090 s
	Fill-the-Invalid-personal-information-form		

| #	Step / Hook Details	Status	Duration
	Resource Limit Is Reached **+** The website is temporarily unable to service your request as it exceeded resource limit. Please try again later.		

(S)- Fill the valid personal information form

FAILED	DURATION - 1 m 12.123 s		Steps
/ 6:46:00.987 pm // 6:47:13.110 pm /			Total - 7
			Pass - 1
Create new user account			Fail - 1
			Skip - 5

#	Step / Hook Details	Status	Duration
1	Given user is allready on landing page	PASSED	2.421 s
2	When user enters email address lenth of 5 to create an account	FAILED	20.066 s
	org.openqa.selenium.NoSuchElementException: Unable to locate element: #email_create For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.176.227', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.firefox. FirefoxDriver Command: [09c7b357-9e4b-40ac-8720-14d2d8072954, findElement {using=id, value=email_create}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 91.6.0, javascriptEnabled: true, moz:accessibilityChecks: false, moz:buildID: 20220131231250, moz:debuggerAddress: localhost:57823, moz:geckodriverVersion: 0.30.0, moz:headless: false, moz:processID: 22352, moz:profile: C:\Users\balachandra.4\AppD..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, platformVersion: 10.0, proxy: Proxy(), se:cdp: ws://localhost:57823/devtoo..., se:cdpVersion: 85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 09c7b357-9e4b-40ac-8720-14d2d8072954 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at com.pageObjects.LoginPage.sendCreateAccountEmailId(LoginPage.java:95) at stepDefinitions.CreateAccountStep.user_enters_email_address_lenth_of_to_create_an_account(CreateAccountStep.java:48) at ?.user enters email address lenth of 5 to create an account(file:///C:/Users/balachandra.4/eclipse-workspace/CucumberAutomation/src/test/resources/features/CreateAccount.feature:6) * Not displayable characters are replaced by '?'.		
3	And click on create an account button	SKIPPED	0.002 s
4	Then it should be navigates to "YOUR PERSONAL INFORMATION" page	SKIPPED	0.010 s
5	Given user fills the valid personal information from the given given sheetname "ValidPersonalInfo" and rownumber 0	SKIPPED	0.001 s
6	When user clicked on Register button	SKIPPED	0.002 s
7	Then getting Home page with contains "MY ACCOUNT"	SKIPPED	0.004 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Fill-the-valid-personal-information-form Resource Limit Is Reached The website is temporarily unable to service your request as it exceeded resource limit. Please try again later. +	PASSED	0.396 s

(F)- contact Us feature

FAILED	DURATION - 5 m 26.048 s	Scenarios Total - 2 Pass - 1 Fail - 1 Skip - 0	2	Steps Total - 8 Pass - 4 Fail - 1 Skip - 3	8
/ 6:46:00.984 pm // 6:51:27.032 pm /					

(S)- contact scenario with different sets of data

FAILED	DURATION - 5 m 26.048 s
	/ 6:46:00.984 pm // 6:51:27.032 pm /
	contact Us feature

Steps
Total - 4
Pass - 0
Fail - 1
Skip - 3

#	Step / Hook Details	Status	Duration
1	Given user navigates to contact us page	FAILED	3 m 0.045 s

org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.176.227', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [685d680e-2481-49fa-bb75-5a175bec982c, get {url=http://automationpractice.com/index. php?controller=authentication&back=my-account}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 91.6.0, javascriptEnabled: true, moz:accessibilityChecks: false, moz:buildID: 20220131231250, moz:debuggerAddress: localhost:64993, moz:geckodriverVersion: 0.30.0, moz:headless: false, moz:processID: 15356, moz:profile: C:\Users\balachandra.4\AppD..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, platformVersion: 10.0, proxy: Proxy(), se:cdp: ws://localhost:64993/devtoo..., se:cdpVersion: 85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 685d680e-2481-49fa-bb75-5a175bec982c

   at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:72)
   at org.openqa.selenium.remote.http.RetryRequest.lambda$apply$6(RetryRequest.java:83)
   at net.jodah.failsafe.Functions.lambdaget0(Functions.java:48)
   at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)
   at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)
   at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)
   at net.jodah.failsafe.Execution.executeSync(Execution.java:128)
   at net.jodah.failsafe.FailsafeExecutor.call(FailsafeExecutor.java:379)
   at net.jodah.failsafe.FailsafeExecutor.get(FailsafeExecutor.java:68)
   at org.openqa.selenium.remote.http.RetryRequest.lambda$apply$7(RetryRequest.java:83)
   at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)
   at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:56)
   at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:51)
   at org.openqa.selenium.remote.http.RetryRequest.lambda$apply$6(RetryRequest.java:83)
   at net.jodah.failsafe.Functions.lambdaget0(Functions.java:48)
   at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)
   at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)
   at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)
   at net.jodah.failsafe.Execution.executeSync(Execution.java:128)
   at net.jodah.failsafe.FailsafeExecutor.call(FailsafeExecutor.java:379)

#	Step / Hook Details	Status	Duration
	at net.jodah.failsafe.FailsafeExecutor.get(FailsafeExecutor.java:68)		
	at org.openqa.selenium.remote.http.RetryRequest.lambda$apply$7(RetryRequest.java:83)		
	at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)		
	at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:56)		
	at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:110)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:312)		
	at stepDefinitions.ContactUsStep.user_navigates_to_contact_us_page(ContactUsStep.java:38)		
	at ?.user navigates to contact us page(file:///C:/Users/balachandra.4/eclipse-workspace/CucumberAutomation/src/test/resources/features/ContactUs.feature:5)		
	Caused by: java.util.concurrent.TimeoutException		
	at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:1950)		
	at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2085)		
	at org.asynchttpclient.netty.NettyResponseFuture.get(NettyResponseFuture.java:206)		
	at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:66)		
	at org.openqa.selenium.remote.http.RetryRequest.lambda$apply$6(RetryRequest.java:83)		
	at net.jodah.failsafe.Functions.lambdaget0(Functions.java:48)		
	at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)		
	at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)		
	at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)		
	at net.jodah.failsafe.Execution.executeSync(Execution.java:128)		
	at net.jodah.failsafe.FailsafeExecutor.call(FailsafeExecutor.java:379)		
	at net.jodah.failsafe.FailsafeExecutor.get(FailsafeExecutor.java:68)		
	at org.openqa.selenium.remote.http.RetryRequest.lambda$apply$7(RetryRequest.java:83)		
	at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)		
	at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:56)		
	at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:51)		
	at org.openqa.selenium.remote.http.RetryRequest.lambda$apply$6(RetryRequest.java:83)		
	at net.jodah.failsafe.Functions.lambdaget0(Functions.java:48)		
	at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)		
	at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)		
	at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)		
	at net.jodah.failsafe.Execution.executeSync(Execution.java:128)		
	at net.jodah.failsafe.FailsafeExecutor.call(FailsafeExecutor.java:379)		
	at net.jodah.failsafe.FailsafeExecutor.get(FailsafeExecutor.java:68)		
	at org.openqa.selenium.remote.http.RetryRequest.lambda$apply$7(RetryRequest.java:83)		
	at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)		
	at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:56)		
	at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:110)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:312)		
	at stepDefinitions.ContactUsStep.user_navigates_to_contact_us_page(ContactUsStep.java:38)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:564)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:95)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:151)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:564)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)		
	at java.base/java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:515)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1130)		
	at java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:630)		

| #	Step / Hook Details	Status	Duration
	at java.base/java.lang.Thread.run(Thread.java:832) * Not displayable characters are replaced by '?'.		
2	When user fills the form from given sheetname "contactUs" and rowNumber 1	SKIPPED	0.000 s
3	And clicks on send button	SKIPPED	0.000 s
4	Then it shows successful message "Your message has been successfully sent to our team."	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	1 m 39.297 s

	org.openqa.selenium.NoSuchWindowException: Browsing context has been discarded Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.176.227', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [685d680e-2481-49fa-bb75-5a175bec982c, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 91.6.0, javascriptEnabled: true, moz:accessibilityChecks: false, moz:buildID: 20220131231250, moz:debuggerAddress: localhost:64993, moz:geckodriverVersion: 0.30.0, moz:headless: false, moz:processID: 15356, moz:profile: C:\Users\balachandra.4\AppD..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, platformVersion: 10.0, proxy: Proxy(), se:cdp: ws://localhost:64993/devtoo..., se:cdpVersion: 85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 685d680e-2481-49fa-bb75-5a175bec982c
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	    at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:333)
	    at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:75)		

	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	2.328 s
	org.openqa.selenium.WebDriverException: Failed to decode response from marionette Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.176.227', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [685d680e-2481-49fa-bb75-5a175bec982c, quit {}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 91.6.0, javascriptEnabled: true, moz:accessibilityChecks: false, moz:buildID: 20220131231250, moz:debuggerAddress: localhost:64993, moz:geckodriverVersion: 0.30.0, moz:headless: false, moz:processID: 15356, moz:profile: C:\Users\balachandra.4\AppD..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, platformVersion: 10.0, proxy: Proxy(), se:cdp: ws://localhost:64993/devtoo..., se:cdpVersion: 85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 685d680e-2481-49fa-bb75-5a175bec982c at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.lambda$execute$1(DriverCommandExecutor.java:105)		
	at java.base/java.util.concurrent.CompletableFuture$AsyncSupply.run(CompletableFuture.java:1764)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1130)		
	at java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:630)		
	at java.base/java.lang.Thread.run(Thread.java:832)		

(S)- contact scenario with different sets of data

PASSED	DURATION - 2 m 24.320 s
/ 6:46:00.985 pm // 6:48:25.305 pm /	
contact Us feature	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user navigates to contact us page	PASSED	1 m 28.145 s
2	When user fills the form from given sheetname "contactUs" and rowNumber 0	PASSED	5.718 s
3	And clicks on send button	PASSED	3.405 s
4	Then it shows successful message "Your message has been successfully sent to our team."	PASSED	0.054 s

(F)- Footer section

FAILED	DURATION - 5 m 24.257 s	Scenarios		Steps	
		Total - 3		Total - 12	
/ 6:46:00.991 pm // 6:51:25.248 pm /		Pass - 0	3	Pass - 5	12
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 4	

(S)- to check footer information section

FAILED	DURATION - 2 m 33.476 s		Steps	
			Total - 4	
/ 6:46:00.991 pm // 6:48:34.467 pm /			Pass - 2	4
Footer section			Fail - 1	
			Skip - 1	

#	Step / Hook Details	Status	Duration
1	Given user is alreday on landing page	PASSED	1 m 45.063 s
2	Given user is on landing page	PASSED	0.000 s
3	When user gets information section	FAILED	0.152 s

	About us
	 Sitemap
	
	 java.lang.AssertionError: expected [true] but found [false]
	   at org.testng.Assert.fail(Assert.java:99)
	   at org.testng.Assert.failNotEquals(Assert.java:1037)
	   at org.testng.Assert.assertTrue(Assert.java:45)
	   at org.testng.Assert.assertTrue(Assert.java:55)
	   at stepDefinitions.FooterSectionStep.user_gets_information_section(FooterSectionStep.java:33)
	   at ?.user gets information section(file:///C:/Users/balachandra.4/eclipse-workspace/CucumberAutomation/src/test/resources/features/FooterSection.feature:34)
	 * Not displayable characters are replaced by '?'.		

4	Then information section should be 8	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) to-check-footer-information-section	PASSED	0.136 s

#	Step / Hook Details	Status	Duration
	+		

(S)- to check footer information section

FAILED	*DURATION - 1 m 24.284 s*	Steps	
/ 6:46:01.002 pm // 6:47:25.286 pm /		Total - 4	
Footer section		Pass - 3	
		Fail - 1	
		Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given user is alreday on landing page	PASSED	6.618 s
2	Given user is on landing page	PASSED	0.002 s
3	When user gets information section	PASSED	20.124 s
	Specials New products Best sellers Our stores Contact us Terms and conditions of use About us Sitemap		
4	Then information section should be 8	FAILED	20.044 s

	java.lang.AssertionError: expected [true] but found [false]
	    at org.testng.Assert.fail(Assert.java:99)
	    at org.testng.Assert.failNotEquals(Assert.java:1037)
	    at org.testng.Assert.assertTrue(Assert.java:45)
	    at org.testng.Assert.assertTrue(Assert.java:55)
	    at stepDefinitions.FooterSectionStep.information_section_should_be(FooterSectionStep.java:40)
	    at ?.information section should be 8(file:///C:/Users/balachandra.4/eclipse-workspace/CucumberAutomation/src/test/resources/features/FooterSection.feature:28)		

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.237 s
	to-check-footer-information-section		
	Resource Limit Is Reached The website is temporarily unable to service your request as it exceeded resource limit. Please try again later.　　　　+		

(S)- to check login page title

FAILED	DURATION - 5 m 24.239 s
/ 6:46:01.009 pm // 6:51:25.248 pm /	
Footer section	

Steps
Total - 4
Pass - 0
Fail - 1
Skip - 3

4

#	Step / Hook Details	Status	Duration
1	Given user is alreday on landing page	FAILED	3 m 0.027 s
	org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.176.227', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [f5a9a5a2-50d0-48e6-9031-fc72878c3e5c, get {url=http://automationpractice.com/index.php?controller=authentication&back=my-account}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 91.6.0, javascriptEnabled: true, moz:accessibilityChecks: false, moz:buildID: 20220131231250, moz:debuggerAddress: localhost:64689, moz:geckodriverVersion: 0.30.0, moz:headless: false, moz:processID: 22596, moz:profile: C:\Users\balachandra.4\AppD..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, platformVersion: 10.0, proxy: Proxy(), se:cdp: ws://localhost:64689/devtoo..., se:cdpVersion: 85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: f5a9a5a2-50d0-48e6-9031-fc72878c3e5c 　　at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:72) 　　at org.openqa.selenium.remote.http.RetryRequest.lambda$apply$6(RetryRequest.java:83) 　　at net.jodah.failsafe.Functions.lambdaget0(Functions.java:48) 　　at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66) 　　at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66) 　　at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66) 　　at net.jodah.failsafe.Execution.executeSync(Execution.java:128) 　　at net.jodah.failsafe.FailsafeExecutor.call(FailsafeExecutor.java:379)		

#	Step / Hook Details	Status	Duration
	at net.jodah.failsafe.FailsafeExecutor.get(FailsafeExecutor.java:68)		
	at org.openqa.selenium.remote.http.RetryRequest.lambda$apply$7(RetryRequest.java:83)		
	at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)		
	at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:56)		
	at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:51)		
	at org.openqa.selenium.remote.http.RetryRequest.lambda$apply$6(RetryRequest.java:83)		
	at net.jodah.failsafe.Functions.lambdaget0(Functions.java:48)		
	at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)		
	at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)		
	at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)		
	at net.jodah.failsafe.Execution.executeSync(Execution.java:128)		
	at net.jodah.failsafe.FailsafeExecutor.call(FailsafeExecutor.java:379)		
	at net.jodah.failsafe.FailsafeExecutor.get(FailsafeExecutor.java:68)		
	at org.openqa.selenium.remote.http.RetryRequest.lambda$apply$7(RetryRequest.java:83)		
	at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)		
	at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:56)		
	at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:110)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:312)		
	at stepDefinitions.FooterSectionStep.user_is_alreday_on_landing_page(FooterSectionStep.java:22)		
	at ?.user is alreday on landing page(file:///C:/Users/balachandra.4/eclipse-workspace/CucumberAutomation/src/test/resources/features/FooterSection.feature:5)		
	Caused by: java.util.concurrent.TimeoutException		
	at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:1950)		
	at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2085)		
	at org.asynchttpclient.netty.NettyResponseFuture.get(NettyResponseFuture.java:206)		
	at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:66)		
	at org.openqa.selenium.remote.http.RetryRequest.lambda$apply$6(RetryRequest.java:83)		
	at net.jodah.failsafe.Functions.lambdaget0(Functions.java:48)		
	at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)		
	at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)		
	at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)		
	at net.jodah.failsafe.Execution.executeSync(Execution.java:128)		
	at net.jodah.failsafe.FailsafeExecutor.call(FailsafeExecutor.java:379)		
	at net.jodah.failsafe.FailsafeExecutor.get(FailsafeExecutor.java:68)		
	at org.openqa.selenium.remote.http.RetryRequest.lambda$apply$7(RetryRequest.java:83)		
	at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)		
	at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:56)		
	at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:51)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.http.RetryRequest.lambda$apply$6(RetryRequest.java:83)		
	at net.jodah.failsafe.Functions.lambdaget0(Functions.java:48)		
	at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)		
	at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)		
	at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)		
	at net.jodah.failsafe.Execution.executeSync(Execution.java:128)		
	at net.jodah.failsafe.FailsafeExecutor.call(FailsafeExecutor.java:379)		
	at net.jodah.failsafe.FailsafeExecutor.get(FailsafeExecutor.java:68)		
	at org.openqa.selenium.remote.http.RetryRequest.lambda$apply$7(RetryRequest.java:83)		
	at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)		
	at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:56)		
	at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:110)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:312)		
	at stepDefinitions.FooterSectionStep.user_is_alreday_on_landing_page(FooterSectionStep.java:22)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:564)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:95)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:151)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:515) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1130) at java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:630) at java.base/java.lang.Thread.run(Thread.java:832) * Not displayable characters are replaced by '?'.		
2	Given user is on landing page	SKIPPED	0.000 s
3	When user is gets the title of the page	SKIPPED	0.000 s
4	Then page title should be "Login - My Store"	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	1 m 45.596 s

	org.openqa.selenium.NoSuchWindowException: Browsing context has been discarded Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.176.227', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [f5a9a5a2-50d0-48e6-9031-fc72878c3e5c, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 91.6.0, javascriptEnabled: true, moz:accessibilityChecks: false, moz:buildID: 20220131231250, moz:debuggerAddress: localhost:64689, moz:geckodriverVersion: 0.30.0, moz:headless: false, moz:processID: 22596, moz:profile: C:\Users\balachandra.4\AppD..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, platformVersion: 10.0, proxy: Proxy(), se:cdp: ws://localhost:64689/devtoo..., se:cdpVersion: 85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: f5a9a5a2-50d0-48e6-9031-fc72878c3e5c
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:333)		

#	Step / Hook Details	Status	Duration
	at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:75)		
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	1.932 s

	org.openqa.selenium.WebDriverException: Failed to decode response from marionette Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.176.227', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [f5a9a5a2-50d0-48e6-9031-fc72878c3e5c, quit {}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 91.6.0, javascriptEnabled: true, moz:accessibilityChecks: false, moz:buildID: 20220131231250, moz:debuggerAddress: localhost:64689, moz:geckodriverVersion: 0.30.0, moz:headless: false, moz:processID: 22596, moz:profile: C:\Users\balachandra.4\AppD..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, platformVersion: 10.0, proxy: Proxy(), se:cdp: ws://localhost:64689/devtoo..., se:cdpVersion: 85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: f5a9a5a2-50d0-48e6-9031-fc72878c3e5c
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.lambda$execute$1(DriverCommandExecutor.java:105)
	  at java.base/java.util.concurrent.CompletableFuture$AsyncSupply.run(CompletableFuture.java:1764)
	  at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1130)
	  at java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:630)
	  at java.base/java.lang.Thread.run(Thread.java:832)		

(F)- Account page feature

FAILED	DURATION - 2 m 5.933 s	Scenarios		Steps	
/ 6:46:00.996 pm // 6:48:06.929 pm /		Total - 2 Pass - 0 Fail - 2 Skip - 0	2	Total - 8 Pass - 3 Fail - 2 Skip - 3	8

(S)- Account section count

FAILED	DURATION - 1 m 12.737 s
/ 6:46:00.996 pm // 6:47:13.733 pm /	
Account page feature	
@smoke	

Steps
Total - 4
Pass - 0
Fail - 1
Skip - 3

| #	Step / Hook Details	Status	Duration
1	Given user already logged into application	FAILED	23.147 s

username	password
balachandra.thalner@gmail.com	balachandra

org.openqa.selenium.NoSuchElementException: Unable to locate element: #email For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.176.227', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.firefox. FirefoxDriver Command: [8f298a4a-2120-47c0-a48f-d4127b67e7c6, findElement {using=id, value=email}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 91.6.0, javascriptEnabled: true, moz:accessibilityChecks: false, moz:buildID: 20220131231250, moz:debuggerAddress: localhost:60712, moz:geckodriverVersion: 0.30.0, moz:headless: false, moz:processID: 13296, moz:profile: C:\Users\balachandra.4\AppD..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, platformVersion: 10.0, proxy: Proxy(), se:cdp: ws://localhost:60712/devtoo..., se:cdpVersion: 85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 8f298a4a-2120-47c0-a48f-d4127b67e7c6
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64)
   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)
   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.$Proxy31.sendKeys(Unknown Source) at com.pageObjects.LoginPage.doLogin(LoginPage.java:77) at stepDefinitions.AccountsPagstepDefinition.user_already_logged_into_application(AccountsPagstepDefinition.java:41) at ?.user already logged into application(file:///C:/Users/balachandra.4/eclipse-workspace/CucumberAutomation/src/test/resources/features/AccountsPage.feature:4) * Not displayable characters are replaced by '?'.		
2	Given user is on Accounts page	SKIPPED	0.000 s
3	Then user gets Account section ORDER HISTORY AND DETAILS MY CREDIT SLIPS MY ADDRESSES MY PERSONAL INFORMATION MY WISHLISTS Home	SKIPPED	0.004 s
4	And Accounts section count should be 6	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Account-section-count Resource Limit Is Reached The website is temporarily unable to service your request as it exceeded resource limit. Please try again later.　　+	PASSED	0.247 s

(S)- Accounts page title

FAILED	DURATION - 2 m 5.925 s		Steps
	/ 6:46:01.004 pm // 6:48:06.929 pm /		Total - 4
	Account page feature		Pass - 3
			Fail - 1
			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user already logged into application	PASSED	1 m 38.271 s

#	Step / Hook Details	Status	Duration
	username	password		
	balachandra.thalner@gmail.com	balachandra		
2	Given user is on Accounts page	PASSED	0.012 s
3	When user is gets the title of the page	PASSED	0.011 s
4	Then page title should be "My account - My Store"	FAILED	0.002 s

	java.lang.AssertionError: expected [true] but found [false]
	    at org.testng.Assert.fail(Assert.java:99)
	    at org.testng.Assert.failNotEquals(Assert.java:1037)
	    at org.testng.Assert.assertTrue(Assert.java:45)
	    at org.testng.Assert.assertTrue(Assert.java:55)
	    at stepDefinitions.loginStepDefinition.page_title_should_be_something(loginStepDefinition.java:43)
	    at ?.page title should be "My account - My Store"(file:///C:/Users/balachandra.4/eclipse-workspace/CucumberAutomation/src/test/resources/features/AccountsPage.feature:11)
	* Not displayable characters are replaced by '?'.		

	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.233 s
	Accounts-page-title		
	+		

(F)- check data Tables

PASSED	DURATION - 46.277 s	Scenarios		Steps	
		Total - 4		Total - 16	
/ 6:47:05.333 pm // 6:47:51.610 pm /		Pass - 4		Pass - 16	
		Fail - 0	4	Fail - 0	16
		Skip - 0		Skip - 0	

(S)- : To check login

PASSED	DURATION - 21.670 s		Steps	
	/ 6:47:05.333 pm // 6:47:27.003 pm /		Total - 5	
	check data Tables		Pass - 5	
			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given user is on landing page	PASSED	0.001 s
2	When user click on sign in button	PASSED	0.000 s
3	When user given username balu@gmail.com and password balu	PASSED	0.001 s
4	When click on submit button	PASSED	0.000 s
5	Then navigates to home page	PASSED	0.001 s

(S)- : To check login

PASSED	DURATION - 26.809 s		Steps	
	/ 6:47:13.184 pm // 6:47:39.993 pm /		Total - 5	
	check data Tables		Pass - 5	
			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given user is on landing page	PASSED	0.001 s
2	When user click on sign in button	PASSED	0.001 s
3	When user given username manu@gmail.com and password Manu	PASSED	0.001 s
4	When click on submit button	PASSED	0.000 s
5	Then navigates to home page	PASSED	0.000 s

(S)- To check dataTables

PASSED	DURATION - 29.506 s		Steps	
/ 6:47:13.822 pm // 6:47:43.328 pm /			Total - 3	
check data Tables			Pass - 3	
@sanity			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given user on form page	PASSED	0.001 s
2	When need to send data to form from below table	PASSED	0.008 s
	jayalaxmi talaner 83793987 India sadhashiva hulegar 87276763 sagara suvatte kandika 56249200 hamsagaru pannaga puutur 828999 mangalore		
3	Then user able to submit the form	PASSED	0.001 s

(S)- To check dataTables

PASSED	DURATION - 26.263 s		Steps	
/ 6:47:25.347 pm // 6:47:51.610 pm /			Total - 3	
check data Tables			Pass - 3	
			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given user on form page	PASSED	0.001 s
2	When need to send data to form from below tables	PASSED	0.004 s
	Name city number country jayalaxmi talaner 83793987 India sadhashiva hulegar 87276763 sagara suvatte kandika 56249200 hamsagaru		

#	Step / Hook Details	Status	Duration
	pannaga	puutur	828999	mangalore		
3	Then user able to submit the form	PASSED	0.001 s

(F)- Login page feature

FAILED	DURATION - 1 m 7.420 s	Scenarios	Steps
		Total - 3	Total - 11
/ 6:47:27.046 pm // 6:48:34.466 pm /		Pass - 0	Pass - 2
		Fail - 2	Fail - 2
		Skip - 1	Skip - 7

(S)- Login page title

SKIPPED	DURATION - 28.206 s		Steps
/ 6:47:27.046 pm // 6:47:55.252 pm /			Total - 3
			Pass - 0
Login page feature			Fail - 0
@skip_scenario			Skip - 3

#	Step / Hook Details	Status	Duration
1	Given user is on login page	SKIPPED	0.001 s
2	When user is gets the title of the page	SKIPPED	0.001 s
3	Then page title should be "Login - My Store"	SKIPPED	0.000 s

(S)- Forgot password link

FAILED	*DURATION - 54.303 s*
/ 6:47:40.163 pm // 6:48:34.466 pm /	
Login page feature	

Steps

Total - 2

Pass - 1

Fail - 1

Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	12.472 s
2	Then forgot your password link should be displayed	FAILED	20.168 s

org.openqa.selenium.NoSuchElementException: Unable to locate element: Forgot your password?123 For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.176.227', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [18ac2ac7-f17a-4a5e-ab22-27baa4e27a7f, findElement {using=link text, value=Forgot your password?123}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 91.6.0, javascriptEnabled: true, moz:accessibilityChecks: false, moz:buildID: 20220131231250, moz:debuggerAddress: localhost:49311, moz:geckodriverVersion: 0.30.0, moz:headless: false, moz:processID: 27256, moz:profile: C:\Users\balachandra.4\AppD..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, platformVersion: 10.0, proxy: Proxy(), se:cdp: ws://localhost:49311/devtoo..., se:cdpVersion: 85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 18ac2ac7-f17a-4a5e-ab22-27baa4e27a7f

  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)
  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.$Proxy31.isDisplayed(Unknown Source) at com.pageObjects.LoginPage.isForgotPWdLinkExist(LoginPage.java:54) at stepDefinitions.loginStepDefinition.forgot_your_password_link_should_be_displayed(loginStepDefinition.java:56) at ?.forgot your password link should be displayed(file:///C:/Users/balachandra.4/eclipse-workspace/CucumberAutomation/src/test/resources/features/login.feature:14) * Not displayable characters are replaced by '?'.		
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Forgot-password-link 	PASSED	0.114 s

(S)- Login with correct credentials

FAILED	DURATION - 42.942 s		Steps
	/ 6:47:43.375 pm // 6:48:26.317 pm /		Total - 6
	Login page feature		Pass - 1
			Fail - 1
	@skip @sanity		Skip - 4

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	1.300 s
2	When user enters username "balachandra.thalner@gmail.com"	FAILED	20.074 s
	org.openqa.selenium.NoSuchElementException: Unable to locate element: #email For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.176.227', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.firefox. FirefoxDriver Command: [cc6a65e9-ea11-4607-84cb-5875a761ea4a, findElement {using=id, value=email}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 91.6.0, javascriptEnabled: true, moz:accessibilityChecks: false, moz:buildID: 20220131231250, moz:debuggerAddress: localhost:60713, moz:geckodriverVersion: 0.30.0, moz:headless: false, moz:processID: 2084, moz:profile: C:\Users\balachandra.4\AppD..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, platformVersion: 10.0, proxy: Proxy(), se:cdp: ws://localhost:60713/devtoo..., se:cdpVersion: 85, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: cc6a65e9-ea11-4607-84cb-5875a761ea4a		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.$Proxy31.sendKeys(Unknown Source) at com.pageObjects.LoginPage.enterUsername(LoginPage.java:60) at stepDefinitions.loginStepDefinition.user_enters_username_something(loginStepDefinition.java:66) at ?.user enters username "balachandra.thalner@gmail.com"(file:///C:/Users/balachandra.4/eclipse-workspace/CucumberAutomation/src/test/resources/features/login.feature:19) * Not displayable characters are replaced by '?'.		
3	And user enters password "balachandra"	SKIPPED	0.001 s
4	And user clicks on login button	SKIPPED	0.000 s
5	Then user is gets the title of the page	SKIPPED	0.000 s
6	And page title should be "My account - My Store"	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Login-with-correct-credentials Resource Limit Is Reached The website is temporarily unable to service your request as it exceeded resource limit. Please try again later. +	PASSED	0.115 s

(Step) AFTER - AppHooks. ApplicationHooks.tearDown(io.cucumber. java.Scenario)

Resource Limit Is Reached

The website is temporarily unable to service your request as it exceeded resource limit. Please try again later.

(S) Fill the Invalid personal information form

(F) Create new user account

(Step) AFTER - AppHooks. ApplicationHooks.tearDown(io.cucumber. java.Scenario)

Resource Limit Is Reached

The website is temporarily unable to service your request as it exceeded resource limit. Please try again later.

(S) Fill the valid personal information form

(F) Create new user account

(Step) AFTER - AppHooks.
ApplicationHooks.tearDown(io.cucumber.
java.Scenario)

(S) to check footer information section

(F) Footer section

SALE 70% OFF ALL PRODUCTS   GET SAVINGS NOW

📞 Call us now: 0123-456-789   Contact us   Sign in

YourLogo
a new experience

Search 🔍

🛒 Cart (empty) ▾

WOMEN   DRESSES   T-SHIRTS

🏠 ⟩ Authentication

AUTHENTICATION

CREATE AN ACCOUNT

Please enter your email address to create an account.

Email address

ALREADY REGISTERED?

Email address

Password

(Step) AFTER - AppHooks.
ApplicationHooks.tearDown(io.cucumber.
java.Scenario)

(S) to check footer information section

(F) Footer section

Resource Limit Is Reached

The website is temporarily unable to service your request as it exceeded resource limit. Please try again later.

(Step) AFTER - AppHooks.
ApplicationHooks.tearDown(io.cucumber.
java.Scenario)

(S) Account section count

(F) Account page feature

Resource Limit Is Reached

The website is temporarily unable to service your request as it exceeded resource limit. Please try again later.

(Step) AFTER - AppHooks.
ApplicationHooks.tearDown(io.cucumber.
java.Scenario)

(S) Accounts page title

(F) Account page feature

YourLogo
a new experience

Search

Cart (empty)

WOMEN   DRESSES   T-SHIRTS

Authentication

AUTHENTICATION

CREATE AN ACCOUNT

Please enter your email address to create an account.

Email address

Create an account

ALREADY REGISTERED?

Email address
balachandra.thalner@gmail.com

Password
•••••••••••

Forgot your password?

Sign in

(Step) AFTER - AppHooks.
ApplicationHooks.tearDown(io.cucumber.
java.Scenario)

(S) Forgot password link

(F) Login page feature

SALE 70% OFF ALL PRODUCTS GET SAVINGS NOW

Call us now: 0123-456-789   Contact us   Sign in

YourLogo
a new experience

Search 🔍

🛒 Cart (empty)

WOMEN   DRESSES   T-SHIRTS

🏠 Authentication

AUTHENTICATION

CREATE AN ACCOUNT

Please enter your email address to create an account.

Email address

ALREADY REGISTERED?

Email address

Password

(Step) AFTER - AppHooks.
ApplicationHooks.tearDown(io.cucumber.
java.Scenario)

(S) Login with correct credentials

(F) Login page feature

Resource Limit Is Reached

The website is temporarily unable to service your request as it exceeded resource limit. Please try again later.