

Cucumber Report

28-Feb-2022, 2:32:02 pm

Start : Feb 28, 2:29:21.262 pm

End : Feb 28, 2:32:00.395 pm

Duration : 2 m 39.133 s

Features

Scenarios

Steps

PASSED - 2

FAILED - 3

SKIPPED - 0

PASSED - 9



FAILED - 4


SKIPPED - 1

PASSED - 46


FAILED - 4

SKIPPED - 14






#	Feature Name	T	P	F	S	Duration
1	<u>Account page feature</u>	2	0	2	0	1 m 10.051 s
2	<u>contact Us feature</u>	2	2	0	0	1 m 26.851 s
3	<u>Create new user account</u>	3	2	1	0	1 m 48.050 s
4	<u>check data Tables</u>	4	4	0	0	1 m 6.597 s
5	<u>Login page feature</u>	3	1	1	1	1 m 12.232 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Account page feature</u>	<u>Account section count</u>	4	0	1	3	1 m 8.861 s
2	<u>Account page feature</u>	<u>Accounts page title</u>	4	0	1	3	1 m 10.037 s
3	<u>contact Us feature</u>	<u>contact scenario with different sets of data</u>	4	4	0	0	1 m 25.085 s
4	<u>contact Us feature</u>	<u>contact scenario with different sets of data</u>	4	4	0	0	1 m 26.845 s
5	<u>Create new user account</u>	<u>Fill the Invalid personal information form</u>	7	1	1	5	55.972 s
6	<u>Create new user account</u>	<u>Fill the Invalid personal information form</u>	7	7	0	0	1 m 24.079 s
7	<u>Create new user account</u>	<u>Fill the valid personal information form</u>	7	7	0	0	51.993 s
8	<u>check data Tables</u>	<u>: To check login</u>	5	5	0	0	18.911 s
9	<u>check data Tables</u>	<u>: To check login</u>	5	5	0	0	19.412 s
10	<u>check data Tables</u>	<u>To check dataTables</u>	3	3	0	0	35.702 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>check data Tables</u>	<u>To check dataTables</u>	3	3	0	0	50.392 s
12	<u>Login page feature</u>	<u>Login page title</u>	3	0	0	3	40.594 s
13	<u>Login page feature</u>	<u>Forgot password link</u>	2	1	1	0	1 m 11.261 s
14	<u>Login page feature</u>	<u>Login with correct credentials</u>	6	6	0	0	1 m 0.343 s

(F)- Account page feature

FAILED	DURATION - 1 m 10.051 s	Scenarios		Steps	
/ 2:29:21.262 pm // 2:30:31.313 pm /		Total - 2		Total - 8	
		Pass - 0		Pass - 0	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 6	

(S)- Account section count

<div><div>FAILED</div><div>DURATION - 1 m 8.861 s</div></div>			Steps		
/ 2:29:21.265 pm // 2:30:30.126 pm /			Total - 4		
Account page feature			Pass - 0		
@smoke			Fail - 1		
			Skip - 3		



#	Step / Hook Details	Status	Duration				
1	<div>Given user already logged into application</div> <table><tr><td>username</td><td>password</td></tr><tr><td>balachandra.thalner@gmail.com</td><td>balachandra</td></tr></table> <div>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#email"} (Session info: chrome=98.0.4758.102) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.162.65', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9bc8413b99d460dbe79f619da1d31bbc, findElement {using=id, value=email}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.102 (273bf7ac8c90..., userDataDir: C:\Users\BALACH~1\AppData..., goog:chromeOptions: {debuggerAddress: localhost:60480}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60480/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 9bc8413b99d460dbe79f619da1d31bbc at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)</div>	username	password	balachandra.thalner@gmail.com	balachandra	FAILED	22.795 s
username	password						
balachandra.thalner@gmail.com	balachandra						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy28.sendKeys(Unknown Source) at com.pageObjects.LoginPage.doLogin(LoginPage.java:77) at stepDefinitions.AccountsPagstepDefinition.user_already_logged_into_application(AccountsPagstepDefinition.java:41) at ?.user already logged into application(file:///C:/Users/balachandra.4/eclipse-workspace/CucumberAutomation/src/test/resources/features/AccountsPage.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	Given user is on Accounts page	SKIPPED	0.000 s
3	Then user gets Account section	SKIPPED	0.002 s
	<div> <div>ORDER HISTORY AND DETAILS</div> <div>MY CREDIT SLIPS</div> <div>MY ADDRESSES</div> <div>MY PERSONAL INFORMATION</div> <div>MY WISHLISTS</div> <div>Home</div> </div>		
4	And Accounts section count should be 6	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Account-section-count <div> Resource Limit Is Reached The resource manager could not allocate a resource because a resource limit was reached. Please check the log. + </div>	PASSED	1.118 s
	AFTER - AppHooks.ApplicationHooks.quitBrowser() org.openqa.selenium.WebDriverException: Timed out waiting for driver server to stop. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-OX81095', ip: '192.168.162.65', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9bc8413b99d460dbe79f619da1d31bbc, quit {}] Capabilities	FAILED	24.075 s

#	Step / Hook Details	Status	Duration
	<pre> {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.102 (273bf7ac8c90..., userDataDir: C:\Users\BALACH-1.4\AppData..., goog:chromeOptions: {debuggerAddress: localhost:60480}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60480/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 9bc8413b99d460dbe79f619da1d31bbc at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:132) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439) at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287) at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:65) Caused by: java.util.concurrent.ExecutionException: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.162.65', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.2' Driver info: driver.version: unknown at java.base/java.util.concurrent.CompletableFuture.reportGet(CompletableFuture.java:395) at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2086) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439) at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287) at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:65) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.TestCase.run(TestCase.java:101) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:151) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:71) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:14) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:515) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1130) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:630) at java.base/java.lang.Thread.run(Thread.java:832) Caused by: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.162.65', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.2' Driver info: driver.version: unknown at org.openqa.selenium.os.OsProcess.waitFor(OsProcess.java:174) at org.openqa.selenium.os.CommandLine.waitFor(CommandLine.java:127) at org.openqa.selenium.remote.service.DriverCommandExecutor.lambda\$execute\$2(DriverCommandExecutor.java:122) at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java:1764) </pre>		

(S)- Accounts page title

FAILED	DURATION - 1 m 10.037 s		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 2:29:21.276 pm // 2:30:31.313 pm /				
Account page feature				



#	Step / Hook Details	Status	Duration
1	Given user already logged into application	FAILED	25.747 s
	<div>username</div> <div>password</div>		

#	Step / Hook Details	Status	Duration
	balachandra.thalner@gmail.com balachandra		
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#email"} (Session info: chrome=98.0.4758.102) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.162.65', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [446f74cfd9a698396be8bf96b24846fb, findElement {using=id, value=email}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.102 (273bf7ac8c90..., userDataDir: C:\Users\BALACH~1.4\AppData..., goog:chromeOptions: {debuggerAddress: localhost:60478}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60478/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 446f74cfd9a698396be8bf96b24846fb</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy28.sendKeys(Unknown Source) at com.pageObjects.LoginPage.doLogin(LoginPage.java:77) at stepDefinitions.AccountsPagstepDefinition.user_already_logged_into_application(AccountsPagstepDefinition.java:41) at ?.user already logged into application(file:///C:/Users/balachandra.4/eclipse-workspace/CucumberAutomation/src/test/resources/features/AccountsPage.feature:4)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	Given user is on Accounts page	SKIPPED	0.001 s
3	When user is gets the title of the page	SKIPPED	0.000 s
4	Then page title should be "My account - My Store"	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	1.034 s
	Accounts-page-title		



#	Step / Hook Details	Status	Duration
	<p>Resource Limit Is Reached</p> <p>+</p>		
	<p>AFTER - AppHooks.ApplicationHooks.quitBrowser()</p> <p>org.openqa.selenium.WebDriverException: Timed out waiting for driver server to stop. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.162.65', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [446f74cfd9a698396be8bf96b24846fb, quit {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.102 (273bf7ac8c90..., userDataDir: C:\Users\BALACH~1\AppData..., goog:chromeOptions: {debuggerAddress: localhost:60478}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60478/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 446f74cfd9a698396be8bf96b24846fb</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:132)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439)</p> <p>at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287)</p> <p>at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:65)</p> <p>Caused by: java.util.concurrent.ExecutionException: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.162.65', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.2' Driver info: driver.version: unknown</p> <p>at java.base/java.util.concurrent.CompletableFuture.reportGet(CompletableFuture.java:395)</p> <p>at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2086)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439)</p> <p>at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287)</p> <p>at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:65)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:564)</p> <p>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)</p> <p>at io.cucumber.java.Invoker.invoke(Invoker.java:24)</p> <p>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)</p> <p>at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59)</p> <p>at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)</p>	FAILED	21.815 s

#	Step / Hook Details	Status	Duration
	<p> at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.TestCase.run(TestCase.java:101) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:151) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:71) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:14) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:515) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1130) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:630) at java.base/java.lang.Thread.run(Thread.java:832) Caused by: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.162.65', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.2' Driver info: driver.version: unknown at org.openqa.selenium.os.OsProcess.waitFor(OsProcess.java:174) at org.openqa.selenium.os.CommandLine.waitFor(CommandLine.java:127) at org.openqa.selenium.remote.service.DriverCommandExecutor.lambda\$execute\$2(DriverCommandExecutor.java:122) at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java:1764) </p>		

(F)- contact Us feature



PASSED	DURATION - 1 m 26.851 s	Scenarios		Steps	
/ 2:29:21.271 pm // 2:30:48.122 pm /		Total - 2		Total - 8	
		Pass - 2		Pass - 8	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- contact scenario with different sets of data

<div>PASSED</div> <div>DURATION - 1 m 25.085 s</div>		<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 2:29:21.276 pm // 2:30:46.361 pm /			
contact Us feature			



#	Step / Hook Details	Status	Duration
1	Given user navigates to contact us page	PASSED	26.659 s
2	When user fills the form from given sheetname "contactUs" and rowNum 1	PASSED	9.293 s
3	And clicks on send button	PASSED	9.324 s
4	Then it shows successful message "Your message has been successfully sent to our team."	PASSED	0.133 s

(S)- contact scenario with different sets of data



<div>PASSED</div> <div>DURATION - 1 m 26.845 s</div>		<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 2:29:21.277 pm // 2:30:48.122 pm /			
contact Us feature			

#	Step / Hook Details	Status	Duration
1	Given user navigates to contact us page	PASSED	31.110 s
2	When user fills the form from given sheetname "contactUs" and rowNum 0	PASSED	4.407 s
3	And clicks on send button	PASSED	9.969 s
4	Then it shows successful message "Your message has been successfully sent to our team."	PASSED	0.092 s

(F)- Create new user account

FAILED	DURATION - 1 m 48.050 s	Scenarios		Steps	
/ 2:29:21.280 pm // 2:31:09.330 pm /		Total - 3		Total - 21	
		Pass - 2		Pass - 15	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 5	

(S)- Fill the Invalid personal information form

<div><div>FAILED</div><div>DURATION - 55.972 s</div></div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
/ 2:29:21.280 pm // 2:30:17.252 pm /				
Create new user account				

#	Step / Hook Details	Status	Duration
1	Given user is already on landing page	PASSED	2.227 s
2	When user enters email address length of 5 to create an account	FAILED	20.391 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#email_create"} (Session info: chrome=98.0.4758.102) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.162.65', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [eb4ad40fb90801e2de88c097ffd2a0c2, findElement {using=id, value=email_create}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.102 (273bf7ac8c90..., userDataDir: C:\Users\BALACH~1.4\AppData..., goog:chromeOptions: {debuggerAddress: localhost:60479}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60479/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: eb4ad40fb90801e2de88c097ffd2a0c2		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at com.pageObjects.LoginPage.sendCreateAccountEmailId(LoginPage.java:95) at stepDefinitions.CreateAccountStep.user_enters_email_address_lenth_of_to_create_an_account(CreateAccountStep.java:48) at ?.user enters email address lenth of 5 to create an account(file:///C:/Users/balachandra.4/eclipse-workspace/CucumberAutomation/src/test/resources/features/CreateAccount.feature:6) * Not displayable characters are replaced by '?'. </pre>		
3	And click on create an account button	SKIPPED	0.001 s
4	Then it should be navigates to "YOUR PERSONAL INFORMATION" page	SKIPPED	0.001 s
5	Given user fills the invalid personal information from the given sheetname "InvalidPersonalInfo" and rownumber 1	SKIPPED	0.000 s
6	When user clicked on Register button	SKIPPED	0.000 s
7	Then getting error message	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	1.120 s
	Fill-the-Invalid-personal-information-form		
	<div>Resource Limit Is Reached</div> <div>The resource is requested by another test which failed to release it correctly before returning to the pool. Please see logs.</div> <div>+</div>		

(S)- Fill the Invalid personal information form

PASSED	DURATION - 1 m 24.079 s		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 2:29:21.282 pm // 2:30:45.361 pm /				
Create new user account				

#	Step / Hook Details	Status	Duration
1	Given user is allready on landing page	PASSED	18.235 s
2	When user enters email address lenth of 5 to create an account	PASSED	1.045 s
3	And click on create an account button	PASSED	7.579 s
4	Then it should be navigates to "YOUR PERSONAL INFORMATION" page	PASSED	2.794 s
5	Given user fills the invalid personal information from the given sheetname "InvalidPersonalInfo" and rownumber 0	PASSED	17.283 s
6	When user clicked on Register button	PASSED	11.640 s
7	Then getting error message	PASSED	0.327 s



(S)- Fill the valid personal information form

PASSED	DURATION - 51.993 s		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 2:30:17.337 pm // 2:31:09.330 pm /				
Create new user account				



#	Step / Hook Details	Status	Duration
1	Given user is allready on landing page	PASSED	15.794 s
2	When user enters email address lenth of 5 to create an account	PASSED	0.806 s
3	And click on create an account button	PASSED	7.468 s
4	Then it should be navigates to "YOUR PERSONAL INFORMATION" page	PASSED	0.088 s
5	Given user fills the valid personal information from the given given sheetname "ValidPersonalInfo" and rownumber 0	PASSED	8.106 s
6	When user clicked on Register button	PASSED	9.539 s

#	Step / Hook Details	Status	Duration
7	Then getting Home page with contains "MY ACCOUNT"	PASSED	0.099 s

(F)- check data Tables



PASSED	DURATION - 1 m 6.597 s	Scenarios		Steps	
/ 2:30:30.197 pm // 2:31:36.794 pm /		Total - 4		Total - 16	
		Pass - 4		Pass - 16	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- : To check login

PASSED	DURATION - 18.911 s		Steps	
/ 2:30:30.197 pm // 2:30:49.108 pm /			Total - 5	
check data Tables			Pass - 5	
			Fail - 0	
			Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given user is on landing page	PASSED	0.001 s
2	When user click on sign in button	PASSED	0.001 s
3	When user given username balu@gmail.com and password balu	PASSED	0.001 s
4	When click on submit button	PASSED	0.001 s
5	Then navigates to home page	PASSED	0.001 s

(S)- : To check login

PASSED	DURATION - 19.412 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 2:30:31.403 pm // 2:30:50.815 pm /				
check data Tables				



#	Step / Hook Details	Status	Duration
1	Given user is on landing page	PASSED	0.001 s
2	When user click on sign in button	PASSED	0.000 s
3	When user given username manu@gmail.com and password Manu	PASSED	0.001 s
4	When click on submit button	PASSED	0.001 s
5	Then navigates to home page	PASSED	0.000 s

(S)- To check dataTables

PASSED	DURATION - 35.702 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:30:45.404 pm // 2:31:21.106 pm /				
check data Tables				
@sanity				



#	Step / Hook Details	Status	Duration																
1	Given user on form page	PASSED	0.000 s																
2	When need to send data to form from below table	PASSED	0.002 s																
	<table border="1"> <tr> <td>jayalaxmi</td><td>talaneer</td><td>83793987</td><td>India</td></tr> <tr> <td>sadhashiva</td><td>hulegar</td><td>87276763</td><td>sagara</td></tr> <tr> <td>suvatte</td><td>kandika</td><td>56249200</td><td>hamsagaru</td></tr> <tr> <td>pannaga</td><td>puutur</td><td>828999</td><td>mangalore</td></tr> </table>	jayalaxmi	talaneer	83793987	India	sadhashiva	hulegar	87276763	sagara	suvatte	kandika	56249200	hamsagaru	pannaga	puutur	828999	mangalore		
jayalaxmi	talaneer	83793987	India																
sadhashiva	hulegar	87276763	sagara																
suvatte	kandika	56249200	hamsagaru																
pannaga	puutur	828999	mangalore																
3	Then user able to submit the form	PASSED	0.000 s																

(S)- To check dataTables



<div>PASSED</div>	<div>DURATION - 50.392 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:30:46.402 pm // 2:31:36.794 pm /</div>				
<div>check data Tables</div>				

#	Step / Hook Details				Status	Duration
1	Given user on form page				PASSED	0.000 s
2	When need to send data to form from below tables				PASSED	0.003 s
	Name	city	number	country		
	jayalaxmi	talaner	83793987	India		
	sadhashiva	hulegar	87276763	sagara		
	suvatte	kandika	56249200	hamsagaru		
	pannaga	puutur	828999	mangalore		
3	Then user able to submit the form				PASSED	0.001 s

(F)- Login page feature



<div>FAILED</div> <div>DURATION - 1 m 12.232 s</div>		<div>Scenarios</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>	<div>Steps</div> <div>Total - 11</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 2:30:48.163 pm // 2:32:00.395 pm /					

(S)- Login page title

SKIPPED		DURATION - 40.594 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	
/ 2:30:48.164 pm // 2:31:28.758 pm /						
Login page feature						
@skip_scenario						

#	Step / Hook Details	Status	Duration
1	Given user is on login page	SKIPPED	0.002 s
2	When user is gets the title of the page	SKIPPED	0.001 s
3	Then page title should be "Login - My Store"	SKIPPED	0.001 s

(S)- Forgot password link

<div>FAILED</div> <div>DURATION - 1 m 11.261 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:30:49.134 pm // 2:32:00.395 pm /</div>				
<div>Login page feature</div>				

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	15.846 s
2	Then forgot your password link should be displayed	FAILED	20.097 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Forgot your password?123"} (Session info: chrome=98.0.4758.102) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.162.65', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75880c7d2a65dd81d4c665f7d959288b, findElement {using=link text, value=Forgot your password?123}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.102 (273bf7ac8c90..., userDataDir: C:\Users\BALACH~1\AppData..., goog:chromeOptions: {debuggerAddress: localhost:60803}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60803/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,		


#	Step / Hook Details	Status	Duration
	<p>webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 75880c7d2a65dd81d4c665f7d959288b at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy28.isDisplayed(Unknown Source) at com.pageObjects.LoginPage.isForgotPWdLinkExist(LoginPage.java:54) at stepDefinitions.loginStepDefinition.forgot_your_password_link_should_be_displayed(loginStepDefinition.java:56) at ?.forgot your password link should be displayed(file:///C:/Users/balachandra.4/eclipse-workspace/CucumberAutomation/src/test/resources/features/login.feature:14) * Not displayable characters are replaced by '?'. </p>		
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.226 s
	Forgot-password-link		
			

(S)- Login with correct credentials**PASSED** DURATION - 1 m 0.343 s

/ 2:30:50.858 pm // 2:31:51.201 pm /

Login page feature

@skip @sanity



Steps

Total - 6

Pass - 6

Fail - 0

Skip - 0



#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	23.028 s
2	When user enters username "balachandra.thalner@gmail.com"	PASSED	0.262 s
3	And user enters password "balachandra"	PASSED	0.455 s
4	And user clicks on login button	PASSED	12.068 s
5	Then user is gets the title of the page	PASSED	0.005 s
6	And page title should be "My account - My Store"	PASSED	0.000 s

(Step) AFTER - AppHooks.
ApplicationHooks.tearDown(io.cucumber.
java.Scenario)

(S) Account section count

(F) Account page feature

Resource Limit Is Reached

The website is temporarily unable to service your request as it exceeded resource limit. Please try again later.

(Step) AFTER - AppHooks.
ApplicationHooks.tearDown(io.cucumber.
java.Scenario)

(S) Accounts page title

(F) Account page feature

Resource Limit Is Reached

The website is temporarily unable to service your request as it exceeded resource limit. Please try again later.

(Step) AFTER - AppHooks.
ApplicationHooks.tearDown(io.cucumber.
java.Scenario)

(S) Fill the Invalid personal information
form

(F) Create new user account

Resource Limit Is Reached

The website is temporarily unable to service your request as it exceeded resource limit. Please try again later.

(Step) AFTER - AppHooks.
ApplicationHooks.tearDown(io.cucumber.
java.Scenario)

(S) Forgot password link

(F) Login page feature

