Cucumber Report

| Start : Mar 16, 12:14:33.727 PM	End : Mar 16, 12:19:53.618 PM	Duration : 5 m 19.891 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 6 SKIPPED - 0	PASSED - 3 FAILED - 18 SKIPPED - 0	PASSED - 75 FAILED - 1 SKIPPED - 12

6

21

88

Pass %

0 %

14 %

85 %

#	Feature Name	T	P	F	S	Duration
1	Create new user account	3	0	3	0	4 m 20.105 s
2	Footer section	6	1	5	0	3 m 29.337 s
3	contact Us feature	2	1	1	0	2 m 24.542 s
4	Account page feature	2	0	2	0	2 m 1.490 s
5	check data Tables	4	0	4	0	3 m 18.703 s
6	Login page feature	4	1	3	0	1 m 11.017 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Create new user account	Fill the Invalid personal information form	7	7	0	0	2 m 58.825 s
2	Create new user account	Fill the Invalid personal information form	7	0	1	6	4 m 20.068 s
3	Create new user account	Fill the valid personal information form	7	7	0	0	3 m 19.611 s
4	Footer section	to check login page title	4	4	0	0	1 m 44.684 s
5	Footer section	to check footer my account section	4	4	0	0	1 m 54.771 s
6	Footer section	to check footer information section	4	4	0	0	1 m 46.161 s
7	Footer section	to check the store information	3	3	0	0	53.454 s
8	Footer section	verification of Follow us links	5	5	0	0	54.336 s
9	Footer section	verifiy the all footer links broken or not	2	2	0	0	1 m 34.521 s
10	contact Us feature	contact scenario with different sets of data	4	4	0	0	2 m 24.541 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
11	contact Us feature	contact scenario with different sets of data	4	4	0	0	2 m 10.868 s
12	Account page feature	Account section count	4	4	0	0	2 m 0.893 s
13	Account page feature	Accounts page title	4	4	0	0	2 m 1.477 s
14	check data Tables	: To check login	5	5	0	0	51.345 s
15	check data Tables	: To check login	5	5	0	0	52.831 s
16	check data Tables	To check dataTables	3	3	0	0	49.554 s
17	check data Tables	To check dataTables	3	0	0	3	2 m 55.260 s
18	Login page feature	Login page title	3	0	0	3	43.038 s
19	Login page feature	Forgot password link	2	2	0	0	53.404 s
20	Login page feature	Login with correct credentials	6	6	0	0	56.757 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
21	Login page feature	login as manager	2	2	0	0	49.183 s

(F)- Create new user account

FAILED	DURATION - 4 m 20.105 s		Scenarios		Steps	
			Total - 3		Total - 21	
/ 12:14:33.727 PM // 12:18:53.832 PM /			Pass - 0	3	Pass - 14	21
			Fail - 3		Fail - 1	
			Skip - 0		Skip - 6	

(S)- Fill the Invalid personal information form

FAILED	DURATION - 2 m 58.825 s		Steps	
			Total - 7	
/ 12:14:33.747 PM // 12:17:32.572 PM /			Pass - 7	7
Create new user account			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given user is allready on landing page	PASSED	34.469 s
2	When user enters email address lenth of 5 to create an account	PASSED	5.649 s
3	And click on create an account button	PASSED	9.114 s
4	Then it should be navigates to "YOUR PERSONAL INFORMATION" page	PASSED	0.391 s
5	Given user fills the invalid personal information from the given sheetname "InvalidPersonalInfo" and rownumber 1	PASSED	40.588 s
6	When user clicked on Register button	PASSED	19.099 s
7	Then getting error message	PASSED	3.472 s
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	25.356 s
	org.openqa.selenium.WebDriverException: Timed out waiting for driver server to stop. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0-262' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [48c73776342e0e78b6a42c34223e6eb3, quit {}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 99.0.1150.39, javascriptEnabled: true, ms:edgeOptions: {debuggerAddress: localhost:62436}, msedge: {msedgedriverVersion: 99.0.1150.39 (83e7eb830583b..., userDataDir: C:\Users\BALACH~1.4\AppData...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62436/devtoo..., se:cdpVersion: 99.0.1150.39, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 48c73776342e0e78b6a42c34223e6eb3 at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:132)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439)		
	at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287)		
	at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)		
	Caused by: java.util.concurrent.ExecutionException: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms.		
	Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0-262' Driver info: driver.version: unknown		
	at java.util.concurrent.CompletableFuture.reportGet(CompletableFuture.java:357)		
	at java.util.concurrent.CompletableFuture.get(CompletableFuture.java:1928)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439)		
	at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287)		
	at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:101)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:151)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		

| #	Step / Hook Details	Status	Duration
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:71) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:14) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149) at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624) at java.lang.Thread.run(Thread.java:748) Caused by: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0-262' Driver info: driver.version: unknown at org.openqa.selenium.os.OsProcess.waitFor(OsProcess.java:174) at org.openqa.selenium.os.CommandLine.waitFor(CommandLine.java:127) at org.openqa.selenium.remote.service.DriverCommandExecutor.lambda$execute$2(DriverCommandExecutor.java:122) at java.util.concurrent.CompletableFuture$AsyncSupply.run(CompletableFuture.java:1604)		

(S)- Fill the Invalid personal information form

FAILED	DURATION - 4 m 20.068 s
/ 12:14:33.764 PM // 12:18:53.832 PM /	
Create new user account	

Steps
Total - 7
Pass - 0
Fail - 1
Skip - 6

#	Step / Hook Details	Status	Duration
1	Given user is allready on landing page	FAILED	3 m 0.035 s
	org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0-262' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [3139143f8b4aab0ab90daf5fce997e78, get {url=http://automationpractice.com/index.php?controller=authentication&back=my-account}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 99.0.1150.39, javascriptEnabled: true, ms:edgeOptions: {debuggerAddress: localhost:62394}, msedge: {msedgedriverVersion: 99.0.1150.39 (83e7eb830583b..., userDataDir: C:\Users\BALACH~1.4\AppData...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62394/devtoo..., se:cdpVersion: 99.0.1150.39, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID:		

#	Step / Hook Details	Status	Duration

	3139143f8b4aab0ab90daf5fce997e78
	  at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:72)
	  at org.openqa.selenium.remote.http.RetryRequest.lambda$apply$6(RetryRequest.java:83)
	  at net.jodah.failsafe.Functions.lambdaget0(Functions.java:48)
	  at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)
	  at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)
	  at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)
	  at net.jodah.failsafe.Execution.executeSync(Execution.java:128)
	  at net.jodah.failsafe.FailsafeExecutor.call(FailsafeExecutor.java:379)
	  at net.jodah.failsafe.FailsafeExecutor.get(FailsafeExecutor.java:68)
	  at org.openqa.selenium.remote.http.RetryRequest.lambda$apply$7(RetryRequest.java:83)
	  at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)
	  at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:56)
	  at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:51)
	  at org.openqa.selenium.remote.http.RetryRequest.lambda$apply$6(RetryRequest.java:83)
	  at net.jodah.failsafe.Functions.lambdaget0(Functions.java:48)
	  at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)
	  at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)
	  at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)
	  at net.jodah.failsafe.Execution.executeSync(Execution.java:128)
	  at net.jodah.failsafe.FailsafeExecutor.call(FailsafeExecutor.java:379)
	  at net.jodah.failsafe.FailsafeExecutor.get(FailsafeExecutor.java:68)
	  at org.openqa.selenium.remote.http.RetryRequest.lambda$apply$7(RetryRequest.java:83)
	  at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)
	  at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:56)
	  at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:110)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:312)
	  at stepDefinitions.CreateAccountStep.user_is_allready_on_landing_page(CreateAccountStep.java:46)
	  at ?.user is allready on landing page(file:///C:/Users/balachandra.4/eclipse-workspace/CucumberAutomation/src/test/resources/features/CreateAccount.feature:5)
	Caused by: java.util.concurrent.TimeoutException
	  at java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:1784)
	  at java.util.concurrent.CompletableFuture.get(CompletableFuture.java:1928)
	  at org.asynchttpclient.netty.NettyResponseFuture.get(NettyResponseFuture.java:206)
	  at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:66)
	  at org.openqa.selenium.remote.http.RetryRequest.lambda$apply$6(RetryRequest.java:83)
	  at net.jodah.failsafe.Functions.lambdaget0(Functions.java:48)
	  at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)		

#	Step / Hook Details	Status	Duration
	at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)		
	at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)		
	at net.jodah.failsafe.Execution.executeSync(Execution.java:128)		
	at net.jodah.failsafe.FailsafeExecutor.call(FailsafeExecutor.java:379)		
	at net.jodah.failsafe.FailsafeExecutor.get(FailsafeExecutor.java:68)		
	at org.openqa.selenium.remote.http.RetryRequest.lambda$apply$7(RetryRequest.java:83)		
	at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)		
	at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:56)		
	at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:51)		
	at org.openqa.selenium.remote.http.RetryRequest.lambda$apply$6(RetryRequest.java:83)		
	at net.jodah.failsafe.Functions.lambdaget0(Functions.java:48)		
	at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)		
	at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)		
	at net.jodah.failsafe.RetryPolicyExecutor.lambda$supply$0(RetryPolicyExecutor.java:66)		
	at net.jodah.failsafe.Execution.executeSync(Execution.java:128)		
	at net.jodah.failsafe.FailsafeExecutor.call(FailsafeExecutor.java:379)		
	at net.jodah.failsafe.FailsafeExecutor.get(FailsafeExecutor.java:68)		
	at org.openqa.selenium.remote.http.RetryRequest.lambda$apply$7(RetryRequest.java:83)		
	at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)		
	at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:56)		
	at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:110)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:312)		
	at stepDefinitions.CreateAccountStep.user_is_allready_on_landing_page(CreateAccountStep.java:46)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:95)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:151) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:71) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:14) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149) at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624) at java.lang.Thread.run(Thread.java:748) * Not displayable characters are replaced by '?'.		
2	When user enters email address lenth of 5 to create an account	SKIPPED	0.008 s
3	And click on create an account button	SKIPPED	0.001 s
4	Then it should be navigates to "YOUR PERSONAL INFORMATION" page	SKIPPED	0.002 s
5	Given user fills the invalid personal information from the given sheetname "InvalidPersonalInfo" and rownumber 0	SKIPPED	0.002 s
6	When user clicked on Register button	SKIPPED	0.001 s
7	Then getting error message	SKIPPED	0.003 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Fill-the-Invalid-personal-information-form 	PASSED	38.111 s

(S)- Fill the valid personal information form

FAILED	DURATION - 3 m 19.611 s		Steps	
	/ 12:14:33.767 PM // 12:17:53.378 PM /		Total - 7	
	Create new user account		Pass - 7	
			Fail - 0	
			Skip - 0	

| #	Step / Hook Details	Status	Duration
1	Given user is allready on landing page	PASSED	30.235 s
2	When user enters email address lenth of 5 to create an account	PASSED	12.202 s
3	And click on create an account button	PASSED	15.329 s
4	Then it should be navigates to "YOUR PERSONAL INFORMATION" page	PASSED	2.198 s
5	Given user fills the valid personal information from the given given sheetname "ValidPersonalInfo" and rownumber 0	PASSED	55.247 s
6	When user clicked on Register button	PASSED	9.835 s
7	Then getting Home page with contains "MY ACCOUNT"	PASSED	1.723 s
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	25.296 s

	org.openqa.selenium.WebDriverException: Timed out waiting for driver server to stop. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0-262' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [21de9fa804e548a55e9e7d359132714f, quit {}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 99.0.1150.39, javascriptEnabled: true, ms:edgeOptions: {debuggerAddress: localhost:62443}, msedge: {msedgedriverVersion: 99.0.1150.39 (83e7eb830583b..., userDataDir: C:\Users\BALACH~1.4\AppData...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62443/devtoo..., se:cdpVersion: 99.0.1150.39, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 21de9fa804e548a55e9e7d359132714f
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:132)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	    at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439)
	    at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287)
	    at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)
	Caused by: java.util.concurrent.ExecutionException: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0-262' Driver info: driver.version: unknown
	    at java.util.concurrent.CompletableFuture.reportGet(CompletableFuture.java:357)
	    at java.util.concurrent.CompletableFuture.get(CompletableFuture.java:1928)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439)		
	at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287)		
	at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:101)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:151)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124)		
	at org.testng.internal.Invoker.invokeMethod(Invoker.java:583)		
	at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:71)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:14)		
	at java.util.concurrent.FutureTask.run(FutureTask.java:266)		
	at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511)		
	at java.util.concurrent.FutureTask.run(FutureTask.java:266)		
	at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)		
	at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)		

#	Step / Hook Details	Status	Duration
	at java.lang.Thread.run(Thread.java:748) Caused by: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java. version: '1.8.0-262' Driver info: driver.version: unknown at org.openqa.selenium.os.OsProcess.waitFor(OsProcess.java:174) at org.openqa.selenium.os.CommandLine.waitFor(CommandLine.java:127) at org.openqa.selenium.remote.service.DriverCommandExecutor.lambda$execute$2(DriverCommandExecutor.java:122) at java.util.concurrent.CompletableFuture$AsyncSupply.run(CompletableFuture.java:1604)		

(F)- Footer section

FAILED	DURATION - 3 m 29.337 s			Scenarios		Steps	
/ 12:14:33.755 PM // 12:18:03.092 PM /				Total - 6 Pass - 1 Fail - 5 Skip - 0	6	Total - 22 Pass - 22 Fail - 0 Skip - 0	22

(S)- to check login page title

FAILED	DURATION - 1 m 44.684 s		Steps	
/ 12:14:33.755 PM // 12:16:18.439 PM /			Total - 4 Pass - 4 Fail - 0 Skip - 0	4
Footer section				

#	Step / Hook Details	Status	Duration
1	Given user is alreday on landing page	PASSED	33.272 s
2	Given user is on landing page	PASSED	0.001 s
3	When user is gets the title of the page	PASSED	4.780 s
4	Then page title should be "Login - My Store"	PASSED	0.006 s
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	25.179 s
	org.openqa.selenium.WebDriverException: Timed out waiting for driver server to stop. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0-262' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [2a2dccf47704eae92a22b9ffcad1cdbe, quit {}] Capabilities {acceptInsecureCerts: false,		

#	Step / Hook Details	Status	Duration

	browserName: msedge, browserVersion: 99.0.1150.39, javascriptEnabled: true, ms:edgeOptions: {debuggerAddress: localhost:62458}, msedge: {msedgedriverVersion: 99.0.1150.39 (83e7eb830583b..., userDataDir: C:\Users\BALACH~1.4\AppData...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62458/devtoo..., se:cdpVersion: 99.0.1150.39, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 2a2dccf47704eae92a22b9ffcad1cdbe
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:132)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	  at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439)
	  at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287)
	  at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)
	Caused by: java.util.concurrent.ExecutionException: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms.
	Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0-262' Driver info: driver.version: unknown
	  at java.util.concurrent.CompletableFuture.reportGet(CompletableFuture.java:357)
	  at java.util.concurrent.CompletableFuture.get(CompletableFuture.java:1928)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	  at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439)
	  at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287)
	  at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)
	  at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	  at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
	  at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	  at java.lang.reflect.Method.invoke(Method.java:498)
	  at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)
	  at io.cucumber.java.Invoker.invoke(Invoker.java:24)
	  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	  at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59)
	  at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)
	  at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)
	  at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
	  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)
	  at io.cucumber.core.runner.TestStep.run(TestStep.java:57)
	  at io.cucumber.core.runner.TestCase.run(TestCase.java:101)
	  at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)
	  at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)
	  at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:151)
	  at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124)		
	at org.testng.internal.Invoker.invokeMethod(Invoker.java:583)		
	at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:71)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:14)		
	at java.util.concurrent.FutureTask.run(FutureTask.java:266)		
	at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511)		
	at java.util.concurrent.FutureTask.run(FutureTask.java:266)		
	at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)		
	at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)		
	at java.lang.Thread.run(Thread.java:748)		
	Caused by: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java. version: '1.8.0-262' Driver info: driver.version: unknown		
	at org.openqa.selenium.os.OsProcess.waitFor(OsProcess.java:174)		
	at org.openqa.selenium.os.CommandLine.waitFor(CommandLine.java:127)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.lambda$execute$2(DriverCommandExecutor.java:122)		
	at java.util.concurrent.CompletableFuture$AsyncSupply.run(CompletableFuture.java:1604)		

(S)- to check footer my account section

FAILED	DURATION - 1 m 54.771 s
/ 12:14:33.759 PM // 12:16:28.530 PM /	
Footer section	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

#	Step / Hook Details	Status	Duration
1	Given user is alreday on landing page	PASSED	36.118 s
2	Given user is on landing page	PASSED	0.001 s

#	Step / Hook Details	Status	Duration
3	When user gets my accoun section	PASSED	13.660 s
	My orders My credit slips My addresses My personal info		
4	Then myaccount section should be 4	PASSED	1.191 s
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	25.132 s
	org.openqa.selenium.WebDriverException: Timed out waiting for driver server to stop. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0-262' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [6373bb0c670a104a81ee3c40150725b7, quit {}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 99.0.1150.39, javascriptEnabled: true, ms:edgeOptions: {debuggerAddress: localhost:62387}, msedge: {msedgedriverVersion: 99.0.1150.39 (83e7eb830583b..., userDataDir: C:\Users\BALACH~1.4\AppData...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62387/devtoo..., se:cdpVersion: 99.0.1150.39, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 6373bb0c670a104a81ee3c40150725b7 　　at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:132) 　　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) 　　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) 　　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) 　　at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439) 　　at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287) 　　at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66) Caused by: java.util.concurrent.ExecutionException: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0-262' Driver info: driver.version: unknown 　　at java.util.concurrent.CompletableFuture.reportGet(CompletableFuture.java:357) 　　at java.util.concurrent.CompletableFuture.get(CompletableFuture.java:1928) 　　at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128) 　　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) 　　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) 　　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) 　　at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439) 　　at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287) 　　at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66) 　　at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) 　　at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) 　　at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) 　　at java.lang.reflect.Method.invoke(Method.java:498) 　　at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) 　　at io.cucumber.java.Invoker.invoke(Invoker.java:24) 　　at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:101)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:151)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124)		
	at org.testng.internal.Invoker.invokeMethod(Invoker.java:583)		
	at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:71)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:14)		
	at java.util.concurrent.FutureTask.run(FutureTask.java:266)		
	at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511)		
	at java.util.concurrent.FutureTask.run(FutureTask.java:266)		
	at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)		
	at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)		
	at java.lang.Thread.run(Thread.java:748)		
	Caused by: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0-262' Driver info: driver.version: unknown		
	at org.openqa.selenium.os.OsProcess.waitFor(OsProcess.java:174)		
	at org.openqa.selenium.os.CommandLine.waitFor(CommandLine.java:127)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.lambda$execute$2(DriverCommandExecutor.java:122)		
	at java.util.concurrent.CompletableFuture$AsyncSupply.run(CompletableFuture.java:1604)		

(S)- to check footer information section

| FAILED	DURATION - 1 m 46.161 s
	/ 12:14:33.788 PM // 12:16:19.949 PM /
	Footer section

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user is alreday on landing page	PASSED	36.228 s
2	Given user is on landing page	PASSED	0.001 s
3	When user gets information section	PASSED	6.471 s
	Specials New products Best sellers Our stores Contact us Terms and conditions of use About us Sitemap		
4	Then information section should be 8	PASSED	0.197 s
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	25.244 s

	org.openqa.selenium.WebDriverException: Timed out waiting for driver server to stop. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0-262' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [f81fb2156290064f3d300f00d8b26fd5, quit {}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 99.0.1150.39, javascriptEnabled: true, ms:edgeOptions: {debuggerAddress: localhost:62389}, msedge: {msedgedriverVersion: 99.0.1150.39 (83e7eb830583b..., userDataDir: C:\Users\BALACH~1.4\AppData...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62389/devtoo..., se:cdpVersion: 99.0.1150.39, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f81fb2156290064f3d300f00d8b26fd5
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:132)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	   at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439)
	   at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287)
	   at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)		

#	Step / Hook Details	Status	Duration

	Caused by: java.util.concurrent.ExecutionException: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0-262' Driver info: driver.version: unknown
	  at java.util.concurrent.CompletableFuture.reportGet(CompletableFuture.java:357)
	  at java.util.concurrent.CompletableFuture.get(CompletableFuture.java:1928)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	  at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439)
	  at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287)
	  at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)
	  at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	  at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
	  at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	  at java.lang.reflect.Method.invoke(Method.java:498)
	  at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)
	  at io.cucumber.java.Invoker.invoke(Invoker.java:24)
	  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	  at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59)
	  at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)
	  at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)
	  at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
	  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)
	  at io.cucumber.core.runner.TestStep.run(TestStep.java:57)
	  at io.cucumber.core.runner.TestCase.run(TestCase.java:101)
	  at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)
	  at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)
	  at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:151)
	  at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)
	  at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151)
	  at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)
	  at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)
	  at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	  at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
	  at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	  at java.lang.reflect.Method.invoke(Method.java:498)
	  at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124)
	  at org.testng.internal.Invoker.invokeMethod(Invoker.java:583)
	  at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719)
	  at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:71)
	  at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:14)		

| #	Step / Hook Details	Status	Duration
	at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149) at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624) at java.lang.Thread.run(Thread.java:748) Caused by: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0-262' Driver info: driver.version: unknown at org.openqa.selenium.os.OsProcess.waitFor(OsProcess.java:174) at org.openqa.selenium.os.CommandLine.waitFor(CommandLine.java:127) at org.openqa.selenium.remote.service.DriverCommandExecutor.lambda$execute$2(DriverCommandExecutor.java:122) at java.util.concurrent.CompletableFuture$AsyncSupply.run(CompletableFuture.java:1604)		

(S)- to check the store information

FAILED	DURATION - 53.454 s	Steps
/ 12:16:18.616 PM // 12:17:12.070 PM /		Total - 3
Footer section		Pass - 3
		Fail - 0
		Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user alreday on landing page	PASSED	9.958 s
2	Given user verifies the "Store information" section heading	PASSED	1.813 s
3	Then check the total information is displaying	PASSED	3.092 s
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	25.192 s
	org.openqa.selenium.WebDriverException: Timed out waiting for driver server to stop. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0-262' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [3351cf94d3d6f0e4baab2a4f91c83108, quit {}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 99.0.1150.39, javascriptEnabled: true, ms:edgeOptions: {debuggerAddress: localhost:62927}, msedge: {msedgedriverVersion: 99.0.1150.39 (83e7eb830583b..., userDataDir: C:\Users\BALACH~1.4\AppData...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62927/devtoo..., se:cdpVersion: 99.0.1150.39, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3351cf94d3d6f0e4baab2a4f91c83108 at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:132)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439)		
	at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287)		
	at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)		
	Caused by: java.util.concurrent.ExecutionException: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms.		
	Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0-262' Driver info: driver.version: unknown		
	at java.util.concurrent.CompletableFuture.reportGet(CompletableFuture.java:357)		
	at java.util.concurrent.CompletableFuture.get(CompletableFuture.java:1928)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439)		
	at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287)		
	at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:101)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:151)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		

#	Step / Hook Details	Status	Duration
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124)		
	at org.testng.internal.Invoker.invokeMethod(Invoker.java:583)		
	at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:71)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:14)		
	at java.util.concurrent.FutureTask.run(FutureTask.java:266)		
	at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511)		
	at java.util.concurrent.FutureTask.run(FutureTask.java:266)		
	at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)		
	at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)		
	at java.lang.Thread.run(Thread.java:748)		
	Caused by: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0-262' Driver info: driver.version: unknown		
	at org.openqa.selenium.os.OsProcess.waitFor(OsProcess.java:174)		
	at org.openqa.selenium.os.CommandLine.waitFor(CommandLine.java:127)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.lambda$execute$2(DriverCommandExecutor.java:122)		
	at java.util.concurrent.CompletableFuture$AsyncSupply.run(CompletableFuture.java:1604)		

(S)- verification of Follow us links

FAILED	DURATION - 54.336 s		Steps	
/ 12:16:20.028 PM // 12:17:14.364 PM /			Total - 5	
Footer section			Pass - 5	
			Fail - 0	5
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given user is alreday on landing page	PASSED	8.540 s
2	Given user checks the "Follow us" links in the footer	PASSED	1.025 s
3	When checks the each of the links	PASSED	0.827 s
4	And checks the links are broken or not	PASSED	6.269 s
5	Then user gets total followup links is 4	PASSED	0.049 s
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	25.059 s
	org.openqa.selenium.WebDriverException: Timed out waiting for driver server to stop. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0-262' Driver		

#	Step / Hook Details	Status	Duration

	info: org.openqa.selenium.edge.EdgeDriver Command: [36e0c3e10307dcdd02d7183445a4b192, quit {}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 99.0.1150.39, javascriptEnabled: true, ms:edgeOptions: {debuggerAddress: localhost:62937}, msedge: {msedgedriverVersion: 99.0.1150.39 (83e7eb830583b..., userDataDir: C:\Users\BALACH~1.4\AppData...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62937/devtoo..., se:cdpVersion: 99.0.1150.39, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 36e0c3e10307dcdd02d7183445a4b192
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:132)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	  at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439)
	  at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287)
	  at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)
	Caused by: java.util.concurrent.ExecutionException: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms.
	Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0-262' Driver info: driver.version: unknown
	  at java.util.concurrent.CompletableFuture.reportGet(CompletableFuture.java:357)
	  at java.util.concurrent.CompletableFuture.get(CompletableFuture.java:1928)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	  at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439)
	  at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287)
	  at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)
	  at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	  at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
	  at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	  at java.lang.reflect.Method.invoke(Method.java:498)
	  at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)
	  at io.cucumber.java.Invoker.invoke(Invoker.java:24)
	  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	  at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59)
	  at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)
	  at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)
	  at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
	  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)
	  at io.cucumber.core.runner.TestStep.run(TestStep.java:57)
	  at io.cucumber.core.runner.TestCase.run(TestCase.java:101)
	  at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)
	  at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)
	  at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:151)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124)		
	at org.testng.internal.Invoker.invokeMethod(Invoker.java:583)		
	at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:71)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:14)		
	at java.util.concurrent.FutureTask.run(FutureTask.java:266)		
	at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511)		
	at java.util.concurrent.FutureTask.run(FutureTask.java:266)		
	at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)		
	at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)		
	at java.lang.Thread.run(Thread.java:748)		
	Caused by: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0-262' Driver info: driver.version: unknown		
	at org.openqa.selenium.os.OsProcess.waitFor(OsProcess.java:174)		
	at org.openqa.selenium.os.CommandLine.waitFor(CommandLine.java:127)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.lambda$execute$2(DriverCommandExecutor.java:122)		
	at java.util.concurrent.CompletableFuture$AsyncSupply.run(CompletableFuture.java:1604)		

(S)- verifiy the all footer links broken or not

PASSED	DURATION - 1 m 34.521 s
/ 12:16:28.571 PM // 12:18:03.092 PM /	
Footer section	

Steps
Total - 2
Pass - 2
Fail - 0
Skip - 0

2

#	Step / Hook Details	Status	Duration
1	Given user is alreday on landing page	PASSED	17.582 s

#	Step / Hook Details	Status	Duration
2	Given user check the all footer links broken or not	PASSED	44.313 s

(F)- contact Us feature

FAILED	DURATION - 2 m 24.542 s	Scenarios		Steps	
/ 12:14:33.762 PM // 12:16:58.304 PM /		Total - 2		Total - 8	
		Pass - 1	2	Pass - 8	8
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 0	

(S)- contact scenario with different sets of data

PASSED	DURATION - 2 m 24.541 s		Steps	
/ 12:14:33.763 PM // 12:16:58.304 PM /			Total - 4	
contact Us feature			Pass - 4	4
			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given user navigates to contact us page	PASSED	39.095 s
2	When user fills the form from given sheetname "contactUs" and rowNumber 1	PASSED	13.544 s
3	And clicks on send button	PASSED	23.325 s
4	Then it shows successful message "Your message has been successfully sent to our team."	PASSED	0.256 s

(S)- contact scenario with different sets of data

FAILED	DURATION - 2 m 10.868 s
/ 12:14:33.782 PM // 12:16:44.650 PM /	
contact Us feature	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

#	Step / Hook Details	Status	Duration
1	Given user navigates to contact us page	PASSED	43.728 s
2	When user fills the form from given sheetname "contactUs" and rowNumber 0	PASSED	17.850 s
3	And clicks on send button	PASSED	4.027 s
4	Then it shows successful message "Your message has been successfully sent to our team."	PASSED	0.501 s
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	25.200 s

org.openqa.selenium.WebDriverException: Timed out waiting for driver server to stop. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0-262' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [9fc1a17c9dad3d1b3951fd57f3860c6c, quit {}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 99.0.1150.39, javascriptEnabled: true, ms:edgeOptions: {debuggerAddress: localhost:62402}, msedge: {msedgedriverVersion: 99.0.1150.39 (83e7eb830583b..., userDataDir: C:\Users\BALACH~1.4\AppData...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62402/devtoo..., se:cdpVersion: 99.0.1150.39, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 9fc1a17c9dad3d1b3951fd57f3860c6c
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:132)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
   at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439)
   at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287)
   at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)
Caused by: java.util.concurrent.ExecutionException: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0-262' Driver info: driver.version: unknown
   at java.util.concurrent.CompletableFuture.reportGet(CompletableFuture.java:357)
   at java.util.concurrent.CompletableFuture.get(CompletableFuture.java:1928)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439)		
	at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287)		
	at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:101)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:151)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124)		
	at org.testng.internal.Invoker.invokeMethod(Invoker.java:583)		
	at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:71)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:14)		
	at java.util.concurrent.FutureTask.run(FutureTask.java:266)		
	at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511)		
	at java.util.concurrent.FutureTask.run(FutureTask.java:266)		
	at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)		
	at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)		
	at java.lang.Thread.run(Thread.java:748)		
	Caused by: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0-262' Driver info: driver.version: unknown		
	at org.openqa.selenium.os.OsProcess.waitFor(OsProcess.java:174)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.os.CommandLine.waitFor(CommandLine.java:127) at org.openqa.selenium.remote.service.DriverCommandExecutor.lambda$execute$2(DriverCommandExecutor.java:122) at java.util.concurrent.CompletableFuture$AsyncSupply.run(CompletableFuture.java:1604)		

(F)- Account page feature

FAILED	DURATION - 2 m 1.490 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 12:14:33.771 PM // 12:16:35.261 PM /			2		8

(S)- Account section count

FAILED	DURATION - 2 m 0.893 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 12:14:33.771 PM // 12:16:34.664 PM /				4
Account page feature				
@smoke				

#	Step / Hook Details	Status	Duration
1	Given user already logged into application 	username	password
balachandra.thalner@gmail.com	balachandra		PASSED	53.911 s
2	Given user is on Accounts page	PASSED	0.701 s
3	Then user gets Account section ORDER HISTORY AND DETAILS MY CREDIT SLIPS MY ADDRESSES MY PERSONAL INFORMATION MY WISHLISTS Home	PASSED	2.150 s
4	And Accounts section count should be 6	PASSED	0.200 s

#	Step / Hook Details	Status	Duration
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	25.279 s

	org.openqa.selenium.WebDriverException: Timed out waiting for driver server to stop. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0-262' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [d9f59ca838aeafa17ab3a204c24a03dd, quit {}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 99.0.1150.39, javascriptEnabled: true, ms:edgeOptions: {debuggerAddress: localhost:62437}, msedge: {msedgedriverVersion: 99.0.1150.39 (83e7eb830583b..., userDataDir: C:\Users\BALACH~1.4\AppData...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62437/devtoo..., se:cdpVersion: 99.0.1150.39, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d9f59ca838aeafa17ab3a204c24a03dd
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:132)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	  at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439)
	  at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287)
	  at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)
	Caused by: java.util.concurrent.ExecutionException: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0-262' Driver info: driver.version: unknown
	  at java.util.concurrent.CompletableFuture.reportGet(CompletableFuture.java:357)
	  at java.util.concurrent.CompletableFuture.get(CompletableFuture.java:1928)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	  at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439)
	  at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287)
	at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	at java.lang.reflect.Method.invoke(Method.java:498)
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59)
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)
	at io.cucumber.core.runner.TestCase.run(TestCase.java:101)		

| #	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:151)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124)		
	at org.testng.internal.Invoker.invokeMethod(Invoker.java:583)		
	at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:71)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:14)		
	at java.util.concurrent.FutureTask.run(FutureTask.java:266)		
	at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511)		
	at java.util.concurrent.FutureTask.run(FutureTask.java:266)		
	at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)		
	at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)		
	at java.lang.Thread.run(Thread.java:748)		
	Caused by: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0-262' Driver info: driver.version: unknown		
	at org.openqa.selenium.os.OsProcess.waitFor(OsProcess.java:174)		
	at org.openqa.selenium.os.CommandLine.waitFor(CommandLine.java:127)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.lambda$execute$2(DriverCommandExecutor.java:122)		
	at java.util.concurrent.CompletableFuture$AsyncSupply.run(CompletableFuture.java:1604)		

(S)- Accounts page title

FAILED	DURATION - 2 m 1.477 s		Steps	
/ 12:14:33.784 PM // 12:16:35.261 PM /			Total - 4	
			Pass - 4	4
Account page feature			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given user already logged into application	PASSED	51.151 s
	username: password balachandra.thalner@gmail.com : balachandra		
2	Given user is on Accounts page	PASSED	0.634 s
3	When user is gets the title of the page	PASSED	3.201 s
4	Then page title should be "My account - My Store"	PASSED	0.001 s
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	25.125 s

	org.openqa.selenium.WebDriverException: Timed out waiting for driver server to stop. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0-262' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [adc3c48c639be350f3b69504b5ce0a3f, quit {}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 99.0.1150.39, javascriptEnabled: true, ms:edgeOptions: {debuggerAddress: localhost:62471}, msedge: {msedgedriverVersion: 99.0.1150.39 (83e7eb830583b..., userDataDir: C:\Users\BALACH~1.4\AppData...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62471/devtoo..., se:cdpVersion: 99.0.1150.39, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: adc3c48c639be350f3b69504b5ce0a3f
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:132)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	  at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439)
	  at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287)
	  at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)
	Caused by: java.util.concurrent.ExecutionException: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0-262' Driver info: driver.version: unknown
	  at java.util.concurrent.CompletableFuture.reportGet(CompletableFuture.java:357)
	  at java.util.concurrent.CompletableFuture.get(CompletableFuture.java:1928)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	  at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439)
	  at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287)
	  at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)
	  at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	  at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
	  at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	  at java.lang.reflect.Method.invoke(Method.java:498)
	  at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)
	  at io.cucumber.java.Invoker.invoke(Invoker.java:24)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:101)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:151)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124)		
	at org.testng.internal.Invoker.invokeMethod(Invoker.java:583)		
	at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:71)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:14)		
	at java.util.concurrent.FutureTask.run(FutureTask.java:266)		
	at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511)		
	at java.util.concurrent.FutureTask.run(FutureTask.java:266)		
	at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)		
	at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)		
	at java.lang.Thread.run(Thread.java:748)		
	Caused by: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0-262' Driver info: driver.version: unknown		
	at org.openqa.selenium.os.OsProcess.waitFor(OsProcess.java:174)		
	at org.openqa.selenium.os.CommandLine.waitFor(CommandLine.java:127)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.lambda$execute$2(DriverCommandExecutor.java:122)		
	at java.util.concurrent.CompletableFuture$AsyncSupply.run(CompletableFuture.java:1604)		

(F)- check data Tables

FAILED	DURATION - 3 m 18.703 s	Scenarios		Steps	
	/ 12:16:34.915 PM // 12:19:53.618 PM /	Total - 4 Pass - 0 Fail - 4 Skip - 0	4	Total - 16 Pass - 13 Fail - 0 Skip - 3	16

(S)- : To check login

FAILED	DURATION - 51.345 s		Steps	
	/ 12:16:34.917 PM // 12:17:26.262 PM /		Total - 5 Pass - 5 Fail - 0 Skip - 0	5
	check data Tables			

#	Step / Hook Details	Status	Duration
1	Given user is on landing page	PASSED	0.001 s
2	When user click on sign in button	PASSED	0.000 s
3	When user given username balu@gmail.com and password balu	PASSED	0.001 s
4	When click on submit button	PASSED	0.001 s
5	Then navigates to home page	PASSED	0.001 s
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	25.154 s

	org.openqa.selenium.WebDriverException: Timed out waiting for driver server to stop. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0-262' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [dd28ea3bd4af76aefa2ddcd7f0630eef, quit {}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 99.0.1150.39, javascriptEnabled: true, ms:edgeOptions: {debuggerAddress: localhost:63093}, msedge: {msedgedriverVersion: 99.0.1150.39 (83e7eb830583b..., userDataDir: C:\Users\BALACH~1.4\AppData...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63093/devtoo..., se:cdpVersion: 99.0.1150.39, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: dd28ea3bd4af76aefa2ddcd7f0630eef
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:132)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439)		
	at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287)		
	at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)		
	Caused by: java.util.concurrent.ExecutionException: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms.		
	Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0-262' Driver info: driver.version: unknown		
	at java.util.concurrent.CompletableFuture.reportGet(CompletableFuture.java:357)		
	at java.util.concurrent.CompletableFuture.get(CompletableFuture.java:1928)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439)		
	at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287)		
	at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:101)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:151)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124)		
	at org.testng.internal.Invoker.invokeMethod(Invoker.java:583)		
	at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719)		

| #	Step / Hook Details	Status	Duration
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:71)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:14)		
	at java.util.concurrent.FutureTask.run(FutureTask.java:266)		
	at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511)		
	at java.util.concurrent.FutureTask.run(FutureTask.java:266)		
	at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)		
	at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)		
	at java.lang.Thread.run(Thread.java:748)		
	Caused by: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java. version: '1.8.0-262' Driver info: driver.version: unknown		
	at org.openqa.selenium.os.OsProcess.waitFor(OsProcess.java:174)		
	at org.openqa.selenium.os.CommandLine.waitFor(CommandLine.java:127)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.lambda$execute$2(DriverCommandExecutor.java:122)		
	at java.util.concurrent.CompletableFuture$AsyncSupply.run(CompletableFuture.java:1604)		

(S)- : To check login

FAILED	DURATION - 52.831 s		Steps
/ 12:16:35.401 PM // 12:17:28.232 PM /			Total - 5
			Pass - 5
check data Tables			Fail - 0
			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user is on landing page	PASSED	0.001 s
2	When user click on sign in button	PASSED	0.000 s
3	When user given username manu@gmail.com and password Manu	PASSED	0.001 s
4	When click on submit button	PASSED	0.000 s
5	Then navigates to home page	PASSED	0.000 s
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	20.745 s
	org.openqa.selenium.WebDriverException: Timed out waiting for driver server to stop. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0-262' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [50f3f8c8dd4e9347c6ad216e6679e6c6, quit {}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 99.0.1150.39, javascriptEnabled: true, ms:edgeOptions: {debuggerAddress: localhost:63119}, msedge: {msedgedriverVersion: 99.0.1150.39 (83e7eb830583b..., userDataDir: C:\Users\BALACH~1.4\AppData...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp:		

#	Step / Hook Details	Status	Duration
	ws://localhost:63119/devtoo..., se:cdpVersion: 99.0.1150.39, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 50f3f8c8dd4e9347c6ad216e6679e6c6		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:132)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439)		
	at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287)		
	at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)		
	Caused by: java.util.concurrent.ExecutionException: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0-262' Driver info: driver.version: unknown		
	at java.util.concurrent.CompletableFuture.reportGet(CompletableFuture.java:357)		
	at java.util.concurrent.CompletableFuture.get(CompletableFuture.java:1928)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439)		
	at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287)		
	at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:101)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:151)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		

| #	Step / Hook Details	Status	Duration
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124)		
	at org.testng.internal.Invoker.invokeMethod(Invoker.java:583)		
	at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:71)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:14)		
	at java.util.concurrent.FutureTask.run(FutureTask.java:266)		
	at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511)		
	at java.util.concurrent.FutureTask.run(FutureTask.java:266)		
	at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)		
	at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)		
	at java.lang.Thread.run(Thread.java:748)		
	Caused by: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java. version: '1.8.0-262' Driver info: driver.version: unknown		
	at org.openqa.selenium.os.OsProcess.waitFor(OsProcess.java:174)		
	at org.openqa.selenium.os.CommandLine.waitFor(CommandLine.java:127)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.lambda$execute$2(DriverCommandExecutor.java:122)		
	at java.util.concurrent.CompletableFuture$AsyncSupply.run(CompletableFuture.java:1604)		

(S)- To check dataTables

FAILED	DURATION - 49.554 s		Steps	
/ 12:16:44.749 PM // 12:17:34.303 PM /			Total - 3	
check data Tables			Pass - 3	3
@sanity			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given user on form page	PASSED	0.001 s
2	When need to send data to form from below table	PASSED	0.006 s

jayalaxmi	talaner	83793987	India
sadhashiva	hulegar	87276763	sagara
suvatte	kandika	56249200	hamsagaru

#	Step / Hook Details	Status	Duration
	pannaga puutur 828999 mangalore		
3	Then user able to submit the form	PASSED	0.001 s
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	25.268 s

	org.openqa.selenium.WebDriverException: Timed out waiting for driver server to stop. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0-262' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [9d53b42277080aa31b8f9be0220e63aa, quit {}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 99.0.1150.39, javascriptEnabled: true, ms:edgeOptions: {debuggerAddress: localhost:63153}, msedge: {msedgedriverVersion: 99.0.1150.39 (83e7eb830583b..., userDataDir: C:\Users\BALACH~1.4\AppData...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63153/devtoo..., se:cdpVersion: 99.0.1150.39, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 9d53b42277080aa31b8f9be0220e63aa
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:132)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	   at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439)
	   at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287)
	   at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)
	Caused by: java.util.concurrent.ExecutionException: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0-262' Driver info: driver.version: unknown
	   at java.util.concurrent.CompletableFuture.reportGet(CompletableFuture.java:357)
	   at java.util.concurrent.CompletableFuture.get(CompletableFuture.java:1928)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	   at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439)
	   at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287)
	   at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)
	   at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	   at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
	   at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	   at java.lang.reflect.Method.invoke(Method.java:498)
	   at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)
	   at io.cucumber.java.Invoker.invoke(Invoker.java:24)
	   at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	   at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59)
	   at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)
	   at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)
	   at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		

| #	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:101)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:151)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124)		
	at org.testng.internal.Invoker.invokeMethod(Invoker.java:583)		
	at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:71)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:14)		
	at java.util.concurrent.FutureTask.run(FutureTask.java:266)		
	at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511)		
	at java.util.concurrent.FutureTask.run(FutureTask.java:266)		
	at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)		
	at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)		
	at java.lang.Thread.run(Thread.java:748)		
	Caused by: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0-262' Driver info: driver.version: unknown		
	at org.openqa.selenium.os.OsProcess.waitFor(OsProcess.java:174)		
	at org.openqa.selenium.os.CommandLine.waitFor(CommandLine.java:127)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.lambda$execute$2(DriverCommandExecutor.java:122)		
	at java.util.concurrent.CompletableFuture$AsyncSupply.run(CompletableFuture.java:1604)		

(S)- To check dataTables

FAILED	DURATION - 2 m 55.260 s
/ 12:16:58.358 PM // 12:19:53.618 PM /	
check data Tables	

Steps
Total - 3
Pass - 0
Fail - 0
Skip - 3

3

#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.ApplicationHooks.launchBrowser()	FAILED	2 m 54.851 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: MicrosoftEdge=99.0.1150.39) Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0-262' Driver info: org.openqa.selenium.edge. EdgeDriver Command: [476cf2b6999435873faba853497fa5e6, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 99.0.1150.39, javascriptEnabled: true, ms:edgeOptions: {debuggerAddress: localhost:63231}, msedge: {msedgedriverVersion: 99.0.1150.39 (83e7eb830583b..., userDataDir: C:\Users\BALACH~1.4\AppData...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63231/devtoo..., se:cdpVersion: 99.0.1150.39, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 476cf2b6999435873faba853497fa5e6
	  at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	  at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.lang.reflect.Constructor.newInstance(Constructor.java:423)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	  at org.openqa.selenium.remote.RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.maximize(RemoteWebDriver.java:969)
	  at com.qa.factory.DriverFactory.initilizeDriver(DriverFactory.java:82)
	  at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:60)		

1	Given user on form page	SKIPPED	0.004 s
2	When need to send data to form from below tables	SKIPPED	0.389 s

#	Step / Hook Details	Status	Duration
	Name / city / number / country — jayalaxmi / talaner / 83793987 / India — sadhashiva / hulegar / 87276763 / sagara — suvatte / kandika / 56249200 / hamsagaru — pannaga / puutur / 828999 / mangalore		
3	Then user able to submit the form	SKIPPED	0.003 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.004 s
	java.lang.NullPointerException at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:77)		
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	0.004 s
	java.lang.NullPointerException at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)		

(F)- Login page feature

FAILED — *DURATION - 1 m 11.017 s*

/ 12:17:12.175 PM // 12:18:23.192 PM /

Scenarios
Total - 4
Pass - 1
Fail - 3
Skip - 0

Steps
Total - 13
Pass - 10
Fail - 0
Skip - 3

(S)- Login page title

FAILED — *DURATION - 43.038 s*

/ 12:17:12.175 PM // 12:17:55.213 PM /

Login page feature

@skip_scenario

Steps
Total - 3
Pass - 0
Fail - 0
Skip - 3

#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.ApplicationHooks.skip_scenario(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.AssertionError: expected [true] but found [false]		

#	Step / Hook Details	Status	Duration
	at org.testng.Assert.fail(Assert.java:96) at org.testng.Assert.failNotEquals(Assert.java:776) at org.testng.Assert.assertTrue(Assert.java:44) at org.testng.Assert.assertTrue(Assert.java:54) at AppHooks.ApplicationHooks.skip_scenario(ApplicationHooks.java:34)		
1	Given user is on login page	SKIPPED	0.001 s
2	When user is gets the title of the page	SKIPPED	0.000 s
3	Then page title should be "Login - My Store"	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Login-page-title +	PASSED	0.869 s

	AFTER - AppHooks.ApplicationHooks.quitBrowser()
	
	org.openqa.selenium.WebDriverException: Timed out waiting for driver server to stop. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0-262' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [04905a27858f9fc4d5dd6bb24ccf24b9, quit {}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 99.0.1150.39, javascriptEnabled: true, ms:edgeOptions: {debuggerAddress: localhost:63230}, msedge: {msedgedriverVersion: 99.0.1150.39 (83e7eb830583b..., userDataDir: C:\Users\BALACH~1.4\AppData...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63230/devtoo..., se:cdpVersion: 99.0.1150.39, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 04905a27858f9fc4d5dd6bb24ccf24b9
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:132)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	    at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439)
	    at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287)
	    at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)
	Caused by: java.util.concurrent.ExecutionException: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0-262' Driver info: driver.version: unknown
	    at java.util.concurrent.CompletableFuture.reportGet(CompletableFuture.java:357)
	    at java.util.concurrent.CompletableFuture.get(CompletableFuture.java:1928)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
		FAILED	25.099 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439)		
	at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287)		
	at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:101)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:151)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at sun.reflect.GeneratedMethodAccessor111.invoke(Unknown Source)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124)		
	at org.testng.internal.Invoker.invokeMethod(Invoker.java:583)		
	at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:71)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:14)		
	at java.util.concurrent.FutureTask.run(FutureTask.java:266)		
	at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511)		
	at java.util.concurrent.FutureTask.run(FutureTask.java:266)		
	at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)		
	at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)		
	at java.lang.Thread.run(Thread.java:748)		
	Caused by: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0-262' Driver info: driver.version: unknown		
	at org.openqa.selenium.os.OsProcess.waitFor(OsProcess.java:174)		
	at org.openqa.selenium.os.CommandLine.waitFor(CommandLine.java:127)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.lambda$execute$2(DriverCommandExecutor.java:122) at java.util.concurrent.CompletableFuture$AsyncSupply.run(CompletableFuture.java:1604)		

(S)- Forgot password link

FAILED	DURATION - 53.404 s		Steps
/ 12:17:14.427 PM // 12:18:07.831 PM /			Total - 2
Login page feature			Pass - 2
			Fail - 0
			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	13.024 s
2	Then forgot your password link should be displayed	PASSED	0.462 s
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	25.091 s

	org.openqa.selenium.WebDriverException: Timed out waiting for driver server to stop. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0-262' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [2d8cdbd705a03c93281049d99c236f5d, quit {}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 99.0.1150.39, javascriptEnabled: true, ms:edgeOptions: {debuggerAddress: localhost:63226}, msedge: {msedgedriverVersion: 99.0.1150.39 (83e7eb830583b..., userDataDir: C:\Users\BALACH~1.4\AppData...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63226/devtoo..., se:cdpVersion: 99.0.1150.39, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 2d8cdbd705a03c93281049d99c236f5d
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:132)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	   at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439)
	   at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287)
	   at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)
	 Caused by: java.util.concurrent.ExecutionException: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0-262' Driver info: driver.version: unknown
	   at java.util.concurrent.CompletableFuture.reportGet(CompletableFuture.java:357)
	   at java.util.concurrent.CompletableFuture.get(CompletableFuture.java:1928)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439)		
	at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287)		
	at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:101)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:151)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at sun.reflect.GeneratedMethodAccessor111.invoke(Unknown Source)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124)		
	at org.testng.internal.Invoker.invokeMethod(Invoker.java:583)		
	at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:71)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:14)		
	at java.util.concurrent.FutureTask.run(FutureTask.java:266)		
	at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511)		
	at java.util.concurrent.FutureTask.run(FutureTask.java:266)		
	at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)		
	at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)		
	at java.lang.Thread.run(Thread.java:748)		
	Caused by: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0-262' Driver info: driver.version: unknown		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.os.OsProcess.waitFor(OsProcess.java:174) at org.openqa.selenium.os.CommandLine.waitFor(CommandLine.java:127) at org.openqa.selenium.remote.service.DriverCommandExecutor.lambda$execute$2(DriverCommandExecutor.java:122) at java.util.concurrent.CompletableFuture$AsyncSupply.run(CompletableFuture.java:1604)		

(S)- Login with correct credentials

PASSED	DURATION - 56.757 s		Steps	
/ 12:17:26.435 PM // 12:18:23.192 PM /			Total - 6	
Login page feature			Pass - 6	6
@skip @sanity			Fail - 0 Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	7.830 s
2	When user enters username "balachandra.thalner@gmail.com"	PASSED	1.232 s
3	And user enters password "balachandra"	PASSED	0.950 s
4	And user clicks on login button	PASSED	8.876 s
5	Then user is gets the title of the page	PASSED	3.085 s
6	And page title should be "My account - My Store"	PASSED	0.001 s

(S)- login as manager

FAILED	DURATION - 49.183 s		Steps	
/ 12:17:28.265 PM // 12:18:17.448 PM /			Total - 2	
Login page feature			Pass - 2	2
			Fail - 0 Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given user logged in as a manager	PASSED	11.636 s

#	Step / Hook Details	Status	Duration
2	Then get the title of the page	PASSED	0.000 s
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	21.841 s

org.openqa.selenium.WebDriverException: Timed out waiting for driver server to stop. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0-262' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [24ead29f47abf27ea4d1a86246514300, quit {}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 99.0.1150.39, javascriptEnabled: true, ms:edgeOptions: {debuggerAddress: localhost:63317}, msedge: {msedgedriverVersion: 99.0.1150.39 (83e7eb830583b..., userDataDir: C:\Users\BALACH~1.4\AppData...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63317/devtoo..., se:cdpVersion: 99.0.1150.39, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 24ead29f47abf27ea4d1a86246514300
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:132)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
   at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439)
   at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287)
   at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)
Caused by: java.util.concurrent.ExecutionException: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0-262' Driver info: driver.version: unknown
   at java.util.concurrent.CompletableFuture.reportGet(CompletableFuture.java:357)
   at java.util.concurrent.CompletableFuture.get(CompletableFuture.java:1928)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
   at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439)
   at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287)
   at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:66)
   at sun.reflect.GeneratedMethodAccessor113.invoke(Unknown Source)
   at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
   at java.lang.reflect.Method.invoke(Method.java:498)
   at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)
   at io.cucumber.java.Invoker.invoke(Invoker.java:24)
   at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
   at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59)
   at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)
   at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)
   at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
   at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)
   at io.cucumber.core.runner.TestStep.run(TestStep.java:57)
   at io.cucumber.core.runner.TestCase.run(TestCase.java:101)

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:151)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at sun.reflect.GeneratedMethodAccessor111.invoke(Unknown Source)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124)		
	at org.testng.internal.Invoker.invokeMethod(Invoker.java:583)		
	at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:71)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:14)		
	at java.util.concurrent.FutureTask.run(FutureTask.java:266)		
	at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511)		
	at java.util.concurrent.FutureTask.run(FutureTask.java:266)		
	at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)		
	at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)		
	at java.lang.Thread.run(Thread.java:748)		
	Caused by: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.1.10', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java. version: '1.8.0-262' Driver info: driver.version: unknown		
	at org.openqa.selenium.os.OsProcess.waitFor(OsProcess.java:174)		
	at org.openqa.selenium.os.CommandLine.waitFor(CommandLine.java:127)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.lambda$execute$2(DriverCommandExecutor.java:122)		
	at java.util.concurrent.CompletableFuture$AsyncSupply.run(CompletableFuture.java:1604)		

(Step) AFTER - AppHooks.
ApplicationHooks.tearDown(io.cucumber.
java.Scenario)

(S) Fill the Invalid personal information form

(F) Create new user account

(Step) AFTER - AppHooks.
ApplicationHooks.tearDown(io.cucumber.
java.Scenario)

(S) Login page title

(F) Login page feature

SALE 70% OFF ALL PRODUCTS   GET SAVINGS NOW

Call us now: **0123-456-789**   Contact us   Sign in

Your Logo
a new experience

Search 🔍

🛒 Cart (empty) ▾

WOMEN   DRESSES   T-SHIRTS

🏠 ❯ Authentication

AUTHENTICATION

CREATE AN ACCOUNT

Please enter your email address to create an account.

Email address

ALREADY REGISTERED?

Email address