Cucumber Report

Start : Feb 28, 3:08:31.871 pm	End : Feb 28, 3:11:55.181 pm	Duration : 3 m 23.310 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 5 SKIPPED - 0	PASSED - 7 FAILED - 6 SKIPPED - 1	PASSED - 54 FAILED - 2 SKIPPED - 8

5

14

64

Pass %

0 %

50 %

84 %

#	Feature Name	T	P	F	S	Duration
1	Create new user account	3	2	1	0	3 m 23.310 s
2	contact Us feature	2	1	1	0	1 m 53.023 s
3	Account page feature	2	1	1	0	1 m 56.396 s
4	check data Tables	4	2	2	0	1 m 16.225 s
5	Login page feature	3	1	1	1	1 m 8.294 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Create new user account	Fill the Invalid personal information form	7	7	0	0	2 m 6.513 s
2	Create new user account	Fill the Invalid personal information form	7	1	1	5	3 m 23.302 s
3	Create new user account	Fill the valid personal information form	7	7	0	0	2 m 0.699 s
4	contact Us feature	contact scenario with different sets of data	4	4	0	0	1 m 52.551 s
5	contact Us feature	contact scenario with different sets of data	4	4	0	0	1 m 53.016 s
6	Account page feature	Account section count	4	4	0	0	1 m 45.763 s
7	Account page feature	Accounts page title	4	4	0	0	1 m 56.386 s
8	check data Tables	: To check login	5	5	0	0	36.930 s
9	check data Tables	: To check login	5	5	0	0	50.886 s
10	check data Tables	To check dataTables	3	3	0	0	50.616 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
11	check data Tables	To check dataTables	3	3	0	0	39.185 s
12	Login page feature	Login page title	3	0	0	3	32.162 s
13	Login page feature	Forgot password link	2	1	1	0	1 m 4.585 s
14	Login page feature	Login with correct credentials	6	6	0	0	42.716 s

(F)- Create new user account

FAILED	DURATION - 3 m 23.310 s		Scenarios		Steps	
/ 3:08:31.871 pm // 3:11:55.181 pm /			Total - 3 Pass - 2 Fail - 1 Skip - 0	3	Total - 21 Pass - 15 Fail - 1 Skip - 5	21

(S)- Fill the Invalid personal information form

PASSED	DURATION - 2 m 6.513 s			Steps	
/ 3:08:31.876 pm // 3:10:38.389 pm /				Total - 7 Pass - 7 Fail - 0 Skip - 0	7
Create new user account					

#	Step / Hook Details	Status	Duration
1	Given user is allready on landing page	PASSED	38.883 s
2	When user enters email address lenth of 5 to create an account	PASSED	2.700 s
3	And click on create an account button	PASSED	8.110 s
4	Then it should be navigates to "YOUR PERSONAL INFORMATION" page	PASSED	1.052 s
5	Given user fills the invalid personal information from the given sheetname "InvalidPersonalInfo" and rownumber 0	PASSED	27.537 s
6	When user clicked on Register button	PASSED	19.281 s
7	Then getting error message	PASSED	0.073 s

(S)- Fill the Invalid personal information form

FAILED	DURATION - 3 m 23.302 s
/ 3:08:31.879 pm // 3:11:55.181 pm /	
Create new user account	

Steps
Total - 7
Pass - 1
Fail - 1
Skip - 5

7

| #	Step / Hook Details	Status	Duration
1	Given user is allready on landing page	PASSED	2 m 58.520 s
2	When user enters email address lenth of 5 to create an account	FAILED	0.013 s

org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=98.0.4758.102) Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.162.65', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [840de5b55c7203b813e82acf00bda985, findElement {using=id, value=email_create}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.102 (273bf7ac8c90..., userDataDir: C:\Users\BALACH~1.4\AppData...}, goog:chromeOptions: {debuggerAddress: localhost:64016}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64016/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 840de5b55c7203b813e82acf00bda985
  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)
  at com.pageObjects.LoginPage.sendCreateAccountEmailId(LoginPage.java:95)
  at stepDefinitions.CreateAccountStep.user_enters_email_address_lenth_of_to_create_an_account(CreateAccountStep.java:48)

| #	Step / Hook Details	Status	Duration
	at ?.user enters email address lenth of 5 to create an account(file:///C:/Users/balachandra.4/eclipse-workspace/CucumberAutomation/src/test/resources/features/CreateAccount.feature:6) * Not displayable characters are replaced by '?'.		
3	And click on create an account button	SKIPPED	0.000 s
4	Then it should be navigates to "YOUR PERSONAL INFORMATION" page	SKIPPED	0.001 s
5	Given user fills the invalid personal information from the given sheetname "InvalidPersonalInfo" and rownumber 1	SKIPPED	0.000 s
6	When user clicked on Register button	SKIPPED	0.000 s
7	Then getting error message	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.003 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=98.0.4758.102) Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.162.65', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [840de5b55c7203b813e82acf00bda985, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.102 (273bf7ac8c90..., userDataDir: C:\Users\BALACH~1.4\AppData...}, goog:chromeOptions: {debuggerAddress: localhost:64016}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64016/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 840de5b55c7203b813e82acf00bda985 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:333) at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:75)		

(S)- Fill the valid personal information form

PASSED	DURATION - 2 m 0.699 s
/ 3:08:31.879 pm // 3:10:32.578 pm /	
Create new user account	

Steps
Total - 7
Pass - 7
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given user is allready on landing page	PASSED	37.102 s
2	When user enters email address lenth of 5 to create an account	PASSED	3.575 s
3	And click on create an account button	PASSED	7.944 s
4	Then it should be navigates to "YOUR PERSONAL INFORMATION" page	PASSED	0.869 s
5	Given user fills the valid personal information from the given given sheetname "ValidPersonalInfo" and rownumber 0	PASSED	22.464 s
6	When user clicked on Register button	PASSED	12.797 s
7	Then getting Home page with contains "MY ACCOUNT"	PASSED	0.108 s

(F)- contact Us feature

FAILED	DURATION - 1 m 53.023 s
/ 3:08:31.878 pm // 3:10:24.901 pm /	

Scenarios
Total - 2
Pass - 1
Fail - 1
Skip - 0

Steps
Total - 8
Pass - 8
Fail - 0
Skip - 0

(S)- contact scenario with different sets of data

PASSED	DURATION - 1 m 52.551 s
/ 3:08:31.878 pm // 3:10:24.429 pm /	
contact Us feature	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user navigates to contact us page	PASSED	56.357 s
2	When user fills the form from given sheetname "contactUs" and rowNumber 0	PASSED	9.095 s
3	And clicks on send button	PASSED	4.035 s
4	Then it shows successful message "Your message has been successfully sent to our team."	PASSED	0.230 s

(S)- contact scenario with different sets of data

FAILED	DURATION - 1 m 53.016 s
/ 3:08:31.885 pm // 3:10:24.901 pm /	
contact Us feature	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given user navigates to contact us page	PASSED	40.248 s
2	When user fills the form from given sheetname "contactUs" and rowNumber 1	PASSED	17.524 s
3	And clicks on send button	PASSED	3.831 s
4	Then it shows successful message "Your message has been successfully sent to our team."	PASSED	1.251 s
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	25.187 s
	org.openqa.selenium.WebDriverException: Timed out waiting for driver server to stop. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.162.65', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [07bca7697cfb930167998f4ca7314917, quit {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.102 (273bf7ac8c90..., userDataDir: C:\Users\BALACH~1.4\AppData...}, goog:chromeOptions: {debuggerAddress: localhost:64020}, javascriptEnabled: true,		

#	Step / Hook Details	Status	Duration
	networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64020/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 07bca7697cfb930167998f4ca7314917 at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:132) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439) at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287) at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:64) Caused by: java.util.concurrent.ExecutionException: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.162.65', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: driver.version: unknown at java.base/java.util.concurrent.CompletableFuture.reportGet(CompletableFuture.java:395) at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2086) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439) at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287) at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:64) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.TestCase.run(TestCase.java:101) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:151) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		

#	Step / Hook Details	Status	Duration
	at io.cumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:564)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)		
	at java.base/java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:515)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1130)		
	at java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:630)		
	at java.base/java.lang.Thread.run(Thread.java:832)		
	Caused by: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.162.65', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: driver.version: unknown		
	at org.openqa.selenium.os.OsProcess.waitFor(OsProcess.java:174)		
	at org.openqa.selenium.os.CommandLine.waitFor(CommandLine.java:127)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.lambda$execute$2(DriverCommandExecutor.java:122)		
	at java.base/java.util.concurrent.CompletableFuture$AsyncSupply.run(CompletableFuture.java:1764)		

(F)- Account page feature

FAILED	DURATION - 1 m 56.396 s	Scenarios Total - 2 Pass - 1 Fail - 1 Skip - 0	2	Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	8
/ 3:08:31.881 pm // 3:10:28.277 pm /					

(S)- Account section count

FAILED	DURATION - 1 m 45.763 s
	/ 3:08:31.881 pm // 3:10:17.644 pm /
	Account page feature
	@smoke

Steps	
Total - 4	
Pass - 4	
Fail - 0	
Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given user already logged into application	PASSED	53.067 s
	username: balachandra.thalner@gmail.com password: balachandra		
2	Given user is on Accounts page	PASSED	0.076 s
3	Then user gets Account section	PASSED	2.684 s
	ORDER HISTORY AND DETAILS MY CREDIT SLIPS MY ADDRESSES MY PERSONAL INFORMATION MY WISHLISTS Home		
4	And Accounts section count should be 6	PASSED	0.239 s
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	25.042 s

	org.openqa.selenium.WebDriverException: Timed out waiting for driver server to stop. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.162.65', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [81ff3b7a5b8a49ad420651ce314d5003, quit {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.102 (273bf7ac8c90..., userDataDir: C:\Users\BALACH~1.4\AppData...}, goog:chromeOptions: {debuggerAddress: localhost:64033}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64033/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 81ff3b7a5b8a49ad420651ce314d5003
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:132)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	   at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439)
	   at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287)		

| #	Step / Hook Details	Status	Duration
	at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:64) Caused by: java.util.concurrent.ExecutionException: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.162.65', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: driver.version: unknown at java.base/java.util.concurrent.CompletableFuture.reportGet(CompletableFuture.java:395) at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2086) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439) at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287) at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:64) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.TestCase.run(TestCase.java:101) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:151) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15)		

| #	Step / Hook Details	Status	Duration
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)		
	at java.base/java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:515)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1130)		
	at java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:630)		
	at java.base/java.lang.Thread.run(Thread.java:832)		
	Caused by: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.162.65', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java. version: '15.0.1' Driver info: driver.version: unknown		
	at org.openqa.selenium.os.OsProcess.waitFor(OsProcess.java:174)		
	at org.openqa.selenium.os.CommandLine.waitFor(CommandLine.java:127)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.lambda$execute$2(DriverCommandExecutor.java:122)		
	at java.base/java.util.concurrent.CompletableFuture$AsyncSupply.run(CompletableFuture.java:1764)		

(S)- Accounts page title

PASSED	DURATION - 1 m 56.386 s
/ 3:08:31.891 pm // 3:10:28.277 pm /	
Account page feature	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

| #	Step / Hook Details	Status	Duration
1	Given user already logged into application	PASSED	1 m 13.472 s
	username / balachandra.thalner@gmail.com password / balachandra		
2	Given user is on Accounts page	PASSED	0.093 s
3	When user is gets the title of the page	PASSED	0.106 s
4	Then page title should be "My account - My Store"	PASSED	0.001 s

(F)- check data Tables

FAILED	DURATION - 1 m 16.225 s	Scenarios		Steps	
		Total - 4		Total - 16	
/ 3:08:31.888 pm // 3:09:48.113 pm /		Pass - 2	4	Pass - 16	16
		Fail - 2		Fail - 0	
		Skip - 0		Skip - 0	

(S)- : To check login

PASSED	DURATION - 36.930 s		Steps	
			Total - 5	
/ 3:08:31.888 pm // 3:09:08.818 pm /			Pass - 5	5
check data Tables			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given user is on landing page	PASSED	0.004 s
2	When user click on sign in button	PASSED	0.001 s
3	When user given username manu@gmail.com and password Manu	PASSED	0.008 s
4	When click on submit button	PASSED	0.002 s
5	Then navigates to home page	PASSED	0.002 s

(S)- : To check login

FAILED	DURATION - 50.886 s		Steps	
			Total - 5	
/ 3:08:31.889 pm // 3:09:22.775 pm /			Pass - 5	5
check data Tables			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given user is on landing page	PASSED	0.000 s
2	When user click on sign in button	PASSED	0.001 s
3	When user given username balu@gmail.com and password balu	PASSED	0.001 s
4	When click on submit button	PASSED	0.000 s
5	Then navigates to home page	PASSED	0.001 s
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	25.346 s

	org.openqa.selenium.WebDriverException: Timed out waiting for driver server to stop. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.162.65', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [75d231b25e4fd6da5a3bfdfbdc3f50e8, quit {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.102 (273bf7ac8c90..., userDataDir: C:\Users\BALACH~1.4\AppData...}, goog:chromeOptions: {debuggerAddress: localhost:64067}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64067/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 75d231b25e4fd6da5a3bfdfbdc3f50e8
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:132)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	  at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439)
	  at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287)
	  at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:64)
	Caused by: java.util.concurrent.ExecutionException: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.162.65', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: driver.version: unknown
	  at java.base/java.util.concurrent.CompletableFuture.reportGet(CompletableFuture.java:395)
	  at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2086)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	  at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439)
	  at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287)
	  at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:64)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64)
	  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:564)
	  at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)
	  at io.cucumber.java.Invoker.invoke(Invoker.java:24)
	  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	  at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59)		

| #	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:101)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:151)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:564)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)		
	at java.base/java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:515)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1130)		
	at java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:630)		
	at java.base/java.lang.Thread.run(Thread.java:832)		
	Caused by: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.162.65', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: driver.version: unknown		
	at org.openqa.selenium.os.OsProcess.waitFor(OsProcess.java:174)		
	at org.openqa.selenium.os.CommandLine.waitFor(CommandLine.java:127)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.lambda$execute$2(DriverCommandExecutor.java:122)		
	at java.base/java.util.concurrent.CompletableFuture$AsyncSupply.run(CompletableFuture.java:1764)		

(S)- To check dataTables

FAILED	DURATION - 50.616 s
/ 3:08:31.890 pm // 3:09:22.506 pm /	
check data Tables	
@sanity	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user on form page	PASSED	0.001 s
2	When need to send data to form from below table	PASSED	0.011 s
	jayalaxmi / talaner / 83793987 / India		
	sadhashiva / hulegar / 87276763 / sagara		
	suvatte / kandika / 56249200 / hamsagaru		
	pannaga / puutur / 828999 / mangalore		
3	Then user able to submit the form	PASSED	0.001 s
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	25.095 s

	org.openqa.selenium.WebDriverException: Timed out waiting for driver server to stop. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.162.65', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2e7498c55b18ff7b996a669a20f8341a, quit {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.102 (273bf7ac8c90..., userDataDir: C:\Users\BALACH~1.4\AppData...}, goog:chromeOptions: {debuggerAddress: localhost:64034}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64034/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 2e7498c55b18ff7b996a669a20f8341a
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:132)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	    at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439)
	    at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287)
	    at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:64)
	Caused by: java.util.concurrent.ExecutionException: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.162.65', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: driver.version: unknown
	    at java.base/java.util.concurrent.CompletableFuture.reportGet(CompletableFuture.java:395)
	    at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2086)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:128)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:439)		
	at org.openqa.selenium.chromium.ChromiumDriver.quit(ChromiumDriver.java:287)		
	at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:64)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:564)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:101)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$3(CucumberExecutionContext.java:151)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:564)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77)		
	at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)		
	at java.base/java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:515)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1130)		
	at java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:630)		

| #	Step / Hook Details	Status	Duration

	at java.base/java.lang.Thread.run(Thread.java:832)
	Caused by: org.openqa.selenium.TimeoutException: Process timed out after waiting for 20000 ms. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.162.65', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java. version: '15.0.1' Driver info: driver.version: unknown
	  at org.openqa.selenium.os.OsProcess.waitFor(OsProcess.java:174)
	  at org.openqa.selenium.os.CommandLine.waitFor(CommandLine.java:127)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.lambda$execute$2(DriverCommandExecutor.java:122)
	  at java.base/java.util.concurrent.CompletableFuture$AsyncSupply.run(CompletableFuture.java:1764)		

(S)- To check dataTables

PASSED	DURATION - 39.185 s		Steps	
	/ 3:09:08.928 pm // 3:09:48.113 pm /		Total - 3	
	check data Tables		Pass - 3	
			Fail - 0	3
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given user on form page	PASSED	0.001 s
2	When need to send data to form from below tables	PASSED	0.003 s
	<table><tr><td>Name</td><td>city</td><td>number</td><td>country</td></tr><tr><td>jayalaxmi</td><td>talaner</td><td>83793987</td><td>India</td></tr><tr><td>sadhashiva</td><td>hulegar</td><td>87276763</td><td>sagara</td></tr><tr><td>suvatte</td><td>kandika</td><td>56249200</td><td>hamsagaru</td></tr><tr><td>pannaga</td><td>puutur</td><td>828999</td><td>mangalore</td></tr></table>		
3	Then user able to submit the form	PASSED	0.000 s

(F)- Login page feature

FAILED	DURATION - 1 m 8.294 s		Scenarios		Steps	
	/ 3:09:22.581 pm // 3:10:30.875 pm /		Total - 3		Total - 11	
			Pass - 1	3	Pass - 7	11
			Fail - 1		Fail - 1	
			Skip - 1		Skip - 3	

(S)- Login page title

SKIPPED	*DURATION - 32.162 s*		Steps	
/ 3:09:22.581 pm // 3:09:54.743 pm /			Total - 3	
Login page feature			Pass - 0	
@skip_scenario			Fail - 0	
			Skip - 3	

| #	Step / Hook Details	Status	Duration
1	Given user is on login page	SKIPPED	0.002 s
2	When user is gets the title of the page	SKIPPED	0.001 s
3	Then page title should be "Login - My Store"	SKIPPED	0.000 s

(S)- Forgot password link

FAILED	*DURATION - 1 m 4.585 s*		Steps	
/ 3:09:22.810 pm // 3:10:27.395 pm /			Total - 2	
Login page feature			Pass - 1	
			Fail - 1	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	9.347 s
2	Then forgot your password link should be displayed	FAILED	20.028 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Forgot your password?123"} (Session info: chrome=98.0.4758.102) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.162.65', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3df157680812b9be2c1eadf102b876f0, findElement {using=link text, value=Forgot your password?123}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.102 (273bf7ac8c90..., userDataDir: C:\Users\BALACH~1.4\AppData...}, goog:chromeOptions: {debuggerAddress: localhost:64284}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64284/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,		

#	Step / Hook Details	Status	Duration

	webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3df157680812b9be2c1eadf102b876f0
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	   at com.sun.proxy.$Proxy31.isDisplayed(Unknown Source)
	   at com.pageObjects.LoginPage.isForgotPWdLinkExist(LoginPage.java:54)
	   at stepDefinitions.loginStepDefinition.forgot_your_password_link_should_be_displayed(loginStepDefinition.java:56)
	   at ?.forgot your password link should be displayed(file:///C:/Users/balachandra.4/eclipse-workspace/CucumberAutomation/src/test/resources/features/login.feature:14)
	* Not displayable characters are replaced by '?'.		

	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Forgot-password-link 	PASSED	0.482 s

(S)- Login with correct credentials

PASSED	DURATION - 42.716 s

/ 3:09:48.159 pm // 3:10:30.875 pm /

Login page feature

@skip @sanity

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	13.414 s
2	When user enters username "balachandra.thalner@gmail.com"	PASSED	0.435 s
3	And user enters password "balachandra"	PASSED	0.309 s
4	And user clicks on login button	PASSED	8.170 s
5	Then user is gets the title of the page	PASSED	0.035 s
6	And page title should be "My account - My Store"	PASSED	0.000 s

(Step) AFTER - AppHooks.
ApplicationHooks.tearDown(io.cucumber.
java.Scenario)

(S) Forgot password link

(F) Login page feature

Call us now: 0123-456-789

Contact us   Sign in

YourLogo
a new experience

Search

Cart (empty)

WOMEN   DRESSES   T-SHIRTS

Authentication

AUTHENTICATION

CREATE AN ACCOUNT

Please enter your email address to create an account.

Email address

ALREADY REGISTERED?

Email address