

Cucumber Report

02-Mar-2022, 5:48:07 pm

Start : Mar 02, 5:48:00.596 pm

End : Mar 02, 5:48:06.006 pm

Duration : 5.410 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 6

SKIPPED - 0

PASSED - 0




FAILED - 17


SKIPPED - 0

PASSED - 0


FAILED - 0

SKIPPED - 76






#	Feature Name	T	P	F	S	Duration
1	<u>Account page feature</u>	2	0	2	0	1.937 s
2	<u>contact Us feature</u>	2	0	2	0	0.455 s
3	<u>Create new user account</u>	3	0	3	0	0.647 s
4	<u>Footer section</u>	3	0	3	0	0.646 s
5	<u>check data Tables</u>	4	0	4	0	0.959 s
6	<u>Login page feature</u>	3	0	3	0	0.640 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Account page feature</u>	<u>Accounts page title</u>	4	0	0	4	1.663 s
2	<u>Account page feature</u>	<u>Account section count</u>	4	0	0	4	0.220 s
3	<u>contact Us feature</u>	<u>contact scenario with different sets of data</u>	4	0	0	4	0.221 s
4	<u>contact Us feature</u>	<u>contact scenario with different sets of data</u>	4	0	0	4	0.207 s
5	<u>Create new user account</u>	<u>Fill the Invalid personal information form</u>	7	0	0	7	0.205 s
6	<u>Create new user account</u>	<u>Fill the Invalid personal information form</u>	7	0	0	7	0.195 s
7	<u>Create new user account</u>	<u>Fill the valid personal information form</u>	7	0	0	7	0.205 s
8	<u>Footer section</u>	<u>to check login page title</u>	4	0	0	4	0.210 s
9	<u>Footer section</u>	<u>to check footer information section</u>	4	0	0	4	0.197 s
10	<u>Footer section</u>	<u>to check footer information section</u>	4	0	0	4	0.197 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>check data Tables</u>	<u>: To check login</u>	5	0	0	5	0.196 s
12	<u>check data Tables</u>	<u>: To check login</u>	5	0	0	5	0.188 s
13	<u>check data Tables</u>	<u>To check dataTables</u>	3	0	0	3	0.258 s
14	<u>check data Tables</u>	<u>To check dataTables</u>	3	0	0	3	0.263 s
15	<u>Login page feature</u>	<u>Login page title</u>	3	0	0	3	0.219 s
16	<u>Login page feature</u>	<u>Forgot password link</u>	2	0	0	2	0.188 s
17	<u>Login page feature</u>	<u>Login with correct credentials</u>	6	0	0	6	0.200 s

(F)- Account page feature

FAILED	DURATION - 1.937 s	Scenarios		Steps	
/ 5:48:00.596 pm // 5:48:02.533 pm /		Total - 2		Total - 8	
		Pass - 0		Pass - 0	
		Fail - 2		Fail - 0	
		Skip - 0		Skip - 8	

(S)- Accounts page title

<div>FAILED</div> <div>DURATION - 1.663 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	
/ 5:48:00.601 pm // 5:48:02.264 pm /				
Account page feature				

#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.ApplicationHooks.launchBrowser() org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:561) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:198) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:186) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:164) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:43) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:58) Caused by: org.openqa.selenium.WebDriverException: Driver server process died prematurely. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.176.227', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: driver.version: FirefoxDriver at org.openqa.selenium.remote.service.DriverService.start(DriverService.java:226) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:98) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151)	FAILED	1.602 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:198) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:186) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:164) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:43) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:58) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.TestCase.run(TestCase.java:89) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:151) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		

#	Step / Hook Details	Status	Duration		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)				
1	Given user already logged into application	SKIPPED	0.008 s		
	<table><tr><td>username</td><td>password</td></tr><tr><td>balachandra.thalner@gmail.com</td><td>balachandra</td></tr></table>			username	password
username	password				
balachandra.thalner@gmail.com	balachandra				
2	Given user is on Accounts page	SKIPPED	0.000 s		
3	When user is gets the title of the page	SKIPPED	0.001 s		
4	Then page title should be "My account - My Store"	SKIPPED	0.000 s		
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.004 s		
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:75)				
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	0.001 s		
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:64)				

(S)- Account section count



FAILED	DURATION - 0.220 s		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
/ 5:48:02.313 pm // 5:48:02.533 pm /				
Account page feature				
@smoke				

#	Step / Hook Details	Status	Duration
	<p>BEFORE - AppHooks.ApplicationHooks.launchBrowser()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure.</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:561) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:198) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:186) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:164) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:43) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:58)</p> <p>Caused by: org.openqa.selenium.WebDriverException: Driver server process died prematurely. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.176.227', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: driver.version: FirefoxDriver</p> <p>at org.openqa.selenium.remote.service.DriverService.start(DriverService.java:226) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:98) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:198) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:186) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:164) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:43) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:58) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.TestCase.run(TestCase.java:89) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:151) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)</p>	FAILED	0.205 s



#	Step / Hook Details	Status	Duration				
	<div>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)</div>						
1	<div>Given user already logged into application</div> <table><tr><td>username</td><td>password</td></tr><tr><td>balachandra.thalner@gmail.com</td><td>balachandra</td></tr></table>	username	password	balachandra.thalner@gmail.com	balachandra	SKIPPED	0.001 s
username	password						
balachandra.thalner@gmail.com	balachandra						
2	<div>Given user is on Accounts page</div>	SKIPPED	0.000 s				
3	<div>Then user gets Account section</div> <table><tr><td>ORDER HISTORY AND DETAILS</td></tr><tr><td>MY CREDIT SLIPS</td></tr><tr><td>MY ADDRESSES</td></tr><tr><td>MY PERSONAL INFORMATION</td></tr></table>	ORDER HISTORY AND DETAILS	MY CREDIT SLIPS	MY ADDRESSES	MY PERSONAL INFORMATION	SKIPPED	0.002 s
ORDER HISTORY AND DETAILS							
MY CREDIT SLIPS							
MY ADDRESSES							
MY PERSONAL INFORMATION							

#	Step / Hook Details	Status	Duration
	<div>MY WISHLISTS</div> <div>Home</div>		
4	And Accounts section count should be 6	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:75)	FAILED	0.001 s
	AFTER - AppHooks.ApplicationHooks.quitBrowser() java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:64)	FAILED	0.002 s

(F)- contact Us feature

FAILED	DURATION - 0.455 s	Scenarios		Steps	
/ 5:48:02.560 pm // 5:48:03.015 pm /		Total - 2		Total - 8	
		Pass - 0		Pass - 0	
		Fail - 2		Fail - 0	
		Skip - 0		Skip - 8	

(S)- contact scenario with different sets of data



FAILED	DURATION - 0.221 s		Steps	
/ 5:48:02.562 pm // 5:48:02.783 pm /			Total - 4	
contact Us feature			Pass - 0	
			Fail - 0	
			Skip - 4	

#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.ApplicationHooks.launchBrowser()	FAILED	0.211 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:561) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230)		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:198) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:186) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:164) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:43) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:58) Caused by: org.openqa.selenium.WebDriverException: Driver server process died prematurely. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.176.227', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: driver.version: FirefoxDriver at org.openqa.selenium.remote.service.DriverService.start(DriverService.java:226) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:98) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:198) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:186) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:164) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:43) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:58) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.TestCase.run(TestCase.java:89) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:151) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) </pre>		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Method.invoke(Method.java:564) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
1	Given user navigates to contact us page	SKIPPED	0.000 s
2	When user fills the form from given sheetname "contactUs" and rowNumber 0	SKIPPED	0.000 s
3	And clicks on send button	SKIPPED	0.001 s
4	Then it shows successful message "Your message has been successfully sent to our team."	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:75)		
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:64)		

(S)- contact scenario with different sets of data



<div>FAILED</div> <div>DURATION - 0.207 s</div>		Steps	
/ 5:48:02.808 pm // 5:48:03.015 pm /		Total - 4	
contact Us feature		Pass - 0	
		Fail - 0	
		Skip - 4	

#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.ApplicationHooks.launchBrowser() org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:561) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:198) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:186) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:164) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:43) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:58) Caused by: org.openqa.selenium.WebDriverException: Driver server process died prematurely. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.176.227', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: driver.version: FirefoxDriver at org.openqa.selenium.remote.service.DriverService.start(DriverService.java:226) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:98) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:198) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:186) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:164) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:43) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:58) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24)	FAILED	0.198 s



#	Step / Hook Details	Status	Duration
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.TestCase.run(TestCase.java:89) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:151) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		

#	Step / Hook Details	Status	Duration
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
1	Given user navigates to contact us page	SKIPPED	0.000 s
2	When user fills the form from given sheetname "contactUs" and rowNum 1	SKIPPED	0.001 s
3	And clicks on send button	SKIPPED	0.000 s
4	Then it shows successful message "Your message has been successfully sent to our team."	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:75)		
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:64)		

(F)- Create new user account

FAILED	DURATION - 0.647 s	Scenarios		Steps	
/ 5:48:03.040 pm // 5:48:03.687 pm /		Total - 3		Total - 21	
		Pass - 0		Pass - 0	
		Fail - 3		Fail - 0	
		Skip - 0		Skip - 21	

(S)- Fill the Invalid personal information form

<div>FAILED</div> <div>DURATION - 0.205 s</div>			Steps		
/ 5:48:03.040 pm // 5:48:03.245 pm /					Total - 7
Create new user account					Pass - 0
					Fail - 0
			Skip - 7		



#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.ApplicationHooks.launchBrowser()	FAILED	0.198 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or		

#	Step / Hook Details	Status	Duration
	<p>browser start-up failure.</p> <pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:561) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:198) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:186) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:164) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:43) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:58) </pre> <p>Caused by: org.openqa.selenium.WebDriverException: Driver server process died prematurely. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.176.227', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: driver.version: FirefoxDriver</p> <pre> at org.openqa.selenium.remote.service.DriverService.start(DriverService.java:226) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:98) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:198) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:186) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:164) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:43) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:58) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.TestCase.run(TestCase.java:89) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:151) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) </pre>		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
1	Given user is allready on landing page	SKIPPED	0.001 s
2	When user enters email address lenth of 5 to create an account	SKIPPED	0.000 s
3	And click on create an account button	SKIPPED	0.000 s
4	Then it should be navigates to "YOUR PERSONAL INFORMATION" page	SKIPPED	0.000 s
5	Given user fills the invalid personal information from the given sheetname "InvalidPersonalInfo" and rownumber 0	SKIPPED	0.000 s
6	When user clicked on Register button	SKIPPED	0.000 s
7	Then getting error message	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:75)	FAILED	0.000 s
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:64)		

(S)- Fill the Invalid personal information form



<div>FAILED</div> <div>DURATION - 0.195 s</div>		<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 7</div>	
<div>/ 5:48:03.271 pm // 5:48:03.466 pm /</div>			
<div>Create new user account</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.ApplicationHooks.launchBrowser() org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:561) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:198) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:186) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:164) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:43) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:58) Caused by: org.openqa.selenium.WebDriverException: Driver server process died prematurely. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.176.227', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: driver.version: FirefoxDriver at org.openqa.selenium.remote.service.DriverService.start(DriverService.java:226) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:98) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:198) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:186) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:164) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:43) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:58) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(Native Method)	FAILED	0.188 s

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.TestCase.run(TestCase.java:89) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:151) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		

#	Step / Hook Details	Status	Duration
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
1	Given user is already on landing page	SKIPPED	0.000 s
2	When user enters email address length of 5 to create an account	SKIPPED	0.000 s
3	And click on create an account button	SKIPPED	0.000 s
4	Then it should be navigates to "YOUR PERSONAL INFORMATION" page	SKIPPED	0.000 s
5	Given user fills the invalid personal information from the given sheetname "InvalidPersonalInfo" and rownumber 1	SKIPPED	0.000 s
6	When user clicked on Register button	SKIPPED	0.000 s
7	Then getting error message	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:75)		
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:64)		

(S)- Fill the valid personal information form

<div>FAILED</div> <div>DURATION - 0.205 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 7</div>	
/ 5:48:03.482 pm // 5:48:03.687 pm /				
Create new user account				



#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.ApplicationHooks.launchBrowser()	FAILED	0.198 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:561)		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:198) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:186) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:164) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:43) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:58) Caused by: org.openqa.selenium.WebDriverException: Driver server process died prematurely. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.176.227', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: driver.version: FirefoxDriver at org.openqa.selenium.remote.service.DriverService.start(DriverService.java:226) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:98) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:198) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:186) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:164) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:43) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:58) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.TestCase.run(TestCase.java:89) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:151) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) </pre>		



#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
1	Given user is allready on landing page	SKIPPED	0.001 s
2	When user enters email address lenth of 5 to create an account	SKIPPED	0.000 s
3	And click on create an account button	SKIPPED	0.000 s
4	Then it should be navigates to "YOUR PERSONAL INFORMATION" page	SKIPPED	0.000 s
5	Given user fills the valid personal information from the given given sheetname "ValidPersonalInfo" and rownumber 0	SKIPPED	0.000 s
6	When user clicked on Register button	SKIPPED	0.001 s
7	Then getting Home page with contains "MY ACCOUNT"	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:75)	FAILED	0.001 s
	AFTER - AppHooks.ApplicationHooks.quitBrowser() java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:64)		

(F)- Footer section

FAILED	DURATION - 0.646 s	Scenarios		Steps	
/ 5:48:03.709 pm // 5:48:04.355 pm /		Total - 3		Total - 12	
		Pass - 0		Pass - 0	
		Fail - 3		Fail - 0	
		Skip - 0		Skip - 12	

(S)- to check login page title



FAILED	DURATION - 0.210 s		Steps	
/ 5:48:03.709 pm // 5:48:03.919 pm /			Total - 4	
Footer section			Pass - 0	
			Fail - 0	
			Skip - 4	

#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.ApplicationHooks.launchBrowser() org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:561) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:198) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:186) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:164) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:43) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:58) Caused by: org.openqa.selenium.WebDriverException: Driver server process died prematurely. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.176.227', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: driver.version: FirefoxDriver at org.openqa.selenium.remote.service.DriverService.start(DriverService.java:226) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:98)	FAILED	0.204 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:198) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:186) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:164) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:43) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:58) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.TestCase.run(TestCase.java:89) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:151) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre>		
1	Given user is alreday on landing page	SKIPPED	0.000 s
2	Given user is on landing page	SKIPPED	0.000 s
3	When user is gets the title of the page	SKIPPED	0.000 s
4	Then page title should be "Login - My Store"	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:75) </pre>	FAILED	0.001 s
	AFTER - AppHooks.ApplicationHooks.quitBrowser() <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:64) </pre>	FAILED	0.000 s

(S)- to check footer information section



<div>FAILED</div> <div>DURATION - 0.197 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	
/ 5:48:03.944 pm // 5:48:04.141 pm /				
Footer section				

#	Step / Hook Details	Status	Duration
	<p>BEFORE - AppHooks.ApplicationHooks.launchBrowser()</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure.</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:561) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:198) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:186) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:164) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:43) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:58)</p> <p>Caused by: org.openqa.selenium.WebDriverException: Driver server process died prematurely. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.176.227', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: driver.version: FirefoxDriver</p> <p>at org.openqa.selenium.remote.service.DriverService.start(DriverService.java:226) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:98) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:198) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:186) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:164) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:43) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:58) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.TestCase.run(TestCase.java:89) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:151) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)</p>	FAILED	0.188 s

#	Step / Hook Details	Status	Duration
	<div>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)</div>		
1	Given user is alreday on landing page	SKIPPED	0.000 s
2	Given user is on landing page	SKIPPED	0.000 s
3	When user gets information section	SKIPPED	0.002 s
	<div><div>Specials</div><div>New products</div><div>Best sellers</div><div>Our stores</div><div>Contact us</div><div>Terms and conditions of use</div><div>About us</div></div>		

#	Step / Hook Details	Status	Duration
	Sitemap		
4	Then information section should be 8	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:75)	FAILED	0.001 s
	AFTER - AppHooks.ApplicationHooks.quitBrowser() java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:64)	FAILED	0.001 s

(S)- to check footer information section



FAILED		DURATION - 0.197 s			Steps Total - 4 Pass - 0 Fail - 0 Skip - 4			
/ 5:48:04.158 pm // 5:48:04.355 pm /								
Footer section								

#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.ApplicationHooks.launchBrowser() org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:561) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:198) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:186) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:164) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:43) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:58) Caused by: org.openqa.selenium.WebDriverException: Driver server process died prematurely. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.176.227', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: driver.version: FirefoxDriver at org.openqa.selenium.remote.service.DriverService.start(DriverService.java:226) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:98)	FAILED	0.189 s



#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:198) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:186) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:164) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:43) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:58) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.TestCase.run(TestCase.java:89) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:151) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		

#	Step / Hook Details	Status	Duration
	at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
1	Given user is alreday on landing page	SKIPPED	0.000 s
2	Given user is on landing page	SKIPPED	0.000 s
3	When user gets information section	SKIPPED	0.002 s
	About us Sitemap		
4	Then information section should be 8	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:75)	FAILED	0.000 s
	AFTER - AppHooks.ApplicationHooks.quitBrowser() java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:64)	FAILED	0.002 s

(F)- check data Tables

FAILED	DURATION - 0.959 s	Scenarios		Steps	
/ 5:48:04.377 pm // 5:48:05.336 pm /		Total - 4		Total - 16	
		Pass - 0		Pass - 0	
		Fail - 4		Fail - 0	
		Skip - 0		Skip - 16	

(S)- : To check login



<div>FAILED</div> <div>DURATION - 0.196 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div>	
/ 5:48:04.378 pm // 5:48:04.574 pm /				
check data Tables				

#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.ApplicationHooks.launchBrowser() org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:561) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:198) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:186) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:164) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:43) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:58) Caused by: org.openqa.selenium.WebDriverException: Driver server process died prematurely. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.176.227', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: driver.version: FirefoxDriver at org.openqa.selenium.remote.service.DriverService.start(DriverService.java:226) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:98) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:198) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:186) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:164) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:43) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:58) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24)	FAILED	0.188 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.TestCase.run(TestCase.java:89) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:151) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		

#	Step / Hook Details	Status	Duration
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
1	Given user is on landing page	SKIPPED	0.000 s
2	When user click on sign in button	SKIPPED	0.000 s
3	When user given username balu@gmail.com and password balu	SKIPPED	0.000 s
4	When click on submit button	SKIPPED	0.000 s
5	Then navigates to home page	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:75)		
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:64)		

(S)- : To check login



<div>FAILED</div> <div>DURATION - 0.188 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div>	
/ 5:48:04.591 pm // 5:48:04.779 pm /				
check data Tables				

#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.ApplicationHooks.launchBrowser()	FAILED	0.180 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:561) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:198) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:186) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:164) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:43) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:58) Caused by: org.openqa.selenium.WebDriverException: Driver server process died prematurely. Build info: version: '4.1.1', revision: 'e8fcc2cecf'		

#	Step / Hook Details	Status	Duration
	System info: host: 'LAP-HYD-0X81095', ip: '192.168.176.227', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: driver.version: FirefoxDriver at org.openqa.selenium.remote.service.DriverService.start(DriverService.java:226) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:98) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:198) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:186) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:164) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:43) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:58) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.TestCase.run(TestCase.java:89) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:151) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)		

#	Step / Hook Details	Status	Duration
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
1	Given user is on landing page	SKIPPED	0.000 s
2	When user click on sign in button	SKIPPED	0.000 s
3	When user given username manu@gmail.com and password Manu	SKIPPED	0.001 s
4	When click on submit button	SKIPPED	0.000 s
5	Then navigates to home page	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:75)		
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:64)		

(S)- To check dataTables



<div>FAILED</div> <div>DURATION - 0.258 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	
/ 5:48:04.798 pm // 5:48:05.056 pm /				
check data Tables				
@sanity				

#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.ApplicationHooks.launchBrowser() org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:561) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:198) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:186) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:164) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:43) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:58) Caused by: org.openqa.selenium.WebDriverException: Driver server process died prematurely. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.176.227', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: driver.version: FirefoxDriver at org.openqa.selenium.remote.service.DriverService.start(DriverService.java:226) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:98) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:198) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:186) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:164) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:43) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:58) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24)	FAILED	0.252 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.TestCase.run(TestCase.java:89) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:151) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		

#	Step / Hook Details	Status	Duration																
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)																		
1	Given user on form page	SKIPPED	0.000 s																
2	When need to send data to form from below table	SKIPPED	0.001 s																
	<table border="1"> <tr> <td>jayalaxmi</td><td>talaner</td><td>83793987</td><td>India</td></tr> <tr> <td>sadhashiva</td><td>hulegar</td><td>87276763</td><td>sagara</td></tr> <tr> <td>suvatte</td><td>kandika</td><td>56249200</td><td>hamsagaru</td></tr> <tr> <td>pannaga</td><td>puutur</td><td>828999</td><td>mangalore</td></tr> </table>	jayalaxmi	talaner	83793987	India	sadhashiva	hulegar	87276763	sagara	suvatte	kandika	56249200	hamsagaru	pannaga	puutur	828999	mangalore		
jayalaxmi	talaner	83793987	India																
sadhashiva	hulegar	87276763	sagara																
suvatte	kandika	56249200	hamsagaru																
pannaga	puutur	828999	mangalore																
3	Then user able to submit the form	SKIPPED	0.001 s																
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.000 s																
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:75)																		
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	0.001 s																
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:64)																		

(S)- To check dataTables



FAILED	DURATION - 0.263 s		Steps Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 5:48:05.073 pm // 5:48:05.336 pm /				
check data Tables				

#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.ApplicationHooks.launchBrowser()	FAILED	0.256 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:561) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:198) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:186) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:164)		



#	Step / Hook Details	Status	Duration
	<p>at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:43) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:58) Caused by: org.openqa.selenium.WebDriverException: Driver server process died prematurely. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.176.227', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: driver.version: FirefoxDriver</p> <p>at org.openqa.selenium.remote.service.DriverService.start(DriverService.java:226) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:98) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:198) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:186) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:164) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:43) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:58) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.TestCase.run(TestCase.java:89) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:151) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)</p>		

#	Step / Hook Details	Status	Duration																				
	<pre> at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre>																						
1	Given user on form page	SKIPPED	0.000 s																				
2	When need to send data to form from below tables <table border="1"> <thead> <tr> <th>Name</th><th>city</th><th>number</th><th>country</th></tr> </thead> <tbody> <tr> <td>jayalaxmi</td><td>talaner</td><td>83793987</td><td>India</td></tr> <tr> <td>sadhashiva</td><td>hulegar</td><td>87276763</td><td>sagara</td></tr> <tr> <td>suvatte</td><td>kandika</td><td>56249200</td><td>hamsagaru</td></tr> <tr> <td>pannaga</td><td>puutur</td><td>828999</td><td>mangalore</td></tr> </tbody> </table>	Name	city	number	country	jayalaxmi	talaner	83793987	India	sadhashiva	hulegar	87276763	sagara	suvatte	kandika	56249200	hamsagaru	pannaga	puutur	828999	mangalore	SKIPPED	0.001 s
Name	city	number	country																				
jayalaxmi	talaner	83793987	India																				
sadhashiva	hulegar	87276763	sagara																				
suvatte	kandika	56249200	hamsagaru																				
pannaga	puutur	828999	mangalore																				
3	Then user able to submit the form	SKIPPED	0.000 s																				
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:75) </pre>	FAILED	0.000 s																				
	AFTER - AppHooks.ApplicationHooks.quitBrowser() <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:64) </pre>	FAILED	0.000 s																				

(F)- Login page feature

FAILED	DURATION - 0.640 s	Scenarios		Steps	
/ 5:48:05.366 pm // 5:48:06.006 pm /		Total - 3		Total - 11	
		Pass - 0		Pass - 0	
		Fail - 3		Fail - 0	
		Skip - 0		Skip - 11	

(S)- Login page title



<div>FAILED</div> <div>DURATION - 0.219 s</div>			Steps		
/ 5:48:05.366 pm // 5:48:05.585 pm /			Total - 3		
Login page feature			Pass - 0		
@skip_scenario			Fail - 0		
			Skip - 3		

#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.ApplicationHooks.launchBrowser() org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:561) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:198) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:186) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:164) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:43) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:58) Caused by: org.openqa.selenium.WebDriverException: Driver server process died prematurely. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.176.227', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: driver.version: FirefoxDriver at org.openqa.selenium.remote.service.DriverService.start(DriverService.java:226) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:98) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151)	FAILED	0.204 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:198) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:186) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:164) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:43) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:58) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.TestCase.run(TestCase.java:89) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:151) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre>		
1	Given user is on login page	SKIPPED	0.001 s
2	When user is gets the title of the page	SKIPPED	0.000 s
3	Then page title should be "Login - My Store"	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.000 s
	<pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:75) </pre>		
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	0.001 s
	<pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:64) </pre>		

(S)- Forgot password link



<div>FAILED</div> <div>DURATION - 0.188 s</div>			<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 2</div>	
/ 5:48:05.600 pm // 5:48:05.788 pm /				
Login page feature				

#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.ApplicationHooks.launchBrowser()	FAILED	0.183 s
	<pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:561) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:198) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:186) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:164) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:43) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:58) Caused by: org.openqa.selenium.WebDriverException: Driver server process died prematurely. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.176.227', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: driver.version: FirefoxDriver at org.openqa.selenium.remote.service.DriverService.start(DriverService.java:226) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:98) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:198) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:186) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:164) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:43) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:58) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.TestCase.run(TestCase.java:89) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:151) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) </pre>		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
1	Given user is on login page	SKIPPED	0.000 s
2	Then forgot your password link should be displayed	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:75)		
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:64)		

(S)- Login with correct credentials

<div>FAILED</div> <div>DURATION - 0.200 s</div>		<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 6</div>	
<div>/ 5:48:05.806 pm // 5:48:06.006 pm /</div>			
<div>Login page feature</div>			
<div>@skip @sanity</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.ApplicationHooks.launchBrowser() org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:561) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:198) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:186) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:164) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:43) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:58) Caused by: org.openqa.selenium.WebDriverException: Driver server process died prematurely. Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAP-HYD-0X81095', ip: '192.168.176.227', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.1' Driver info: driver.version: FirefoxDriver at org.openqa.selenium.remote.service.DriverService.start(DriverService.java:226) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:98) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:230) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:151) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:198) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:186) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:164) at com.qa.factory.DriverFactory.initializeDriver(DriverFactory.java:43) at AppHooks.ApplicationHooks.launchBrowser(ApplicationHooks.java:58) at jdk.internal.reflect.GeneratedMethodAccessor96.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)	FAILED	0.194 s

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.TestCase.run(TestCase.java:89) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:151) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at jdk.internal.reflect.GeneratedMethodAccessor87.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:564) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre>		
1	Given user is on login page	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
2	When user enters username "balachandra.thalner@gmail.com"	SKIPPED	0.000 s
3	And user enters password "balachandra"	SKIPPED	0.000 s
4	And user clicks on login button	SKIPPED	0.000 s
5	Then user is gets the title of the page	SKIPPED	0.000 s
6	And page title should be "My account - My Store"	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:75)		
	AFTER - AppHooks.ApplicationHooks.quitBrowser()	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at AppHooks.ApplicationHooks.quitBrowser(ApplicationHooks.java:64)		