

First Committee Meeting

Progress Report

Jason Balaci

McMaster University

Oct. 21st, 2021

Table of Contents

1 Introduction

2 Project

- Drasil
- Goal #1: Typed Expression Language
- Goal #2: Theory Discrimination – “ModelKinds”

3 References

Table of Contents

1 Introduction

2 Project

- Drasil
- Goal #1: Typed Expression Language
- Goal #2: Theory Discrimination – “ModelKinds”

3 References

Who am I?

Who am I?

- I am **Jason Balaci**



Me, Camping in Killarney Prov.
Park, Fall 2019

Who am I?

- I am **Jason Balaci**
- Graduate of *McMaster University*, holding...



Me, Camping in Killarney Prov.
Park, Fall 2019

Who am I?

- I am **Jason Balaci**
- Graduate of *McMaster University*, holding...
 - Hons. Actuarial and Financial Mathematics (B.Sc.)



Me, Camping in Killarney Prov.
Park, Fall 2019

Who am I?

- I am **Jason Balaci**
- Graduate of *McMaster University*, holding...
 - Hons. Actuarial and Financial Mathematics (B.Sc.)
 - Minor in Computer Science



Me, Camping in Killarney Prov.
Park, Fall 2019

Who am I?

- I am **Jason Balaci**
- Graduate of *McMaster University*, holding...
 - Hons. Actuarial and Financial Mathematics (B.Sc.)
 - Minor in Computer Science
- Currently pursuing a thesis-based Master's of Computer Science (M.Sc) at *McMaster University*, under the supervision of **Dr. Jacques Carette**.



Me, Camping in Killarney Prov. Park, Fall 2019

Overview of Progression Towards C.S. M.Sc.

Course-related progression

- I'm required to complete¹²:

¹https://academiccalendars.romcmaster.ca/preview_program.php?catoid=45&poid=23470&returnto=9166

²http://www.cas.mcmaster.ca/cas/0files/reg_master_cs_2019a.pdf

Overview of Progression Towards C.S. M.Sc.

Course-related progression

- I'm required to complete¹²:
 - One (1) "Software" course

¹https://academiccalendars.romcmaster.ca/preview_program.php?catoid=45&poid=23470&returnto=9166

²http://www.cas.mcmaster.ca/cas/0files/reg_master_cs_2019a.pdf

Overview of Progression Towards C.S. M.Sc.

Course-related progression

- I'm required to complete¹²:
 - One (1) "Software" course
 - Either of:

¹https://academiccalendars.romcmaster.ca/preview_program.php?catoid=45&poid=23470&returnto=9166

²http://www.cas.mcmaster.ca/cas/0files/reg_master_cs_2019a.pdf

Overview of Progression Towards C.S. M.Sc.

Course-related progression

- I'm required to complete¹²:
 - One (1) "Software" course
 - Either of:
 - Two "Theory" courses, and one "Systems" course
 - One "Theory" course, and two "Systems" courses

¹https://academiccalendars.romcmaster.ca/preview_program.php?catoid=45&poid=23470&returnto=9166

²http://www.cas.mcmaster.ca/cas/0files/reg_master_cs_2019a.pdf

Overview of Progression Towards C.S. M.Sc.

Course-related progression

- I'm required to complete¹²:
 - One (1) "Software" course
 - Either of:
 - Two "Theory" courses, and one "Systems" course
 - One "Theory" course, and two "Systems" courses
- I've completed:

¹https://academiccalendars.romcmaster.ca/preview_program.php?catoid=45&poid=23470&returnto=9166

²http://www.cas.mcmaster.ca/cas/0files/reg_master_cs_2019a.pdf

Overview of Progression Towards C.S. M.Sc.

Course-related progression

- I'm required to complete¹²:
 - One (1) "Software" course
 - Either of:
 - Two "Theory" courses, and one "Systems" course
 - One "Theory" course, and two "Systems" courses
- I've completed:
 - CAS 701 "Logic & Discrete Mathematics" - Theory course, Fall 2020

¹https://academiccalendars.romcmaster.ca/preview_program.php?catoid=45&poid=23470&returnto=9166

²http://www.cas.mcmaster.ca/cas/0files/reg_master_cs_2019a.pdf

Overview of Progression Towards C.S. M.Sc.

Course-related progression

- I'm required to complete¹²:
 - One (1) "Software" course
 - Either of:
 - Two "Theory" courses, and one "Systems" course
 - One "Theory" course, and two "Systems" courses
- I've completed:
 - CAS 701 "Logic & Discrete Mathematics" - Theory course, Fall 2020
 - CAS 761 "Generative Programming" - Software course, Fall 2020

¹https://academiccalendars.romcmaster.ca/preview_program.php?catoid=45&poid=23470&returnto=9166

²http://www.cas.mcmaster.ca/cas/0files/reg_master_cs_2019a.pdf

Overview of Progression Towards C.S. M.Sc.

Course-related progression

- I'm required to complete¹²:
 - One (1) "Software" course
 - Either of:
 - Two "Theory" courses, and one "Systems" course
 - One "Theory" course, and two "Systems" courses
- I've completed:
 - CAS 701 "Logic & Discrete Mathematics" - Theory course, Fall 2020
 - CAS 761 "Generative Programming" - Software course, Fall 2020
 - CAS 763 "Certified Programming with Dependent Types" - Theory & Software course, Winter 2021

¹https://academiccalendars.romcmaster.ca/preview_program.php?catoid=45&poid=23470&returnto=9166

²http://www.cas.mcmaster.ca/cas/0files/reg_master_cs_2019a.pdf

Overview of Progression Towards C.S. M.Sc.

Course-related progression

- I'm required to complete¹²:
 - One (1) "Software" course
 - Either of:
 - Two "Theory" courses, and one "Systems" course
 - One "Theory" course, and two "Systems" courses
- I've completed:
 - CAS 701 "Logic & Discrete Mathematics" - Theory course, Fall 2020
 - CAS 761 "Generative Programming" - Software course, Fall 2020
 - CAS 763 "Certified Programming with Dependent Types" - Theory & Software course, Winter 2021
 - COMPSCI 6TB3 "Syntax-Based Tools and Compilers" - Systems course, Winter 2021

¹https://academiccalendars.romcmaster.ca/preview_program.php?catoid=45&poid=23470&returnto=9166

²http://www.cas.mcmaster.ca/cas/0files/reg_master_cs_2019a.pdf

Overview of Progression Towards C.S. M.Sc.

Course-related progression

- I'm required to complete¹²:
 - One (1) "Software" course
 - Either of:
 - Two "Theory" courses, and one "Systems" course
 - One "Theory" course, and two "Systems" courses
- I've completed:
 - CAS 701 "Logic & Discrete Mathematics" - Theory course, Fall 2020
 - CAS 761 "Generative Programming" - Software course, Fall 2020
 - CAS 763 "Certified Programming with Dependent Types" - Theory & Software course, Winter 2021
 - COMPSCI 6TB3 "Syntax-Based Tools and Compilers" - Systems course, Winter 2021
- Together, the courses completed satisfies the "Courses Requirement" as mentioned in the academic calendar¹ and the "Regulations for the Computer Science M.Sc. Program" document².

¹https://academiccalendars.romcmaster.ca/preview_program.php?catoid=45&poid=23470&returnto=9166

²http://www.cas.mcmaster.ca/cas/0files/reg_master_cs_2019a.pdf

Overview of Progression Towards C.S. M.Sc.

Thesis/research-related Progression

- Conducted “full-time” research for at least 1 full semester (Spring/Summer 2021), and “part-time” research during courses.

Overview of Progression Towards C.S. M.Sc.

Thesis/research-related Progression

- Conducted “full-time” research for at least 1 full semester (Spring/Summer 2021), and “part-time” research during courses.
- Continuing to research “full-time”.

Overview of Progression Towards C.S. M.Sc.

Thesis/research-related Progression

- Conducted “full-time” research for at least 1 full semester (Spring/Summer 2021), and “part-time” research during courses.
- Continuing to research “full-time”.
- Attended a thesis defence to learn about what to expect from a thesis defence (and learn about their research).

Overview of Progression Towards C.S. M.Sc.

Thesis/research-related Progression

- Conducted “full-time” research for at least 1 full semester (Spring/Summer 2021), and “part-time” research during courses.
- Continuing to research “full-time”.
- Attended a thesis defence to learn about what to expect from a thesis defence (and learn about their research).
- Supervisory committee is formed, and we are currently having our first supervisory committee meeting.
 - *Supervisor:* Dr. Jacques Carette
 - Dr. Spencer Smith
 - Dr. Wolfram Kahl

Table of Contents

1 Introduction

2 Project

- Drasil
- Goal #1: Typed Expression Language
- Goal #2: Theory Discrimination – “ModelKinds”

3 References

Preface

What is Drasil?

Drasil...



Drasil's Logo

[Carette et al., 2021][Yggdrasil - Wikipedia, 2021]

¹<https://jacquescarette.github.io/Drasil/>

Preface

What is Drasil?

Drasil...

- is managed by Dr. Carette & Dr. Smith.



Drasil's Logo

[Carette et al., 2021][Yggdrasil - Wikipedia, 2021]

¹<https://jacquescarette.github.io/Drasil/>

Preface

What is Drasil?

Drasil...

- is managed by Dr. Carette & Dr. Smith.
- originates from the work of Dan Szymczak.



Drasil's Logo

[Carette et al., 2021][Yggdrasil - Wikipedia, 2021]

¹<https://jacquescarette.github.io/Drasil/>

Preface

What is Drasil?

Drasil...

- is managed by Dr. Carette & Dr. Smith.
- originates from the work of Dan Szymczak.
 - Originally focused on scientific software (*Literate Scientific Software*).



Drasil's Logo

[Carette et al., 2021][Yggdrasil - Wikipedia, 2021]

¹<https://jacquescarette.github.io/Drasil/>

Preface

What is Drasil?

Drasil...

- is managed by Dr. Carette & Dr. Smith.
- originates from the work of Dan Szymczak.
 - Originally focused on scientific software (*Literate Scientific Software*).
 - Focus expanded...



Drasil's Logo

[Carette et al., 2021][Yggdrasil - Wikipedia, 2021]

¹<https://jacquescarette.github.io/Drasil/>

Preface

What is Drasil?

Drasil...

- is managed by Dr. Carette & Dr. Smith.
- originates from the work of Dan Szymczak.
 - Originally focused on scientific software (*Literate Scientific Software*).
 - Focus expanded...
- tries to “Generate All The Things”...



Drasil's Logo

[Carette et al., 2021][Yggdrasil - Wikipedia, 2021]

¹<https://jacquescarette.github.io/Drasil/>

Preface

What is Drasil?

Drasil...

- is managed by Dr. Carette & Dr. Smith.
- originates from the work of Dan Szymczak.
 - Originally focused on scientific software (*Literate Scientific Software*).
 - Focus expanded...
- tries to “Generate All The Things”...
 - with a focus on research software.



Drasil's Logo

[Carette et al., 2021][Yggdrasil - Wikipedia, 2021]

¹<https://jacquescarette.github.io/Drasil/>

Preface

What is Drasil?

Drasil...

- is managed by Dr. Carette & Dr. Smith.
- originates from the work of Dan Szymczak.
 - Originally focused on scientific software (*Literate Scientific Software*).
 - Focus expanded...
- tries to “Generate All The Things”...
 - with a focus on research software.
- has a website¹!



Drasil's Logo

[Carette et al., 2021][Yggdrasil - Wikipedia, 2021]

¹<https://jacquescarette.github.io/Drasil/>

- An exploration in software-related artifact generation for “well understood” domains through strong knowledge capture.
 - By unifying knowledge into a single framework with deeply reusable composable units of knowledge, we eliminate code duplication.
 - Knowledge organization and capture is of utmost importance in Drasil, as it is the pathway for interpreters and Domain-Specific Languages (DSLs) to make appropriate usage of the knowledge captured.
 - By creating different kinds of “printers”, we can use a stable knowledge-base to easily generate software that solves well understood problems.
- Drasil currently focuses on building research software, with Software Requirement Specification documents (SRS) in both LaTeX and HTML (with MathJaX), code to solve a problem, README files, Makefiles, graphs, etc.

Excerpts from unpublished, blinded paper:

<https://github.com/JacquesCarette/Drasil/blob/NIER2021/Papers/WellUnderstood/wu.pdf>.

Drasil Case Studies

¹<https://jacquescarette.github.io/Drasil/#Sec:Examples>

Drasil Case Studies

- Drasil currently contains a significant amount of Physics-related knowledge.

¹<https://jacquescurette.github.io/Drasil/#Sec:Examples>

Drasil Case Studies

- Drasil currently contains a significant amount of Physics-related knowledge.
- As of writing, current case studies¹ are primarily related to physics, including:

¹<https://jacquescarette.github.io/Drasil/#Sec:Examples>

Drasil Case Studies

- Drasil currently contains a significant amount of Physics-related knowledge.
- As of writing, current case studies¹ are primarily related to physics, including:
 - **GlassBR** - Predicting whether or not a glass slab is likely to resist a specified blast.

¹<https://jacquescarette.github.io/Drasil/#Sec:Examples>

Drasil Case Studies

- Drasil currently contains a significant amount of Physics-related knowledge.
- As of writing, current case studies¹ are primarily related to physics, including:
 - **GlassBR** - Predicting whether or not a glass slab is likely to resist a specified blast.
 - **Single Pendulum** - Observing the motion of a single pendulum.

¹<https://jacquescarette.github.io/Drasil/#Sec:Examples>

Drasil Case Studies

- Drasil currently contains a significant amount of Physics-related knowledge.
- As of writing, current case studies¹ are primarily related to physics, including:
 - **GlassBR** - Predicting whether or not a glass slab is likely to resist a specified blast.
 - **Single Pendulum** - Observing the motion of a single pendulum.
 - **Double Pendulum** - Observing the motion of a double pendulum.

¹<https://jacquescarette.github.io/Drasil/#Sec:Examples>

Drasil Case Studies

- Drasil currently contains a significant amount of Physics-related knowledge.
- As of writing, current case studies¹ are primarily related to physics, including:
 - **GlassBR** - Predicting whether or not a glass slab is likely to resist a specified blast.
 - **Single Pendulum** - Observing the motion of a single pendulum.
 - **Double Pendulum** - Observing the motion of a double pendulum.
 - **Game Physics** - Modelling of an open source 2D rigid body physics library used for games.

¹<https://jacquescarette.github.io/Drasil/#Sec:Examples>

Drasil Case Studies

- Drasil currently contains a significant amount of Physics-related knowledge.
- As of writing, current case studies¹ are primarily related to physics, including:
 - **GlassBR** - Predicting whether or not a glass slab is likely to resist a specified blast.
 - **Single Pendulum** - Observing the motion of a single pendulum.
 - **Double Pendulum** - Observing the motion of a double pendulum.
 - **Game Physics** - Modelling of an open source 2D rigid body physics library used for games.
 - **Proportional Derivative Controller (PDController)** - Examining the output of a “Power Plant” (Process Variable) over time.

¹<https://jacquescarette.github.io/Drasil/#Sec:Examples>

Drasil Case Studies

- Drasil currently contains a significant amount of Physics-related knowledge.
- As of writing, current case studies¹ are primarily related to physics, including:
 - **GlassBR** - Predicting whether or not a glass slab is likely to resist a specified blast.
 - **Single Pendulum** - Observing the motion of a single pendulum.
 - **Double Pendulum** - Observing the motion of a double pendulum.
 - **Game Physics** - Modelling of an open source 2D rigid body physics library used for games.
 - **Proportional Derivative Controller (PDController)** - Examining the output of a “Power Plant” (Process Variable) over time.
 - **Solar Water Heating System (SWHS)** - Modelling of a solar water heating system with phase change material, predicting temperatures and change in heat energy of water and the PCM over time.

¹<https://jacquescarette.github.io/Drasil/#Sec:Examples>

- *cont.d*¹:
 - **SWHS without Phase Change Material (NoPCM)** - Modelling of a solar water heating system without phase change material, predicting temperatures and change in heat energy of water and the PCM over time.

¹<https://jacquescarette.github.io/Drasil/#Sec:Examples>

- *cont.d*¹:
 - **SWHS without Phase Change Material (NoPCM)** - Modelling of a solar water heating system without phase change material, predicting temperatures and change in heat energy of water and the PCM over time.
 - **Projectile** - Determining if a launched projectile hits a target, assuming no flight collisions.

¹<https://jacquescarette.github.io/Drasil/#Sec:Examples>

- *cont.d*¹:

- **SWHS without Phase Change Material (NoPCM)** - Modelling of a solar water heating system without phase change material, predicting temperatures and change in heat energy of water and the PCM over time.
- **Projectile** - Determining if a launched projectile hits a target, assuming no flight collisions.
- **Slope Stability Analysis Program (SSP)** - Assessment of the safety of a slope (composed of rock and soil) subject to gravity, identifying the surface most likely to experience slip and an index of its relative stability (factor of safety).

¹<https://jacquescarette.github.io/Drasil/#Sec:Examples>

- *cont.d*¹:

- **SWHS without Phase Change Material (NoPCM)** - Modelling of a solar water heating system without phase change material, predicting temperatures and change in heat energy of water and the PCM over time.
- **Projectile** - Determining if a launched projectile hits a target, assuming no flight collisions.
- **Slope Stability Analysis Program (SSP)** - Assessment of the safety of a slope (composed of rock and soil) subject to gravity, identifying the surface most likely to experience slip and an index of its relative stability (factor of safety).
- **Heat Transfer Coefficients between Fuel and Cladding in Fuel Rods (HGHC)** - Examining the heat transfer coefficients related to clad.

¹<https://jacquescarette.github.io/Drasil/#Sec:Examples>

- *cont.d*¹:


- **SWHS without Phase Change Material (NoPCM)** - Modelling of a solar water heating system without phase change material, predicting temperatures and change in heat energy of water and the PCM over time.
- **Projectile** - Determining if a launched projectile hits a target, assuming no flight collisions.
- **Slope Stability Analysis Program (SSP)** - Assessment of the safety of a slope (composed of rock and soil) subject to gravity, identifying the surface most likely to experience slip and an index of its relative stability (factor of safety).
- **Heat Transfer Coefficients between Fuel and Cladding in Fuel Rods (HGHC)** - Examining the heat transfer coefficients related to clad.

The Drasil website is also generated by Drasil!

¹<https://jacquescarette.github.io/Drasil/#Sec:Examples>

Taking a closer look at one of the examples: GlassBR

GlassBR Generates Code!



Knowledge flow from “knowledge-base”/source to artifacts, by Dr. Spencer Smith

Which case studies currently generate code?

- **GlassBR** - Predicting whether or not a glass slab is likely to resist a specified blast.

Which case studies currently generate code?

- **GlassBR** - Predicting whether or not a glass slab is likely to resist a specified blast.
- **Proportional Derivative Controller (PDController)** - Examining the output of a “Power Plant” (Process Variable) over time.

Which case studies currently generate code?


- **GlassBR** - Predicting whether or not a glass slab is likely to resist a specified blast.
- **Proportional Derivative Controller (PDController)** - Examining the output of a “Power Plant” (Process Variable) over time.
- **SWHS without Phase Change Material (NoPCM)** - Modelling of a solar water heating system without phase change material, predicting temperatures and change in heat energy of water and the PCM over time.

Which case studies currently generate code?

- **GlassBR** - Predicting whether or not a glass slab is likely to resist a specified blast.
- **Proportional Derivative Controller (PDController)** - Examining the output of a “Power Plant” (Process Variable) over time.
- **SWHS without Phase Change Material (NoPCM)** - Modelling of a solar water heating system without phase change material, predicting temperatures and change in heat energy of water and the PCM over time.
- **Projectile** - Determining if a launched projectile hits a target, assuming no flight collisions.

Why don't all case studies generate software artifacts?

Where will I be contributing?

¹Terminology is currently being changed, but is not reflected in many documents yet. 

Why don't all case studies generate software artifacts?

Where will I be contributing?

After all,

¹Terminology is currently being changed, but is not reflected in many documents yet.

Why don't all case studies generate software artifacts?

Where will I be contributing?

After all,

- They're all covered under “well understood” domains!

¹Terminology is currently being changed, but is not reflected in many documents yet.

Why don't all case studies generate software artifacts?

Where will I be contributing?

After all,

- They're all covered under “well understood” domains!
- The SRS documents are generated!

¹Terminology is currently being changed, but is not reflected in many documents yet.


Why don't all case studies generate software artifacts?

Where will I be contributing?

After all,

- They're all covered under “well understood” domains!
- The SRS documents are generated!

Generating view-only data (e.g., SRS documents) is considerably easier than generating artifacts that are “evaluated” in some way or another (e.g., compilation/interpretation/static analysis)

¹Terminology is currently being changed, but is not reflected in many documents yet. 

Why don't all case studies generate software artifacts?


Where will I be contributing?

After all,

- They're all covered under “well understood” domains!
- The SRS documents are generated!

Generating view-only data (e.g., SRS documents) is considerably easier than generating artifacts that are “evaluated” in some way or another (e.g., compilation/interpretation/static analysis)

A few, notable, blocking problems:

¹Terminology is currently being changed, but is not reflected in many documents yet. 

Why don't all case studies generate software artifacts?

Where will I be contributing?


After all,

- They're all covered under “well understood” domains!
- The SRS documents are generated!

Generating view-only data (e.g., SRS documents) is considerably easier than generating artifacts that are “evaluated” in some way or another (e.g., compilation/interpretation/static analysis)

A few, notable, blocking problems:

- Confidently generating usable software artifacts without strong type information places significant stress on developers, resulting in a higher likelihood of bugs in artifacts.

¹Terminology is currently being changed, but is not reflected in many documents yet. 

Why don't all case studies generate software artifacts?

Where will I be contributing?

After all,

- They're all covered under “well understood” domains!
- The SRS documents are generated!

Generating view-only data (e.g., SRS documents) is considerably easier than generating artifacts that are “evaluated” in some way or another (e.g., compilation/interpretation/static analysis)

A few, notable, blocking problems:

- Confidently generating usable software artifacts without strong type information places significant stress on developers, resulting in a higher likelihood of bugs in artifacts.
- Existing “theories”/“*Models”¹ don't expose enough information. They must be enriched, so that we can better interact with, and understand them.

¹Terminology is currently being changed, but is not reflected in many documents yet.

Goal #1: Typed Expression Language

The Problem

Goal #1: Typed Expression Language

The Problem

- Ensure only admissible expressions are used in GOOL-supported languages, and that all expressions are coherent.

Goal #1: Typed Expression Language

The Problem

- Ensure only admissible expressions are used in GOOL-supported languages, and that all expressions are coherent.
- We want to ease developer cognitive load when writing expressions, as they will need to ensure their expressions are coherent, or else a type error can occur at runtime.

Goal #1: Typed Expression Language

What makes up a “good” solution?

Goal #1: Typed Expression Language

What makes up a “good” solution?

- Catches, within reason, all possible scenarios where an expression goes awry.

Goal #1: Typed Expression Language

What makes up a “good” solution?

- Catches, within reason, all possible scenarios where an expression goes awry.
- Allows GOOL code generator to also become typed!

Goal #1: Typed Expression Language

What makes up a “good” solution?

- Catches, within reason, all possible scenarios where an expression goes awry.
- Allows GOOL code generator to also become typed!
- Add extra functionality to existing expression languages safely, allowing for new data types to be introduced.

Goal #1: Typed Expression Language

Current Progression

Goal #1: Typed Expression Language

Current Progression

- Split core mathematical expression language (Expr) into 3 variants (Expr, ModelExpr, and CodeExpr)

Goal #1: Typed Expression Language

Current Progression

- Split core mathematical expression language (Expr) into 3 variants (Expr, ModelExpr, and CodeExpr)
 - 'Expr' is a discrete, directly computable language, expected to have a *total* conversion into code (e.g., calculator).

Goal #1: Typed Expression Language

Current Progression

- Split core mathematical expression language (Expr) into 3 variants (Expr, ModelExpr, and CodeExpr)
 - 'Expr' is a discrete, directly computable language, expected to have a *total* conversion into code (e.g., calculator).
 - Created 'ModelExpr', which contains all other kinds of expressions we might want to express, but won't necessarily be directly convertible into code. There are still a few operations left in "Expr" that need to be moved over, however.

Goal #1: Typed Expression Language

Current Progression

- Split core mathematical expression language (Expr) into 3 variants (Expr, ModelExpr, and CodeExpr)
 - 'Expr' is a discrete, directly computable language, expected to have a *total* conversion into code (e.g., calculator).
 - Created 'ModelExpr', which contains all other kinds of expressions we might want to express, but won't necessarily be directly convertible into code. There are still a few operations left in "Expr" that need to be moved over, however.
 - Theories that rely on discussion of terms only found "ModelExpr" may only have code generated for them if we have rich enough data (see goal #2).

Goal #1: Typed Expression Language

Current Progression

- Split core mathematical expression language (Expr) into 3 variants (Expr, ModelExpr, and CodeExpr)
 - ‘Expr’ is a discrete, directly computable language, expected to have a *total* conversion into code (e.g., calculator).
 - Created ‘ModelExpr’, which contains all other kinds of expressions we might want to express, but won’t necessarily be directly convertible into code. There are still a few operations left in “Expr” that need to be moved over, however.
 - Theories that rely on discussion of terms only found “ModelExpr” may only have code generated for them if we have rich enough data (see goal #2).
 - “CodeExpr” is a clone of ‘Expr’, with a few extra functionalities for GOOL.

Goal #1: Typed Expression Language

Current Progression

- Split core mathematical expression language (Expr) into 3 variants (Expr, ModelExpr, and CodeExpr)
 - ‘Expr’ is a discrete, directly computable language, expected to have a *total* conversion into code (e.g., calculator).
 - Created ‘ModelExpr’, which contains all other kinds of expressions we might want to express, but won’t necessarily be directly convertible into code. There are still a few operations left in “Expr” that need to be moved over, however.
 - Theories that rely on discussion of terms only found “ModelExpr” may only have code generated for them if we have rich enough data (see goal #2).
 - “CodeExpr” is a clone of ‘Expr’, with a few extra functionalities for GOOL.
 - Created a typed tagless final[Carette et al., 2009] smart constructor encoding for writing expressions in “Expr” (or, optionally, ModelExpr).

Goal #1: Typed Expression Language

What are the next steps?

Goal #1: Typed Expression Language

What are the next steps?

- Continue moving inadmissible terms from “Expr” into “ModelExpr”.

Goal #1: Typed Expression Language

What are the next steps?

- Continue moving inadmissible terms from “Expr” into “ModelExpr”.
- Moving literals from “Expr” & “ModelExpr” into their own small language, so that areas that want *strictly* literals can also have stronger restrictions on allowed data.

Goal #1: Typed Expression Language

What are the next steps?

- Continue moving inadmissible terms from “Expr” into “ModelExpr”.
- Moving literals from “Expr” & “ModelExpr” into their own small language, so that areas that want *strictly* literals can also have stronger restrictions on allowed data.
- Adjusting containers to allow for expressions with a type variable.

Goal #1: Typed Expression Language

What are the next steps?

- Continue moving inadmissible terms from “Expr” into “ModelExpr”.
- Moving literals from “Expr” & “ModelExpr” into their own small language, so that areas that want *strictly* literals can also have stronger restrictions on allowed data.
- Adjusting containers to allow for expressions with a type variable.
- Adding the final type signatures, using Haskell GADT syntax.

Goal #2: Theory Discrimination – “ModelKinds”

The Problem

Goal #2: Theory Discrimination – “ModelKinds”

The Problem

- Previously, “RelationConcepts” were heavily used in both displaying expressions, and code generation. They are essentially “Relation”s (“Expr”s) with a natural language description of them.

Goal #2: Theory Discrimination – “ModelKinds”

The Problem

- Previously, “RelationConcepts” were heavily used in both displaying expressions, and code generation. They are essentially “Relation”s (“Expr”s) with a natural language description of them.
- “RelationConcept”s don’t contain enough information on their own to be a core component usable in general code generation.

Goal #2: Theory Discrimination – “ModelKinds”

The Problem

- Previously, “RelationConcepts” were heavily used in both displaying expressions, and code generation. They are essentially “Relation”s (“Expr”s) with a natural language description of them.
- “RelationConcept”s don’t contain enough information on their own to be a core component usable in general code generation.
- If the “shape” of the expressions are not uniform, then writing more “interpreters”/“views”/code generators for them required difficult pattern analysis. It’s also not a total-conversion.

Goal #2: Theory Discrimination – “ModelKinds”

What makes up a “good” solution?

Goal #2: Theory Discrimination – “ModelKinds”

What makes up a “good” solution?

- A good solution involves making the “Relation”s a “view” of a more data-rich specialized container for each kind of “Theory”/“*Model”.

Goal #2: Theory Discrimination – “ModelKinds”

What makes up a “good” solution?

- A good solution involves making the “Relation”s a “view” of a more data-rich specialized container for each kind of “Theory”/“*Model”.
- “ModelKinds”

Goal #2: Theory Discrimination – “ModelKinds”

What makes up a “good” solution?

- A good solution involves making the “Relation”s a “view” of a more data-rich specialized container for each kind of “Theory”/“*Model”.
- “ModelKinds”
- By constructing our final data views through “more steps” (e.g., with more depth), we obtain a better understanding of our “theories”, allowing us to do more with them.

Goal #2: Theory Discrimination – “ModelKinds”

Current Progression

Goal #2: Theory Discrimination – “ModelKinds”

Current Progression

- All “RelationConcepts” have been replaced, with one of:

Goal #2: Theory Discrimination – “ModelKinds”

Current Progression

- All “RelationConcepts” have been replaced, with one of:
 - EquationalModels: “QDefinition”s

Goal #2: Theory Discrimination – “ModelKinds”

Current Progression

- All “RelationConcepts” have been replaced, with one of:
 - EquationalModels: “QDefinition”s
 - EquationalRealms: “MultiDefn”s

Goal #2: Theory Discrimination – “ModelKinds”

Current Progression

- All “RelationConcepts” have been replaced, with one of:
 - EquationalModels: “QDefinition”s
 - EquationalRealms: “MultiDefn”s
 - EquationalConstraints: “ConstraintSet”s

Goal #2: Theory Discrimination – “ModelKinds”

Current Progression

- All “RelationConcepts” have been replaced, with one of:
 - EquationalModels: “QDefinition”s
 - EquationalRealms: “MultiDefn”s
 - EquationalConstraints: “ConstraintSet”s
 - DEModels: “RelationConcept”s

Goal #2: Theory Discrimination – “ModelKinds”

Current Progression

- All “RelationConcepts” have been replaced, with one of:
 - EquationalModels: “QDefinition”s
 - EquationalRealms: “MultiDefn”s
 - EquationalConstraints: “ConstraintSet”s
 - DEModels: “RelationConcept”s
 - OthModels: “RelationConcept”s

Goal #2: Theory Discrimination – “ModelKinds”

Current Progression

- All “RelationConcepts” have been replaced, with one of:
 - EquationalModels: “QDefinition”s
 - EquationalRealms: “MultiDefn”s
 - EquationalConstraints: “ConstraintSet”s
 - DEModels: “RelationConcept”s
 - OthModels: “RelationConcept”s
- Considerable number of “theories”/“*Models” have been restructured, but there are still many that are pending classification.

Goal #2: Theory Discrimination – “ModelKinds”

Current Progression

- All “RelationConcepts” have been replaced, with one of:
 - EquationalModels: “QDefinition”s
 - EquationalRealms: “MultiDefn”s
 - EquationalConstraints: “ConstraintSet”s
 - DEModels: “RelationConcept”s
 - OthModels: “RelationConcept”s
- Considerable number of “theories”/“*Models” have been restructured, but there are still many that are pending classification.
 - Most are best to be done once we have a typed expression language (so that we can better handle expressions that involve collections of sorts), and the rest are differential equation-related models (primarily Dong’s domain).

Goal #2: Theory Discrimination – “ModelKinds”

What are the next steps?

Goal #2: Theory Discrimination – “ModelKinds”

What are the next steps?

- Understanding what kinds of needs we have for “collections”, pushing this information back into the typed expression language (once that is fully typed), and then creating model containers for these models.

Goal #2: Theory Discrimination – “ModelKinds”

What are the next steps?

- Understanding what kinds of needs we have for “collections”, pushing this information back into the typed expression language (once that is fully typed), and then creating model containers for these models.
- For the differential equation-related models, we will need to build appropriate models for each kind.

Fin.
Thank you!

Table of Contents




1 Introduction

2 Project

- Drasil
- Goal #1: Typed Expression Language
- Goal #2: Theory Discrimination – “ModelKinds”

3 References

References I

-  Carette, J., Kiselyov, O., and Shan, C.-c. (2009).
Finally tagless, partially evaluated: Tagless staged interpreters for
simpler typed languages.
Journal of Functional Programming, 19(5):509–543.
-  Carette, J., Smith, S., Balaci, J., Hunt, A., Wu, T.-Y., Crawford, S.,
Chen, D., Szymczak, D., MacLachlan, B., Scime, D., and Niazi, M.
(2021).
Drasil.
-  Yggdrasil - Wikipedia (2021).
Yggdrasil.