

Cisco Packet Tracer

File Edit Options View Tools Extensions Help

Logical Physical x: 632, y: 588

S.BALAJI
192412691.

BUS TOPOLOGY.

PC-PT PC7
Hub-PT Hub2
PC-PT PC4

PC-PT PC8
Hub-PT Hub1
PC-PT PC5

PC-PT PC10
Hub-PT Hub3
PC-PT PC6

PC8

Physical Config Desktop Programming Attributes

Command Prompt

Approximate round trip times in milli-seconds:
Minimum = 1ms, Maximum = 3ms, Average = 2ms

C:\>ipconfig /all

FastEthernet0 Connection: (default port)

Connection-specific DNS Suffix...
Physical Address..... 00D0.9714.3C8C
Link-local IPv6 Address..... FE80::2D0:97FF:FE14:3C8C
IP Address..... 172.23.20.2
Subnet Mask..... 255.255.0.0
Default Gateway..... 0.0.0.0
DNS Servers..... 0.0.0.0
DHCP Servers..... 0.0.0.0
DHCPv6 Client DUID..... 00-01-00-01-25-B6-44-BA-00-D0-97-14-3C-8C

Bluetooth Connection:

Connection-specific DNS Suffix...
Physical Address..... 0030.F2AC.C8D4
Link-local IPv6 Address..... ::
IP Address..... 0.0.0.0
Subnet Mask..... 0.0.0.0
Default Gateway..... 0.0.0.0
DNS Servers..... 0.0.0.0

Simulation Panel

Event List

Vis.	Time(sec)	Last Device	At Device	Type
	133.589	Hub3	PC10	ICMP
	133.590	PC8	Hub3	ICMP
	133.591	Hub3	Hub1	ICMP
	133.591	Hub3	PC10	ICMP
	133.592	Hub1	Hub2	ICMP
	133.592	Hub1	PC5	ICMP
	133.592	Hub1	PC8	ICMP
Visible	133.593	Hub2	PC4	ICMP
Visible	133.593	Hub2	PC7	ICMP

Reset Simulation ☒ Constant Delay Captured to: 800.700 s

Play Controls

Event List Filters - Visible Events

ACL Filter, ARP, BGP, Bluetooth, CAPWAP, CDP, DHCP, DHCPv6, DNS, DTP, EAPOL, EIGRP, EIGRPv6, FTP, H.323, HSRP, HSRPv6, HTTP, HTTPS, ICMP, ICMPv6, IPsec, ISAKMP, IoT, IoT TCP, LACP, LLDP, Meraki, NDP, NETFLOW, NTP, OSPF, OSPFv6, PAgP, POP3, PPP, PPPoE, PTP, RADIUS, REP, RIP, RIPv2, RTP, SCCP, SMTP, SNMP, SSH, STP, SYSLOG, TACACS, TCP, TFTP, Telnet, UDP, USB, VTP

Edit Filters Show All/None

Time: 01:22:59.901 PLAY CONTROLS: [Stop] [Play] [Fast Forward]

Scenario 0

New Delete

Toggle PDU List Window

Copper Straight-Through