

NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601 RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	28/09/2020 21:00 pm	
Date and time of reporting (dd/mm/yyyy)	30/09/2020 13:07 pm	
SPECIMEN DETAILS	Nasopharyngeal Swab	
NAME OF QUARANTINE CENTER / HOSPITAL	Civil Hospital	

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C33316	PRIYANKA DEEPAK BHOIR	23	F	30.09.2020	Negative
C33317	SURESH SHRIRANA PATIL	54	М	30.09.2020	Negative
C33318	SWAPNIL MORE	28	М	30.09.2020	Positive
C33319	DR.MADHAVI PANDARE	34	F	30.09.2020	Negative
C33320	NIKITA MATELE	28	F	30.09.2020	Negative
C33321	MARIYA DSOUZA	62	F	30.09.2020	Negative
C33322	SUGANDHA GADIGAVAKAR	70	F	30.09.2020	Negative
C33323	TABASSUM ANSARI	23	F	30.09.2020	Negative
C33324	ARYA HURAV	32	F	30.09.2020	Negative
C33325	EKNATH BODARE	66	М	30.09.2020	Negative
C33326	ADITI BHAT	26	F	30.09.2020	Positive
C33327	SUDHAKAR AHIRE	40	М	30.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- · Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shauro Verified by

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)

Verified by Dr. Shalmali Dharma Ph. D