



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	03/07/2020 12:05 pm
Date and time of reporting (dd/mm/yyyy)	05/07/2020 15:57 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA C WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C12723	KISHOR THAKUR 1109	50	M	05.07.2020	Negative
C12722	VIKAS DHAINJE 2109	39	M	05.07.2020	Positive
C12721	KAVITA MAZUMDAS	31	F	05.07.2020	Negative
C12720	MANISHA BANSODE 1118	45	F	05.07.2020	Negative
C12719	MANISHA DAWAL 1134	40	F	05.07.2020	Negative
C12718	KAILASHI GUPTA 923	70	F	05.07.2020	Negative
C12717	SIDDHI SURVE 1329	16	F	05.07.2020	Negative
C12716	BHALCHANDRA DAWAL 1126	49	M	05.07.2020	Positive
C12715	SANDHYA MOGHE 1133	45	F	05.07.2020	Negative
C12724	SHRAVAN GUPTA 924	40	M	05.07.2020	Negative
C12700	ANJALI TAMACHEKAR 2108	23	F	05.07.2020	Negative
C12701	SUBHADRA MANGESH 724	45	F	05.07.2020	Negative
C12702	SANDIP SHAHANE 2201	43	M	05.07.2020	Negative
C12703	NANDKUMAR SHAHANE 2226	45	M	05.07.2020	Negative
C12704	ASHWINI PANCHAL 1127	40	F	05.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	03/07/2020 12:05 pm
Date and time of reporting (dd/mm/yyyy)	05/07/2020 15:57 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA C WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C12705	ROOPALI TAMBE 1608	27	F	05.07.2020	Negative
C12706	KAMALESH RATILAL SOLANKI 605	35	M	05.07.2020	Positive
C12707	INDRAVATI JAISWAL 1515	33	F	05.07.2020	Negative
C12708	SANJAY PAWAR 917	48	M	05.07.2020	Positive
C12709	BAJARANG DHAINJE 2109	68	M	05.07.2020	Negative
C12710	FULAN PATIL 719	40	F	05.07.2020	Negative
C12711	LAXMAN PATIL 718	50	M	05.07.2020	Negative
C12712	SHRIMANT GAIKWAD 1317	50	M	05.07.2020	Negative
C12713	DIPALI AGRE 911	29	F	05.07.2020	Negative
C12714	SURESH PATIL 801	48	M	05.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)