

NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601 RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	26/09/2020 16:50 pm	
Date and time of reporting (dd/mm/yyyy)	27/09/2020 20:29 pm	
SPECIMEN DETAILS	Nasopharyngeal Swab	
NAME OF QUARANTINE CENTER / HOSPITAL	HAJURI CENTRE	

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C32927	KISAN VIDHATE	52	М	27.09.2020	Negative
C32926	SANJAY KUMAR	23	М	27.09.2020	Negative
C32925	KAMLESH KUMAR	20	М	27.09.2020	Negative
C32924	VINOD MAHATO	38	М	27.09.2020	Negative
C32923	MAHESH MAHATO	30	М	27.09.2020	Negative
C32922	RAJU KUMAR RAUT		М	27.09.2020	Negative
C32921	RAMESH MAHATO	27	М	27.09.2020	Negative
C32920	RAVI BAITHA	19	М	27.09.2020	Negative
C32919	RADHE SHYAM KUMAR	23	М	27.09.2020	Negative
C32918	RAM PRAVESH KUMAR	22	М	27.09.2020	Negative
C32917	SEEMA KISHOR VEDE	39	F	27.09.2020	Negative
C32916	NIKITA YASHWANT DALVI	22	F	27.09.2020	Negative
C32915	VANDANA YASHWANT DALVI	40	F	27.09.2020	Negative
C32889	PRANALI GHONGE	34	F	27.09.2020	Inconclusive (Repeat Fresh Sample)

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- · Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional
 testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shaws Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)