



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	11/07/2020 15:30 pm
Date and time of reporting (dd/mm/yyyy)	12/07/2020 16:40 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	kores hospital

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C14512	JATIN G. KASBE	28	M	12.07.2020	Negative
C14514	RAJ SHASHIKANT SHELAR	18	M	12.07.2020	Positive
C14515	KOMAL KHUDIYA	22	F	12.07.2020	Positive
C14516	PRITI WALMIKI	23	F	12.07.2020	Negative
C14517	JAYPRAKASH YADAV	29	M	12.07.2020	Negative
C14518	VEDANSH KARANDE	18	M	12.07.2020	Positive
C14519	AKANKSHA A. MIRASHI	20	F	12.07.2020	Positive
C14520	AMIT S, GAIKWAD	33	M	12.07.2020	Negative
C14521	SHOBHA S. SURADKAR	31	F	12.07.2020	Negative
C14522	KIRAN K. JAGDALE	34	M	12.07.2020	Negative
C14523	RAVINDRA MHATRE	59	M	12.07.2020	Positive
C14524	RAMESH BALARAM VINERKAR	45	M	12.07.2020	Negative
C14525	SHASHIKANT K. JOSHI	63	M	12.07.2020	Negative
C14526	KHUSHABU S. JOSHI	26	F	12.07.2020	Positive
C14527	SHWETA S. JOSHI	30	F	12.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	11/07/2020 15:30 pm
Date and time of reporting (dd/mm/yyyy)	12/07/2020 16:40 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	kores hospital

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C14528	SHIVGANGA S. UNHALE	23	F	12.07.2020	Negative
C14529	AGNESH J. KEDARI	62	F	12.07.2020	Negative
C14530	GANESH K. SADAKE	32	M	12.07.2020	Positive
C14531	PRAMODINI NHAVELKAR	37	F	12.07.2020	Positive
C14532	BHAGYASHREE WAGHMARE	28	F	12.07.2020	Positive
C14533	DR. SEEMA S. ALMEIDA	43	F	12.07.2020	Negative
C14534	SUSANNA S. ALMEIDA	09	F	12.07.2020	Negative
C14535	RAKESH P. CHAUHAN	39	M	12.07.2020	Negative
C14536	DR. RAJESH G. GORE	27	M	12.07.2020	Negative
C14537	SUNITA G. SUGADARE	65	F	12.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)