

NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)		08/07/2020 12:20 pm	
	Date and time of reporting (dd/mm/yyyy)	09/07/2020 12:46 pm	
	SPECIMEN DETAILS	Nasopharyngeal Swab	
	NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA C WING	

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C13790	GRECY FERNANDIS 320	55	F	09.07.2020	Positive
C13789	BLAISE FERNANDIS 319	55	М	09.07.2020	Positive
C13805	SHABNAJ KHAN 1825	58	М	09.07.2020	Positive
C13795	GUAB SAWANT 1617	65	F	09.07.2020	Negative
C13792	RANJANA MAHADIK 1604	55	F	09.07.2020	Negative
C13794	SANDHYA GAIKWAD 1610	39	F	09.07.2020	Negative
C13793	MACHINDRA GAIKWAD 1609	61	М	09.07.2020	Negative
C13798	SANJANA DHUMAL 1720	43	F	09.07.2020	Negative
C13799	HEMLATA KENI 1710	48	F	09.07.2020	Negative
C13797	NITIN KENI 1709	55	М	09.07.2020	Negative
C13800	MAHESH SONAWANE 1704	39	М	09.07.2020	Negative
C13791	MADHURI KALE 614	42	F	09.07.2020	Positive
C13806	ANITA GAIKWAD 2008	40	F	09.07.2020	Negative
C13802	RUPALI RAJESH UTEKAR 1816	36	F	09.07.2020	Positive
C13804	RAJESH RAMESH UTEKAR 1815	43	M	09.07.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional
 testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shauro Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)		08/07/2020 12:20 pm
Bate a Time of recorpt of openiment (administry)		00/01/12020 12120 p.i.i
	Date and time of reporting (dd/mm/yyyy)	09/07/2020 12:46 pm
L	bute and time of reporting (damining yyy)	00/01/2020 12.40 pm
	SPECIMEN DETAILS	Nasopharyngeal Swab
L	OI LOIMEN DETAILO	rasophar yngcar owab
ı	NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA C WING
	NAME OF QUARANTIME CENTER / HOSFITAL	DITATANDER FADA C WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C13801	ASHA RAMESH UTEKAR 1820	62	F	09.07.2020	Negative
C13803	NILESH RAJESH UTEKAR 1816	14	М	09.07.2020	Positive
C13788	MANDA VICHARE 311	30	F	09.07.2020	Positive
C13796	POPAT KSHIRSAGAR 1621	64	М	09.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- · Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shauro Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)