



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	22/07/2020 15:10 pm
Date and time of reporting (dd/mm/yyyy)	23/07/2020 12:31 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA B WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C17155	PARTH GAIKWAD 702	14	M	23.07.2020	Negative
C17159	GEETA HANUMANT BADME 1314	35	F	23.07.2020	Negative
C17160	SHRUTIKA HANUMANT BADME 1332	17	F	23.07.2020	Negative
C17157	RAMANAND RAMDHANI YADAV 1331	50	M	23.07.2020	Negative
C17158	KANTI RAMANAND YADAV 1315	47	F	23.07.2020	Negative
C17156	RANVIJAY YADAV 1316	20	M	23.07.2020	Negative
C17164	VANDANA KAJARE 1405	44	F	23.07.2020	Negative
C17167	ANISH KAJARE 1407	19	M	23.07.2020	Negative
C17163	SANTOSH KAJARE 1406	42	M	23.07.2020	Negative
C17162	SAYALI KAGARE 1411	38	F	23.07.2020	Negative
C17168	TANVI KAJARE 1404	7	F	23.07.2020	Negative
C17169	GANESH KAJARE 1407	48	M	23.07.2020	Negative
C17171	MAHENDRA KAJARE 1403	39	M	23.07.2020	Negative
C17170	MANASI KAJARE 1404	34	F	23.07.2020	Negative
C17161	PAYAL KAJARE 1412	22	F	23.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	22/07/2020 15:10 pm
Date and time of reporting (dd/mm/yyyy)	23/07/2020 12:31 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA B WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C17172	PATANJALI KUMAR MISHRA 1402	43	M	23.07.2020	Negative
C17173	DIVYASH MISHRA 1401	14	M	23.07.2020	Negative
C17174	SHASHANK MISHRA 1401	22	M	23.07.2020	Negative
C17165	SHUBHADA JAYWANT GARGE 1408	51	F	23.07.2020	Negative
C17166	HARSHAL JAYWANT GARGE 1409	25	M	23.07.2020	Negative
C17153	KARAN SINGH 1433	49	M	23.07.2020	Negative
C17152	SUNITA SINGH 1413	44	F	23.07.2020	Negative
C17175	PUTAA NANU WARBHAYAN 1432	35	F	23.07.2020	Negative
C17154	RANI JOGDAND 1414	27	F	23.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)