



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	17/08/2020 16:10 pm
Date and time of reporting (dd/mm/yyyy)	18/08/2020 17:04 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	C.R.WADIA

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C22338	SHAKUNTALA D. GUPTA W - 2204	47	F	18.08.2020	Negative
C22327	ASHISH TWARI W - 2221	30	M	18.08.2020	Negative
C22328	VINAY TAWADE W - 2222	30	M	18.08.2020	Negative
C22329	SHRAVAN S. TAWDE W - 2223	59	M	18.08.2020	Inconclusive (Repeat Fresh Sample)
C22330	TARAMATI PATIL W - 2225	75	F	18.08.2020	Inconclusive (Repeat Fresh Sample)
C22331	MANDA KIRAN TENGHARE W - 2226	25	F	18.08.2020	Negative
C22332	PRADIP KULEKAR W - 2235	63	M	18.08.2020	Negative
C22336	VAIBHAV SHRIDHAR VICHARE W - 2239	44	M	18.08.2020	Negative
C22337	ASHOK BAPURAO BAMNE W - 2241	40	M	18.08.2020	Negative
C22333	DHRUV SANJAY KHERDEKAR W- 2253	17	M	18.08.2020	Negative
C22334	ATHARVA SANJAY KHERDEKAR W- 2254	18	M	18.08.2020	Positive
C22335	JAYASHREE KOLEKAR W - 2255	55	F	18.08.2020	Negative
C22347	SANJAY KRISHNA KADU WR-197	45	M	18.08.2020	Negative
C22346	BABITA BANGERA WR-362	41	F	18.08.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)