



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	24/08/2020 15:20 pm
Date and time of reporting (dd/mm/yyyy)	24/08/2020 20:01 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	KASARVADAVALI

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C23219	MANDIKAR AYAZ ISMAIL	46	M	24.08.2020	Negative
C23220	DILIP RAMESHWAR THAKUR	32	M	24.08.2020	Negative
C23221	AHMAD NEHAL		M	24.08.2020	Negative
C23222	SACHIN DILIP SINGH	30	M	24.08.2020	Negative
C23223	RUCHA WAGH	33	F	24.08.2020	Negative
C23224	RAJANIKANT SUPANNI	29	M	24.08.2020	Negative
C23225	BILAL ABDUL KARIM	47	M	24.08.2020	Negative
C23226	SAYYAD LATIF	23	M	24.08.2020	Negative
C23227	MOHAMMAD BABLU	35	M	24.08.2020	Negative
C23228	PANCHANAN MANDAL	54	M	24.08.2020	Negative
C23229	SAHIL KAWALJIT SINGH	21	M	24.08.2020	Negative
C23230	SAI OMPRAKASH SHARMA	20	M	24.08.2020	Negative
C23231	KADAMBARI CHAVAN	24	F	24.08.2020	Negative
C23232	AJAY YUSUF SHAIKH	43	M	24.08.2020	Negative
C23233	ABURATHE ZUBAIR AHMAD SHAIKH	35	M	24.08.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	24/08/2020 15:20 pm
Date and time of reporting (dd/mm/yyyy)	24/08/2020 20:01 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	KASARVADAVALI

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C23234	SHAIKH IMTIAZ AHMAD	46	M	24.08.2020	Negative
C23235	MOHAMAD DILSHAD ALI	42	M	24.08.2020	Negative
C23236	AAZAM MANZUR KHAN	30	M	24.08.2020	Negative
C23237	ABDUL RAHIM MURTUZA ANSARI	27	M	24.08.2020	Negative
C23238	KASSIM AMIN SHAIKH	51	M	24.08.2020	Negative
C23239	HAZRATH ALI KHALIL	45	M	24.08.2020	Negative
C23240	MOHAMAD WASIM	30	M	24.08.2020	Negative
C23241	MOGISH MANSUR AHMAD	37	M	24.08.2020	Negative
C23242	SUBHASH RAMKARAN PANDAY	37	M	24.08.2020	Negative
C23243	GHANASHYAM YADAV	42	M	24.08.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)