



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**RT-PCR Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	17/09/2020 12:35 pm
Date and time of reporting (dd/mm/yyyy)	19/09/2020 18:20 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C30894	MANAV PUNDALIK SASE	2	M	19.09.2020	Negative
C30895	MADHUKAR RAMAN GANGURDE	40	M	19.09.2020	Negative
C30896	VRUSHABH ARUN PITAMBARE	14	M	19.09.2020	Negative
C30897	ANIKET ASHOK GHAYWAT	23	M	19.09.2020	Negative
C30898	HEMCHANDRA DINESH JHA	54	M	19.09.2020	<b>Positive</b>
C30899	DIVAKAR HEMCHANDRA JHA	26	M	19.09.2020	Negative
C30900	RAVINDRA DAMODAR NICHITE	32	M	19.09.2020	<b>Positive</b>
C30901	KISHOR NATHURAM PALEKAR	60	M	19.09.2020	Negative
C30902	SHASHIKANT BABAN BHERE	45	M	19.09.2020	Negative
C30903	PANDHARINATH PUNDALIK AAGIWALE	37	M	19.09.2020	Negative
C30904	PUNAM PANDHARINATH AAGIWALE	28	F	19.09.2020	Negative
C30905	SEEMA KISHOR AAGIWALE	25	F	19.09.2020	Negative
C30906	PUNDLIK BHASKAR AAGIWALE	57	M	19.09.2020	Negative
C30907	PRIYAL KISHOR AAGIWALE	2	M	19.09.2020	Negative
C30909	JIYA PANDHARINATH AAGIWALE	9	F	19.09.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

  
Verified by

Dr. Shalmali Dharma Ph. D

  
Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**RT-PCR Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	17/09/2020 12:35 pm
Date and time of reporting (dd/mm/yyyy)	19/09/2020 18:20 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C30910	BHASKAR DEVU AAGIWALE	97	M	19.09.2020	Negative
C30911	PRIYA NILESH MAHALE	29	F	19.09.2020	Negative
C30913	VINAYAK VISHWAS BHANDE	20	M	19.09.2020	Negative
C30914	CHARAN KRUSHNA THAKRE	23	M	19.09.2020	<b>Positive</b>
C30915	MAHESH PANDURANG VEKHADE	34	M	19.09.2020	Inconclusive (Repeat Fresh Sample)
C30916	TUKARAM LAXMAN NAWLE	45	M	19.09.2020	Negative
C30918	RADHABAI LAXMAN NAWALE	62	F	19.09.2020	<b>Positive</b>
C30917	JYOTI BHAGYODAY PARDESHI	35	F	19.09.2020	Negative
C30919	REVTI BHAGYODAY PARDESHI	9	F	19.09.2020	Negative
C30920	PRATHMESH BHAGYODAY PARDESHI	14	M	19.09.2020	Negative
C30921	SURESH ANNA DESHMUKH	56	M	19.09.2020	Negative
C30922	PRASHANT SURESH DESHMUKH	27	M	19.09.2020	Negative
C30923	JAYWANTI SUDHAKAR KABADI	48	F	19.09.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)