



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	16/08/2020 11:30 am
Date and time of reporting (dd/mm/yyyy)	17/08/2020 12:26 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C22037	SANDEEP EKNATH SONAWANE 14312A-1907	24	M	17.08.2020	Negative
C22038	RATNAWATI MUNNA YADAV 14313/A-1912	38	F	17.08.2020	Negative
C22039	SAYYED ANWAR FAKRUDDIN 14316/A-1913	58	M	17.08.2020	Negative
C22040	ANKIT JOGENDRA SINGH 14318/A- 1915	28	M	17.08.2020	Negative
C22041	SHREEKANT PANDURANG PARAB 14295/A-1916	56	M	17.08.2020	Negative
C22042	VITTHAL SADASHIV GAWADE 14321/A-1921	54	M	17.08.2020	<b>Positive</b>
C22043	KAILAS SURESH UMBARE 14300/A- 1922	34	M	17.08.2020	Negative
C22044	PRIYANKA ASHOK JADHAV 14328/A- 1929	33	F	17.08.2020	<b>Positive</b>
C22045	RUPESH NARAYAN GURAV 14331/A- 1933	33	M	17.08.2020	Negative
C22046	MANOJ EKNATH MOHITE 41911/A- 1934	42	M	17.08.2020	Negative
C22047	SAGAR SANJAY PRAJAPATI 14335/A-1936	20	M	17.08.2020	Negative
C22048	AKASH RAJMANE 14336/A-1937	27	M	17.08.2020	Negative
C22049	MANALI PANCHI BHASKARRAO 14337/A-1938	23	F	17.08.2020	Negative
C22050	MOHD JUMIR HASIM SHAIKH 41922/A-1940	22	M	17.08.2020	<b>Positive</b>
C22051	REKHA G SARAWADE 14339/A-1947	39	F	17.08.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

  
Verified by  
Dr. Shalmali Dharma Ph. D

  
Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	16/08/2020 11:30 am
Date and time of reporting (dd/mm/yyyy)	17/08/2020 12:26 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C22052	MOHAN S MAKHIJA 19172/A-1949	47	M	17.08.2020	Negative
C22053	SHYAM RAMRAJ DHAR 14310/A-1908	31	M	17.08.2020	<b>Positive</b>
C22054	JANGBAHADUR FAUZDAR YADAV 14309/A-1909	49	M	17.08.2020	Negative
C22055	BHAGWAT VASANT PATIL 14314/A- 1911	33	M	17.08.2020	<b>Positive</b>

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)