



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	22/07/2020 16:45 pm
Date and time of reporting (dd/mm/yyyy)	23/07/2020 18:00 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CIVIL HOSPITAL THANE (MURBAD)

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C17224	BHAVANA SAMBHAJI PAWAR	18	F	23.07.2020	Negative
C17225	AKSHAY HARICHANDRA PAWAR	20	M	23.07.2020	Negative
C17227	LATA HARICHANDRA PAWAR	40	F	23.07.2020	Negative
C17228	ASHA RAJARAM PAWAR	40	F	23.07.2020	Negative
C17229	SUGANDHA KASHINATH YASHANTRAO	62	F	23.07.2020	Negative
C17230	SARVESH KANTILAL YASHANTRAO	20	M	23.07.2020	Negative
C17231	AMOL GAJANAN YASHANTRAO	50	M	23.07.2020	Negative
C17232	MAHESH GAJANAN YASHANTRAO	40	M	23.07.2020	Negative
C17233	SAURABH K. YASHANTRAO	21	M	23.07.2020	Negative
C17234	TUSHAR GULAB BHOI	22	M	23.07.2020	Negative
C17235	NIRMALA ASHOK MARKE	65	F	23.07.2020	Negative
C17236	PRAMOD ASHOK MARKE	44	M	23.07.2020	Negative
C17237	ROHINI RAJENDRA MARKE	35	F	23.07.2020	<b>Positive</b>
C17238	ARYA RAJENDRA MARKE	13	F	23.07.2020	<b>Positive</b>
C17239	KUMUD VASANT BHUNDERE	40	F	23.07.2020	<b>Positive</b>

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	22/07/2020 16:45 pm
Date and time of reporting (dd/mm/yyyy)	23/07/2020 18:00 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CIVIL HOSPITAL THANE (MURBAD)

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C17240	DURVESH VASANT BHUNDERE	17	M	23.07.2020	Negative
C17241	ARUN RAMBHAU PARDESI	48	M	23.07.2020	<b>Positive</b>
C17242	YUVRAJ N. ZUNJARRAO	38	M	23.07.2020	Negative
C17243	SUDHIR N. ZUNJARRAO	65	M	23.07.2020	Negative
C17244	REKHA M. BHUNDERE	32	F	23.07.2020	<b>Positive</b>
C17245	MANOHAR H. BHUNDERE	46	M	23.07.2020	<b>Positive</b>

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)