

NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	28/08/2020 15:45 pm	
Date and time of reporting (dd/mm/yyyy)	29/08/2020 13:33 pm	
SPECIMEN DETAILS	Nasopharyngeal Swab	
NAME OF QUARANTINE CENTER / HOSPITAL	KISAN NaGAR HEALTH CENTER	

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C23916	HEMANT KHOT B - 1741	41	М	29.08.2020	Negative
C23907	DEEPIKA KHOT B - 1742	46	F	29.08.2020	Positive
C23908	JAYESH KHOT B - 1743	25	М	29.08.2020	Positive
C23909	MANSI KHOT B - 1744	20	F	29.08.2020	Positive
C23910	ISHAN KHOT B - 1745	9	М	29.08.2020	Positive
C23911	SURAJ K. DHOKE B - 1751	30	M 🔷	29.08.2020	Negative
C23912	JAYASHREE DHOKE B - 1752	25	F	29.08.2020	Negative
C23913	SUMRDHI DHOKE B - 1753	2	F	29.08.2020	Negative
C23914	DEEPAK SHUKLA B - 1764	31	М	29.08.2020	Negative
C23915	JAYU JADHAV B - 1765	40	F	29.08.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- · Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shaws

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)

Verified by Dr. Shalmali Dharma Ph. D