



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	22/07/2020 19:00 pm
Date and time of reporting (dd/mm/yyyy)	23/07/2020 17:38 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HAJURI CENTRE

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C17176	RAKSHA SHETTY	22	F	23.07.2020	Negative
C17177	LAXMAN KRISHANA CHALAKE	53	M	23.07.2020	Negative
C17178	VILAS DATTATRAY PAWALE	54	M	23.07.2020	Negative
C17179	REKHA SHETTY	44	F	23.07.2020	Negative
C17180	MANOJ KOSHTI	55	M	23.07.2020	Negative
C17181	RACHANA MADHUSUDAN GHOSH	18	F	23.07.2020	Negative
C17182	ROMA MADHUSUDAN GHOSH	41	F	23.07.2020	Negative
C17183	MIHIR M GHOSH	19	M	23.07.2020	Negative
C17184	MILINDKUMAR R PAL	27	M	23.07.2020	Negative
C17185	JYOTI JAGDISH DALVI	50	F	23.07.2020	Negative
C17186	BABITA MANOJ MAURYA	34	F	23.07.2020	Negative
C17187	AKHILESH SHRIPAL MAURYA	28	M	23.07.2020	Negative
C17188	SWASTIK MANOJ MAURYA	6	M	23.07.2020	Positive
C17189	RAJAT MANOJ MAURYA	11	M	23.07.2020	Negative
C17190	NEHA PRAMOD AINKAR	24	F	23.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	22/07/2020 19:00 pm
Date and time of reporting (dd/mm/yyyy)	23/07/2020 17:38 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HAJURI CENTRE

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C17191	PRATHAMESH P AINKAR	21	M	23.07.2020	Negative
C17192	AMRUTA PRAMOD AINKAR	22	F	23.07.2020	Negative
C17193	JAYESH JAGDISH DALVI	32	M	23.07.2020	Negative
C17194	SANGEETA PRAMOD AINKAR	48	F	23.07.2020	Negative
C17195	SANDHYA S. WAGH	32	F	23.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)