




NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	05/07/2020 14:00 pm
Date and time of reporting (dd/mm/yyyy)	07/07/2020 12:41 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C13216	SAURABH SATISH PAYRE 11138	25	M	07.07.2020	Negative
C13217	SHUBHANGI RAMESH KADAM 11136	40	F	07.07.2020	Positive
C13218	MOTIRAM VISHNU PATIL 1137	56	M	07.07.2020	Positive
C13219	PRANAV HIRMAN SONAVANE 11134	39	M	07.07.2020	Positive
C13220	DINKAR SHANKAR SAKAT 11143	45	M	07.07.2020	Negative
C13221	JANA ARUN KARAD 11146	27	F	07.07.2020	Negative
C13222	ABHAY GIRIJASHANKAR AGNIHOTRI 11150	19	M	07.07.2020	Negative
C13223	SHOBIT SHIVMOHAN SINGH 11149	19	M	07.07.2020	Negative
C13224	ANIL RATANLAL CHAWLA 11148	45	M	07.07.2020	Negative
C13225	ANWAR MOHIDDIN KHAN 11153	50	M	07.07.2020	Negative
C13226	AKASH KUMAR SHAH 11154	27	M	07.07.2020	Negative
C13227	PUSHPA SHIVAJI SURYAVANSHI 11156	65	F	07.07.2020	Negative
C13228	SHIVAJI DAJI SURYAVNASHI 11157	70	M	07.07.2020	Negative
C13229	RANJANA RAMCHANDRA DIVEKAR 11160	50	F	07.07.2020	Positive
C13230	MANISH SHANTARAM MANDLIK 35175	46	M	07.07.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)