



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	09/07/2020 18:30 pm
Date and time of reporting (dd/mm/yyyy)	09/07/2020 17:53 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HAJURI CENTRE

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C13873	KAVITA NEMKAR	39	F	09.07.2020	<b>Positive</b>
C13874	ARADHYA NEMKAR	7	F	09.07.2020	Negative
C13875	VINIT NEMKAR	17	M	09.07.2020	Negative
C13876	SANDHYA SURESH WADWAL	48	F	09.07.2020	Negative
C13877	JAYA VILAS MAHANAVWAR	28	F	09.07.2020	Negative
C13878	SHOURYA MAHANAVWAR	7	F	09.07.2020	Negative
C13879	VILAS MAHANAVWAR	5	M	09.07.2020	Negative
C13880	HANSA PANDYA	58	F	09.07.2020	Negative
C13881	MAYANK PANDYA	34	M	09.07.2020	Negative
C13882	SAMIKSHA SUNIL INGAVLE	13	F	09.07.2020	Negative
C13883	NAVNATH BODHNE	29	M	09.07.2020	Negative
C13884	RUKMINI BHODNE	48	F	09.07.2020	Negative
C13885	MAHESH BODHANE	25	M	09.07.2020	Negative
C13886	ASHWINI BHODNE	21	F	09.07.2020	Negative
C13887	DHYANESHWAR BHODNE	27	M	09.07.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	09/07/2020 18:30 pm
Date and time of reporting (dd/mm/yyyy)	09/07/2020 17:53 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HAJURI CENTRE

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C13888	SANTOSH BHODANE	32	M	09.07.2020	Negative
C13889	BABASAHEB BHODANE	26	M	09.07.2020	Negative
C13890	JITENDRA SURVE	51	M	09.07.2020	Negative
C13891	SUHAS SURVE	60	M	09.07.2020	Negative
C13892	KOMAL KAMBLE	26	F	09.07.2020	Negative
C13893	JAYESHREE KAMBLE	60	F	09.07.2020	Negative
C13894	RIDHI MOHITE	19	F	09.07.2020	Negative
C13895	SHITAL MOHITE	57	F	09.07.2020	Negative
C13896	MARUTI KADAM	24	M	09.07.2020	Negative
C13897	PIYUSH RAGHWANI	23	M	09.07.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)