



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	17/09/2020 15:20 pm
Date and time of reporting (dd/mm/yyyy)	19/09/2020 12:57 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	KAUSA STADIUM QUARANTINE CENTER

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C30979	MOHD ABBAS KARAR KHAN	38	M	19.09.2020	Negative
C30980	NILESH MAHADEV REWALE	30	M	19.09.2020	Negative
C30981	TRUPTI HEMANTKUMAR KANPETI	30	F	19.09.2020	Negative
C30982	AMARULANISA MOHAMMAD HASIM SHAIKH	38	F	19.09.2020	Negative
C30983	SANJAY NARAYAN AHIRE	39	M	19.09.2020	Negative
C30984	AA FRINA MOHD HASHIM SHAIKH	20	F	19.09.2020	Negative
C30985	DHANASHREE SOMNATH SHIKARE	15	F	19.09.2020	Negative
C30986	SANGITA SOMNATH SHIKARE	35	F	19.09.2020	Negative
C30987	MASIRAH REHAN KHAN	23	F	19.09.2020	Negative
C30988	PRIYANKA DATTARAM BHUVAD	26	F	19.09.2020	Negative
C30989	SARFARAZ ALAM BADRUDDIN SHAIKH	50	M	19.09.2020	Negative
C30990	PAYAMBER SAJAUDIN MULANI	33	M	19.09.2020	Negative
C30991	SHANKAR BHASKAR KELUSKAR	46	M	19.09.2020	Negative
C30992	ZAIN ASGAR ALI GULAM HUSSAIN	31	M	19.09.2020	Negative
C30993	PRAMOD SAKHARAM ZUNJ	44	M	19.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	17/09/2020 15:20 pm
Date and time of reporting (dd/mm/yyyy)	19/09/2020 12:57 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	KAUSA STADIUM QUARANTINE CENTER

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C30994	JOTIBA RAMA BHUIMBAR	64	M	19.09.2020	Negative
C30995	DIPAK SHANTARAM BADAME	32	M	19.09.2020	Negative
C30996	NANDKUMAR KRISHNAJI THORAT	57	M	19.09.2020	Negative
C30997	MOHD ILYAS MULLA	33	M	19.09.2020	Negative
C30998	PRINCE KUMAR	31	M	19.09.2020	Negative
C30999	ABINASH SHIRPRASAD GUPTA	30	M	19.09.2020	Negative
C31000	MANOJ GOVIND BARODE	42	M	19.09.2020	Negative
C31001	CHETNA NAINESH BHALEROA	28	F	19.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)