

NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	13/06/2020 18:30 pm
Date and time of reporting (dd/mm/yyyy)	14/06/2020 19:03 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HORIZONE SCHOOL

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C8550	SANJAY RAVAN	54	М	14.06.2020	Negative
C8551	CHETAN PAWAR	20	М	14.06.2020	Negative
C8553	SAHIL JADHAV	16	М	14.06.2020	Negative
C8554	SURENDRA GUPTA	38	М	14.06.2020	Negative
C8555	MANSINGH CHAVAN	38	М	14.06.2020	Negative
C8556	DILIP JADHAV	56	М	14.06.2020	Negative
C8557	AMOL KAMBLE	31	М	14.06.2020	Negative
C8558	SUNAND DURVE	25	М	14.06.2020	Negative
C8559	APARNA DURVE	19	F	14.06.2020	Negative
C8560	RITU DURVE	30	F	14.06.2020	Negative
C8561	KANCHAN DURVE	21	F	14.06.2020	Negative
C8562	SHAKUNTALA DURVE	51	F	14.06.2020	Negative
C8563	HASINA AHMED SAGVEKAR	24	F	14.06.2020	Negative
C8564	NITANAND MANEKAR	42	М	14.06.2020	Negative
C8565	CHANDRKANT PAWAR	35	М	14.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional
 testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shauro Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	13/06/2020 18:30 pm
Date and time of reporting (dd/mm/yyyy)	14/06/2020 19:03 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HORIZONE SCHOOL

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C8566	ASHA DANANE	57	F	14.06.2020	Negative
C8567	DIPA BHOIR	47	F	14.06.2020	Negative
C8568	SANJIVANI BHOGLE	26	F	14.06.2020	Negative
C8569	SHIVANSH SHARMA	55	М	14.06.2020	Negative
C8570	ADITI BID	38	F	14.06.2020	Negative
C8571	SAVITA SHIVAJI LAKHAN	50	F	14.06.2020	Negative
C8573	SHYAM SHINDE	55	М	14.06.2020	Negative
C8574	POONAM SALUNKE	23	F	14.06.2020	Negative
C8575	SUVARNA DOMBALE	28	F	14.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shauro Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)