



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	06/06/2020 12:45 pm
Date and time of reporting (dd/mm/yyyy)	07/06/2020 16:04 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C7045	DHARAM SINGH CHAUHAN B-517	30	M	07.06.2020	Negative
C7046	AROHI DHIWARE B-526	3	F	07.06.2020	Negative
C7047	SANGITA DHIWARE B-526	30	F	07.06.2020	Negative
C7049	YOGESH SANTOSH TAMBE C-1130	26	M	07.06.2020	Negative
C7050	KALPANA MOHAN SAWANT C-1131	61	F	07.06.2020	Negative
C7051	ASHOK LATA AVGHADE C-1010	60	M	07.06.2020	Negative
C7052	SACHIN MOHAN SAWANT C-1115	61	M	07.06.2020	Negative
C7053	SUVARNA SAMBHAJI KENDRE C-1525	36	F	07.06.2020	Negative
C7054	VANDANA VILAS PATIL / C-1722	42	F	07.06.2020	Negative
C7055	RASUL NASIRALI MAHIKAR C-416	60	F	07.06.2020	Negative
C7056	RATAN DAMBHARI C-1510	70	M	07.06.2020	Negative
C7057	JANABAI GHOLAP C-1532	62	F	07.06.2020	Negative
C7059	SUMAN RATAN DHAMBHARI C-1511	65	F	07.06.2020	Negative
C7060	NEENA MANIKLAL AHIRE C-1512	27	F	07.06.2020	Negative
C7061	MEENA DURGUDE C-2112	54	F	07.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	06/06/2020 12:45 pm
Date and time of reporting (dd/mm/yyyy)	07/06/2020 16:04 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C7062	SHANTABAI NATU GAIKWAD C-1718	60	F	07.06.2020	Negative
C7063	PARVATI DESHMUKH C- 2120	73	F	07.06.2020	Negative
C7064	LAXMI MATHERI C-417	57	F	07.06.2020	Negative
C7065	SNEHA MAYEKAR C-2118	48	F	07.06.2020	Negative
C7066	DILIP MANDODARE C-1524	73	M	07.06.2020	Negative
C7067	LILABAI PAWAR C-909	62	F	07.06.2020	Negative
C7068	VATSALA NIGHOTE C-1709	64	F	07.06.2020	Negative
C7069	SHANTARAM PARDHI C-826	35	M	07.06.2020	Inconclusive (Repeat Fresh Sample)

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)